

Chapter 8

REFERENCES

- Abele LG and Felgenhauer BE (1986). Phylogenetic and phenetic relationships among the lower Decapoda. *Journal of Crustacean Biology*, 6(3): 385-398.
- Achuthankutty CT and George MJ (1973). *Acetes sibogalis* sp. nov. (Crustacea: Decapoda: Sergestidae) from Cochin backwaters with a note on its impregnation. *Indian journal of marine sciences*, 2(2): 139-144.
- Achuthankutty CT and Nair S (1976). A new species of sergestids shrimp *Acetes orientalis* (Crustacea: Decapoda: Sergestidae) from Goa, Central West Coast of India. *Hydrobiologia*, 48(3): 233-239.
- Achuthankutty CT and Nair SRS (1993). A new record of two penaeid species from Goa Coast. *Journal of the Indian Fisheries Association*, 23: 109-111.
- Achuthankutty M and Murthy BVSR (1991). On a new record of *Metapenaeopsis toloensis* Hall (Crustacea: Decapoda) from Indian waters. *Journal of Marine Biological Association of India*, 33: 423-425.
- Ahmad E (1972). Coastal Geomorphology of India. Orient Longman, New Delhi, 222 pp.
- Akash S, Purushothaman P, Madhavan M, Ravi C, Hisham TJ, Sudhakar M, Kumar TTA and Kuldeep LK (2020). *Urocaridella arabianensis* n. sp., a new Palaemonid shrimp (Crustacea, Decapoda, Palaemonidae) from Lakshadweep Islands, India with taxonomic comparison on the genus *Urocaridella* Borradaile, 1915. *Zootaxa*, 4816(1): 49-66.

Aktas M, Cemal T and Bozkurt A (2006). Taxonomic description of three shrimp species (*Melicertus kerathurus*, *Meatapenaeus monoceros*, *Penaeus semisulcatus*) using multivariate morphometric analyses. *Journal of Animal and Veterinary Advances*, 5: 172-175.

Alcock A (1901). A descriptive catalogue of the Indian deep-sea Crustacea Decapoda Macrura and Anomala, in the Indian Museum. Being a revised account of the deep-sea species collected by the Royal Indian Marine Survey Ship Investigator. *Trustees of the Indian Museum: Calcutta*, 286 pp.

Alcock A (1905). A revision of the "Genus" *Penaeus*, with diagnoses of some new species and varieties. *The Annals and Magazine of Natural History*, (7)16: 508-532.

Alcock A (1906). Catalogue of the Indian Decapod Crustacea in the Collection of the Indian Museum: Macrura Part 3; The Prawns of the *Penaeus* Group. The Trustees of the Indian Museum, Calcutta, 57 pp.

Alcock A and Anderson ARS (1894). Natural history notes from H.M. Royal Indian marine survey steamer 'Investigator', Commander C.F. Oldham, R.N., commanding. Series II, no. 14. An account of a recent collection of deep-sea Crustacea from the Bay of Bengal and Laccadive Sea. *Journal of the Asiatic Society of Bengal*, 63: 141-185.

Alcock A and Anderson ARS (1899). Natural history notes from H.M. Royal Indian marine survey ship 'Investigator', Commander T.H. Heming, R.N., commanding. - Series III, no. 2. An account of the deep-sea Crustacea dredged during the surveying-season of 1897-98. *The Annals and Magazine of Natural History*, (7) 3: 1-27, 278-292.

Almeida AO, Terossi M and Mantelatto FL (2014). Morphology and DNA analyses reveal a new cryptic snapping shrimp of the *Alpheus heterochaelis* Say, 1818 (Decapoda: Alpheidae) species complex from the western Atlantic. *Zoosystema*, 36 (1): 53-71.

Alvarez F, Iliffe TM and Villalobos JL (2006). Macromaxillocarididae, a new family of stenopodidean shrimp from an anchialine cave in the Bahamas, with the description of *Macromaxillocaris bahamaensis*, n. gen., n. sp. *Journal of Crustacean Biology*, 26: 366-378.

Anker A and De Grave S (2016). An updated and annotated checklist of marine and brackish caridean shrimps of Singapore (Crustacea, Decapoda). *Raffles Bulletin of Zoology*, 34: 343-454.

Anker A, Hur C and Knowlton N (2009). Description of cryptic taxa within the *Alpheus bouvieri* A. Milne-Edwards, 1878 and *A. hebes* Kim and Abele, 1988 species complexes (Crustacea: Decapoda: Alpheidae). *Zootaxa*, 2153: 1-23.

Avise JC, Arnold J, Ball RM, Bermingham E, Lamb T, Neigel JE, Reeb CA and Saunders NC (1987). Intraspecific phylogeography: the mitochondrial DNA bridge between population genetics and systematics. *Annual review of ecology and systematics*, 18: 489-522.

Avise JC, Giblin-Davidson C, Laerm J, Patton JC and Lansman RA (1979). Mitochondrial DNA clones and matriarchal phylogeny within and among geographic populations of the pocket gopher, *Geomys pinetis*. *Proceedings of the National Academy of Sciences*, 76(12): 6694-6698.

Aznar-Cormano L, Brisset J, Chan TY, Corbari L, Puillandre N, Utge J, Zbinden M, Zuccon D and Samadi S (2015). An improved taxonomic sampling is a necessary but not sufficient condition for resolving inter-families relationships in Caridean decapods. *Genetica*, 143(2): 195-205.

Baby ST, Ghosh S, Mohan G, Cubelio SS and Sudhakar M (2015). Occurrence of Marbled Shrimp *Saron marmoratus* (Olivier, 1811) (Decapoda: Caridea: Hippolytidae) in Lakshadweep Archipelago, India. *Proceedings of the Zoological Society*, 69(1): 157-160.

Balss H (1957). Decapoda. VIII. Systematik. In: Dr. H.G Bronns' Klassen und Ordnungen des Tierreichs. Funfter Band, 1. Abteilung 7, Buch 12. Winter, Leipzig/Heidelberg, 1505-1672 pp.

Banner AH and Banner DM (1972). The establishment of a neotype for *Alpheus edwardsi* (Audouin). *Bulletin du Muséum national d'Histoire Naturelle, Paris series*, 3 (88): 1141- 1146.

Banner AH and Banner DM (1979). Some small collections of alpheid shrimp from the Indian Ocean, including two new species of the genus *Synalpheus*. *Pacific Science*, 33: 25-35.

Banner DM and Banner AH (1982). The alpheid shrimp of Australia. Part III: The remaining alpheids, principally the genus *Alpheus* and the family Ogyrididae. *Records of the Australian Museum*, 34: 1-357.

Bate CS (1881). On the Penaeidae. *The Annals and Magazine of Natural History, (series 5)* 8: 169-196.

Bate CS (1888). Report on the Crustacea Macrura collected by the Challenger during the years 1873-76. *In Report on the Scientific Results of the Voyage of H.M.S. Zoology*, 24 (part 52): 1-942.

Bauer RT (2004). Remarkable Shrimps: Adaptations and Natural History of the Carideans. University of Oklahoma Press, USA, 282 pp.

Bektas Y and Belduz AO (2009). Morphological variation among atlantic horse mackerel, *Trachurus trachurus* populations from Turkish coastal waters. *Journal of Animal and Veterinary Advances*, 8(3): 511–517.

Beleem I, Poriya P and Gohil B (2019). First record of the callianassid ghost shrimp *Neocallichirus jousseaumei* (Nobili, 1904) (Decapoda: Axiidea) from India. *Journal of Threatened Taxa*, 11(3): 13402-13405.

Bharathi S, Purushothaman P, Akash S, Jose S, Madhavan M, Dhinakaran A, Saravanane N, Kumar TTA and Lal KK (2019). *Periclimenella agattii* sp.

nov., a new Palaemonid shrimp (Crustacea, Decapoda, Palaemonidae) from Lakshadweep Islands, India. *Zootaxa*, 4706(3): 483-493.

Bhat UG and Neelakantan B (1984). Composition and distribution of benthos in Kaliestuary, Karwar. *Journal of the Indian Fisheries Association*, 14(15): 27-35.

Bhuti GS (1976). Studies on the alpheids of the Karwar area (Crustacea, Natantia, Decapoda) (Ph.D. Thesis). *The Karnatak University, Karwar*, 1-324 pp.

Bilgin R, Utkan MA, Kalkan E, Karhan SU and Bekbölet M (2015). DNA barcoding of twelve shrimp species (Crustacea: Decapoda) from Turkish seas reveals cryptic diversity. *Mediterranean Marine Science*, 16(1): 36-45.

Bissaro FG, Gomes-Jr JL and Di Benedetto AP (2013). Morphometric variation in the shape of the cephalothorax of shrimp *Xiphopenaeus kroyeri* on the east coast of Brazil. Marine Biological Association of the United Kingdom. *Journal of the Marine Biological Association of the United Kingdom*, 93(3): 683-691.

Bock WJ (1974). Philosophical Foundations of Classical Evolutionary Classification. *Systematic Zoology*, 22: 375-392.

Boltana S and Thiel M (2001). Associations between two species of snapping shrimp, *Alpheus inca* and *Alpheopsis chilensis* (Decapoda: Caridea: Alpheidae). *Journal of the Marine Biological Association of the United Kingdom*, 81(4): 633.

Bookstein FL (1991). Morphometric tools for landmark data: Geometry and Biology. Cambridge University press, Cambridge, 1-435 pp.

Borradaile LA (1907). On the classification of the decapod crustaceans. *Annals and Magazine of Natural History*, 7(19): 457-486.

Bouvier EL (1917). Crustace's decapods (*Macroures marcheurs*) provenant des campagnes des yachts Hironnelle et Princesse-Alice (1885-1915). *Campagnes Scientifiques Monaco*, 50: 1-140.

Bracken HD, De Grave S and Felder DL (2009a). Phylogeny of the infraorder Caridea based on mitochondrial and nuclear genes (Crustacea: Decapoda). *Decapod crustacean phylogenetics*, 18: 274-298.

Bracken HD, Toon A, Felder DL, Martin JW, Finley M, Rasmussen J, Palero F and Crandall KA (2009b). The decapod Tree of Life: compiling the data and moving toward a consensus of decapod evolution. *Arthropod Systematics and Phylogeny*, 67 (1): 99-116.

Bracken HD, De Grave S, Toon A, Felder DL and Crandall KA (2010). Phylogenetic position, systematic status, and divergence time of the Procarididea (Crustacea: Decapoda). *Zoologica Scripta*, 39(2): 198-212.

Bracken-Grissom HD, Robles R and Felder DL (2014). Molecular phylogenetics of American snapping shrimps allied to *Alpheus floridanus* Kingsley, 1878 (Crustacea: Decapoda: Alpheidae). *Zootaxa*, 3895(4): 492-502.

Bremner J, Rogers SI and Frid CLJ (2003). Assessing functional diversity in marine benthic ecosystems: a comparison of approaches. *Marine Ecology Progress Series*, 254: 11-25.

Brown WM, Prager EM, Wang A and Wilson AC (1982). Mitochondrial DNA sequences of primates: tempo and mode of evolution. *Journal of molecular evolution*, 18: 225-239.

Bruce AJ (1995). *Latreutes anoplonyx* Kemp, 1914 (Crustacea: Decapoda: Hippolytidae), a jelly-fish associate new to the Australian fauna. *The Beagle, Records of the Museums and Art Galleries of the Northern Territory*, 12: 61-64.

Bruce AJ and Svoboda A (1983). Observations upon some pontoniine shrimps from Aqaba, Jordan. *Zoologische Verhandelingen* 205: 1-44.

Burkenroad MD (1934). Littoral Penaeidea chiefly from the Bingham oceanographic collection, with a revision of *Penaeopsis* and descriptions of two genera and eleven new American species. *Bulletin of Bingham Oceanographic Collection*, 4: 1-109.

Burkenroad MD (1983). A natural classification of the Dendrobranchiata, with a key to recent genera. *Crustacean Phylogeny, Crustacean*, 1: 279-290.

Burns JM, Janzen D H, Hajbabaie M, Hallwachs W and Hebert PDN (2008). DNA barcodes and cryptic species of skipper butterflies in the genus *Perichares* in area de conservacion Guanacaste. *Proceedings of the National Academy of Sciences*, 105: 6350-6355.

Burukovsky RN (1972). Some problems of the systematics and distribution of shrimps of the genus *Penaeus* [in Russian]. *Trudy AtlantNIRO, Kaliningrad* 2: 3-21.

Çakmak E and Alp A (2010). Morphological differences among the Mesopotamian spiny eel, *Mastacembelus mastacembelus* (Banks & Solander 1794), populations. *Turkish Journal of Fisheries and Aquatic Sciences*, 10: 87-92.

Calado R (2008). Marine ornamental shrimps: biology, aquaculture and conservation. Oxford: Wiley International, United Kingdom, 1-263 pp.

Calman WT (1909). Crustacea. In: Lankester, R., A Treatise on Zoology, Part 7, 3rd Fascicle 3. Adam and Charles Black, London, 196-223 pp.

Calo-Mata P, Pascoal A, Fernández-No I, Böhme K, Gallardo JM and Barros-Velázquez J (2009). Evaluation of a novel 16S rRNA/tRNAVal mitochondrial marker for the identification and phylogenetic analysis of shrimp species belonging to the superfamily Penaeoidea. *Analytical biochemistry*, 391(2): 127-134.

Carvalho CD, Keunecke KA and Lavrado HP (2019). Morphometric variation in pink shrimp populations at Rio de Janeiro coast (SE Brazil): are they really similar in closer areas?. *Anais da Academia Brasileira de Ciências*, 91(2): e20180252.

Carvalho FL, De Grave S and Mantelatto FL (2017). An integrative approach to the evolution of shrimps of the genus *Palaemon* (Decapoda, Palaemonidae). *Zoologica Scripta*, 46(4): 473-85.

Chace Jr FA (1972). The shrimps of the Smithsonian-Bredin Caribbean Expeditions with a summary of the West Indian shallow-water species (Crustacea: Decapoda: Natantia). *Smithsonian Contributions to Zoology*, 98: 1-179.

Chace Jr FA (1992). On the Classification of the Caridea (Decapoda). *Crustaceana*, 63 (1): 70-80.

Chace Jr FA and Bruce AJ (1993). The caridean shrimps (Crustacea: Decapoda) of the Albatross Philippine expedition 1907-1910, part 6: superfamily Palaemonoidea. *Smithsonian contributions to zoology*, 543: 1-164.

Chace Jr FA and Manning RB (1972). Two new caridean shrimps, one representing a new family, from marine pools on Ascension Island (Crustacea: Decapoda: Natantia). *Smithsonian Contributions to Zoology*, 131: 1-18.

Chakraborty RD and Thumber BP (2005). Note on a fishery of *Parapenaeus longipes* along the Veraval Coast. *Marine Fisheries Information Service, Technical and Extension Series*, 183: 15.

Chakraborty RD, Purushothaman P, Kuberan G, Sebastian J and Maheswarudu G (2015). Morphological analysis and molecular phylogeny of *Aristeusalcocki* Ramadan, 1938 from south-west coast of India. *Indian Journal of Geo Marine sciences*, 44(11): 1716-1725.

Chan TY (1998). Shrimps and prawns, Lobsters. In: Shrimps and prawns, Lobsters. In: FAO Species identification guide for fisheries purpose. The living marine resources of the Western Central Pacific. Volume 2. Cephalopods, crustaceans, holothurians and sharks. K. E. Carpenter & V. H. Niem (Eds). Food and Agriculture Organization, Rome, 851-1043 pp.

Chan TY and Yu HP (1985). Studies on the shrimps of the genus *Palaemon* (Crustacea, Decapoda, Palaemonidae) from Taiwan. *Journal of the Taiwan Museum*, 8(1): 114-127.

Chan TY, Tong J, Tam YK and Chu KH (2008). Phylogenetic relationships among the genera of the Penaeidae (Crustacea: Decapoda) revealed by mitochondrial 16S rRNA gene sequences. *Zootaxa*, 1694: 38-50.

Chanda A (2014). A systematic study on genus *Metapenaeus* wood-mason, 1891 with special reference to extended distribution of four species from Indian water. *International Journal of Fisheries and Aquatic Studies*, 2(1): 5-16.

Chanda A (2015). Indian records of the Genus *Metapenaeopsis* Bouvier, 1905 with special reference to extended distribution of two species. *International Journal of Fisheries and Aquatic Studies*, 2(6): 265-273.

Chanda A (2016). A study on newly described genera *Alcockpenaeopsis*, *Batepenaeopsis*, *Helleropenaeopsis*, *Kishinouyepenaeopsis* and *Parapenaeopsis* from Indian water. *Poultry, Fisheries & Wildlife Sciences*, 4(1):1-12.

Chanda A (2018). A taxonomic study on trachypenaeid prawns with special reference to Indian records. *Journal of Threatened Taxa*, 10(2):11332-11338.

Chanda A and Bhattacharya T (2002). *Melicertus similis*, a new species of prawn, Decapoda: Penaeidae, from India. *Journal of the Bombay Natural History Society*, 99: 495-498.

Chanda A and Bhattacharya T (2003). *Fenneropenaeus konkani*, a new species of prawn (Decapoda: Penaeidae) from Indian Coast. *Science and Culture*, 69: 229-230.

Chanda A and Roy T (2004). Prawns of Gujarat Coast. *Zoological Survey of India State Fauna of Gujarat*, 8: 211-218.

Chandra A and Bhattacharya T (2004). A new species of the genus *Parapenaeopsis* Alcock, 1901 (Penaeoidea: Penaeidae) from Orissa, India. *Proceedings of the Zoological Society*, 57: 23-27.

Chavanich S and Wilson KA (2000). Rocky intertidal zonation of gammaridean amphipods in Long Island Sound, Connecticut. *Crustaceana*, 73(7): 835-846.

Chen CL, Goy JW, Bracken-Grissom HD, Felder DL, Tsang LM and Chan TY (2016). Phylogeny of Stenopodidea (Crustacea: Decapoda) shrimps inferred from nuclear and mitochondrial genes reveals non-monophyly of the families Spongicolidae and Stenopididae and most of their composite genera. *Invertebrate Systematics*, 30(5): 479-490.

Chopra B (1923). Bopyrid isopods parasitic on Indian Decapoda Macrura. Decapoda, Macrura. *Records of Indian museum*, 25: 411-550.

Choudhury A, Bhunia AB and Nandi S (1984). Preliminary survey on macrobenthos of Prentice Island, Sundarbans, West Bengal. *Records of Zoological Survey India*, 81 (3 & 4): 81-92.

Chowdhury LM, Kathirvelpandian A, Divya PR, Basheer VS, Shanis R, Chelath M, Kumar AP and Krishna G (2019). Molecular identification and phylogenetic assessment of species under genus *Parapenaeopsis* Alcock, 1901, from Indian waters. *Mitochondrial DNA Part A*, 30(2): 191-200.

Christoffersen ML (1986). Phylogenetic relationships between Ophlophoridae, Atyidae, Pasiphaeidae, Alvinocarididae fam. n., Bresiliidae,

Psalidopodidae and Disciadidae (Crustacea Caridea Atyoidea). *Boletim de Zoologia, Universidade de São Paulo*, 10: 273-281.

Christoffersen ML (1987). Phylogenetic relationships of hippolytid genera, with an assignment of new families for the Crangonoidea and Alpheoidea (Crustacea, Decapoda, Caridea). *Cladistics*, 3: 348-362.

Christoffersen ML (1988a). Genealogy and phylogenetic classification of the world Crangonidae (Crustacea, Caridea), with a new species and new records for the South Western Atlantic. *Revista Nordestina de Biologia*, 6(1): 43-59.

Christoffersen ML (1988b). Phylogenetic systematics of the Eucarida (Crustacea, Malacostraca). *Revista Brasileira de Zoologia*, 5(2): 325-351.

Christoffersen ML (1989). Phylogeny and classification of the Pandaloidea (Crustacea, Caridea). *Cladistics*, 5: 259-274.

Christoffersen ML (1990). A new superfamily classification of the Caridea (Crustacea: Pleocyemata) based on phylogenetic pattern. *Journal of Zoological Systematics and Evolutionary Research*, 28(2): 94-106.

CMFRI (1969). Prawn Fisheries of India. *The Bulletin of the Central Marine Fisheries Research Institute*, 14:1-303.

Convention on Biological Diversity (1992).

Costa FO, Dewaard JR, Boutillier J, Ratnasingham S, Dooh RT, Hajibabaei M and Hebert PDN (2007). Biological identifications through DNA barcodes: the case of the crustacea. *Canadian Journal of Fisheries and Aquatic Sciences*, 64: 272-295.

Costello MJ, Coll M, Danovaro R, Halpin P, Ojaveer H and Miloslavich P (2010). A Census of Marine Biodiversity Knowledge, Resources, and Future Challenges. *PLoS ONE*, 5(8) e12110: 1-15.

Coutière H (1903). Note sur quelques Alpheidæ des Maldives et Laquedives. *Bulletin de la Société Philomathique de Paris*, (9)5: 72-90.

Coutière H (1905). Les Alpheidae. In: Gardiner, J.S., The Fauna and Geography of the Maldive and Laccadive Archipelagoes. Being the account of the work carried on and of the Collections made by an Expedition during the years 1899 and 1900. University Press, Cambridge, 852-921 pp.

Coutière H (1921). The Percy Sladen Trust Expedition to the Indian Ocean in 1905, under the leadership of Mr. J. Stanley Gardiner, M.A. No. X. — Les espèces d'Alpheidæ rapportées de l'Océan Indien par M. J. Stanley Gardiner. *Transactions of the Linnean Society of London (2) Zoology*, 17: 413-428.

Dall W (1999). Australian species of Solenoceridae (Penaeoidea: Decapoda). *Memoirs of the Queensland Museum*, 43(2):553-587.

Dall W, Hill BJ, Rothlisberg NW and Staples DJ (1990). The Biology of Penaeidae. *Advances in Marine Biology*, 27:1-484.

Darwin C (1859). On the origin of species by means of natural selection, or the Preservation of favoured races in the struggle for life, 1st Edn. John Murray, London, 45 pp.

Dash G, Sen S, Koya M, Sreenath KR, Mojjada S and Bhint HM (2012). Ginger Prawn Fishery in Gulf of Kutch: A Seasonal Livelihood for the Traditional Fishermen. *Asian Agri-History*, 16(4): 393-401.

De Grave S and Fransen CHJM (2011). *Carideorum catalogus*: The recent species of the dendrobranchiate, stenopodidean, procarididean and caridean shrimps (Crustacea: Decapoda). *Zoologische Mededelingen*, 85: 195-589.

De Grave S, Fransen CH and Page TJ (2015). Let's be pals again: major systematic changes in Palaemonidae (Crustacea: Decapoda). *PeerJ*, 3 (e1167): 1-21.

De Grave S, Li CP, Tsang LM, Chu KH and Chan TY (2014). Unweaving hippolytoid systematics (Crustacea, Decapoda, Hippolytidae): resurrection of several families. *Zoologica Scripta*, 43(5): 496-507.

De Grave S, Pentcheff ND, Ahyong ST, Chan TY, Crandall KA, Dworschak PC, Felder DL, Feldmann RM, Franssen CHJM, Goulding LYD, Lemaitre R, Low MEY, Martin JW, Ng PKL, Schweitzer CE, Tan SH, Shudry D and Wetzer R (2009). A classification of living and fossil genera of decapod crustaceans. *Raffles Bulletin of Zoology, Supplement*, 21: 1-109.

De Man JG (1928). The Thalassinidae and Callianassidae collected by the Siboga-Expedition with some remarks on the Laomediidae. The Decapoda of the Siboga-Expedition. Part VII. Siboga Expedition Monogram, 39a6: 1-187.

De Saint Laurent M (1979a). Vers une nouvelle classification des Crustacés Décapodes Reptantia. *Bulletin de l'Office Nationale de Pêche de Tunisie*, 3: 15-31

De Saint Laurent M (1979b). Sur la classification et la phylogénie des Thalassinides: définitions de la superfamille des Axioidea, de la sous-famille des Thomassiniinae et de deux genres nouveaux (Crustacea Decapoda). *Comptes Rendus Hebdomadaires de Séances de l'Académie des Sciences, Paris*, 288: 1395-1397.

Deshmukh VD (2006). Fishery and biology of the ginger prawn, *Metapenaeus kutchensis* George, George and Rao, 1963 along the northwest coast of India. *Journal of Marine Biological Association of India*, 48(2): 173-179.

Deshmukh VM (1975). A note on the prawn fishery in the Gulf of Kutch during 1962-63. *Indian Journal of Fisheries*, 22(1 & 2): 265-269.

Diaz RJ and Cutter GR (2001). In situ measurement of organism-sediment interaction: rates of burrow formation/abandonment and sediment

oxidation/reduction, in *Organism-Sediment Interactions*, edited by J. Y. Aller, S. A. Woodin, and R. C. Aller. University of South Carolina Press, Columbia, 19-32 pp.

Dineshbabu AP (2004). An account on the fishery and biology of *Parapenaeus fissuroides indicus* Crosier, 1985, recorded for the first time from Indian waters. *Journal of Marine Biological Association of India*, 46(2):215-219.

Đuriš Z and Horká I (2017). Towards a revision of the genus *Periclimenes*: resurrection of *Ancylocaris* Schenkel, 1902, and designation of three new genera (Crustacea, Decapoda, Palaemonidae). *ZooKeys*, (646): 25-44.

Đuriš Z, Horka I, Juračka PJ, Petrusek A and Sandford F (2011). These squatters are not innocent: The evidence of parasitism in sponge-inhabiting shrimps. *PLoS one*, 6(7), e21987: 1-10.

Dworschak PC (2000). Global diversity in the Thalassinidea (Decapoda). *Journal of Crustacean Biology*, 20(5): 238-245.

Dworschak PC (2011). Redescription of *Callianassa jousseaumei* Nobili, 1904, a junior subjective synonym of *Callianassa indica* de Man, 1905 with description of a new species of *Neocallichirus* (Decapoda: Axiidea: Callianassidae). *Zootaxa*, 2746: 1-19.

Elliott NG, Haskard K and Koslow JA (1995). Morphometric analysis of orange roughy (*Hoplostethus atlanticus*) off the continental slope of southern Australia. *Journal of Fish Biology*, 46(2): 202-20.

Ellison JC (2012). *Climate Change Vulnerability Assessment and Adaptation Planning for Mangrove Systems*. World Wildlife Fund (WWF), Washington, DC, USA, 142 pp.

Fabricius JC (1775). *Systema entomologiae, sistens insectorum classes, ordines, genera, species adiectis synonymis, locis, descriptionibus, observationibus*. Flensburgi et Lipsiae, 832 pp.

Fabricius JC (1798). Supplementum Entomologiae systematicae. Proft et Storch, Hafniae, Copenhagen, 1-572 pp.

Feldmann RM and Schweitzer CE (2010). The oldest shrimp (Devonian: Fammenian) and remarkable preservation of soft tissue. *Journal of Crustacean Biology*, 30: 629-635.

Felgenhauer BE and Abele LG (1983). Phylogenetic relationships among shrimp-like decapods. *Crustacean Phylogeny, Crustacean*, 1: 291-311.

Fitzgerald DG, Nanson JW, Todd TN and Davis BM (2002). Application of truss analysis for the quantification of changes in fish condition. *Journal of Aquatic Ecosystem Stress and Recovery*, 9(2):115-25.

Folmer O, Black M, Hoeh W, Lutz R and Vrijenhoek R (1994). DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*, 3 (5):294-299.

Fransen CHJM and De Grave S (2009). Evolution and radiation of shrimp-like decapods: an overview. In: Martin J.W., K.A. Crandall and D.L. Felder (eds.), Decapod Crustacean Phylogenetics. CRC Press, Boca Raton, 246-259 pp.

Fransozo A, Negreiros-Fransozo ML and Mantelatto FL (1992). Composicao e distribuicao dos Brachyura (Crustacea, Decapoda) do sublitoral não consolidado na Enseada da Fortaleza, Ubatuba (SP). *Revista Brasileira de Zoologi*, 52(4): 667-675.

Futuyma DJ (1998). *Evolutionary Biology*. Sinauer Associates. Inc. Sunderland, 600 pp.

Gagic V, Bartomeus I, Jonsson T, Taylor A, Winqvist C, Fischer C, Slade EM, Steffan-Dewenter I, Emmerson M, Potts SG and Tscharrntke T (2015). Functional identity and diversity of animals predict ecosystem functioning

better than species-based indices. *Proceedings of the Royal Society B: Biological Sciences*, 282(1801): 1-8.

Gaston KJ and Spicer JI (2004). *Biodiversity: an introduction*. 2nd edn. Blackwell Publishing, Oxford, UK. Gould, S. J. (1991). *Bully for brontosaurus: reflections in natural history*. Hutchinson Radius, London, UK

George MJ (1972). Zoogeographic distribution of Indian Penaeidae. *Indian journal of marine sciences*, 1(1): 89-93.

George MJ (1979). Taxonomy of Indian prawns (Penaeidae, Crustacea, Decapoda) In: Kurian, C.V., Sharma, G.S., Mohandas, A. and Antony, A. (Eds.), *Contributions to Marine Sciences Dedicated to Dr. C.V. Kurian on the occasion of his Sixtieth Birthday*. Prof. Kurian's Shashtyabdhapoorthi Committee, Cochin. 21-59 pp.

George MJ and Muthu MS (1968a). On the occurrence of *Metapenaeopsis barbata* (De Haan) (Decapoda: Penaeidae) in Indian waters with taxonomic notes on the genus. *Journal of The Marine Biological Association of India*, 10(2): 286-291.

George MJ and Muthu MS (1968b). *Solenocera waltirensis*, a new species of prawn (Decapoda: Penaeidae) from Indian waters. *Journal of The Marine Biological Association of India*, 10(2): 292-297.

George MJ and Rao PV (1968). A new species of *Metapenaeus* (Decapoda, Penaeidae). *Journal of the Marine Biological Association of India*, 8: 146-151

George MJ and George KC (1964). On the occurrence of the caridean prawn *Thalassocaris lucida* (Dana) in the stomach of *Neothunnus macropterus* (Temminck and Schlegel) from the Arabian Sea. *Journal of the Marine Biological Association of India*, 6 (1): 171-172.

George MJ, Nagappan Nayar K and Mahadevan S (1973). Under Water Observations—On A Collection of Shrimps from The Gulf of Mannar off Tuticorin. *Records of the Zoological Survey of India*, 67: 357-365.

George PC, George MJ and Rao PV (1963). *Metapenaeus kutchensis* sp. nov., a penaeid prawn from the Gulf of Kutch. *Journal of the Marine Biological Association of India*, 5(2): 284-288.

Ghosh S, Mohammed G, Polara JP and Bhint HM (2012). Monsoon fishery of juvenile ginger prawns at Little Rann of Kutch, Gujarat in relation to environmental parameters. *Indian Journal of Fisheries*, 59(1): 23-27.

Gibinkumar TR, Sabu S, Pravin P and Boopendranath MR (2012). Bycatch Characterization of Shrimp Trawl Landings off Southwest Coast of India. *Fishery Technology*, 49: 132-140.

Glaessner MF (1969). Decapoda. In: Moore, R.C., *Treatise on Invertebrate Palaeontology Part R Arthropoda 4 Vol II*. The Geological Society of America Inc and The University of Kansas Press, Boulder, Colorado, Lawrence, 399-533 pp.

Gopalakrishnan A, Divya PR, Basheer VS, Raja Swaminathan T, Kathirvelpandian A, Bineesh KK, Kumar RG and Jena JK (2012). In Director NBFGR (ed), Macro flora and fauna of the Gulf of Mannar - a checklist. National Bureau of Fish Genetic Resources, Lucknow, U.P., India, 1-127 pp.

Gopalakrishnan P and Raju KV (1987). Marine prawn farming along the coast of the Gulf of Kutch: its prospects and problems. National Symposium on Research and Development in Marine Fisheries *CMFRI Bulletin*, 44 (part 2): 317-321.

Gopalakrishnan P, Raju VK, Pillai KM and Thakkar SR (1985). Some observations on the spawning and larval rearing of the ginger prawn *Metapenaeus kutchensis* George, George and Rao. *Seafood Export Journal*, 17(12): 5-8

Gopalakrishnan P, Raju VK, Pillai KM, Joshi KD, Somaiya VJ and Devmurai HL (1987). Observations on fish and prawn seed resources of the Gulf of Kutch and their utilization in aquaculture. *Fishery Technology*, 24: 5-11.

Gravely FH (1927). Fauna of Krusadai Island in the Gulf of Mannar. Orders Decapoda (except Paguridea) and Stomatopoda. *Bulletin of the Madras Government Museum*, 1(1): 135-155.

Gravely FH (1930). Supplement to the littoral fauna of Krusadai Island in the Gulf of Mannar-The Alpheidae of Krusadai Island. *Bulletin of the Madras Government Museum (New series), Natural history section*, 1(2): 77-79.

Guérin-Méneville FE (1857). Animaux articulés à pieds articulés. Crustacés. In: de la Sagra, R., Histoire Physique, Politique et Naturelle de l'Île de Cuba. Arthus Bertrand, Paris, 1-87 pp.

Guo CC, Hwang JS and Fautin DG (1996). Host selection by shrimps symbiotic with sea anemones: a field survey and experimental laboratory analysis. *Journal of Experimental Marine Biology and Ecology*, 202(2): 165-176.

Gupta SR and Deshmukhe G (2000). Coastal and maritime environments of Gujarat: Ecology and Economics. Gujarat Ecological Society, Vadodara, 150 pp.

Haswell WA (1879). On the Australian species of *Penaeus*, in the Macleay Museum, Sydney. *The Proceedings of the Linnean Society of New South Wales*, 4: 38-44.

Hebert PD, Stoeckle MY, Zemplak TS and Francis CM (2004). Identification of birds through DNA barcodes. *PLoS Biology*, 2(10): 1657-1663.

Hebling NJ, Mantelatto FL and Negreiros-Fransozo ML (1994). Levantamento e distribuicao de braquiúros e Anomuros (Crustacea, Decapoda) dos sedimentos sublitorais da região da Ilha Anchieta, Ubatuba (SP). *Boletim do Instituto de Pesca*, 21: 1-9.

Heller C (1865). Crustaceen. In: Reise der österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den Befehlen des Commodors B. von Wüllerstorff-Urbair. *Zoologischer Theil. Kaiserlich-königlichen Hof- und Staatsdruckerei, Wien*, 2(3): 1-280

Henderson JR (1893). A contribution to Indian carcinology. *Transactions of the Linnean Society of London Zoology*, (2)5: 325-458.

Hennig W (1950). Grundzüge einer Theorie der Phylogenetischen Systematik. Deutscher Zentralverlag, Berlin.

Holthuis LB (1955). The recent genera of the caridean and stenopodidean shrimps (Class Crustacea, Order Decapoda Super-section Natantia) with keys for their determination. *Zoologische Verhandlungen*, 26: 1-157.

Holthuis LB (1980). Species catalogue. Volume 1-Shrimps and prawns of the world. An annotated catalogue of species of interest to fisheries. FAO Fisheries Synopsis, 1-271 pp.

Holthuis LB (1993). The recent genera of the caridean and stenopodidean shrimps (Crustacea, Decapoda), with an appendix on the order Amphionidacea. Nationaal Natuurhistorisch Museum: Leiden, The Netherlands, 1-328 pp.

Hornell J (1916). Report to the Government of Baroda on the marine zoology of Okhamandal in Kattiawar, pt 1. Williams and Norgate, London, 145-148 pp.

Hualkasina W, Sirimontapornb P, Chotigeata W, Querci J and Phongdara A (2003) Molecular phylogenetic analysis of white prawns species and the existence of two clades in *Penaeus merguensis*. *Journal of experimental marine biology and ecology*, 296: 1-11.

ICMAM (2002). Geographical Information System for Gulf of Kachchh, Integrated Coastal and Marine Area Management Report.

Jayachandran KV (2005). The biodiversity of palaemonid prawns from Indian Seas. Aspects of Aquatic Biodiversity. Special Publication No. 84. CMFRI, Cochi, 21-28 pp.

Jayachandran KV (2010). Indian palaemonid decapod crustaceans: taxonomic status, research challenges and conservation needs. *Indian Journal of Animal Sciences*, 80 (4): 46-52.

Jayachandran KV and Joseph NI (1989). Palaemonid prawn resources on the south-west coast of India. *Journal of Aquaculture in the Tropics*, 4: 65-76.

Johns GC and Avise JC (1998). A comparative summary of genetic distances in the vertebrates from the mitochondrial cytochrome b gene. *Molecular Biology and Evolution*, 15(11): 1481-1490.

Jones WT, Feldmann RM, Schweitzer CE, Schram FR, Behr R and Hand KL (2014). The first Paleozoic stenopodidean from the Huntley Mountain Formation (Devonian Carboniferous). *Journal of Paleontology*, 88: 1251-1256.

Jose D, Rozario JV, Benjamin D and Harikrishnan M (2014). Morphological and molecular description for *Glyphocrangon investigatoris* Wood-Mason and Alcock, 1891 emphasizing its phylogenetic relationship. *Mitochondrial DNA Part A*, 27(3): 2053-2057.

Jose S, Purushothaman P, Madhavan M, Akash S, Bharathi S, Dhinakaran A, Kumar TTA and Lal KK (2020). Two new records of hippolytoid shrimps, *Lysmata hochi* Baeza amp; Anker, 2008 (Decapoda: Lysmatidae) and *Lysmata amboinensis* (de Man, 1888) from Lakshadweep Islands, India with taxonomic notes. *Zootaxa*, 4755(2): 353-364.

Joseph A and Soni VC (1990). A study on prawn fishery of the mouth of Gulf of Kutch with special reference to certain biological aspects of some prawn species. *Indian Journal of Fisheries*, 37 (3): 175-182.

Joseph A and Soni VC (1986). Length - weight relationship and relative condition factor of prawn, *Metapenaeus kutchensis* George, George and Rao from Okha. *Indian Journal of Fisheries*, 33(1): 127-129.

Kagwade PV (1978). New record of the penaeid prawn *Metapenaeus kutchensis* from Bombay with a redescription of the species. *Journal of the Marine Biological Association of India*, 20(1&2): 174-176.

Karuppasamy PK, Logeshwaran V, Priyadarshini RS and Ramamoorthy N (2020). Molecular and Systematic Identification of Food Marine Shrimps Using mtCOI Marker from Southeast Coast of India. *Thalassas: An International Journal of Marine Sciences*, 36: 487-495

Karuppasamy PK, Menon NG, Nair KKC and Achuthankutty CT (2006). Distribution and abundance of pelagic shrimps from the deep scattering layer of the eastern Arabian Sea. *Journal of Shellfish Research*, 25(3): 1013-1019.

Kathirvel M, Thirumilu P and Gokul A (2007). Indian penaeid shrimps - their biodiversity and economical values. In: Editor-Director, National symposium on Conservation and Valuation of Marine Biodiversity. *Zoological Survey of India*: 161-176

Kazmi QB and Kazmi MA (2010). Biodiversity and Biogeography of caridean shrimps of Pakistan. Higher Education Commission, Karachi, 1-400 pp.

Kemp S (1914). Notes on Crustacea Decapoda in the Indian Museum. V. Hippolytidae. *Records of the Indian Museum*, 10: 81-129.

Kemp S (1915). Crustacea Decapoda. Fauna of the Chilka Lake. *Memoirs of the Indian Museum* 3(5): 199-325.

Kemp S (1915). Fauna of the Chilka Crustacea Decapoda. *Memoirs of the Indian Museum*, 5(3): 199-325.

Kemp S (1916). Further notes on Hippolytidae. Notes on Crustacea Decapoda in the Indian Museum. VII. *Record of the Indian Museum*, 12: 385-405.

Kemp S (1922). Notes on Crustacea Decapoda in the Indian Museum. XV. Pontoniinae. *Record of the Indian Museum*, 24: 113-288

Kemp S (1925). Notes on Crustacea Decapoda in the Indian Museum, XVII. On various Caridea. *Record of the Indian Museum*, 27: 249-343.

Keyse J, Crandall ED, Toonen RJ, Meyer CP, Trembl EA and Riginos C (2014). The scope of published population genetic data for Indo-Pacific marine fauna and future research opportunities in the region. *Bulletin of Marine Science*, 90(1): 47-78.

Khedkar GD, Reddy AC, Ron TB and Haymer D (2013). High levels of genetic diversity in *Penaeus monodon* populations from the east coast of India. *Springer Plus*, 2(1): 671.

Kim JN, Choi JH, Oh TY, Choi KH and Lee DW (2011). A New Record of Pandalid Shrimp *Procletes levicarina* (Crustacea: Decapoda: Caridea) from Korean Waters. *Fisheries and aquatic sciences*, 14(4): 399-401.

Kimura M (1980). A simple method for estimating evolutionary rate of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16:111-120.

Kinoshita K (2002). Burrow structure of the mud shrimp *Upogebia major* (Decapoda: Thalassinidea: Upogebiidae). *Journal of Crustacean Biology*, 22(2): 474-480.

Komai T and Shanis CPR (2011). A new species of the genus *Parastylodactylus* Figueira, 1971 (Crustacea: Decapoda: Caridea: Stylodactylidae) from off Kollam, southwest coast of India. *Zootaxa*, 3140: 60-68.

Komai T, Ravinesh R, Riyas A and Kumar AB (2020). New records of two sponge-associated species of *Upogebia* Leach, 1814 from southern India (Decapoda: Gebiidea: Upogebiidae): *U. hexaceras* (Ortmann, 1894) and *U. nithyanandan* (Sakai, Türkay amp; Al Aidaroos, 2015) resurrected from the synonymy of *U. balmaorum* Ngoc-Ho, 1990. *Zootaxa*, 4747(3): 477-494.

Krausman PR (1999). Some basic principles of habitat use. *Grazing behavior of livestock and wildlife*, 70: 85-90.

Kuberan G, Chakraborty RD and Purushothaman P (2019). A new record of deep-sea shrimp *Glyphocrangon investigatoris* Wood-Mason & Alcock, 1891 (Decapoda: Glyphocrangonidae) from the southeastern Arabian Sea. *Zootaxa*, 4612(4): 566-570.

Kuberan G, Chakraborty RD, Purushothaman P and Maheswarudu G (2018a). Two new records of deep sea shrimp under the genus *Parapontocaris* (Crustacea: Decapoda: Crangonidae) from the southwestern coast of India. *Zootaxa*, 4450(5): 581-584.

Kuberan G, Chakraborty RD, Purushothaman P and Maheswarudu G (2018b). Record of the deep sea shrimp *Pasiphaea alcocki* (Wood-Mason & Alcock, 1891) (Crustacea: Decapoda: Pasiphaeidae) from the southwestern coast of India. *Zootaxa*, 4532(4): 597-600.

Kubo I (1942). Studies on the Japanese Palaemonoid Shrimps, III. Leander. *Journal of the Imperial Fisheries Institute*, 35: 17-85.

Kubo I (1949). Studies on penaeids of Japan and its adjacent waters. *Journal of the Tokyo University of Fisheries*, 36: 178-192.

Kumar CP, John BA, Khan SA, Lyla PS and Jalal KCA (2012). Limit of DNA Barcode in Delineating *Penaeus monodon* and in its developing stages. *Sains Malaysiana*, 41(12): 1527-1533.

Kumar JSY, Raghunathan C and Venkataraman K (2015). A report on some symbiotic shrimps (Crustacea: Decapoda) from the Andaman and Nicobar Islands, India. *Scholars Academic Journal of Biosciences*, 3 (1B): 113-119.

Kumar S, Stecher G, Li M, Knyaz C and Tamura K (2018). MEGA X: Molecular Evolutionary Genetics Analysis across computing platforms. *Molecular Biology and Evolution*, 35:1547-1549.

Kumar SV, Pathak KC, Pednekar P, Raju NSN and Gowthaman R (2006). Coastal processes along the Indian coastline. *Current Science*, 91 (4): 530-536

Kundu S, Rath S, Tyagi K, Chakraborty R and Kumar V (2018). Identification of penaeid shrimp from Chilika Lake through DNA barcoding. *Mitochondrial DNA Part B*, 3(1): 161-165.

Kunju MM (1960). On a new record of five species of Penaeidae (Decapoda: Macrura: Penaeidae) on the West Coast of India. *Journal of the Marine Biological Association of India*, 2(1): 82-84.

Kuriyan GK (1951). A note on the eggs and the first stage larva of *Hippolysmata vittata* Stimpson. *Journal of the Bombay Natural History Society*, 50: 416-417

Kurup BM, Rajasree R and Venu S (2008). Distribution of deep sea prawns off Kerala. *Journal of the Marine Biological Association of India*, 50(2): 122-6.

Lalitha DS (1980). Notes on three caridean prawns from Kakinada. *Journal of the Marine Biological Association of India*, 22 (1&2), 169-173.

Lalitha DS (1987). Growth and population dynamics of three penaeid prawns in the trawling grounds off Kakinada. *Indian Journal of Fisheries*, 34(2): 245-264.

Lavery S, Chan TY, Tam YK and Chu KH (2004). Phylogenetic relationships and evolutionary history of the shrimp genus *Penaeus* derived from mitochondrial DNA. *Molecular Phylogenetics and Evolution*, 31(1): 39-49.

Lebour MV (1938). Decapod Crustacea associated with the ascidian *Herdmania*. *Proceedings of the Zoological Society of London*, 108B: 649-653.

Li X and Komai T (2003). Pandaloid shrimps from the northern South China Sea, with description of a new species of *Plesionika* (Crustacea: Decapoda: Caridea). *The Raffles Bulletin of Zoology*, 51: 257-275.

Li X, Bruce AJ and Manning RB (2004). Some palaemonid shrimps (Crustacea: Decapoda) from northern South China Sea, with descriptions of two new species. *The Raffles Bulletin of Zoology*, 52: 513-553.

Liao Y, De Grave S, Ho TW, Ip BH, Tsang LM, Chan TY and Chu KH (2017). Molecular phylogeny of Pasiphaeidae (Crustacea, Decapoda, Caridea) reveals systematic incongruence of the current classification. *Molecular phylogenetics and evolution*, 115: 171-180.

Lin FJ, Liu Y, Sha Z, Tsang LM, Chu KH, Chan TY, Liu R and Cui Z (2012). Evolution and phylogeny of the mud shrimps (Crustacea: Decapoda) revealed from complete mitochondrial genomes. *BMC genomics*, 13(1):1-2.

Linnaeus C (1758). *Systema naturae per regna triae naturae, secundum classis, ordines, genera, species cum characteribus, differentiis, synonymis locis; Editio decima, reformata* Vol. 1, 824 Stockholm: Laurentii Salvii.

Ma KY, Chan TY and Chu KH (2009). Phylogeny of penaeoid shrimps (Decapoda: Penaeoidea) inferred from nuclear protein-coding genes. *Molecular Phylogenetics and Evolution*, 53(1): 45-55.

MacArthur RH (1972). *Geographical ecology: patterns in distribution of species*. New York: Harper and Row. Mantelatto, F. L., Fabíola C. R. F., Biagi, Rand Melo. G. A. S. 2004. Majoid Crabs Community (Crustacea: Decapoda)

from Infralittoral Rocky/sandy Bottom of Anchieta Island, Ubatuba. *Brazilian Archives of Biology and Technology*, 47 (2): 273-279.

Mahapatro D, Panigrahy RC, Panda S and Mishra RK (2015). Checklist of intertidal benthic macrofauna of a brackish water coastal lagoon on east coast of India: The Chilika Lake. *International Journal of Marine Science*, 5(33): 1-13.

Mamatha DM, Jyothi S, Sharmila S and Khedkar GD (2016). Molecular phylogeny of South Indian prawn species by DNA barcoding using COI gene as a marker. *Computational Science, Mathematics and Biology*, 1: 56-58.

Mandal S and Harkantra SN (2013). Changes in the soft bottom macrobenthic diversity and community structure from the ports of Mumbai, India. *Environmental Monitoring and Assessment*, 185(1): 653-672.

Martin JW and Davis GE (2001.) An updated classification of the Recent Crustacea. *Los Angeles: Natural History Museum of Los Angeles County*, 9: 1-124.

Mathews LM and Anker A (2009). Molecular phylogeny reveals extensive ancient and ongoing radiations in a snapping shrimp species complex (Crustacea, Alpheidae, *Alpheus armillatus*). *Molecular Phylogenetics and Evolution*, 50(2): 268-281.

Menon PG and Williamson DI (1971). Decapod Crustacea from the International Indian Ocean Expedition the species of *Thalassocaris* (Caridea) and their larvae. *Journal of Zoology*, 165(1): 27-51.

Miers EJ (1878). Notes on the Penæidæ in the collection of the British Museum, with descriptions of some new species. *Proceedings of the Zoological Society of London*, 46(1): 298-310.

Millennium Ecosystem Assessment (2005). Ecosystem and human well-being: synthesis. Washington, DC: Island Press.

Milne Edwards H (1830). Description des genres Glaucothoe, Sicyonie, Sergeste et Acete, de l'ordre des Crustacés Décapodes. *Annales des Sciences Naturelles*, (1) 19: 333-352.

Milne Edwards H (1834-1840). Histoire naturelle des Crustacés, comprenant l'anatomie, la physiologie et la classification de ces animaux. *Librairie encyclopédique de Roret, Paris*, 3: 1-468, 1-532, 1-638, 1-32.

Miquel JCE (1982). Le genre *Metapenaeus* (Crustacea, Penaeidae): taxonomie, biologie et pêches mondiales. *Zoologische Verhandelingen*, 195: 6-132.

Mishra PS, Chaudhari A, Krishna G, Kumar D and Lakra WS (2009). Genetic diversity in *Metapenaeus dobsoni* using RAPD analysis. *Biochemical genetics*, 47(5-6): 421-426.

Mohamed KH and Rao PV (1971). Estuarine phase in the life history of the commercial prawns of the west coast of India. *Journal of the Marine Biological Association of India*, 13(2): 149-161.

Mojekwu TO and Anumudu CI (2015). Advanced techniques for morphometric analysis in fish. *Journal of Aquaculture Research & Development*, 6(8):1-6.

Monod T and Forest J (2012). A history of crustacean classification. *In Treatise on Zoology-Anatomy, Taxonomy, Biology. The Crustacea*, 3: 403-444.

Muthu MS (1972a). *Parapenaeopsis indica* sp. nov. (Decapoda: Penaeidae) from the Indian waters. *Indian Journal of Fisheries*, 16: 174-180.

Muthu MS (1972b). Taxonomic notes on the penaeid prawn *Metapenaeopsis gallensis* (Pearson, 1905). *Journal of The Marine Biological Association of India*, 14(2): 564-567.

Myers N, Mittermeier RA, Mittermeier CG, da Fonseca GA and Kent J (2000). Biodiversity hotspots for conservation priorities. *Nature*, 403: 853-858.

Naderloo R and Türkay M (2012). Decapod crustaceans of the littoral and shallow sublittoral Iranian coast of the Persian Gulf: Faunistics, Biodiversity and Zoogeography. *Zootaxa*, 3374: 1-67.

Naik RM, Murthy MS, Mansuri AP, Rao YN, Pravez R, Mundkur T, Krishnans, Faidu PJ and Krishna TSVR (1991). Coastal marine ecosystems and anthropogenic pressure in the Gulf of Kachchh. WWF, India and Department of Biosciences, Saurashtra University, Rajkot, 287pp.

Natarajan SA (1942). A note on the prawn fauna of Travancore. *Current Science*, 11(12): 468-469.

Ngoc-Ho N (1995). Une espèce nouvelle de *Neocallichirus* aux îles Tuamotu, Polynésie française (Crustacea, Decapoda, Thalassinidea). *Bulletin du Muséum national d'histoire naturelle. Section A, Zoologie, biologie et écologie animals*, 17(1-2): 211-218.

NIO (2002). Status of Flora and Fauna of Gulf of Kachchh, India. National Institute of Oceanography, Goa, India.

Nobili G (1903). Crostacei di Pondichéry, Mahé, Bomba, etc. *Bollettino dei Musei di Zoologia ed Anatomia Comparata della Regia Università di Torino*, 18(452): 1-24.

Odum HT (1971). Environment, power, and society. New York: Wiley.
Odum HT. 1988. Self-organization, tranformity, and information. *Science*, 242: 1132-9.

Ortmann A (1890). Die Decapoden-Krebse des Strassburger Museums, mit besonderer Berücksichtigung der von Herrn Dr. Döderlein bei Japan und bei den Liu-Kiu-Inseln gesammelten und Z. im Strassburger Museum aufbewahrten Formen. I. Theil. Die Unterordnung Natantia (Boas) (Abtheilungen: Penaeidae und Eucyphidea = Caridae der Autoren).

Zoologische Jahrbücher. Abtheilung für Systematik, Geographie und Biologie der Thiere, 5: 437-542.

Pachelle PP, Mendes CB and Anker A (2011). The Indo-West Pacific alpheid shrimp *Athanas dimorphus* Ortmann, 1894: first record for Brazil and the western Atlantic. *Nauplius*, 19(1): 89-96.

Palumbi SR and Benzie J (1991). Large mitochondrial DNA differences between morphologically similar penaeid shrimp. *Molecular Marine Biology and Biotechnology*, 1: 27-34.

Pathan DI and Jalihal DR (1997). Proposed taxonomic revision of some important penaeid prawn genera (Crustacea: Decapoda) of Konkan coast (West coast of India). *Journal of the Bombay Natural History Society*, 94(3): 496-514.

Patwardhan A, Ray S and Roy A (2014). Molecular markers in phylogenetic studies-a review. *Journal of Phylogenetics & Evolutionary Biology*, 2(2): 1-9.

Pawar PR (2011). Species diversity of birds in mangroves of Uran (Raigad), Navi Mumbai, Maharashtra, West coast of India. *Journal of Experimental Sciences*, 2: 73-77.

Pérez Farfante I (1969). Western Atlantic shrimps of the genus *Penaeus*. *Fishery Bulletin*, 67 (3): 461-590.

Pérez Farfante I (1987). Revision of the gamba prawn genus *Pseudaristeus*, with description of two new species (Crustacea: Decapoda: Penaeoidea). *Fishery Bulletin*, 85: 311-338.

Pérez Farfante I and Kensley B (1997). Penaeoid and sergestoid shrimps and prawns of the world. Keys and diagnoses for the families and genera. *Mémoires du Muséum National d'Histoire naturelle*, 175: 1-233.

Pillai NK (1954). A note on *Callianassa maxima* M. Edwards, (Decapoda). *Bulletin of the Central Research Institute of the University of Travancor*, (C) 3 (1): 23-26.

Pillai NK (1955). Pelagic Crustacea of Travancore. I. Decapod Lariae. *Bulletin of the Central Research Institute series*, c 4 (1): 47-101.

Pillai NK (1962). On the occurrence of *Microprosthema validum* Stimpson in Indian waters *Journal of the Marine Biological Association of India*, 3(1 & 2): 267-269.

Pillai NS and Gopalakrishnan KA (1984). Brief account of 'Gunja Net' fishing of the Kutch backwaters (Gujarat). *Fishery Technology*, 21: 147-149.

Pillai SL and Thirumilu P (2013). Rediscovery of the deep sea shrimp *Glyphocrangon investigatoris* Wood-Mason and Alcock, 1891 from Indian waters. *Journal of the Marine Biological Association of India*, 55(1): 91-93.

Pillai SL, Kizhakudan SJ, Radhakrishnan EV and Thirumilu P (2014). Crustacean bycatch from trawl fishery along north Tamil Nadu coast. *Indian Journal of Fisheries*, 61(2): 7-13.

Pillai SV (1966). Some Observations on the Early Larval Stages of *Hippolysmata vittata* (Stimpson). *Journal of the Marine Biological Association of India*, 8(1): 152-158.

Poore GCB (1994). A phylogeny of the families of Thalassinidea (Crustacea: Decapoda) with keys to the families and genera. *Memoirs of the Museum of Victoria*, 54: 79-120

Porter ML, Perez-Losada M and Crandall KA (2005). Model-based multi-locus estimation of decapod phylogeny and divergence times. *Molecular phylogenetics and evolution*, 37(2): 355-369.

Poupin J, Zubia M, Gravier-Bonnet N, Chabanet P and Malay M (2013). Illustrated checklist of the Decapoda at Europa Island. *Western Indian Ocean Journal of Marine Science*, 11(1): 1-25.

Pradhan A (2011). Living on the Margins: Prawn Harvesters from Little Rann of Kutch (An Exploratory Study of Health Status). Mumbai: Centre for Health and Allied Themes, 1-114 pp.

Prakash S and Marimuthu N (2020). Notes on some crinoid associated decapod crustaceans (Crustacea: Decapoda) of Lakshadweep Archipelago, Central Indian Ocean. *Zootaxa*, 4766(1): 86-100.

Prakash S, Babu I, Gopi M, Kumar TA and Balasubramanian T (2011). Discovery of the shrimp *Pycnocaris chagoae* Bruce, 1972 (Decapoda: Caridea: Gnathophyllidae) in the Lakshadweep Archipelago, India. *Zootaxa*, 2998(1): 66-68.

Prakash S, Kumar TA and Subramoniam T (2016). New records of marine ornamental shrimps (Decapoda: Stenopodidea and Caridea) from the Gulf of Mannar, Tamil Nadu, India. *Check List*, 12 (6): 1-6.

Prakash S, Kumar TTA and Subramoniam T (2015). Notes on some Indo-Pacific Caridean shrimps (Crustacea: Decapoda: Caridea: Palaemonidae and Gnathophyllidae) particularly from India. *Zootaxa*, 3914 (4): 456-466.

Pravez R, Krishnan K and Mansuri AP (1992). Sex ratios of *Metapenaeus kutchensis* George, George and RAO, 1963 and *Parapenaeopsis sculptilis* (Heller, 1862) in the Gulf of Kachchh, western India. *Pakistan Journal of Marine Sciences*, 1(1): 1-5.

Pravin P and Manohardoss RC (1996). Constituents of low value trawl by-catch caught off Veraval. *Fishries Technology*, 33 (2): 121-123.

Purushothaman P, Chakraborty RD, Kuberan G and Maheswarudu G (2019). Integrative taxonomy of commercially important deep water penaeoid shrimps from India. *Journal of genetics*, 98(12): 1-13.

Purushothaman P, Chakraborty, RD, Maheswarudu G and Kuberan G (2017). New records of *Solenocera barunajaya* Crosnier, 1994 and *Solenocera rathbuni* Ramadan, 1938 (Crustacea: Decapoda: Penaeoidea) from the southwest coast of India. *Zootaxa*, 4341(2): 296-300.

Radhakrishnan EV, Deshmukh VD, Maheswarudu G, Josileen J, Dineshbabu AP, Philipose KK, Sarada PT, Pillai SL, Saleela KN, Chakraborty R, Dash G, Sajeev CK, Thirumilu P, Sridhara B, Muniyappa Y, Sawant AD, Vaidya NG, Johny RD, Verma JB, Baby PK, Unnikrishnan C, Ramachandran NP, Vairamani A, Palanichamy A, Radhakrishnan M and Raju B (2012). Prawn fauna (Crustacea: Decapoda) of India - An annotated checklist of the Penaeoid, Sergestoid, Stenopodid and Caridean prawns. *Journal of Marine Biological Association of India* 54(1): 50-72.

Radhakrishnan EV, Josileen J, Lakshmi SP (2011). Handbook of prawns. Central Marine Fisheries Research Institute, Kochi, 1-125 pp.

Rajakumaran P and Vaseeharan B (2014). Survey on Penaeidae shrimp diversity and exploitation in south east coast of India. *Fisheries and Aquaculture Journal Fisheries and Aquaculture Journal*, 5(3): 1-8.

Rajakumaran P, Vaseeharan B, Jayakumar R and Chidambara R (2014). Conformation of phylogenetic relationship of Penaeidae shrimp based on morphometric and molecular investigations. *Cytology and genetics*, 48(6): 357-363.

Rajkumar G, Bhavan PS, Udayasuriyan R and Vadivalagan C (2015). Molecular identification of shrimp species, *Penaeus semisulcatus*, *Metapenaeus dobsoni*, *Metapenaeus brevicornis*, *Fenneropenaeus indicus*, *Parapenaeopsis stylifera* and *Solenocera crassicornis* inhabiting in the coromandel coast (Tamil Nadu, India) using MT-COI gene. *International Journal of Fisheries and Aquatic Studies*, 2(4): 96-106.

Ramakrishna SJ and Talukdar S (2003). Marine invertebrates of Digha coast and some recommendations on their conservation. *Records of the Zoological Survey of India*, 101(3-4), 1-23.

Ramamurthy S (1963a). A note on the prawn fishery at Adesar Camp. *Journal of the Marine Biological Association of India*, 5(2): 318-319.

Ramamurthy S (1963b). A note on prawn fishery of Kutch. *Journal of Marine Biological Association of India*, 5: 146-148.

Ramamurthy S (1964). On a new record of *Metapenaeus stebbingi* Nobili, in Indian waters. *Journal of the Marine Biological Association of India*, 6(1): 170-171.

Ramamurthy S (1967). Studies on the prawn fishery of Kutch. *Proceedings of Symposia on Crustacea, Marine Biological Association of India*, 4: 1424-1436.

Rao GS (1983). Observations on the seasonal prawn fishery of the little Rann of Kutch during 1980. *Indian journal of Fisheries*, 30 (1): 24-134.

Rao GS (1984). On a collection of two species of pelagic penaeids (Crustacea: Decapoda) from the oceanic waters of the south-west Arabian Sea. *Journal of Marine Biological Association of India*, 26(1&2): 165-166.

Rao PV and Kartha KNR (1966). On the occurrence of *Callianassa (Callichirus) audax* De Man (Crustacea Decapoda Callianassidae) on the southwest coast of India with a description of male. *Marine Biological Association of India, Symposium, Cochin, Abstracts*, 1:279-284.

Rath S, Dev Roy MK and Ghosh B (2016). Penaeid and Palaemonid Prawns of Godavari Estuary, Andhra Pradesh with Some New Records. *Biological Forum- An International Journal* 8(1): 179-189.

Ravindranath K (1982). The Krishna estuarine complex with reference to its shrimp and prawn fishery. *Indian Journal of Fisheries*, 29: 168-176.

Reddy KN (1995). Crustacea: Decapoda. Fauna of Chilka Lake. Wetland Ecosystem Series, 1 Zoological Survey of India, Calcutta, 367-389 pp.

Reist JD (1985). An empirical evaluation of several univariate methods that adjust for size variation in morphometric data. *Canadian Journal of Zoology*, 63: 1429-1439.

Rönnbäck P, Kautsky N, Pihl L, Troell M, Söderqvist T and Wennhage H (2007). Ecosystem goods and services from Swedish coastal habitats: identification, valuation, and implications of ecosystem shifts. *AMBIO: a Journal of the Human Environment*, 36(7): 534-544.

Saad YM and El-Sebaie HE (2017). The efficiency of cytochrome oxidase subunit 1 gene (cox1) in reconstruction of phylogenetic relations among some crustacean species. *World Academy of Science, Engineering and Technology International Journal of Animal and Veterinary Sciences*, 11(7): 515-20.

Sakai K and Shinomiya S (2011). Preliminary report on eight new genera formerly attributed to *Parapenaopsis* Alcock, 1901, sensulato (Decapoda, Penaeidae). *Crustaceana*, 84: 491-504.

Salgado-Barragán J, Ayón-Parente M and Zamora-Tavares P (2017). New records and description of two new species of carideans shrimps from Bahía Santa María-La Reforma lagoon, Gulf of California, Mexico (Crustacea, Caridea, Alpheidae and Processidae). *ZooKeys*, (671): 131-153.

Samuel VKD, Sreeraj CR, Krishnan P, Parthiban C, Sekar V, Chamundeeswari K, Immanuel T, Shesdev P, Purvaja R and Ramesh R (2016). An updated checklist of shrimps on the Indian coast. *Journal of Threatened Taxa*, 8(7): 8977-8988.

Sankarankutty C (1962). On the occurrence of *Athanas dorsalis* (Stimpson) (Decapoda-Alpheidae) in the Gulf of Mannar. *Journal of the Marine Biological Association of India*, 4(2): 167-171.

Sankolli KN (1970). The Thalassinoidea (Crustacea, Anomura) of Maharashtra. *Journal of the Bombay Natural History Society*, 67(2): 235-249.

Sankolli KN (1972). The Thalassinoidea (Crustacea, Anomura) of Maharashtra. *Journal of the Bombay Natural History Society*, 68 (3): 671-682.

Sankolli KN and Shenoy S (1979). On a new genus and a new species of a subterranean prawn *Troglindicus phreaticus* (Caridea, Palaemonidae). *Bulletin of the Fisheries Faculty, Konkan Agricultural University, India*, 1: 83-91.

Saravanakumar A, Serebiah JS, Thivakaran GA and Rajkumar M (2007). Benthic macrofaunal assemblage in the arid zone mangroves of Gulf of Kachchh-Gujarat. *Journal of Ocean University of China*, 6(3): 303-309.

Sarkar RJ and Talukdar S (2003). Marine invertebrates of Digha coast and some recommendations on their conservation. *Records of the Zoological Survey of India*, 101: 1-298.

Sarvaiya RT (1981). Prawn fishery of Kutch with special reference to Sukhper and Lakhpat. *Indian journal of Fisheries*, 25 (1&2): 35-40.

Sastry DRK (1977). On some crustacean associates of sea-urchins of the Andaman and Nicobar Islands: Newsletter. *Zoological Survey of India*, 3: 119-120.

Sastry DRK (1981). On some crustacean associates of Echinodermata from the Bay of Bengal. *Records of the Zoological Survey of India*, 79: 19-30.

Sathiya U and Valarmathi V (2018). Diversity of marine shrimp species along the coast of Nagapattinam Tamil Nadu, India. *International Journal of Zoology and Applied*, 3(3): 410-416.

Schram FR (1986). Crustacea. Oxford University Press, New York, New York, 1-606 pp.

Seitz RD, Wennhage H, Bergström U, Lipcius RN and Ysebaert T (2014). Ecological value of coastal habitats for commercially and ecologically important species. *ICES Journal of Marine Science*, 71(3): 648-665.

Shanis CPR, Akhilesh KV, Manjebayakath H, Ganga U and Pillai NGK (2012). Shrimps of the family Pandalidae (Caridea) from Indian waters, with new distributional record of *Plesionika adensameri* (Balss, 1914). *Journal of the Marine Biological Association of India*, 54(1): 45-49.

Shen X, Li X, Sha Z, Yan B and Xu Q (2012). Complete mitochondrial genome of the Japanese snapping shrimp *Alpheus japonicus* (Crustacea: Decapoda: Caridea): Gene rearrangement and phylogeny within Caridea. *Science China Life Sciences*, 55(7): 591-8.

Silas EG and Muthu MS (1976). On a new species of penaeid prawn of the genus *Metapenaeus* Wood Mason and Alcock, from the Andamans. *Journal of the Marine Biological Association of India*, 16: 645-648.

Simon C, Frati F, Beckenbach A, Crespi B, Liu H and Flook P (1994). Evolution, weighting, and phylogenetic utility of mitochondrial gene sequences and a compilation of conserved polymerase chain reaction primers. *Annals of the Entomological Society of America*, 87:651-701

Solomon SG, Okomoda VT and Ogbenyikwu AI (2015). Intraspecific morphological variation between cultured and wild *Clarias gariepinus* (Burchell) (Clariidae, Siluriformes). *Archives of Polish Fisheries*, 23(1): 53-61.

Stebbing TR (1902). South African Crustacea. Part II. Marine Investigations in South Africa. Cape of Good Hope, Department of Agriculture, Capetown, 1-91 pp.

Strauss RE and Bookstein FL (1982). The truss: body form reconstructions in morphometrics. *Systematic Biology*, 31(2): 113-35.

Subba Rao NY and Sastry DRK (2005). Fauna of Marine National Park, Gulf of Kachchh (Gujarat): An Overview. *Conservation Area Series*, 23: 1-79.

Subbaiya R, Narasimman S, Lawanya R, Mahavinod Angrasan JK, Masilamani Selvam M (2017). Studies on proximal composition and DNA barcoding of marine shrimps from Thondi, Tamilnadu, India. *International Research Journal of Pharmacy*, 8: 59-62.

Subrahmanyam M (1967). An abnormal form of *Alpheus malabaricus* Fabricus from the Godavari estuarine system. *Journal of the Marine Biological Association of India*, 9 (1): 201-202.

Sun MM, Huang JH, Jiang SG, Yang QB, Zhou FL, Zhu CY, Yang LS and Su TF (2014). Morphometric analysis of four different populations of *Penaeus monodon* (Crustacea, Decapoda, Penaeidae). *Aquaculture Research*, 45: 113-23.

Suseelan C (1990). Occurrence of *Heterocarpus sibogae* De Man and *Plesionika williamsi* Forest (Crustacea, Decapoda, Pandalidae) in the Arabian Sea. *Indian Journal of Fisheries*, 37 (4): 321-326.

Suseelan C (1996). Crustacean biodiversity, conservation and management. In: Marine Biodiversity Conservation and Management. (Eds. NG Menon & CSG Pillai), CMFRI, Kochi, 41-64 pp.

Tamaki A (1988). Effects of the bioturbating activity of the ghost shrimp *Callinassa japonica* Ortmann on migration of a mobile polychaete. *Journal of Experimental Marine Biology and Ecology*, 120: 81-95.

Tavares C, Serejo C and Martin JW (2009). A preliminary phylogenetic analysis of the Dendrobranchiata based on morphological characters. In: Martin, J.W., K.A. Crandall, and D.L. Felder (eds.) Decapod Crustacean

Phylogenetics. Crustacean Issues. Koenemann, S. (series ed.) Vol. 18. Boca Raton, London, New York: CRC Press, Taylor & Francis Group, 261-279 pp.

Thomas MM (1969a). Notes on some interesting penaeid prawns (Crustacea, Decapoda) from the southeast coast of India. *Journal of the Marine Biological Association of India*, 11(1&2): 191-7.

Thomas MM (1969b). On a new distributional record of *Parapenaeopsis tenella* (Bate) from the south eastern coast of India. *Journal of the Marine Biological Association of India*, 10(1): 166-167.

Thomas MM (1970). *Metapenaeopsis borradaili* (De Man) a penaeid prawn (Decapoda, Penaeidae) new to the Indian Ocean. *Journal of the Marine Biological Association of India*, 12(1&2): 213-216.

Thomas MM (1972). *Trachypenaeopsis minicoyensis* sp. nov. (Penaeidae, Decapoda) from the Laccadive Sea. *Indian Journal of Fisheries*, 19: 116-121.

Thomas MM (1974). Decapod crustaceans new to the Laccadive Archipelago. *Indian Journal of Fisheries*, 21(2): 339-344.

Thomas MM (1976). New records of four Alpheid shrimps from the Indian waters. *Journal of the Marine Biological Association of India*, 18(3): 666-669.

Thomas PA (1986). Prawns of Goa with a note on the biology of *Parapenaeopsis acclivirostris* (Alcock). *Indian Journal of Fisheries*, 33(3): 351-354.

Tirmizi NW (1971). *Marsupenaeus*, a new subgenus of *Penaeus* Fabricius, 1798 (Decapoda, Natantia). *Pakistan Journal of Zoology*, 3: 193-194.

Trivedi DJ, Trivedi JN, Soni GM, Purohit BD and Vachhrajani KD (2015). Crustacean fauna of Gujarat state of India: A review. *Electronic Journal of Environmental Sciences*, 8: 23-31.

Turan C, Gürlek M, Ergüden D, Yağlıoğlu D and Öztürk B (2011). Systematic status of nine mullet species (Mugilidae) in the Mediterranean Sea. *Turkish Journal of Fisheries and Aquatic Sciences*, 11: 315-321.

Unda F (2005). Introduction to Phylogenetics. Bioteach Web page: <http://www.bioteach.ubc.ca/Biodiversity/Phylogenetics/index.htm>.

Unmesh K and Prakash S (2011). On a documentation of Haddon's carpet anemone (*Stichodactyla haddoni*) (Saville-kent, 1893) (Anthozoa: Actiniaria: Stichodactylidae) and its unique symbiotic fauna from Gulf of Kutch. *Bugs R All. Newsletter of the Invertebrate Conservation and Information Network of South Asia*, 17: 31-34.

Vaitheeswaran T (2014). New Record of *Axiopsis consobrina* (De Man, 1905) (Family: Axiidae: Borradaile, 1903) (Crustacea : Decapoda : Thalassinidea) off Thoothukudi, Southeast Coast of India (08° 53.6'N 78° 16'E and 08° 53.8'N 78° 32'E). *Indian Journal of Veterinary and Animal Science Research*, 43 (1): 49-57.

Vaughan DB, Grutter AS and Hutson KS (2018). Cleaner shrimp are a sustainable option to treat parasitic disease in farmed fish. *Scientific reports*, 8(1): 1-10.

Vazquez-Bader AR, Carrero JC, Garcia-Varela M, Gracia A and Laclette JP (2004). Molecular phylogeny of superfamily Penaeoidea Rafinesque-Schmaltz, 1815, based on mitochondrial 16S partial sequence analysis. *Journal of shellfish research*, 23: 911-918.

Venkataraman K and Raghunathan C (2015). Coastal and marine biodiversity of India. In *Marine faunal diversity in India*. Academic Press, 303-348 pp.

Venkataraman K, Jeyabaskaran R, Raghuram KP and Alfred JRB (2004). Bibliography and checklist of corals and coral reef associated organisms of India, *Records of Zoological Survey of India Occasional Paper*, 226:1-468.

Vinagre C, Dias M, Fonseca C, Pinto MT, Cabral HN and Silva A (2015). Use of rocky intertidal pools by shrimp species in a temperate area. *Biologia*, 70(3): 372-379.

Violle C, Navas ML, Vile D, Kazakou E, Fortunel C, Hummel I and Garnier E (2007). Let the concept of trait be functional!. *Oikos*, 116: 882-892.

Voloch CM, Freire PR and Russo CA (2005). Molecular phylogeny of penaeid shrimps inferred from two mitochondrial markers. *Genetics and Molecular Research*, 4(4): 668-674.

Wagner GM, Akwilapo FD, Mrosso S, Ulomi S and Masinde R (2004). Assessment of Marine Biodiversity, Ecosystem Health, and Resource Status in Mangrove Forests in Mnazi Bay Ruvuma Estuary Marine Park; Nairobi, IUCN EARO, 106 pp.

Wang YR and Sha ZL (2015). A review of the genus *Synalpheus* (Crustacea: Decapoda: Caridea: Alpheidae) from China seas. *Zoological Systematics*, 40(4): 357-435.

Watson JD and Crick FH (1953). The structure of DNA. *Cold Spring Harbor symposia on Quantitative Biology*, 18: 123-131

Williams AB (1984). Shrimps, lobsters, and crabs of the Atlantic Coast of the Eastern United States, Maine to Florida. Smithsonian Institution Press, Washington, D.C

Williams ST, Knowlton N, Weigt LA and Jara JA (2001). Evidence for three major clades within the snapping shrimp genus *Alpheus* inferred from nuclear and mitochondrial gene sequence data. *Molecular phylogenetics and evolution*, 20(3): 375-389.

Wilson EO (2004). Taxonomy as a fundamental discipline. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 359(1444): 739.

Wood-Mason J and Alcock A (1891a). Natural history notes from H. M. Indian marine survey steamer "Investigator", Commander R.F. Hoskyn, R.N., commanding. Series II, No. 1. On the results of deep-sea dredging during the season 1890-1891. *The Annals and Magazine of Natural History*, 6(8): 268-286.

Wood-Mason J and Alcock A (1891b). Natural history notes from H. M. Indian marine survey steamer 'Investigator', Commander R.F. Hoskyn, R.N., commanding. No. 21. Note on the results of the last season's deep-sea dredging. *The Annals and Magazine of Natural History*, (7) 6: 186-202.

Wood-Mason J and Alcock A (1891c). Natural history notes from H. M. Indian marine survey steamer "Investigator", Commander R.F. Hoskyn, R.N., commanding. Series II, No. 1. On the results of deep-sea dredging during the season 1890-1891. *The Annals and Magazine of Natural History*, (8)6: 353-362.

Yaldwyn JC and Webber WR (2011). Annotated checklist of New Zealand Decapoda (Arthropoda: Crustacea). *Tuhinga*, 22: 171-272.

Yang CH, Kumar AB and Chan TY (2017). Further records of the deep-sea pandalid shrimp *Heterocarpus chani* Li, 2006 (Crustacea, Decapoda, Caridea) from southern India. *ZooKeys*, 685: 151-159.

Yang CH, Sha Z, Chan TY and Liu R (2015). Molecular phylogeny of the deep-sea penaeid shrimp genus *Parapenaeus* (Crustacea: Decapoda: Dendrobranchiata). *Zoologica Scripta*, 44(3): 312-323.

Zare P, Ghasemi E and Sarfaraz E (2010). The First Record of *Exopalaemon styliferus* (H. Milne-Edwards, 1840) (Decapoda: Caridea: Palaemonidae) from Iran. *Turkish Journal of Fisheries and Aquatic Sciences*, 10: 523-525.

Zhao Y, Zhu X, Li Y, Han Z, Xu W, Dong J, Wei H and Li X (2019). Mitochondrial genome of Chinese grass shrimp, *Palaemonetes sinensis* and comparison with other Palaemoninae species. *Scientific reports*, 9: 1-10.