Bibliography

(1) Romanowicz, B. (2008). Using seismic waves to image Earth's internal structure. *Nature 451*, 266–268, DOI: 10.1038/nature06583.

(2) Romanowicz, B. (2003). Global Mantle Tomography: Progress Status in the Past 10 Years. *Annu. Rev. Earth Planet. Sci 31*, 303–328, DOI: 10.1146/annurev.earth.31.091602.113555.

(3) Fukao, Y., Obayashi, M., Nakakuki, T., Utada, H., Suetsugu, D., Irifune, T., Ohtani, E., Yoshioka, S., Shiobara, H., Kanazawa, T., and Hirose, K. (2009). Stagnant slab: A review. *Annu. Rev. Earth Planet. Sci 37*, 19–46, DOI: 10.1146/annurev.earth.36.031207.124224.

(4) Davies, J. H., Brodholt, J. P., Wood, B. J., and Grand, S. P. (2002). Mantle shear-wave tomography and the fate of subducted slabs. *Phil. Trans. R. Soc. A. 360*, 2475–2491, DOI: 10.1098/rsta.2002.1077.

(5) Inoue, T., Yurimoto, H., and Kudoh, Y. (1995). Hydrous modified spinel, $Mg_{1.75}SiH_{0.5}O_4$: A new water reservoir in the mantle transition region. *Geophys. Res. Lett 22*, 117–120, DOI: 10.1029/94GL02965.

(6) Smyth, J. R., Holl, C. M., Frost, D. J., Jacobsen, S. D., Langenhorst, F., and Mccammon, C. A. (2003). Structural systematics of hydrous ringwoodite and water in Earth's interior. *Am. Mineral. 88*, 1402–1407, DOI: 10.2138/am-2003-1001.

(7) Pearson, D. G., Brenker, F. E., Nestola, F., McNeill, J., Nasdala, L., Hutchison, M. T., Matveev, S., Mather, K., Silversmit, G., Schmitz, S., Vekemans, B., and Vincze, L. (2014). Hydrous mantle transition zone indicated by ringwoodite included within diamond. *Nature 507*, 221–224, DOI: 10.1038/nature13080.

(8) Peslier, A. H., Schönbächler, M., Busemann, H., and Karato, S. I. (2017). Water in the Earth's Interior: Distribution and Origin. *Space Sci. Rev. 212*, 1–68, DOI: 10.1007/s11214-017-0387-z.

(9) Ohtani, E. (2005). Water in the Mantle. *Elements 1*, 25–30, DOI: 10.2113/gselements.1.1.25.

(10) Williams, Q., and Hemley, R. J. (2001). Hydrogen in the deep Earth. *Annu. Rev. Earth Planet. Sci 29*, 365–418, DOI: 10.1146/annurev.earth.29.1.365.

(11) Bodnar, R. J., Azbej, T., Becker, S. P., Cannatelli, C., Fall, A., and Severs, M. J. (2013). Whole Earth geohydrologic cycle, from the clouds to the core: The distribution of water in the dynamic Earth system. *Geol. Soc. Am. Spec. Pap. 500*, 431–461, DOI: 10.1130/2013.2500(13).

(12) Hirschmann, M. M. (2006). Water, melting, and the deep Earth H_2O cycle. *Annu. Rev. Earth Planet. Sci 34*, 629–653, DOI: 10.1146/annurev.earth.34.031405.125211.

(13) Ni, H., Zheng, Y. F., Mao, Z., Wang, Q., Chen, R. X., and Zhang, L. (2017). Distribution, cycling and impact of water in the Earth's interior. *Natl. Sci. Rev. 4*, 879–891, DOI: 10.1093/nsr/nwx130.

(14) Kubo, T., Ohtani, E., Kato, T., Shinmei, T., and Fujino, K. (1998). Effects of Water on the α-β Transformation Kinetics in San Carlos Olivine. *Science 281*, 85–87, DOI: 10.1126/science.281.5373.85.

(15) Ohtani, E. (2005). Water in the Mantle. *Elements 1*, 25–30, DOI: 10.2113/gselements.1.1.25.

(16) Poli, S., and Schmidt, M. W. (1995). H_2O transport and release in subduction zones: experimental constraints on basaltic and andesitic systems. *J. Geophys. Res. 100*, 22299–22314, DOI: 10.1029/95jb01570.

(17) Zheng, Y. F., and Hermann, J. (2014). Geochemistry of continental subduction-zone fluids 9. Multidisciplinary Geofluid processes in subduction zones and mantle dynamics. *Earth Planets and Space 66*, 1–16, DOI: 10.1186/1880-5981-66-93.

(18) Beran, A., and Libowitzky, E. (2006). Water in Natural Mantle Minerals II: Olivine, Garnet and Accessory Minerals. *Rev. Mineral. Geochem. 62*, 169–191, DOI: 10.2138/rmg.2006.62.8.

(19) Jarrard, R. D. (2003). Subduction fluxes of water, carbon dioxide, chlorine, and potassium. *Geochem Geophy Geosy 4*, 8905, DOI: 10.1029/2002GC000392.

(20) Ahrens, T. J. (1989). Water storage in the mantle. *Nature 342*, 122–123, DOI: 10.1038/342122a0.

(21) Kanzaki, M. (1991). Dehydration of brucite ($Mg(OH)_2$) at high pressures detected by differential thermal analysis. *Geophys. Res. Lett 18*, 2189–2192, DOI: 10.1029/91GL02468.

(22) Peacock, S. M., and Hyndman, R. D. (1999). Hydrous minerals in the mantle wedge and the maximum depth of subduction thrust earthquakes. *Geophys. Res. Lett 26*, 2517–2520, DOI: 10.1029/1999GL900558.

(23) Miller, S. A., van der Zee, W., Olgaard, D. L., and Connolly, J. A. (2003). A fluid-pressure feedback model of dehydration reactions: Experiments, modelling, and application to subduction zones. *Tectonophysics 370*, 241–251, DOI: 10.1016/S0040-1951(03)00189-6.

(24) Morales, L. F., Mainprice, D., and Boudier, F. (2013). The influence of hydrous phases on the microstructure and seismic properties of a hydrated mantle rock. *Tectonophysics 594*, 103–117, DOI: 10.1016/j.tecto.2013.03.022.

(25) Palot, M., Jacobsen, S. D., Townsend, J. P., Nestola, F., Marquardt, K., Miyajima, N., Harris, J. W., Stachel, T., McCammon, C. A., and Pearson, D. G. (2016). Evidence for H_2O -bearing fluids in the lower mantle from diamond inclusion. *Lithos 265*, 237–243, DOI: 10.1016/j.lithos.2016.06.023.

(26) Wirth, R., Vollmer, C., Brenker, F., Matsyuk, S., and Kaminsky, F. (2007). Inclusions of nanocrystalline hydrous aluminium silicate "Phase Egg" in superdeep diamonds from Juina (Mato Grosso State, Brazil). *Earth Planet. Sci. Lett 259*, 384–399, DOI: 10.1016/j.epsl.2007.04.041.

(27) Eggleton, R. A., Boland, J. N., and Ringwood, A. E. (1978). High pressure synthesis of a new aluminium silicate: $Al_5Si_5O_{17}(OH)$. *Geochem. J. 12*, 191–194, DOI: 10.2343/geochemj.12.191.

(28) Sano, A., Ohtani, E., Kubo, T., and Funakoshi, K. I. (2004). In situ X-ray observation of decomposition of hydrous aluminum silicate $AlSiO_3OH$ and aluminum oxide hydroxide δ-AlOOH at high pressure and temperature. *J. Phys. Chem. Solids 65*, 1547–1554, DOI: 10.1016/j.jpcs.2003.12.015.

(29) Tsuchiya, J. (2013). First principles prediction of a new high-pressure phase of dense hydrous magnesium silicates in the lower mantle. *Geophys. Res. Lett 40*, 4570–4573, DOI: 10.1002/grl.50875.

(30) Nishi, M., Irifune, T., Tsuchiya, J., Tange, Y., Nishihara, Y., Fujino, K., and Higo, Y. (2014). Stability of hydrous silicate at high pressures and water transport to the deep lower mantle. *Nat. Geosci. 7*, 224–227, DOI: 10.1038/ngeo2074.

(31) Ringwood, A. E., and Major, A. (1967). High-pressure reconnaissance investigations in the system Mg_2SiO_4 - MgO - H_2O. *Earth Planet. Sci. Lett 2*, 130–133, DOI: 10.1016/0012-821X(67)90114-8.

(32) gun Liu, L. (1987). Effects of H_2O on the phase behaviour of the forsterite-enstatite system at high pressures and temperatures and implications for the Earth. *Phys. Earth Planet. Inter. 49*, 142–167, DOI: 10.1016/0031-9201(87)90138-5.

(33) Kanzaki, M. (1991). Stability of hydrous magnesium silicates in the mantle transition zone. *Phys. Earth Planet. Inter. 66*, 307–312, DOI: 10.1016/0031-9201(91)90085-V.

(34) Kudoh, Y., Nagase, T., Mizohata, H., Ohtani, E., Sasaki, S., and Tanaka, M. (1997). Structure and crystal chemistry of phase G, a new hydrous magnesium silicate synthesized at 22 GPa and 1050 °C. *Geophys. Res. Lett 24*, 1051–1054, DOI: 10.1029/97GL00875.

(35) Sano-Furukawa, A., Kagi, H., Nagai, T., Nakano, S., Fukura, S., Ushijima, D., Iizuka, R., Ohtahtahtani, E., and Yagi, T. (2009). Change in compressibility of

δ-AlOOH and δ-AlOOD at high pressure: A study of isotope effect and hydrogen-bond symmetrization. *Am. Mineral. 94*, 1255–1261, DOI: 10.2138/am.2009.3109.

(36) Ohtani, E. (2015). Hydrous minerals and the storage of water in the deep mantle. *Chemical Geology 418*, 6–15, DOI: https://doi.org/10.1016/j.chemgeo.2015.05.005.

(37) Holzapfel, W. B. (1972). On the symmetry of the hydrogen bonds in ice VII. *J. Chem. Phys. 56*, 838–844, DOI: 10.1063/1.1677221.

(38) Tsuchiya, J., and Mookherjee, M. (2015). Crystal structure, equation of state, and elasticity of phase $H(MgSiO_4H_2)$ at Earth's lower mantle pressures. *Sci. Rep. 5*, 1–8, DOI: 10.1038/srep15534.

(39) Tsuchiya, J., Tsuchiya, T., and Tsuneyuki, S. (2005). First-principles study of hydrogen bond symmetrization of phase D under high pressure. *Am. Mineral. 90*, 44–49, DOI: 10.2138/am.2005.1628.

(40) Xu, W., Greenberg, E., Rozenberg, G. K., Pasternak, M. P., Bykova, E., Boffa-Ballaran, T., Dubrovinsky, L., Prakapenka, V., Hanfland, M., Vekilova, O. Y., Simak, S. I., and Abrikosov, I. A. (2013). Pressure-induced hydrogen bond symmetrization in iron oxyhydroxide. *Phys. Rev. Lett. 111*, 175501, DOI: 10.1103/PhysRevLett.111.175501.

(41) Tsuchiya, J., Tsuchiya, T., Tsuneyuki, S., and Yamanaka, T. (2002). First principles calculation of a high-pressure hydrous phase, δ-AlOOH. *Geophys. Res. Lett 29*, 1909, DOI: 10.1029/2002GL015417.

(42) Li, S., Ahuja, R., and Johansson, B. (2006). The elastic and optical properties of the high-pressure hydrous phase δ-AlOOH. *Solid State Commun. 137*, 101–106, DOI: 10.1016/j.ssc.2005.08.031.

(43) Tsuchiya, J., and Tsuchiya, T. (2009). Elastic properties of δ-AlOOH under pressure: First principles investigation. *Phys. Earth Planet. Inter. 174*, 122–127, DOI: 10.1016/j.pepi.2009.01.008.

(44) Mashino, I., Murakami, M., and Ohtani, E. (2016). Sound velocities of δ-AlOOH up to core-mantle boundary pressures with implications for the seismic anomalies in the deep mantle. *J. Geophys. Res. Solid Earth 121*, 595–609, DOI: 10.1002/2015JB012477.

(45) Helffrich, G. (2002). Chemical and seismological constraints on mantle heterogeneity. *Phil. Trans. R. Soc. A. 360*, 2493–2505, DOI: 10.1098/rsta.2002.1085.

(46) Panero, W. R. (2008). Cation disorder in ringwoodite and its effects on wave speeds in the Earth's transition zone. *J. Geophys. Res. Solid Earth 113*, 10204, DOI: 10.1029/2008JB005676.

(47) Faccenda, M. (2014). Water in the slab: A trilogy. *Tectonophysics 614*, 1–30, DOI: 10.1016/j.tecto.2013.12.020.

(48) Baur, W. H. (1978). Crystal structure refinement of lawsonite. *Am. Mineral. 63*, 311–315.

(49) Pawley, A. R. (1994). The pressure and temperature stability limits of lawsonite: implications for H_2O recycling in subduction zones. *Contrib. to Mineral. Petrol. 118*, 99–108, DOI: 10.1007/BF00310614.

(50) Domanik, K. J., and Holloway, J. R. (1996). The stability and composition of phengitic muscovite and associated phases from 5.5 to 11 GPa: Implications for deeply subducted sediments. *Geochim. Cosmochim. Acta 60*, 4133–4150, DOI: 10.1016/S0016-7037(96)00241-4.

(51) Ohtani, E., Litasov, K., Hosoya, T., Kubo, T., and Kondo, T. (2004). Water transport into the deep mantle and formation of a hydrous transition zone. *Phys. Earth Planet. Inter. 143*, 255–269, DOI: 10.1016/j.pepi.2003.09.015.

(52) Forneris, J. F., and Holloway, J. R. (2003). Phase equilibria in subducting basaltic crust: Implications for H_2O release from the slab. *Earth Planet. Sci. Lett 214*, 187–201, DOI: 10.1016/S0012-821X(03)00305-4.

(53) Schmidt, M. W. (1995). Lawsonite: upper pressure stability and formation of higher density hydrous phases. *Am. Mineral. 80*, 1286–1292, DOI: 10.2138/am-1995-11-1218.

(54) Prewitt, C. T., and Downs, R. T., *Chapter 9. HIGH-PRESSURE CRYSTAL CHEMISTRY*; Hemley, R. J., Ed.; De Gruyter: Berlin, Boston, 1998; Vol. 37, pp 283–318, DOI: 10.1515/9781501509179-011.

(55) Wunder, B., Wirth, R., and Koch-Müller, M. (2011). The 3.65 Å phase in the system MgO-SiO2-H_2O : Synthesis, composition, and structure. *Am. Mineral. 96*, 1207–1214, DOI: 10.2138/am.2011.3782.

(56) Wunder, B., Jahn, S., Koch-Müller, M., and Speziale, S. (2012). The 3.65 Å phase, $MgSi(OH)_6$: Structural insights from DFT-calculations and T-dependent IR spectroscopy. *Am. Mineral. 97*, 1043–1048, DOI: 10.2138/am.2012.4022.

(57) Churakov, S. V., and Wunder, B. (2004). Ab-initio calculations of the proton location in topaz-OH, $Al_2SiO_4(OH)_2$. *Phys. Chem. Miner. 31*, 131–141, DOI: 10.1007/s00269-003-0365-8.

(58) Watenphul, A., and Wunder, B. (2010). Temperature dependence of the OH-stretching frequencies in topaz-OH. *Phys. Chem. Miner. 37*, 65–72, DOI: 10.1007/s00269-009-0310-6.

(59) Jayaraman, A. (1983). Diamond anvil cell and high-pressure physical investigations. *Rev. Mod. Phys. 55*, 65–108, DOI: 10.1103/RevModPhys.55.65.

(60) Forbes, J. W., *Shock wave compression of condensed matter: A Primer*; Springer Berlin Heidelberg: 2012, pp 1–374, DOI: 10.1007/978-3-642-32535-9.

(61) Hohenberg, P., and Kohn, W. (1964). Inhomogeneous electron gas. *Phys. Rev. 136*, B864, DOI: 10.1103/PhysRev.136.B864.

(62) Woodley, S. M., and Catlow, R. (2008). Crystal structure prediction from first principles. *Nature Mater 7*, 937–946, DOI: 10.1038/nmat2321.

(63) Kohn, W., and Sham, L. J. (1965). Self-consistent equations including exchange and correlation effects. *Phys. Rev. 140*, A1133, DOI: 10.1103/PhysRev.140.A1133.

(64) Hamann, D. R., Schlüter, M., and Chiang, C. (1979). Norm-Conserving Pseudopotentials. *Phys. Rev. Lett. 43*, 1494–1497, DOI: 10.1103/PhysRevLett.43.1494.

(65) Troullier, N., and Martins, J. L. (1991). Efficient pseudopotentials for plane-wave calculations. *Phys. Rev. B 43*, 1993–2006, DOI: 10.1103/PhysRevB.43.1993.

(66) Blöchl, P. E. (1994). Projector augmented-wave method. *Phys. Rev. B 50*, 17953–17979, DOI: 10.1103/PhysRevB.50.17953.

(67) Vanderbilt, D. (1985). Optimally smooth norm-conserving pseudopotentials. *Phys. Rev. B 32*, 8412–8415, DOI: 10.1103/PhysRevB.32.8412.

(68) Monkhorst, H. J., and Pack, J. D. (1976). Special points for Brillouin-zone integrations. *Phys. Rev. B 13*, 5188–5192, DOI: 10.1103/PhysRevB.13.5188.

(69) Feynman, R. P. (1939). Forces in molecules. *Phys. Rev. 56*, 340–343, DOI: 10.1103/PhysRev.56.340.

(70) Baroni, S., Giannozzi, P., and Testa, A. (1987). Green's-function approach to linear response in solids. *Phys. Rev. Lett. 58*, 1861–1864, DOI: 10.1103/PhysRevLett.58.1861.

(71) Gonze, X., and Vigneron, J. P. (1989). Density-functional approach to nonlinear-response coefficients of solids. *Phys. Rev. B 39*, 13120–13128, DOI: 10.1103/PhysRevB.39.13120.

(72) Liang, Q., Dwaraknath, S., and Persson, K. A. (2019). High-throughput computation and evaluation of raman spectra. *Sci. Data 6*, 1–7, DOI: 10.1038/s41597-019-0138-y.

(73) Nye, J. F., *Physical Properties of Crystals: Their Representation by Tensors and Matrices*; Oxford Clarendon Press, Newyork: 1985.

(74) Hill, R. (1963). Elastic properties of reinforced solids: Some theoretical principles. *J. Mech. Phys. Solids. 11*, 357–372, DOI: 10.1016/0022-5096(63)90036-X.

(75) Liu, J. (2016). High pressure x-ray diffraction techniques with synchrotron radiation. *Chin. Phys. B 25*, 076106, DOI: 10.1088/1674-1056/25/7/076106.

(76) Akahama, Y., and Kawamura, H. (2007). Diamond anvil Raman gauge in multimegabar pressure range. *High. Press. Res. 27*, 473–482, DOI: 10.1080/08957950701659544.

(77) Dubrovinsky, L., Dubrovinskaia, N., Prakapenka, V. B., and Abakumov, A. M. (2012). Implementation of micro-ball nanodiamond anvils for high-pressure studies above 6 Mbar. *Nat. Commun. 3*, 1–7, DOI: 10.1038/ncomms2160.

(78) Lotti, P., Milani, S., Merlini, M., Joseph, B., Alabarse, F., and Lausi, A. (2020). Single-crystal diffraction at the high-pressure Indo-Italian beamline Xpress at Elettra, Trieste. *J. Synchrotron Radiat. 27*, 222–229, DOI: 10.1107/S1600577519015170.

(79) Yang, S., and Zhaohui, D., *Novel Pressure-Induced Structural Transformations of Inorganic Nanowires*; Hashim, A., Ed.; InTech: Rijeka, Croatia, 2011, DOI: 10.5772/17084.

(80) Kuribayashi, T., Sano-Furukawa, A., and Nagase, T. (2014). Observation of pressure-induced phase transition of δ-AlOOH by using single-crystal synchrotron X-ray diffraction method. *Phys. Chem. Miner. 41*, 303–312, DOI: 10.1007/s00269-013-0649-6.

(81) Ohtani, E., Litasov, K., Suzuki, A., and Kondo, T. (2001). Stability field of new hydrous phase , for water transport into the deep mantle. *Geophys. Res. Lett 28*, 3991–3993, DOI: 10.1029/2001GL013397.

(82) Ohira, I., Ohtani, E., Sakai, T., Miyahara, M., Hirao, N., Ohishi, Y., and Nishijima, M. (2014). Stability of a hydrous δ-phase, AlOOH-$MgSiO_2(OH)_2$, and a mechanism for water transport into the base of lower mantle. *Earth Planet. Sci. Lett 401*, 12–17, DOI: 10.1016/j.epsl.2014.05.059.

(83) Suzuki, A., Ohtani, E., and Kamada, T. (2000). A new hydrous phase δ-Al00H synthesized at 21 GPa and 1000 °C. *Phys. Chem. Miner. 27*, 689–693, DOI: 10.1007/s002690000120.

(84) Vanpeteghem, C. B., Ohtani, E., and Kondo, T. (2002). Equation of state of the hydrous phase δ-AlOOH at room temperature up to 22.5 GPa. *Geophys. Res. Lett 29*, 23–1–23–3, DOI: 10.1029/2001GL014224.

(85) Komatsu, K., Kuribayashi, T., Sano, A., Ohtani, E., and Kudoh, Y. (2006). Redetermination of the high-pressure modification of AIOOH from single-crystal synchrotron data. *Acta Cryst. E E62*, i216–i218, DOI: 10.1107/S160053680603916X.

(86) Panero, W. R., and Stixrude, L. P. (2004). Hydrogen incorporation in stishovite at high pressure and symmetric hydrogen bonding in δ-AlOOH. *Earth Planet. Sci. Lett 221*, 421–431, DOI: 10.1016/S0012-821X(04)00100-1.

(87) Vanpeteghem, C. B., Sano, A., Komatsu, K., Ohtani, E., and Suzuki, A. (2007). Neutron diffraction study of aluminous hydroxide δ-AlOOD. *Phys. Chem. Miner. 34*, 657–661, DOI: 10.1007/s00269-007-0180-8.

(88) Sano-Furukawa, A., Komatsu, K., Vanpeteghem, C. B., and Ohtani, E. (2008). Neutron diffraction study of δ-AIOOD at high pressure and its implication for symmetrization of the hydrogen bond. *Am. Mineral. 93*, 1558–1567, DOI: 10.2138/am.2008.2849.

(89) Xue, X., and Kanzaki, M. (2007). High-pressure δ-Al(OH)$_3$ and δ-AlOOH phases and isostructural hydroxides/oxyhydroxides: New structural insights from high-resolution ^{1}H and ^{27}Al NMR. *J. Phys. Chem. B 111*, 13156–13166, DOI: 10.1021/jp073968r.

(90) Giannozzi, P. et al. (2009). QUANTUM ESPRESSO: A modular and open-source software project for quantum simulations of materials. *J. Condens. Matter Phys. 21*, 395502, DOI: 10.1088/0953-8984/21/39/395502.

(91) Giannozzi, P. et al. (2017). Advanced capabilities for materials modelling with Quantum ESPRESSO. *J. Condens. Matter Phys. 29*, 465901, DOI: 10.1088/1361-648X/aa8f79.

(92) Perdew, J. P., and Wang, Y. (1992). Accurate and simple analytic representation of the electron-gas correlation energy. *Phys. Rev. B 45*, 13244–13249, DOI: 10.1103/PhysRevB.45.13244.

(93) Head, J. D., and Zerner, M. C. (1985). A Broyden-Fletcher-Goldfarb-Shanno optimization procedure for molecular geometries. *Chem. Phys. Lett. 122*, 264–270, DOI: 10.1016/0009-2614(85)80574-1.

(94) Baroni, S., De Gironcoli, S., Dal Corso, A., and Giannozzi, P. (2001). Phonons and related crystal properties from density-functional perturbation theory. *Rev. Mod. Phys. 73*, 515–562, DOI: 10.1103/RevModPhys.73.515.

(95) Golesorkhtabar, R., Pavone, P., Spitaler, J., Puschnig, P., and Draxl, C. (2013). ElaStic: A tool for calculating second-order elastic constants from first principles. *Comput. Phys. Commun. 184*, 1861–1873, DOI: 10.1016/j.cpc.2013.03.010.

(96) Zhang, X., Chen, S., and Li, J. (2016). Hydrogen-bond potential for ice VIII-X phase transition. *Sci. Rep. 6*, 37161–1–37161–8, DOI: 10.1038/srep37161.

(97) Kaschner, R., and Seifert, G. (1994). Investigations of hydrogen-bonded systems: Local density approximation and gradient corrections. *Int. J. Quantum Chem. 52*, 957–961, DOI: 10.1002/qua.560520421.

(98) Benoit, M., and Marx, D. (2005). The shapes of protons in hydrogen bonds depend on the bond length. *ChemPhysChem 6*, 1738–1741, DOI: 10.1002/cphc.200400533.

(99) Tsuchiya, J., Tsuchiya, T., and Wentzcovitch, R. M. (2008). Vibrational properties of δ-AIOOH under pressure. *Am. Mineral. 93*, 477–482, DOI: 10.2138/am.2008.2627.

(100) Kudoh, Y., Kuribayashi, T., Suzuki, A., Ohtani, E., and Kamada, T. Space group and hydrogen sites of δ-AlOOH and implications for a hypothetical high-pressure form of Mg(OH) 2. DOI: 10.1007/s00269-004-0404-0.

(101) Sikka, S. K., and Sharma, S. M. (2008). The hydrogen bond under pressure. *Phase Transit. 81*, 907–934, DOI: 10.1080/01411590802098864.

(102) Ringwood, A. E. (1991). Phase transformations and their bearing on the constitution and dynamics of the mantle. *Geochim. Cosmochim. Acta 55*, 2083–2110, DOI: 10.1016/0016-7037(91)90090-R.

(103) Chudinovskikh, L., and Boehler, R. (2001). High-pressure polymorphs of olivine and the 660-km seismic discontinuity. *Nature 411*, 574–577, DOI: 10.1038/35079060.

(104) Iyer, H. M., Gaur, V. K., Rai, S. S., Ramesh, D. S., Rao, C. V., Srinagesh, D., and Suryaprakasam, K. (1989). High velocity anomaly beneath the Deccan volcanic province: Evidence from seismic tomography. *J. Earth Syst. Sci. 98*, 31–60, DOI: 10.1007/BF02880375.

(105) Jadhav, G. N., Sharma, N., and Sen, P. (2012). Characterization of bauxite deposits from Kachchh area, Gujarat. *J. Geol. Soc. India 80*, 351–362, DOI: 10.1007/s12594-012-0153-5.

(106) Listyaningrum, R., Muhlis, F., Soesilo, J., and Palupi, I. R. (2017). Subduction zone in Java Island using primary wave tomography from Jacobian relocation method based on AK135 velocity model. *AIP Conf. Proc 1857*, DOI: 10.1063/1.4987053.

(107) Sharma, S. M., and Sikka, S. K. (1996). Pressure induced amorphization of materials. *Prog. Mater. Sci. 40*, 1–77, DOI: 10.1016/0079-6425(95)00006-2.

(108) Desgranges, L., Calvarin, G., and Chevrier, G. (1996). Interlayer Interactions in $M(OH)_2$: A Neutron Diffraction Study of $Mg(OH)_2$. *Acta Crystallogr., Sect. B: Struct. Sci., Cryst. Eng. Mater. B52*, 82–86, DOI: 10.1107/S0108768195008275.

(109) Hermann, A., and Mookherjee, M. (2016). High-pressure phase of brucite stable at Earth's mantle transition zone and lower mantle conditions. *Proc. Natl. Acad. Sci. U.S.A 113*, 13971–13976, DOI: 10.1073/pnas.1611571113.

(110) Anisimov, V. I., Zaanen, J., and Andersen, O. K. (1991). Band theory and Mott insulators: Hubbard U instead of Stoner I. *Phys. Rev. B 44*, 943–954, DOI: 10.1103/PhysRevB.44.943.

(111) Mookherjee, M., and Stixrude, L. (2006). High-pressure proton disorder in brucite. *Am. Mineral. 91*, 127–134, DOI: 10.2138/am.2006.1886.

(112) Lee, K., Murray, É. D., Kong, L., Lundqvist, B. I., and Langreth, D. C. (2010). Higher-accuracy van der Waals density functional. *Phys. Rev. B 82*, 081101, DOI: 10.1103/PhysRevB.82.081101.

(113) Thonhauser, T., Zuluaga, S., Arter, C. A., Berland, K., Schröder, E., and Hyldgaard, P. (2015). Spin Signature of Nonlocal Correlation Binding in Metal-Organic Frameworks. *Phys. Rev. Lett. 115*, 136402–1–136402–6, DOI: 10.1103/PhysRevLett.115.136402.

(114) Thonhauser, T., Cooper, V. R., Li, S., Puzder, A., Hyldgaard, P., and Langreth, D. C. (2007). Van der Waals density functional: Self-consistent potential and the

nature of the van der Waals bond. *Phys. Rev. B 76*, 125112–1–125512–11, DOI: 10.1103/PhysRevB.76.125112.

(115) Berland, K., Cooper, V. R., Lee, K., Schröder, E., Thonhauser, T., Hyldgaard, P., and Lundqvist, B. I. (2015). van der Waals forces in density functional theory: a review of the vdW-DF method. *Rep. Prog. Phys 78*, 066501, DOI: 10.1088/0034-4885/78/6/066501.

(116) Langreth, D. C. et al. (2009). A density functional for sparse matter. *J. Condens. Matter Phys. 21*, 084203, DOI: 10.1088/0953-8984/21/8/084203.

(117) Sabatini, R., Küçükbenli, E., Kolb, B., Thonhauser, T., and De Gironcoli, S. (2012). Structural evolution of amino acid crystals under stress from a non-empirical density functional. *J. Condens. Matter Phys. 24*, 424209, DOI: 10.1088/0953-8984/24/42/424209.

(118) Garcia-Castro, A. C., Ospina, R., and Romero, A. H. (2019). DFT Study on Metamagnetics β-M$(OH)_2$. *J. Phys. Conf. Ser. 1247*, 012046, DOI: 10.1088/1742-6596/1247/1/012046.

(119) Momma, K., and Izumi, F. (2008). VESTA: A three-dimensional visualization system for electronic and structural analysis. *J. Appl. Crystallogr. 41*, 653–658, DOI: 10.1107/S0021889808012016.

(120) Lausi, A., Polentarutti, M., Onesti, S., Plaisier, J. R., Busetto, E., Bais, G., Barba, L., Cassetta, A., Campi, G., Lamba, D., Pifferi, A., Mande, S. C., Sarma, D. D., Sharma, S. M., and Paolucci, G. (2015). Status of the crystallography beamlines at Elettra. *Eur. Phys. J. Plus 130*, 1–8, DOI: 10.1140/epjp/i2015-15043-3.

(121) Zigan, F., and Rothbauer, R. (1967). Neutron diffraction measurement on brucite. *Neues Jahrb. fur Mineral. 4*, 137–143.

(122) Duffy, T. S., Hemley, R. J., and Mao, H. K. (1995). Structure and bonding in hydrous minerals at high pressure: Raman spectroscopy of alkaline earth hydroxides. *AIP Conf. Proc*, 211–220, DOI: 10.1063/1.48729.

(123) Duffy, T. S., Meade, C., Fei, Y., Mao, H.-K., and Hemley, R. J. (1995). High-pressure phase transition in brucite, $Mg(OH)_2$. *Am. Mineral. 80*, 222–230, DOI: 10.2138/am-1995-3-403.

(124) Catti, M., Ferraris, G., Hull, S., and Pavese, A. (1995). Static compression and H disorder in brucite, $Mg(OH)_2$, to 11 GPa: a powder neutron diffraction study. *Phys. Chem. Miner. 22*, 200–206, DOI: 10.1007/BF00202300.

(125) Chakoumakos, B. C., Loong, C. K., and Schultz, A. J. (1997). Low-temperature structure and dynamics of brucite. *J. Phys. Chem. B 101*, 9458–9462, DOI: 10.1021/jp972225a.

(126) Chakoumakos, B. C., Horita, J., and Garlea, V. O. (2013). H/D isotope effects in brucite at low temperatures. *Am. Mineral. 98*, 1–6, DOI: 10.2138/am.2013.4202.

(127) Okuchi, T., Tomioka, N., Purevjav, N., Abe, J., Harjo, S., and Gong, W. (2014). Structure refinement of sub-cubic-mm volume sample at high pressures by pulsed neutron powder diffraction: Application to brucite in an opposed anvil cell. *High. Press. Res. 34*, 273–280, DOI: 10.1080/08957959.2014.909931.

(128) D'Arco, P., Causà, M., Roetti, C., and Silvi, B. (1993). Periodic Hartree-Fock study of a weakly bonded layer structure: Brucite $Mg(OH)_2$. *Phys. Rev. B 47*, 3522–3529, DOI: 10.1103/PhysRevB.47.3522.

(129) Sherman, D. M. (1991). Hartree-Fock band structure, equation of state, and pressure-induced hydrogen bonding in brucite, $Mg(OH)_2$. *Am. Mineral. 76*, 1769–1772.

(130) Raugei, S., Silvestrelli, P. L., and Parrinello, M. (1999). Pressure-induced frustration and disorder in $Mg(OH)_2$ and $Ca(OH)_2$. *Phys. Rev. Lett. 83*, 2222–2225, DOI: 10.1103/PhysRevLett.83.2222.

(131) Parise, J. B., Leinenweber, K., Weidner, D. J., Tan, K., and Von Dreele, R. B. (1994). Pressure-induced H bonding: neutron diffraction study of brucite, $Mg(OD)_2$, to 9.3 GPa. *Am. Mineral. 79*, 193–196.

(132) Kruger, M. B., Williams, Q., and Jeanloz, R. (1989). Vibrational spectra of $Mg(OH)_2$ and $Ca(OH)_2$ under pressure. *J. Chem. Phys. 91*, 5910–5915, DOI: 10.1063/1.457460.

(133) Partin, D. E., O'Keeffe, M., and Von Dreele, R. B. (1994). Crystal structure and profile fitting of $Mg(OD)_2$ by time-of-flight neutron diffraction. *J. Appl. Crystallogr. 27*, 581–584, DOI: 10.1107/S0021889893008672.

(134) Ugliengo, P., Zicovich-Wilson, C. M., Tosoni, S., and Civalleri, B. (2009). Role of dispersive interactions in layered materials: a periodic B3LYP and B3LYP-D* study of $Mg(OH)_2$, $Ca(OH)_2$ and kaolinite. *J. Mater. Chem. 19*, 2564–2572, DOI: 10.1039/B819020H.

(135) Jayachandran, K. P., and Liu, L.-g. (2006). High pressure elasticity and phase transformation in brucite, $Mg(OH)_2$. *Phys. Chem. Miner. 33*, 484–489, DOI: 10.1007/s00269-006-0097-7.

(136) Jochym, P. T., Oleś, A. M., Parlinski, K., Łazewski, J., Piekarz, P., and Sternik, M. (2010). Structure and elastic properties of $Mg(OH)_2$ from density functional theory. *J. Condens. Matter Phys. 22*, 445403, DOI: 10.1088/0953-8984/22/44/445403.

(137) Pishtshev, A., Karazhanov, S. Z., and Klopov, M. (2014). Materials properties of magnesium and calcium hydroxides from first-principles calculations. *Comput. Mater. Sci. 95*, 693–705, DOI: 10.1016/j.commatsci.2014.07.007.

(138) Treviño, P., Garcia-Castro, A. C., López-Moreno, S., Bautista-Hernández, A., Bobocioiu, E., Reynard, B., Caracas, R., and Romero, A. H. (2018). Anharmonic contribution to the stabilization of $Mg(OH)_2$ from first principles. *Phys. Chem. Chem. Phys. 20*, 17799–17808, DOI: 10.1039/c8cp02490a.

(139) Parise, J. B., Theroux, B., Li, R., Loveday, J. S., Marshall, W. G., and Klotz, S. (1998). Pressure dependence of hydrogen bonding in metal deuteroxides: A neutron powder diffraction study of $Mn(OD)_2$ and β-$Co(OD)_2$. *Phys. Chem. Miner. 25*, 130–137, DOI: 10.1007/s002690050095.

(140) Parise, J. B., Loveday, J. S., Nelmes, R. J., and Kagi, H. (1999). Hydrogen repulsion "transition" in $Co(OD)_2$ at high pressure? *Phys. Rev. Lett. 83*, 328–331, DOI: 10.1103/PhysRevLett.83.328.

(141) Megaw, H. D., *Crystal structures-a working approach*; W. B. Sanders Company: 1973, p 563.

(142) Mitev, P. D., Gajewski, G., and Hermansson, K. (2009). Anharmonic OH vibrations in brucite: Small pressure-induced redshift in the range 0-22 GPa. *Am. Mineral. 94*, 1687–1697, DOI: 10.2138/am.2009.3188.

(143) Stokes, H. T., and Hatch, D. M. (2005). FINDSYM: Program for identifying the space-group symmetry of a crystal. *J. Appl. Crystallogr. 38*, 237–238, DOI: 10.1107/S0021889804031528.

(144) Ulian, G., and Valdrè, G. (2019). Equation of state and second-order elastic constants of portlandite $Ca(OH)_2$ and brucite $Mg(OH)_2$. *Phys. Chem. Miner. 46*, 101–117, DOI: 10.1007/s00269-018-0989-3.

(145) Dawson, P., Hadfield, C. D., and Wilkinson, G. R. (1973). The polarized infra-red and Raman spectra of $Mg(OH)_2$ and $Ca(OH)_2$. *J. Phys. Chem. Solids 34*, 1217–1225, DOI: 10.1016/S0022-3697(73)80212-4.

(146) Pascale, F., Tosoni, S., Zicovich-Wilson, C., Ugliengo, P., Orlando, R., and Dovesi, R. (2004). Vibrational spectrum of brucite, $Mg(OH)_2$: A periodic ab initio quantum mechanical calculation including OH anharmonicity. *Chem. Phys. Lett. 396*, 308–315, DOI: 10.1016/j.cplett.2004.08.047.

(147) Reynard, B., and Caracas, R. (2009). D/H isotopic fractionation between brucite $Mg(OH)_2$ and water from first-principles vibrational modeling. *Chem. Geol. 262*, 159–168, DOI: 10.1016/j.chemgeo.2009.01.007.

(148) Kazimirov, V. Y., Smirnov, M. B., Bourgeois, L., Guerlou-Demourgues, L., Servant, L., Balagurov, A. M., Natkaniec, I., Khasanova, N. R., and Antipov, E. V. (2010). Atomic structure and lattice dynamics of Ni and Mg hydroxides. *Solid State Ion. 181*, 1764–1770, DOI: 10.1016/j.ssi.2010.10.002.

(149) Jiang, F., Speziale, S., and Duffy, T. S. (2006). Single-crystal elasticity of brucite, $Mg(OH)_2$, to 15 GPa by Brillouin scattering. *Am. Mineral. 91*, 1893–1900, DOI: 10.2138/am.2006.2215.

(150) Xia, X., Weidner, D. J., and Zhao, H. (1998). Equation of state of brucite: Single-crystal Brillouin spectroscopy study and polycrystalline pressure-volume-temperature measurement. *Am. Mineral. 83*, 68–74, DOI: 10.2138/am-1998-1-207.

(151) Redfern, S. A., and Wood, B. J. (1992). Thermal expansion of brucite, $Mg(OH)_2$. *Am. Mineral. 77*, 1129–1132.

(152) Sayetat, F., Fertey, P., and Kessler, M. (1998). An Easy Method for the Determination of Debye Temperature from Thermal Expansion Analyses. *J. Appl. Cryst. 31*, 121–127, DOI: 10.1107/S0021889897006936.

(153) Nguyen, J. H., Kruger, M. B., and Jeanloz, R. (1997). Evidence for "Partial" (sublattice) amorphization in $Co(OH)_2$. *Phys. Rev. Lett. 78*, 1936–1939, DOI: 10.1103/PhysRevLett.78.1936.

(154) Marini, C., Olszewski, W., Ramanan, N., Joseph, B., Simonelli, L., and Postorino, P. (2018). Structural properties of β-metal(II) hydroxides: Combined XAS and Raman spectroscopic studies on lattice stability. *EPL 122*, 66002–p1–6602–p6, DOI: 10.1209/0295-5075/122/66002.

(155) Takada, T., Bando, Y., Kiyama, M., Miyamoto, H., and Sato, T. (1966). The Magnetic Property of Ni(OH)2. *J. Phys. Soc. Japan. 21*, 2745–2746, DOI: 10.1143/JPSJ.21.2745.

(156) Hunt, D., Garbarino, G., RodrÃguez-VelamazÃ¡n, J. A., Ferrari, V., Jobbagy, M., and Scherlis, D. A. (2016). The magnetic structure of β-cobalt hydroxide and the effect of spin-orientation. *Phys. Chem. Chem. Phys. 18*, 30407–30414, DOI: 10.1039/C6CP06006D.

(157) Nguyen, J. H., Kruger, M. B., and Jeanloz, R. (1994). Compression and pressure-induced amorphization of $Co(OH)_2$ characterized by infrared vibrational spectroscopy. *Phys. Rev. B 49*, 3734–3738, DOI: 10.1103/PhysRevB.49.3734.

(158) Mockenhaupt, C., Zeiske, T., and Lutz, H. D. (1998). Crystal structure of brucite-type cobalt hydroxide β-CoO(H,D)2 - Neutron diffraction, IR and Raman spectroscopy. *J. Mol. Struct. 443*, 191–196, DOI: 10.1016/S0022-2860(97)00388-8.

(159) Shieh, S. R., and Duffy, T. S. (2002). Raman spectroscopy of (formula presented) at high pressures: Implications for amorphization and hydrogen repulsion. *Phys. Rev. B 66*, 1–8, DOI: 10.1103/PhysRevB.66.134301.

(160) Fan, Y., Yang, Z., Cao, X., Liu, P., Chen, S., and Cao, Z. (2014). Hierarchical Macro-Mesoporous $Ni(OH)_2$ for Nonenzymatic Electrochemical Sensing of Glucose. *J. Electrochem. Soc. 161*, B201–B206, DOI: 10.1149/2.0251410jes.

(161) Ran, J., Yu, J., and Jaroniec, M. (2011). $Ni(OH)_2$ modified CdS nanorods for highly efficient visible-light-driven photocatalytic H2 generation. *Green Chem. 13*, 2708–2713, DOI: 10.1039/c1gc15465f.

(162) Mortimer, R. J., Sialvi, M. Z., Varley, T. S., and Wilcox, G. D. (2014). An in situ colorimetric measurement study of electrochromism in the thin-film nickel hydroxide/oxyhydroxide system. *J. Solid State Chem. 18*, 3359–3367, DOI: 10.1007/s10008-014-2618-5.

(163) Aghazadeh, M., Ghaemi, M., Sabour, B., and Dalvand, S. (2014). Electrochemical preparation of α-$Ni(OH)_2$ ultrafine nanoparticles for high-performance supercapacitors. *J. Solid State Chem. 18*, 1569–1584, DOI: 10.1007/s10008-014-2381-7.

(164) Bode, H., Dehmelt, K., and Witte, J. (1966). Zur kenntnis der nickelhydroxidelektrode-I. Über das nickel (II)-hydroxidhydrat. *Electrochim. Acta 11*, 1079–1087, DOI: 10.1016/0013-4686(66)80045-2.

(165) Garg, N., Karmakar, S., Sharma, S. M., Busseto, E., and Sikka, S. K. (2004). High-pressure X-ray diffraction studies on β-$Ni(OH)_2$. *Physica B Condens. Matter. 349*, 245–250, DOI: 10.1016/j.physb.2004.03.243.

(166) Marini, C., Joseph, B., Caramazza, S., Capitani, F., Bendele, M., Kantor, I., Lotti, P., Mathon, O., Pascarelli, S., and Postorino, P. (2017). Local structure investigation of β-$Ni(OH)_2$ under pressure using combined Raman and Ni K-edge

extended x-ray absorption fine structure studies. *High. Press. Res. 37*, 1–10, DOI: 10.1080/08957959.2016.1269174.

(167) Bantignies, J. L., Deabate, S., Righi, A., Rols, S., Hermet, P., Sauvajol, J. L., and Henn, F. (2008). New insight into the vibrational behavior of nickel hydroxide and oxyhydroxide using inelastic neutron scattering, far/mid-infrared and Raman spectroscopies. *J. Phys. Chem. C 112*, 2193–2201, DOI: 10.1021/jp075819e.

(168) Murli, C., Sharma, S. M., Kulshreshtha, S. K., and Sikka, S. K. (2001). High-pressure behavior of β-Ni(OH)$_2$ - A Raman scattering study. *Physica B Condens. Matter. 307*, 111–116, DOI: 10.1016/S0921-4526(01)00646-9.

(169) Parise, J. B., Cox, H., Kagi, H., Li, R., Marshall, W., Loveday, J. S., and Klotz, S. (1998). Hydrogen Bonding in M(OD)$_2$ Compounds Under Pressure. *Rev. High Press. Sci. Technol. 7*, 211–216, DOI: 10.4131/jshpreview.7.211.

(170) Szytula, A., Murasik, A., and Balanda, M. (1971). Neutron Diffraction Study of Ni(OH)$_2$. *Phys. Status Solidi B 43*, 125–128, DOI: https://doi.org/10.1002/pssb.2220430113.

(171) Hermet, P., Gourrier, L., Bantignies, J.-L., Ravot, D., Michel, T., Deabate, S., Boulet, P., and Henn, F. (2011). Dielectric, magnetic, and phonon properties of nickel hydroxide. *Phys. Rev. B 84*, 235211, DOI: 10.1103/PhysRevB.84.235211.

(172) Tkalych, A. J., Yu, K., and Carter, E. A. (2015). Structural and Electronic Features of β-Ni(OH)$_2$ and β-NiOOH from First Principles. *J. Phys. Chem. C 119*, 24315–24322, DOI: 10.1021/acs.jpcc.5b08481.

(173) Wang, H., and Song, C. (2019). Electronic and phonon structure of nickel hydroxide: first-principles calculation study. *Eur Phys J B 92*, 37, DOI: 10.1140/epjb/e2019-90369-6.

(174) Mei, S., and Kohlstedt, D. L. (2000). Influence of water on plastic deformation of olivine aggregates: 1. Diffusion creep regime. *J. Geophys. Res. Solid Earth 105*, 21457–21469, DOI: 10.1029/2000JB900179.

(175) Mei, S., and Kohlstedt, D. L. (2000). Influence of water on plastic deformation of olivine aggregates: 2. Dislocation creep regime. *J. Geophys. Res. Solid Earth 105*, 21471–21481, DOI: 10.1029/2000JB900180.

(176) Karato, S. I. (2011). Water distribution across the mantle transition zone and its implications for global material circulation. *Earth Planet. Sci. Lett 301*, 413–423, DOI: 10.1016/j.epsl.2010.11.038.

(177) Wickmann, F. (1947). The crystal structure of lawsonite $CaAl_2Si_2O_7(OH)_2H_2O$. *Ark. Kemi Mineral. Geol 25A*, 7.

(178) Rumanova, I. M., and Skipetrova, T. I. (1959). The Crystal Structure of Lawsonite. *Sov. Phys. Dokl. 4*, 20–23.

(179) Libowitzky, E., and Armbruster, T. (1995). Low-temperature Phase Transit. and the role of hydrogen bonds in lawsonite. *Am. Mineral. 80*, 1277–1285, DOI: 10.2138/am-1995-11-1217.

(180) Meyer, H.-W., Carpenter, M. A., Graeme-Barber, A., Sondergeld, P., and Schranz, W. (2000). Local and macroscopic order parameter variations associated with low temperature Phase Transit. in lawsonite, $CaAl_2Si_2O_7(OH)_2.H_2O$. *Eur. J. Mineral. 12*, 1139–1150, DOI: 10.1127/ejm/12/6/1139.

(181) Meyer, H. W., Marion, S., Sondergeld, P., Carpenter, M. A., Knight, K. S., Redfern, S. A., and Dove, M. T. (2001). Displacive components of the low-temperature Phase Transit. in lawsonite. *Am. Mineral. 86*, 566–577, DOI: 10.2138/am-2001-0419.

(182) Martín-Olalla, J. .-., Hayward, S. A., Meyer, H.-W., Ramos, S., Cerro, J. D., and Carpenter, M. A. (2001). Phase Transit. in lawsonite: a calorimetric study. *Eur. J. Mineral. 13*, 5–14, DOI: 10.1127/0935-1221/01/0013-0005.

(183) Holland, T. J., Redfern, S. A., and Pawley, A. R. (1996). Volume behavior of hydrous minerals at high pressure and temperature: II. Compressibilities of lawsonite, zoisite, clinozoisite, and epidote. *Am. Mineral. 81*, 341–348, DOI: 10.2138/am-1996-3-408.

(184) Scott, H. P., and Williams, Q. (1999). An infrared spectroscopic study of lawsonite to 20 GPa. *Phys. Chem. Miner. 26*, 437–445, DOI: 10.1007/s002690050206.

(185) Daniel, I., Fiquet, G., Gillet, P., Schmidt, M. W., and Hanfland, M. (2000). High-pressure behaviour of lawsonite: a phase transition at 8.6 GPa. *Eur. J. Mineral. 12*, 721–733, DOI: 10.1127/0935-1221/2000/0012-0721.

(186) Pawley, A. R., and Allan, D. R. (2001). A high-pressure structural study of lawsonite using angle-dispersive powder-diffraction methods with synchrotron radiation. *Mineral. Mag. 65*, 41–58, DOI: 10.1180/002646101550118.

(187) Ballaran, T. B., and Angel, R. J. (2003). Equation of state and high-pressure Phase Transit. in lawsonite. *Eur. J. Mineral. 15*, 241–246, DOI: 10.1127/0935-1221/2003/0015-0241.

(188) O'Bannon, E., Beavers, C. M., Kunz, M., and Williams, Q. (2017). The high-pressure phase of lawsonite: A single crystal study of a key mantle hydrous phase. *J. Geophys. Res. Solid Earth 122*, 6294–6305, DOI: 10.1002/2017JB014344.

(189) Ackland, G. (2000). Elastic properties as a pointer to Phase Transit. *RIKEN Review 29*, 34–38.

(190) Chantel, J., Mookherjee, M., and Frost, D. J. (2012). The elasticity of lawsonite at high pressure and the origin of low velocity layers in subduction zones. *Earth Planet. Sci. Lett 349-350*, 116–125, DOI: 10.1016/j.epsl.2012.06.034.

(191) Perdew, J. P., Ruzsinszky, A., Csonka, G. I., Vydrov, O. A., Scuseria, G. E., Constantin, L. A., Zhou, X., and Burke, K. (2008). Restoring the Density-Gradient Expansion for Exchange in Solids and Surfaces. *Phys. Rev. Lett. 100*, 136406, DOI: 10.1103/PhysRevLett.100.136406.

(192) Lazzeri, M., and Mauri, F. (2003). First-Principles Calculation of Vibrational Raman Spectra in Large Systems: Signature of Small Rings in Crystalline. *Phys. Rev. Lett. 90*, 036401-1–036401-4, DOI: 10.1103/PhysRevLett.90.036401.

(193) Brown, I. D. (1976). On the geometry of O-H–O hydrogen bonds. *Acta Crystallogr. A 32*, 24–31, DOI: 10.1107/S0567739476000041.

(194) Gagné, O. C., and Hawthorne, F. C. (2016). Bond-length distributions for ions bonded to oxygen: Alkali and alkaline-earth metals. *Acta Crystallogr. B 72*, 602–625, DOI: 10.1107/S2052520616008507.

(195) Sano, A., Ohtani, E., Kondo, T., Hirao, N., Sakai, T., Sata, N., Ohishi, Y., and Kikegawa, T. (2008). Aluminous hydrous mineral δ-AlOOH as a carrier of hydrogen into the core-mantle boundary. *Geophys. Res. Lett 35*, L03303, DOI: 10.1029/2007GL031718.

(196) Shinmei, T., Irifune, T., Tsuchiya, J., and Funakoshi, K. I. (2008). Phase transition and compression behavior of phase D up to 46 GPa using multi-anvil apparatus with sintered diamond anvils. *High. Press. Res. 28*, 363–373, DOI: 10.1080/08957950802246514.