

**Bibliography**

- Abdelmegeed, M. A., Yoo, S.-H., Henderson, L. E., Gonzalez, F. J., Woodcroft, K. J., & Song, B.-J. (2011). PPAR $\alpha$  expression protects male mice from high fat-induced nonalcoholic fatty liver. *The Journal of Nutrition*, *141*(4), 603–610.
- Adamovich, Y., Rousso-Noori, L., Zwighaft, Z., Neufeld-Cohen, A., Golik, M., Kraut-Cohen, J., Wang, M., Han, X., & Asher, G. (2014). Circadian clocks and feeding time regulate the oscillations and levels of hepatic triglycerides. *Cell Metabolism*, *19*(2), 319–330.
- Afeche, S. C., Amaral, F. G., Villela, D. C. M., Abrahão, M. V., Peres, R., & Cipolla-Neto, J. (2008). Melatonin and pineal gland. *New Research on Neurosecretory Systems. Hauppauge: Nova Science Publishers*, 151–177.
- Alves-Bezerra, M., & Cohen, D. E. (2017). Triglyceride metabolism in the liver. *Comprehensive Physiology*, *8*(1), 1.
- Amarapurkar, D. N., Hashimoto, E., Lesmana, L. A., Sollano, J. D., Chen, P., Goh, K., & on NAFLD1, A. W. P. (2007). How common is non-alcoholic fatty liver disease in the Asia-Pacific region and are there local differences? *Journal of Gastroenterology and Hepatology*, *22*(6), 788–793.
- Amin, M. M., Ahmed, R. F., & Saleh, D. O. (2017). Methionine and choline deficient diet-induced non-alcoholic Steatohepatitis in rats: role of melatonin. *Journal of Applied Pharmaceutical Science*, *7*(09), 12–19.
- Angulo, P. (2002). Nonalcoholic fatty liver disease. *New England Journal of Medicine*, *346*(16), 1221–1231.

- Anstee, Q. M., Targher, G., & Day, C. P. (2013). Progression of NAFLD to diabetes mellitus, cardiovascular disease or cirrhosis. *Nature Reviews Gastroenterology & Hepatology*, *10*(6), 330–344.
- Arioz, B. I., Tastan, B., Tarakcioglu, E., Tufekci, K. U., Olcum, M., Ersoy, N., Bagriyanik, A., Genc, K., & Genc, S. (2019). Melatonin attenuates LPS-induced acute depressive-like behaviors and microglial NLRP3 inflammasome activation through the SIRT1/Nrf2 pathway. *Frontiers in Immunology*, *10*, 1511.
- Aschoff, J. (1960). Exogenous and endogenous components in circadian rhythms. *Cold Spring Harbor Symposia on Quantitative Biology*, *25*, 11–28.
- Balsalobre, A., Damiola, F., & Schibler, U. (1998). A serum shock induces circadian gene expression in mammalian tissue culture cells. *Cell*, *93*(6), 929–937.
- Bass, N. M., & Manning, J. A. (1986). Tissue expression of three structurally different fatty acid binding proteins from rat heart muscle, liver, and intestine. *Biochemical and Biophysical Research Communications*, *137*(3), 929–935.
- Baxi, D. B., Singh, P. K., Vachhrajani, K. D., & Ramachandran, A. V. (2013). Melatonin supplementation in rat ameliorates ovariectomy-induced oxidative stress. *Climacteric*, *16*(2), 274–283.
- Blask, D. E., Sauer, L. A., & Dauchy, R. T. (2002). Melatonin as a chronobiotic/anticancer agent: cellular, biochemical, and molecular mechanisms of action and their implications for circadian-based cancer therapy. *Current Topics in Medicinal Chemistry*, *2*(2), 113–132.
- Blazer, D. G., & Hernandez, L. M. (2006). *Genes, behavior, and the social environment: Moving beyond the nature/nurture debate*.

- Brzezinski, A. (1997). Melatonin in humans. *New England Journal of Medicine*, 336(3), 186–195.
- Buhr, E. D., & Takahashi, J. S. (2013). Molecular components of the Mammalian circadian clock. *Circadian Clocks*, 3–27.
- Buijs, R. M., Ruiz, M. A. G., Hernández, R. M., & Cortés, B. R. (2019). The suprachiasmatic nucleus; a responsive clock regulating homeostasis by daily changing the setpoints of physiological parameters. *Autonomic Neuroscience*, 218, 43–50.
- Buzzetti, E., Pinzani, M., & Tsochatzis, E. A. (2016). The multiple-hit pathogenesis of non-alcoholic fatty liver disease (NAFLD). *Metabolism*, 65(8), 1038–1048.
- Chambel, S. S., Santos-Gonçalves, A., & Duarte, T. L. (2015). The dual role of Nrf2 in nonalcoholic fatty liver disease: regulation of antioxidant defenses and hepatic lipid metabolism. *BioMed Research International*, 2015.
- Chaudhari, A., Gupta, R., Patel, S., Velingkaar, N., & Kondratov, R. (2017). Cryptochromes regulate IGF-1 production and signaling through control of JAK2-dependent STAT5B phosphorylation. *Molecular Biology of the Cell*, 28(6), 834–842.
- Claustrat, B., Brun, J., & Chazot, G. (2005). The basic physiology and pathophysiology of melatonin. *Sleep Medicine Reviews*, 9(1), 11–24.
- Colares, J. R., Schemitt, E. G., Hartmann, R. M., Licks, F., do Couto Soares, M., Dal Bosco, A., & Marroni, N. P. (2016). Antioxidant and anti-inflammatory action of melatonin in an experimental model of secondary biliary cirrhosis induced by bile duct ligation. *World Journal of Gastroenterology*, 22(40), 8918.

- Cousin, S. P., Hügl, S. R., Wrede, C. E., Kajio, H., Myers Jr, M. G., & Rhodes, C. J. (2001). Free fatty acid-induced inhibition of glucose and insulin-like growth factor I-induced deoxyribonucleic acid synthesis in the pancreatic  $\beta$ -cell line INS-1. *Endocrinology*, *142*(1), 229–240.
- Cui, W., Chen, S. L., & Hu, K.-Q. (2010). Quantification and mechanisms of oleic acid-induced steatosis in HepG2 cells. *American Journal of Translational Research*, *2*(1), 95.
- Damiola, F., Le Minh, N., Preitner, N., Kornmann, B., Fleury-Olela, F., & Schibler, U. (2000). Restricted feeding uncouples circadian oscillators in peripheral tissues from the central pacemaker in the suprachiasmatic nucleus. *Genes & Development*, *14*(23), 2950–2961.
- Das, N., Mandala, A., Naaz, S., Giri, S., Jain, M., Bandyopadhyay, D., Reiter, R. J., & Roy, S. S. (2017). Melatonin protects against lipid-induced mitochondrial dysfunction in hepatocytes and inhibits stellate cell activation during hepatic fibrosis in mice. *Journal of Pineal Research*, *62*(4), e12404.
- Day, C. P., & James, O. F. W. (1998). *Steatohepatitis: a tale of two "hits"?* Elsevier.
- de Almeida Chuffa, L. G., Fioruci, B. A., & Seiva, F. R. F. (2013). Melatonin and their protective role on oxidative cell damage: interplay between oxidative stress and tumorigenesis. *New Developments in Melatonin Research: Spain*, Nova Publishers, 121–138.
- de Farias, T. da S. M., Cruz, M. M., de Sa, R. C. da C., Severi, I., Perugini, J., Senzacqua, M., Cerutti, S. M., Giordano, A., Cinti, S., & Alonso-Vale, M. I. C. (2019). Melatonin supplementation decreases hypertrophic obesity and

- inflammation induced by high-fat diet in mice. *Frontiers in Endocrinology*, *10*, 750.
- Dibner, C., Schibler, U., & Albrecht, U. (2010). The mammalian circadian timing system: organization and coordination of central and peripheral clocks. *Annual Review of Physiology*, *72*, 517–549.
- Ding, K., Wang, H., Xu, J., Li, T., Zhang, L., Ding, Y., Zhu, L., He, J., & Zhou, M. (2014). Melatonin stimulates antioxidant enzymes and reduces oxidative stress in experimental traumatic brain injury: the Nrf2–ARE signaling pathway as a potential mechanism. *Free Radical Biology and Medicine*, *73*, 1–11.
- do Amaral, F. G., & Cipolla-Neto, J. (2018). A brief review about melatonin, a pineal hormone. *Archives of Endocrinology and Metabolism*, *62*, 472–479.
- Doerge, H., Grimm, D., Falcon, A., Tsang, B., Storm, T. A., Xu, H., Ortegon, A. M., Kazantzis, M., Kay, M. A., & Stahl, A. (2008). Silencing of hepatic fatty acid transporter protein 5 in vivo reverses diet-induced non-alcoholic fatty liver disease and improves hyperglycemia. *Journal of Biological Chemistry*, *283*(32), 22186–22192.
- Doi, R., Oishi, K., & Ishida, N. (2010). CLOCK regulates circadian rhythms of hepatic glycogen synthesis through transcriptional activation of *Gys2*. *Journal of Biological Chemistry*, *285*(29), 22114–22121.
- Du, J., Zhang, M., Lu, J., Zhang, X., Xiong, Q., Xu, Y., Bao, Y., & Jia, W. (2016). Osteocalcin improves nonalcoholic fatty liver disease in mice through activation of Nrf2 and inhibition of JNK. *Endocrine*, *53*(3), 701–709.
- Early, J. O., Menon, D., Wyse, C. A., Cervantes-Silva, M. P., Zaslona, Z., Carroll, R.

- G., Palsson-McDermott, E. M., Angiari, S., Ryan, D. G., & Corcoran, S. E. (2018). Circadian clock protein BMAL1 regulates IL-1 $\beta$  in macrophages via NRF2. *Proceedings of the National Academy of Sciences*, *115*(36), E8460–E8468.
- Edgar, D. M., Dement, W. C., & Fuller, C. A. (1993). Effect of SCN lesions on sleep in squirrel monkeys: evidence for opponent processes in sleep-wake regulation. *Journal of Neuroscience*, *13*(3), 1065–1079.
- Eruslanov, E., & Kusmartsev, S. (2010). Identification of ROS using oxidized DCFDA and flow-cytometry. In *Advanced protocols in oxidative stress II* (pp. 57–72). Springer.
- Fanjul-Moles, M. L., & López-Riquelme, G. O. (2016). Relationship between oxidative stress, circadian rhythms, and AMD. *Oxidative Medicine and Cellular Longevity*, *2016*.
- Farhud, D., & Aryan, Z. (2018). Circadian rhythm, lifestyle and health: a narrative review. *Iranian Journal of Public Health*, *47*(8), 1068.
- Fauchier, G., Bisson, A., Bodin, A., Herbert, J., Semaan, C., Angoulvant, D., Ducluzeau, P. H., Lip, G. Y. H., & Fauchier, L. (2021). Metabolically Healthy Obesity and Cardiovascular Events. A Nationwide Cohort Study. *Diabetes, Obesity and Metabolism*.
- Ferraro, S. M., & Lopez-Ortega, A. (2008). Antioxidant activity of melatonin on fatty liver induced by ethionine in mice. *ARCHIVOS DE MEDICINA VETERINARIA*, *40*(1), 51–57.
- Ferrell, J. M., & Chiang, J. Y. L. (2015). Circadian rhythms in liver metabolism and disease. *Acta Pharmaceutica Sinica B*, *5*(2), 113–122.

- Friedman, S. L., Neuschwander-Tetri, B. A., Rinella, M., & Sanyal, A. J. (2018). Mechanisms of NAFLD development and therapeutic strategies. *Nature Medicine*, *24*(7), 908–922.
- Frigato, E., Benedusi, M., Guiotto, A., Bertolucci, C., & Valacchi, G. (2020). *Research Article Circadian Clock and OxInflammation: Functional Crosstalk in Cutaneous Homeostasis*.
- Froy, O. (2007). The relationship between nutrition and circadian rhythms in mammals. *Frontiers in Neuroendocrinology*, *28*(2–3), 61–71.
- Fuhrman, J. (2018). The hidden dangers of fast and processed food. *American Journal of Lifestyle Medicine*, *12*(5), 375–381.
- Gaggini, M., Morelli, M., Buzzigoli, E., DeFronzo, R. A., Bugianesi, E., & Gastaldelli, A. (2013). Non-alcoholic fatty liver disease (NAFLD) and its connection with insulin resistance, dyslipidemia, atherosclerosis and coronary heart disease. *Nutrients*, *5*(5), 1544–1560.
- Gangwisch, J. E. (2009). Epidemiological evidence for the links between sleep, circadian rhythms and metabolism. *Obesity Reviews*, *10*, 37–45.
- Gao, B., & Tsukamoto, H. (2016). Inflammation in alcoholic and nonalcoholic fatty liver disease: friend or foe? *Gastroenterology*, *150*(8), 1704–1709.
- Garcia-Mauriño, S., Gonzalez-Haba, M. G., Calvo, J. R., Goberna, R., & Guerrero, J. M. (1998). Involvement of nuclear binding sites for melatonin in the regulation of IL-2 and IL-6 production by human blood mononuclear cells. *Journal of Neuroimmunology*, *92*(1–2), 76–84.

- Genario, R., Cipolla-Neto, J., Bueno, A. A., & Santos, H. O. (2020). Melatonin supplementation in the management of obesity and obesity-associated disorders: A review of physiological mechanisms and clinical applications. *Pharmacological Research*, 105254.
- Genzer, Y., Dadon, M., Burg, C., Chapnik, N., & Froy, O. (2015). Ketogenic diet delays the phase of circadian rhythms and does not affect AMP-activated protein kinase (AMPK) in mouse liver. *Molecular and Cellular Endocrinology*, 417, 124–130.
- González-Fernández, B., Sánchez, D. I., Crespo, I., San-Miguel, B., de Urbina, J. O., González-Gallego, J., & Tuñón, M. J. (2018). Melatonin attenuates dysregulation of the circadian clock pathway in mice with CCl4-induced fibrosis and human hepatic stellate cells. *Frontiers in Pharmacology*, 9, 556.
- Göz, D., Studholme, K., Lappi, D. A., Rollag, M. D., Provencio, I., & Morin, L. P. (2008). Targeted destruction of photosensitive retinal ganglion cells with a saporin conjugate alters the effects of light on mouse circadian rhythms. *PloS One*, 3(9), e3153.
- Grimaldi, B., Bellet, M. M., Katada, S., Astarita, G., Hirayama, J., Amin, R. H., Granneman, J. G., Piomelli, D., Leff, T., & Sassone-Corsi, P. (2010a). PER2 controls lipid metabolism by direct regulation of PPAR $\gamma$ . *Cell Metabolism*, 12(5), 509–520.
- Grimaldi, B., Bellet, M. M., Katada, S., Astarita, G., Hirayama, J., Amin, R. H., Granneman, J. G., Piomelli, D., Leff, T., & Sassone-Corsi, P. (2010b). PER2 controls lipid metabolism by direct regulation of PPAR $\gamma$ . *Cell Metabolism*, 12(5), 509–520.

- Halpern, B., Mancini, M. C., Bueno, C., Barcelos, I. P., de Melo, M. E., Lima, M. S., Carneiro, C. G., Sapienza, M. T., Buchpiguel, C. A., & do Amaral, F. G. (2019). Melatonin increases brown adipose tissue volume and activity in patients with melatonin deficiency: a proof-of-concept study. *Diabetes*, *68*(5), 947–952.
- Hara, R., Wan, K., Wakamatsu, H., Aida, R., Moriya, T., Akiyama, M., & Shibata, S. (2001). Restricted feeding entrains liver clock without participation of the suprachiasmatic nucleus. *Genes to Cells*, *6*(3), 269–278.
- Hardwick, J. P., Osei-Hyiaman, D., Wiland, H., Abdelmegeed, M. A., & Song, B.-J. (2009). PPAR/RXR regulation of fatty acid metabolism and fatty acid  $\omega$ -hydroxylase (CYP4) isozymes: implications for prevention of lipotoxicity in fatty liver disease. *PPAR Research*, 2009.
- Hatzis, G., Ziakas, P., Kavantzias, N., Triantafyllou, A., Sigalas, P., Andreadou, I., Ioannidis, K., Chatzis, S., Filis, K., & Papalampros, A. (2013). Melatonin attenuates high fat diet-induced fatty liver disease in rats. *World Journal of Hepatology*, *5*(4), 160.
- He, L., He, T., Farrar, S., Ji, L., Liu, T., & Ma, X. (2017). Antioxidants maintain cellular redox homeostasis by elimination of reactive oxygen species. *Cellular Physiology and Biochemistry*, *44*(2), 532–553.
- Heo, Jee-In, Yoon, D. W., Yu, J. H., Kim, N. H., Yoo, H. J., Seo, J. A., Kim, S. G., Choi, K. M., Baik, S. H., & Choi, D. S. (2018). Melatonin improves insulin resistance and hepatic steatosis through attenuation of alpha-2-HS-glycoprotein. *Journal of Pineal Research*, *65*(2), e12493.
- Heo, Jeein. (2017). Melatonin improves insulin resistance and hepatic steatosis through

- attenuation of ER stress. *The FASEB Journal*, *31*, 1b221–1b221.
- Hong, F., Pan, S., Xu, P., Xue, T., Wang, J., Guo, Y., Jia, L., Qiao, X., Li, L., & Zhai, Y. (2020). Melatonin orchestrates lipid homeostasis through the hepatointestinal circadian clock and microbiota during constant light exposure. *Cells*, *9*(2), 489.
- Hsieh, M. C., Yang, S. C., Tseng, H. L., Hwang, L. L., Chen, C. T., & Shieh, K. R. (2010). Abnormal expressions of circadian-clock and circadian clock-controlled genes in the livers and kidneys of long-term, high-fat-diet-treated mice. *International Journal of Obesity*, *34*(2), 227–239.
- Huether, G. (1993). The contribution of extrapineal sites of melatonin synthesis to circulating melatonin levels in higher vertebrates. *Experientia*, *49*(8), 665–670.
- Husse, J., Eichele, G., & Oster, H. (2015). Synchronization of the mammalian circadian timing system: light can control peripheral clocks independently of the SCN clock: alternate routes of entrainment optimize the alignment of the body's circadian clock network with external time. *BioEssays*, *37*(10), 1119–1128.
- Iwamoto, A., Kawai, M., Furuse, M., & Yasuo, S. (2014). Effects of chronic jet lag on the central and peripheral circadian clocks in CBA/N mice. *Chronobiology International*, *31*(2), 189–198.
- Jacobi, D., Liu, S., Burkewitz, K., Kory, N., Knudsen, N. H., Alexander, R. K., Unluturk, U., Li, X., Kong, X., & Hyde, A. L. (2015). Hepatic Bmal1 regulates rhythmic mitochondrial dynamics and promotes metabolic fitness. *Cell Metabolism*, *22*(4), 709–720.
- Jardim-Perassi, B. V., Arbab, A. S., Ferreira, L. C., Borin, T. F., Varma, N. R. S., Iskander, A. S. M., Shankar, A., Ali, M. M., & de Campos Zuccari, D. A. P.

- (2014). Effect of melatonin on tumor growth and angiogenesis in xenograft model of breast cancer. *PloS One*, *9*(1), e85311.
- Jarukamjorn, K., Jearapong, N., Pimson, C., & Chatuphonprasert, W. (2016). A high-fat, high-fructose diet induces antioxidant imbalance and increases the risk and progression of nonalcoholic fatty liver disease in mice. *Scientifica*, 2016.
- Jung, B., & Ahmad, N. (2006). Melatonin in cancer management: progress and promise. *Cancer Research*, *66*(20), 9789–9793.
- Kaspar, J. W., Niture, S. K., & Jaiswal, A. K. (2009). Nrf2: INrf2 (Keap1) signaling in oxidative stress. *Free Radical Biology and Medicine*, *47*(9), 1304–1309.
- Keller, M., Mazuch, J., Abraham, U., Eom, G. D., Herzog, E. D., Volk, H.-D., Kramer, A., & Maier, B. (2009). A circadian clock in macrophages controls inflammatory immune responses. *Proceedings of the National Academy of Sciences*, *106*(50), 21407–21412.
- Kettner, N. M., Voicu, H., Finegold, M. J., Coarfa, C., Sreekumar, A., Putluri, N., Katchy, C. A., Lee, C., Moore, D. D., & Fu, L. (2016). Circadian homeostasis of liver metabolism suppresses hepatocarcinogenesis. *Cancer Cell*, *30*(6), 909–924.
- Kim, S.-B., Kang, O.-H., Lee, Y.-S., Han, S.-H., Ahn, Y.-S., Cha, S.-W., Seo, Y.-S., Kong, R., & Kwon, D.-Y. (2016). Hepatoprotective effect and synergism of bisdemethoxycurcumin against MCD diet-induced nonalcoholic fatty liver disease in mice. *PloS One*, *11*(2), e0147745.
- Kohjima, M., Enjoji, M., Higuchi, N., Kato, M., Kotoh, K., Yoshimoto, T., Fujino, T., Yada, M., Yada, R., & Harada, N. (2007). Re-evaluation of fatty acid metabolism-related gene expression in nonalcoholic fatty liver disease. *International Journal*
-

*of Molecular Medicine*, 20(3), 351–358.

- Kohsaka, A., Laposky, A. D., Ramsey, K. M., Estrada, C., Joshu, C., Kobayashi, Y., Turek, F. W., & Bass, J. (2007). High-fat diet disrupts behavioral and molecular circadian rhythms in mice. *Cell Metabolism*, 6(5), 414–421.
- Lambert, J. E., Ramos–Roman, M. A., Browning, J. D., & Parks, E. J. (2014). Increased de novo lipogenesis is a distinct characteristic of individuals with nonalcoholic fatty liver disease. *Gastroenterology*, 146(3), 726–735.
- Lamia, K. A., Sachdeva, U. M., DiTacchio, L., Williams, E. C., Alvarez, J. G., Egan, D. F., Vasquez, D. S., Juguilon, H., Panda, S., & Shaw, R. J. (2009). AMPK regulates the circadian clock by cryptochrome phosphorylation and degradation. *Science*, 326(5951), 437–440.
- Le Martelot, G., Claudel, T., Gatfield, D., Schaad, O., Kornmann, B., Sasso, G. Lo, Moschetta, A., & Schibler, U. (2009). REV-ERB $\alpha$  participates in circadian SREBP signaling and bile acid homeostasis. *PLoS Biol*, 7(9), e1000181.
- Leclère, P. S., Rousseau, D., Patouraux, S., Guérin, S., Bonnafous, S., Gréchez-Cassiau, A., Ruberto, A. A., Luci, C., Subramaniam, M., & Tran, A. (2020). MCD diet-induced steatohepatitis generates a diurnal rhythm of associated biomarkers and worsens liver injury in Klf10 deficient mice. *Scientific Reports*, 10(1), 1–14.
- Lee, H. S., Nam, Y., Chung, Y. H., Kim, H. R., Park, E. S., Chung, S. J., Kim, J. H., Sohn, U. D., Kim, H.-C., & Oh, K. W. (2014). Beneficial effects of phosphatidylcholine on high-fat diet-induced obesity, hyperlipidemia and fatty liver in mice. *Life Sciences*, 118(1), 7–14.
- Lee, J., Moulik, M., Fang, Z., Saha, P., Zou, F., Xu, Y., Nelson, D. L., Ma, K., Moore,

- D. D., & Yechoor, V. K. (2013). Bmal1 and  $\beta$ -cell clock are required for adaptation to circadian disruption, and their loss of function leads to oxidative stress-induced  $\beta$ -cell failure in mice. *Molecular and Cellular Biology*, 33(11), 2327–2338.
- Lewy, A. J., Wehr, T. A., Goodwin, F. K., Newsome, D. A., & Markey, S. P. (1980). Light suppresses melatonin secretion in humans. *Science*, 210(4475), 1267–1269.
- Li, J., Sapper, T. N., Mah, E., Rudraiah, S., Schill, K. E., Chitchumroonchokchai, C., Moller, M. V., McDonald, J. D., Rohrer, P. R., & Manautou, J. E. (2016). Green tea extract provides extensive Nrf2-independent protection against lipid accumulation and NF $\kappa$ B pro-inflammatory responses during nonalcoholic steatohepatitis in mice fed a high-fat diet. *Molecular Nutrition & Food Research*, 60(4), 858–870.
- Li, N., Sun, Y., He, L., Huang, L., Li, T., Wang, T., & Tang, L. (2020). Amelioration by *Idesia polycarpa* Maxim. var. *vestita* Diels. of Oleic Acid-Induced Nonalcoholic Fatty Liver in HepG2 Cells through Antioxidant and Modulation of Lipid Metabolism. *Oxidative Medicine and Cellular Longevity*, 2020.
- Li, W., Ma, F., Zhang, L., Huang, Y., Li, X., Zhang, A., Hou, C., Zhu, Y., & Zhu, Y. (2016). S-propargyl-cysteine exerts a novel protective effect on methionine and choline deficient diet-induced fatty liver via Akt/Nrf2/HO-1 pathway. *Oxidative Medicine and Cellular Longevity*, 2016.
- Li, X., Shi, L., Zhang, K., Wei, W., Liu, Q., Mao, F., Li, J., Cai, W., Chen, H., & Teng, H. (2018). CirGRDB: a database for the genome-wide deciphering circadian genes and regulators. *Nucleic Acids Research*, 46(D1), D64–D70.
- Li, Y., Yu, H., Xu, Z., Shi, S., Wang, D., Shi, X., Wang, Y., Zeng, B., Deng, H., &

- Deng, X. (2019). Melatonin ameliorates ANIT-induced cholestasis by activating Nrf2 through a PI3K/Akt-dependent pathway in rats. *Molecular Medicine Reports*, *19*(2), 1185–1193.
- Liang, W., Menke, A. L., Driessen, A., Koek, G. H., Lindeman, J. H., Stoop, R., Havekes, L. M., Kleemann, R., & Van Den Hoek, A. M. (2014). Establishment of a general NAFLD scoring system for rodent models and comparison to human liver pathology. *PLoS ONE*, *9*(12), 1–17. <https://doi.org/10.1371/journal.pone.0115922>
- Lin, S., Thomas, T. C., Storlien, L. H., & Huang, X. F. (2000). Development of high fat diet-induced obesity and leptin resistance in C57Bl/6J mice. *International Journal of Obesity*, *24*(5), 639–646.
- Liu, W., Zhang, Y., Chen, Q., Liu, S., Xu, W., Shang, W., Wang, L., & Yu, J. (2020). Melatonin Alleviates Glucose and Lipid Metabolism Disorders in Guinea Pigs Caused by Different Artificial Light Rhythms. *Journal of Diabetes Research*, *2020*.
- Malaguarnera, M., Di Rosa, M., Nicoletti, F., & Malaguarnera, L. (2009). Molecular mechanisms involved in NAFLD progression. *Journal of Molecular Medicine*, *87*(7), 679–695.
- Mansouri, A., Gattolliat, C.-H., & Asselah, T. (2018). Mitochondrial dysfunction and signaling in chronic liver diseases. *Gastroenterology*, *155*(3), 629–647.
- Mazzoccoli, G., Paziienza, V., & Vinciguerra, M. (2012). Clock genes and clock-controlled genes in the regulation of metabolic rhythms. *Chronobiology International*, *29*(3), 227–251.

- McDearmon, E. L., Patel, K. N., Ko, C. H., Walisser, J. A., Schook, A. C., Chong, J. L., Wilsbacher, L. D., Song, E. J., Hong, H.-K., & Bradfield, C. A. (2006). Dissecting the functions of the mammalian clock protein BMAL1 by tissue-specific rescue in mice. *Science*, *314*(5803), 1304–1308.
- Metwally, M. M. M., Ebraheim, L. L. M., & Galal, A. A. A. (2018). Potential therapeutic role of melatonin on STZ-induced diabetic central neuropathy: a biochemical, histopathological, immunohistochemical and ultrastructural study. *Acta Histochemica*, *120*(8), 828–836.
- Mi, Y., Tan, D., He, Y., Zhou, X., Zhou, Q., & Ji, S. (2018). Melatonin modulates lipid metabolism in HepG2 cells cultured in high concentrations of oleic acid: AMPK pathway activation may play an important role. *Cell Biochemistry and Biophysics*, *76*(4), 463–470.
- Michelotti, G. A., Machado, M. V., & Diehl, A. M. (2013). NAFLD, NASH and liver cancer. *Nature Reviews Gastroenterology & Hepatology*, *10*(11), 656–665.
- Mohawk, J. A., Green, C. B., & Takahashi, J. S. (2012). Central and peripheral circadian clocks in mammals. *Annual Review of Neuroscience*, *35*, 445–462.
- Mulhall, B. P., Ong, J. P., & Younossi, Z. M. (2002). Non-alcoholic fatty liver disease: an overview. *Journal of Gastroenterology and Hepatology*, *17*(11), 1136–1143.
- Nagura, C., Tanaka, S., Tsunemi, A., Haketa, A., Maruyama, T., Ueno, T., Fukuda, N., Soma, M., & Abe, M. (2018). Reduction in Per1 mRNA Expression in Cultured Rat Hepatocytes. *Journal of Biomedicine*, *3*(9), 8–12.
- Narasimamurthy, R., Hatori, M., Nayak, S. K., Liu, F., Panda, S., & Verma, I. M. (2012). Circadian clock protein cryptochrome regulates the expression of

- proinflammatory cytokines. *Proceedings of the National Academy of Sciences*, 109(31), 12662–12667.
- Negi, G., Kumar, A., & Sharma, S. S. (2011). Melatonin modulates neuroinflammation and oxidative stress in experimental diabetic neuropathy: effects on NF- $\kappa$ B and Nrf2 cascades. *Journal of Pineal Research*, 50(2), 124–131.
- Nguyen, T., Nioi, P., & Pickett, C. B. (2009). The Nrf2-antioxidant response element signaling pathway and its activation by oxidative stress. *Journal of Biological Chemistry*, 284(20), 13291–13295.
- Nita, M., & Grzybowski, A. (2016). The role of the reactive oxygen species and oxidative stress in the pathomechanism of the age-related ocular diseases and other pathologies of the anterior and posterior eye segments in adults. *Oxidative Medicine and Cellular Longevity*, 2016.
- Ogbu, C. N. (2021). *Utilization of Aerobic Exercise in Reducing Blood Glucose Level as Measured with Glucose Buddy App in Adults Diagnosed with Type 2 Diabetes in an Outpatient Clinic*. Brandman University.
- Oishi, K., Shirai, H., & Ishida, N. (2005). CLOCK is involved in the circadian transactivation of peroxisome-proliferator-activated receptor  $\alpha$  (PPAR  $\alpha$ ) in mice. *Biochemical Journal*, 386(3), 575–581.
- Ou, T.-H., Tung, Y.-T., Yang, T.-H., & Chien, Y.-W. (2019). Melatonin improves fatty liver syndrome by inhibiting the lipogenesis pathway in hamsters with high-fat diet-induced hyperlipidemia. *Nutrients*, 11(4), 748.
- Pan, M., Song, Y., Xu, J., & Gan, H. (2006). Melatonin ameliorates nonalcoholic fatty liver induced by high-fat diet in rats. *Journal of Pineal Research*, 41(1), 79–84.

- Panda, S. (2016). Circadian physiology of metabolism. *Science*, 354(6315), 1008–1015.
- Parsons, M. J., Moffitt, T. E., Gregory, A. M., Goldman-Mellor, S., Nolan, P. M., Poulton, R., & Caspi, A. (2015). Social jetlag, obesity and metabolic disorder: investigation in a cohort study. *International Journal of Obesity*, 39(5), 842–848.
- Partch, C. L., Green, C. B., & Takahashi, J. S. (2014). Molecular architecture of the mammalian circadian clock. *Trends in Cell Biology*, 24(2), 90–99.
- Pekovic-Vaughan, V., Gibbs, J., Yoshitane, H., Yang, N., Pathiranaage, D., Guo, B., Sagami, A., Taguchi, K., Bechtold, D., & Loudon, A. (2014). The circadian clock regulates rhythmic activation of the NRF2/glutathione-mediated antioxidant defense pathway to modulate pulmonary fibrosis. *Genes & Development*, 28(6), 548–560.
- Pérez-Mendoza, M., Rivera-Zavala, J. B., & Díaz-Muñoz, M. (2014). Daytime restricted feeding modifies the daily variations of liver gluconeogenesis: adaptations in biochemical and endocrine regulators. *Chronobiology International*, 31(7), 815–828.
- Polyzos, S. A., Kountouras, J., Zavos, C., & Tsiaousi, E. (2010). The role of adiponectin in the pathogenesis and treatment of non-alcoholic fatty liver disease. *Diabetes, Obesity and Metabolism*, 12(5), 365–383.
- Pourhanifeh, M. H., Hosseinzadeh, A., Dehdashtian, E., Hemati, K., & Mehrzadi, S. (2020). Melatonin: new insights on its therapeutic properties in diabetic complications. *Diabetology & Metabolic Syndrome*, 12(1), 1–20.
- Preitner, N., Damiola, F., Zakany, J., Duboule, D., Albrecht, U., & Schibler, U. (2002).

- The orphan nuclear receptor REV-ERB $\alpha$  controls circadian transcription within the positive limb of the mammalian circadian oscillator. *Cell*, 110(2), 251–260.
- Prunet-Marcassus, B., Desbazeille, M., Bros, A., Louche, K., Delagrangé, P., Renard, P., Casteilla, L., & Pénicaud, L. (2003). Melatonin reduces body weight gain in Sprague Dawley rats with diet-induced obesity. *Endocrinology*, 144(12), 5347–5352.
- Qi, G., Guo, R., Tian, H., Li, L., Liu, H., Mi, Y., & Liu, X. (2018). Nobiletin protects against insulin resistance and disorders of lipid metabolism by reprogramming of circadian clock in hepatocytes. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1863(6), 549–562.
- Ralph, C. L. (1981). Melatonin production by extra-pineal tissues. In *Melatonin: Current status and perspectives* (pp. 35–46). Elsevier.
- Rao, M. S., & Reddy, J. K. (2001). Peroxisomal  $\beta$ -oxidation and steatohepatitis. *Seminars in Liver Disease*, 21(01), 43–56.
- Reinke, H., & Asher, G. (2019). Crosstalk between metabolism and circadian clocks. *Nature Reviews Molecular Cell Biology*, 20(4), 227–241.
- Reiter, R., Tan, D.-X., Cabrera, J., D'Arpa, D., Sainz, R., Mayo, J., & Ramos, S. (1999). The oxidant/antioxidant network: role of melatonin. *Neurosignals*, 8(1–2), 56–63.
- Reppert, S. M., & Weaver, D. R. (2002). Coordination of circadian timing in mammals. *Nature*, 418(6901), 935–941.
- Ricchi, M., Odoardi, M. R., Carulli, L., Anzivino, C., Ballestri, S., Pinetti, A., Fantoni, L. I., Marra, F., Bertolotti, M., & Banni, S. (2009). Differential effect of oleic and

- palmitic acid on lipid accumulation and apoptosis in cultured hepatocytes. *Journal of Gastroenterology and Hepatology*, 24(5), 830–840.
- Rudic, R. D., McNamara, P., Curtis, A.-M., Boston, R. C., Panda, S., Hogenesch, J. B., & FitzGerald, G. A. (2004). BMAL1 and CLOCK, two essential components of the circadian clock, are involved in glucose homeostasis. *PLoS Biol*, 2(11), e377.
- Rui, B., Chen, H., Jang, L., Li, Z., Yang, J., Xu, W., & Wei, W. (2016). Melatonin upregulates the activity of AMPK and attenuates lipid accumulation in alcohol-induced rats. *Alcohol and Alcoholism*, 51(1), 11–19.
- Saponaro, C., Gaggini, M., Carli, F., & Gastaldelli, A. (2015). The subtle balance between lipolysis and lipogenesis: a critical point in metabolic homeostasis. *Nutrients*, 7(11), 9453–9474.
- Scott, E. M. (2015). Circadian clocks, obesity and cardiometabolic function. *Diabetes, Obesity and Metabolism*, 17, 84–89.
- Shafi, A. A., & Knudsen, K. E. (2019). Cancer and the circadian clock. *Cancer Research*, 79(15), 3806–3814.
- Sharma, M., & Majumdar, P. K. (2009). Occupational lifestyle diseases: An emerging issue. *Indian Journal of Occupational and Environmental Medicine*, 13(3), 109.
- Shi, D., Chen, J., Wang, J., Yao, J., Huang, Y., Zhang, G., & Bao, Z. (2019). Circadian clock genes in the metabolism of non-alcoholic fatty liver disease. *Frontiers in Physiology*, 10, 423.
- Sookoian, S., Castaño, G., Gemma, C., Gianotti, T. F., & Pirola, C. J. (2007). Common genetic variations in CLOCK transcription factor are associated with nonalcoholic fatty liver disease. *World Journal of Gastroenterology: WJG*, 13(31), 4242.

- Stacchiotti, A., Favero, G., Lavazza, A., Golic, I., Aleksic, M., Korac, A., Rodella, L. F., & Rezzani, R. (2016). Hepatic macrosteatosis is partially converted to microsteatosis by melatonin supplementation in ob/ob mice non-alcoholic fatty liver disease. *PLoS One*, *11*(1), e0148115.
- Stacchiotti, A., Grossi, I., García-Gómez, R., Patel, G. A., Salvi, A., Lavazza, A., De Petro, G., Monsalve, M., & Rezzani, R. (2019). Melatonin effects on non-alcoholic fatty liver disease are related to microRNA-34a-5p/Sirt1 axis and autophagy. *Cells*, *8*(9), 1053.
- Sun, H., Huang, F., & Qu, S. (2015). Melatonin: a potential intervention for hepatic steatosis. *Lipids in Health and Disease*, *14*(1), 1–6.
- Sun, H., Wang, X., Chen, J., Song, K., Gusdon, A. M., Li, L., Bu, L., & Qu, S. (2016). Melatonin improves non-alcoholic fatty liver disease via MAPK-JNK/P38 signaling in high-fat-diet-induced obese mice. *Lipids in Health and Disease*, *15*(1), 1–8.
- Tabish, S. A. (2017). Lifestyle diseases: consequences, characteristics, causes and control. *J Cardiol Curr Res*, *9*(3), 326.
- Tahan, G., Gramignoli, R., Marongiu, F., Aktolga, S., Cetinkaya, A., Tahan, V., & Dorko, K. (2011). Melatonin expresses powerful anti-inflammatory and antioxidant activities resulting in complete improvement of acetic-acid-induced colitis in rats. *Digestive Diseases and Sciences*, *56*(3), 715–720.
- Tahan, V., Atug, O., Akin, H., Eren, F., Tahan, G., Tarcin, O., Uzun, H., Ozdogan, O., Tarcin, O., & Imeryuz, N. (2009). Melatonin ameliorates methionine-and choline-deficient diet-induced nonalcoholic steatohepatitis in rats. *Journal of Pineal*

*Research*, 46(4), 401–407.

Takaki, A., Kawai, D., & Yamamoto, K. (2013). Multiple hits, including oxidative stress, as pathogenesis and treatment target in non-alcoholic steatohepatitis (NASH). *International Journal of Molecular Sciences*, 14(10), 20704–20728.

Takeda, N., & Maemura, K. (2011). Circadian clock and cardiovascular disease. *Journal of Cardiology*, 57(3), 249–256.

Tal, Y., Chapnik, N., & Froy, O. (2019). Non-obesogenic doses of fatty acids modulate the functionality of the circadian clock in the liver. *Cellular and Molecular Life Sciences*, 76(9), 1795–1806.

Tan, D.-X., Manchester, L. C., Esteban-Zubero, E., Zhou, Z., & Reiter, R. J. (2015). Melatonin as a potent and inducible endogenous antioxidant: synthesis and metabolism. *Molecules*, 20(10), 18886–18906.

Tian, J., Goldstein, J. L., & Brown, M. S. (2016). Insulin induction of SREBP-1c in rodent liver requires LXR $\alpha$ -C/EBP $\beta$  complex. *Proceedings of the National Academy of Sciences*, 113(29), 8182–8187.

Tiao, M.-M., Huang, L.-T., Chen, C.-J., Sheen, J.-M., Tain, Y.-L., Chen, C.-C., Kuo, H.-C., Huang, Y.-H., Tang, K.-S., & Chu, E.-W. (2014). Melatonin in the regulation of liver steatosis following prenatal glucocorticoid exposure. *BioMed Research International*, 2014.

Tong, X., Zhang, D., Arthurs, B., Li, P., Durudogan, L., Gupta, N., & Yin, L. (2015). Palmitate inhibits SIRT1-dependent BMAL1/CLOCK interaction and disrupts circadian gene oscillations in hepatocytes. *PloS One*, 10(6), e0130047.

- Turek, F. W., Joshu, C., Kohsaka, A., Lin, E., Ivanova, G., McDearmon, E., Laposky, A., Losee-Olson, S., Easton, A., & Jensen, D. R. (2005). Obesity and metabolic syndrome in circadian Clock mutant mice. *Science*, *308*(5724), 1043–1045.
- Upadhyay, K. K., Jadeja, R. N., Thadani, J. M., Joshi, A., Vohra, A., Mevada, V., Patel, R., Khurana, S., & Devkar, R. V. (2018). Carbon monoxide releasing molecule A-1 attenuates acetaminophen-mediated hepatotoxicity and improves survival of mice by induction of Nrf2 and related genes. *Toxicology and Applied Pharmacology*, *360*, 99–108.
- Upadhyay, K. K., Jadeja, R. N., Vyas, H. S., Pandya, B., Joshi, A., Vohra, A., Thounaojam, M. C., Martin, P. M., Bartoli, M., & Devkar, R. V. (2020). Carbon monoxide releasing molecule-A1 improves nonalcoholic steatohepatitis via Nrf2 activation mediated improvement in oxidative stress and mitochondrial function. *Redox Biology*, *28*, 101314.
- Verma, A. K., Singh, S., & Rizvi, S. I. (2020). Age-dependent altered redox homeostasis in the chronodisrupted rat model and moderation by melatonin administration. *Chronobiology International*, *37*(11), 1517–1527.
- Vitaterna, M. H., Takahashi, J. S., & Turek, F. W. (2001). Overview of circadian rhythms. *Alcohol Research & Health*, *25*(2), 85.
- Wang, Z., Ma, C., Meng, C., Zhu, G., Sun, X., Huo, L., Zhang, J., Liu, H., He, W., & Shen, X. (2012). Melatonin activates the Nrf2-ARE pathway when it protects against early brain injury in a subarachnoid hemorrhage model. *Journal of Pineal Research*, *53*(2), 129–137.
- Welsh, D. K., Takahashi, J. S., & Kay, S. A. (2010). Suprachiasmatic nucleus: cell

- autonomy and network properties. *Annual Review of Physiology*, 72, 551–577.
- Wible, R. S., Ramanathan, C., Sutter, C. H., Olesen, K. M., Kensler, T. W., Liu, A. C., & Sutter, T. R. (2018). NRF2 regulates core and stabilizing circadian clock loops, coupling redox and timekeeping in *Mus musculus*. *Elife*, 7, e31656.
- Wilking, M., Ndiaye, M., Mukhtar, H., & Ahmad, N. (2013). Circadian rhythm connections to oxidative stress: implications for human health. *Antioxidants & Redox Signaling*, 19(2), 192–208.
- Xie, X., Guo, A., Wu, T., Hu, Q., Huang, L., Yao, C., Zhao, B., Zhang, W., Chi, B., & Lu, P. (2017). Preventive effect of L-carnitine on the disorder of lipid metabolism and circadian clock of mice subjected to chronic jet-lag. *Physiological Research*, 66(5), 801–810.
- Xu, K., DiAngelo, J. R., Hughes, M. E., Hogenesch, J. B., & Sehgal, A. (2011). Interaction between circadian clocks and metabolic physiology: implications for reproductive fitness. *Cell Metabolism*, 13(6), 639.
- Xu, Y.-Q., Zhang, D., Jin, T., Cai, D.-J., Wu, Q., Lu, Y., Liu, J., & Klaassen, C. D. (2012). Diurnal variation of hepatic antioxidant gene expression in mice. *PLoS One*, 7(8), e44237.
- Yanagihara, H., Ando, H., Hayashi, Y., Obi, Y., & Fujimura, A. (2006). High-fat feeding exerts minimal effects on rhythmic mRNA expression of clock genes in mouse peripheral tissues. *Chronobiology International*, 23(5), 905–914.
- Yang, Q., Shu, F., Gong, J., Ding, P., Cheng, R., Li, J., Tong, R., Ding, L., Sun, H., & Huang, W. (2020). Sweroside ameliorates NAFLD in high-fat diet induced obese mice through the regulation of lipid metabolism and inflammatory response.

*Journal of Ethnopharmacology*, 255, 112556.

Yao, H.-R., Liu, J., Plumeri, D., Cao, Y.-B., He, T., Lin, L., Li, Y., Jiang, Y.-Y., Li, J., & Shang, J. (2011). Lipotoxicity in HepG2 cells triggered by free fatty acids.

*American Journal of Translational Research*, 3(3), 284.

Yue, F., Xia, K., Wei, L., Xing, L., Wu, S., Shi, Y., Lam, S. M., Shui, G., Xiang, X., & Russell, R. (2020). Effects of constant light exposure on sphingolipidomics and progression of NASH in high-fat-fed rats. *Journal of Gastroenterology and Hepatology*.

Zhai, M., Li, B., Duan, W., Jing, L., Zhang, B., Zhang, M., Yu, L., Liu, Z., Yu, B., & Ren, K. (2017). Melatonin ameliorates myocardial ischemia reperfusion injury through SIRT 3-dependent regulation of oxidative stress and apoptosis. *Journal of Pineal Research*, 63(2), e12419.

Zhang, H., & Zhang, Y. (2014). Melatonin: a well-documented antioxidant with conditional pro-oxidant actions. *Journal of Pineal Research*, 57(2), 131–146.

Zhang, J.-J., Meng, X., Li, Y., Zhou, Y., Xu, D.-P., Li, S., & Li, H.-B. (2017). Effects of melatonin on liver injuries and diseases. *International Journal of Molecular Sciences*, 18(4), 673.

Zhong, X., Yu, J., Frazier, K., Weng, X., Li, Y., Cham, C. M., Dolan, K., Zhu, X., Hubert, N., & Tao, Y. (2018). Circadian clock regulation of hepatic lipid metabolism by modulation of m6A mRNA methylation. *Cell Reports*, 25(7), 1816--1828. e4.

Zhou, B., Zhang, Y., Zhang, F., Xia, Y., Liu, J., Huang, R., Wang, Y., Hu, Y., Wu, J., & Dai, C. (2014). CLOCK/BMAL1 regulates circadian change of mouse hepatic

insulin sensitivity by SIRT1. *Hepatology*, 59(6), 2196–2206.

Zhou, X., Wang, L. L., Tang, W. J., & Tang, B. (2021). Astragaloside IV inhibits protein tyrosine phosphatase 1B and improves insulin resistance in insulin-resistant HepG2 cells and triglyceride accumulation in oleic acid (OA)-treated HepG2 cells. *Journal of Ethnopharmacology*, 268, 113556.

Zhu, L., Baker, S. S., Liu, W., Tao, M.-H., Patel, R., Nowak, N. J., & Baker, R. D. (2011). Lipid in the livers of adolescents with nonalcoholic steatohepatitis: combined effects of pathways on steatosis. *Metabolism*, 60(7), 1001–1011.