CHAPTER 6

REFERENCES

Abbasi BH, Ali H, Yucesan B, Saeed S, Rehman K and Khan MA (2016) Evaluation of biochemical markers during somatic embryogenesis in *Silybum marianum* L. 3 Biotech 6: 71.

Abbasi BH, Asad UM, Muhammad N, Tungmunnithum D and Hano C (2020) Exogenous application of salicylic acid and gibberellic acid on biomass accumulation, antioxidant and anti-inflammatory secondary metabolites production in multiple shoot culture of *Ajuga integrifolia* Buch. Ham. ex D. Don. Ind Crops Prod 145: 112098.

Abdel-Wahab MH, El-Mahdy MA, Abd-Ellah MF, Helal GK, Khalifa F and Hamada FMV (2003) Influence of *p*-coumaric acid on doxorubicin-induced oxidative stress in rat's heart. Pharmacol Res 48: 461–465.

Abdi GH, Khush-Khui M and Shekafandeh A (2019) Embryogenesis in Valerian (*Valeriana officinalis* L.) using leaf segments. Adv Hort Sci 33(2): 179–185.

Abdin MZ and Ilah A (2007) Plant regeneration through somatic embryogenesis from stem and petiole explants of Indian chicory (*Cichorium intybus* L.). Ind J Biotechnol 6(2): 250–255.

Abdul KS (1987) Plant growth regulators (In Arabic). Salahaddin Univ, Ministry of higher education and scientific research, IRAQ.

Abraham F, Bhatt A, Keng CL, Indrayanto G and Sulaiman SF (2011) Effect of yeast extract and chitosan on shoot proliferation, morphology and antioxidant activity of *Curcuma mangga in vitro* plantlets. Afr J Biotechnol 10(40): 7787–7795.

Abrha GT, Mekbiband F and Admassu B (2013) *In vitro* plant regeneration from callus of hypocotyls and cotyledonary explants in Ethiopian mustard (*Brassica carinata* A. Braun), Yellow *Dodolla* cultivar. Asian J Plant Sci 12(6-8): 262–270.

Abu-Romman SM, Al-Hadid KA and Arabiyyat AR (2015) Kinetin is the most effective cytokinin on shoot multiplication from cucumber. J Agric Sci 7(10): 159–165.

Acemi RK, Acemi A, Çakır M, Polat EG and Ozen F (2020) Preliminary screening the antioxidant potential of *in vitro*-propagated *Amsonia orientalis*: An example to sustainable use of rare medicinal plants in pharmaceutical studies. Sustain Chem Pharm doi: https://doi.org/10.1016/j.scp.2020.100302

Achari K and Sinha R (1966) Treatment of threatened and recurrent abortions (A clinical study of 62 cases with Leptaden). Patna J Med 30: 1–3.

Acidri R, Sawai Y, Sugimoto Y, Handa T, Sasagawa D, Masunaga T, Yamamoto S and Nishihara E (2020) Exogenous kinetin promotes the nonenzymatic antioxidant system and photosynthetic activity of coffee (*Coffea arabica* L.) plants under cold stress conditions. Plants 9: 281.

Açıkgöz MA (2020) Establishment of cell suspension cultures of *Ocimum basilicum* L. and enhanced production of pharmaceutical active ingredients. Ind Crops Prod 148: 112278.

Aftab T, Khan MMA, Idrees M, Naeem M, Singh M and Ram M (2010) Stimulation of crop productivity, photosynthesis and artemisinin production in *Artemisia annua* L. bytriacontanol and gibberellic acid application. J Plant Interact 5:273–281.

Agastian P, Williams L and Ignacimuthu S (2006) *In vitro* propagation of *Justicia gendarussa* Burm. F.-a medicinal plant. Ind J Biotechnol 5: 246–248.

Aggarwal D, Neeti N, Reddy MS and Kumar A (2020) Shoot organogenesis and assessment of clonal fidelity of regenerated plants of *Ocimum tenuiflorum* L.: Queen of Herbs. Vegetos. doi: https://doi.org/10.1007/s42535-020-00124-7.

Aghaali Z, Hoshino Y, Monfared SR and Moeini A (2019) Regulation of dedifferentiation and differentiation in different explants of *Papaver rhoeas* L. by one-step culture. Sci Hortic 246: 366–370.

Agrawal HSK and Kulkarni KS (2003) Efficacy and safety of speman in patients with oligospermia: an open clinical study. Ind J Clin Pract 14: 29–31.

Ahmad N, Abbasi BH, Ur Rahman I and Fazal H (2013) *Piper nigrum*: micropropagation, antioxidative enzyme activities, and chromatographic fingerprint analysis for quality control. Appl Biochem Biotechnol 169: 2004–2015.

Ahmad W, Zahir A, Nadeem M, Zia M, Hano C and Abbasi BH (2019) Thidiazuron-induced efficient biosynthesis of phenolic compounds in callus culture of *Ipomoea turbinata* Lagasca and Segura. In Vitro Cell Dev Biol-Plant 55: 710–719.

Ahmad Z, Shahzad A, Sharma S (2018) Enhanced multiplication and improved *ex vitro* acclimatization of *Decalepis arayalpathra*. Biol Plant. 62: 1–10.

Ahmad Z, Shahzad A, Sharma S and Parveen S (2018) *Ex vitro* rescue, physiochemical evaluation, secondary metabolite production and assessment of genetic stability using DNA based molecular markers in regenerated plants of *Decalepis salicifolia* (Bedd. ex Hook.f.) Venter. Plant Cell Tiss Organ Cult 132: 497–510.

Ahmed ABA, Gouthaman T, Rao AS and Rao MV (2005) Micropropagation of *Phyla nodiflora* (L.) Greene: an important medicinal plant. Iran J Biotechnol 3(3): 186–190.

Ahmed G, Roy PK and Mamun ANK (2001) High frequency shoot regeneration from nodal and shoot tip explants in *Holarrhena antidysenterica* L. Ind J Exp Biol 39: 1322–1324.

Akhtar N and Choudhary A (2016) Induction of somatic embryogenesis from leaf explants of safed musli (*Chlorophytum borivilianum*). J Med Plants Stud 4(4): 32–37.

Akther S, Akhtar Banu T, Khan S, Akter S, Habib A, Islam M, Goswami B and Sarkar BK (2020) Micropropagation of two varieties of bell pepper (*Capsicum annuum* L.). Plant Tissue Cult Biotechnol 30(2): 267–275.

Akula C, Akula A and Drew R (2003) Somatic embryogenesis in clonal Neem, *Azadirachta indica* A. Juss. and analysis for *in vitro* azadirachtin production. In Vitro Cell Dev Biol-Plant 39: 304–310.

Alagar P, Nair RR and Doss G (2014) Influence of different pathways of regeneration on genetic and phytochemical instability of *Curculigo orchioides*. Plant Tissue Cult Biotechnol 24(2): 173–189.

Alam FM, Amin R, Uddin EM, Biswas SK and Islam MM (2015) Regeneration of shoot from nodal explants of *Cucumis sativus* considering different hormonal concentration. Int Res J Biol Sci 4(7): 48–52.

Alavijeh MK, Ebadi A, Zarei A and Omidi M (2016) Somatic embryogenesis from anther, whole flower, and leaf explants of some Grapevine cultivars. Plant Tissue Cult Biotechnol 26(2): 219–230.

Alex D, Bach TJ and Chye ML (2000) Expression of *Brassica juncea* 3-hydroxy-3-methylglutaryl CoA synthase is developmentally regulated and stress responsive. Plant J 22(5): 415–426.

Al-Gendy AA, Ali RM, Hamdan DI and Abdel-Ghani AE (2016) Elicitation induced flavonoids, phenolic constituents, antioxidant and cytotoxic activities of *Artemisia monosperma* callus cultures. J Med Plants Res 10(40): 717–731.

Al-Gendy AA, Bakr RO and El-Gindi OD (2015) Production of flavonoids and phenolic compounds by elicitation of *Iphiona mucronata* (Forssk.) Asch. & Schweinf (Asteraceae) callus and suspension cultures. Int J Pharmacogn Phytochem 30(1): 1293–1300.

Ali M (2008) Pharmacognosy (pharmacognosy & phytochemistry), vol 1. CBS Publisher & Distributors, New Delhi, India, pp. 653.

Ali M, Ansari SH and Grever MR (2001) Cytotoxic alkaloids from *Tylophora indica*. Pharmazie 56: 188–190.

Ali MB, Yu KW, Hahn EJ and Paek KY (2006) Methyl jasmonate and salicylic acid elicitation induces ginsenosides accumulation, enzymatic and non-enzymatic antioxidant in suspension culture *Panax ginseng* roots in bioreactors. Plant Cell Rep 25(6): 613–620.

Alizah Z and Nurulaishah Y (2015) Multiple shoot regeneration from nodal explants of *Gynura procumbens* (Lour.) Merr. Ann Res Rev Biol 6(2): 85–88.

Al-Shara B, Taha RM, Mohamad J, Elias H and Khan A (2020) Somatic embryogenesis and plantlet regeneration in the *Carica papaya* L. cv. Eksotika. Plants doi: 10.3390/plants9030360.

Altpeter F, Springer NM, Bartley LE, Blechl AE, Brutnell TP, Citovsky V, Conrad L, Gelvin SB, Jackson D, Kausch AP, Lemaux PG, Medford JI, Orozco-Cardenas M, Tricoli D, VanEck J, Voytas DF, Walbot V, Wang K, Zhang ZJ and Stewart CN (2016) Advancing crop transformation in the era of genome editing. Plant Cell 28: 1510–1520.

Alvarenga IA, Pacheco FV, Silva ST, Bertolucci SV and Pinto JB (2015) *In vitro* culture of *Achillea millefolium* L.: quality and intensity of light on growth and production of volatiles. Plant Cell Tiss Organ Cult 122: 299–308.

Aman N, Hadi F, Khalil SA, Zamir R and Ahmad N (2013) Efficient regeneration for enhanced steviol glycosides production in *Stevia rebaudiana* (Bertoni). C R Biol 336: 486–492.

Amin S, Kaloo ZA and Singh S (2017) Regeneration from leaf derived callus of *Inula royleana* DC. Plant Tissue Cult Biotechnol 27(2): 189–194.

Amoo SO and Van Staden J (2013) Influence of plant growth regulators on shoot proliferation and secondary metabolite production in micropropagated *Huernia hystrix*. Plant Cell Tiss Organ Cult 112: 249–256.

Amudha P and Shanthi P (2011) Indirect organogenesis and *in vitro* layering of *Acmella calva* (DC.) from various explants. J Agric Technol 7: 636–648.

Anand P, Singh KP, Prasad KV, Kaur C and Verma AK (2017) Betalain estimation and callus induction in different explants of *Bougainvillea* spp. Ind J Agric Sci 87(2): 191–196.

Anderson U and Levinsh G (2002) Changes of morphogenic competence bud *in vitro*. Ann Bot 90: 293–298.

Angelova Y, Petkova S, Zozikova E, Kotseva E and Iliev L (2001) Effects of kinetin and 4PU-30 on the growth and the content of polyphenols in tobacco callus tissue. Bulg J Plant Physiol 27(1–2): 36–42.

Anitha S and Pullaiah T (2002) *In vitro* propagation of *Decalepis hamiltonii*. J Trop Med Plant 3: 227–232.

Anjaria JV and Gupta I (1967) Studies on lactogenic property of *Leptadenia reticulata* (Jivanti) and leptaden tablets in goats, sheep, cows and buffaloes. Ind Vet J 44: 967–974.

Anjaria JV, Mankad BN and Gulati OD (1974) Isolation of stigmasterol and tocopherols from *Leptadenia reticulata* by shortcut method. Ind J Pharm 36: 148–149.

Anjaria JV, Varia MR, Janakiraman K and Gulati OD (1975) Studies on *Leptadenia reticulata*: lactogenic effects on rats. Ind J Exp Biol 13: 448–449.

Anjusha S and Gangaprasad A (2017) Callus culture and *in vitro* production of anthraquinone in *Gynochthodes umbellata* (L.) Razafim. & B. Bremer (Rubiaceae). Ind Crops Prod 95: 608–614.

Anonymous (1969) The wealth of India. CSIR Publication, New Delhi, India, pp. 398–402.

Anonymous (1978a) The wealth of India: a dictionary of Indian raw materials and industrial products. CSIR Publication, New Delhi, India, pp. 398–399.

Anonymous (1978b) Ayurvedic formulary of India, Part-I, 1st edn. Govt of India Press, Faridabad, pp. 30.

Anusha TS, Joseph MV and Elyas KK (2016) HPTLC profile of methanolic leaf extract of field grown tissue culture raised plant and mother plant of C*elastrus paniculatus* Wild- an endangered medicinal plant in India. World J Pharm Pharm Sci 5(9): 2080–2088.

Ara H, Jaiswal U and Jaiswal VS (2000) Plant regeneration from protoplasts of mango (*Mangifera indica* L.) through somatic embryogenesis. Plant Cell Rep 19(6): 622–627.

Arab MM, Yadollahi A, Shojaeiyan A, Shokri S and Ghojah SM (2014) Effects of nutrient media, different cytokinin types and their concentrations on *in vitro* multiplication of G × N15 (hybrid of almond × peach) vegetative rootstock. J Genet Eng Biotechnol 12: 81–87.

Aratanechemuge Y, Hibasami H, Sanpin K, Katsuzak H, Imai K and Komiya T (2004) Induction of apoptosis by lupeol isolated from mokumen (*Gossampinus malabarica* L. Merr) in human promyelotic leukemia HL-60 cells. Oncol Rep 11: 289–292.

Aremu AO, Gruz J, Subrtova M, Szucova L, Dolezal K, Bairu MW, Finnie JF and Van Staden J (2013) Antioxidant and phenolic acid profiles of tissue cultured and acclimatized *Merwilla plumbea* plantlets in relation to the applied cytokinins. J Plant Physiol 170: 1303– 1308.

Arikat NA, Jawad FM, Karama NS and Shibli RA (2004) Micropropagation and accumulation of essential oils in wild sage (*Salvia fruticosa* Mill.). Sci Hort 100: 193–202.

Arrillaga I, Tobolski JJ and Merkle SA (1994) Advances in somatic embryogenesis and plant production of black locust (*Robinia pseudoacacia* L.). Plant Cell Rep. 13: 171–175.

Aruna V, Kiranmai C, Karuppusamy S and Pullaiah T (2012) Effect of medium, explants, cytokinins and node position on *in vitro* shoot multiplication of *Caralluma lasiantha* (Wight) N.E.Br., an endemic and medicinally important plant. Afr J Biotechnol 11(89): 15523–15528,

Arya V, Shekhawat NS and Singh RP (2003) Micropropagation of *Leptadenia reticulata*-a medicinal plant. In Vitro Cell Dev Biol-Plant 39: 180–185.

Asdaq SB and Sowmya SK (2010) Effect of hydroalcoholic extracts of *Tylophora indica* leaves in isoprenaline-induced myocardial damage in rat heart. Iran J Pharmacol Ther 9: 15–20.

Asdaq SMB, Kumar HDR, Khan S, Nayeem N and Das AK (2008) Wound healing activity of hydroalcoholic extracts of *Tylophora indica* leaves in rats. Pharmacologyonline 3: 688–696.

Ashraf MF, Aziz MAbd, Kemat N and Ismail I (2014) Effect of cytokinin types, concentrations and their interactions on *in vitro* shoot regeneration of *Chlorophytum borivilianum* Sant. & Fernandez. Eletron J Biotechnol 17: 275–279.

Askari E and Ehsanzadeh P (2015) Drought stress mitigation by foliar application of salicylic acid and their interactive effects on physiological characteristics of fennel (*Foeniculum vulgare* Mill.) genotypes. Acta Physiol Plant 37(4): 1–14.

Aswathy JM, Murukan G, Lawarence B and Murugan K (2017) Isolation, purification of quercetin from *in vitro* cell suspension culture of *Caesalpinia pulcherrima* and its Analysis by HPLC -DAD and NMR. Pharmacogn J 9(6): s44–s51.

Azad M, Yokota S, Begum F and Yoshizawa N (2009) Plant regeneration through somatic embryogenesis of a medicinal plant, *Phellodendron amurense* Rupr. In Vitro Cell Dev Biol-Plant 45(4): 441–449.

Bacchetta L, Remotti PC, Bernardini C and Saccardo F (2003) Adventitious shoot regeneration from leaf explants and stem nodes of *Lilium*. Plant Cell Tissue Organ Cult 74: 37–44.

Bach DH and Lee SK (2019) The potential impacts of *Tylophora* alkaloids and their derivatives in modulating inflammation, viral infections, and cancer. Curr Med Chem 26(25): 4709–4725.

Bajpai R and Chaturvedi R (2021) Recurrent secondary embryogenesis in androgenic embryos and clonal fidelity assessment of haploid plants of Tea, *Camellia assamica* ssp. *assamica* and *Camellia assamica* ssp. *Lasiocaylx*. Plant Cell Tissue Organ Cult 145: 127–141.

Bakar DA, Ahmed BA and Tah RM (2014) *In vitro* callus induction and plant regeneration of *Celosia argentea*- An important medicinal Plant. Braz Arch Biol Technol 57(6) 860–866.

Bala R, Laura JS and Beniwal VS (2019) Direct adventitious shoot bud regeneration and ex *vitro* rooting in leaf explants of female *Simmondsia chinensis* (link) schneider- an important industrial shrub. Asian J Microbiol Biotechnol Environ Sci 21(2): 448–454.

Balaraju K, Agastian P and Ignacimuthu S (2009) Micropropagation of *Swertia chirata* Buch.-Hams. ex Wall.: a critically endangered medicinal herb. Acta Physiol Plant 31: 487–494.

Baldi A and Dixit VK (2008) Enhanced artemisinin production by cell cultures of *Artemisia annua*. Curr Trends Biotechnol Pharmacol 2: 341–348.

Bandyopadhyay S and Hamill JD (2000) Ultrastructural studies of somatic embryos of *Eucalyptus nitens* and comparisons with zygotic embryos found in mature seeds. Ann Bot 86(2): 237–244.

Bantawa P, Roy O, Ghosh P and Mondal TK (2009) Effect of bavistin and adenine sulphate on *in vitro* shoot multiplication of *Picrorhiza scrophulariiflora* Pennell.: An endangered medicinal plant of Indo-China Himalayan regions. Plant Tissue Cult Biotechnol 19(2): 237–245.

Banu AT, Goswami B, Akter S, Islam M, Tanjin T, Habib A and Khan S (2017) High frequency *in vitro* regeneration of *Gynura procumbens* (Lour.) Merr. Plant Tissue Cult Biotechnol 27(2): 207–216.

Bao Y, Liu G, Shi X, Xing W, Ning G, Liu J and Bao M (2012) Primary and repetitive secondary somatic embryogenesis in *Rosa hybrid* 'Samantha'. Plant Cell Tissue Organ Cult 109: 411–418.

Barazani O, Perevolotsky A and Hadas R (2008) A problem of the rich: prioritizing local plant genetic resources for *ex situ* conservation in Israel. Biol Conserv 141: 596–600.

Barber MS, McConnell VS and DeCaux BS (2000) Antimicrobial intermediates of the general phenylpropanoid and lignin specific pathways. Phytochem 54: 53–56.

Barros L, Duenas M, Ferreira IC, Baptista P and Santos-Buelga C (2009) Phenolic acids determination by HPLC–DAD–ESI/MS in sixteen different Portuguese wild mushrooms species. Food Chem Toxicol 47: 1076–1079.

Baskaran P and Jayabalan N (2005) An efficient micropropagation system for *Eclipta alba* valuable medicinal herb. In Vitro Cell Dev Biol-Plant 41: 532–539.

Baskaran P and Van Staden J (2012) Somatic embryogenesis of *Merwilla plumbea* (Lindl.) Speta. Plant Cell Tissue Organ Cult 109: 517–524.

Baskaran P, Kumari A, Naidoo D and Van Staden J (2016) *In vitro* propagation and ultrastructural studies of somatic embryogenesis of *Ledebouria ovatifolia*. In Vitro Cell Dev Biol-Plant 52: 283–292.

Baskaran P, Ncube B and Van Staden J (2012) *In vitro* propagation and secondary product production by *Merwilla plumbea* (Lindl.) Speta. Plant Growth Regul 67: 235–245.

Baskaran R, Vijayakumar R and Mohan PM (2011) Enrichment method for the isolation of bioactive actinomycetes from mangrove sediments of Andaman Islands India. Mal J Microbiol 7: 26–32.

Basu S and Jha TB (2013) *In vitro* root culture: an alternative source of bioactives in the rare aphrodisiac herb *Chlorophytum borivilianum* Sant et Fern. Plant Tissue Cult Biotechnol 23(2): 133–146.

Basu UP, Bhandarai B and Moza DBK (1961) Antifertility activity of some medicinal plant. Ind J Pharm 30(12): 291.

Batta AK, Xuab G, Honda A, Miyazaki T and Salen G (2006) Stigmasterol reduces plasma cholesterol levels and inhibits hepatic synthesis and intestinal absorption in the rat. J Pharm Sci 55(3): 292–299.

Bawra B, Dixit M, Chauhan NS, Dixit VK and Saraf DK (2010) *Leptadenia reticulata*-a rasayana herbs: a review. Asian J Plant Sci 9: 314–319.

Beasley RR and Pijut PM (2013) Regeneration of plants from *Fraxinus nigra* Marsh. hypocotyls. Hort Sci 48: 887–890.

Beena MR, Martin KP, Kirti PB and Hariharan M (2003) Rapid *in vitro* propagation of medicinally important *Ceropegia candelabrum*. Plant Cell Tissue Organ Cult 72: 285–289.

Behera S, Kamila PK, Rout KK, Barik DP, Panda PC and Naik SK (2018) An efficient plant regeneration protocol of an industrially important plant, *Hedychium coronarium* J. Koenig and establishment of genetic & biochemical fidelity of the regenerants. Ind Crops Prod 126: 58–68.

Belarmino MM and Gonzales JR (2008) Somatic embryogenesis and plant regeneration in purple food yam (*Dioscorea alata* L.). Ann Trop Res 30(2): 22–33.

Benjamin BD and Mulchandani NB (1973) Studies in biosynthesis of secondary constituents in tissue cultures of *Tylophora indica*. Planta Med 23: 394–397.

Benmahioul B (2009) Amélioration de la micropropagation *in vitro* du pistachier (*Pistacia vera* L.) en vue de l'extension des vergers en Algérie. [Ph.D. Thesis.] Oran, University of Sciences and Technology of Oran Mohamed Boudiaf: 129.

Bertero VG, Beznec A, Faccio P, Auteri M, Arteaga M, Bonafede M and Bossio E (2020) High-efficiency direct somatic embryogenesis and plant regeneration from leaf base explants of "peperina" (*Minthostachys verticillata*). In Vitro Cell Dev Biol-Plant 56: 915–919.

Bhalerao BM, Vishwakarma KS and Maheswari VL (2013) *Tinospora cordifolia* (Willd.) Miers Ex Hook.F.& Thoms. plant tissue culture and comparative chemo-profiling study as a function of different supporting trees. Ind J Nat Prod Res 4(4): 380–386.

Bhambhani S, Singh Karwasara V, Dixit VK and Banerjee S (2012) Enhanced production of vasicine in *Adhatoda vasica* (L.) Nees. cell culture by elicitation. Acta Physiol Plant 34: 1571–1578.

Bharat G, Farzin P and Kothari IL (2011) *In vitro* morphogenesis and plant regeneration of *Leptadenia reticulata*—a medicinal plant under heavy exploitation pressure. Int J Pharma Technol 3(1): 1–7.

Bhat MA, Mujib A, Junaid A and Mahmooduzzafar (2010) *In vitro* regeneration of *Solanum nigrum* with enhanced solasodine production. Biol Plant 54(4): 757–760.

Bhatia A, Anand M and Singla R (2015) Efficacy of *in vitro* and native *Tylophora indica* leaf extract against hyperglycemic mice induced with alloxan through oral administration. Int J Chem Pharm Ana 2(2): 88–92.

Bhatia A, Anand M, Singla R and Sharma A (2013) Antioxidant activity of native and micropropagated *Tylophora indica* leaves extract: a comparative study. J Nat Prod Plant Resour 3(1): 1–7.

Bhatia S and Bera T (2015) Somatic embryogenesis and organogenesis. In: Modern applications of plant biotechnology in pharmaceutical sciences (Bhatia S, Sharma K, Dahiya R, Bera T, eds.), Academic Press, pp. 209-230,

Bhattacharyya P, Kumaria S, Bose B, Paul P and Tandon P (2017a) Evaluation of genetic stability and analysis of phytomedicinal potential in micropropagated plants of *Rumex nepalensis*—a medicinally important source of pharmaceutical biomolecules. J Appl Res Med Aromat Plants 6: 80–91.

Bhattacharyya S, Sekar V, Majumder B, Mehrotra DG, Banerjee S, Bhowmick AK, Alam N, Mandal GK, Biswas J, Majumder PK and Murmu N (2017b) CDKN2A-p53 mediated antitumor effect of lupeol in head and neck cancer. Cell Oncol (Dordr) 40(2): 145–155.

Bhojwani SS and Razdan MK (1996) Plant tissue culture: Theory and practice, Revised edn. Elsevier Press, New York. pp. 483–536.

Bhusare BP, John CK, Bhatt VP and Nikam TD (2018) *In vitro* propagation of *Digitalis lanata* Ehrh. through direct shoot regeneration – A source of cardiotonic glycosides. Ind Crops Prod 121: 313–319.

Bidarigh S and Azarpour E (2013) Evaluation of the effect of MS medium levels on rooting in microcuttings of tea (*Camellia sinensis* L.) under *in vitro* culture condition. ARPN J Agric Biol Sci 8: 24–28.

Biljali S, Hadjimitova VA, Topashka-Ancheva MN, Momekova DB, Traykov TT and Karaivanova MH (2012) Antioxidant and antiradical properties of esculin, and its effect in a model of epirubicin-induced bone marrow toxicity. Folia Med (Plovdiv) 54(3): 42–49.

Birk CD, Provensi G and Gosmann G (2005) TLC fingerprint of flavonoids and saponins from *Passiflora* species. J Liq Chromatogr Relat Technol 28: 2285–2291.

Bishayee A and Chatterjee M (1994) Hypolipidaemic and anti-atherosclerotic effects of oral *Gymnema sylvestre* R Br. leaf extract in albino rats fed on a high fat die. Phytother Res 8: 118–120.

Biswas MK, Roy UK, Islam R and Hossain M (2010) Callus culture from leaf blade, nodal, and runner segments of three strawberry (*Fragaria* sp.) clones. Turk J Biol 34: 75–80.

Biswick T, Park D, Shul YG and Choy JH (2010) *p*-coumaric acid–zinc basic salt nanohybrid for controlled release and sustained antioxidant activity. J Phys Chem Solids 71(4): 647–664.

Blain EJ, Ali AY and Duance VC (2009) *Boswellia frereana* (frankincense) suppresses cytokineinduced matrix metalloproteinase expression and production of proinflammatory molecules in articular cartilage. Phytother Res 24: 905–912.

Blume B, Nurnberger T, Nass N and Scheel D (2000) Receptor-mediated increase in cytoplasmic free calcium required for activation of pathogen defence in parsley. Plant Cell 12: 1425–1440.

Bodhanapu S, Sreedhar S, Rupeshkumar M, Tamizhmani PP, Satya KB and Mohamed NK (2011) Antiulcer activity of aqueous extract of *Leptadenia reticulata* leaves. Pharmacologyonline 2: 1190–1196.

Boligon AA, de Freitas RB, de Brum TF, Piana M, Belke BV, Rocha Jbt and da Athayde ML (2013) Phytochemical constituents and *in vitro* antioxidant capacity of *Tabernaemontana catharinensis* A. DC. Free Radic. Antioxidants 3(2): 77–80.

Boller T (1995) Chemoperception of microbial signals in plant cells. Annu Rev Plant Physiol Plant Mol Biol 46: 189–214.

Bora A, Singh S, Talukdar MC and Hazarika BN (2007) An efficient method for *in vitro* plant regeneration in carnation. Ind J Hortic 64(4): 439–443.

Bose S, Karmakar J, Fulzele DP, Basu U and Bandyopadhyay TK (2017) *In vitro* shoots from root explant, their encapsulation, storage, plant recovery and genetic fidelity assessment of *Limonium hybrid* 'Misty Blue': a florist plant. Plant Cell Tissue Organ Cult 129: 313–324.

Bulchandani N and Shekhawat GS (2020) Salicylic acid mediated up regulation of carvone biosynthesis during growth phase in cell suspension cultures of *Anethum graveolens*. 3 Biotech 10: 482.

Buranasudja V, Rani D, Malla A, Kobtrakul K and Vimolmangkang S (2021) Insights into antioxidant activities and anti-skin-aging potential of callus extract from *Centella asiatica* (L.). Res Square doi: 10.21203/rs.3.rs-218867/v1

Busilacchi H, Severin C, Gattuso M, Aguirre A, DiSapio O and Gattuso S (2008) Field culture of micropropagated *Passiflora caerulea* L. histological and chemical studies. Bol Latinoam Caribe Plant Med Arom 7(5): 257–263.

Bythrow JD (2005) Historical perspective: vanilla as a medicinal plant. Seminars Integ Med 3: 129–131.

Cabrera-Ponce JL, López L, León-Ramírez CG, Jofre-Garfias AE and Verver-y-Vargas A (2015) Stress induced acquisition of somatic embryogenesis in common bean *Phaseolus vulgaris* L. Protoplasma 252: 559–570.

Cai L, Fu L and Ji L (2011) Regeneration of *Jatropha curcas* through efficient somatic embryogenesis and suspension culture. GM Crops 2(2): 110–117.

Cai Z, Kastell A and Smetanska I (2014) Chitosan or yeast extract enhance the accumulation of eight phenolic acids in cell suspension cultures of *Malus* × *domestica* Borkh. J Hortic Sci Biotechnol 89: 93–99.

Cangahuala-Inocente GC, Dal Vesco LL, Steinmacher D, Torres AC and Guerra MP (2007) Improvements in somatic embryogenesis protocol in Feijoa (*Acca sellowiana* (Berg) Burret): induction, conversion and synthetic seeds. Sci Hortic 111: 228–234.

Castillo-España P, Marquez J, Rubluo A, Hernadez G and Lara M (2000) Plant regeneration from callus and suspension culture of *Valeriana edulis* ssp. *procera* via simultaneous organogenesis and somatic embryogenesis. Plant Sci 151: 115–119.

Ceasar SA and Ignacimuthu S (2010) Effects of cytokinins, carbohydrates and amino acids on induction and maturation of somatic embryos in kodo millet (*Paspalum scrobiculatum* Linn.). Plant Cell Tissue Organ Cult 102: 153–162.

Chakraborty M, Karun A and Mitra A (2009) Accumulation of phenylpropanoid derivatives in chitosan-induced cell suspension culture of Cocos nucifera. J Plant Physiol 166: 63–71.

Chandramu C, Rao DM and Reddy VD (2003) High frequency induction of multiple shoots from nodal explants of *Vitex negundo* L. using sodium sulphate. J Plant Biotechnol 5(2): 107–113.

Chandrasekhar T, Hussian MT, Gopal GR and Rao JVS (2006) Somatic embryogenesis of *Tylophora indica* (Burm. f.) Merril., an important medicinal plant. Int J App Sci Eng 4: 33–40.

Chang WC (1991) Bamboos. In: Biotechnology and forestry, vol. 16 (Bajaj YPS, ed.). Springer-Verlag, Berlin, pp. 211–237.

Chapman EJ and Estelle M (2009) Mechanism of auxin-regulated gene expression in plants. Annu Rev Genet 43: 265–285.

Chatterjee A, Chatterjee S, Biswas A, Bhattacharya S, Chattopadhyay S and Bandyopadhyay SK (2012) Gallic acid enriched fraction of *Phyllanthus emblica* potentiates indomethacin induced gastric ulcer healing via e-NOS-dependent pathway. Evid Based Complement Alternat Med doi: https://doi.org/10.1155/2012/487380.

Chavan JJ, Kshirsagar PR, Jadhav SG, Nalavade VM, Gurme ST and Pai SR (2021) Elicitor-mediated enhancement of biomass, polyphenols, mangiferin production and antioxidant activities in callus cultures of *Salacia chinensis* L. 3 Biotech 11: 285.

Chawla HS (2002) Introduction to Plant Biotechnology. Oxford and IBH publishing Co. Pvt. Ltd, New Delhi.

Chen CC, Chang HC, Kuo CL, Agrawal DC, Wu CR and Tsay HS (2014) *In vitro* propagation and analysis of secondary metabolites in *Glossogyne tenuifolia* (Hsiang-Ju) - a medicinal plant native to Taiwan. Bot Stud 55: 45.

Chen JT and Chang WC (2001) Effects of auxins and cytokinins on direct somatic embryogenesis in *Oncidium* 'Gower Ramsey'. Plant Growth Regul 34: 229–232

Chen JY, Wen PF, Kong WF, Pan QH, Zhan JC, Li JM, Wan SB and Huang WD (2006) Effect of salicylic acid on phenylpropanoids and phenylalanine ammonialyase in harvested grape berries. Postharvest Biol Tech 40: 64–72.

Chen R, Zhang M, Lü J, Zhang X, da Silva JAT and Guohua M (2014) Shoot organogenesis and somatic embryogenesis from leaf explants of *Valeriana jatamansi* Jones. Sci Hortic 165: 392–397.

Cheruvathur MK, Kumar GK and Thomas TD (2013a) Somatic embryogenesis and synthetic seed production in *Rhinacanthus nasutus* (L.) Kurz. Plant Cell Tissue Organ Cult 113: 63–71.

Cheruvathur MK, Najeeb N and Thomas TD (2013b) *In vitro* propagation and conservation of Indian sarsaparilla, *Hemidesmus indicus* L. R. Br. through somatic embryogenesis and synthetic seed production. Acta Physiol Plant 35: 771–779.

Cheynier V, Comte G, Davies KM, Lattanzio V and Martens S (2013) Plant phenolics: recent advances on their biosynthesis, genetics, and ecophysiology. Plant Physiol Biochem 72: 1–20.

Chitra Devi B and Narmathabai V (2011) Somatic embryogenesis in the medicinal legume *Desmodium motorium* (Houtt.) Merr. Plant Cell Tissue Organ Cult 106: 409–418.

Chóez-Guaranda I, García J, Sánchez C, Pesantes C, Flores J and Manzano P (2021) Identification of lupeol produced by *Vernonanthura patens* (Kunth) H. Rob. leaf callus culture. Nat Prod Res 35(3): 503–507.

Choi YH; Kong KR; Kim Y; Jung KO; Kil JH; Rhee SH and Park KY (2003) Induction of Bax and activation of caspases during β-sitosterol-mediated apoptosis in human colon cancer cells. Int J Oncol 23: 1657–1662.

Chong TM, Abdullah MA, Lai OM, Nor'Aini FM and Lajis NH (2005) Effective elicitation factors in *Morinda elliptica* cell suspension culture. Process Biochem 40: 3397–3405.

Chopra IC, Chopra RN and Nayar SL (1986) Glossary of Indian medicinal plants. CSIR Publication, New Delhi, India, pp. 5–10.

Choquenet B, Couteau C, Paparis E and Coiffard IJ (2008) Quercetin and rutin as potential sunscreen agents: determination of efficacy by an *in vitro* method. J Nat Prod 71: 1117–1118.

Choudhary D, Rai MK, Shekhawat NS and Kataria V (2020) *In vitro* propagation of *Farsetia macrantha* Blatt. & Hallb.: an endemic and threatened plant of Indian Thar Desert. Plant Cell Tissue Organ Cult 142: 519–526

Choudhary K, Singh M, Rathore MS and Shekhawat NS (2009) Somatic embryogenesis and in vitro plant regeneration in moth bean [*Vigna aconitifolia* (Jacq.) Marechal]: a recalcitrant grain legume. Plant Biotechnol Rep 3: 205–211

Christianson ML and Warnick DA (1985) Temporal requirement for phytohormone balance in the control of organogenesis in vitro. Develop Biol 112:494–497.

Chugh S, Guha S and Rao IU (2009) Micropropagation of orchids: a review on the potential of different explants. Sci Hortic 122: 507–520.

Chung IM, Thiruvengadam M, Rekha K and Rajakumar G (2016) Elicitation enhanced the production of phenolic compounds and biological activities in hairy root cultures of bitter melon (*Momordica charantia* L.). Braz Arch Biol Technol 59: e160393.

Cieśla Ł, Bogucka-Kocka A, Hajnos M, Petruczynik A and Waksmundzka-Hajnos M (2008) Two-dimensional thin-layer chromatography with adsorbent gradient as a method of chromatographic fingerprinting of furanocoumarins for distinguishing selected varieties and forms of *Heracleum* spp. J Chromatogr A 1207: 160–168.

Clifford MN (2000) Chlorogenic acids and other cinnamates –nature, occurrence, dietary burden, absorption and metabolism. J Sci Food Agric 80: 1033–1043.

Coimbra MC, Chagas RCR, Durate-Almeida JM and Castro AHF (2017) Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in *Pyrostegia venusta* (Bignoniaceae). Ind J Exp Biol 55: 584–590.

Cole IB, Saxena PK and Murch SJ (2007) Medicinal biotechnology in the genus *Scutellaria*. In Vitro Cell Dev Biol-Plant 43: 318–327.

Conceicao LFR, Ferreres F, Tavares RM and Dias ACP (2006) Induction of phenolic compounds in *Hypericum perforatum* L. cells by *Colletotrichum gloeosporioides* elicitation. Phytochem 67: 149–155.

Coskun Y, Duran RE and Kilic S (2019) Striking effects of melatonin on secondary metabolites produced by callus culture of rosemary (*Rosmarinus officinalis* L.). Plant Cell Tissue Organ Cult 138: 89–95.

Coste A, Vlase L, Halmagyi A, Deliu C and Coldea G (2011) Effects of plant growth regulators and elicitors on production of secondary metabolites in shoot cultures of *Hypericum hirsutum* and *Hypericum maculatum*. Plant Cell Tiss Organ Cult 106: 279–288.

Cragg GM and Newman DJ (2013) Natural products: a continuing source of novel drug leads. Biochim Biophys Acta 1830(6): 3670–3695.

Cui J, Wei X, Deng M and Chen J (2019) Regeneration of *Gynura aurantiaca* 'Purple Passion' via indirect shoot organogenesis. Sci Hortic 246: 176–181.

da Silva Júnior WF, Bezerra de Menezes DL, de Oliveira LC, Koester L, Oliveira de Almeida PD, Lima ES, de Azevedo EP, da Veiga Júnior VF and Neves de Lima ÁA (2019) Inclusion complexes of β and HPβ-cyclodextrin with α, β-amyrin and *in vitro* anti-inflammatory activity. Biomolecules 9: 241.

Dakah A, Zaid S, Suleiman M and Abbas S (2014) *In vitro* propagation of the medicinal plant *Zizphora tenuior* L. and evaluation of its antioxidant activity. Saudi J Biol Sci 21: 317–323.

Dam A, Bhattacharya C and Bandyopadhyay TK (2017) Somatic embryogenesis of *Limonium sinense*: a study on the regeneration efficacy via direct and indirect approach followed by *Agrobacterium*-mediated genetic transformation. J Hortic Sci Biotechnol 92(4): 411–423.

Dandin VS and Murthy HN (2012) Regeneration of *Andrographis paniculata* Nees: Analysis of genetic fidelity and andrographolide content in micropropagated plants. Afr J Biotechnol 11(61): 12464–12471.

Dandiya PC and Chopra YM (1970) CNS-active drugs from plants indigenous to India. Ind J Pharm 2: 67–90.

Dangi B, Khurana-Kaul V, Kothari SL and Kachhwaha S (2014) Micropropagtion of *Terminalia bellerica* from nodal explants of mature tree and assessment of genetic fidelity using ISSR and RAPD markers. Physiol Mol Biol Plants 20(4): 509–516.

Danial GH and Ibrahim DA (2016) Efficient protocol of micropropagation, and organogenesis of *Euphorbia pulcherrima* Willd. plants via stem and leaf segments. Int J Adv Eng Res Sci 3(8): 131–137.

Daniel MA, David RHA, Caesar SA, Ramakrishnan M, Duraipandiyan V, Ignacimuthu S and Al-Dhabi NA (2018) Effect of L-glutamine and casein hydrolysate in the development of somatic embryos from cotyledonary leaf explants in okra (*Abelmoschus esculentus* L. monech). S Afr J Bot 114: 223–231.

Das DK, Reddy MK, Upadhyaya KC and Sopory SK (2002) An efficient leaf-disc culture method for the regeneration via somatic embryogenesis and transformation of grape (*Vitis vinifera* L.). Plant Cell Rep 20: 999–1005.

Das G and Rout GR (2002) Direct plant regeneration from leaf explants of *Plumbago sp*. Plant Cell Tissue Organ Cult 68: 311–314.

Das P (2010) Mass cloning of Rose and Mussaenda, popular garden plants, via somatic embryogenesis. Hortic Sci (Prague) 37(2): 70–78.

Das P, Tanti B and Borthakur SK (2018) *In vitro* callus induction and indirect organogenesis of *Brucea mollis* Wall. ex Kurz – A potential medicinal plant of Northeast India. S Afr J Bot 119: 203–211.

Dash SK, Owens MJ and Voelker HH (1972) Effects of feeding Leptaden to dairy cows. J Dairy Sci 55: 102–106.

Dave A, Bilochi G and Purohit SD (2003) Scaling-up production and field performance of micropropagated medicinal herb 'safed musli' (*Chlorophytum borivilianum*). In Vitro Cell. Dev Biol-Plant 39: 419–424.

De Silva MAN and Senarath WTPSK (2009) *In vitro* mass propagation and greenhouse establishment of *Withania somnifera* (L.) Dunal (Solanaceae) and comparison of growth

and chemical compounds of tissue cultured and seed raised plants. J Natn Sci Foundation Sri Lanka 37(4): 249–255.

de Souza RR, de Oliveira Paiva PD, da Silva RR, da Silva DPC, dos Reis MV and Paiva R (2019) Morphogenetic potential of different sources of explants for efficient *in vitro* regeneration of *Genipa* sp. Plant Cell Tissue Organ Cult 136: 153–160.

Debnarh M, Malik CP and Baisen PS (2006) Micropropagation: a tool for the production of high quality plant based medicines. Curr Pharm Biotechnol 7: 33–49.

Deng R, Wang Y, Fan J and Cui W (2020) Plant regeneration from young leaves in loquat (*Eriobotrya japonica* L.) using young grafted seedlings as mother plants. In Vitro Cell Dev Biol-Plant. doi: https://doi.org/10.1007/s11627-020-10102-y.

Devendra BN, Talluri VSSLP and Srinivas N (2012) Callus induction and somatic embryogenesis of *Moringa oleifera*, an anti-radiation plant. J Agric Technol 8(6): 1953–1963.

Dey A, Nandy S, Nongdam P, Tikendra L, Mukherjee A, Mukherjee S and Pandey DK (2020) Methyl jasmonate and salicylic acid elicit indole alkaloid production and modulate antioxidant defence and biocidal properties in *Rauvolfia serpentina* Benth. ex Kurz. *in vitro* cultures. S Afr J Bot 135: 1–17.

Dhananjayan R, Gopalkrishan C and Kameshwaran L (1975) Studies of the pharmacological effects of extracts and total alkaloids of *Tylophora indica*. Ind J Pharma 7(4): 13–20.

Dhandapani R and Balu S (2002) Mass multiplication of the Indian medicinal plant *Tylophora indica* (Burm f) Merr. Ancient Sci Life 22(2): 12–20.

Dhar U and Joshi M (2005) Efficient plant regeneration protocol through callus for *Saussureaob vallata* (DC.) Edgew. (Asteraceae): effect of explant type, age and plant growth regulators. Plant Cell Rep 24(4): 195–200.

Dhavala VNC, Rao DT, Rao YV and Prabavathi K (2009) Effect of explant age, hormones on somatic embryogenesis and production of multiple shoot from cotyledonary leaf explants of *Solanum trilobatum* L. Afr J Biotechnol 8(4): 630–634.

Dhawan P and Damor S (2013) Conservation and *in vitro* mass multiplication of endangered medicinal plant, *Leptadenia reticulata* (Retz.) Wight & Arn. through nodal explant. Int J Sci Res 2(10): 1–3.

Dhiman M, Khanna A and Manju SL (2013) A new phenanthroindolizidine alkaloid from *Tylophora indica*. Chem Papers 67(2): 245–248.

Dhiman M, Naik V, Kshirsagar R, Desai DC and Manju SL (2012a) Antioxidant activity of hydrochloride salt of tylophorinidine and tylophorinine isolated from aerial parts of *Tylophora indica*. Int J Res Ayurveda Pharm 3(1): 121–124.

Dhiman M, Parab RR, Manju SL, Desai DC and Mahajan GB (2012b) Antifungal activity of hydrochloride salts of tylophorinidine and tylophorinine. Nat Prod Commun 7(9): 1171–1172.

DiCosmo F and Misawa M (1995) Plant cell and tissue culture: alternatives for metabolite production. Biotechnol Adv 13: 425–435.

Diwan R and Malpathak N (2011) Bioprocess optimization of furanocoumarin elicitation by medium renewal and re-elicitation: a perfusion-based approach. Appl Microbiol Biotechnol 163: 756–764.

Dogan M (2017) Multiple shoot regeneration from shoot tip and nodal explants of *Rotala rotundifolia* (Buch-Ham. ex Roxb) Koehne. Ant J Bot 1(1): 4–8.

Dohling S, Kumaria S and Tandon P (2012) Multiple shoot induction from axillary bud cultures of the medicinal orchid, Dendrobium longicornu. AoB Plants doi: 10.1093/aobpla/pls032

Dörnenburg H and Knorr D (1995) Strategies for the improvement of secondary metabolite production in plant cell cultures. Enzyme Microb Technol 17: 674–684.

Dörnenburg H and Knorr D (1997) Challenges and opportunities for metabolite production from plant cell and tissue cultures. Food Technol 51: 47–54.

Duan Y, Su Y, Chao E, Zhang G, Zhao F, Xue T, Sheng W, Teng J and Xue J (2019) Callus-mediated plant regeneration in *Isodon amethystoides* using young seedling leaves as starting materials. Plant Cell Tissue Organ Cult 136: 247–253.

Duclercq J, Sangwan-Norreel B, Catterou M and Sangwan RS (2011) De novo shoot organogenesis: from art to science. Trends Plant Sci 16: 597–606.

Duran RE, Kilic S and Coskun Y (2019) Melatonin influence on *in vitro* callus induction and phenolic compound production in sweet basil (*Ocimum basilicum* L.). In Vitro Cell Dev Biol-Plant 55: 468–475.

Durrant WE and Dong X (2004) Systemic acquired resistance. Annu Rev Phytopathol 42: 185–209.

Efferth T (2019) Biotechnology applications of plant callus cultures. Engineering 5(1): 50–59.

Ekiert H, Piekoszewska A, Muszyńska B and Baczyńska S (2014) Accumulation of *p*-coumaric acid and other bioactive phenolic acids in *in vitro* culture of *Ruta graveolens* ssp. *divaricata* (Tenore) Gams. Medicina Internacia Revuo 102(26): 24–31.

Ekiert H, Piekoszewska A, Szewczyk A, Baczynska S and Kus A (2008) Isolation and identification of selected phenolic acids from biomass of *Rutagraveolens* L. and *Rutagraveolens* ssp. *divaricata* (Tenore) Gams cultured in vitro. Acta Biochim Polon 55: 61.

El Tahchy A, Bordage S, Ptak A, Dupire F, Barre E, Guillou C, Henry M, Chapleur Y and Laurain-Mattar D (2011) Effects of sucrose and plant growth regulators on acetylcholinesterase inhibitory activity of alkaloids accumulated in shoot cultures of *Amaryllidaceae*. Plant Cell Tissue Organ Cult 106: 381–390.

Elahi MM, Huq H, Hoque ME and Khatun F (2017) *In vitro* rapid regeneration of betel vine (*Piper betle* L.). J Adv Biol Biotechnol 16(3): 1–11.

Elangomathavan R, Prakash S, Kathiravan K, Seshadri S and Ignacimuthu S (2006) Plant regeneration through micropropagation from nodal explants of critically endangered and endemic plant *Exacum travancoricum* Bedd. J Plant Biotechnol 8(1): 51–55.

El-Ashry AAEL, Gabr AMM, Arafa NM and El-Bahr MK (2019) Rutin accumulation in gardenia calli cultures as a response to phenyl alanine and salicylic acid. Bull Natl Res Cent 43: 141.

El-Haggar M, El-Hosseiny L, Ghazy NM, El-Fiky FK and El-Hawiet A (2021) Phytochemical investigation, antimicrobial and cytotoxic activities of suspension cultures of *Lepidium sativum* L. S Afr J Bot 138: 500–505.

El-Mekkawy S, Farid MM, Taha HS, Fahmi AA, Amin AI and Saker MM (2018) Effect of different plant growth regulators and elicitors on the production of cucurbitacins in *Ecballium Elaterium* callus. J Mater Environ Sci 9(9): 2529–2538.

El-Nabarawy MA, El-Kafafi SH, Hamza MA and Omar MA (2015) The effect of some factors on stimulating the growth and production of active substances in *Zingiber officinale* callus cultures. Ann Agric Sci 60(1): 1–9.

El-Seedi HR, El-Said AM, Khalifa SA, Göransson U, Bohlin L, Borg-Karlson AK and Verpoorte R (2012) Biosynthesis, natural sources, dietary intake, pharmacokinetic properties, and biological activities of hydroxycinnamic acids. J Agric Food Chem 60: 10877–10895.

Enyew M and Feyissa T (2019) *In vitro* shoot regeneration from leaf explants of *Echinops kebericho*: an endangered endemic medicinal plant. Plant Biosyst 153(2): 199–204.

Erdag BB and Emek YC (2009) Adventitious shoot regeneration and *in vitro* flowering of *Anthemis xylopoda* O.Schwarz, a critically endangered Turkish endemic. Turk J Biol 33: 319–326.

Eudes F, Acharya S, Laroche A, Selinger LB and Cheng KJ (2003) A novel method to introduce direct somatic embryos, secondary embryogenesis and regeneration of fertile cereal plants. Plant Cell Tissue Organ Cult 73: 147–157.

Evans DA, Sharp WR, Ammirato PV and Yamada Y (1983) Handbook of Plant Cell Culture, vol. I- Techniques for Propagation and Breeding. Macmillan Publishing Co., New York.

Fabricant DS and Farnsworth NR (2001) The value of plants used in traditional medicine for drug discovery. Environ Health Perspect 109: 69–75.

Faisal M and Anis M (2003) Rapid mass propagation of *Tylophora indica* via leaf callus culture. Plant Cell Tissue Organ Cult 75: 125–129.

Faisal M and Anis M (2005) An efficient *in vitro* method for mass propagation of *Tylophora indica*. Biol Plant 49: 257–260.

Faisal M, Ahmad N and Anis M (2007) An efficient micropropagation system for *Tylophora indica:* an endangered, medicinally important plant. Plant Biotechnol Rep, 1: 155–161.

Fan H, Shang GM and Yuan YJ (2006) Effect of magnetic field associated with salicylic acid on taxol production of suspension-cultured *Taxus chinensis* var. mairei. Chem Eng 34: 56–59.

Fang X, Yang CMAQ, Yang L and Chen X (2011) Genomics grand for diversified plant secondary metabolites. Plant Divers Resour 33: 53–64.

Faraz R, Gokhale M and Gothalwal R (2020) Callus extracts of *Oroxylum indicum* (L.) Vent containing baicalein have *in vitro* antioxidant and antibacterial activities. Biot Veg 20(1): 51–62.

Fardet A, Rock E and Remesy C (2008) Is the *in vitro* antioxidant potential of whole-grain cereals and cereal products well reflected *in vivo*? J Cereal Sci 48: 258–276.

Faria DV, Simão MJ, Cipriano R, Werner ET, Soares TCB, Aoyama EM and Lima-Gontijo ABP (2018) *In vitro* morphogenesis and micropropagation of *Aechmea ramosa* var. *ramosa* Mart. ex Schult. f. (Bromeliaceae) from leaf explants. In Vitro Cell Dev Biol-Plant 54(5): 530–536.

Feher A, Pasternak TP and Dudits D (2003) Transition of somatic plant cell to an embryogenic state. Plant Cell Tissue Organ Cult 74: 201–228.

Fiehn O (2002) Metabolomics-The link between genotypes to phenotypes. Plant Mol Biol 48: 155–171.

Figueiredo SFL, Albarello N and Viana VRC (2001) Micropropagation of *Rollinia mucosa* (Jacq.) Baill. In Vitro Cell Dev Biol-Plant 37: 471–475.

Fiuk A and Rybczynski JJ (2007) The effect of several factors on somatic embryogenesis and plant regeneration in protoplast cultures of *Gentiana kurroo* (Royle). Plant Cell Tissue Organ Cult 9: 263–271.

Fortes AM, Santos F and Pais MS (2010) Organogenic nodule formation in hop: a tool to study morphogenesis in plants with biotechnological and medicinal applications. J Biomed Biotechnol. doi: 10.1155/2010/583691.

Fracaro F and Echeverrigaray S (2001) Micropropagation of *Cunila galioides*, a popular medicinal plant of south Brazil. Plant Cell Tissue Organ Cult 64: 1–4.

Francis D and Sorrell DA (2001) The interface between the cell cycle and plant growth regulators: a mini review. Plant Growth Regul 33: 1–12.

Franco-Zorrilla JM, Martin AC, Solano R, Rubio V, Leyva A and Paz-Ares J (2002) Mutations at CRE1 impair cytokinin induced repression of phosphate starvation responses in Arabidopsis. Plant J 32: 353–360.

Fujita M, Fujita Y, Noutoshi Y, Takahashi F, Narusaka Y, Yamaguchi-Shinozaki K and Shinozaki K (2006) Crosstalk between abiotic and biotic stress responses: a current view from the points of convergence in the stress signalling networks. Curr Opin Plant Biol 9: 436–442.

Gabay O, Sanchez C, Salvat C, Chevy F, Breton M, Nourissat G, Wolf C, Jacques C and Berenbaum F (2010) Stigmasterol: a phytosterol with potential antiosteoarthritic properties. Osteoarthr Cartil 18(1): 106–116.

Gadzovska S, Maury S, Delaunay A, Spasenoski M, Hagege D, Courtois D and Joseph C (2013) The influence of salicylic acid elicitation of shoots, callus, and cell suspension cultures on production of naphtodianthrones and phenylpropanoids in *Hypericum perforatum* L. Plant Cell Tissue Organ Cult 113: 25–39

Gaj M (2004) Factors influencing somatic embryogenesis induction and plant regeneration with particular reference to *Arabidopsis thaliana* (L.) Heynh. Plant Growth Regul 43: 27–47.

Gallo MBC and Sarachine MJ (2009) Biological activities of lupeol. Int J Biomed Pharma Sci 3(1): 46–66.

Gamborg OL, Miller RA and Ojima K (1968) Nutrient requirements of suspension cultures of soybean root cells. Exp Cell Res 50: 151–158.

Gandhi P, Karuppanapandian T, Sureshpandian C, Arumugam N, Selvam A and Rajarathinam K (2020) Optimization of a liquid culture system for shoot regeneration and achieving an enriched level of scopadulcic acid B in the leaf organ cultures of *Scoparia dulcis* L. by response surface methodology. In Vitro Cell Dev Biol-Plant 56: 60–71.

Gandi S and Giri A (2013) Production and quantification of asiatic acid from *in vitro* raised shoots and callus cultures of *Centella asiatica* (L.) Urban. Ann Phytomed 2(1): 95–101.

Ganesan M and Jayabalan N (2004) Evaluation of haemoglobin (erythrogen): for improved somatic embryogenesis and plant regeneration in cotton (*Gossypium hirsutum* L. cv. SVPR 2). Plant Cell Rep 23: 181–187.

Ganguly T and Sainis KB (2001) Inhibition of cellular immune responses by *Tylophora indica* in experimental models. Phytomed 8(5): 348–355.

Ganguly T, Badheka LP and Sainis KB (2001) Immunomodulatory effect of *Tylophora indica* on Con A induced lymphoproliferation. Phys Chem Chem Phys 8: 431–437.

Gantait S and Kundu S (2017) Neoteric trends in tissue culture-mediated biotechnology of Indian ipecac [*Tylophora indica* (Burm. f.) Merrill]. 3 Biotech 7: 231.

Gao GX (1999) Browning in plant tissue culture. Plant Physiol Commun 35: 501–506

Gao W, Lam W, Zhong S, Kaczmarek C, Baker DC and Cheng YC (2004) Novel mode of action of tylophorine analogs as antitumor compounds. Cancer Res 64: 678–688.

Garima Z and Amla B (2010) Effect of adeninesulphate on organogenesis via leaf culture in an organemntal plant: *Thevetia peruviana* (pers.) Schum. Int J Pharm Bio Sci 1(2): 1–9.

Garland P and Stoltz LP (1981) Micropropagation of Pissardi plum. Ann Bot 48: 387–389.

Garrait G, Jarrige JF, Blanquet S, Beyssac E, Cardot JM and Alric M (2006) Gastrointestinal absorption and urinary excretion of trans-cinnamic and *p*-coumaric acids in rats. J Agric Food Chem 54: 2944–2950.

Garro-Monge G, Gatica-Arias AM and Valdez-Melara M (2008) Somatic embryogenesis, plant regeneration and acemannan detection in aloe (*Aloe barbadensis* Mill.). Agron Costarric 32(2): 41–52.

Gaspar TH, Kevers C, Faivre-rampant O, Crevecoeur M, Penel C, Greppin H and Dommes J (2003) Changing concepts in plant hormone action. In Vitro Cell Dev Biol-Plant 39: 85–106.

Gaspar TH, Kevers C, Penel C, Greppin H, Reid DM and Thorpe TA (1996) Plant hormones and plant growth regulators in plant tissue culture. In Vitro Cell Dev Biol-Plant 32(4): 272–289.

Gates MA, Vitonis AF, Tworoger SS, Rosner B, Titus-Ernstoff L, Hankinson SE and Cramer DW (2009) Flavonoid intake and ovarian cancer risk in a population-based case-control study. Int J Can 124: 1918–1925.

Gatica-Arias AM, Arrieta-Espinoza G and Espinoza Esquivel AM (2008) Plant regeneration via indirect somatic embryogenesis and optimisation of genetic transformation in *Coffea arabica* L. cvs. Caturra and Catuaí. Electon J Biotechnol 11: 101–112.

Gatica-Arias AM, Muñoz VJ, Ramírez FP and Valdez MM (2010) *In vitro* plant regeneration system for common bean (*Phaseolus vulgaris*): effect of N^6-benzylaminopurine and adenine sulphate. Electron J Biotechnol 13(1):1–8.

Geetha NP, Mahesh M, Bettadaiah BK, Kini RK and Prakash HS (2011) HPLC method for determination of p-coumaric acid from the medicinal herb *Leptadinia reticulata*. Int J Phytomed 3(3): 319–324.

Gehl C, Li Guo and Serek M (2020) An efficient protocol for *Agrobacterium*-mediated transformation and regeneration of *Campanula medium* (Canterbury bells) based on leaf disc explants. Plant Cell Tissue Organ Cult 140: 635–645.

Gellert E (1982) The indolizidine alkaloids. J Nat Prod 45: 50–73.

George EF and Sherrington PD (1984) Plant propagation by tissue culture. Exegetics Ltd., Eversley, England.

George EF, Hall MA and Klerk GJD (2008) Plant propagation by tissue culture, 3rd ed. Springer, The Netherlands.

Gil M, Pontin M, Berli F, Bottini R and Piccoli P (2012) Metabolism of terpenes in the response of grape (*Vitis vinifera* L.) leaf tissues to UV-B radiation. Phytochem 77: 89–98.

Girija S, Ganapathi A and Ananthakrishnan G (2000) Somatic embryogenesis in *Vigna radiata* (L.) Wilczek. Ind J Exp Biol 38: 1241–1244.

Girishkumar V, Sreepriya MS, Praveenkumar S, Bali G and Jagadeesh MS (2010) Modulating effect of *Leptadenia reticulata* (Retz) Wight & Arn against chromate (VI)-induced immunosuppression and oxidative stress on mouse splenic lymphocytes and bone marrow derived macrophages. J Ethnopharmacol 131: 505–508.

Godara P, Dulara BK, Barwer N and Chaudhary NS (2019) Comparative GC–MS analysis of bioactive phytochemicals from different plant parts and callus of *Leptadenia reticulata* Wight and Arn. Pharmacogn J 11(1): 129–140.

Gonbad RA, Sinniah UR, Aziz MA and Mohamad R (2014) Influence of cytokinins in combination with GA_3 on shoot multiplication and elongation of Tea clone Iran 100 (*Camellia sinensis* (L.) O. Kuntze). Sci World J doi: http://dx.doi.org/10.1155/2014/943054.

Gopalakrishnan C, Shankaranarayan D, Kameswaran L and Natarajan S (1979) Pharmacological investigations of tylophorine, the major alkaloid of *Tylophora indica*. Ind J Med Res 69: 513–552.

Goraya GS and Ved DK (2017) Medicinal plants in India: an assessment of their demand and supply. National Medicinal Plants Board, Ministry of AYUSH, Government of India, New Delhi, India and Indian Council of Forestry Research & Education, Dehradun, India.

Gorelick J and Bernstein N (2014) Elicitation: an underutilized tool in the development of medicinal plants as a source of therapeutic secondary metabolites. Adv Agron 124: 201–230.

Gorni PH and Pacheco AC (2016) Growth promotion and elicitor activity of salicylic acid in *Achillea millefolium* L. Afr J Biotechnol 15: 657–665.

Govindhari TR, Vishwanathan N and Radhakrishnan J (1975) *Tylophora* alkaloids. J Ind Chem Soc C: 1–9.

Goyal S and Ramawat KG (2008) Increased isoflavonoids accumulation in cell suspension cultures of *Pueraria tuberose* by elicitors. Ind J Biotechnol 7: 378–382.

Grover A, Yadav JS, Biswas R, Pavan CSS, Mishra P, Bisaria VS and Sundar D (2012) Production of monoterpenoids and aroma compounds from cell suspension cultures of *Camellia sinensis*. Plant Cell Tissue Organ Cult 108: 323–331.

Grzegorczyk-Karolak I, Kuzma L and Wysokinska H (2015) The effect of cytokinins on shoot proliferation, secondary metabolite production and antioxidant potential in shoot cultures of *Scutellaria alpine*. Plant Cell Tissue Organ Cult 122: 699–708.

Grzyb M, Kalandyk A and Mikuła A (2018) Effect of TIBA, fluridone and salicylic acid on somatic embryogenesis and endogenous hormone and sugar contents in the tree fern *Cyathea delgadii* Sternb. Acta Physiol Plant doi: 10.1007/s11738-017-2577-4

Gunathilake PMPC, Abayagunawardhana N, Wimalasiri S, Sangakkara UR and Eeswara JP (2008) Direct shoot organogenesis from nodal and leaf explants of *Munronia pinnata* (Wall) Theob: a valuable medicinal plant. Trop Agri Res 20: 213–225.

Guo B, Gao M and Liu CZ (2007) *In vitro* propagation of an endangered medicinal plant *Saussurea involucrata* Kar. et Kir. Plant Cell Rep 26: 261–265.

Gupta A, Vats SK and Lal B (1998) How cheap can a medicinal plant species be? Curr Sci 74: 555–556.

Gupta AK (2003) Quality standards of Indian medicinal plants, vol. 1. ICMR, pp. 221–225.

Gupta M, Mukhtar HM and Ahmad S (2010) Phyto-pharmacological and plant tissue culture overview of *Tylophora indica* (Burm f.) Merill. J Pharm Sci Res 2: 401–411.

Gupta NS, Banerjee M and Acharya K (2014) Influence of hormones and explants towards *in vitro* callusing and shoot organogenesis in a commercially important medicinal plant. Int J Pharm Sci Rev Res 29(2): 132–137.

Gupta V, Guleri R, Gupta M, Kaur N, Kaur K, Kumar P, Anand M, Kaur G and Pati PK (2020) Anti-neuroinflammatory potential of *Tylophora indica* (Burm. f) Merrill and development of an efficient *in vitro* propagation system for its clinical use. PLoS ONE 15(3): e0230142.

Gurav S, Devprakash, Senthilkumar GP, Tembare R and Mani T (2011) *Tylophora indica*: a review on its ethnobotany, phytochemical and pharmacological profile. Asian J Biochem Pharm Res 1: 405–414.

Gururaj HB, Giridhar P and Ravishankar GA (2007) Micropropagation of *Tinospora cordifolia* (Willd.) Miers ex Hook. F & Thoms-a multipurpose medicinal plant. Curr Sci 92(1): 23–26.

Haccius B (1978) Question of unicellular origin of nonzygotic embryos in callus cultures. Phytomorphol 28: 74–81.

Halder M, Sarkar S and Jha S (2019) Elicitation: a biotechnological tool for enhanced production of secondary metabolites in hairy root cultures. Eng Life Sci 19: 880–895.

Hamilton AC (2004) Medicinal plants, conservation and livelihoods. Biodivers Conserv 13: 1477–1517.

Hamilton AC (2008) Medicinal plants in conservation and development: case studies and lessons learned. In: Medicinal plants in conservation and development (Kala CP, ed.). Plantlife International Publisher, Salisbury, UK, pp. 1–43.

Hao L, Zhou L, Xu X, Cao J and Xi T (2006) The role of salicylic acid and carrot embryogenic callus extracts in somatic embryogenesis of naked oat (*Avena nuda*). Plant Cell Tissue Organ Cult 85(1): 109–113.

Haque SK and Ghosh B (2013) Field evaluation and genetic stability assessment of regenerated plants produced via direct shoot organogenesis from leaf explant of an endangered ‘asthma plant’ (*Tylophora indica*) along with their *in vitro* conservation. Natl Acad Sci Lett 36(5): 551–562.

Harborne JB (1984) Phytochemical methods: a guide to modern techniques of plant analysis, 2nd edn. Chapman and Hall, London, New York.

Hari G, Vadlapudi K, Vijendra PD, Rajashekar J, Sannabommaji T and Basappa G (2018) A combination of elicitor and precursor enhances psoralen production in *Psoralea corylifolia* suspension cultures. Ind Crops Prod 124: 685–691.

Hariharan M, Sebastian DP, Benjamin S and Prashy P (2002) Somatic embryogenesis in *Leptadenia reticulata* Wight & Arn. P: A medicinal plant. Phytomorphol 52: 155–160.

Harohally NV, Cherita C, Bhatt P and Appaiah K (2017) Antiaflatoxigenic and antimicrobial activities of schiff bases of 2-hydroxy-4-methoxybenzaldehyde, cinnamaldehyde, and similar aldehydes. J Agric Food Chem. 65: 8773–8778.

Hartmann M (1998) Plant sterols and the membrane environment. Trends Plant Sci 3: 170–175.

Hasan MF, Rahman MS, Hossain MS and Rahman M (2008) Studies on *in vitro* callus induction and regeneration from nodal explants of *Cassia alata* L. Progress Agric 19(1): 39–44.

Hata K, Hori K and Takahashi S (2002) Differentiation and apoptosis-inducing activities by pentacyclic triterpenes on a mouse melanoma cell line. J Nat Prod 65: 645–648.

Haung X, Gao S, Fan L, Yu S and Liang X (2004) Cytotoxic alkaloids from the roots of *Tylophora atrofolliculata*. Planta Med 70: 441–445.

Hayashi H, Huang P, Takada S, Obinata M, Inoue K, Shibuya M and Ebizuka Y (2004) Differential expression of three oxidosqualene cyclase mRNAs in *Glycyrrhiza glabra*. Biol Pharm Bull 27: 1086–1092.

Hayta S, Bayraktar M, Baykan erel S and Gurel A (2017) Direct plant regeneration from different explants through micropropagation and determination of secondary metabolites in the critically endangered endemic *Rhaponticoidesmykalea*. Plant Biosystems 151(1): 20–28

Hazubska-Przybył T, Ratajczak E, Obarska A and Pers-Kamczyc E (2020) Different roles of auxins in somatic embryogenesis efficiency in two *Picea* species. Int J Mol Sci. doi: https ://doi.org/10.3390/ijms21093394

Hernández I, Celestino C, Alegre J and Toribio M (2003) Vegetative propagation of Quercus suber L. by somatic embryogenesis. Plant Cell Rep 21: 765–770.

Hiregoudar LV, Murthy HN, Bhat JG, Nayeem A, Hema BP, Hahn EJ and Paek KY (2006) Rapid clonal propagation of *Vitex trifolia*. Biol Plant 50: 291–294.

Horstman A, Bemer M and Boutilier K (2017) A transcriptional view on somatic embryogenesis. Regeneration 4: 201–216.

Horvath E, Szalai G and Janda T (2007) Induction of abiotic stress tolerance by salicylic acid signaling. J Plant Growth Regul 26(3): 290–300.

Hou L, Wang Y, Cui Y, Pang X and Li Y (2017) Optimisation of a highly efficient shoot regeneration system using leaf explants of Chinese jujube (*Ziziphus jujuba* Mill.) by response surface methodology. J Hortic Sci Biotechnol. doi: 10.1080/14620316.2017.1364980

Houghton PJ and Raman A (1998) Laboratory handbook for the fractionation of natural extracts. Springer, New York.

Hrichi S, Chaabane-Banaoues R, Giuffrida D, Mangraviti D, El Majdoub YO, Rigano F, Mondello L, Babba H, Mighri Z and Cacciola F (2020) Effect of seasonal variation on the chemical composition and antioxidant and antifungal activities of *Convolvulus althaeoides* L. leaf extracts. Arab J Chem 13(6): 5651–5668.

Hu CY and Wang PJ (1983) Meristem, shoot tip and bud culture. In: Handbook of plant cell culture, vol. 1 (Evans DA, Sharp WR, Ammirato PV and Yamada Y, eds.). Mac Millan Publ. Co, New York, pp. 177–227.

Huang H (2011) Plant diversity and conservation in China: planning a strategic bioresource for a sustainable future. Bot J Linn Soc 166: 282–300.

Huang WL, Lee CH and Chen YR (2012) Levels of endogenous abscisic acid and indole-3-acetic acid influence shoot organogenesis in callus cultures of rice subjected to osmotic stress. Plant Cell Tissue Organ Cult 108: 257–263.

Huh YS, Lee JK and Nam SY (2017) Effect of plant growth regulators and antioxidants on in vitro plant regeneration and callus induction from leaf explants of purple passion fruit (*Passiflora edulis* Sims). J Plant Biotechnol 44: 335–342.

Hunaefi D and Smetanska I (2013) The effect of tea fermentation on rosmarinic acid and antioxidant properties using selected *in vitro* sprout culture of *Orthosiphon aristatus* as a model study Hunaefi and Smetanska. SpringerPlus 2: 167.

Husain MK and Anis M (2004) *In vitro* proliferation of shoots of *Melia azedarach* L. from mature trees. In: Biotechnology for a better future (D'Souza L, Anuradha M, Nivas S, Hegde S and Rajendera K, eds). SAC, Mangalore, pp. 294–301.

Husain MK, Anis M and Shahzad A (2008) *In vitro* propagation of a multipurpose leguminous tree (*Pterocarpus marsupium* Roxb.) using nodal explants. Acta Physiol Plant 30(3): 353–359.

Hussain M, Fareed S, Ansari S, Rahman M, Ahmad IZ and Saeed M (2012) Current approaches toward production of secondary plant metabolites. J Pharm Bioall Sci 4: 10–20.

Ibrahim A, El Kawi Abd, Mostafa, Nower AA, Motaal A, Amira, El Aal Abd and Abdelrahman A (2009) Alkaloid production and organogenesis from callus of *Hyoscyamus muticus* L. *in vitro*. J Appl Sci Res 5(1): 82–92.

Ibrahim MA, Al-Taha HA and Seheem AA (2013) Effect of cytokinin type and concentration, and source of explant on shoot multiplication of pineapple plant (*Ananas comosus* 'Queen') *in vitro.* Acta Agric Slov 101(1): 15–20.

Ibrahim MSD, Hartati RS, Rubiyo, Purwito A and Sudarsono (2013) Direct and indirect somatic embryogenesis on Arabica coffee (*Coffea arabica*). Indones J Agric Sci 14(2): 79–86.

Idrees M, Khan MMA, Aftab T and Naeem M (2010) Synergistic effects of gibberellic acid and triacontanol on growth, physiology, enzyme activities and essential oil content of *Coriandrum sativum* L. Asian Australas J Plant Sci Biotechnol 4(1): 24–29.

Igasaki T, Sato T, Akashi N, Mohri T, Maruyama E, Kinoshita I, Walter C and Shinohara K (2003) Somatic embryogenesis and plant regeneration from zygotic embryos of *Cryptomeria japonica* D. Don. Plant Cell Rep 22: 239–243.

Ikeuchi M, Sugimoto K and Iwase A (2013) Plant callus: mechanisms of induction and repression. Plant Cell 25: 3159–3173.

International Conference on Harmonisation (1997) Guidance for industry, Q2B: Validation of analytical procedures: methodology, USA.

Inthima P, Nakano M, Otani M, Niki T, Nishijima T, Koshioka M and Supaibulwatana K (2017) Overexpression of the gibberellins 20-oxidase gene from *Torenia fournieri* resulted in modified trichome formation and terpenoid metabolities of *Artemisia annua* L. Plant Cell Tissue Organ Cult 112: 1–14.

Inyai C, Yusakul G, Komaikul J, Kitisripanya T, Likhitwitayawuid K, Sritularak B and Putalun W (2021) Improvement of stilbene production by mulberry *Morus alba* root culture via precursor feeding and co-elicitation. Bioproc Biosyst Eng 44: 653–660.

Iqbal M, Jaskani MJ, Rafique R, Hassan SZ, Iqbal MS, Raheed M and Mushtaq S (2014) Effect of plant growth regulators on callus formation in potato. J Agric Food Appl Sci 2(3): 77–81.

Ishikawa A, Kitamura Y, Ozeki Y and Watanabe M (2007) Different responses of shoot and root cultures of *Glehnia littoralis* to yeast extract. J Nat Med 61: 30–37.

Islam MR, Zaman S and Nasirujjaman K (2007) Regeneration of plantlets from node-derived callus in *Aegle marmelos* Corr. Biotechnol 6(1): 72–75.

Itankar PR, Sawant DB, Tauqeer M and Charde SS (2015) High performance thin layer chromatography fingerprinting, phytochemical and physico-chemical studies of anti-diabetic herbal extracts. Ayu 36(2): 188–195.

Ivanov I, Georgiev V and Pavlov A (2013) Elicitation of galanthamine biosynthesis by *Leucojum aestivum* liquid shoot cultures. J Plant Physiol 170(12): 1122–1129.

Jain R, Sinha A, Jain D, Kachhwaha S and Kothari SL (2011) Adventitious shoot regeneration and *in vitro* biosynthesis of steroidal lactones in *Withania coagulans* (Stocks) Dunal. Plant Cell Tissue Organ Cult 105: 135–140.

Jain SC, Singh R and Jain R (2008) Biopotentialities of *Verbesina encelioides* cell cultures. Ind J Plant Physiol 13(3): 224–230.

Jana S, Sivanesan I, Jeong BR (2013) Effect of cytokinins on *in vitro* multiplication of Sophora tonkinensis. Asian Pac J Trop Biomed 3(7): 549–553.

Janarthanam B, Gopalakrishnan M, Sai GL and Sekar T (2009) Plant Regeneration from leaf derived callus of *Stevia rebaudiana* Bertoni. Plant Tiss Cult Biotechnol 19(2):133–141.

Jang HR, Park BJ, Park SA, Pee OJ, Park SY and Paek KY (2016) Optimization of shoot cultures and bioactive compound accumulation in *Rosa rugosa* during acclimatization. J Plant Biotechnol 43: 104–109.

Jayanthi M and Mandal PK (2001) Plant regeneration through somatic embryogenesis and RAPD analysis of regenerated plantlets in *Tylophora indica* (Burm. f.) Merrill. In Vitro Cell Dev Biol-Plant 37: 576–580.

Jena S, Ray A, Sahoo A, Sahoo S, Kar B, Panda PC and Nayak S (2018) High-frequency clonal propagation of *Curcuma angustifolia* ensuring genetic fidelity of micropropagated plants. Plant Cell Tissue Organ Cult 135: 473–486.

Jha T, Mukherjee P and Datta MM (2007) Somatic embryogenesis in *Jatropha curcas* Linn., an important biofuel plant. Plant Biotechnol Rep 1: 135–40.

Jiménez VM (2001) Regulation of *in vitro* somatic embryogenesis with emphasis on the role of endogenous hormones. Rev Bras Fisiol Veg 13(2): 196–223.

Jimenez VM (2005) Involvement of plant hormones and plant growth regulators on *in vitro* somatic embryogenesis. Plant Growth Regul 47: 91–110.

Jimenez VM, Guevara E, Herrera J and Bangerth F (2005) Evolution of endogenous hormone concentration in embryogenic cultures of carrot during early expression of somatic embryogenesis. Plant Cell Rep 23: 567–572.

Jin SM, Wang J, Wang XW, Sun D, Li GL, Genovesi AD and Liu SK (2014) Direct and indirect shoot and bulblet regeneration from cultured leaf explants of *Lilium pumilum*, an endangered species. In Vitro Cell Dev Biol-Plant 50: 69–75.

Jonard R (1960) Action of indoleacetic acid and yeast extract on restoring the oliferation power of salsify crown-gall tissue cultures which have been X-ray irradiated. Compt Remd 251: 588–590.

Joshaghani MS, Ghasemnezhad A, Alizadeh M and Tanuri A (2014) Assessment of some phenolic acids of artichoke callus under *in vitro* conditions. Iran J Plant Physiol 4(4): 1151–1158.

Joshi AG and Padhya MA (2010) Shoot regeneration from leaf explants of *Withania somnifera* (L.) Dunal. Not Sci Biol 2(1): 63–65.

Joshi AG, Pathak AR, Sharma AM and Singh S (2010) High frequency of shoot regeneration on leaf explants of *Bacopa monnieri*. Environ Exp Biol 8: 81–84.

Joshi SG (2000) Medicinal plants. Oxford and IBH Publishing, New Delhi, India.

Jung CH, Lee JY, Cho CH and Kim CJ (2007) Anti-asthmatic action of quercetin and rutin in conscious guinea-pigs challenged with aerosolized ovalbumin. Arch Pharm Res 30(12): 1599–1607.

Jun-Jie Z, Yue-Sheng Y, Meng-Fei L, Shu-Qi L, Yi T, Han-Bin C and Xiao-Yang C (2017) An efficient micropropagation protocol for direct organogenesis from leaf explants of an economically valuable plant, drumstick (*Moringa oleifera* Lam.). Ind Crops Prod 103: 59–63.

Kabir AH, Sarker KK, Sharmin SA, Islam MS and Alam MF (2008) Callus induction and plantlet regeneration in *Abelmoschus esculentus* (L.) Moench. J Agri Technol 4(1): 193–204.

Kadam ST and Pawar AD (2020) Conservation of medicinal plants: a review. Int Ayurvedic Med J doi: 10.46607/iamj.0807112020

Kahia J, Njenga P and Kirika M (2016) Improved micropropagation of plantlets from nodal explants of Anchote (*Coccinia abyssinica*)—A calcium- and protein-rich tuber. Hortic Sci 51(7): 905–909.

Kai GY, Dai LM, Mei XY, Zheng JG, Wang W, Lu Y, Qian ZY and Zhou GY (2008) *In vitro* plant regeneration from leaf explants of *Ophiorrhiza japonica*. Biol Plant 52(3): 557–560.

Kala SC, Mallikarjuna K and Aruna P (2014) An efficient protocol devised for rapid callus induction from leaf explants of *Biophytum sensitivum* (Linn) DC. Int J Phytopharm Res Art 4(1): 20–24.

Kamalipourazad M, Sharifi M, Maivan HZ, Behmanesh M and Chashmi NA (2016) Induction of aromatic amino acids and phenylpropanoid compounds in *Scrophularia striata* Boiss. cell culture in response to chitosan-induced oxidative stress. Plant Physiol Biochem 107: 374–384.

Kamarul Zaman MA, Azzeme AM, Ramle IK, Normanshah N, Ramli SN, Shaharuddin NA, Ahmad S and Abdullah SNA (2020) Induction, multiplication, and evaluation of antioxidant activity of *Polyalthia bullata* callus, a woody medicinal plant. Plants (Basel) doi: 10.3390/plants9121772.

Kamboj A and Saluja AK (2017) Development of validated HPTLC method for quantification of stigmasterol from leaf and stem of *Bryophyllum pinnatum*. Arab J Chem 10(Suppl. 2): S2644–S2650.

Kamonwannasit S, Phrompittayarat W, Ingkaninan K, Tanaka H and Putalun W (2008) Improvement of pseudojujubogenin glycosides production from regenerated *Bacopa monnieri* (L.) Wettst. and enhanced yield by elicitors. Z Naturforsch 63c: 879–883.

Kanchanapoom K, Jingjit S and Kanchanapoom K (2011) *In vitro* flowering of shoots regenerated from cultured nodal explants of *Gypsophila paniculata* L. Not Bot Hort Agrobot Cluj 39(1): 84–87.

Kang SM, Jung HY, Kang YM, Yun DJ, Bahk JD, Yang J and Choi MS (2004) Effects of methyl jasmonate and salicylic acid on the production of tropane alkaloids and the expression of PMT and H6H in adventitious root cultures of *Scopolia parviflora*. Plant Sci 166: 745–751.

Kang SM, Min JY, Kim YD, Karigar CS, Kim SW, Goo GH and Choi MS (2009) Effect of biotic elicitors on the accumulation of bilobalide and ginkgolides in *Ginkgo biloba* cell cultures. J Biotechnol 139(1): 84–88.

Karakas FP (2020) Efficient plant regeneration and callus induction from nodal and hypocotyl explants of goji berry (*Lycium barbarum* L.) and comparison of phenolic profiles in calli formed under different combinations of plant growth regulators. Plant Physiol Biochem 146: 384–391.

Karakas FP and Turker AU (2013) An efficient *in vitro* regeneration system for *Bellis perennis* L. and comparison of phenolic contents of field-grown and *in vitro*-grown leaves by LC-MS/MS. Ind Crops Prod 48: 162–170.

Karamac M, Bucinski A, Pegg RB and Amarowicz R (2005) Antioxidant and antiradical activity of ferulates. Czech J Food Sci 23: 64–68.

Karami O, Aghavaisi B and Pour AM (2009) Molecular aspects of somatic-to-embryogenic transition in plants. J Chem Biol 2: 177–190.

Karami O, Deljou A and Kordestani GK (2008) Secondary somatic embryogenesis of carnation (*Dianthus caryophyllus* L.). Plant Cell Tissue Organ Cult 92: 273–280.

Karuppusamy S, Kiranmani C, Aruna V and Pullaiah T (2009) *In vitro* conservation of *Ceropegia intermedia* – an endemic plant of South India. Afr J Biotechnol 8: 236–239.

Kasem MM (2018) Callus production and suspension elicitation of *Impatiens balsamina* L., plant for enhancing accumulation of phenolics and flavonoids content. J Plant Prod 9(3): 241–248

Kasera PK and Shukla JK (2003) Bio–medicinal properties and cultivation of *Leptadaenia reticulata* (Jivanti)-an endangered plant of the Thar desert, India. Curr Sci 84: 877–879.

Kasprzyk-Pawelec A, Pietrusiewicz J, Curie- Sklodowska EM (2015) *In vitro* regeneration induced in leaf explants of *Citrus limon* L. Burm cv. Primofiore. Acta Sci Pol Hortorum Cultus 14(4) 143–153.

Kaul S, Das S and Srivastava PS (2013) Micropropagation of *Ajuga bracteosa*, a medicinal herb. Physiol Mol Biol Plant 19: 289–296.

Kaur H and Singh K (2012) A brief phytopharmacological overview of *Tylophora indica*-an endangered medicinal plant. Int J Pharm Sci Res 3: 4073–4076.

Kaur K and Pati PK (2018) Stress-induced metabolite production utilizing plant hairy roots. In: Hairy roots- an effective tool of plant biotechnology (Srivastava V, Mehrotra S and Mishra S, eds.). Springer, Singapore, pp. 123–145.

Kaur P, Gupta RC, Dey A, Malik T and Pandey DK (2020) Optimization of salicylic acid and chitosan treatment for bitter secoiridoid and xanthone glycosides production in shoot cultures of *Swertia paniculata* using response surface methodology and artifcial neural network. BMC Plant Biol 20: 225.

Kaur S (2017) *In vitro* regeneration of shoots from nodal explants of *Dendrobium chrysotoxum* Lindl. J Hortic Res 25(1): 27–34.

Kazeroonian R, Mousavi A, Jari SK and Tohidfar M (2018) Factors influencing *in Vitro* organogenesis of *Chrysanthemum morifolium* cv. 'Resomee Splendid'. Iran J Biotech 16(2): e1454.

Keen NT, Partridge JE and Zaki AI (1972) Pathogen-produced elicitor of a chemical defence mechanism in soybeans monogenically resistant to *Phytophthora megasperma* var. *sojae*. Phytopathol 62: 768.

Khadke S, Rani S, Awad V, Meti N, Singh E, Kuvalekar A and Harsulkar A (2013) An improved protocol for *in vitro* regeneration of *Rubia cordifolia* L. via organogenesis. Int J Plant An Env Sci 3(4): 61–69.

Khajuria AK, Bisht NS and Krishan R (2017) Effect of 2,4-D and cytokinins on callus induction in different explants of *Viola canescens* Wall. Ex. Roxb. Plant Arch 17(2): 833–838.

Khan MK, Misra P, Sharma T, Shukla PK and Ramteke PW (2014) Effect of adenine sulphate on *in vitro* mass propagation of *Stevia rebaudiana* Bertoni. J Med Plants Res 8(13): 543–549.

Khan T, Abbasi BH, Khan MA and Khan SZ (2016) Differential effects of thidiazuron on production of anticancer phenolic compounds in callus cultures of *Fagonia indica*. Appl Biochem Biotechnol 179: 46–58.

Khanam MN and Anis M (2018) Organogenesis and efficient *in vitro* plantlet regeneration from nodal segments of *Allamanda cathartica* L. using TDZ and ultrasound assisted extraction of quercetin. Plant Cell Tissue Organ Cult 134: 241–250.

Kharade SS, Samal CK, Das G and Rout GR (2014) *In vitro* studies of *Curcuma longa* L. and assessment of genetic uniformity through chemo and DNA profiling. J Plant Sci Res 30(2): 213–219.

Khare CP (2007) Indian medicinal plant: an illustrated dictionary. Springer, Heidelberg, Germany, pp. 480.

Khosroushahi AY, Valizadeh M, Ghasempour A, Khosrowshahli M, Naghdibadi H, Dadpour MR and Omidi Y (2006) Improved taxol production by combination of inducing factors in suspension cell culture of *Taxus baccata*. Cell Biol Int 30: 262–269.

Khurana-Kaul V, Kachhwaha S and Kothari SL (2010) Direct shoot regeneration from leaf explants of *Jatropha curcas* in response to thidiazuron and high copper contents in the medium. Biol Plant 54(2): 369–372

Kiba T, Naitou T, Koizumi N, Yamashino T, Sakakibara H and Mizuno T (2005) Combinatorial microarray analysis revealing *Arabidopsis* genes implicated in cytokinin responses through the His/Asp phosphorelay circuitry. Plant Cell Physiol 46:339–355.

Kikowska M, Kędziora I, Krawczyk A and Thiem B (2015) Methyl jasmonate, yeast extract and sucrose stimulate phenolic acids accumulation in *Eryngium planum* L. shoot cultures. Acta Biochim Pol 62(2): 197–200.

Kim DH, Kang KW and Sivanesan I (2019) Influence of auxins on somatic embryogenesis in *Haworthia retusa* Duval. Biologia 74: 25–33.

Kim EK, Hahn EJ, Murthy HN and Paek KY (2003) High frequency of shoot multiplication and bulblet formation of garlic in liquid cultures. Plant Cell Tissue Organ Cult 73: 231–236.

Kim EK, Hahn EJ, Murthy HN and Paek KY (2004) Enhanced shoot and bulblet proliferation of garlic (*Allium sativum* L.) in bioreactor systems. J Hortic Sci 79: 818–822.

Kim HS, Zhang G, Juvik JA and Widholm JM (2010) *Miscanthus* × *giganteus* plant regeneration: effect of callus types, ages and culture methods on regeneration competence. GCB Bioenergy 2(4): 192–200.

Kim ME, Na JY, Park YD and Lee JS (2019) Anti-neuroinflammatory effects of vanillin through the regulation of inflammatory factors and NF-κB signaling in LPS-stimulated microglia. Appl Biochem Biotechnol 187(3): 884–893.

Kim SH, Hwang KA and Choi KC (2016) Treatment with kaempferol suppresses breast cancer cell growth caused by estrogen and triclosan in cellular and xenograft breast cancer models. J Nutr Biochem 28: 70–82.

Kirtikar KR and Basu BD (1975) Indian medicinal plants, vol. 3. Bishen Singh Mahendra Pal Singh, Dehradun, India.

Kirtikar KR and Basu BD (1991) Indian medicinal plants, 2nd edn. Periodic Expert Book Agency, New Delhi, India, pp. 1–5.

Ko HC, Lee JY, Jang MG, Song H and Kim SJ (2018) Seasonal variations in the phenolic compounds and antioxidant activity of Sasa quelpaertensis. Ind Crops Prod 122: 506–512.

Kochan E, Szymczyk P, Kuzma L, Lipert A and Szymanska G (2017) Yeast extract stimulates ginsenoside production in hairy root cultures of American ginseng cultivated in shake flasks and nutrient sprinkle bioreactors. Molecules 22: 880.

Kojoma M, Ohyama K, Seki H, Hiraoka Y, Asazu SN, Sawa S, Sekizaki H, Yoshida S and Muranaka T (2010) *In vitro* proliferation and triterpenoid characteristics of licorice (*Glycyrrhiza uralensis* Fischer, Leguminosae) stolons. Plant Biotechnol 27: 59–66.

Komalavalli N and Rao MV (2000) *In vitro* micropropagation of *Gymnema sylvestre-a* multipurpose medicinal plant. Plant Cell Tiss Organ Cult 61: 97–105.

Konar S, Karmakar J, Ray A, Adhikari S and Bandyopadhyay TK (2018) Regeneration of plantlets through somatic embryogenesis from root derived calli of *Hibiscus sabdariffa* L. (Roselle) and assessment of genetic stability by flow cytometry and ISSR analysis. PLoS One 13(8): e0202324.

Kondamudi R, Vijayalakshmi V and Murthy KSR (2010) Induction of morphogenetic callus and multiple shoot regeneration in *Ceropegia pusilla* Wight and Arn. Biotechnol 9(2): 141–148.

Koroch A, Juliani HR, Kapteyn J and Simon JE (2002) *In vitro* regeneration of *Echinacea purpurea* from leaf explants. Plant Cell Tissue Organ Cult 69: 79–83.

Kovacik J, Gruz J, Backor M, Strnad M and Repcak M (2009) Salicylic acid-induced changes to growth and phenolic metabolism in *Matricaria chamomilla* plants. Plant Cell Rep 28: 135–143.

Krishna PVG, Venkata RE and Venkata RD (1975) Crystalline principles from the leaves and twigs of *Leptadenia reticulata*. Planta Med 27: 395–400.

Krishnan ML, Roy A and Bharadvaja N (2019) Elicitation effect on the production of asiaticoside and asiatic acid in shoot, callus and cell suspension culture of *Centella asiatica*. J Appl Pharm Sci 9(06): 067–074.

Kuanar A, Kar B, Acharya L and Nayak S (2012) DNA finger printing and essential oil content variation in callus derived regenerants of *Curcuma longa* L Nuclear DNA. Nucleus 55(2): 101–106.

Kulkarni MP and Juvekar AR (2009) Studies on nootropic activity of roots of *Tylophora indica* in mice. J Nat Remed 9/1: 62–67.

Kumar A, Ahmad MS and Naseem M (2010) *In vitro* plant regeneration from organ cultures of *Gmelina arborea* roxb. J. Ind Bot Soc 89(1 & 2): 197–203.

Kumar JV, Kumari BDR and Castaño E (2008) Cyclic somatic embryogenesis and efficient plant regeneration from callus of safflower. Biol Plant 52 (3): 429–436.

Kumar R, Sharma K and Agrawal V (2005) *In vitro* clonal propagation of *Holarrhena antidysenterica* (L.) Wall. through nodal explants from mature trees. In Vitro Cell Dev Biol-Plant 41: 137–144.

Kumar S, Kanwar JK and Sharma DR (2004) *In vitro* regeneration of *Gerbera jamesonii* Bolus from leaf and petiole explants. J Plant Biochem Biotechnol 13:73–75.

Kumar V, Chauhan RS and Sood H (2013) *In vitro* production and efficient quantification of major phytopharmaceuticals in an endangered medicinal herb, *Swertia chirata*. Int J Biotechnol Bioeng Res 4: 495–506.

Kumar V, Moyo M and Van Staden J (2016) Enhancing plant regeneration of *Lachenalia viridiflora*, a critically endangered ornamental geophyte with high floricultural potential. Sci Hortic 211: 263–268.

Kumar V, Rashmi D and Banerjee M (2014) Callus induction and plant regeneration in *Solanum tuberosum* L. cultivars (Kufri Chipsona 3 and MP-97/644) via leaf explants. Int Res J Biol Sci 3(6): 66–72.

Kumari A, Baskaran P and Van Staden J (2017) *In vitro* regeneration of *Begonia homonyma* - A threatened plant. S Afr J Bot 109: 174–177.

Kumari S, Priya P, Misra G and Yadav G (2013) Structural and biochemical perspectives in plant isoprenoid biosynthesis. Phytochem Rev 12: 255–291.

Kumari U, Vishwakarma RK, Gupta N, Ruby MV, Shirgurkar and Khan BM (2015) Efficient shoots regeneration and genetic transformation of *Bacopa monniera*. Physiol Mol Biol Plant 21(2): 261–267.

Kumlay AM and Ercisli S (2015) Callus induction, shoot proliferation and root regeneration of potato (*Solanum tuberosum* L.) stem node and leaf explants under long-day conditions. Biotechnol Biotechnol Equip 29(6): 1075–1084.

Kwiecien I, Szydłowska A, Kawka B, Beerhues L and Ekiert H (2015) Accumulation of biologically active phenolic acids in agitated shoot cultures of three *Hypericum perforatum* cultivars: 'Elixir', 'Helos' and 'Topas'. Plant Cell Tissue Organ Cult 123: 273–281.

Lakshman CD (2016) Bio-diversity and conservation of medicinal and aromatic plants. Adv Plants Agric Res 5(4): 561–566.

Lane WD (1978) Regeneration of apple plants from shoot meristem tips. Plant Sci Lett 13: 281–285.

Largia MJV, Pothiraj G, Shilpha J and Ramesh M (2015) Methyl jasmonate and salicylic acid synergism enhances bacoside A content in shoot cultures of *Bacopa monnieri* (L.). Plant Cell Tissue Organ Cult 122(1): 9–20.

Lata H, Chandra S, Khan IA and ElSohly MA (2010) High frequency plant regeneration from leaf derived callus of high Δ^9-tetrahydrocannabinol yielding *Cannabis sativa* L. Planta Med 76: 1629–1633.

Lee JH and Pijut PM (2017) Adventitious shoot regeneration from *in vitro* leaf explants of *Fraxinus nigra*. Plant Cell Tissue Organ Cult 130: 335–343.

Lee TT (1971) Cytokinin-controlled indoleacetic acid oxidase isoenzymes in tobacco callus cultures. J Plant Physiol 47(12): 181–185.

Lee Y, Lee DE, Lee HS, Kim SK, Lee WS, Kim SH and Kim MW (2011) Influence of auxins, cytokinins, and nitrogen on production of rutin from callus and adventitious roots of the white mulberry tree (*Morus alba* L.). Plant Cell Tissue Organ Cult 105: 9–19.

Leifert C, Murphy KP and Lumsden PJ (1995) Mineral and carbohydrate nutrition of plant cell and tissue cultures. Crit Rev Plant Sci 14(2): 83–109.

Leonardo CC, Agrawal M, Singh N, Moore JR, Biswal S and Doré S (2013) Oral administration of the flavanol (-)-epicatechin bolsters endogenous protection against focal ischemia through the Nrf2 cytoprotective pathway. Eur J Neurosci 38(11): 3659–3668.

Li B, Wang B, Li H, Peng L, Ru M, Liang Z, Yan X and Zhu Y (2016) Establishment of *Salvia castanea* Diels f. *tomentosa* Stib. hairy root cultures and the promotion of tanshinone accumulation and gene expression with Ag^+, methyl jasmonate, and yeast extract elicitation. Protoplasm 253: 87–100.

Li CH, Liu BG, Kim TD, Moon HK and Choi YE (2008) Somatic embryogenesis and plant regeneration in elite genotypes of *Picea koraiensis*. Plant Biotechnol Rep 2: 259–265.

Li J, Zhang D, Ouyang K and Chen X (2019) High frequency plant regeneration from leaf culture of *Neolamarckia cadamba*. Plant Biotechnol 36: 13–19.

Li S and Pu XP (2011) Neuroprotective effect of kaempferol against a 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced mouse model of Parkinson's disease. Biol Pharm Bull 34: 1291–1296.

Li X, Wang X, Luan C, Yang J, Cheng S, Dai Z, Mei P and Huang C (2014) Somatic embryogenesis from mature zygotic embryos of *Distylium chinense* (Fr.) Diels and assessment of genetic fidelity of regenerated plants by SRAP markers. Plant Growth Regul 74: 11–21.

Liang H, Xiong Y, Guo B, Yan H, Jian S, Ren H, Zhang X, Li Y, Zeng S, Wu K, Zheng F, da Silva JAT, Xiong Y and Ma G (2020) Shoot organogenesis and somatic embryogenesis from leaf and root explants of *Scaevola sericea*. Sci Rep 10: 11343.

Liao CL, Lai KC, Huang AC, Yang JS, Lin JJ, Wu SH, Wood WG, Lin JG and Chung JG (2012) Gallic acid inhibits migration and invasion in human osteosarcoma U-2 OS cells through suppressing the matrix metalloproteinase-2/-9, protein kinase B (PKB) and PKC signaling pathways. Food Chem Toxicol 50: 1734–1740.

Liberman R, Shahar L, Nissim-Levi A, Evenor D, Reuveni M and Oren-Shamir M (2010) Shoot regeneration from leaf explants of *Brunfelsia calycina*. Plant Cell Tissue Organ Cult 100: 345–348.

Lim ZX, Ling APK and Hussein S (2009) Callus induction of *Ocimum sanctum* and estimation ofits total flavonoids content. Asian J Agric Sci 1(2): 55–61.

Lin GZ, Zhao XM, Hong SK and Lian YJ (2011) Somatic embryogenesis and shoot organogenesis in the medicinal plant *Pulsatilla koreana* Nakai. Plant Cell Tissue Organ Cult 106: 93–103.

Lin JP, Yang JS, Lin JJ, Lai KC, Lu HF, Ma CY, Sai-Chuen WR, Wu KC, Chueh FS, Gibson Wood W and Chung JG (2012) Rutin inhibits human leukemia tumor growth in a murine xenograft model *in vivo*. Environ Toxicol 27(8): 480–484.

Lin WL, Wang CJ, Tsai YY, Liu CL, Hwang JM and Tseng TH (2000) Inhibitory effect of esculetin on oxidative damage induced by *t*-butyl hydroperoxide in rat liver. Arch Toxicol 74: 467–472.

Lin Y, Shi R, Wang X and Shen HM (2008) Luteolin, a flavonoid with potential for cancer prevention and therapy. Curr Cancer Drug Targets 8(7): 634–646.

Lincy AK, Remashree AB and Sasikumar B (2009) Indirect and direct somatic embryogenesis from aerial stem explants of ginger (*Zingiber officinale* Rosc.). Acta Bot Croat 68(1): 93–103.

Ling A, Yap C, Shaib JM and Vilasini P (2007) Induction and morphogenesis of *Phalaenopsis* callus. J Trop Agric Food Sci 35: 147–152.

Linsmaier EM and Skoog F (1965) Organic growth factor requirements of tobacco tissue cultures. Physiol Plant 18: 100–127.

Liu C, Yu H and Chen SL (2011) Framework for sustainable use of medicinal plants in China. Plant Divers 33(01): 65–68.

Liu CZ, Gao M and Guo B (2008) Plant regeneration of *Erigeron breviscapus* (Vant.) Hand. Mazz. and its chromatographic fingerprint analysis for quality control. Plant Cell Rep 27: 39–45.

Liu CZ, Zhao Y and Wang YC (2006) Artemisinin: current state and perspectives for biotechnological production of an antimalarial drug. App Microbiol Biotechnol 72: 11–20.

Liu W, Song S, Li D, Lu X, Liu J, Zhang J and Wang J (2020) Isolation of diploid and tetraploid cytotypes from mixoploids based on adventitious bud regeneration in *Populus*. Plant Cell Tissue Organ Cult 140: 1–10.

Liu W, Yang Y and Liu Q (2018) Establishment of an efficient regeneration system using heading leaves of Chinese cabbage (*Brassica rapa* L.) and its application in genetic transformation. Hortic Environ Biotechnol 59: 583–596.

Lloyd G and McCown BH (1980) Commercially-feasible micropropagation of mountain laurel, *Kalmia latifolia* by use of shoot-tip culture. Comb Proc Int Plant Propag Soc 30: 421–427.

Lopez-Orenes A, Martinez-Moreno JM, Calderon AA and Ferrer MA (2013) Changes in phenolic metabolism in salicylic acid-treated shoots of *Cistus heterophyllus*. Plant Cell Tissue Organ Cult 113: 417–427.

López-Rubalcava C, Piña-Medina B, Estrada-Reyes R, Heinze G (2006) Martínez-Vázquez M Anxiolytic-like actions of the hexane extract from leaves of *Annona cherimolia* in two anxiety paradigms: Possible involvement of the GABA/benzodiazepine receptor complex. Life Sci 78: 730–737.

Lorence A and Nessler CL (2004) Molecules of interest – camptothecin, over four decades of surprising findings. Phytochem 65: 2735–2749.

Lou Z, Wang H, Rao S, Sun J, Ma C and Li J (2012) *p*-Coumaric acid kills bacteria through dual damage mechanisms. Food Control 25: 550–554.

Loyola-Vargas VM and Ochoa-Alejo N (2016) Somatic embryogenesis- an overview. In: Somatic embryogenesis. Fundamental aspects and applications (Loyola-Vargas VM and Ochoa-Alejo, eds.). Springer, Cham., pp. 1–10.

Lubaina AS and Murugan K (2012) Effect of growth regulators in callus induction, plumbagin content and indirect organogenesis of *Plumbago zeylanica*. Int J Pharm Pharm Sci 4(1): 334–336.

Luceri C, Giannini L, Lodovici M, Antonucci E, Abbate R, Masini E and Dolara P (2007) *p*-Coumaric acid, a common dietary phenol, inhibits platelet activity *in vitro* and *in vivo*. Br J Nutr 97: 458–463.

Luczkiewicz M, Kokotkiewicz A and Glod D (2014) Plant growth regulators affect biosynthesis and accumulation profile of isoflavone phytoestrogens in high-productive in vitro cultures of *Genista tinctoria*. Plant Cell Tissue Organ Cult 118(3): 419–429.

Luo JP, Jiang ST and Pan LJ (2001) Enhanced somatic embryogenesis by salicylic acid of *Astragalus adsurgens* Pall.: relationship with H_2O_2 production and H_2O_2-metabolizing enzyme activities. Plant Sci 161(1): 125–132.

Ma G and Xu Q (2002) Induction of somatic embryogenesis and adventitious shoots from immature leaves of cassava. Plant Cell Tissue Organ Cult 70: 281–288.

Ma GH, da Silva JAT, Lü JF, Zhang XH and Zhao JT (2011) Shoot organogenesis and plant regeneration in *Metabriggsia ovalifolia*. Plant Cell Tissue Organ Cult 105: 355–361.

Ma GH, He CX, Ren H, Zhang M, Li SJ, Zhang XH and Eric B (2010) Direct somatic embryogenesis and shoot organogenesis from leaf explants of *Primulina tabacum* Hance. Biol Plant 54: 361–365.

Magyar-Tábori K, Dobránszki J, Silva JAT, Bulley SM and Hudák I (2010) The role of cytokinins in shoot organogenesis in apple. Plant Cell Tissue Organ Cult 101: 251–267.

Mahoney JD, Apicella PC and Brand MH (2018) Adventitious shoot regeneration from *in vitro* leaves of *Aronia mitschurinii* and cotyledons of closely related *Pyrinae* taxa. Sci Hortic 237: 135–141.

Malik A, Sehrawat K, Ahlawat A and Sehrawat AR (2020) A comparative biochemical evaluation of *in vivo* and *in vitro* propagated *Alhagi maurorum:* an important medicinal plant. Legum Res 43: 627–633.

Malik SK, Chaudhury R and Kalia RK (2005) Rapid *in vitro* multiplication and conservation of Garcinia indica: a tropical medicinal tree species. Sci Hortic 106:539–553.

Mallikarjuna B, Usha NR, Gayathri D and Rama G (2011) *In vitro* antioxidant and free radical scavenging potential of *Holostemma adakodien* K. Schum., an important rare medicinal plant. Int J Pharm Sci Res 2: 2413–2418.

Mammen D, Daniel M and Sane RT (2011) Pharmacognostic and phytochemical studies on *Leptadenia reticulata* (Retz.) Wight & Arn. and *Ichnocarpus frutescens* R. Br. for identification of distinguishing biomarkers. Pharmacogn Mag 2: 7–12.

Manasa G, Mahendra C, Sampathkumar KK and Sudarshana MS (2019) High frequency regeneration from leaf derived callus and its histological studies in *Lepianthes umbellata*, J Herbs Spices Med Plants 25(1): 11–20.

Mandal J and Laxminarayana U (2014) Indirect shoot organogenesis from leaf explants of *Adhatoda vasica* Nees. SpringerPlus doi: 10.1186/2193-1801-3-648.

Mandal S, Parsai A and Tiwari PK (2021) The effect of combination of cytokinins on micropropagation of *Aegle marmelos* (Corr.) Linn. Int J Biotechnol Bioeng 7(1): 21–29.

Manikkoth S, Joy AE, Thyagaraju BM and Rao SN (2012) Effect of *Tylophora indica* on haloperidol induced catalepsy in experimental animal models. Drug Invent Today 4(12): 652–654.

Manjula S, Job A and Nair GM (2000) Somatic embryogenesis from leaf derived callus of *Tylophora indica* (Burm. F.) Merrill. Ind J Exp Biol 38: 1069–1072.

Manoharan R, Tripathi JN and Tripathi L (2016) Plant regeneration from axillary bud derived callus in white yam (*Dioscorea rotundata*). Plant Cell Tissue Organ Cult 126: 481–497.

Mantell SH and Smith H (1983) Cultural factors that influence secondary metabolite accumulations in plant cell and tissue cultures. In: Plant biotechnology (Mantell SH and Smith H, eds.). Cambridge University Press, Cambridge, pp. 75–110.

Mantovani NC, Grando MF, Xavier A and Otoni WC (2013) *In vitro* shoot induction and multiplication from nodal segments of adult *Ginkgo biloba* plants. Hortic Bras 31: 184–189.

Maqsood M and Abdul M (2017) Yeast extract elicitation increases vinblastine and vincristine yield in protoplast derived tissues and plantlets in *Catharanthus roseus*. Rev Bras Farmacogn 27(5): 549–556.

Marcy J, Balunasa A and Kinghornb D (2005) Drug discovery from medicinal plants. Life Sci 78: 431–441.

Margaret S, Maheswari U, Vasudevan A and Selvaraj S (2014) Direct regeneration of multiple shoots from nodal explants of West Indian Gherkin (*Cucumis anguria* L.). Int J Innov Res Sci Eng Technol 3(6): 13876–13881.

Martin G, Geetha SP, Raja SS, Raghu AV, Balachandran I and Ravindran PN (2006) An efficient micropropagation system for *Celastrus paniculatus* Willd.: a vulnerable medicinal plant. J For Res 11: 461–465.

Martin KP (2002) Rapid propagation of *Holostemma ada-kodien* Schult., a rare medicinal plant, through axillary bud multiplication and indirect organogenesis. Plant Cell Rep 21: 112–117.

Martin KP (2003) Plant regeneration through direct somatic embryogenesis on seed coat explants of cashew (*Anacardium occidentale* L.). Sci Hortic 98: 299–304.

Martin KP (2004) Benzyladenine induced somatic embryogenesis and plant regeneration of *Leptadenia reticulata*. Biol Plant 48(2): 285–288.

Maruyama-Nakashita A, Nakamura Y, Yamaya T and Takahashi H (2004) A novel regulatory pathway of sulfate uptake in *Arabidopsis* roots: implication of CRE1/WOL/AHK4-mediated cytokinin-dependent regulation. Plant J 38: 779–789.

Mateos R, Goya L and Bravo L (2006) Uptake and metabolism of hydroxycinnamic acids (chlorogenic, caffeic and ferulic acids) by HepG2 cells as a model of the human liver. J Agric Food Chem 54: 8724–8732.

Mattila P, Pihlava JM and Hellstrom J (2005) Contents of phenolic acids, alkyl- and alkenylresorcinols, and avenanthramides in commercial grain products. J Agric Food Chem 53: 8290–8295.

Meena MK, Singh N and Patni V (2012) *In vitro* multiple shoot induction through axillary bud *of Cocculus hirsutus* (L.) Diels: A threatened medicinal plant. Afr J Biotechnol 11(12): 2952–2956.

Mehaboob VM, Faizal K, Raja P, Thiagu G, Aslam A and Shajahan A (2019) Effect of nitrogen sources and 2, 4-D treatment on indirect regeneration of ginger (*Zingiber officinale* Rosc.) using leaf base explants. J Plant Biotechnol 46: 17–21.

Mehta J, Ansari R, Syedy M, Khan S, Sharma S, Gupta N, Rathore R and Vaishnav K (2012a) An effective method for high frequency multiple shoots regeneration and callus induction of *Bacopa monnieri* (L.) Pennel.: an important medicinal plant. Asian J Plant Sci Res 2(5): 620–626.

Mehta J, Sain M, Mathuriya BL, Naruka R, Kavia A and Sharma DR (2012b) Rapid micropropagation and callus induction of *Terminalia bellerica* Roxb.-an endangered plant. Asian J Plant Sci Res 2(3): 364–368.

Mehta SR and Subramanian RB (2005) Direct *in vitro* propagation of *Asparagus adscendens* Roxb. Plant Tiss Cult 15(1): 25–32.

Mendi YY, Curuk P, Kocaman E, Unek C, Eldogan S, Gencel G and Cetiner S (2009) Regeneration of *Begonia* plantlets by direct organogenesis. Afr J Biotechnol 8: 1860–1863.

Menke FLH, Parchmann S, Mueller MJ, Kijne JW and Memelink J (1999) Involvement of the octadecanoid pathway and protein phosphorylation in fungalelicitor induced expression of terpenoid indole alkaloid biosynthetic genes in *Catharanthus roseus*. Plant Physiol 119: 1289–1296.

Messias TdaS, Rezende RKS, da Silva LF, Jesus MV and Nunes GP (2019) Somatic embryogenesis induction in leaf and root explants of *Allophylus edulis* (A.St.-Hil., Cambess. and A. Juss.) Radlk. Not Bot Horti Agrobot 47(4): 1081–1086.

Midhu CK. Hima S, Binoy J and Satheeshkumar K (2019) Influence of incubation period on callus tissues for plant regeneration in *Ophiorrhiza pectinata* Arn. through somatic embryogenesis. Proc Natl Acad Sci, India, Sect B Biol Sci 89(4): 1439–1446.

Misawa M (1985) Production of useful plant metabolites. In: Plant cell culture (Fiechter A, ed.). Springer Verlag, Berlin, pp. 59–88.

Mishra AK, Sharma K and Misra RS (2012) Elicitor recognition, signal transduction and induced resistance in plants. J. Plant Interact 7: 95–120.

Mishra AK, Singh J and Tiwari KN (2019) *In vitro* regeneration of *Clitoria ternatea* (L.) from nodal explant. Int J Emerg Technol 10(1): 35–41.

Mishra M, Kotwal PC and Prasad C (2009) Harvesting of medicinal plants in the forest of central India and its impact on quality of raw materials, a case of Nagpur district, India. Ecoprint 16: 35–42.

Mishra T (2015) Protocol establishment for multiplication and regeneration of 'Holy Basil' (*Ocimum sanctum* Linn). An important medicinal plant with high religious value in India. J Med Plants Stud 3(4): 16–19.

Misra N and Mehrotra S (2006) Effect of mutagens on production of secondary metabolites in callus culture of Indian sarsaparilla (*Hemidesmus indicus*). Hort Environ Biotechnol 47(1): 23–27.

Misra N, Misra P, Datta SK and Mehrotra S (2003) Improvement in clonal propagation of *Hemidesmus indicus* R.Br. through adenine sulphate. J Plant Biotechnol 5: 239–244.

Misra N, Misra P, Datta SK and Mehrotra S (2005) *In vitro* biosynthesis of antioxidants from *Hemidesmusindicus* R. Br. Cultures. In Vitro Cell Dev Biol-Plant 41(3): 285–290.

Mitrofanova OV, Mitrofanova IV, Kuzmina TN, Lesnikova-Sedoshenko NP, Dolgov SV (2019) *In vitro* adventitious shoot regeneration from leaf explants of some apricot cultivars. Cienc Agrotec 43:e001319.

Mittal J and Sharma MM (2017) Enhanced production of berberine in *in vitro* regenerated cell of *Tinospora cordifolia* and its analysis through LCMS QToF. 3 Biotech 7: 25.

Moffat CA (2001) Clarke's analysis of drugs and poisons. Pharmaceutical Press, London pp. 392.

Mohamed SV, Wang CS, Thiruvengadam M and Jayabalan N (2004) *In vitro* plant regeneration via somatic embryogenesis through cell suspension cultures of horsegram [*Macrotyloma uniflorum* (Lam.) verdc.]. In Vitro Cell Dev Biol-Plant 40: 284–289.

Mohanraj S, Santhoshkumar C and Chandran A (2012) Diuretic activity of whole plant extract of *Leptadenia reticulata*. Res J Pharmacol Pharmacodyn 4: 84–86.

Mohanty S, Panda MK, Sahoo S and Nayak S (2011a) Micropropagation of *Zingiber rubens* and assessment of genetic stability through RAPD and ISSR markers. Biol Plant 55: 16–20.

Mohanty S, Parida R, Singh S, Joshi RK, Subudhi E and Nayak S (2011b) Biochemical and molecular profiling of micropropagated and conventionally grown *Kaempferia galanga*. Plant Cell Tissue Organ Cult 106: 39–46.

Mohanty SK, Swamy MK, Middha SK, Prakash L, Subbanarashiman B and Maniyam A (2015) Analgesic, anti-inflammatory, anti-lipoxygenase activity and characterization of three bioactive compounds in the most active fraction of *Leptadenia reticulata* (Retz.) Wight & Arn.-a valuable medicinal plant. Iran J Pharm Res 14: 933–942.

Mohapatra HP and Rath SP (2005) *In vitro* studies of *Bacopa monnieri*-an important medicinal plant with reference to its biochemical variations. Ind J Exp Biol 43: 373–376.

Moharana A, Das A, Subudhi E, Naik SK and Barik DP (2018) Assessment of genetic fidelity using random amplified polymorphic dna and inter simple sequence repeats markers of *Lawsonia inermis* L. plants regenerated by axillary shoot proliferation. Proc Natl Acad Sci Ind Sect B Biol Sci 88(1): 133–141.

Mok DWS and Mok MC (2001) Cytokinin metabolism and action. Annu Rev Plant Physiol Plant Mol Biol 52: 89–118

Mokhtari A, Zarei M, Samsamzadeh B and Moradi K (2016) Interactive effects of plant growth regulators and explants on direct shoot regeneration of *Viola odorata*. BioTechnol 97(1): 33–39.

Mondal T, Aditya S and Banerjee N (2014) *In vitro* axillary shoot regeneration and direct protocorm-like body induction from axenic shoot tips of *Doritis pulcherrima* Lindl. Plant Tissue Cult Biotechnol 23: 251–261.

Monfort LEF, Bertolucci SKV, Lima AF, de Carvalho AA, Mohammed A, Blank AF and Pinto JEBP (2018) Effects of plant growth regulators, different culture media and strength MS on production of volatile fraction composition in shoot cultures of *Ocimum basilicum*. Ind Crops Prod 116: 231–239.

Mongomake K, Doungous O, Khatabi B and Fondong VN (2015) Somatic embryogenesis and plant regeneration of cassava (*Manihot esculenta* Crantz) landraces from Cameroon. Springerplus 4: 477.

Montesano M, Brader G and Palva ET (2003) Pathogen derived elicitors: searching for receptor in plants. Mol Plant Pathol 4: 73–78.

Moon UR and Mitra A (2016) A mechanistic insight into hydrogen peroxide-mediated elicitation of bioactive xanthones in *Hoppea fastigiata* shoot cultures Planta 244: 259–274.

Moreau RA, Whitaker BD and Hicks KB (2002) Phytosterols, phytostanols, and their conjugates in foods: structural diversity, quantitative analysis, and health-promoting uses. Prog Lipid Res 41: 457–500.

Morozowska M and Wesołowska M (2004) *In vitro* clonal propagation of *Primula veris* L. and preliminary phytochemical analysis. Acta Biol Cracov Ser Bot 46: 169–175.

Morrison M, van der Heijden R, Heeringa P, Kaijzel E, Verschuren L, Blomhoff R, Kooistra T and Kleemann R (2014) Epicatechin attenuates atherosclerosis and exerts anti-inflammatory effects on diet-induced human-CRP and NF*κ*B *in vivo*. Atherosclerosis 233(1): 149–156.

Moses T, Pollier J, Thevelein JM and Goossens A (2013) Bioengineering of plant triterpenoids: From metabolic engineering of plants to synthetic biology *in vivo* and *in vitro*. New Phytol 200: 27–43.

Moura EF, Motoike SY, Ventrella MC, de Sa Junior AQ and Carvalho M (2009) Somatic embryogenesis in macaw palm (*Acrocomia aculeata*) from zygotic embryos. Sci Hortic 119: 447–454.

Mousavi ES, Behbahani M, Hadavi E and Miri SM (2012) Callus induction and plant regeneration in lisianthus (*Eustoma grandiflorium*). Trakia J Sci 10(1): 22–25.

Moyo M, Aremu AO, Gruz J, Šubrtová M, Szüčová L, Doležal K and Van Staden J (2013) Conservation strategy for *Pelargonium sidoides* DC: Phenolic profile and pharmacological activity of acclimatized plants derived from tissue culture. J Ethnopharmacol 149: 557–561.

Mujeeb M, Aeri V, Bagri P and Khan SA (2009) Hepatoprotective activity of the methanolic extract of *Tylophora indica* (Burm. f.) Merill. leaves. Int J Green Pharm 3: 125–127.

Mukherjee E, Sarkar S, Bhattacharyya S and Gantait S (2020) Ameliorated reserpine production via in vitro direct and indirect regeneration system in *Rauvolfia serpentina* (L.) Benth. ex Kurz. 3 Biotech 10: 294.

Mulchandani NB, Iyer SS and Badheka LP (1971) Structure of tylophorinidine: a new potential antitumor alkaloid from *Tylophora indica*. Chem Ind 19: 505–506.

Müller B and Sheen J (2008) Cytokinin and auxin interaction in root stem-cell specification during early embryogenesis. Nature 453: 1094–1097.

Muller D and Leyser O (2011) Auxin, cytokinin and the control of shoot branching. Ann Bot 107(7): 1203–1212.

Murashige T (1974) Plant propagation through tissue culture. Annu Rev Plant Physiol 25: 135–166.

Murashige T (1979) Principles of rapid propagation. In: Propagation of higher plants through tissue culture: a bridge between research and application (Hughes KW, Hanks R and Constantin M, eds.). Alexandria: National Tech in to Serv, US Dept of commerce Spring field's, pp. 14–24.

Murashige T and Skoog F (1962) A revised medium for rapid growth and bio-assays with tobacco tissue cultures. Physiol Plant 15: 473–497.

Murray JD, Karas BJ, Sato S, Tabata S, Amyot L and Szczyglowski K (2007) A cytokinin perception mutant colonized by Rhizobium in the absence of nodule organogenesis. Science 315: 101–104.

Murthy HN, Lee E-J and Paek K-Y (2014) Production of secondary metabolites from cell and organ cultures: strategies and approaches for biomass improvement and metabolite accumulation. Plant Cell Tissue Organ Cult 118(1): 1–16.

Murthy SRK, Kondamudi R and Vijayalakshmi V (2010) Micropropagation of an endangered medicinal plant *Ceropegia spiralis* L. J Agri Technol 6: 179–191.

Mustafa NR, de Winter W, van Iren F and Verpoorte R (2011) Initiation, growth and cryopreservation of plant cell suspension cultures. Nat Protoc 6(6): 715–742.

Mweu CM, Nyende A and Onguso J (2016) Efficient somatic embryogenesis of *Jatropha curcas* L. from petiole and leaf discs. Int J Biotechnol Mol Biol Res 7(3): 29–35.

Mythili JB, Rajeev PR, Vinay G and Nayeem A (2017) Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of *Capsicum annuum* L. Ind J Exp Biol 55: 184–190.

Nabavi SF, Braidy N, Gortzi O, Sobarzo-Sanchez E, Daglia M, Skalicka-Woźniak K and Nabavi SM (2015) Luteolin as an anti-inflammatory and neuroprotective agent: a brief review. Brain Res Bull 119(Pt A): 1–11.

Nabi NG, Shrivastava M, Khan AA, Rashid A and Dar SH (2018) Organogenesis in callus derived from leaf explants of *Spilanthes acmella* Linn: An endangered medicinal plant. J Pharmacogn Phytochem 7(1): 01–07.

Naeem M, Khan MMA, Moinuddin and Siddiqui MH (2009) Triacontanol stimulates nitrogen-fixation, enzyme activities, photosynthesis, crop productivity and quality of hyacinth bean (*Lablab purpureus* L.). Sci Hort 121: 389–396.

Naeem M, Khan MMA, Moinuddin, Idrees M and Aftab T (2011) Triacontanol-mediated regulation of growth and other physiological attributes, active constituents and yield of *Mentha arvensis* L. Plant Growth Regul 65: 195–206.

Nafie E, Hathout T and Al Mokadem AS (2011) Jasmonic acid elicits oxidative defense and detoxification systems in *Cucumis melo* L. cells. Braz J Plant Physiol 23(2): 161–174.

Naga Vamsi Krishina A, Nadeem MD, Pardha Saradhi M, Mahendran B and Bharathi S (2014) Cumulative activity of the *p*-coumaric acid and syringaldehyde for antimicrobial activity of different microbial strains. Eur J Exp Biol 4: 40–43.

Nagahatenna DSK and Peiris SE (2007) *In vitro* propagation of *Hemidesmus indicus* (L.) R. Br. (Iramusu) through nodal culture. Trop Agric Res 19: 181–192.

Nagaraj M, Sunitha S and Varalakshmi P (2000) Effect of lupeol, a pentacyclic triterpene, on the lipid peroxidation and antioxidant status in rat kidney after chronic cadmium exposure. J App Toxicol 20: 413–417.

Nagella P and Murthy HN (2010) Establishment of cell suspension cultures of *Withania somnifera* for the production of withanolide. Bioresour Technol 101: 6735–6739.

Naggar HME and Osman AR (2014) Micropropagation and organogenesis of *Peperomia obtusifolia*. Asian J Crop Sci 6(1): 58–66.

Najar RA, Fayaz M, Bhat MH, Bashir M, Kumar A and Jain AK (2018) An efficient micropropagation protocol for direct organogenesis from nodal explants of medicinal climber, *Tylophora indica*. Biosci Biotech Res Comm 11(1): 144–153.

Nakhooda M and Mandiri E (2016) Using synergistic exogenous phytohormones to enhance somatic embryogenesis from leaf explants of a *Eucalyptus grandis* clone. South For 78(1): 73–80.

Nalawade SM, Sagare AP, Lee CY, Kao CL and Tsay HS (2003) Studies on tissue culture of Chinese medicinal plant resources in Taiwan and their sustainable utilization. Bot Bull Acad Sin 44: 79–98.

Nam SY, Jeong HJ and Kim HM (2017) Kaempferol impedes IL-32-induced monocyte-macrophage differentiation. Chem. Biol. Interact 274: 107–115.

Namdeo AG (2007) Plant cell elicitation for production of secondary metabolites: a review. Pharmacogn Rev 1: 69–79.

Namdeo AG, Patil S and Fulzele DP (2002) Influence of fungal elicitors on production of ajmalicine by cell cultures of *Catharanthus roseus*. Biotechnol Prog 18: 159–162.

Nandagopal S and Kumari RBD (2006) Adenine sulphate induced high frequency shoot organogenesis in callus and *in vitro* flowering of *Cichorium intybus* L. cv. Focus - a potent medicinal plant. Acta Agric Slov 87(2): 415–425.

Narayan JP (2016) *Ex-situ* conservation of the rare and threatened medicinal climber *Corallocarpus epigaeus* Rottler through *in vitro* regeneration method. Br Biotechnol J 14(3): 1–10.

Narayanan J and Marimuthu alias Antonysamy J (2016) HPTLC fingerprint profile (phenolics) of selected *Cyathea* species from western ghats, south India. Chin J Biol 6420371.

Nasiri-Bezenjani MA, Riahi-Madvar A, Baghizadeh A and Ahmadi AR (2014) Rosmarinic acid production and expression of tyrosine aminotransferase gene in *Melissa officinalis* seedlings in response to yeast extract. J Agri Sci Technol 16: 921–930.

Nath S and Buragohain A (2005) Establishment of callus and cell suspension cultures of *Centella asiatica*. Biol Plant 49: 411–413.

Nayak P and Kalidass C (2016) *In vitro* Regeneration of *Blepharispermum subsessile* DC: An Endangered Medicinal Plant of Odisha, India using Cotyledon Explants. Plant Tissue Cult Biotechnol 26(2): 255–266.

Nayak S, Kaur T, Mohanty S, Ghosh G, Choudhury R, Acharya L and Subudhi E (2011) *In vitro* and *ex vitro* evaluation of long-term micropropagated turmeric as analyzed through cytophotometry, phytoconstituents, biochemical and molecular markers. Plant Growth Regul 64: 91–98.

Nayampalli SS and Sheth UK (1979) Evaluation of anti-allergic activity of *Tylophora indica* using rat lung perfusion. Ind J Pharmacol 11(3): 229–232.

Nazir R, Gupta S, Dey A, Kumar V, Yousuf M, Hussain S, Dwivedi P and Pandey DK (2020) *In vitro* propagation and assessment of genetic fidelity in *Dioscorea deltoidea*, a potent diosgenin yielding endangered plant. S Afr J Bot doi: https://doi.org/10.1016/j.sajb.2020.07.018

Nazir R, Gupta S, Kumar V, Gupta AP, Dwivedi P, Dey A, Malik T and Pandey DK (2021) Enhanced *in vitro* production of diosgenin in shoot cultures of *Dioscorea deltoidea* by elicitation and precursor feeding. Res Square doi: https://doi.org/10.21203/rs.3.rs-41829/v2

Ncube B, Ngunge VNP, Finnie JF and Van Staden J (2011) A comparative study of the antimicrobial and phytochemical properties between outdoor grown and micropropagated *Tulbaghia violacea* Harv. Plants. J Ethnopharmacol 134: 775–780.

Nema AK, Agarwal A and Kashaw V (2011) Screening of hepatoprotective potential of *Leptadenia reticulata* stems against paracetamol–induced hepatotoxicty in rats. Int J Res Pharm Biomed Sci 2: 666–671.

Ng TLM, Karim R, Tan YS, Teh HF, Danial AD, Ho LS, Khalid N, Appleton DR and Harikrishna JA (2016) Amino acid and secondary metabolite production in embryogenic and non- embryogenic callus of fingerroot ginger (*Boesenbergia rotunda*). PLoS One 11(6): e0156714

Ngezahayo F and Liu B (2014) Axillary bud proliferation approach for plant biodiversity conservation and restoration. Int J Biodivers doi: 10.1155/2014/727025.

Nhan NH and Loc NH (2018) Enhancement of eurycomanone biosynthesis in cell culture of longjack (*Eurycoma longifolia*) by elicitor treatment. J Plant Biotechnol 45: 340–346.

Ni Q, Xu G, Wang Z, Gao Q, Wang S and Zhang Y (2012) Seasonal variations of the antioxidant composition in ground bamboo *Sasa argenteastriatus* Leaves. Int J Mol Sci 13: 2249–2262.

Nigam N, Prasad S and Shukla Y (2007) Preventive effects of lupeol on DMBA induced DNA alkylation damage in mouse skin. Food Chem Toxicol 45: 2331–2335.

Nikam TD and Savant RS (2009) Multiple shoot regeneration and alkaloid cerpegin accumulation in callus culture of *Ceropegia juncea* Roxb. Physiol Mol Biol Plant 15(1): 71–77.

Nikam TD, Ebrahimi MA and Patil VA (2009) Embryogenic callus culture of *Tribulus terrestris* L. a potential source of harmaline, harmine and diosgenin. Plant Biotechnol Rep 3: 243–250.

Nikam TD, Savant RS and Parage RS (2008) Micropropagation of *Ceropegia hirsute* Wt. & Arn.- a starchy tuberous asclepid. Ind J Biotechnol 7: 129–132.

Nirmal SA, Pal SC, Otimenyin SO, Aye T, Elachouri M, Kundu SK, Thandavarayan RA and Mandal SC (2013) Contribution of herbal products in global market. Pharma Rev 95–104.

Nitsch JP and Nitsch C (1969) Haploid Plants from Pollen Grains. Science 163: 85–87.

Nowakowska M, Pavlovic Z, Nowicki M , Boggess SL and Trigiano RN (2020) *In vitro* propagation of an endangered *Helianthus verticillatus* by axillary bud proliferation. Plants doi: 10.3390/plants9060712

Nurwahyuni I, Situmorang M and Sinaga R (2020) Plant regeneration through callus cultures from leaf explant of sumatra benzoin (*Styrax benzoin*). Int J For Res doi: https://doi.org/10.1155/2020/8860178

Ogata A, Tsuruga A, Matsuno M and Mizukami H (2004) Elicitor-induced rosmarinic acid biosynthesis in Lithospermum erythrorhizon cell suspension cultures: Activities of rosmarinic acid synthase and the final two cytochrome P450- catalyzed hydroxylations. Plant Biotechnol 21(5): 393–396.

Ogita S (2015) Plant cell, tissue and organ culture: The most flexible foundations for plant metabolic engineering applications. Nat Prod Commun 10(5): 815–820.

Opsahl S and Benner R (1993) Decomposition of senescent blades of the seagrass *Halodule wrightii* in a subtropical lagoon. Mar Ecol Prog Ser 94: 191–205.

Ortiz BOC, Reyes MEP and Balch EPM (2000) Somatic embryogenesis and plant regeneration in *Acacia farnesiana* and *A. Schaffneri*. In Vitro Cell Dev Biol-Plant 36: 268–272.

Othman R, Zaifuddin FAM and Hassan NM (2015) Constitutive, institutive and upregulation of carotenogenesis regulatory mechanism via *in vitro* culture model system and elicitors. Malays J Ana Sci 19(2): 437–444.

Ouyang Y, Chen Y, Lü J, da Silva JAT, Zhang X and Ma G (2016) Somatic embryogenesis and enhanced shoot organogenesis in *Metabriggsia ovalifolia* W. T. Wang. Sci Rep 6: 24662.

Ozarowski M, Paszel-Jaworska A, Romaniuk A, Rybczynska M, Kedzia B, Holderna-Kedzia E, Gryszczynska A and Thiem B (2013) Evaluation of cytotoxic activity of leaf and callus culture of *Passiflora* sp. extracts in human acute lymphoblastic leukemia cell lines and antibacterial properties against *Staphylococcus aureus.* XXV Polish - German Anniversary Symposium Poznan-Halle "Perspectives and Challenges in Medicine". Poznan, Poland.

Özel CA (2018) Efficient *in vitro* plant regeneration from cultured leaf and petiole explants of *Isatis constricta* davis. Acta Sci Pol Hortorum Cultus 17(3): 49–55.

Ozgur C and Sule A (2009) Defensive and secondary metabolism in *Astragalus chrysochlorus* cell cultures in response to yeast extract stressor. J Environ Biol 30: 51–55.

Padmalatha K, Venkataraman BV and Roopa R (2002) Antianaphylactic effect of DLH-3041 (polyherbal formulation) on rat mesenteric mast cell degranulation. Ind J Pharmacol 34: 119–122.

Padmapriya H, Karthikeyan AVP, Jahir Hussain G, Karthi C and Velayutham P (2011) An efficient protocol for *in vitro* propagation of *Solanum nigrum* L. from nodal explants. J Agric Technol 7(4): 1063–1073.

Paek KY, Chakrabarty D and Hahn EJ (2005) Application of bioreactor systems for large scale production of horticultural and medicinal plants. Plant Cell Tissue Organ Cult 81: 287–300.

Pagnussat GC, Alandete-Saez M, Bowman JL and Sundaresan V (2009) Auxin dependent patterning and gamete specification in the Arabidopsis female gametophyte. Science 324(5935): 1684–1689.

Pal A, Sharma PP, Pandya TN, Acharya R, Patel BR, Shukla VJ and Rabishankar B (2012) Phytochemical evaluation of aqueous extract of Jivanti (*L. reticulata*). Ayu 33: 557–560.

Palacio L, Cantero JJ, Cusido RM and Goleniowski ME (2012) Phenolic compound production in relation to differentiation in cell and tissue cultures of *Larrea divaricata* (Cav.). Plant Sci (193–194): 1–7.

Panaia M, Senaratma T, Dixon KW and Sivasithamparam K (2004) The role of cytokinins and thidiazuron in the stimulation of somatic embryogenesis in key members of the Restionaceae. Aust J Bot 52: 257–265.

Panche AN, Diwan AD and Chandra SR (2016) Flavonoids: an overview. J Nutr Sci 5(47): 1–15.

Panda S, Jafri M, Kar A and Meheta BK (2009) Thyroid inhibitory, antiperoxidative and hypoglycemic effects of stigmasterol isolated from *Butea monosperma*. Fitoterapia 80(2): 123– 126.

Pandey BN and Singh NB (2012) Micropropagation of *Dendrocalamus strictus* nees from mature nodal explants. J Appl Nat Sci 4(1): 5–9.

Pandey DK, Parida S and Dey A (2016) Comparative HPTLC analysis of bioactive marker barbaloin from *in vitro* and naturally grown *Aloe vera*. Rev Bras Farmacogn 26: 161–167.

Pandey S, Singh M, Jaiswal U and Jaiswal VS (2006) Shoot initiation and multiplication from a mature tree of *Terminalia arjuna* Roxb. In Vitro Cell Dev Biol-Plant 42(5): 389–393.

Panigrahi J, Gantait S and Patel IC (2017) Concurrent production and relative quantification of vasicinone from *in vivo* and *in vitro* plant parts of Malabar nut (*Adhatoda vasica* Nees). 3 Biotech 7: 280.

Panwar GS and Guru SK (2011) Alkaloid profiling and estimation of reserpine in *Rauwolfia serpentina* plant by TLC, HP-TLC and HPLC. Asian J Plant Sci 10: 393–400.

Papiez MA, Baran J, Bukowska-Straková K and Wiczkowski W (2010) Antileukemic action of (-)-epicatechin in the spleen of rats with acute myeloid leukemia. Food Chem Toxicol 48(12): 3391–3397.

Parabia MF, Gami B, Kothari IL, Mohan JSS and Parabia HM (2007) Effect of plant growth regulators on *in vitro* morphogenesis of *Leptadenia reticulata* from nodal explants. Curr Sci 92: 1290–1293.

Parale AP and Nikam TD (2009) Influence of auxins, cytokinins and biotic elicitors on accumulation of memory enhancer comound bacoside-A in tissue culture of *Bacopa monniera* (L.) Pennell. Med Arom Plant Sci Biotechnol 3(1): 74–81.

Parast BM, Chetri SK, Sharma K and Agrawal V (2011) *In vitro* isolation, elicitation of psoralen in callus cultures of *Psoralea corylifolia* and cloning of psoralen synthase gene. Plant Physiol Biochem 49: 1138–1146.

Parida R (2018) Coronarin-D production from tissue cultured plantlets of *Hedychium coronarium*. J Biol Active Prod Nature 8(3): 162–170.

Parimalan R, Venugopalan A, Giridhar P and Ravishankar GA (2011) Somatic embryogenesis and *Agrobacterium*-mediated transformation in *Bixa orellana* L. Plant Cell Tissue Organ Cult 105: 317–328.

Parle M and Bansal N (2006) Traditional medicinal formulation, chyawanprash- A review. Ind J Tradit Knowl 5: 484–488.

Parveen S and Shahzad A (2014) Factors affecting *in vitro* plant regeneration from cotyledonary node explant of *Senna sophera* (L.) Roxb. – A highly medicinal legume. Afr J Biotechnol 13(3): 413–422.

Parzymies M and Dabski M (2012) The effect of cytokinin types and their concentration on *in vitro* multiplication of *Clematis viticella* (L.) and *Clematis integrifolia* 'Petit Faucon'. Acta Sci Pol Hortorum Cultus 11(1): 81–91.

Pasternak TP, Prinsen ELS, Ayaydin F, Miskolczi P, Potters G, Asard H, Vanonckelen HA, Dudits D and Fehér A (2002) The role of auxin, pH, and stress in the activation of

embryogenic cell division in leaf protoplast derived cells of alfalfa. Plant Physiol 129(4): 1807–1819.

Patel AK, Agarwal T, Phulwaria M, Kataria V and Shekhawat NS (2014) An efficient *in vitro* plant regeneration system from leaf of mature plant of *Leptadenia reticulata* (Jeewanti): a life giving endangered woody climber. Ind Crops Prod 52: 499–505.

Patel MB and Patel RS (2013) Effects of plant growth regulators (PGRs) on callus induction from leaf segments explant of *Tecomella undulate* (Sm.) Seem-an important medicinal plant. Int J Sci Res Pub 3(12): 1–4.

Patel N, Gujrati V, Gouda TS, VenkatRao N, Nandakumar K, Shalam M and Shanta Kumar SM (2007) Hepatoprotective effect of root extracts of *Tylophora indica* (Wight & Arn) against ethanol induced liver damage in rats. Toxicol Int 14(1): 57–62.

Patel NV (1947) A suggestion to gynaecologists. Antiseptic 44: 377–380.

Patel RP and Dantwala AS (1958) Antimicrobial activity of *Leptadenia reticulata*. Ind J Pharm 20: 241–244.

Patel SR, Pathak AR, Joshi AG, Shrivastava N and Sharma S (2021) Chemical profiling of *Tylophoraindica* (Burm. F.) Merrill. shoot cultures established through leaf explant. Proc Natl Acad Sci India Sec B Biol Sci 91(1): 37–43.

Pathak A, Joshi A and Sharma A (2019) Development of shoot cultures from leaf explant of *Portulaca quadrifida* L. Not Sci Biol 11(1): 45–50.

Pathak A, Joshi A, Shrivastava N and Sharma P (2017) Regeneration and chemical profiling in *Hemidesmus indicus* (L.) R. Br. S Afr J Bot 113: 413–420.

Pathak A, Patel S, Joshi A, Shrivastava N and Sharma S (2021) Micropropagation of *Eclipta alba* (L.) Hassk. and chemical profiling of cultures using HPTLC. Res J Biotech 16(4): 31–38.

Pathak AR and Joshi AG (2017) Indirect organogenesis from leaf explants of *Hemidesmus indicus* (L.) R. Br.: an important medicinal plant. Plant Biosyst 151(1): 1–5.

Patil JG, Ahire ML, Nitnaware KM, Panda S, Bhatt VP, Kavi Kishor PB and Nikam TD (2013) *In vitro* propagation and production of cardiotonic glycosides in shoot cultures of *Digitalis purpurea* L. by elicitation and precursor feeding. Appl Microbiol Biotechnol 97: 2379–2393.

Patni S, Zaidi Y, Asghar S and Jamaluddin S (2010) *In vitro* propagation and callus formation of *Bacopa monnieri* (L.) Penn. Plant Tissue Cult Biotechnol 20(2): 119–125.

Pattar PV and Jayaraj M (2012) *In vitro* regeneration of plantlets from leaf and nodal explants of *Aristolochia indica* L.- An important threatened medicinal plant. Asian Pac J Trop Biomed 2012: S488–S493.

Pavlovic S, Vinterhalter B, Zdravkovic-Korac S, Vinterhalter D, Zdravkovic J, Cvikic D and Mitic N (2012) Recurrent somatic embryogenesis and plant regeneration from immature zygotic embryos of cabbage (*Brassica oleracea* var. capitata) and cauliflower (*Brassica oleracea* var. botrytis). Plant Cell Tissue Organ Cult 113: 497–506.

Pencik A, Tureková V, Paulisiç S, Rolcìk J, Strnad M and Mihaljevic S (2015) Ammonium regulates embryogenic potential in *Cucurbita pepo* through pH-mediated changes in endogenous auxin and abscisic acid. Plant Cell Tissue Organ Cult 122: 89–100.

Perera PIP, Vidhanaarachchi VRM, Gunathilake TR, Yakandawala DMD, Hocher V, Verdeil JL and Weerakoon LK (2009) Effect of plant growth regulators on ovary culture of coconut (*Cocos nucifera* L.). Plant Cell Tissue Organ Cult 99: 73–81.

Pérez-González MZ, Nieto-Trujillo A, Gutiérrez-Rebolledo GA, García-Martínez I, Estrada-Zúñiga ME, Bernabé-Antonio A, Jiménez-Arellanes MA and Cruz-Sosa F (2019) Lupeol acetate production and antioxidant activity of a cell suspension culture from *Cnidoscolus chayamansa* leaves. S Afr J Bot 125: 30–38.

Perez-Tortosa V, Lopez-Orenes A, Martinez-Perez A, Ferrer MA and Calderon AA (2012) Antioxidant activity and rosmarinic acid changes in salicylic acid-treated *Thymus membranaceus* shoots. Food Chem 130: 362–369.

Phillips GC (2004) *In vitro* morphogenesis in plants- Recent advances. In Vitro Cell Dev Biol-Plant 40: 342–345.

Pieterse CMJ, Schaller A, Mauch-Mani B and Conrath U (2006) Signaling in plant resistance responses: divergence and cross-talk of defense pathways. In: Multigenic and induced systemic resistance in plants (Tuzun S and Bent E, eds.). Springer, New York, pp. 166–196.

Pinto DLP, de Almeida AMR, Rego MM, da Silva ML, de Oliveira EL and Otoni WC (2011) Somatic embryogenesis from mature zygotic embryos of commercial passionfruit (*Passiflora edulis* Sims) genotypes. Plant Cell Tissue Organ Cult 107: 521–530.

Pragasam SJ, Venkatesan V and Rasool M (2013) Immunomodulatory and anti-inflammatory effect of *p*-coumaric acid, a common dietary polyphenol on experimental inflammation in rats. Inflamm 36: 169–176.

Prajapati NS, Purohit SS, Sharma AK and Kumar T (2003) A handbook of medicinal plants. Agrobios, India.

Prakash L, Middha SK, Mohanty SK and Swamy MK (2016) Micropropagation and validation of genetic and biochemical fidelity among regenerants of *Nothapodytes nimmoniana* (Graham) Mabb. employing ISSR markers and HPLC. 3 Biotech 6: 171.

Prakash M and Gurumurthi K (2010) Effects of type of explant and age, plant growth regulators and medium strength on somatic embryogenesis and plant regeneration in *Eucalyptus camaldulensis*. Plant Cell Tissue Organ Cult 100(1): 13–20.

Prashanth KV, Ravishankara MN, Padh H and Rajani M (2003) High-performance thin-layer chromatographic method for estimation of rutin in medicinal plants. J Planar Chromatogr 3(16): 386–389.

Pravansha S, Thippeswamy BS and Veerapur VP (2012) Immunomodulatory and antioxidant effect of *Leptadenia reticulata* leaf extract in rodents: possible modulation of cell and humoral immune response. Immunopharm Immunotoxicol 34(6): 1010–1019.

Preethi MP, Sangeetha U, Pradeepa D, Valizadeh M and Senthil K (2014) *In vitro* and field grown root extracts of *Withania coagulans*. Int J Pharm Pharm Sci 6(5): 480–488.

Prem Kumar G, Subiramani S, Govindarajan S, Sadasivam V, Manickam V, Mogilicherla K, Thiruppathi SK and Narayanasamy J (2015) Evaluation of different carbon sources for high frequency callus culture with reduced phenolic secretion in cotton (*Gossypium hirsutum* L.) cv. SVPR-2. Biotechnol Rep 7: 72–80.

Purkayastha J, Sugla T, Paul A, Solleti S and Sahoo L (2008) Rapid *in vitro* multiplication and plant regeneration from nodal explants of *Andrographis paniculata*: a valuable medicinal plant. In Vitro Cell Dev Biol-Plant 44: 442–447.

Purohit P, Bais RT, Singh P and Kha S (2015) Comparative assessment of lupeol in wild plant and *in vitro* callus culture of *Hemidesmus indicus* by HPLC technique. UK J Pharm Biosci 3(1): 42–46.

Purohit S, Joshi K, Rawat V, Bhatt ID and Nandi SK (2020) Efficient plant regeneration through callus in *Zanthoxylum armatum* DC: an endangered medicinal plant of the Indian Himalayan region. Plant Biosyst 154(3): 288–294.

Purohit SD and Kukda G (2004) Micropropagation of an adult tree-*Wrightia tinctoria*. Ind J Biotechnol 3: 216–220.

Pushpa KB, Mahipal RR, Manasa VB, Mohan BT and Ranganayakulu D (2010) Antiepileptic activity and neuropharmacological screening of methanolic extract of *Leptadenia reticulata* against different experimental models. J Adv Drug Res 1: 1–8.

Putalun W, Udomsin O, Yusakul G, Juengwatanatrakul T, Sakamoto S and Tanaka H (2010) Enhanced plumbagin production from *in vitro* cultures of *Drosera burmanii* using elicitation. Biotechnol Lett 32: 721–724.

Qiu X, Lei C, Huang L, Li X, Hao H, Du Z, Wang H, Ye H, Beerhues L and Liu B (2012) Endogenous hydrogen peroxide is a key factor in the yeast extract-induced activation of biphenyl biosynthesis in cell cultures of *Sorbus aucuparia*. Planta 235: 217–223.

Quiroz-Figueroa F and Mendez-Zeel M (2001) Picomolar concentration of salicylates induce cellular growth and enhance somatic embryogenesis in *Coffea arabica* tissue culture. Plant Cell Rep 20(8): 679–689.

Quiroz-Figueroa FR, Rojas-Herrera R, Galaz-Avalos RM and Loyola-Vargas VM (2006) Embryo production through somatic embryogenesis can be used to study cell differentiation in plants. Plant Cell Tissue Organ Cult 86: 285–301

Quisen R, Lima YOU, Pileggi M, Cuquel F and Quoirin M (2009) Selective agent and *A. tumefaciens* overgrowth-control antibiotics in *Eucalyptus camaldulensis* cotyledonary culture. Brazil Arc Biol Technol 52: 1485–1492.

Radman R, Saez T, Bucke C and Keshavarz T (2003) Elicitation of plant and microbial systems. Biotechnol App Biochem 37: 91–102.

Raemakers CJJM, Jacobsen E and Visser RGF (1995) Secondary somatic embryogenesis and applications in plant breeding. Euphytica 81: 93–107.

Rafieian-Kopaei M (2013) Medicinal plants and the human needs. J Herb Med Pharm 1: 1–2.

Rafsanjani MS, Alvari A, Mohammad A, Abdin MZ and Hejazi MA (2011) *In vitro* propagation of *Cichorium intybus* L. and quantification of enhanced secondary metabolite (Esculin). Recent Pat Biotechnol 5(3): 227–234.

Raha S and Roy SC (2001) *In vitro* plant regeneration in *Holarrhena antidysenterica* through high frequency axillary shoot proliferation. In Vitro Cell Dev Biol- Plant 37: 232–236.

Rahimi S, Devi BSR, Khorolragchaa A, Kim YJ, Kim JH, Jung SK and Yang DC (2014) Effect of salicylic acid and yeast extract on the accumulation of jasmonic acid and sesquiterpenoids in *Panax ginseng* adventitious roots. Russ J Plant Physiol 61: 811–817.

Rahman ZA, Noor ES, Ali MS, Mirad R and Othman AN (2015) *In vitro* micropropagation of a valuable medicinal plant *Plectranthus amboinicus*. Am J Plant Sci 6(8): 1091–1097.

Rai MK (2010) Review: biotechnological strategies for conservation of rare and endangered medicinal plants. Biodivers 11(3): 157–166.

Rai MK, Jaiswal VS and Jaiswal U (2008) Effect of ABA and sucrose on germination of encapsulated somatic embryos of guava (*Psidium guajava* L.). Sci Hortic 117: 302–305.

Raj RP, Glint VD and Babu KN (2015) *In vitro* plant regeneration in *Capsicum chinense* Jacq. (Naga Chili). J Appl Biol 3(1): 30–33.

Rajan M, Shehena S, Chandran V and Mathew L (2020) Callus induction, indirect organogenesis and plantlet regeneration from different explants of *Vernonia anthelmintica* (L.) Willd. J Appl Biol Biotechnol 8(03): 17–22.

Rajanna LN, Seetharam YN and Devendra NK (2009) Isolation and characterization of lupeol from roots of *Leptadenia reticulata* and its antimicrobial activity. Pharmacologyonline 3: 489–494.

Rajeswari J and Rani S (2014) GC-MS analysis of whole plant of *Leptadenia reticulata*. Int J PharmTech Res 6(7): 2043–2050.

Raju CS, Aslam A and Shajahan A (2015) High-efficiency direct somatic embryogenesis and plant regeneration from leaf base explants of turmeric (*Curcuma longa* L.). Plant Cell Tissue Organ Cult 122: 79–87.

Raju CS, Aslam A, Kathiravan K. Palani P and Shajahan A (2014) Direct somatic embryogenesis and plant regeneration from leaf sheath explants of mango ginger (*Curcuma amada* Roxb.). In Vitro Cell Dev Biol-Plant 50: 752–759.

Rama Devi B, Mohan Ch, Manjula P, Kumar BK, Naresh B and Prathibha Devi B (2014) Phytochemical and micropropagation studies in *Hemidesmus indicus* (L.) R. Br. J Ind Bot Soc 93(3&4): 19–24.

Ramakrishnan Nair R and Dutta Gupta S (2006) High-frequency plant regeneration through cyclic secondary somatic embryogenesis in black pepper (*Piper nigrum* L.). Plant Cell Rep 24: 699–707.

Ramesh M, Saravanakumar RM and Pandian K (2006) Benzyl amino purine and adenine sulphate induced multiple shoot and root induction from nodal explant of Brahmi, *Bacopa monnieri* (Linn.) Penn. Nat Prod Radiance 5(1): 44–51.

Ramezannezhad R, Aghdasi M and Fatemi M (2019) Enhanced production of cichoric acid in cell suspension culture of *Echinacea purpurea* by silver nanoparticle elicitation. Plant Cell Tissue Organ Cult 139: 261–273.

Rani V and Raina SN (2000) Genetic fidelity of organized meristem-derived micropropagated plants: A critical reappraisal. In Vitro Cell Dev Biol-Plant 36: 319–330.

Rao KN and Venkatachalam SR (2000) Inhibition of dihydrofolate reductase and cell growth activity by the phenanthroindolizidine alkaloids pergularinine and tylophorinidine: the *in vitro* cytotoxicity of these plant alkaloids and their potential as antimicrobial and anticancer agents. Toxicol In Vitro 14: 53–59.

Rao KV, Wilson RA and Cummings B (1971) Alkaloids of *Tylophora indica* and *T. dalzelli*. J Pharm Sci 60: 1725–1726.

Rao SR and Ravishankar GA (2002) Plant cell cultures: chemical factories of secondary metabolites. Biotechnol Adv 20: 101–153.

Raomai S, Kumaria S and Tandon P (2014) Plant regeneration through direct somatic embryogenesis from immature zygotic embryos of the medicinal plant, *Paris polyphylla* Sm. Plant Cell Tissue Organ Cult 118: 445–455.

Rather MA, Ganai BA, Kamili AN, Qayoom M, Akbar S, Masood A, Rasool R, Wani SH and Qurishi MA (2012) Comparative GCFID and GC-MS analysis of the mono and sesquiterpene secondary metabolites produced by the field grown and micropropagated plants of *Artemisia amygdalina* Decne. Acta Physiol Plant 34: 885–890.

Rathinavel S and Sellathurai T (2010) *In vitro* regeneration and phytochemical screening of *Tylophora indica*, an endangered medicinal herb. J Ex Sci 1(11): 04–06.

Rathore JS, Rai MK and Shekhawat NS (2012) Induction of somatic embryogenesis in gum arabic tree [*Acacia senegal* (L.) Willd.]. Physiol Mol Biol Plants 18(4): 387–392.

Rathore MS, Mastan SG, Yadav P, Bhatt VD, Shekhawat NS and Chikara J (2016) Shoot regeneration from leaf explants of *Withania coagulans* (Stocks) Dunal and genetic stability evaluation of regenerates with RAPD and ISSR markers. S Afr J Bot 102: 12–17.

Rathore MS, Rathore MS and Shekhawat NS (2013) *Ex vivo* implications of phytohormones on various *in vitro* responses in *Leptadenia reticulata* (Retz.) Wight. & Arn.-an endangered plant. Environ Exp Bot 86: 86–93.

Rattan S, Kumar D and Warghat AR (2021) Growth kinetics, metabolite yield, and expression analysis of biosynthetic pathway genes in friable callus cell lines of *Rhodiola imbricata* (Edgew). Plant Cell Tissue Organ Cult doi: https://doi.org/10.1007/s11240-021-02057-8.

Rauth S, Ray S, Bhattacharyya S, Mehrotra DG, Alam N, Mondal G, Nath P, Roy A, Biswas J and Murmu N (2016) Lupeol evokes anticancer effects in oral squamous cell carcinoma by inhibiting oncogenic EGFR pathway. Mol Cell Biochem 417(1–2): 97–110.

Rawat GS (2008) Special habitats and threatened plants of India, ENVIS bulletin: Wildlife and protected areas, vol. 11. Wildlife Institute of India, Dehradun, India, pp. 239.

Razali Z, Hamid NAA, Rahim NS, Kawi RM and Ismail WINW (2017) Yeast extract stimulate growth and production of phenol, 2, 4-bis (1,1-dimethylethyl) of tissue culture *Orthosiphon stamineus*. J Appl Environ Biol Sci 7(6): 17–22.

Reddy BK, Balaji M, Reddy PU, Sailaja G, Vaidyanath K and Narsimha G (2009) Antifeedant and antimicrobial activity of *Tylophora indica*. Afr J Biochem Res 3: 393–397.

Rehman HU, Jameel A, Chester K, Tajuddin TE and Ahmad S (2014) Chemoprofiling and tissue culture studies on *Picrorhiza kurroa* Royle ex Benth. for production of picroside II. Ann Phytomed 3(2): 70–77.

Rehman RU, Israr M, Srivastava PS, Bansal KC and Abdin MZ (2003) *In vitro* regeneration of witloof chicory (*Cichorium intybus* L.) from leaf explants and accumulation of esculin. In Vitro Cell Dev Biol-Plant 39: 142–146.

Reich E and Schibli A (2006) High-performance thin-layer chromatography for the analysis of medicinal plants. Thieme, New York, USA.

Reis A, Boutet-Mercey S, Massot S, Ratet P and Zuanazzi JAS (2019) Isoflavone production in hairy root cultures and plantlets of *Trifolium pratense*. Biotechnol Lett 41: 427-442.

Reshi NA, Sudarshana MS and Girish HV (2017) *In vitro* micropropagation of *Anisochilus carnosus* (L) Wall. J App Pharma Sci 7(07): 98–102.

Revathi J, Manokari M, Latha R, Priyadharshini S, Kher MM and Shekhawat MS (2019) *In vitro* propagation, *in vitro* flowering, *ex vitro* root regeneration and foliar micro-morphological analysis of *Hedyotis biflora* (Linn.) Lam. Vegetos 32: 609–619.

Reveron I, de Las Rivas B, Muñoz R, López de Felipe (2012) Genome-wide transcriptomic responses of a human isolate of *Lactobacillus plantarum* exposed to *p*-coumaric acid stress. Mol Nutr Food Res 56: 1848–1859.

Rice-Evans C, Miller N and Paganga G (1997) Antioxidant properties of phenolic compounds. Trends Plant Sci 2(4): 152–159.

Riov J and Yang S (1989) Ethylene and auxin-ethylene interaction in adventitious root formation in mung bean (*Vigna radiata*) cuttings. J Plant Growth Regul 8(2): 131–141.

Rita A and Silvano M (2006) *Ex situ* conservation and rare plants propagation in the Lecce botanical garden: reproductive biology problems. Caryologia 59: 345–349.

Rizvi MZ, Kukreja AK and Khanuja SPS (2007) *In vitro* culture of *Chlorophytum borivilianum* Sant. Fernand. In liquid culture medium as a cost-effective measure Curr Sci 92(1): 87–89.

Rohela GK, Damera S, Bylla P, Korra R, Pendli S and Thammidala C (2016) Somatic embryogenesis and indirect regeneration in *Mirabilis jalapa* Linn. Mater Today 3: 3882–3891

Rohela GK, Jogam P, Mir MY, Shabnam AA, Shukla P, Abbagani S and Kamili AN (2020) Indirect regeneration and genetic fidelity analysis of acclimated plantlets through SCoT and ISSR markers in *Morus alba* L. cv. Chinese white. Biotechnol Rep doi: 10.1016/j.btre.2020.e00417

Rojsanga P, Bunsupa S, Brantner AH and Sithisarn P (2017) Comparative phytochemical profiling and *in vitro* antioxidant activity of extracts from raw materials, tissuecultured plants, and callus of *Oroxylum indicum* (L.) Vent. Evid Based Complement Alternat Med doi: https://doi.org/10.1155/2017/6853212

Ross IA (2005) Medicinal plants of the world, vol. 3: chemical constituents, traditional and modern medicinal uses. Humana Press Inc., New Jersey, pp. 110–132.

Rout GR, Mahato A and Senapati SK (2008) *In vitro* clonal propagation of *Nyctanthes arbor-tristis*. Biol Plant 52(3): 521–524.

Rout JR, Mishra M, Das R and Sahoo SL (2009) *In vitro* micropropagation of *Abutilon indicum* L. through leaf explants. Plant Tissue Cult Biotechnol 19: 177–184.

Roychowdhury D, Ghosh B, Chaubey B and Jha S (2013) Genetic and morphological stability of six year-old transgenic *Tylophora indica* plants. Nucleus 56: 81–89.

Sabir F, Mishra S, Sangwan RS, Jadaun JS and Sangwan NS (2013) Qualitative and quantitative variations in withanolides and expression of some pathway genes during

different stages of morphogenesis in *Withania somnifera* Dunal. Protoplasma 250: 539–549.

Sadeghnezhad E, Sharifi M and Zare-Maivan H (2016) Profiling of acidic (amino and phenolic acids) and phenylpropanoids production in response to methyl jasmonate-induced oxidative stress in *Scrophularia striata* suspension cells. Planta 244: 75–85.

Sadguna V, Swamy TN, Raju S, Ghani Md, Suresh V and Mustafa Md (2013) High frequency regeneration of plantlets from leaf derived callus cultures of *Tylophora indica* Burm F An important medicinal plant. Int J Sci Eng Res 4(9): 2704–2707.

Sagare AP, Lee YL, Lin TC, Chen CC and Tsay HS (2000) Cytokinin induced somatic embryogenesis and plant regeneration in *Corydalis yanhusuo* (Fumariaceae)-a medicinal plant. Plant Sci 160: 139–147.

Saha D, Kumar R and Ramani R (2013) Regeneration of plantlets from nodal explant-derived callus cultures of *Albizia lucida* Benth. Ind J Biotechnol 12: 265–268.

Sahai A, Shahzad A and Anis M (2010a) High frequency plant production via shoot organogenesis and somatic embryogenesis from callus in *Tylophora indica*, an endangered plant species. Turk J Bot 34: 11–20.

Sahai A, Shahzad A and Sharma S (2010b) Histology of organogenesis and somatic embryogenesis in excised root cultures of an endangered species *Tylophora indica* (Asclepiadaceae). Aus J Bot 58: 198–205

Sahu R, Gangopadhyay M and Dewanjee S (2013) Elicitor-induced rosmarinic acid accumulation and secondary metabolism enzyme activities in *Solenostemon scutellarioides*. Acta Physiol Plant 35(5): 1473–1481.

Sain M and Sharma V (2013) Efficient shoot regeneration from node explant of *Catharanthus roseus* (A milestone in cancer chemotherapy). Int J Pure App Biosci 1(5): 42–50.

Saiprasad GVS (2001) Artificial seeds and their applications. Reson 6: 39–47.

Sakakibara H (2006) Cytokinins: activity, biosynthesis, and translocation. Ann Rev Plant Biol 57: 431–449.

Sakthivel G, Dey A, Nongalleima K, Chavali M, Isaac RRS, Singh NS and Deb L (2013) *In vitro* and *in vivo* evaluation of polyherbal formulation against Russell's viper and Cobra venom and screening of bioactive components by docking studies. Evid Based Complementary Altern Med doi: http://dx.doi.org/10.1155/2013/781216.

Saleem M (2009) Lupeol, a novel anti-inflammatory and anti-cancer dietary triterpene. Cancer Lett 285(2): 109–115.

Saleem R, Ahmad SI, Ahmed M, Faizi Z, Zikr-ur-Rehman S, Ali M and Faizi S (2003) Hypotensive activity and toxicology of constituents from *Bombax ceiba* Stem Bark. Biol Pharm Bull 26: 41–46.

Saleh MS (1991) Physiology of plant growth regulators (In Arabic). Salahaddin Univ, Ministry of higher education and scientific research, IRAQ.

Salehi M, Moieni A, Safaie N and Farhadi S (2019) Elicitors derived from endophytic fungi *Chaetomium globosum* and *Paraconiothyrium brasiliense* enhance paclitaxel production in *Corylus avellana* cell suspension culture. Plant Cell Tissue Organ Cult 136: 161–171.

Salma U, Kundu S, Ali MN, Mandal N (2019) Somatic embryogenesis mediated plant regeneration of *Eclipta alba* (L.) Hassk and its conservation through synthetic seed technology. Acta Physiol Plant doi: https ://doi.org/10.1007/s1173 8-019-2898-6

Samari E, Sharifi M, Ghanati F, Fuss E and Chashmi NA (2020) Chitosan-induced phenolics production is mediated by nitrogenous regulatory molecules: NO and PAs in *Linum album* hairy roots. Plant Cell Tissue Organ Cult 140: 563–576.

Sampedro MAS and Jorge FT (2005) Yeast extract and methyl jasmonate- induced silymarin production in cell cultures of *Silybum marianum* (L.) Gaertn. J Biotechnol 119: 60–69.

Samson NP, Campa C, Le Gal L, Noirot M, Thomas G, Lokeswari TS and de Kochko A (2006) Effect of primary culture medium composition on high frequency somatic embryogenesis in different *Coffea* species. Plant Cell Tissue Organ Cult 86: 37–45.

Samuelson ME and Larsson CM (1993) Nitrate regulation of zeatin riboside levels in barley roots. Effects of inhibitors of N-assimilation and comparison with ammonium. Plant Sci 93: 77–84.

Sanchez-Pujante PJ, Gionfriddo M, Sabater-Jara AB, Almagro L, Pedreno MA and Diaz-Vivancos P (2020) Enhanced bioactive compound production in broccoli cells due to coronatine and methyl jasmonate is linked to antioxidative metabolism. J Plant Physiol doi: 10.1016/j.jplph.2020.153136.

Sánchez-Sampedro MA, Fernández-Tárrago J and Corchete P (2005) Yeast extract and methyl jasmonate-induced silymarin production in cell cultures of *Silybum marianum* (L.) Gaertn. J Biotechnol 119(1): 60–69.

Sane D, Aberlenc-Bertossi F, Diatta LID, Daher BGA, Sagna M, Duval Y and Borgel A (2012) Influence of growth regulators on callogenesis and somatic embryo development in date palm (*Phoenix dactylifera* L.) Sahelian cultivars. Sci World J doi:10.1100/2012/837395.

Sangeetha R (2019). Luteolin in the management of type 2 diabetes mellitus. Curr Res Nutr Food Sci 07(2): 393–398.

Sangra A, Shahin L and Dhir SK (2019) Long-term maintainable somatic embryogenesis system in alfalfa (*Medicago sativa*) using leaf explants: embryogenic sustainability approach. Plants 8: 278.

Sangwan NS, Farooqi AHA, Shabih F and Sangwan RS (2001) Regulation of essential oil production in plants. Plant Growth Regul 34: 3–21.

San-José M, Corredoira E, Martínez M, Vidal N, Valladares S, Mallón R and Vieitez M (2010) Soot apex explants for induction of somatic embryogenesis in mature *Quercus robur* L. trees. Plant Cell Rep 29(6): 661–671.

Santa-Rosa S, Souza FVD, Vidal AM, Ledo CAS and Santana JRF (2013) Micropropagation of the ornamental vulnerable bromeliads *Aechmea blanchetiana* and *Aechmea distichantha*. Hortic Bras 31: 112–118.

Santos MRA, Guimarães MCM, Paz ES, Magalhães GMO, Souza CA, Smozinski CV and Nogueira WO (2016) Induction and growth pattern of callus from *Piper permucronatum* leaves. Rev Bras Pl Med, Campinas, 18(1): 142–148.

Saranya S, Velayutham P, Karthi C and Biula Preethi C (2019) Rapid and mass multiplication of *Oldenlandia umbellata* L. from the leaf explants through callus culture. Journal of Pharmacogn Phytochem 8(3): 3779–3783.

Saraswati S, Kanaujia PK, Kumar S, Kumar R and Alhaider AA (2013) Tylophorine, a phenanthraindolizidine alkaloid isolated from *Tylophora indica* exerts antiangiogenic and antitumor activity by targeting vascular endothelial growth factor receptor 2–mediated angiogenesis. Mol Cancer 12: 82.

Sardana J, Batra A, Ali DJ (2000) An expeditious method for regeneration of somatic embryos in *Jatropha curcas* L. Phytomorphol 50: 239–242.

Sarkate A, Banerjee S, Mir JI, Roy P and Sircar D (2017) Antioxidant and cytotoxic activity of bioactive phenolic metabolites isolated from the yeast-extract treated cell culture of apple. Plant Cell Tissue Organ Cult: 130: 641–649.

Sarma VK and Misra KP (1995) Carakokta sarvasrestha vatasamak dravya "rasna" ka adhunik sarveksan. Sachitra Ayu 48(4): 443–446.

Sarwar M and Skirvin RM (1997) Effect of thidiazuron and 6-benzylaminopurine on adventitious shoot regeneration from leaves of three strains of 'McIntosh' apple (*Malus domestica* Borkh.) *in vitro*. Sci Hortic 68: 95–100.

Sasidharan ATK, Balachandran MK, Madassery J and Elyas KK (2017) Phytochemical screening of *in vitro* raised clones and mother plant of *Celastrus paniculatus*-Willd, an endangered medicinal plant. Asian J Biotechnol 9: 50–70.

Sastry BS, Vijayalakshmi T, Venkata RD and Venkata RE (1985) Chemical constituents of stem bark of *Leptadenia reticulate*. Ind Drug 22: 611–612.

Sathiyanarayanan L, Sinnathambi A and Chidambaranathan A (2007) Anticarcinogenic activity of *Leptadenia reticulata* against daltons ascitic lymphoma. Iran J Pharmacol Ther 6: 133–135.

Sathyanarayana N, Rajesha R, Vikas PB and Kumar BTN (2008) Somatic embryogenesis and plant regeneration from stem explants of *Leptadenia reticulata* (Retz.) Wight. & Arn. Ind J Biotechnol 7: 250–254.

Savitikadi P, Jogam P, Rohela GK, Ellendula R, Sandhya D, Allini VR and Abbagani S (2020) Direct regeneration and genetic fidelity analysis of regenerated plants of *Andrographis echioides* (L.) - An important medicinal plant. Ind Crops Prod 155: 112766.

Schädel C, Blöchl A, Richter A and Hoch G (2010) Quantification and monosaccharide composition of hemicelluloses from different plants. J Plant Physiol Biochem 48(1): 1–8.

Schippmann U, Leaman DJ, Cunningham AB and Walter S (2005) Impact of cultivation and collection on the conservation of medicinal plants: global trends and issues. Acta Hortic 676: 31–44.

Schmelzer GH and Gurib-Fakim A (2013) Plant resources of tropical Africa, 11(2): Medicinal plants 2. PROTA Foundation, Wageningen, Netherlands. pp. 158-159.

Schwarz OJ and Beaty RM (1996) Propagation from non-meristematic tissue organogenesis. In: Plant tissue culture concepts and laboratory exercises (Trigiano RN and Gray DJ, eds.). CRC press, Florida, USA, pp. 95–103.

Sedaghati B, Haddad R and Bandehpour M (2019) Efficient plant regeneration and *Agrobacterium*-mediated transformation via somatic embryogenesis in purslane (*Portulaca oleracea* L.): an important medicinal plant. Plant Cell Tissue Organ Cult 136: 231–245.

Seetharam YN, Barad A, Gururaj C and Jyothishawaran G (2002) *In vitro* shoot regeneration from leaf and nodal explants of *Enicostemma hyssopifolium* (Wild) Verd.-a vulnerable medicinal plant. Ind J Biotechnol 1: 401–404.

Seguela M, Briat JF, Vert G and Curie C (2008) Cytokinins negatively regulate the root iron uptake machinery in *Arabidopsis* through a growth-dependent pathway. Plant J 55: 289–300.

Selvaskanthan S, Kaushalya DBR, Pushpakumara DKNG, Jayasinghe L and Eeswara JP (2020) A comparison of chemical profiles of callus, plant and agarwood extracts of *Gyrinops walla* using thin layer chromatography. Trop Agric Res 31(2): 97–105.

Sen A, Sharma MM, Grover D and Batra A (2009) *In vitro* regeneration of *Phyllanthus amarus* Schum. and Thonn.: an important medicinal plant. Our Nature 7: 110–115.

Sen MK, Nasrin S, Rahman S and Jamal AHM (2014) *In vitro* callus induction and plantlet regeneration of *Achyranthes aspera* L., a high value medicinal plant. Asian Pac J Trop Biomed 4(1): 40–46.

Senaratna T, Touvhell D, Bunn E and Dixon K (2000) Acetyl salicylic acid (aspirin) and salicylic acid induce multiple stress tolerance in bean and tomato plant. J Plant Growth Regul 30: 157–161.

Senthil Kumar M (2017) Rapid *in vitro* multiplication of *Centella asiatica* (L). Urban. through multiple shoots from leaf explants. European J Biotechnol Biosci 5(3): 41–47.

Seo SG, Ryu SH, Zhou Y and Kim SH (2017) Development of an efficient protocol for high-frequency regeneration system in *Hibiscus syriacus* L. J Plant Biotechnol 44: 164–170.

Seth S and Panigrahi J (2019) *In vitro* organogenesis of *Abutilon indicum* (L.) Sweet from leaf derived callus and assessment of genetic fidelity using ISSR markers. J Hortic Sci Biotechnol 94(1): 70–79.

Seth S, Rath SC, Rout GR and Panigrahi J (2017) Somatic embryogenesis in *Abutilon indicum* (L.) Sweet and assessment of genetic homogeneity using SCoT markers. Plant Biosyst 151(4) 704–714.

Sethi PD (1996) High performance thin layer chromatography; quantitative analysis of pharmaceutical formulation. CBS publishers and Distributers, New Delhi, India, pp. 10–60.

Shaheen A, Ali M, Ahmad N, Dewir YH, El-Hendawy S and Abd-El Gawad AM (2020) Micropropagation of licorice (*Glycyrrhiza glabra* L.) by using intermediate nodal explants. Chil J Agric Res 80(3): 326–333.

Shaheenuzzaman M., Haque MS, Karim MM and Noor ZU (2011) *In vitro* shoot proliferation and development of micropropagation protocol from leaf disc of *Gladiolus*. J Bangla Agric Univ 9(1): 21–26.

Shanmugapriya AK and Sivakumar T (2011) Regeneration of *in vitro* plantlets in *Hemidesmus indicus* (L.) R.Br. through nodal and leaf explants. Int Multi Res J 1: 41–45.

Sharada D, Krishna PS and Swamy NR (2019) Plant regeneration via somatic embryogenesis in *Solanum nigrum* L. (Black nightshade) (Solanaceae). Biotechnol J Int 23(1): 1–9.

Sharifzadeh Naeini M, Naghavi MR, Bihamta MR, Sabokdast M and Salehi M (2020) Production of some benzylisoquinoline alkaloids in *Papaver armeniacum* L. hairy root cultures elicited with salicylic acid and methyl jasmonate. In Vitro Cell Dev Biol-Plant 57: 261–271.

Sharma M, Ahuja A, Gupta R and Mallubhotla S (2015) Enhanced bacoside production in shoot cultures of *Bacopa monnieri* under the influence of abiotic elicitors. Nat Prod Res 29: 745–749.

Sharma MM, Verma RN, Singh A and Batra A (2014) Assessment of clonal fidelity of *Tylophora indica* (Burm. F.) Merrill "*in vitro*" plantlets by ISSR molecular markers. SpringerPlus 3:400.

Sharma P, Patil A and Patil D (2016) Quantification of β-sitosterol from field grown plants and callus of *Crataeva tapia* L. Int J Pharm Sci Res 7(4): 1556–1563.

Sharma P, Yadav S, Srivastava A and Shrivastava N (2013) Methyl jasmonate mediates upregulation of bacoside A production in shoot cultures of *Bacopa monnieri*. Biotechnol Lett 35: 1121–1125.

Sharma R, Upadhyay S, Khandelwal S and Koche V (2017) Effect of different medium on *in vitro* shooting and regeneration of *Bacopa monnieri* L. an important medicinal plant. Int J Sci Res Dev 4(12): 296–300.

Sharma S and Thokchom R (2014) A review on endangered medicinal plants of India and their conservation. J Crop Weed 10(2): 205–218.

Sharma S, Ali A, Ali J, Sahni JK and Baboota S (2013) Rutin: therapeutic potential and recent advances in drug delivery. Expert Opin Investig Drugs 22: 1063–1079.

Sharma S, Reddy MS and Kumar A (2020) Direct shoot organogenesis from leaf explants of *Populus deltoides* and changes in selected enzymatic activities. Physiol Mol Biol Plants 26(2): 399–407.

Sharmin SA, Alam MJ, Sheikh MMI, Sarker KK, Khalekuzzaman M, Haque MA, Alam MF and Alam I (2014) Somatic embryogenesis and plant regeneration in *Wedelia calendulacea* Less. an endangered medicinal plant. Braz Arch Biol Technol 57(3): 394–401.

Shaw JE, Sicree RA and Zimmet PZ (2010) Global estimates of the prevalence of diabetes for 2010 and 2030. Diabetes Res Clin Pract 87: 4–14.

Shekhawat MS and Manokari M (2016) *In vitro* regeneration frequency, micromorphological studies and *ex vitro* rooting of *Hemidesmus indicus* (L.) R. Br.: a multipotent endangered climber. Ind J Plant Physiol 21(2): 151–160.

Shekhawat MS and Manokari M (2016) Somatic embryogenesis and *in vitro* flowering in *Hybanthus enneaspermus* (L.) F. Muell.—a rare multipotent herb. Asian Pac J Reprod 5(3): 256–262.

Shekhawat MS, Kannan N, Manokari M and Ravindran CP (2015a) Enhanced micropropagation protocol of *Morinda citrifolia* L. through nodal explants. J Appl Res Med Aromat Plants 2(4): 174–181.

Shekhawat MS, Manokari M and Ravindran CP (2015b) An improved micropropagation protocol by *ex vitro* rooting of *Passiflora edulis* Sims. f. *flavicarpa* Deg. through nodal segment culture. Sci doi: http://dx.doi.org/10.1155/2015/578676

Shekhawat NS, Kackar A, Rathore MS, Singh M, Dagla HR and Arya V (2006) Establishment and economic evaluation of micropropagated Jeewanti (*Leptadenia reticulata* Wight & Arn.) plants in field. Nat Prod Radiance 5(4): 311–314.

Shetty BV and Singh V (1993) Flora of India, series-2: Flora of Rajasthan, vol 2. Botanical survey of India, Calcutta, India, pp. 485.

Shetty D and Chandra N (2012) Comparative study of chemical variants in regenerants and mother plants of ashwagandha (*W. somnifera* (L.) Dunal) by HPTLC fingerprinting. Int J Res Ayurveda Pharm 3(5): 317–319.

Shi M, Kwok KW and Wu JY (2007) Enhancement of tanshinone production in *Salvia miltiorrhiza* Bunge (red or Chinese sage): hairy-root culture by hyperosmotic stress and yeast elicitor. Biotechnol Appl Biochem 46(4): 191–196.

Shimizu-Sato S, Tanaka M and Mori H (2009) Auxin-cytokinin interactions in the control of shoot branching. Plant Mol Biol 69: 429–435.

Shinwari ZK and Gilani SS (2003) Sustainable harvest of medicinal plants at Bulashbar Nullah, Astore (Northern Pakistan). J Ethnopharmacol 84(2-3): 289–298.

Shukla SK, Shukla S, Koche V and Mishra SK (2007) *In vitro* propagation of Tikhur *Curcuma angustifolia* Roxb: a starch yielding plant. Ind J Biotechol 6: 274–276.

Shyamjith M, Anu Elizabeth Joy, Thyagaraju BM and Rao SN (2012) Effect of *Tylophora indica* on haloperidol induced catalepsy in experimental animal models. Drug Invent Today 4(12): 652–654.

Siddique HR and Saleem M (2011) Beneficial health effects of lupeol triterpene: a review of preclinical studies. Life Sci 88(7-8): 285–293.

Siddique NA and Bari MA (2006) Plant regeneration from axillary shoot segments derived callus in *Hemidesmus indicus* (L.) R. Br. (Anantamul) an endangered medicinal plant in Bangladesh. J Plant Sci 1(1): 42–48.

Siddique NA, Bari MA, Huda S and Sikdar B (2002) Plant regeneration from nodal segments derived callus in *Aristolochia indica* L. Bangladesh. J Genet Biotechnol 3: 51–52.

Siddiqui Z, Mujib A and Maqsood M (2011) Liquid overlaying improves somatic embryogenesis in *Catharanthus roseus*. Plant Cell Tissue Organ Cult 104: 247–256.

Silva da Rocha A, Rocha EK, Alves LM, de Moraes BA, de Castro TC, Albarello N and Simões-Gurgel C (2015) Production and optimization through elicitation of carotenoid pigments in the in vitro cultures of *Cleome rosea* Vahl (Cleomaceae). J Plant Biochem Biotechnol 24: 105–113.

Singh AK, Sharma MK, Chaudhary R and Sengar RS (2017) Effects of BAP and adenine sulphate on shoot regeneration from callus in potato (*Solanum tuberosum* L.). Biotech Today 7(1): 49–51.

Singh B, Sharma RA, Vyas GK and Sharma P (2011a) Estimation of phytoconstituents from *Cryptostegia grandiflora* (Roxb.) R. Br. *in vivo* and *in vitro*. II. Antimicrobial screening. J Med Plants Res 5(9): 1598–1605.

Singh K, Kumar A and Shalini (2015) Micropropagation and multiple shoot formation from nodal explants of *Hemidesmus indicus* (L.) R.Br. -a rare medicinal plant. Int J Adv Res 3(10): 725–728.

Singh M and Chaturvedi R (2012) Screening and quantification of an antiseptic alkylamide, spilanthol from *in vitro* cell and tissue cultures of *Spilanthes acmella* Murr. Ind Crops Prod 36: 321–328.

Singh M and Chaturvedi R (2013) Sustainable production of azadirachtin from differentiated *in vitro* cell lines of neem (*Azadirachta indica*). AoB Plants doi: 10.1093/aobpla/plt034.

Singh MK, Yadav T and Raman RK (2020) A quick method for micro-propagation of *Aloe vera* L. from leaf explants via callus induction. J Entomol Zool Stud 8(2): 201–206.

Singh N, Meena KM and Patni V (2011d) *In vitro* rapid multiplication of a highly valuable medicinal plant *Naringi crenulata* (Roxb.). J Med Plants Res 5: 6752–6758.

Singh P, Singh Y, Jeet A, Nimoriya R, Kanojiya S, Tripathi V and Mishra DK (2019) Standardization of enrichment protocols for some medicinally important cardenolides within *in vitro* grown *Calotropis gigantea* plantlets. Phcogn Mag 15: 264–269.

Singh S, Kuanar A, Mohanty S, Subudhi E and Nayak S (2011b) Evaluation of phytomedicinal yield potential and molecular profiling of micropropagated and conventionally grown turmeric (*Curcuma longa* L.). Plant Cell Tissue Organ Cult 104: 263–269.

Singh SK, Joshi T, Kanojiya S, Tripathi V and Mishra DK (2015b) Callus culture and *in vitro* biosynthesis of echitamine from *Alstonia scholaris* (L.) R. Br. Plant Cell Tissue Organ Cult 120: 367–372.

Singh SR, Dalal S, Singh R, Dhawan AK and Kalia RK (2011c) Micropropagation of *Dendrocalamus asper* {Schult. & Schult. F.} Backer ex k. Heyne): an exotic edible bamboo. J Plant Biochem Biotechnol 21: 220–228.

Singh SR, Dalal S, Singh R, Dhawan AK and Kalia RK (2012) Seasonal influences on *in vitro* bud break in *Dendrocalamus hamiltonii* Arn. Ex munro nodal explants and effect of culture microenvironment on large scale shoot multiplication and plantlet regeneration. Ind J Plant Physiol 17(1): 9–21.

Singh V and Pandey RP (1998) Ethanobotanny of Rajasthan. Scientific Publisher, India.

Sinha S and Mondal AK (2011) The morphological diversification of pollinia of some members of Asclepiadaceae. Afr J Biotechnol 10(41): 7981–7986.

Sivakumar G, Yu K and Paek K (2005) Production of biomass and ginsenosides from adventitious roots of *Panax ginseng* in bioreactor cultures. Eng Life Sci 5: 333–342.

Sivakumar V, Raja MSD, Sadiq AM and Jayanthi M (2014) *In vitro* micropropagation of *Tinospora cordifolia* (Willd.) Miers ex Hook. F. & Thoms-an important medicinal plant. J Pharmacogn Phytochem 3(2): 5–10.

Sivakumar V, Raja MSD, Sadiq AM and Jayanthi M (2014) *In vitro* micropropagation of *Tinospora cordifolia* (Willd.) Miers ex Hook. F. & Thoms-an important medicinal plant. J Pharmacogn Phytochem 3(2): 5–10.

Sivanandhan G, Rajesh M, Arun M, Jeyaraj M, Dev GK, Arjunan A, Manickavasagam M, Muthuselvam M, Selvaraj N and Ganapathi A (2013) Effect of culture conditions, cytokinins, methyl jasmonate and salicylic acid on the biomass accumulation and

production of withanolides in multiple shoot culture of *Withania somnifera* (L.) Dunal using liquid culture. Acta Physiol Plant 35: 715–728.

Sivanesan I and Jeong BR (2007) Direct shoot regeneration from nodal explants of Sida cordifolia Linn. In Vitro Cell Dev Biol-Plant 43: 436–441.

Sivarajan VV and Balachandran I (1994) Ayurvedic drugs and their plant sources. Oxford and IBH Publishing, New Delhi, India, pp. 195–200.

Sivaram L and Mukundan U (2003) *In vitro* culture studies on *Stevia rebaudiana*. In Vitro Cell Dev Biol-Plant 39: 520–523.

Siwach P and Gill AR (2011) Enhanced shoot multiplication in *Ficus religiosa* L. in the presence of adenine sulphate, glutamine and phloroglucinol. Physiol Mol Biol Plants 17: 271–280.

Skirvin RM and Chu MC (1979) *In vitro* culture of 'Forever Yours' rose. Hort Sci 14: 608–610.

Skoog F and Miller CO (1957) Chemical regulation of growth and organ formation in plant tissues cultured *in vitro*. Symp P Soc Exp Biol 54: 118–130.

Sliwinska A, Naliwajski MR, Pietrosiuk A and Sykłowska-Baranek K (2021) *In vitro* response of *Polyscias filicifolia* (Araliaceae) shoots to elicitation with alarmone–diadenosine triphosphate, methyl jasmonate, and salicylic acid. Cells 10: 419.

Smetanska I (2008) Production of secondary metabolites using plant cell cultures. Adv Biochem Eng Biotechnol 111: 187–228.

Sneha B, Ganga RM and Divya N (2016a) Evaluation of antipyretic and anti–inflammatory activity of aqueous extract of *Leptadenia reticulata* in animal models. J Nat Remed 16(2): 40–44.

Sneha B, Raju MG and Babu V (2016b) Wound healing activity of aqueous extract of *Leptadenia Reticulata* in wistar albino rats. Int J Pharm Sci Res 7(3): 1240–1244.

Soldi C, Pizzolatti MG, Luiz AP, Marcon R, Meotti FC, Miotob LA and Santos ARS (2008) Synthetic derivatives of the α- and β-amyrin triterpenes and their antinociceptive properties. Bioorg Med Chem 16: 3377–3386.

Sonappanavar AB and Jayaraj M (2011) Rapid *in vitro* callogenesis and phytochemical screening of leaf and leaf callus of *Ionidium suffruticosum*, Ging.-a seasonal mulitpotent medicinal herb. World J Agri Sci 7(1): 55–61.

Song JY, Mattson NS and Jeong BR (2011) Efficiency of shoot regeneration from leaf, stem, petiole and petal explants of six cultivars of *Chrysanthemum morifolium*. Plant Cell Tissue Organ Cult 107(2): 295–304.

Soni K, Sahni S, Abdin MZ and Narula A (2015) Conservation and enhanced tylophorine through *in vitro* propagation and precursor feeding in *Tylophora indica*-an endangered medicinal plant. Int J Pharm Bio Sci 6(4): (B)9–18.

Soni M and Kanwar K (2016) Rejuvenation influences indirect organogenesis from leaf explants of Pomegranate (*Punica granatum* L.) 'Kandhari Kabuli'. J Hortic Sci Biotechnol 91(1): 93–99.

Soniya EV and Das MR (2002) *In vitro* micropropagation of *Piper longum*-an important medicinal plant. Plant Cell Tissue Organ Cult 70: 325–327.

Sood H and Chauhan ERS (2009) Biosynthesis and accumulation of a medicinal compound, picroside-I, in cultures of *Picrorhiza kurroa* Royle ex Benth. Plant Cell Tissue Organ Cult 100: 113–117.

Sosulski F, Krygier K and Hog L (1982) Free, esterified, and insoluble bound phenolic acids. 3. Composition of phenolic acids in cereal and potato flours. J Agric Food Chem 30: 337–340.

Soule ME, Estes JA, Miller B and Honnold DL (2005) Strongly interacting species: conservation policy, management, and ethics. Bioscience 55: 168–176.

Sreedhar RV, Venkatachalam L, Thimmaraju R, Bhagyalaxmi N, Narayanan MS and Ravishankar GA (2008) Direct organogenesis from leaf explants of *Stevia rebaudiana* and cultivation in bioreactor. Biol Plant 52: 355–360.

Sreekumar S, Seeni S and Pushpangadan P (2000) Micropropagation of *Hemidesmus indicus* for cultivation and production of 2-hydroxy-4-methoxybenzaldehyde. Plant Cell Tissue Organ Cult 62: 211–218.

Sriskandarajah S, Frello S, Jorgensen K and Serek M (2004) *Agrobacterium tumefaciens*-mediated transformation of *Campanula carpatica*: factors affecting transformation and regeneration of transgenic shoots. Plant Cell Rep 23: 59–63.

Srivastav S, Deepak D and Khare A (1994) Three novel pregnane glycosides from *Leptadenia reticulata* Wight & Arn. Tetrahedron 50: 789–798.

Srivastava A and Shrivastava N (2008) Phytochemical and preclinical screening of aseptically produced herbal raw material: *Bacopa monnieri*. Med Arom Plant Sci Biotechnol 2(2): 123–127.

Srivastava LM (2002) Plant growth and development: hormones and environment. Academic Press, New York, pp: 140–143.

Srujana ST, Babu KR and Rao BSS (2012) Phytochemical investigation and biological activity of leaves extract of plant *Boswellia serrata*. Pharm Innov 1: 22–46.

Steephen M, Nagarajan S and Ganesh D (2010) Phloroglucinol and silver nitrate enhances axillary shoot proliferation in nodal explants of *Vitex negundo* L.–an aromatic medicinal plant. Iran J Biotechnol 8(2): 82–89.

Stefanache CP, Tănase C, Wolfram E and Dănilă D (2014) *In situ* and *in vitro* comparative study on the bioproductivity of *Arnicae folium* et caulis from the Northern area of the Romanian Eastern carpathians. J Plant Dev 21: 3–13.

Stockigt J, Obitz P, Flakenhagen H, Lutterbach R and Endress R (1995) Natural products and enzymes from plant cell cultures. Plant Cell Tissue Organ Cult 43: 914–920.

Strandby U and Olsen CS (2008) The importance of understanding trade when designing effective conservation policy: the case of the vulnerable *Abies guatemalensis* Rehder. Biol Conserv 141: 2959–2968.

Su YH and Zhang XS (2014) The hormonal control of regeneration in plants. In: Current topics in developmental biology, vol. 108 (Brigitte Galliot, ed.), Academic Press, pp. 35–69.

Su YH, Yu BL, Bo B and Xian SZ (2015) Establishment of embryonic shoot–root axis is involved in auxin and cytokinin response during *Arabidopsis* somatic embryogenesis. Front Plant Sci 5: 792.

Subbaiyan B and Thangapandian V (2017) Plant regeneration from cotyledon and leaf explants of *Ceropegia bulbosa* Roxb., an endangered medicinal plant. Bot Pac 6(2): 35-42.

Subramanian PS and Lakshman AJ (1977) On the constituents of *Leptadenia reticulata* Weight and Arn. occurrence of simiarenol. Ind J Chem 5B: 180.

Sudhahar V, Kumar SA, Mythili Y and Varalakshmi P (2007) Remedial effect of lupeol and its ester derivative on hypercholesterolemia-induced oxidative and inflammatory stresses. Nutri Res 27: 778–787.

Sudipta KM, Swamy MK and Anuradha M (2013) Influence of various carbon sources and organic additives on in vitro growth and morphogenesis of *Leptadenia reticulata* (Wight & Arn), a valuable medicinal plant of India. Int J Pharm Sci Rev Res 21(2): 174–179.

Sudipta KM, Swamy MK, Balasubramanya S and Anuradha M (2011) Cost effective approach for *in vitro* propagation of (*Leptadenia reticulata* Wight & Arn)—a threatened plant of medicinal importance. J Phytol 3(2): 72–79.

Sugiyama M (1999) Organogenesis *in vitro*. Curr Opin Plant Biol 2: 61–64.

Sunandakumari C, Zhang CL, Martin KP, Slater A and Madhusoodanan PV (2005) Effect of auxins on indirect *in vitro* morphogenesis and expression of *gus*A transgene in a lectinaceous medicinal plant, *Euphorbia nivulia* Buch.-Ham. In Vitro Cell Dev Biol-Plant 41(5): 695–699.

Sundar AN and Jawahar M (2011) *In vitro* plant regeneration from leaf and stem explants of *Solanum xanthocarpum* Schrad & Wendl.-an important medicinal herb. J Agric Technol 7(2): 301–306.

Sundarmani DNP and Hasina M (2015) *In vitro* regeneration and sodium chloride salt tolerant *Hemidesmus indicus* (L.) R. Br. plant production. ANJAC J Sci 12(2): 55–62.

Sunita A, Sonam M and Ganesh K (2017) Gas chromatography-mass spectrometry analysis of an endangered medicinal plant, *Sarcostemma viminale* (L.) R.Br. from Thar desert, Rajasthan (India). Asian J Pharm Clin Res 10(9): 210–213.

Suzuki H, Achnine L, Xu R, Matsuda SPT and Dixon RA (2002) A genomics approach to the early stages of triterpene saponin biosynthesis in *Medicago truncatula*. Plant J 32: 1033–1048.

Suzuki T, Mori H, Yamame T and Shimuzu S (1985) Automatic supplementation of minerals in fed-batch culture to high cell mass concentration. Biotechnol Bioeng 27: 192–201.

Svobodová A, Psotová J and Walterová D (2003) Natural phenolics in the prevention of UV-induced skin damage: A review. Biomed Pap Med Fac Univ Palacky Olomouc Czech 147: 137–145.

Syombua ED, Wanyonyi CN, Adero MO, Mbinda WM, Ngugi MP, Alakonya AE and Oduor RO (2019) Explant type and hormone regime influences somatic embryogenesis and regeneration in cassava. Afr J Biotechnol 18(25): 532–539.

Szopa A and Ekiert H (2012) *In vitro* cultures of *Schisandra chinensis* (Turcz.) Baill. (Chinese magnolia vine)—A potential biotechnological rich source of therapeutically important phenolic acids. Appl Biochem Biotechnol 166: 1941–1948.

Szopa A and Ekiert H (2014) Production of biologically active phenolic acids in *Aronia melanocarpa* (Michx.) Elliott *in vitro* cultures cultivated on different variants of the Murashige and Skoog medium. Plant Growth Regul 72: 51–58.

Szopa A, Ekiert H and Muszynska B (2013) Accumulation of hydroxybenzoic acids and other biologically active phenolic acids in shoot and callus cultures of *Aronia melanocarpa* (Michx.) Elliott (black chokeberry). Plant Cell Tissue Organ Cult 113: 323–329.

Taha HS, Hassan MM and El-Bahr MK (2007) Micropropagation of some Egyptian date palm dry cultivars 1- Maturation of somatic embryos. Arab J Biotechnol 10(2): 333–340.

Taiz L and Zeiger E (1998) Plant Physiology, 2nd edn. Sinauer Associates, Sunderland, MA, USA.

Taiz L and Zeiger E (2006) Plant physiology, 4th edn. Sinauer Associates, Sunderland, MA, USA, pp. 315–344.

Talla SK, Madam E, Manga S, Aileni M and Mamidala P (2019) Efficient TDZ-induced regeneration from capitulum explants of *Gerbera jamesonii* Bolus ex Hooker F.- An ornamental plant with high aesthetic value. Plant Biosys 153(5): 679–685.

Tan BC, Chin CF and Alderson P (2011) Optimisation of plantlet regeneration from leaf and nodal derived callus of *Vanilla planifolia* Andrews. Plant Cell Tissue Organ Cult 105: 457–463.

Tashackori H, Sharifi M, Chashmi NA, Safaie N and Behmanesh M (2016) Induced-differential changes on lignan and phenolic acid compounds in *Linum album* hairy roots by fungal extract of *Piriformospora indica*. Plant Cell Tissue Organ Cult 127: 187–194.

Tata SS (2020) Development of a profused *In vitro* shoot multiplication using leaf explants of *Bacopa monnieri* (L.) Pennell. Curr Bot 11: 14–17.

Tatiya AU and Saluja AK (2011) Further studies on membrane stabilizing, anti-inflammatory and FCA induced arthritic activity of various fractions of bark of *Machilus macrantha* in rats. Rev Bras Farmacogn 21: 1052–1064.

Taylor NJ, Masona MW, Carcamo R, Schöpke C and Fauquet C (2001) Production of embryogenic tissues and regeneration of transgenic plants in cassava (*Manihot esculenta* Crantz). Euphytica 120: 25–34.

Teodoro GR, Ellepola K, Seneviratne CJ and Koga-Ito CY (2015) Potential use of phenolic acids as anti-candida agents: A Review. Front Microbiol 6: 1420.

Thakur AK and Srivastava DK (2006) High-efficiency plant regeneration from leaf explants of male himalayan poplar (*Populus ciliata* Wall.). In Vitro Cell Dev Biol-Plant 42: 144–147.

Thakur K and Kanwar K (2018) *In vitro* plant regeneration by organogenesis from leaf callus of carnation, *Dianthus caryophyllus* L. cv. 'Master'. Proc Natl Acad Sci, India, Sect B Biol Sci 88(3): 1147–1155.

Thaniarasu R, Senthil Kumar T and Rao MV (2016) Mass propagation of *Plectranthus bourneae* Gamble through indirect organogenesis from leaf and internode explants. Physiol Mol Biol Plants 22(1): 143–151.

Thaweesak J, Seiichi S, Hiroyuki T and Waraporn P (2011) Elicitation effect on production of plumbagin in *in vitro* culture of *Drosera indica* L. J Med Plant Res 5(19): 4949–4953.

Thiruvengadam M and Chung IM (2015) Phenolic compound production and biological activities from in vitro regenerated plants of gherkin (*Cucumis anguria* L.). Electron J Biotechnol 18: 295–301.

Thiruvengadam M, Rekha K, Rajakumar G, Lee TJ, Kim SH and Chung IM (2016) Enhanced production of anthraquinones and phenolic compounds and biological activities in the cell suspension cultures of *Polygonum multiflorum*. Int J Mol Sci 17: 1912.

Thiyagarajan M and Venkatachalam P (2012) Large scale *in vitro* propagation of *Stevia rebaudiana* (Bert.) for commercial application: pharmaceutically important and antidiabetic medicinal herb. Ind Crops Prod 37: 111–117.

Thokchom R and Maitra S (2017) Micropopagation of *Anthurium andreanum* cv. Jewel from leaf explants. J Crop Weed 13(1): 23–27.

Thomas T (2006) Effect of sugars, gibberellic acid and abscisic acid on somatic embryogenesis in *Tylophora indica* (Burm. f.) Merrill. Chin J Biotechnol 22(3): 465–471.

Thomas TD and Maseena EA (2006) Callus induction and plant regeneration in *Cardiospermum halicacabum* Linn. an important medicinal plant. Sci Hortic 108: 332–336.

Thomas TD and Philip B (2005) Thidiazuron-induced high-frequency shoot organogenesis from leaf-derived callus of a medicinal climber, *Tylophora indica* (Burm. F.) Merrill. In Vitro Cell Dev Biol-Plant 41:124–128.

Thomas TD and Puthur JT (2004) Thidiazuron induced high frequency shoot organogenesis in callusfrom *Kigelia pinnata* L. Bot Bull Acad Sin 45: 307–313.

Thorpe TA (1980) Organogenesis *in vitro*. Structural, physiological, and biochemical aspects. Int Rev Cytol Suppl 11A: 71–112.

Thorpe TA, Joy RW and Leung DWM (1986) Starch turnover in shoot-forming tobacco callus. Physiol Plant 66: 58–62.

Tianzhu Z and Shumin W (2015) Esculin inhibits the inflammation of LPS-induced acute lung injury in mice via regulation of TLR/NF-kappaB pathways. Inflammation 4: 1529–1536.

Tomiczak K, Mikuła A, Sliwinska E and Rybczyński JJ (2015) Autotetraploid plant regeneration by indirect somatic embryogenesis from leaf mesophyll protoplasts of diploid *Gentiana decumbens* L.f. In Vitro Cell Dev Biol-Plant 51: 350–359.

Tomiczak K, Sliwinska E and Rybczynski JJ (2016) Comparison of the morphogenic potential of five Gentiana species in leaf mesophyll protoplast culture and ploidy stability of regenerated calli and plants. Plant Cell Tissue Organ Cult 126: 319–331.

Trewavas A (1981) How do plant growth substances work? Plant Cell Env 4(3): 203–228.

Tripathi M (2008) Tissue culture technology and transgenic biology–a boon or bane? Curr Sci 94: 7–8.

Twumasi P, Schel H, van W, Woltering E, van O, Emons M (2009) Establishing *in vitro Zinnia elegans* cell suspension culture with high tracheary element differentiation. Cell Biol Int 33(4):524–533.

Tzatzani TT, Dimassi K and Therios I (2018) Organogenesis of Citrus rootstocks using mature explants. J Agric Environ Sci 7(1): 10–15.

Udayakumar R, Ganapathi A, Kim SC and Choi CW (2014) Indirect regeneration of *Withania somnifera* from nodal explants. Brit Biotechnol J 4(4): 366–378.

Ujjwala D, Rambabu M and Ramaswamy N (2013) Effect of plant growth regulators on callus induction and organogenesis in *Gmelina arborea* Roxb. Asian J Exp Biol Sci 4(2): 203–208.

Ullaha MA, Tungmunnithum D, Garros L, Hano C and Abbasi BH (2019) Monochromatic lights-induced trends in antioxidant and antidiabetic polyphenol accumulation in *in vitro* callus cultures of *Lepidium sativum* L. J Photochem Photobiol B: Biology 196: 111505.

Valentao P, Andrade PB, Areias F, Ferreres F and Seabra RM (1999) Analysis of vervain flavonoids by HPLC/diode array detector method. Its application to quality control. J Agri Food Chem 47: 4579–4582.

Van Staden J, Zazimalova E and George EF (2008) Plant growth regulators II: cytokinins, their analogues and antagonist. In: Plant propagation by tissue culture, 3rd edn. (George EF, Hall M and De Kleck GJ, eds.). Academic Press, Amsterdam, pp. 205–226.

Vanegas-Espinoza PE, Bazaldua C, Rios-Salome LB, Paredes-Lopez O, Camelo-Mendez GA and Villar-Martinez AAD (2020) Cellular and morphological changes during leaf explant dedifferentiation and plant regeneration of *Tagetes erecta*. Hortic Environ Biotechnol 61: 407–414.

Vanitha A, Kalimuthu K, Chinnadurai V, Juliet YS and Prabakaran R (2016) GCMS analysis of leaf and salt stress callus of eggplant (*Solanum melongena* L.). Braz J Pharm Res 14(6): 1–11.

Varrier PK, Nambiar VPK and Ramankutty C (1994) *Tylophora indica*, Indian medicinal plants-a compendium of 500 species, vol 5. Orient Longman, New Delhi, India, pp. 66–68.

Varshney A, Lakshmikumaran M, Srivastava PS and Dhawan V (2001) Establishment of genetic fidelity of *in vitro*-raised Lilium bulblets through RAPD markers. In Vitro Cell Dev Biol-Plant 37: 227–231.

Vasconcelos JF, Teixeira MM, Barbosa-Filho JM, Lúcio ASSC, Almeida JRGS, de Queiroz LP, Ribeiro-dos-Santos R and Soares MBP (2008) The triterpenoid lupeol attenuates allergic airway inflammation in a murine model. Int Immunopharmacol 8: 1216–1221.

Vasconsuelo A and Boland R (2007) Molecular aspects of the early stages of elicitation of secondary metabolites in plants. Plant Sci 172: 861–875.

Vasil IK and Hildebrandt AC (1966) Growth and chlorophyll production in plant callus tissues grown *in vitro*. Planta 68: 69–82.

Vats S (2018) Larvicidal activity and in vitro regulation of rotenoids from *Cassia tora* L. 3 Biotech 8(1): 13.

Veerashree V, Anuradha CM and Kumar V (2012) Elicitor-enhanced production of gymnemic acid in cell suspension cultures of *Gymnema sylvestre* R. Br. Plant Cell Tissue Organ Cult 108: 27–35.

Veersham C (2004) Elicitation. In: Medicinal plant biotechnology (Veersham C, ed.). CBS Publisher, India, pp. 270–293.

Velayutham P, Ranjithakumari BD and Baskaran P (2006) An efficient *in vitro* plant regeneration system for *Cichorium intybus* L.-an important medicinal plant. J Agri Technol 2(2): 287–298.

Venkatachalam P, Kalaiarasi K and Sreeramanan S (2015) Influence of plant growth regulators (PGRs) and various additives on in vitro plant propagation of *Bambusa arundinacea* (Retz.) Wild: A recalcitrant bamboo species. J Genet Eng Biotechnol 13: 193–200.

Venkatesan N, Das AG and Smith A (2014) Effect of an active fraction isolated from the leaf extract of *Leptadenia reticulata* on plasma glucose concentration and lipid profile in streptozotocin-induced diabetic rats. Chin J Nat Med 12(6): 0455–0460.

Veraplakorn V (2016) Micropropagation and callus induction of Lantana camara L.- A medicinal plant. Agric Nat Res 50: 338–344.

Vergara Martínez VM, Estrada-Soto SE, Arellano-García Jd, Rivera-Leyva JC, Castillo-España P, Flores AF, Cardoso-Taketa AT and Perea-Arango I (2017) Methyl jasmonate and salicylic acid enhanced the production of ursolic and oleanolic acid in callus cultures of *Lepechinia Caulescens*. Pharmacogn Mag 13: 886–889.

Verma P and Mathur AK (2011) Direct shoot bud organogenesis and plant regeneration from pre-plasmolysed leaf explants in *Catharanthus roseus*. Plant Cell Tissue Organ Cult 106: 401–408.

Verma RN, Jamal SM, Sharma MM, Rao DV and Batra A (2010) Regulation of organogenesis using leaf, internode and petiole explants in *Tylophora indica* (Burm. F.) Merr. Int J Pharma Sci Rev Res 5(1): 35–40.

Verma S, Yadav K and Singh N (2011) Optimization of the protocols for surface sterilization, regeneration and acclimatization of *Stevia rebaudiana* Bertoni. Am-Euras. J Agric Environ Sci 11(2): 221–227.

Verma SCI and Agarwal SL (1962) Studies on *Leptadenia reticulata* (part II). Preliminary chemical investigations. Ind J Med Res 50: 439–445.

Verma SK, Das AK, Cingoz GS, Uslu E and Gurel E (2016) Influence of nutrient media on callus induction, somatic embryogenesis and plant regeneration in selected Turkish crocus species. Biotechnol Rep 10: 66–74.

Verma SK, Yucesan B, Sahin G ans Gurel E (2014) Embryogenesis, plant regeneration and cardiac glycoside determination in *Digitalis ferruginea* subsp. *ferruginea* L. Plant Cell Tissue Organ Cult 119: 625–634.

Verma SK, Yücesan BB, Şahin G, Gürel S, Gürel E (2011) Direct shoot regeneration from leaf explants of *Digitalis lamarckii*, an endemic medicinal species. Turk J Bot 35:689–695.

Verpoorte R, van der Heijden R, ten Hoopen HJG and Memelink J (1999) Metabolic engineering of plant secondary metabolite pathways for the production of fine chemicals. Biotechnol Lett 21: 467–479.

Vetrikumaran K, Pari L, Rajasekaran M and Palani S (2011) Protective effect of *p*-coumaric acid against alcohol induced biochemical changes in albino wistar rats. Res J Bio Sci 3: 8–17.

Vibha JB, Choudhary K, Singh M, Rathore MS and Shekhawat NS (2009) An efficient somatic embryogenesis system for velvet bean [*Mucuna pruriens* (L.) DC.]: a source of anti Parkinson's drug. Plant Cell Tissue Organ Cult 99: 319–325.

Vibha JB, Shekhawat NS, Mehandru P and Dinesh R (2014) Rapid multiplication of *Dalbergia sissoo* Roxb.: a timber yielding tree legume through axillary shoot proliferation and *ex vitro* rooting. Physiol Mol Biol Plants 20(1): 81–87.

Vibrant Gujarat (2017) Vibrant Gujarat report on setting up a medicinal herbs extraction unit, agro and food processing, Government of Gujarat.

Vicente MRS and Plasencia J (2011) Salicylic acid beyond defence: its role in plant growth and development. J Exp Bot 62: 3321–3338.

Vieira RF and Skorupa LA (1993) Brazilian medicinal plants gene bank. Acta Hortic 330: 51–58.

Vijayalakshmi U and Shourie A (2019) Yeast extract-mediated elicitation of anti-cancerous compounds licoisoflavone B, licochalcone A, and liquirtigenin in callus cultures of *Glycyrrhiza glabra*. Biotechnol 100(4): 441–451.

Vinothkumar D and Senthilkumar M (2015) *In vitro* callus induction and plants from leaf explants of *Wattakaka volubilis* L. (Staf. Arn)– An vulnerable medicinal plant. European J Biotechnol Biosci 3(6): 12–16.

Vishwakarma UR, Gurav AM and Sharma PC (2009) *In vitro* propagation of *Desmodium gangeticum* (L.) DC. from cotyledonary nodal explants. Pharmacogn Mag 4(18): 145–150.

Volis S and Blecher M (2010) Quasi *in situ*: a bridge between *ex situ* and *in situ conservation* of plants. Biodivers Conserv 19: 2441–2454.

Von Arnold S, Sabala I, Bozhkov P, Dyachok JA and Filonova L (2002) Developmental pathways of somatic embryogenesis. Plant Cell Tissue Organ Cult 69: 233–249.

Wadl PA, Dattilo AJ, Vito LM and Trigiano RN (2011) Shoot organogenesis and plant regeneration in *Pityopsis ruthii*. Plant Cell Tissue Organ Cult 106: 513–516.

Wagner H and Bladt S (2001) Plant drug analysis: a thin layer chromatography atlas. Springer, Berlin.

Wakade AS, Juvekar AR, Hole RC, Nachankar RS and Kulkarni MP (2007) Antioxidant and cardioprotective effect of *Leptadenia reticulata* against adriamycin–induced myocardial oxidative damage in rat experiments. Planta Med 73: 443.

Walia N, Kaur A and Babbar SB (2007a) An efficient *in vitro* cyclic production of shoots from adult trees of *Crataeva nurvala* Buch. Ham. Plant Cell Rep 26: 277–284.

Walia N, Kaur A and Babbar SB (2007b) Proliferation and differentiation from endosperm of *Carthamus tinctorius*. Biol Plant 51: 749–753.

Walley JW, Coughlan S, Hudson ME, Covington MF, Kaspi R, Banu G, Harmer SL and Dehesh K (2007) Mechanical stress induces biotic and abiotic stress responses via a novel cis-element. PLoS Genet 3: 1800–1812.

Wang H, Liu H, Wang W and Zu Y (2008) Effects of thidiazuron, basal medium and light quality on adventitious shoot regeneration from *in vitro* cultured stem of *Populus alba* × *P. berolinensis*. J For Res 19: 257–259.

Wang J, Liu H, Zhao J, Gao H, Zhou L, Liu Z, Chen Y and Sui P (2010) Antimicrobial and antioxidant activities of the root bark essential oil of *Periploca sepium* and its main component 2-hydroxy-4-methoxybenzaldehyde. Molecules 15: 5807–5817.

Wang JW and Wu JY (2013) Effective elicitors and process strategies for enhancement of secondary metabolite production in hairy root cultures. Adv Biochem Eng Biotechnol 134: 55–89.

Wang RF, Huang FL, Zhang J, Zhang QY, Sun LN and Song XS (2016) Establishment of a high-frequency regeneration system in *Cerasus humilis*, an important economic shrub. J For Res 21: 244–250.

Wang YD, Yuan YJ and Wu JC (2004) Induction studies of methyl jasmonate and salicylic acid on taxane production in suspension cultures of *Taxus chinensis* var. mairei. Biocheml Engg J 19: 259–265.

Wang YH and Bhalla PL (2004) Somatic embryogenesis from leaf explants of Australian fan flower, *Scaevola aemula* R. Br. Plant Cell Rep 22: 408–414.

Wang YH and Bhalla PL (2006) Plant regeneration from cell suspensions initiated from leaf- and root- derived calli of the Australian ornamental plant *Scaevola aemula* R. Br. Propag Ornam Plants 6: 55–60.

Weerakoon SR (2010) Direct and indirect somatic embryogenesis from petiole and leaf explants of purple fan flower (*Scaevola aemula* R. Br. cv. 'Purple Fanfare'). World Acad Sci Eng Technol 12: 322–330.

Wen T, Hao YJ, An XL, Sun HD, Li YR, Chen X and Lian ML (2019) Improvement of bioactive compound accumulation in cell cultures of *Orostachys cartilaginous* A. Bor. through elicitation with salicylic acid and effect of cell extract on bioactive activity. Ind Crops Prod 139: 111570.

White PR (1939) Controlled differentiation in a plant tissue culture. Bull Torrey Bot Club 66: 507–513.

White PR (1963) The cultivation of animal and plant cells, 2nd edn. The Ronald Press, New York, pp. 228.

Wiart C (2006) Medicinal plants classified in the family Asclepiadaceae. In: Medicinal plants of Asia and the Pacific, 1st edn. CRC Press, USA.

Williams EG and Maheswaran G (1986) Somatic embryogenesis: factors influencing coordinated behaviour of cells as an embryogenic group. Ann Bot 57: 443–462.

Wilson JO, Buchsbaum R, Valiela I and Swain T (1986) Decomposition in salt marsh ecosystems: Phenolic dynamics during decay of litter of Spartina alternijiora. Mar Ecol Prog Ser 29: 177–187.

Wolfender JL, Marti G, Thomas A and Bertrand S (2015) Current approaches and challenges for the metabolite profiling of complex natural extracts. J Chromatogr A 1382: 136–164.

Wondyifraw T and Surawit W (2004) Micropropagation of krawan *(Amomum krervanh* Pierre ex Gagnep). Sci Asia 30: 149–150.

Woodward B and Puonti KJ (2001) Somatic embryogenesis from floral tissue of cassava (*Manihot esculenta* Crantz). Euphytica 120: 1–6.

Wu CF, Karioti A, Rohr D, Bilia AR and Efferth T (2016) Production of rosmarinic acid and salvianolic acid B from callus culture of *Salvia miltiorrhiza* with cytotoxicity towards acute lymphoblastic leukemia cells. Food Chem. 201: 292–297.

Wu CM, Yang CW, Lee YZ, Chuang TH, Wu PL, Chao YS, Lee SJ (2009) Tylophorine arrests carcinoma cells at G1 phase by down regulating cyclin A2 expression. Biochem Biophys Res Commun 386(1): 140–145.

Xiao Z, Fu RP, Li JY, Fan ZQ and Yin HF (2016) Overexpression of the gibberellin 2-oxidase gene from *Camellia lipoensis* induces dwarfism and smaller flowers in *Nicotiana tabacum*. Plant Mol Biol Rep 34: 182–191.

Xie DY and Hong Y (2001) Regeneration of *Acacia mangium* through somatic embryogenesis. Plant Cell Rep 20: 34–40.

Xie PS (2001) A feasible strategy for applying chromatography fingerprint to assess quality of Chinese herbal medicine. Tradit Chin Drug Res Clin Pharm 12(3): 141–169.

Xu C, Wu P, Gao J, Zhang L, Ma T, Ma B, Yang S, Shao G, Yu Y, Huang X, Yang X and Zhang B (2019) Heptadecanoic acid inhibits cell proliferation in PC-9 non-small-cell lung cancer cells with acquired gefitinib resistance. Oncol Rep 41: 3499–3507.

Xu K, Chang Y, Liu K, Wang F, Liu Z, Zhang T, Li T, Zhang Y, Zhang F, Zhang J, Wang Y, Niu W, Jia S, Xie H, Tan G and Li C (2014) Regeneration of *Solanum nigrum* by somatic embryogenesis, involving frog egg-like body, a novel structure. PLoS One 9(6): e98672.

Xu L and Huang H (2014) Genetic and epigenetic controls of plant regeneration. Curr Top Dev Biol 108:1–33.

Yadav K and Singh N (2011) *In vitro* propagation and biochemical analysis of field established wood apple (*Aegle marmelos* L.). Analele Universităţii din Oradea-Fascicula Biologie XVIII(1):23–28.

Yaish MWF, Guevara DR, El-Kereamy A and Rothstein SJ (2010) Axillary shoot branching in plants. In: Plant developmental biology- Biotechnological perspectives, vol. 1 (Pua EC and Davey MR, eds.). Springer-Verlag, Berlin, Heidelberg, pp. 37–52.

Sujatha G and Kumari BDR (2007) Effect of phytohormones on micropropagation of *Artemisia vulgaris* L. Acta Physiol Plant 29: 189–195.

Yan MM, Xu C, Kim CH, Um YC, Bah AA and Guo DP (2009) Effects of explant type, culture media and growth regulators on callus induction and plant regeneration of Chinese jiaotou (*Allium chinense*). Sci Hortic 123: 124–128.

Yancheva SD, Golubowicz S, Fisher E, Lev-Yadun S and Flaishman MA (2003) Auxin type and timing of application determine the activation of the developmental program during *in vitro* organogenesis in apple. Plant Sci 165: 299–309.

Yang CW, Chen WL, Wu PL, Tseng HY and Lee SJ (2006) Anti-inflammatory mechanisms of phenanthroindolizidine alkaloids. Mol Pharmacol 69(3): 749–758.

Yang CW, Lee YZ, Hsu HY, Shih C, Chao YS, Chang HY and Lee SJ (2017) Targeting coronaviral replication and cellular JAK2 mediated dominant NF-κB activation for comprehensive and ultimate inhibition of coronaviral activity. Sci Rep 7(1): 1–13.

Yang CW, Lee YZ, Kang IJ, Barnard DL, Jan JT, Lin D, Huang CW, Yeh TK, Chao YS and Lee SJ (2010) Identification of phenanthroindolizines and phenanthroquinolizidines

as novel potent anti-coronaviral agents for porcine enteropathogenic coronavirus transmissible gastroenteritis virus and human severe acute respiratory syndrome coronavirus. Antivir Res 88(2): 160–168.

Yang X and Zhang X (2010) Regulation of somatic embryogenesis in higher plants. Crit Rev Plant Sci 29: 36–57.

Yang XY, Lü JF, da Silva JAT and Ma GH (2012) Somatic embryogenesis and shoot organogenesis from leaf explants of *Primulina tabacum*. Plant Cell Tissue Organ Cult 109: 213–221.

Yang ZS, Chen GD, Li YX and Chen J (2009) Characterization of callus formation in leaf of *Euphorbia helioscopia*. Afr J Plant Sci 3(6): 122–126.

Yang CW, Chen WL, Wu PL, Tseng HY and Lee SJ (2006) Anti-inflammatory mechanisms of phenanthroindolizidine alkaloids. Mol Pharmacol 69: 749–58.

Yoon JH, Kim KH, Ma JC and Huh H (2000) Induced accumulation of triterpenoids in *Scutellaria baicalensis* suspension cultures using a yeast elicitor. Biotechnol Lett 22: 1071–1075.

Yoon SA, Kang Seong-Il, Shin HS, Kang SW, Kim JH, Ko HC and Kim SJ (2013) *p*-Coumaric acid modulates glucose and lipid metabolism via AMP-activated protein kinase in L6 skeletal muscle cells Biochem Biophys Res Comm 432: 553–557.

Younesikelaki FS, Ebrahimzadeh MH, Javan IY, Rahbarian R and Nanna RS (2018) Enhancement of production of pharmaceutical compounds; scopoletin and coumaric acid via yeast extract elicitation of cell culture of *Althaea officinalis*. Lat. Am J Pharm 37(7): 1–4.

Yücesan BB, Çiçek F and Gürel E (2014) Somatic embryogenesis and encapsulation of immature bulblets of an ornamental species, grape hyacinths (*Muscari armeniacum* Leichtlin ex Baker). Turk J Agric For 38: 716–722.

Yumbla-Orbes M, Rocha DI, de Matos EM, Koehler AD, Pinheiro MVM, Batista DS, Freitas DMS, Ana da Cruz CF, Barbosa JG, Viccini LF and Otoni WC (2020) Somatic embryogenesis induced from vascular tissues in leaf explants of Lisianthus (*Eustoma grandiflorum* (Raf.) Shinn) generates true-to-type diploid plants. Vegetos doi: https://doi.org/10.1007/s42535-019-00091-8.

Zaheer M and Giri CC (2015) Multiple shoot induction and jasmonic versus salicylic acid driven elicitation for enhanced andrographolide production in *Andrographis paniculata*. Plant Cell Tissue Organ Cult 122(3): 553–563.

Zăpârţan M, Butiuc-Keul A, Deliu C and Deliu-Munteanu C (1999-2000) Regenerative capacity of *Lilium longiflorum* Thumb. species cultivated *in vitro*, Contribuţii Botanice I, Grădina Botanică Alexandru Borza, Cluj-Napoca, pp. 131–137.

Zaragoza-Martinez F, Lucho-Constantino GG, Ponce-Noyola T, Esparza-Garcia F, Poggi-Varaldo H, Cerda-Garcia-Rojas CM, Trejo-Tapia G and Ramos-Valdivia AC (2016) Jasmonic acid stimulates the oxidative responses and triterpene production in *Jatropha curcas* cell suspension cultures through mevalonate as biosynthetic precursor. Plant Cell Tissue Organ Cult 127: 47–56.

Zegzouti R, Arnold MF and Favre JM (2001) Histological investigation of the multiplication steps in secondary somatic embryogenesis of *Quercus robur* L. Ann For Sci 88: 681–690.

Zhang BH, Feng R, Liu F and Wang Q (2001) High frequency somatic embryogenesis and plant regeneration of an elite Chinese cotton variety. Bot Bull Acad Sin 42: 9–16.

Zhang S, Liu X, Sun C, Yang J, Wang L, Liu J, Geong L and Jing Y (2016) Apigenin attenuates experimental autoimmune myocarditis by modulating Th1/Th2 cytokine balance in mice. Inflam 39(2): 678–686.

Zhao CH, Zhang LJ, Chao GE and Kai HU (2008) Establishment and optimization of the regeneration system of mature embryos of maize (*Zea mays* L.). Agric Sci China 7: 1046–1051.

Zhao J, Davis LC and Verpoorte R (2005) Elicitor signal transduction leading to production of plant secondary metabolites. Biotechnol Adv 23: 283–333.

Zhao J, Zhou L and Wu J (2010) Effects of biotic and abiotic elicitors on cell growth and tanshinone accumulation in *Salvia miltiorrhiza* cell cultures. Appl Microbiol Biotechnol 87: 137–144.

Zhao XY, Su YH, Cheng ZJ and Zhang XS (2008) Cell fate switch during *in vitro* plant organogenesis. J Integr Plant Biol 50(7): 816–824.

Zhou S and Brown DCW (2006) High efficiency plant production of North American ginseng via somatic embryogenesis from cotyledon explants. Plant Cell Rep 25: 166–173.

Zhou X, Wang F, Zhou R, Song X and Xie M (2017) Apigenin: A current review on its beneficial biological activities. J of Food Biochem doi: 10.1111/jfbc.12376.

Zhu S, Liu T, Fang Z, Xia K, Zeng S, da Silva JAT and Zhang M (2011) Micropropagation and pharmacological analysis of a medicinal herb *Sarcandra glabra*. Med Arom Plant Sci Biotechnol 5(1): 16–19.

Zimmerman JL (1993) Somatic embryogenesis: a model for early development in higher plants. Plant Cell 5: 1411–1423.

Zimmerman RH and Broome OC (1981) Phloroglucinol and *in vitro* rooting of apple cultivar cuttings. J Am Soc Hort Sci 106: 648–652.