

## List of Figures

Fig. 1.1 Radar plots summarizing the effects of intercropping (mixed cropping) and crop rotation on different aspects. ....	3
Fig. 1.2 Benefits of the intercropping system.....	4
Fig. 1.3 Possible below-ground interactions in the rhizosphere of the monocropping and intercropping.....	6
Fig. 1.4 Representation of the important N cycle processes in the rhizosphere of cereal-legume intercropping system.....	8
Fig. 1.5 Representation of possible direct and indirect modes of increased phosphorus (P) uptake in cereal- legume intercropping .....	9
Fig. 1.6 Role of microbes in nitrogen transfer mechanisms from legumes to cereals.....	15
Fig. 1.7 Schematic overview of biochemical processes driven by low and high molecular weight organic compounds released by plant roots .....	16
Fig. 1.8 Ecological drivers of plant-plant and plant-microbe interactions existing in an intercropping system.....	17
Fig. 1.9 Importance of root exudates in root-root signaling .....	19
Fig. 1.10 Representation of the different steps involved in root colonization by PGPR and the response of the plant towards them.....	20
Fig. 1.11 Host root recognition and colonization by PGPR strain.....	21
Fig. 1.12. Impact of root exudates on symbiotic relationships in maize - faba bean intercropping system .....	22
Fig. 2-1 Intercropped plants grown in the plastic bags in the presence of mesh barrier for cross colonization studies .....	30
Fig. 2-2 Schematic for root exudates collection of <i>C. cajan</i> and <i>Z. mays</i> plants as monocrops and intercrops .....	32
Fig. 2-3 Capillary assay set-up for studying chemotaxis of bacteria towards root exudates or metabolites .....	34
Fig. 2-4 Colonization and plant growth studies of PGPR on <i>C. cajan</i> and <i>Z. mays</i> plants .....	36
Fig. 2-5 Facilitative interaction between roots of <i>C. cajan</i> and <i>Z. mays</i> plants .....	37
Fig. 2-6 Cross colonization of PGPR from <i>C. cajan</i> to <i>Z. mays</i> .....	38
Fig. 2-7 Cross colonization of PGPR from <i>Z. mays</i> to <i>C. cajan</i> .....	39

---

Fig. 2-8 Colonization of NGR234 on roots of <i>C. cajan</i> plants observed by CLSM.....	40
Fig. 2-9 Colonization of NGR234 on roots of <i>Z. mays</i> plants observed by CLSM.....	41
Fig. 2-10 Effect of root exudates of monocrop and intercrop plants on chemotaxis and biofilm formation by PGPR.....	42
Fig. 2-11 Chromatogram of organic acids detected in the root exudates .....	44
Fig. 2-12 Effect of organic acids on chemotaxis of PGPR .....	46
Fig. 2-13 Effect of organic acids on biofilm formation by PGPR .....	47
Fig. 3-1 Schematic overview of the experimental setup of monocropped and intercropped plants grown for collections of root exudates at 28 days after sowing (DAS).....	56
Fig. 3-2 Global differences in the metabolite profiles of <i>Z. mays</i> and <i>C. cajan</i> root exudates grown as monocropped or intercropped determined by GC-MS analysis. ....	62
Fig. 3-3 Chemotaxis capillary assay of NGR234 with root exudates of monocropped and intercropped <i>C. cajan</i> and <i>Z. mays</i> plants and pure metabolites identified metabolites by GC-MS. ....	65
Fig. 3-4 Growth of NGR234 in RMM minimal medium in the presence of root exudates of <i>C. cajan</i> and <i>Z. mays</i> grown as monocrops or intercrops. ....	66
Fig. 3-5 Growth of NGR234 in minimal medium in the presence of <i>Z.mays</i> and <i>C.cajan</i> root exudates grown as monocrops or intercrops.....	67
Fig. 3-6 Biofilm formation of NGR234 in the presence of root exudates of monocropped and intercropped <i>C. cajan</i> and <i>Z. mays</i> plants and the selected metabolites.....	68
Fig. 4-1 Flavonoid-inducible determinants of nodulation in <i>Ensifer fredii</i> NGR234 .....	74
Fig. 4-2 Construction of 1.12 kb size <i>nodA</i> promoter region- GFP fusion.....	80
Fig. 4-3 Relative gene expression levels studies of NGR234 with root exudates affecting the genes of chemotaxis, flagellar motility, and attachment.....	86
Fig. 4-4 Relative gene expression levels studies of NGR234 with root exudates affecting the genes of nodulation, quorum sensing, and type III-IV secretions systems.....	87
Fig. 4-5 Confirmation of PnodA::gfp clone from <i>E. coli</i> EPI300 on 1% agarose gel electrophoresis .....	88
Fig. 4-6 Detection of PnodA::gfp expression carrying NGR234 on the roots of <i>C. cajan</i> and <i>Z. mays</i> plants.....	89
Fig. 4-7 Venn diagram representing the proteome analysis of NGR234.....	91

---

Fig. 4-8 Gene Ontology-based biological classification of the identified proteins through Uniprot ..... 91

Fig. 4-9 Heat map of 161 proteins differentially expressed of NGR234 in the presence of *Z. mays* monocropped and intercropped root exudates.. ..... 94

Fig. 4-10 Differential expression of NGR234 proteins in the absence or presence of monocrop and intercrop *Z. mays* root exudates. .... 95

Fig. 4-11 Upregulated proteins in the presence of intercrop *Z. mays* root exudates associated with biological pathways were subjected to protein-protein interactions using STRING..... 96

---