BIBLIOGRAPHY

Acharya, B., & Bhatt, N. (2019). Sedimentological analysis of a Late Quaternary coastal dune system: An example from Gopnath, south-east Saurashtra, Western India. *Sedimentology, 66*(2), 435-458.

Agrawal, D. P., Rajaguru, S. N., & Roy, B. (1978). SEM and other studies on the Saurashtra miliolite rocks. *Sedimentary Geology, 20*, 41-47.

Ahnert, F. (1970). Functional relationships between denudation, relief, and uplift in large, mid-latitude drainage basins. *American Journal of Science, 268*(3), 243-263.

Allmendinger, R. W., Cardozo, N., & Fisher, D. M. (2011). *Structural geology algorithms: Vectors and tensors*. Cambridge University Press.

Altın, T. B., & Altın, B. N. (2011). Development and morphometry of drainage network in volcanic terrain, Central Anatolia, Turkey. *Geomorphology*, *125*(4), 485-503.

Azor, A., Keller, E. A., & Yeats, R. S. (2002). Geomorphic indicators of active fold growth: South Mountain–Oak Ridge anticline, Ventura basin, southern California. *Geological society of america bulletin*, *114*(6), 745-753.

Banerji, U. S., Bhushan, R., & Jull, A. J. T. (2017). Mid− late Holocene monsoonal records from the partially active mudflat of Diu Island, southern Saurashtra, Gujarat, western India. *Quaternary International*, *443*, 200-210.

Banerji, U. S., Bhushan, R., & Maurya, D. M. (2016). Sedimentary records of paleoredox conditions at relict mudflat of Vasoj, Southern Saurashtra Coast, Gujarat, India. *Earth Science India*, *9*.

Banerji, U. S., Pandey, S., Bhushan, R., & Juyal, N. (2015). Mid-Holocene climate and land–sea interaction along the southern coast of Saurashtra, western India. *Journal of Asian Earth Sciences*, *111*, 428-439.

Baskaran, M. (1995). The Origin of Quaternary carbonate Deposits (Miliolites) a Theoretical Perspective. *Memoirs-Geological Society of India*, 360-371.

Baskaran, M., Deshpande, S. V., Rajaguru, S. N., & Somayajulu, B. L. K. (1989). Geochronology of miliolite rocks of Kutch, western India. *Journal of the Geological Society of India, 33*(6), 588-593.

Baskaran, M., Marathe, A. R., Rajaguru, S. N., & Somayajulu, B. L. K. (1986). Geochronology of palaeolithic cultures in the Hiran Valley, Saurashtra, India. *Journal of Archaeological Science, 13*(6), 505-514.

Baskaran, M., Rajagopalan, G., & Somayajulu, B. (1989). 230Th/234U and 14C dating of the Ouaternary carbonate deposits of Saurashtra, India. *Chemical Geology*, *79*(1), 65–82.

Baskaran, M., Sahai, B., Sood, R. K., & Somayajulu, B. L. K. (1987). Geochronological studies of strandlines of Saurashtra, India, detected by remote sensing techniques. *International Journal of Remote Sensing, 8*(2), 169-175.

Baskaran, M., & Somayajulu, B. L. K. (1990). Clay mineral distribution in dated miliolites of the late quaternary from Saurashtra and Kutch, Gurajat. *Journal of the Geological Society of India, 35*(5), 471-479.

Bateman, M. D., Holmes, P. J., Carr, A. S., Horton, B. P., & Jaiswal, M. K. (2004). Aeolianite and barrier dune construction spanning the last two glacial–interglacial cycles from the southern Cape coast, South Africa. *Quaternary Science Reviews, 23*(14-15), 1681-1698.

Bhatt, N. (2003). The Late Quaternary bioclastic carbonate deposits of Saurashtra and Kachchh, Gujarat. Western India: A review. *Proc. Indian Natl. Sci. Acad., 69*(2), 137-150.

Bhatt, N., & Bhonde, U. (2006). Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India. *Journal of earth system science, 115*(4), 395-402.

Bhatt, N., & Patel, M. P. (1998). Bioclastic shore deposits: indicators of late Quaternary high sea in Saurashtra, western India. *Journal Geological Society of India, 52*, 537-542.

Bhattacharya, G.C., & Subrahmanyam, V. (1986). Extension of the Narmada-Son lineament on the continental margin of Saurashtra, Western India as obtained from magnetic measurements. *Marine Geophysical Research, 8*, 329–344. https://doi.org/10.1007/BF02084017

Bhattacharya, S. N., Karanth, R. V., Dattatrayam, R. S., & Sohoni, P. S. (2004). Earthquake sequence in and around Bhavnagar, Saurashtra, western India during August–December 2000 and associated tectonic features. *Current Science, 86*(8), 1165-1170.

Bhonde, U., & Bhatt, N. (2009). Joints as Fingerprints of Stress in the Quaternary Carbonate Deposits along Coastal Saurashtra, Western India. *Journal of Geological Society of India, 74*, 703-710.

Biswas, S. K. (1971). The miliolite rocks of Kutch and Kathiawar (western India). *Sedimentary Geology, 5*(2), 147-164.

Biswas, S. K. (1971). The miliolite rocks of Kutch and Kathiawar (western India). *Sedimentary Geology, 5*(2), 147-164.

Biswas, S. K. (1982). Rift basins in western margin of India and their hydrocarbon prospects with special reference to Kutch basin. *AAPG Bulletin, 66*(10), 1497-1513.

Biswas, S. K. (1987). Regional tectonic framework, structure and evolution of the western margin basins of India. *Tectonophysics, 135*, 307–327.

Biswas, S. K. (1999). A review on the evolution of rift basins in India during Gondwana with special reference to western Indian basins and their hydrocarbon prospects. *Proceedings of the Indian National Science Academy, 65*, 261-283.

Biswas, S. K. (2005). A review of structure and tectonics of Kutch basin, western India, with special reference to earthquakes. *Current Science, 88*, 1592-1600.

Biswas, S. K. (2014). Active tectonics of western continental margin of Indo–Pak craton–stress source for SCR earthquakes. *Journal of Earthquake Science and Engineering, 1*, 46-58.

Biswas, S., Sudhakar, S., & Desai, V. R. (1999). Prioritisation of subwatersheds based on morphometric analysis of drainage basin: A remote sensing and GIS approach. *Journal of the Indian society of remote sensing, 27*(3), 155-166.

Bose, M. K. (1971). Petrology of the nepheline syenite of Mount Girnar, India. *Lithos, 4*(4), 357-366.

Bose, M. K. (1973). Petrology and geochemistry of the igneous complex of Mount Girnar, Gujarat, India. *Contributions to Mineralogy and Petrology, 39*(3), 247-266.

Brooke, B. P., Olley, J. M., Pietsch, T., Playford, P. E., Haines, P. W., Murray-Wallace, C. V., & Woodroffe, C. D. (2014). Chronology of Quaternary coastal aeolianite deposition and the drowned shorelines of southwestern Western Australia–a reappraisal. *Quaternary Science Reviews, 93*, 106-124.

Bull, W.B. (2009). Tectonically Active Landscapes. Wiley-Blackwell, Oxford. (326 p).

Bull, W. B., & McFadden, L. D. (1977). Tectonic geomorphology north and south of the Garlock Fault, California. *Geomorphology, 1*, 15–32. https://doi.org/10.4324/9780429299230-5

Burbank, D. W., & Anderson, R. S. (2001). *Tectonic geomorphology*. Blackwell Science.

Calvet, F., Plana, F., & Traveria, A. (1980). [Mineralogical tendency of the Pleistocenic eolianites of Majorca island [Spain] using the Chung method].[Spanish]. *Acta Geologica Hispanica*.

Cande, S. C., & Stegman, D. R. (2011). Indian and African plate motions driven by the push force of the Reunion plume head. *Nature*, *475*(7354), 47-52.

Cannon, P. J. (1976). Generation of explicit parameters for a quantitative geomorphic study of Mill Creek drainage basin. *Oklahoma Geology Notes, 36*(1), 3-16.

Casshyap, S. M., & Aslam, M. (1991). An exhumed channel sandstone body of Surajdeval Formation (Lower Cretaceous), Saurashtra basin, Gujarat: a possible example of delta distributary and nearshore deposit. *Journal of Geological Society of India, 37*, 359-364.

Casshyap, S. M., & Aslam, M. (1992). Deltaic and shoreline sedimentation in Saurashtra basin, western India: an example of infilling in an Early Cretaceous failed rift. *Journal of Sedimentary Petrology, 62*, 972-991

Chakrabarti, A., & Baskaran, M. (1989). Biogenic faecal pellet mounds in Quaternary miliolites of Saurashtra, India. *Palaeogeography, palaeoclimatology, palaeoecology, 73*(3-4), 311-315.

Chakrabarti, A., Somayajulu, B. K., Baskaran, M., & Kumar, B. (1993). Quaternary Miliolites of Kutch and Saurashtra, Western India. Depositional environments in the light of physical sedimentary structures, biogenic structures and geochronological setting of the rocks. *Senckenbergiana maritima, 23*, 7-28.

Chakrabarti, S. (1983). Acheulian Culture in Saurashtra in Relation to Pleistocene Stratigraphy-An Overview. *Journal of Indian Anthropological Science, 18*, 1-9.

Chamyal, L.S., Maurya, D.M., & Raj, R. (2003). Fluvial systems of the drylands of western India: a synthesis of Late Quaternary environmental and tectonic changes. *Quaternary International, 104*, 69–86. https://doi.org/10.1016/S1040-6182(02)00136-2

Chandra, U. (1977). Earthquakes of peninsular India—a seismotectonic study. *Bulletin of the seismological Society of America, 67*(5), 1387-1413.

Chandrasekhar, D. V., Mishra, D. C., Rao, G. P., & Rao, J. M. (2002). Gravity and magnetic signatures of volcanic plugs related to Deccan volcanism in Saurashtra, India and their physical and geochemical properties. *Earth and Planetary Science Letters, 201*(2), 277-292.

Chang, K.T., & Tsai, B.W. (1991). The effect of DEM resolution on slope and aspect mapping. *Cartography and Geographic Information Systems, 18* (1), 69–77. https://doi.org/10.1559/152304091783805626

Chatterjee, N., & Bhattacharji, S. (2001). Origin of the felsic dikes and basaltic dikes and flows in the Rajula-Palitana-Sihor area of the Deccan Traps, Saurashtra, India: a geochemical and geochronological study. *International Geology Review, 43*, 1094–1116.

Chatterjee, N., & Bhattacharji, S. (2004). A preliminary geochemical study of zircons and monazites from Deccan felsic dikes, Rajula, Gujarat, India: Implications for crustal melting. In: *Proceedings of the National Academy of Sciences. 113*, 533-542. 174

Chatterjee, S., & Bajpai, S. (2016). India's northward drift from Gondwana to Asia during the Late Cretaceous-Eocene. In: *Proceedings of the National Academy of Sciences. 82*(3), 479-487).

Chiplonkar, G., W., & Borkar, V., D. (1975). Stratigraphy of the area around Wadhwan, Saurashtra, Gujarat State, *Recent Res. in Geology (Ed. V. K. Verma), 2*, 229-239.

Chopra, S., Chang, T. M., Saikia, S., Yadav, R. B. S., Choudhury, P., & Roy, K. S. (2014). Crustal structure of the Gujarat region, India: New constraints from the analysis of teleseismic receiver functions. *Journal of Asian Earth Sciences, 96*, 237-254.

Chorley, R. J., Beckinsale, R. P., & Dunn, A. J. (1973). The History of the Study of Landforms or the Development of Geomorphology: The Life and Work of William Morris Davis (Vol. 2). Psychology Press.

Chow, J., Angelier, J., Hua, J. J., Lee, J. C., & Sun, R. (2001). Paleoseismic event and active faulting: from ground penetrating radar and high-resolution seismic reflection profiles across the Chihshang Fault, eastern Taiwan. *Tectonophysics, 333*(1-2), 241-259.

Collier, J. S., Sansom, V., Ishizuka, O., Taylor, R. N., Minshull, T. A., & Whitmarsh, R. B. (2008). Age of Seychelles–India break-up. *Earth and Planetary Science Letters*, *272*(1-2), 264-277.

Cooper, J. A. G., & Pilkey, O. H. (2002). The barrier islands of southern Mozambique. *Journal of Coastal Research*, (36 (10036)), 164-172.

Costa, J. E. (1987). Hydraulics and basin morphometry of the largest flash floods in the conterminous United States. *Journal of hydrology, 93*(3-4), 313-338.

Cucciniello, C., Demonterova, E. I., Sheth, H., Pande, K., & Vijayan, A. (2015). 40 Ar/39 Ar geochronology and geochemistry of the Central Saurashtra mafic dyke swarm: insights into magmatic evolution, magma transport, and dyke-flow relationships in the northwestern Deccan Traps. *Bulletin of Volcanology, 77*(5), 1-19.

Cucciniello, C., Choudhary, A. K., Pande, K., & Sheth, H. (2019). Mineralogy, geochemistry and 40Ar–39Ar geochronology of the Barda and Alech complexes, Saurashtra, northwestern Deccan Traps: early silicic magmas derived by flood basalt fractionation. *Geological Magazine, 156*(10), 1668-1690.

Cucciniello, C., Sheth, H., Duraiswami, R. A., Wegner, W., Koeberl, C., Das, T., & Ghule, V. (2020). The Southeastern Saurashtra dyke swarm, Deccan Traps: Magmatic evolution of a tholeiitic basalt–basaltic andesite–andesite–rhyolite suite. *Lithos, 376*, 105759.

Dar, R. A., Chandra, R., & Romshoo, S. A. (2013). Morphotectonic and lithostratigraphic analysis of intermontane Karewa basin of Kashmir Himalayas, India. *Journal of Mountain Science, 10* (1), 1–15. https://doi.org/10.1007/s11629-013-2494-y 175

Dasgupta, P., & Bandyopadhyay, S. (2008). Carbonate aeolianites of western Saurashtra, India: experimental decipherment of the depositional mechanisms. *Sedimentology, 55*(5), 1361-1374.

Dasgupta, S., & Mukherjee, S. (2019). Remote sensing in lineament identification: examples from western India. In Developments in Structural Geology and Tectonics (Vol. 5, pp. 205-221). Elsevier.

Dasgupta, S. (2018). Remote sensing in lineament identification: Examples from western India. In Fagereng A, Billi A (Eds) Problems and Solutions in Structural Geology. Developments in Structural Geology and Tectonics. Series Editor: S. Mukherjee. Elsevier.

Dasgupta, S., & Mukherjee, S. (2017). Brittle shear tectonics in a narrow continental rift: asymmetric nonvolcanic Barmer Basin (Rajasthan, India). *The Journal of Geology*, *125*(5), 561-591.

Dasgupta, S., Pande, P., Ganguli, D., Iqbal, Z., Sanyal, K., Venkatraman, N.V., Dasgupta, S., Sural, B., Harendranath, L., Mazumdar, K., Sanyal, S., Roy, A., Das, L. K., Misra, P. S., Gupta, H., et al., (2000). Kutch and Saurashtra area of Gujarat. In: Narula, P. L., Acharyya, S. K., Banerjee, J. (Eds.), *Seismotectonic Atlas of India and its Environs*. Geological Survey of India. Calcutta. 39. SEISAT 18.

Dave, S. S. (1971). The geology of the igneous complex of the Barda Hills, Saurashtra, Gujarat state (India). *Bulletin Volcanologique, 35*(3), 619-632.

De, A., & Bhattacharyya, D. (1971). Phase petrology with special reference to pyroxenes of the acid igneous complex of Barda hills, Western Saurashtra (Gujarat). *Bulletin Volcanologique, 35*(4), 907-929.

Dehbozorgi, M., Pourkermani, M., Arian, M., Matkan, A. A., Motamedi, H., & Hosseiniasl, A. (2010). Quantitative analysis of relative tectonic activity in the Sarvestan area, central Zagros, Iran. *Geomorphology, 121*(3), 329-341.

Delcaillau, B., Deffontaines, B., Floissac, L., Angelier, J., Deramond, J., Souquet, P., Chu, H.T. & Lee, J.F., (1998). Morphotectonic evidence from lateral propagation of an active frontal fold; Pakuashan anticline, foothills of Taiwan. *Geomorphology, 24*(4), 263-290.

Delvaux, D., Moeys, R., Stapel, G., Petit, C., Levi, K., Miroshnichenko, A., ... & San'kov, V. (1997). Paleostress reconstructions and geodynamics of the Baikal region, central Asia, Part 2. Cenozoic rifting. *Tectonophysics*, *282*(1-4), 1-38.

Delvaux, D., & Sperner, B. (2003). Stress tensor inversion from fault kinematic indicators and focal mechanism data: the TENSOR program. In: New Insights into Structural Interpretation and Modelling (D. Nieuwland Ed.). *Geological Society of London, Special Publications, 212*, 75-100. 176

Desai, B. G., & Biswas, S. K. (2018). Post rift deltaic sedimentation in western Kachchh Basin: Insights from ichnology and sedimentology. *Palaeogeography, Palaeoclimatology, Palaeoecology, 504*, 104-124.

Dewey, J. F., Holdsworth, R. E., & Strachan, R. A. (1998). Transpression and transtension zones. *Geological Society, London, Special Publications*, *135*(1), 1-14.

Doblas, M. (1998). Slickenside kinematic indicators. *Tectonophysics*, *295*(1-2), 187-197.

Doblas, M., Mahecha, V., & Hoyos, M. (1997). Slickenside and fault surface kinematic indicators on active normal faults of the Alpine Betic cordilleras, Granada, southern Spain. *Journal of Structural Geology*, *19*(2), 159-170.

Drury, S. A. (1987). Image interpretation in geology. Allen and Unwin, London. (243 p).

El-Asmar, H. M. (1994). Aeolianite sedimentation along the northwestern coast of Egypt: evidence for Middle to Late Quaternary aridity. *Quaternary Science Reviews*, *13*(8), 699-708.

Elmejdoub, N., Mauz, B., & Jedoui, Y. (2011). Sea-level and climatic controls on Late Pleistocene coastal aeolianites in the Cap Bon peninsula, northeastern Tunisia. *Boreas, 40*(1), 198-207.

Fairbridge, R. W. (1982). The pleistocene-holocene boundary. *Quaternary Science Reviews, 1*(3), 215-244.

Fairbridge, R. W., & Johnson, D. L. (1978). Eolianite. In: Fairbridge, R.W., Bourgeois, J. (Eds.). *The encyclopedia of sedimentology*, pp. 279-282.

Fedden, F. (1884). Geology of Kathiawar. *Memoir-Geological Survey of India, 121*(pt 2), 21-27.

Font, M., Amorese, D., & Lagarde, J. L. (2010). DEM and GIS analysis of the stream gradient index to evaluate effects of tectonics: the Normandy intraplate area (NW France). *Geomorphology 119,* 172–180.

Fornós, J. J., Clemmensen, L. B., Gómez-Pujol, L., & Murray, A. S. (2009). Late Pleistocene carbonate aeolianites on Mallorca, Western Mediterranean: a luminescence chronology. *Quaternary Science Reviews, 28*(25-26), 2697-2709.

Fossen, H., 2016. *Structural geology*. Cambridge University Press.

Fossen, H., & Tikoff, B. (1998). Extended models of transpression and transtension, and application to tectonic settings. *Geological Society, London, Special Publications*, *135*(1), 15-33.

Frechen, M., Dermann, B., Boenigk, W., & Ronen, A. (2001). Luminescence chronology of aeolianites from the section at Givat Olga—Coastal Plain of Israel. *Quaternary Science Reviews, 20*(5-9), 805-809.

Frechen, M., Neber, A., Dermann, B., Tsatskin, A., Boenigk, W., & Ronen, A. (2002). Chronostratigraphy of aeolianites from the Sharon Coastal Plain of Israel. *Quaternary International, 89*(1), 31-44.

Gao, M., Zeilinger, G., Xu, X., Wang, Q., & Hao, M. (2013). DEM and GIS analysis of geomorphic indices for evaluating recent uplift of the northeastern margin of the Tibetan Plateau, China. *Geomorphology, 190*, 61-72.

Gardner, R. A., & McLaren, S. J. (1993). Progressive vadose diagenesis in late Quaternary aeolianite deposits?. *Geological Society, London, Special Publications, 72*(1), 219-234.

Gawthorpe, R. L., Collier, R. L., Alexander, J., Bridge, J. S., & Leeder, M. R. (1993). Ground penetrating radar: application to sandbody geometry and heterogeneity studies. *Geological Society, London, Special Publications, 73*(1), 421-432.

Gombos Jr, A. M., Powell, W. G., & Norton, I. O. (1995). The tectonic evolution of western India and its impact on hydrocarbon occurrences: an overview. *Sedimentary Geology, 96*(1-2), 119-129.

Gowd, T. N., & Rao, S. V. (1992). Tectonic stress field in the Indian subcontinent. *Journal of Geophysical Research, 97,* 11879-11888.

Gowd, T. N., Rao, S. S., & Chary, K. B. (1996). Stress field and seismicity in the Indian shield: effects of the collision between India and Eurasia. In *Mechanics problems in geodynamics part II* (pp. 503-531). Birkhäuser Basel.

Green, A. N., Cooper, J. A. G., & Salzmann, L. (2018). The role of shelf morphology and antecedent setting in the preservation of palaeo-shoreline (beachrock and aeolianite) sequences: the SE African shelf. *Geo-Marine Letters, 38*(1), 5-18.

Govindan, P. R., Lele, V. S., & Rajaguru, S. N. (1975). Quaternary formation of the lower Hiran valley, Śaurashtra, Western India. *Bulletin of the Deccan College Research Institute, 35*(1/2), 123-137.

Grohmann, C. H., Riccomini, C., & Alves, F. M. (2007). SRTM-based morphotectonic analysis of the Poços de Caldas Alkaline Massif, southeastern Brazil. *Computers & Geosciences, 33* (1), 10–19. https://doi.org/10.1016/j.cageo.2006.05.0022

Gupta, S. K. (1972). Chronology of the raised beaches and inland coral reefs of the Saurashtra coast. *The Journal of Geology, 80*(3), 357-361.

Hack, J. T. (1973). Stream-profile analysis and stream-gradient index. *Journal of Research of the US Geological Survey*, *1*(4), 421-429.

Hainzl, S., Aggarwal, S. K., Khan, P. K., & Rastogi, B. K. (2014). Monsoon-induced earthquake activity in Talala, Gujarat, India. *Geophysical Journal International, 200*(1), 627-637.

Han, W., Di, L., Zhao, P., & Shao, Y. (2012). DEM Explorer: an online interoperable DEM data sharing and analysis system. *Environmental Modelling & Software, 38,* 101–107. https://doi.org/10.1016/j.envsoft.2012.05.015

Hare, P. W., & Gardner, T. W. (1985). Geomorphic indicators of vertical neotectonism along converging plate margins, Nicoya Peninsula, Costa Rica. *Tectonic Geomorphology, 4,* 75–104.

Harmon, R. S.; Mitterer, R. M.; Land, L. S.; Schwarcz, H. P.; Garrett, P.; Larson, G. J.; Vacher, H. L., & Rowe, M. (1983). U-series and amino acid racemisation geochronology of Bermuda: implications for eustatic sea level fluctuation over the past 250,000 years. *Palaeogeography Palaeoclimatology Palaeoecology, 44*, 41-70.

Head, M. J., & Gibbard, P. L. (2005). Early-Middle Pleistocene transitions: an overview and recommendation for the defining boundary. *Geological Society, London, Special Publications, 247*(1), 1-18.

Hearty, P. J., & Kindler, P. (1995). Sea-level highstand chronology from stable carbonate platforms (Bermuda and the Bahamas). *Journal of Coastal Research*, 675-689.

Hesp, P. A. (1984). The formation of sand "beach ridges" and foredunes. *Search, 15*(9-10), 289-291.

Hesp, P. A., Dillenburg, S. R., Barboza, E. G., Tomazelli, L. J., Ayup-Zouain, R. N., Esteves, L. S., Gruber, N. L., Tabajara, L. L. D. A. & Clerot, L. C. (2005). Beach ridges, foredunes or transgressive dunefields? Definitions and an examination of the Torres to Tramandaí barrier system, Southern Brazil. *Anais da Academia Brasileira de Ciências*, *77*(3), 493-508.

Hill, D. P. (1977). A model for earthquake swarms. *Journal of Geophysical Research, 82*(8), 1347-1352.

Hobbs, W. H. (1912). *Earth features and their meaning: an introduction to geology for the student and the general reader*. Macmillan.

Horton, R. E. (1932). Drainage-basin characteristics. *Eos, transactions american geophysical union*, *13*(1), 350-361.

Horton, R. E. (1945). Erosional development of streams and their drainage basins; hydrophysical approach to quantitative morphology. *Geological society of America bulletin*, *56*(3), 275-370.

Jia, Z., Liu, X., Cai, X., & Xing, L. (2019). Quantitative Remote Sensing Analysis of the Geomorphological Development of the Lijiang River Basin, Southern China. *Journal of the Indian Society of Remote Sensing*, *47*(5), 737-747. https://doi.org/10.1007/s12524-019-00964-0

Jordan, G. (2003). Morphometric analysis and tectonic interpretation of digital terrain data: a case study. *Earth Surface Processes and Landforms: The Journal of the British Geomorphological Research Group*, *28*(8), 807-822.

Jordan, G., Van Rompaey, A., Szilassi, P., Csillag, G., Mannaerts, C., Woldai, T. (2005). Historical land use changes and their impact on sediment fluxes in the Balaton basin (Hungary). Agriculture, ecosystems & environment. 108 (2), 119–133. https://doi.org/10.1016/j.agee.2005.01.013

Joshi, P. N., Maurya, D. M., & Chamyal, L. S. (2013). Morphotectonic segmentation and spatial variability of neotectonic activity along the Narmada–Son Fault, Western India: Remote sensing and GIS analysis. *Geomorphology, 180*, 292-306. https://doi.org/10.1016/j.geomorph.2012.10.023

Juyal, N., Pant, R. K., Bhushan, R. & Somyajulu, B. L. K. (1995). Radiometric dating of Late Quaternary sea levels of the Saurashtra coast, western India: an experiment with Oyster and Clam shells. *Memoir-Geological Society of India, 32*, 372–379.

Kaila, K. L., Tewari, H. C., & Saram, P. N. (1981). Crustal structure from deep seismic sounding studies along Navibandar-Amreli profile in Saurashtra, India. *Memoir-Geological Society of India*, (3), 218-232.

Kale, V. S., Sengupta, S., Achyuthan, H., & Jaiswal, M. K. (2014). Tectonic controls upon Kaveri River drainage, cratonic Peninsular India: Inferences from longitudinal profiles, morphotectonic indices, hanging valleys and fluvial records. *Geomorphology, 227,* 153-165.

Kar, A. (1995). Geomorphology of arid western India. *Memoir-Geological Society of India*, 168-190.

Kaymakci, N. (2006). Kinematic development and paleostress analysis of the Denizli Basin (Western Turkey): implications of spatial variation of relative paleostress magnitudes and orientations. *Journal of Asian Earth Sciences, 27*, 207-222.

Keller, E. A. (1986). Investigation of active tectonics: use of surficial earth processes. *Active tectonics*, *1*, 136-147.

Keller, E.A., & Pinter, N. (2002). *Active Tectonics. Earthquakes, Uplift and Landscape.* Prentice Hall, New Jersey, p. 362.

Khadkikar, A. S. (2002). Late Quaternary neotectonic joints: Confirmation of the connection between jointing and contemporary tectonic stress. *Geophysical Research Letter, 29,* 1029-2002.

Khadkikar, A. S., & Basavaiah, N. (2004). Morphology, mineralogy and magnetic susceptibility of epikarst-Terra Rossa developed in late Quaternary aeolianite deposits of southeastern Saurashtra, India. *Geomorphology, 58*(1-4), 339-355.

Khan, A., Aslam, M., & Rahman, E. (2017). Wave-dominated Shoreline Sediments in Early Cretaceous Surajdeval Formation, Saurashtra Basin, Gujarat Western India. *International Journal of New Technology and Research, 3* (2), 74-78.

Kirby, E., & Whipple, K. (2001). Quantifying differential rock-uplift rates via stream profile analysis. *Geology, 29*(5), 415-418.

Kounov, A., Burg, J.P., Bernoulli, D., Seward, D., Ivanov, Z., Dimov, D., & Gerdjikov, I., (2011). Paleostress analysis of Cenozoic faulting in the Kraishte area, SW Bulgaria. *Journal of Structural geology, 33*(5), 859-874.

Krishnan, M. S. (1982). Geology of India and Burma, Higginbothams, Madras, 6th Ed., 536.

Kundan, A., Desai, A., Bahuguna, S., Talreja, R., Nakhle, A., Zayyan, M., Narayanan, S., Tewari, P., Purohit, S., & Basu, J. (2017, April). Revolutionary Drilling Performance in Challenging HPHT and Basaltic Environment of Kutch & Saurashtra Exploration Field. In *SPE Oil and Gas India Conference and Exhibition*. OnePetro.

Lele, V. S. (1973). The miliolite limestone of Saurashtra, western India. *Sedimentary Geology, 10*(4), 301-310.

Lyell, C. (1858). A manual of elementary geology or: The ancient changes of the Earth and its inhabitants as illustrated by geological monuments: New York, D. *Appleton and Company*, *685*.

Mahadevan, T. M. (1994). Deep continental structure of India: a review. *Geol. Soc. India, Memoir*, *28*, 348.

Mahadevan, T. M. (2008). Precambrian geological and structural features of the Indian Peninsula. *Journal of Geological Society of India (Online archive from Vol 1 to Vol 78)*, *72*(Spl Iss 1), 35-55.

Mahesh, P., & Gupta, S. (2016). The role of crystallized magma and crustal fluids in intraplate seismic activity in Talala region (Saurashtra), Western India: An insight from local earthquake tomography. *Tectonophysics, 690*, 131-141.

Mahmood, S. A., & Gloaguen, R. (2012). Appraisal of active tectonics in Hindu Kush: Insights from DEM derived geomorphic indices and drainage analysis. *Geoscience Frontiers*, *3*(4), 407-428.

Mangan, P., Haq, M. A., & Baral, P. (2019). Morphometric analysis of watershed using remote sensing and GIS—a case study of Nanganji River Basin in Tamil Nadu, India. *Arabian Journal of Geosciences*, *12*(6), 1-14.

Marathe, A. R., & Lele, V. S. (1976). Quantitative geomorphology of the drainage basins of Bhadar and Hiran rivers, Saurashtra, Western India. *Bulletin of the Deccan College Research Institute*, *36*(1/4), 97-109B.

Marathe, A. R., Rajaguru, S. N., & Lele, V. S. (1977). On the problem of the origin and age of the miliolite rocks of the Hiran valley, Saurashtra, western India. *Sedimentary Geology, 19,* 197-215.

Marrett, R. A., & Allmendinger, R. W. (1990). Kinematic analysis of fault-slip data. *Journal of Structural Geology, 12,* 973–986.

Masoud, A.A., & Koike, K. (2011). Auto-detection and integration of tectonically significant lineaments from SRTM DEM and remotely-sensed geophysical data. *ISPRS Journal of Photogrammetry and Remote Sensing. 66* (6), 818–832. https://doi.org/10.1016/j.isprsjprs.2011.08.003

Mathur, K. K., Dubey, V. S., & Sharma, N. L. (1926). Magmatic differentiation in Mount Girnar. *The Journal of Geology*, *34*(4), 289-307.

Mathur, U. B., Verma, K. K., & Mehra, S. (1987). Tertiary-Quaternary stratigraphy of Porbandar Area, Southern Saurashtra, Gujarat. *Visesa Prakasana-Bharatiya Bhuvaijñanika Sarveksana*, (11), 333-345.

Maurya, D. M. (2000). History of tectonic evolution of Gujarat alluvial plains, western India during quaternary: a review. *Journal of Geological Society of India, 55*, 343–366.

Maurya, D. M., Bhandari, S., Thakkar, M. G., & Chamyal, L. S. (2003). Late Quaternary fluvial sequences of southern Mainland Kachchh, western India. *Current Science,* 1056-1064.

Maurya, D. M., Chowksey, V., Patidar, A. K., & Chamyal, L. S. (2017). A review and new data on neotectonic evolution of active faults in the Kachchh Basin, Western India: legacy of post-Deccan Trap tectonic inversion. *Geological Society, London, Special Publications*, *445*(1), 237-268.

Maurya, D. M., Rachna, R., & Chamyal, L. S. (1998). Seismically induced deformational structures (seismites) from the Mid-Late Holocene terraces, lower Mahi valley, Gujarat. *Journal of Geological Society of India, 51*(6), 755-758.

Mauz, B., Hijma, M. P., Amorosi, A., Porat, N., Galili, E., & Bloemendal, J. (2013). Aeolian beach ridges and their significance for climate and sea level: Concept and insight from the Levant coast (East Mediterranean). *Earth-Science Reviews, 121*, 31-54.

McKenzie, D., & Sclater, J. G. (1971). The evolution of the Indian Ocean since the Late Cretaceous. *Geophysical Journal International, 24*(5), 437-528.

McLaren, S., & Gardner, R. (2000). New radiocarbon dates from a Holocene aeolianite, Isla Cancun, Quintana Roo, Mexico. *The Holocene, 10*(6), 757-761.

Means, W. D. (1987). A newly recognized type of slickenside striations. *Journal of Structural Geology, 9,* 585-590.

Meinsen, J., Winsemann, J., Weitkamp, A., Landmeyer, N., Lenz, A., & Dölling, M. (2011). Middle Pleistocene (Saalian) lake outburst floods in the Münsterland Embayment (NW Germany): impacts and magnitudes. *Quaternary Science Reviews, 30*(19-20), 2597-2625.

Meixner, J., Grimmer, J. C., Becker, A., Schill, E., & Kohl, T. (2018). Comparison of different digital elevation models and satellite imagery for lineament analysis: Implications for identification and spatial arrangement of fault zones in crystalline basement rocks of the southern Black Forest (Germany). *Journal of Structural Geology, 108,* 256-268.

Melluso, L., Beccaluva, L., Brotzu, P., Gregnanin, A., Gupta, A. K., Morbidelli, L., & Traversa, G. (1995). Constraints on the mantle sources of the Deccan Traps from the

petrology and geochemistry of the basalts of Gujarat State (Western India). *Journal of Petrology, 36*(5), 1393-1432.

Meńendez, I., Silva, P.G., Martín-Betancor, M., P´erez-Torrado, F.J., Guillou, H., & Scaillet, S. (2008). Fluvial dissection, isostatic uplift, and geomorphological evolution of volcanic islands (Gran Canaria, Canary Islands, Spain). *Geomorphology 102*, 189–203.

Merh S. S. (1995). *Geology of Gujarat*, Geological Society of India, Bangalore, p. 222.

Merh, S. S., & Chamyal, L. S. (1997). *The Quaternary geology of Gujarat alluvial plains* (Vol. 63). Indian National Science Academy.

Meshram, R. R., & Randive, K. R. (2011). Geochemical study of laterites of the Jamnagar district, Gujarat, India: Implications on parent rock, mineralogy and tectonics. *Journal of Asian Earth Sciences, 42*(6), 1271-1287.

Miller, V. C. (1953). *A Quantitative Geomorphic Study of drainage basin characteristics in the Clinch Mountain area Virginia and Tennessee*. Columbia University New York.

Mishra D. C., Bijendra singh,Gupta S. B., M. R. K., Prabhakar Rao, Singh A.P., Chandrasekhar D.V., Hodlur G. K., M. B. S. V. Rao, Tiwari V. M., G., Laxman, D.Ch Venkata Raju,V.Vijay Kumar, Rajesh R.S.,V. Babu Rao & T. R. K. Chelty, (2001). Major lineaments and gravity magnetic trends in Saurashtra, India. *Current Science, 80,* 1059-1067

Mishra, D. C., Singh, B., Gupta, S. B., Rao, M. R. K. P., Singh, A. P., Chandrasekhar, D. V., Rao, M. B. S. V., Raju, D. C. H. V., Kumar, V. V. & Tiwari, V. M. (2004). Gravity studies over Saurashtra Peninsula, India-Some New Insight. In *5th conference and exposition on petroleum geophysics, Hyderabad* (pp. 75-87).

Mishra K. S. (1999). Deccan volcanism in Saurashtra and Kutch, Gujarat. *Geological Society of India Memoir, 43,* 325–334.

Mishra, K. S. (2008). *Dyke swarms and Dykes within the Deccan Volcanic Province, India*. In: Srivastava, R.K., ShivajiCh, Rao NVC (Eds.), Indian Dykes: Geochemistry, Geophysics and Geochronology. Narosa Publishing House, Delhi pp. 57-72.

Misra, A. A., Bhattacharya, G., Mukherjee, S., & Bose, N. (2014). Near N–S paleo-extension in the western Deccan region, India: does it link strike-slip tectonics with India–Seychelles rifting?. *International Journal of Earth Sciences*, *103*(6), 1645-1680.

Misra, A. A., & Mukherjee, S. (2017). Dyke–brittle shear relationships in the western Deccan strike-slip zone around Mumbai (Maharashtra, India). In: In: Mukherjee, S., Misra, A.A., Calvès, G., Nemčok, M. (Eds.), Tectonics of the Deccan Large Igneous Province 445. *Geological Society, London, Special Publications*, *445*(1), 269-295.

Misra, A. A., Sinha, N., & Mukherjee, S. (2015). Repeat ridge jumps and microcontinent separation: insights from NE Arabian Sea. *Marine and Petroleum Geology*, *59*, 406-428.

Mohan, K., & Chatterji, A. K. (1956). Stratigraphy of the Miocene beds of Kathiawar, western India. *Micropaleontology*, *2*(4), 349-356.

Molin, P. A. O. L. A., & Fubelli, G. I. A. N. D. O. M. E. N. I. C. O. (2005). Morphometric evidence of the topographic growth of the Central Apennines. *Geografia Fisica e Dinamica Quaternaria*, *28*(3), 47-61.

Moore, W. S. (1982). Late Pleistocene sea level history. In "Uranium Series Disequilibrium: Applications to Environmental Problems" (M. Ivanovich and RS Harmon, Eds.).

Mukherjee, S. (2015). A review on out-of-sequence deformation in the Himalaya. *Geological Society, London, Special Publications*, *412*(1), 67-109.

Mukherjee, S. (2013). Higher Himalaya in the Bhagirathi section (NW Himalaya, India): its structures, backthrusts and extrusion mechanism by both channel flow and critical taper mechanisms. *International Journal of Earth Sciences*, *102*(7), 1851-1870.

Mukherjee, S. (2013). *Atlas of shear zone structures in meso-scale*. Springer Science & Business Media. pp. 1–124.

Mulchandani, N., Patidar, A. K., Vaid, S. I., & Maurya, D. M. (2007). Late Cenozoic geomorphic evolution in response to inversion: Evidence from field and GPR studies in Kim drainage basin, western India. *Journal of Asian Earth Sciences, 30*(1), 33-52.

Nash, D. J., Bateman, M. D., Bullard, J. E., & Latorre, C. (2018). Late Quaternary coastal evolution and aeolian sedimentation in the tectonically-active southern Atacama Desert, Chile. *Palaeogeography, Palaeoclimatology, Palaeoecology, 490*, 546-562.

Nielsen, K. A., Clemmensen, L. B., & Fornós, J. J. (2004). Middle Pleistocene magnetostratigraphy and susceptibility stratigraphy: data from a carbonate aeolian system, Mallorca, Western Mediterranean. *Quaternary Science Reviews, 23*(16-17), 1733-1756.

Oh, H.J., Lee, S., & Soedradjat, G. M. (2010). Quantitative landslide susceptibility mapping at Pemalang area, Indonesia. *Environmental Earth Sciences. 60*, 1317–1328. https://doi.org/10.1007/s12665-009-0272-5

Oldham, R. D. (1926). *The Cutch (Kachh) earthquake of 16th June, 1819: with a revision of the great earthquake of 12th June, 1897* (Vol. 46). Government of India, Central Publication Branch.

Otvos, E. G. (2000). Beach ridges—definitions and significance. *Geomorphology, 32*(1-2), 83-108.

Özkaymak, Ç., & Sözbilir, H. (2012). Tectonic geomorphology of the Spildağı high ranges, western Anatolia. *Geomorphology, 173*, 128-140.

Pande, C. B., & Moharir, K. (2017). GIS based quantitative morphometric analysis and its consequences: a case study from Shanur River Basin, Maharashtra India. *Applied Water Science, 7* (2), 861–871. https://doi.org/10.1007/s13201-015-0298-7

Pandey, J. P., Singh, K. R. K., Singh, M., Kalaiarasan, T., Mukherjee, R. N., & Marathe, U. G. (2013). Late Oligocene Sandstone reservoirs of Saurashtra Offshore, significance of their deposition–An Integrated study resulting in regional clastic model. In *10th Biennial International Conference & Exposition. Kochi. India*.

Pant, R. K., & Juyal, N. (1993). Late Quaternary coastal instability and sea level changes: New evidences from Saurashtra coast, Western India. *Zeitschrift für Geomorphologie*, 29-40.

Pappu, R. S., Marathe, A. R. (1977). Geomorphology and early man in Saurashtra. Recent Research in Geology, 9, 159-169.

Pascoe, E.H. (1959). A manual of geology of India and Burma. Govt. of India Pub., Calcutta, 2, 13-43.

Patro, P. K., & Sarma, S. V. S. (2009). Lithospheric electrical imaging of the Deccan trap covered region of western India. *Journal of Geophysical Research: Solid Earth*, *114*(B1).

Paul, D. K., Potts, P. J., Rex, D. C., & Beckinsale, R. D. (1977). Geochemical and petrogenetic study of the Girnar igneous complex, Deccan volcanic province, India. *Geological Society of America Bulletin, 88*(2), 227-234.

Pedrera, A., Pérez-Peña, J. V., Galindo-Zaldívar, J., Azañón, J. M., & Azor, A. (2009). Testing the sensitivity of geomorphic indices in areas of low-rate active folding (eastern Betic Cordillera, Spain). *Geomorphology, 105*(3), 218-231. https://doi.org/10.1016/j.geomorph.2008.09.026

Pérez-Peña, J. V., Azañón, J. M., & Azor, A. (2009). CalHypso: An ArcGIS extension to calculate hypsometric curves and their statistical moments. Applications to drainage basin analysis in SE Spain. *Computers & Geosciences, 35*(6), 1214-1223. https://doi.org/10.1016/j.cageo.2008.06.006

Pérez-Peña, J. V., Azor, A., Azañón, J. M., & Keller, E. A. (2010). Active tectonics in the Sierra Nevada (Betic Cordillera, SE Spain): Insights from geomorphic indexes and drainage pattern analysis. *Geomorphology*, *119*(1-2), 74-87. https://doi.org/10.1016/j.geomorph.2010.02.020

Pinheiro, M. R., Cianfarra, P., Villela, F. N. J., & Salvini, F. (2019). Tectonics of the Northeastern border of the Parana Basin (Southeastern Brazil) revealed by lineament domain analysis. *Journal of South American Earth Sciences*, *94*, 102231.

Prakash, K., Mohanty, T., Pati, J. K., Singh, S., & Chaubey, K. (2017). Morphotectonics of the Jamini River basin, Bundelkhand Craton, Central India; using remote sensing and

GIS technique. *Applied Water Science*, *7*(7), 3767-3782. https://doi.org/10.1007/s13201-016-0524-y

Raj, R. (2012). Active tectonics of NE Gujarat (India) by morphometric and morphostructural studies of Vatrak River basin. *Journal of Asian Earth Sciences, 50*, 66-78.

Ramasamy, S. M. (1995). Deformation tectonics of Deccan volcanics of southern Saurashtra, India and its relation to western extension of Narmada lineament. *Special Volume on Magmatism in Relation to Diverse Tectonic Setting, R. Srivastava and R. Chandra (Eds)*, 195-208.

Ramírez-Herrera, M. T. (1998). Geomorphic assessment of active tectonics in the Acambay Graben, Mexican volcanic belt. *Earth Surface Processes and Landforms: The Journal of the British Geomorphological Group*, *23*(4), 317-332.

Surya Prakasa Rao, G., & Tewari, H. C. (2005). The seismic structure of the Saurashtra crust in northwest India and its relationship with the Reunion Plume. *Geophysical Journal International*, *160*(1), 318-330.

Rao, S. S. (1971). Minor intrusions towards the east of the Girnar hills. *Bulletin Volcanologique, 35,* 975.

Rastogi, B. K., Kumar, S., Aggrawal, S. K., Mohan, K., Rao, N., Rao, N. P., & Kothyari, G. C. (2013). The October 20, 2011 Mw 5.1 Talala earthquake in the stable continental region of India. *Natural hazards, 65*(2), 1197-1216.

Reddy, G. P. O., Maji, A. K., & Gajbhiye, K. S. (2004). Drainage morphometry and its influence on landform characteristics in a basaltic terrain, Central India–a remote sensing and GIS approach. International *Journal of Applied Earth Observation and Geoinformation, 6*(1), 1-16.

Reddy, P. R. (2005). Crustal velocity structure of western India and its use in understanding intraplate seismicity. *Current Science, 88,* 1652-1657.

Reuter, H. I., Nelson, A., & Jarvis, A. (2007). An evaluation of void filling interpolation methods for SRTM data. *International Journal of Geographical Information Science, 21* (9), 983–1008. https://doi.org/10.1080/13658810601169899

Ruszkiczay-Rüdiger, Z., Fodor, L., Horv´ath, E., & Telbisz, T. (2009). Discrimination of fluvial, eolian and neotectonic features in a low hilly landscape: a DEM-based morphotectonic analysis in the Central Pannonian Basin, Hungary. *Geomorphology. 104* (3–4), 203–217. https://doi.org/10.1016/j.geomorph.2008.08.014

Sahoo, S., Rao, N. C., Monié, P., Belyatsky, B., Dhote, P., & Lehmann, B. (2020). Petro-geochemistry, SrNd isotopes and 40Ar/39Ar ages of fractionated alkaline lamprophyres from the Mount Girnar igneous complex (NW India): Insights into the timing of

magmatism and the lithospheric mantle beneath the Deccan Large Igneous Province. *Lithos, 374*, 105712.

Sanderson, D. J., & Marchini, W. R. D. (1984). Transpression. *Journal of Structural Geology, 6,* 449-458.

Sarma, S. V. S., Harinarayana, T., Rao, M. S., Virupakshi, G., Murty, D. N., Sastry, T.S., Sarma, M.V.C., Rao, M. & Veeraswamy, K. (2004). *Delineation of electrical structure beneath Saurashtra Peninsula using MT studies*. In 5th Conference & Exposition on Petroleum Geophysics, Hyderabad-2004, India. pp. 79-80.

Sastry, R. S., Nagarajan, N., & Sarma, S. V. S. (2008). Electrical imaging of deep crustal features of Kutch, India. *Geophysical Journal International*, *172*(3), 934-944.

Sateesh, A., Mahesh, P., Singh, A. P., Kumar, S., Chopra, S., & Kumar, M. R. (2019). Are earthquake swarms in South Gujarat, northwestern Deccan Volcanic Province of India monsoon induced?. *Environmental Earth Sciences*, *78*(13), 1-13. https://doi.org/10.1007/s12665-019-8382-1

Schumm, S. A. (1956). Evolution of drainage systems and slopes in badlands at Perth Amboy, New Jersey. *Geological society of America bulletin*, *67*(5), 597-646. https://doi.org/10.1130/0016-7606(1956)67[597:EODSAS]2.0.CO;2

Schumm, S. A., Dumont, J. F., & Holbrook, J. M. (2000). *Active Tectonics and Alluvial Rivers.* Cambridge University Press, Cambridge, p. 276.

Searle D. J., Semeniuk, V., & Woods P. J. (1988). Geomorphology, stratigraphy and Holocene history of the Rockingham – Becher plain. *Journal of the Royal Society of Western Australia, 70*, 89–109.

Sedrette, S., Rebaï, N., & Mastere, M. (2016). Evaluation of Neotectonic Signature Using Morphometric Indicators: Case Study in Nefza, North-West of Tunisia. *Journal of Geographic Information System, 8*(03), 338.

Sethna, S. F. (2003). The occurrence of acid and intermediate rocks in the Deccan volcanic province with associated high positive gravity anomalies and their probable significance. *Journal Geological Society of India, 61*(2), 220-222.

Sethna, S. F., Kothare, P., & Sethna, B. S. (2000). Monzodolerite dyke in the Deccan Traps of Saurashtra. *Journal of Geological Society of India, 55*(4), 431-438.

Sethna, S.F., Sethna, B.S., Kothare, P., Rao, D.R.K., Saraf, P.D., Venkateshwarlu, M., & Patil, S.K. (2001). A note on palaeomagnetic evidence to show tectonic deformation in the Deccan Volcanic Province of Saurashtra, western India. *Current Science,* 1067-1069.

Sharma, K., Bhatt, N., Shukla, A. D., Cheong, D. K., & Singhvi, A. K. (2017). Optical dating of late Quaternary carbonate sequences of Saurashtra, western India. *Quaternary Research, 87*(1), 133-150.

Sharma, V., Wadhawan, M., Rana, N., Sreejith, K.M., Agrawal, R., Kamra, C., Hosalikar, K.S., Narkhede, K.V., Suresh, G., & Gahalaut, V.K. (2020). A long duration non-volcanic earthquake sequence in the stable continental region of India: the Palghar swarm. *Tectonophysics 779*, 228376. https://doi.org/10.1016/j.tecto.2020.228376

Sheth, H. C., Choudhary, A. K., Bhattacharyya, S., Cucciniello, C., Laishram, R., & Gurav, T. (2011). The Chogat-Chamardi subvolcanic complex, Saurashtra, northwestern Deccan Traps: geology, petrochemistry, and petrogenetic evolution. *Journal of Asian Earth Sciences, 41*(3), 307-324.

Sheth, H. C., Choudhary, A. K., Cucciniello, C., Bhattacharyya, S., Laishram, R., & Gurav, T. (2012). Geology, petrochemistry, and genesis of the bimodal lavas of Osham Hill, Saurashtra, northwestern Deccan Traps. *Journal of Asian Earth Sciences, 43*(1), 176-192.

Sheth, H. C., Zellmer, G. F., Kshirsagar, P. V., & Cucciniello, C. (2013). Geochemistry of the Palitana flood basalt sequence and the Eastern Saurashtra dykes, Deccan Traps: clues to petrogenesis, dyke–flow relationships, and regional lava stratigraphy. *Bulletin of Volcanology,* 75(4), 701.

Shukla, A. D., Bhandari, N., Kusumgar, S., Shukla, P. N., Ghevariya, Z. G., Gopalan, K., & Balaram, V. (2001). Geochemistry and magnetostratigraphy of Deccan flows at Anjar, Kutch. *Journal of Earth System Science, 110*(2), 111-132.

Siegal, B. S., & Gillespie, A. R. (Eds.). (1980). *Remote sensing in geology*. Wiley. Ed: by B. S. Siegal and A. R. Gillespie (New York John Wiley).

Singh, A. P., & Mishra, O. P. (2015). Seismological evidence for monsoon induced micro to moderate earthquake sequence beneath the 2011 Talala, Saurashtra earthquake, Gujarat, India. *Tectonophysics, 661*, 38-48. https://doi.org/10.1016/j.tecto.2015.07.032

Singh, A. P., Mishra, O. P., Rastogi, B. K., & Kumar, S. (2013). Crustal heterogeneities beneath the 2011 Talala, Saurashtra earthquake, Gujarat, India source zone: seismological evidence for neo-tectonics. *Journal of Asian Earth Sciences, 62*, 672-684.

Singh, V. P., Singh, B. D., Mathews, R. P., Singh, A., Mendhe, V. A., Singh, P. K., Mishra, S., Dutta, S., Shivanna, M. & Singh, M. P. (2017). Investigation on the lignite deposits of Surkha mine (Saurashtra Basin, Gujarat), western India: Their depositional history and hydrocarbon generation potential. *International Journal of Coal Geology, 183*, 78-99.

Sivan, D., & Porat, N. (2004). Evidence from luminescence for Late Pleistocene formation of calcareous aeolianite (kurkar) and paleosol (hamra) in the Carmel Coast, Israel. *Palaeogeography, Palaeoclimatology, Palaeoecology, 211*(1-2), 95-106.

Smith, K. G. (1950). Standards for grading texture of erosional topography. *American Journal of Science, 248*(9), 655-668.

Solomon, S., & Ghebreab, W. (2006). Lineament characterization and their tectonic significance using Landsat TM data and field studies in the central highlands of Eritrea. *Journal of African Earth Science. 46* (4), 371–378. https://doi.org/10.1016/j.jafrearsci.2006.06.007

Somayajulu, B. L. K. (1993). Age and mineralogy of the miliolites of Saurashtra and Kachchh, Gujarat. *Current Science, 64*(11-12), 926-928.

Somayajulu, B. L. K., Broecker, W. S., & Goddard, J. (1985). Dating Indian corals by U-decay-series methods. *Quaternary Research, 24*(2), 235-239.

Sperling, C. H. B., & Goudie, A. S. (1975). The miliolite of western India: a discussion of the aeolian and marine hypotheses. *Sedimentary Geology, 13*(1), 71-75.

Srivastava P. K. (1963). *Geology of Saurashtra* (unpublished report of ONGC).

Strahler, A. N. (1957). Quantitative analysis of watershed geomorphology. *Eos, Transactions American Geophysical Union*, *38*(6), 913-920.

Sychanthavong, S. P. H., & Patel, P. K. (1987). Laterites and lignites of northwestern India and their relevance to the drift tectonics of the Indian Plate. *Current Science*, 469-475.

Talwani, P. (1988). The intersection model for intraplate earthquakes. *Seismological Research Letters, 59*(4), 305-310.

Taylor, M., & Stone, G. W. (1996). Beach-ridges: a review. *Journal of Coastal Research*, 612-621.

Thakkar, M. G., Maurya, D. M., Raj, R., & Chamyal, L. S. (1999). Quaternary tectonic history and terrain evolution of the area around Bhuj, Mainland Kachchh, western India. *Journal-Geological Society of India, 53*, 601-610.

Troiani, F., & Seta, M. Della. (2008). The use of the Stream Length-Gradient index in morphotectonic analysis of small catchments: a case study from Central Italy. *Geomorphology 102,* 159–168. https://doi.org/10.1016/j.geomorph.2007.06.020

Tsodoulos, I. M., Koukouvelas, I. K., & Pavlides, S. (2008). Tectonic geomorphology of the easternmost extension of the Gulf of Corinth (Beotia, Central Greece). *Tectonophysics 453*, 211–232. https://doi.org/10.1016/j.tecto.2007.06.015

Tucker, G. E., & Bras, R. L. (1998). Hillslope processes, drainage density, and landscape morphology. *Water Resources Research, 34*(10), 2751-2764.

Valdiya, K.S., (2016). *The Making of India*, *Geodynamic evolution.* 2nd edition. Springer. Bengaluru. pp. 924.

van Gent, H. W., Back, S., Urai, J. L., Kukla, P. A., & Reicherter, K. (2009). Paleostresses of the Groningen area, the Netherlands—Results of a seismic based structural reconstruction. *Tectonophysics*, *470*(1-2), 147-161.

van Hinsbergen, D. J., Steinberger, B., Doubrovine, P. V., & Gassmöller, R. (2011). Acceleration and deceleration of India-Asia convergence since the Cretaceous: Roles of mantle plumes and continental collision. *Journal of Geophysical Research: Solid Earth*, *116*(B6).

Vanik, N., Shaikh, M. A., Mukherjee, S., Maurya, D. M., & Chamyal, L. S. (2018). Post-Deccan trap stress reorientation under transpression: Evidence from fault slip analyses from SW Saurashtra, western India. *Journal of Geodynamics, 121*, 9-19. https://doi.org/10.1016/j.jog.2018.06.004

Vanik, N., Maurya, D. M., Shaikh, M., Padmalal, A., Tiwari, P., & Chamyal, L. S. (2021). A tectono-geomorphological perspective of micro-earthquake swarm activity prone areas around Bhavnagar and Jamnagar in Saurashtra, western India. *Quaternary International, 585*, 111-133. https://doi.org/10.1016/j.quaint.2020.12.041

Varadarajan, K., & Ganju, J. L. (1989). *Regional geophysical lineaments their tectonic and economic significance:* Bangalore. Geological Society of India Memoir, 12, 242.

Verma, R. K., & Mital, G. S. (1972). Palaeomagnetism of a vertical sequence of traps from Mount Girnar, Gujrat, India. *Geophysical Journal International, 29*(3), 275-287.

Wallace, R. E. (1951). Geometry of shearing stress and relation to faulting. *The Journal of geology, 59*(2), 118-130.

Wellman, P., & McElhinny, M. W. (1970). K–Ar age of the Deccan traps, India. *Nature*, *227*(5258), 595-596.

White, R., & McKenzie, D. (1989). Magmatism at rift zones: the generation of volcanic continental margins and flood basalts. *Journal of Geophysical Research: Solid Earth, 94*(B6), 7685-7729.

Willgoose, G., & Hancock, G. (1998). Revisiting the hypsometric curve as an indicator of form and process in transport-limited catchment. *Earth Surface Processes and Landforms: The Journal of the British Geomorphological Group*, *23*(7), 611-623.

Winsemann, J., Alho, P., Laamanen, L., Goseberg, N., Lang, J., & Klostermann, J. (2016). Flow dynamics, sedimentation and erosion of glacial lake outburst floods along the Middle Pleistocene Scandinavian Ice Sheet (northern central Europe). *Boreas, 45*(2), 260-283.

Yadav, R. B. S., Papadimitriou, E. E., Karakostas, V. G., Shanker, D., Rastogi, B. K., Chopra, S., Singh, A. P., & Kumar, S. (2011). The 2007 Talala, Saurashtra, Western India earthquake sequence: tectonic implications and seismicity triggering. *Journal of Asian Earth Science, 40*, 303–314. https://doi.org/10.1016/j.jseaes.2010.07.001

Yadav, R. B. S., Tripathi, J. N., Rastogi, B. K., & Chopra, S. (2008). Probabilistic assessment of earthquake hazard in Gujarat and adjoining region of India. *Pure and applied geophysics, 165*(9), 1813-1833.

Yoshida, M., & Hamano, Y. (2015). Pangea breakup and northward drift of the Indian subcontinent reproduced by a numerical model of mantle convection. *Scientific Reports, 5*, 8407.

Zalohar, J. (2018). *The Omega-Theory: A New Physics of Earthquakes.* In: In: Mukherjee, S. (Ed.), Developments in Structural Geology and Tectonics Vol. 2. Elsevier, Amsterdam, pp. 1–558 ISBN: 978-0-12-814580-7

Zalohar, J., & Vrabec, M. (2007). Paleostress analysis of heterogeneous fault-slip data: The Gauss method. *Journal of Structural Geology, 29,* 1798-1810.

Zhang, H., Zhang, P., Prush, V., Zheng, D., Zheng, W., Wang, W., Liu, C., & Ren, Z. (2017). Tectonic geomorphology of the Qilian Shan in the northeastern Tibetan Plateau: Insights into the plateau formation processes. *Tectonophysics, 706*, 103-115.