BIBLIOGRAPHY

BIBLIOGRAPHY

Adams, J.E. and Franzel, H.N. (1950) Capitan Barrier Reef, Texas and New Mexico. Jour. Geology, V.58, p. 289-312.

Adams, S.K., Groot, S.S. and Hiller, N.N.Jr., (1961) Phosphatic pebbles from the Brightseat Formation of Maryland. Jour. Sed. Petrol, V.31, 546-553.

Agarwal, D.P., Rajaguru, S.N., and Roy, B. (1978). SEM and other studies on Saurashtra miliolite rocks. Saurashtra miliolite rocks. Sedimentary Geology, V.20, p. 411-47.

Agrawal, D.P. and B.Roy. (1977). Miliolite Problem : SEM and other Analytical Data. In Agrawal, D.P. and Pande, B.M., (eds), Ecology and Archaeology of Western India, concept publishing Co., Delhi, p. 220-221.

Ahmed, (1972). Coastal geomorphology of India. Orient Longman, New Delhi, p. 222.

Allchin, B., Goudie, A., and Hegde, K.T.M. (1978). The prehistory and palaeogeography of the Great Indian desert. London : Academic press.

Allen, J.R.L. (1963a). The Classification of crosstratified units, with notes on their origin. Sedimentology, 2, 93-114.

Allen, J.R.L. (1963b). Sedimentation in the modern delta of the River Niger, West Africa, in Van Straater, L.M.J.U. (ed), Deltaic and Shallow Marine Deposits Elsevier, New York, p. 2634.

Allen, J.R.L. (1984). Sedimentary structures. In, Developments in sedimentology series. 30. V.I, p. 515. V.II, p. 560, Pub : Elseiver, Amsterdam - Oxford New York - Tokyo.

Allen, J.R.L. and Kuye, P. (1973). Geol. Mog. V.110, p. 153-163.

Alpert, S.P. (1973). Bergaueria prantl (Cambrian and ordovician), a probable actinian trace fossil. Jour. Paleont., V.47, p. 919-924.

Alpert, S.P., (1974). Systematic review of the genus Skolithos. Jour. Paleont., V.48, p. 669.

Artjushkov, E.V. (1963) The possible genetics and general laws governing the growth of a convection instability in sedimentary rock. Doklady Akad. Nauk SSSR, V.153 (1) p. 162-165.

Basan, P.B. and Frey, R.W. (1977). Actual-paleontology and neoichnology of salt marshes near Sapelo Island, Georgia. In T.P. Crimes and J.C. Harper (eds.), Trace fossils 2. Geol. Jour., Spec. Issue 9 : p. 41-70.

Baskaran, M., Guptha, M.V.S. and Somayajulu, B.L.K. (1982) Multidisciplinary studies on Saurashtra mitiolites : miniralogy and paleontology. Abstract. Proceedings of X Indian colloquium on Micropaleontology and stratigraphy. Pune, India : Maharashtra. Association for the Cultivation of Science.

Baskaran, M., Marathe, A.R., Rajaguru, S.N. and Somayajulu, B.L.K. (1983). Dating Hiran Valley miliolites by U-decay series methods : implications to geo-archaeology. Abstract XX annual ISPQS metting. Pune, India.

Baskaran, M., Marathe, A.R., Rajaguru, S.N., and Somayajulu, B.L.K. (1986). Geochronology of palaeolithic cultures in the Hiran Valley, Saurasthra, India. Journal of Archaeological Science, V.13 p. 505-514.

Baskaran, M., and Somayajulu, B.L.K. (1986). Mineralogy of Saurashtra miliolites. Journal of the Geological Society of India, V.27, p. 63-89.

Bigarella, J.J. (1965). Mar.Geol., V.3, p. 269-278.

Bigarella, J.J., Becker, R.D., And G.M. Duarte, (1969). Coastal dune structures from Parana (Brazil) : Marine Geology, V.T, p. 5-55.

Biswas, S.K. (1971). The miliolite rocks of Kutch and Kathiawar, Western India, Sedimentary Geology, V.5, p. 147-164.

Biswas, S.K. (1987). Regional tectonic framework, structure and evolution of the western marginal basins of India. Tectonophysics, V. 135, p. 308-327.

Blatt, H. (1982) Sedimentary petrology. W.H. Freeman and Co., San Francisco. 564 p.

Bogli, A. (1978) Karsthydrographic und physische Spelaologie. Springer, Berlin.

Bramlette, M.N. (1946). The Monterey Formation of California and the Origin of California and the origin of its siliceous rocks. U.S. Geol. Survey, Prof. Paper No. 212, 57 p.

Brookfield, M.E. (1977). The origin of bounding surfaces in ancient aeolian sandstones. Sedimentology, V.24 (3), p. 303-332.

Brookfield, M.E. (1984). Eolian Sands. In R.G. Walker (ed.) Facies Models. Geosci. Can Reprint Ser 2nd ed. p. 91-103.

Carozzi, A. (1948). Etude stratigraphique et micrographique du Purbeckien du Jura suisse, Archives Sci. Geneve, V.1, p.211-375.

Carozzi, A.V. (1960) Microscopic sedimentary petrography. John Wiley and sons, Inc., New York and London 485 p.

Carr, D.D. (1973). Bull. Indiana Div. Geol. No. 48.

Carter, H.J. (1849). On foraminifera, their organisation and their existence in fossilized state in Arabia, Sindh, Kutch and Kathiawar. Journal of the Asiatic Societiy, Bombay, V.3, p.158-173.

Cayeus, L. (1935). Les roches sedimentaires de France - Roches carbonatees, Paris, Mason & Cite. p. 447.

Chamberlain, C.K., (1971). Morphology and ethology of trace fossils from the Quachita Mountains, Southeast Oklahoma, Jour. Paleont., V.45, p. 212-246.

Chamberlain, C.K., (1975). Recent Lebensspuren in Non-marine Aquatic Environments p. 431-450., In R.W. Frey (ed.), The study of Trace Fossils. Springer-Verlag Berlin - Heidelberg-New York.

Chamberlain, C.K., (1978). Recoginition of trace fossils in cores. p. 119-166. In : P.B. Basan (ed), Trace Fossils concepts SEPM short course No.5.

Chamney, T.P. (1952). Oolite horizon, Smackover limestone, Arkansas, unpublished report (J.H. Johnson), Colorado School of mines.

Chisholm - J.I. (1970) Teichichnus and related trace fossils in in the Lower Curboniferous at st. Monance, Scotland Geol. Survey Great Britain, Bull. V.32, p. 21-51.

Clifton, H.E. (1967) Solution-collapse and cavity filling in Windsor Group, Nova Scotia, Canada. Bull : Geol. Soc. America, V.78, p. 819-832.

Clifton, H.E., Hunter, R.E. and R.L. Phillips. (1971) Jour. Sediment Petrol, V.41, p. 651-670.

Colbert, E.H. (1938) Fossil mammals from Burma in the American Museum of Natural History. Bull. American Mus. Nat. Histo., LXXIV, Art. VI, p. 225-436.

Cooper, W.S., (1958), Coastal dunes of Oregon and Washington : Geol. Soc., America mem. 72, p. 169.

Corliss, B.H.,(1985) Microhabitats of benthic foraminifera within deep-sea sediments. Nature, V. 314, p. 435-438.

Crimes, (1975). The stratigraphical significance of trace fossils, in Frey. R.W. (ed.), The Study of Trace fossils : New York, Springer-Verlag, p. 109-130.

Crimes, T.P., and M.M. Anderson, (1985). Trace fossil from Late Precambrian - Early Cambrian strata of S.E. New foundland : temporal and environmental implications. Journal of Paleontology, V. 59 : p. 310-343.

Crimes, T.P., Legg, I., Marcos, A., and Arboneya, M., (1977). ? Late Precambrian. low Lower Cambrian trace fossils from Spain, in Crimes t.P., and Harper, J.C. (eds) Trace Fossils 2 : Geol. Jour. Spec. Issue No. 9, Liverpool, seel House Press, p. 91-138.

Davis, R.J. Jr. (1983) Depositional systems : A genetic approach to sedimentary geology. Prentice-Hall, Inc., Englewood cliffs, New Jersey, 669 p.

Desai, G. and D.M. Shringarpure (1982). Recent foraminifera of the Saurashtra and the South Gujarat Coasts : Impact of sedimentation on their near shore distribution. Proceeding volume : National seminar on quaternary environment. The Hindustan Pub. Corp. New Delhi. Recent Researches in Geology series, 9. p. 372-377.

Dietz, R.S., Emery, K.O., and Shepard, F.P. (1942) Phosphorite deposits on the sea floor off southern California. Bull. Geol. Soc. America, V.53 p. 815-845.

Dupre, W.R., Clifton, H.E., and Hunter, R.E. (1980) Modern sedimentary facies of the open Pacific and Pleistocene analoge from Monstery bay, California. Publication Pacific Section of SEPM, California, 105-119.

Fedden, H. (1984) Geology of Kathiawar peninsula in Guzerat. Memoir of the Geological Survey of India, XXI, p. 73-136.

Frey, R.W. (1970). Environmental Significance of Recent marine lebensspuren near Beaufort, North Carolina : Jour. Paleontology, V. 44. p. 507-519.

Frey, R.W. (1975). The realm of ichnology, its strengths and limitations, in Frey, R.W. (ed), The Study of Trace Fossils : New York, Springer-Verlag, p. 13-38.

Frey, R.W. and J.D. Howard, (1969). Profile of biogenic sedimentary structures in a Holocene barrier island - salt marsh complex, Georgia : Gulf Coast Assoc. Geol. Soc., Trans., v. 19, p. 427-444.

Frey, R.W. and Howard, J.D. (1972) Georgia coastal region, Sapelo Island, U.S.A. : Sedimentology and biology VI. Radiaographic study of sedimentary structures made by beach and offshore animals in aquaria. Senckenbergina Marit. V.4, p. 169-182.

Frey, R.W., Howard, J.D. and Pryor, W.A. (1978) Ophiomorpha, its morphologic, taxonomic and environmental significance. Palaeogeogr. Palaeoclimate Palaeoecol., V. 23 p. 199-229.

Flinter, B.H. (1959) The magnetic separation of some alluvial minerals in Malaya. The Am. Min., V.44 p. 738-751.

Folk, R.L. and Ward, W.C. (1957) Brazer River Bar : A study of the significance of grain size parameters. Jour Sed. Petrol, v.27, p. 3-26.

Folk, R.L. (1959). Practical petrographic classification of limestones. Amer. Assoc. Petrol Geol Bull, V.43, p. 1-38.

Folk, R.L. (1962). Spectral subdivision of limestone types, in Ham, W.E. (ed), Classification of Carbonate Rocks. Amer. Assoc. Petrol Geol. Mem. No. 1, Tulsa, Oklahoma., V. 62-84.

Fursich, F.T., (1974a). Corallian (Upper Jurassic) trace fossils from England and Normandy. Stuttgarter Beitrage & Zur Nuturkunde, series B. (Geologic and Palaeontologie), V. 13, p. 1-52.

Fursich, F.T., (1974b). Trace fossils as environmental indicators in the corallian of England and Normady, Lethaia, V.8, p. 151-172.

Ginsburg, R.N. (1975). Tidal Depsits.pub. Springer-Verlag (1975).

Glennie, K.N. (1970). Desert sedimentary environment. Elsevier, Amsterdam, p.222.

Govindan, P.R., Lele, V.S., and Rajaguru, S.N. (1975). Quternary formation of the lower Hiran valley. Bulletin of the Deccan College, Pune, V.35, p. 123-137.

Greensmith, J.T. (1971) Petrology of the sedimentary rocks vol. II, Thomas Murby and Co., London, 502 p.

Hallam, A., & Swett, K. (1966). Trace fossils from the Lower Cambrian pipe rocks of the north-west Highlands. Scot. Jour. Geology, V.2, p. 101-106, 1 pt.

Hantzschel, W., (1962). Trace fossils and problematics, P.W1-W269. In, I.C. Teichert (ed.), Treatise on Invertebrate paleontology, pt. W.Miscellanea, Supplement 1. Geological Society of America and University of Kansas press, Lawrence.

Hantzschel, W., (1975). Trace fossils and problematica, p.1-269. In, C. Teichert (ed.), Treatise on Invertebrate palaeontology, part W, Miscellanea, supplement-1, Geological society of America and University of Kansas press, Lawrence.

Hardas, M.G. and D.M. Shringarpure, (1982). Umrath Beach of South Gujarat : Recent sedimentation patterns and their Role in Shoreline Development. Proceeding volume : National Seminar on quaternary environments. The Hindustan pub. corpo. New Delhi : Recent Researches in Geology, series 9, p. 244-251.

Harms, J.C., and Fahnestock, R.N. (1965). Stratification, bed form, and flow phenomena (with an example from the Rio Grande), in Middleton, G.V. (ed), Primary sedimentary structures and their Hydrodynamics Interpretation - A Symposium, SEPM, spec. publ. No. 12, p. 84-115.

Harms, J.C., Mackenzie, D.B. and D.G. McCubbin, (1963). Stratification in modern sands of the Red River, Louisiana. J.Geol. V. 71. p. 566-580.

Hine, A.C. (1979). Mechanisms of berm development and resulting beach growth along barrier spir complex. Sedimentology, V.26, p. 333-351.

Hine, A.C. and J.C. Boothroyd, (1978). Jour. sediment. Petrol. V. 48, p. 991-920.

Howard, J.D. (1968) X-Ray radiography for examination of burrowing in sediments by nearshore invertebrate organism : Sedimentology, V. 11, p. 249-258.

Howard, J.D., (1975). The sedimentological significance of trace fossils, p. 131-146. In, R.W. Frey (ed.), The study of trace fossils. Springer-Verlag, New York.

Hunter, R.E. (1977). Basic types of stratification in small eolian dunes. Sedimentology, V. 24 p. 361-387.

Hunter, R.E. (1981) Stratification styles in eolian sandstones : Some Pennyslvanian to Jurrasic examples from the U.S.A. In Ethridge, F.G. and R.M. Flores, (eds). Recent and Ancient Nonmarine Depositional Environments : Models for Exploration. SEPM. Spec. Publ. No. 31. Tulsa, Oklahoma, p. 315-329.

Hussain, N., Bhandari, N., Ramanathan, K.R., and Somayajulu, B.L.K. (1980). Age of Saurashtra miliolites by U.Th decay series methods; possible implications to their origin. Proceeding of the Indian Academy of Sciences, V.68, p. 23-29.

Jadia, A.K., and D.M. Shringarpure (1982). Development of the shoreline Between Porbandar and Kodinar in Saurashtra During the Quaternary period. Proceeding volume : National seminar on Quaternary environments. The Hindustan Pub. corp., New Delhi. Recent Researches in Geology series, g. p. 329-335.

Klein, G.Dev (1971) A sedimentary model for determining paleotidal range, Geol. Soc. Amer. Bull, V.82, p. 2585-2592.

Klein, G. Dev (1972). A sedimentary model for determining paleotidal range. Discussion and Reply Geol. Soc. Amer. Bull. V.83, p. 539-546.

Knight, S.H., (1929). The Fountain and Casper formations of the Laramie Basin. Univ. Wyoming Publ. in Science, Geology V.1, p. 82.

Kocusek, G. (1981). Singnificance of interdune deposits and bounding surfaces in aeolian dune sands. Sedimentology, V.28, p. 753-780.

Komar, P.D. (1976). Beach processes and Sedimentation. Prentice-Hall, Englewood cliffs, N.J., 429 p.

Krasheninnikov, V.A. (1960) Izmenenie kompleksov foraminifer ritmakh sedimentatsii miotsenovykh ottozhenity yugo-zapada russkov platformy. Mezhdunarodnyy Geol. Kongress Moskva, Sess, 21, Doklady Sov. Geol., Prob., V.6, p. 78-84.

Krishnan, M.S. (1968) Geology of India and Burma. Higginbothams, Madras, 536 p.

Ksiazkiewicz, M., (1977). Observations on the ichnofauna of the Polish Carpathians, p. 283-322. In, T.P. Crimes and J.C. Harper (eds.), Trace fossils, Geol, Jour. Special issue 3.

Krumbein, W.C. and Pettijohn, F.J. (1938) Manual of sedimentary petrology. Appleton-Century-Croft, New York, N.Y., 549 p.

Ladd, H.S. (1957) Paleoecological evidence. In H.S. Ladd (ed) Treatise on marine ecology and paleoecology, V.2, Paleoecology. Geol. Soc. America, Mem. 67 (2), p. 31-66.

Lele, V.S., (1973). The miliolite Limestone of Saurashtra, Western India, sediment. Geol V. 10, p. 301-310.

Lele, V.S., (1975). The miliolite of western India : a reply sediment Geol. V.13, p. 77-80.

Lewis, D.W. (1983). Practical sedimentology.

Link, M.H. (1975). Motilija sandstone : a transition from deep-water turbidite to shallow marine deposition in the Eocene of California. Jour. Sed. Petrol, V.45, p. 63-78.

Luepek, G. (1980) Opaque minerals are aids in distinguishing between source and sorting effects on beach sand mineralogy in southwestern Oregon. Jour. Sed. Petrol, V.50, p.489-496.

Lyall, A.K., and Reddy, V.V. (1982). Quaternary geology of the gulf of Kutch basin. Proceeding volume : National Seminar on Quaternary environments. The Hindustan Pub. Corpo. New Delhi. Recent Researches in Geology series 9, p. 203-224.

Lydekker, R. (1883) Synopsis of fossil vertebrate of India. Rec. Geol. Surv. Ind., 16, Part 2.

Lydekker, R. (1885a) Siwalik and Narmada Chelonia. Pal. Ind. Ser. X, 3, pt. 6, 154-209. Pls., 18-27.

Lydekker, R. (1885b) A Revision of the Antelopes of the Siwaliks. Geol. Mag., II, 169-71.

Marathe, A.R. (1981). Geoarchaeology of the Hiran valley, Saurashtra, India. Deccan college postgraduate and Research Institute Publication.

Marathe, A.R., Rajaguru, S.W., and Lele, V.S. (1977). On the Problem of the origin and age of the miliolite rocks of the Hiran Valley, Saurashtra, W.India. Sedimentary Geology, V.19, p. 197-215.

Mathur U.B., and S. Mehra, (1975). Report on the Quaternary deposits of Porbandar area, Junagarh district, Gujarat. Geol. Surv. Ind. Progress Report for 1974-775 (unpublished).

Mckee, E.D., (1957). Bull. Amer. Assoc. Petrol. Geol., V.41, p. 1704-1747.

McKee, E.D., (1966). Structures of dunes at White sands National Monument, New Mexico, Sedimentology, V.7 p. 1-68.

Meinster, B., and S.J. Tickell, (1975) Trans. Geol. Soc. S.Afr., V. 78, p. 191-199.

Middleton, G.V., (1978) Facies. In : R.W. Fairbridge and J.Bourgeois (eds.) Encyclopeadia of sedimentology. Bowden, Hutchinson and Ross, Stroudsberg. p. 323-325.

Miller, M.F., and Knox, L.W., (1985). Biogenic structures and depositional environments of a Lower Pennsylvanian coal-bearing sequence, Northern Cumberland plateau, Tennessee, U.S.A. p. 6-98. In. H.A. Curren (ed.), Biogenic structures : Their use in interpreting depositional environments, SEPM, special publication No. 35.

Moore J.R., (1963) Bottom sediment studies. Buzzaro Bay, Massachusette. Jour. sediment. Petrol. V.33, p. 511-558.

Myannil, R.M. (1966). O. Vertikalnykh norkakh zaryvaniya V. Ordovikskikh Zvestiyakakh Pribaltiki : in organizmi sreda V geologischeskom proshlom, Akad. Nauk SSSR, Paleont, Inst., p. 200-207.

Nio, S.D., (1976). Marine transgression as a factor in the formation of sand wave complexes, Geol. in Mijnbouw, V.55, p. 18-40.

Osborn, H.F., (1942). Proboscidea. II. American Mus. Nat. Hist.

Oza, G.M. and D.M. Shringarpure, (1982). Mangroves of the North Saurashtra coast of Gujarat and their Geobotanical significance Proceeding volume. National seminar on Quaternary environments. The Hindustan pub. corpo. New Delhi. Recent Researches in Geology, Series 9, p. 390-395.

Passega, R., (1957). Texture as characteristic of clastic deposition. Am. Assoc. Petrol. Geol. Bull., V. 41(9), p. 1952-1984.

Pemberton, S.G. and Frey, R.W. (1982). Trace fossil nomenclature and the Planolites Palaeophycus dilemma. Jour. Pateont, V.6, p. 843-881.

Pettijohn, F.J., (1984) Sedimentary rocks (IIIrd ed.) Orient offset, Delhi, India. 628 p.

Phleger, F.B., (1960). Ecology and distribution of recent foraminifera. The Johns Hopkins press. Baltimore, U.S.A. 297 p.

Pilgrim, G.E., (1926). The fossil suidae of India. Pal. Ind. N.S., VIII (4), p. 1-65.

Pilgrim, G.E., (1932) The fossil Carnivora of India. Pal. Ind. N.S., XVIII, p. 1-232.

Poddar, M.C., (1964). Mesozoics of Western India. Their Geology and oil possibilities. 26th Int. Geol. Cong., pt. 1, Proc. sec.1.

Prantl, F. (1946). Two new problematic trails from the Ordovician of Bohemia : Acad. Tcheque Sci., Bull. Internat. cl. Sci. math. nat. med., V. 46, p. 49-59.

Prasad, K.N., (1974). The Vertebrate fauna from Piram Island, Gujarat, India. Memoirs of the Geological Survey of India, XLl, p. 1-23.

Rajaguru, S.N., and Marathe, A.R., (1978). Miliolite formation in the Hiran valley. In D.P. Agrawal and B.M. Pande, (eds). Ecology and Archaeology of western India. Delhi. Concept, p. 206-216.

Rao, P.V., and Jain, (1959). Progress report for the field season 1958-59. Oil and Natural Gas Commission (unpublished).

Rao, P.V. et al., (1962). Progress report for the field season 1958-59. Oil and Natural Gas Commission. (Unpublished).

Reading, H.G., (1978) Facies. In : H.G. Reading (ed.), sedimentary environments and facies. Blackwell, Oxford, p. 4-14.

Reid, T.W., (1952) Clastic limestone in the upper Eagle Ford Shale, Dallas country, Texas, Field and Lab., V.20, p.111-122.

Reineck, H.E., (1960). Uber Zeitlucken in rezenten Flachsee-sedimenten. Geol. Rundschau, V.49, p. 140-161.

Reineck, H.E., (1967). Layered sediments of tidal flats, beaches and shelf bottoms of the North sea, in Lauff, G.H. (ed.), Estuaries. Amer. Assoc. Adv. Sci., Publ. No. 83, Washington, D.C., p. 191-206.

Reineck, H.E. and Singh, I.B., (1980). Depositional sedimentary Environments. 2nd edition, Springer-Verlag, New York, 549 p.

Rubin, D.M., and Hunter, R.E., (1982). Bedform climbing in theory and nature. Sedimentology, V.29, p. 121-138.

Rubin, D.M., and Hunter, R.E., (1985). Why deposits of longitudinal dunes are rarely recognized in the geological record ? sedimentology, V.32 (1) p. 147-157.

Sakhawala, M.V., and D.M. Shringarpure. (1988). The black sand placer deposits of Piram Island, Gulf of Cambay, Gujarat. Proceeding volume : National seminar on Recent Quaternary studies in India. Deptt. of Geology M.S. University of Baroda. p. 421-426.

Sankalia, H.D. (1965). Early stone age in Saurashtra, Gujarat. Miscelania en Homenaje al abote Henri Breuil, V.2, p. 327-346. Barcelona : Institute de Prehistoria.

Sastri, V.V., and Pant, S.C., (1960). Foraminifera from the miliolite of Saurashtra. Abstract 47th Indian Sci. Congress.

Schafer, W., (1972). Ecology and paleoecology of marine environments; Chicago, Univ. of Chicago press, 568 p.

Schenk C.J., (1983). Textural and structural characters of some Experimentally formed eolian strata. In. Brookfield M.E. and T.S. Ahlbrandt (eds.), Eolian sediments and processes (Developments in sedimentology, 38) Elsevier Amsterdam, p. 41-50.

Seilacher, A.,(1953). Studien Zur Paliechnologie II. Die fossilen Ruhespuren (Cubichnia) : Neues. Jahrb. Geologie, Palaontologie, Abhandl., V.98. p. 87-124.

Seilacher, A., (1955). Spuren und Fazies im Unterkambrium : in O.H. Schindewolf & A. Seilacher, Beitrage Zur Kenntnis des Kambriums in der Salt Range (Pakistan), Akad. Wiss. Lit. Mainz, Math. Nat kl., Abhandl., no.10, 1955, p.11-143.

Seilacher, A., (1957). An-aktualistisches Wattenmeer ? : Palciontzeitschr, V.31, p. 198-206.

Seilacher, A., (1964). Biogenic sedimentary structures. In J. Imbrie and M.D. Mewell (eds.), In Approaches to paleoecology. p. 296-316, John Wiley and Sons, Inc. (New York).

Seilacher, A., (1967) Bathymetry of trace fossils : Marine Geol., V. 5, p. 413-428.

Seilacher, A. (1979). Constructional Morphology of sand dollars. Paleobiology V.5, p. 191-221.

Shepard, F.P., (1963). Submarine Geology, Harper and Row, New York, 2nd ed.

Shepard, F.P., Phleger, F.B. and Van Andel, T.H., (eds.) (1960). Recent sediments, northwest Gulf of Mexico. Amer. Assoc. Petrol. Geol. Tulsa. 394 p.

Shrivastava, P.K. and Rizvi, S.S.A., (1961) Geology of parts of Saurashtra, Gujarat, progress report for 1960-61, Oil and Natural Gas Commission. (unpublished).

Shrivastava, P.K., (1968). Petrography and origin of miliolite limestone of the western Saurashtra coast. Journal of the Geological Society of India, V. 9(1), p. 88-96.

Shrivastava, P.S. and John, V.C., (1977). Current regime in the Gulf of Kutch. Ind. Jour. Mar. Sci., V.6, p. 39-48.

Simpson, (1970). Notes on Zoophycos and Spirophyton. In T.P. Crimes and J.C. Harper (eds.), Trace Fossils. Geol. Jour., Spec. Issue 3 : p. 505-514.

Smith, F.D. Jr., (1955) Planktonic forminifera as indicators of depositional environment. Micropaleontology, V.1 (2), p. 147-151.

Somayajulu, B.L.K., Broecker, W.S., and Goddard, J., (1985). Dating Indian corals by U-decay series methods. In : Quaternary Researchy, V.24, p. 235-239.

Sood, P.K. and Sahai, B., (1986). Quaternary instability of Saurashtra Peninsula some observations from aerospace data. Expanded Abstract F1. In : National Workshop on Quaternary Carbonates and miliolite problems of Gujarat, P.R.L., Ahmedabad, p. 43-45.

Sood, R.K. Subramanyam, V. and B. Sahai (1982). Quaternary Geomorphology of Kathiawar coast. Preceeding volume : National seminar on Quaternary environments. The Hindustan. Pub. Corp. New Delhi. Recent Researches in Geology series, 9 p. 3-12.

Sperling, C.H.B., and Goudie, A.S., (1975). The miliolite of western India - A discussion of the aeolian and marine hypothesis : Sedimentary Geology, V.13, p. 71-75.

Steidtmann, J.R., (1974). Geol. Soci. Amer. Bull., V.85, p. 1835-1842.

Stokes, W.L., (1968). Multiple parallel truncation bedding planes - a feature of wind deposited sandstone. Jour. Sed. Perol., V. 38, p. 510-515.

Sutton, J. and Watson, J.C., (1960). Geol Mag., V.97, p. 102-122.

Thorat, T.D. and D.M. Shringarpure, (1982). Saurashtra coast between Okhamadhi and Jamnagar : Geomorphology Quaternary History and Neotectonism. Proceeding volume : National seminar on Quaternary environments. The Hindustan pub. corpo. New Delhi Recent Researches in Geology series 9 p. 336-346.

Turner, R.D., (1954). The family pholadidae in the western Atlantic and the eastern Pacific, Part - I, Pholadinae. Johnsonia, V.3, p. 1-63.

Twenhofel, W.H., (1943) Origin of the black sands of the coast of southwest Oregon. With particular reference to black sands. Am. Jour. Sci. V. 244, p. 114-139.

Ubaldo, Maria de Lourdes (1961) Petrografia dos calcarenites do distrite de Diu. Garcia de Orta (Lisboa), V.9, p. 571-584.

Verma, K.K. and Mathur U.B., (1978). Data from field and laboratory analysis on the problem of the origin of Saurashtra miliolites, In : (D.P. Agrawal and B.M. Pande, eds.) Ecology and Archaeology of western India, Delhi : Concept, p. 225-232.

Walker, R.G., (1977) Facies and facies models. General introduction. In : R.G. Walker (ed.), Facies models. Geosci., Can., Rep., Ser., V.1, p. 1-8.

Warme, J.E., (1975) Borings as trace fossils, and the processes of marine bioerosion. In : R.W. Frey (ed.). The study of trace fossils. Springer - Verlag. Berlin Heidelberg, New York, p. 181-228.

Zimmierle, W., (1973) Fossil and heavy mineral concentrations. Geologische Rundschau, Band 62, p. 536-548.