

APPENDIX-B

Table summarizing paleostress analysis results for the studied sites at the VGKNFS.

Site no.	Software:				Win_Tensor ^o			T-Tecto ^p				FaultKin ^q			SG2PS ^r			S_{Hmax}^x / S_{Hmin}^y	R/ ^z	Stress regime
	Fault	SOS ⁱ	Lithology	nt ⁿ	RDM ^s			RDM				Linked Bingham statistics			Methodology of Angelier (1990)					
					σ_1^t	σ_2^u	σ_3^v	σ_1	σ_2	σ_3	D ^w	σ_1	σ_2	σ_3	σ_1	σ_2	σ_3			
SECTOR 1 (Total number of sites investigated: 14, Sites included in fault-slip analysis: 08, Sites exposing non-striated faults: 06)																				
33	GUF ^a	N ^j	Bhuj sst ^l	19	006 \angle 72	154 \angle 16	247 \angle 09	003 \angle 76	225 \angle 11	133 \angle 09	0.1	013 \angle 71	155 \angle 15	248 \angle 11	214 \angle 67	315 \angle 04	047 \angle 22	071	0.52	PE*
14	UF ^b	R ^k	Bhuj sst	15	265 \angle 27	000 \angle 10	108 \angle 61	290 \angle 33	021 \angle 02	113 \angle 56	0.2	280 \angle 26	185 \angle 10	076 \angle 62	206 \angle 13	302 \angle 24	091 \angle 62	074	2.19	TP ^s
15	UF	R	Bhuj sst	43	303 \angle 23	212 \angle 02	118 \angle 67	281 \angle 13	012 \angle 02	110 \angle 77	0.8	298 \angle 30	031 \angle 06	131 \angle 60	320 \angle 18	227 \angle 09	112 \angle 69	124	2.53	PC ^{oo}
16	VF ^c	R	Jhuran sst ^m	20	226 \angle 26	326 \angle 19	088 \angle 56	261 \angle 44	154 \angle 17	048 \angle 41	0.2	256 \angle 30	157 \angle 15	044 \angle 56	199 \angle 08	292 \angle 21	090 \angle 67	024	2.03	TP
74	UF	N	Jhuran sst	09	102 \angle 71	208 \angle 05	300 \angle 18	270 \angle 86	098 \angle 04	008 \angle 01	0.1	107 \angle 70	212 \angle 05	304 \angle 19	090 \angle 74	198 \angle 05	289 \angle 15	126	0.62	PE
71	UF	N	Bhuj sst	09	316 \angle 60	212 \angle 08	118 \angle 29	307 \angle 44	209 \angle 08	111 \angle 44	0.7	317 \angle 61	212 \angle 08	117 \angle 28	314 \angle 69	180 \angle 15	086 \angle 14	108	0.85	TT [@]
73	UF	N	Jhuran sst	06	113 \angle 65	022 \angle 01	292 \angle 25	151 \angle 75	026 \angle 09	294 \angle 12	0.1	129 \angle 65	024 \angle 07	291 \angle 24	113 \angle 74	001 \angle 06	269 \angle 15	105	0.74	PE
91	UF	N	Bhuj sst	08	129 \angle 62	028 \angle 06	295 \angle 27	151 \angle 75	026 \angle 09	294 \angle 12	0.1	320 \angle 24	035 \angle 07	141 \angle 65	138 \angle 73	019 \angle 09	286 \angle 15	115	0.66	PE
SECTOR 2 (Total number of sites investigated: 28, Sites included in fault-slip analysis: 21, Sites exposing non-striated faults: 07)																				
44	VF	N	Jhuran sst	08	055 \angle 73	172 \angle 08	264 \angle 15	270 \angle 86	062 \angle 03	152 \angle 02	0.1	061 \angle 70	163 \angle 04	255 \angle 20	070 \angle 75	176 \angle 04	267 \angle 15	079	0.52	PE

18	VF	N	Jhuran sst	81	066 \angle 58	165 \angle 06	259 \angle 32	076 \angle 76	179 \angle 03	270 \angle 14	0.2	070 \angle 61	171 \angle 06	264 \angle 28	081 \angle 72	188 \angle 06	280 \angle 17	091	0.68	PE
17	VF	N	Jhuran sst	50	075 \angle 68	169 \angle 02	260 \angle 22	076 \angle 76	179 \angle 03	270 \angle 14	0.2	64 \angle 71	165 \angle 05	261 \angle 19	085 \angle 73	191 \angle 05	283 \angle 16	083	0.48	PE
22	VF	N	Jhuran sst	13	267 \angle 67	176 \angle 00	086 \angle 23	272 \angle 86	005 \angle 00	095 \angle 04	0.2	259 \angle 71	356 \angle 02	087 \angle 18	260 \angle 65	083 \angle 24	352 \angle 01	082	0.58	PE
23	VF	N	Jhuran sst	14	251 \angle 57	343 \angle 01	073 \angle 33	276 \angle 55	185 \angle 01	094 \angle 35	0.5	253 \angle 56	162 \angle 01	071 \angle 34	246 \angle 69	145 \angle 04	053 \angle 21	067	1.11	TT
45	VF	N	Jhuran sst	06	251 \angle 55	343 \angle 02	075 \angle 35	300 \angle 76	198 \angle 03	108 \angle 14	0.1	250 \angle 55	343 \angle 02	075 \angle 35	260 \angle 70	359 \angle 03	090 \angle 20	081	1.10	TT
30	VF	N	Jhuran sst	13	270 \angle 60	162 \angle 10	067 \angle 28	277 \angle 55	185 \angle 01	094 \angle 35	0.7	268 \angle 60	165 \angle 07	071 \angle 29	265 \angle 68	110 \angle 21	017 \angle 09	063	0.88	TT
24	VF	R	Jhuran sst	21	247 \angle 16	343 \angle 17	117 \angle 66	113 \angle 02	204 \angle 12	014 \angle 78	0.9	277 \angle 19	182 \angle 16	054 \angle 65	228 \angle 08	321 \angle 15	112 \angle 73	061	2.33	PC
20	GUF	R	Bhuj sst	15	272 \angle 17	181 \angle 04	079 \angle 73	248 \angle 02	157 \angle 12	347 \angle 78	0.8	267 \angle 11	176 \angle 05	062 \angle 78	307 \angle 20	215 \angle 04	115 \angle 70	094	2.46	PC
19	GUF	R	Bhuj sst	41	244 \angle 10	337 \angle 20	127 \angle 67	101 \angle 02	191 \angle 02	326 \angle 87	0.9	261 \angle 16	170 \angle 06	060 \angle 73	242 \angle 12	334 \angle 07	093 \angle 76	060	2.46	PC
21	GUF	R	Bhuj sst	11	257 \angle 37	166 \angle 01	074 \angle 52	261 \angle 65	003 \angle 05	095 \angle 24	0.1	259 \angle 40	352 \angle 03	086 \angle 50	257 \angle 62	160 \angle 03	068 \angle 27	081	1.69	PS [#]
04	GUF	R	Bhuj sst	29	230 \angle 10	139 \angle 04	025 \angle 79	113 \angle 02	023 \angle 02	247 \angle 87	0.9	235 \angle 11	144 \angle 06	025 \angle 78	214 \angle 11	305 \angle 03	050 \angle 79	051	2.52	PC
05	GUF	R	Bhuj sst	26	230 \angle 23	139 \angle 01	047 \angle 67	239 \angle 13	149 \angle 02	050 \angle 77	0.7	240 \angle 19	149 \angle 03	050 \angle 70	202 \angle 16	294 \angle 10	055 \angle 71	051	2.46	PC
06	GUF	R	Bhuj sst	17	251 \angle 29	160 \angle 01	068 \angle 61	295 \angle 13	026 \angle 02	124 \angle 77	0.9	250 \angle 26	341 \angle 04	079 \angle 63	209 \angle 18	302 \angle 09	057 \angle 69	072	2.24	TP
58	GUF	R	Bhuj sst	07	274 \angle 09	183 \angle 03	077 \angle 80	321 \angle 02	231 \angle 02	098 \angle 87	0.9	258 \angle 10	167 \angle 02	064 \angle 79	250 \angle 09	340 \angle 02	079 \angle 81	176	2.48	PC
07	GUF	R	Bhuj sst	24	226 \angle 12	136 \angle 02	036 \angle 78	228 \angle 23	319 \angle 2	053 \angle 67	0.7	233 \angle 16	142 \angle 04	038 \angle 73	219 \angle 13	310 \angle 04	058 \angle 76	047	2.50	PC
08	GUF	R	Bhuj sst	42	227 \angle 26	319 \angle 05	059 \angle 64	166 \angle 00	256 \angle 12	075 \angle 78	1.0	236 \angle 32	142 \angle 06	043 \angle 58	187 \angle 14	281 \angle 17	059 \angle 67	043	2.23	TP

76	UF	N	Bhuj sst	06	163∠68	258∠02	349∠22	219∠65	118∠05	026∠25	0.2	187∠66	088∠04	357∠23	175∠72	053∠10	321∠15	166	0.49	PE
75	UF	N	Bhuj sst	06	113∠71	203∠00	293∠19	152∠76	325∠14	055∠02	0.0	129∠68	022∠07	289∠20	133∠73	002∠11	270∠13	104	0.64	PE
09	UF	N	Bhuj sst	12	114∠60	242∠20	341∠22	120∠44	227∠17	333∠41	0.9	126∠64	239∠11	334∠23	139∠73	250∠06	342∠15	160	0.67	PE
100	J ^s	-	Jhuran sst	21	091∠81	200∠03	290∠09	003∠76	184∠14	094∠00	0.1	-	-	-	-	-	-	281	0.99	TT

SECTOR 3 (Total number of sites investigated: 43, Sites included in fault-slip analysis: 29, Sites exposing non-striated faults: 14)

01	GUF	R	Bhuj sst	22	248∠26	151∠15	034∠59	248∠02	157∠12	347∠78	0.8	235∠25	142∠06	038∠64	304∠13	211∠13	078∠71	080	2.59	PC
02	GUF	R	Bhuj sst	18	223∠18	313∠00	044∠72	114∠17	023∠05	277∠73	1.0	250∠16	157∠10	037∠71	216∠12	309∠13	084∠72	043	2.50	PC
53	GUF	R	Bhuj sst	05	227∠20	320∠08	070∠68	253∠13	344∠02	082∠77	0.7	236∠22	145∠04	046∠68	200∠16	292∠07	044∠72	043	2.33	PC
67	GUF	R	Bhuj sst	15	036∠05	126∠03	242∠84	293∠23	024∠02	118∠67	0.5	030∠04	121∠05	265∠83	038∠09	308∠02	203∠81	036	2.51	PC
27	VF	R	Bhuj sst	21	210∠24	306∠12	061∠63	251∠34	129∠38	008∠34	0.2	248∠24	144∠29	011∠51	173∠02	264∠27	078∠63	020	2.31	PC
28	VF	R	Bhuj sst	12	215∠07	123∠17	326∠72	281∠13	012∠02	110∠77	1.0	191∠07	283∠15	075∠74	213∠09	121∠13	335∠74	038	2.52	PC
87	VF	R	Bhuj sst	06	210∠29	304∠06	045∠60	150∠02	240∠02	015∠87	0.9	223∠32	130∠04	033∠58	222∠19	314∠05	058∠70	024	1.93	TP
36	VF	R	Bhuj sst	30	240∠27	149∠00	059∠63	251∠33	348∠10	092∠55	0.3	242∠26	333∠02	067∠64	180∠13	274∠17	055∠69	061	2.27	PC
37	VF	R	Bhuj sst	15	248∠10	156∠13	016∠74	275∠13	185∠01	092∠77	1.0	241∠07	332∠05	101∠81	239∠09	148∠08	018∠78	070	2.50	PC
35	WVF ^d	R	Bhuj sst	17	226∠20	129∠18	000∠63	180∠23	085∠11	331∠65	0.9	266∠15	169∠24	025∠61	015∠00	285∠22	105∠68	046	2.31	PC
34	WVF	R	Bhuj sst	43	234∠22	327∠08	077∠66	267∠13	174∠12	043∠73	0.8	256∠22	161∠12	045∠65	208∠12	301∠14	080∠72	048	2.36	PC

77	SDB ^h	N	Bhuj sst	06	233∠56	058∠34	326∠02	226∠76	339∠06	071∠13	0.9	231∠51	050∠39	140∠00	242∠75	064∠15	334∠00	140	0.79	TT
62	UF	N	Bhuj sst	06	333∠70	072∠03	163∠20	302∠76	054∠5	145∠13	0.1	325∠66	068∠06	161∠23	317∠74	069∠06	160∠15	165	0.72	PE
12	UF	R	Bhuj sst	18	041∠16	134∠10	255∠71	016∠13	286∠02	188∠77	0.9	038∠15	130∠06	240∠74	046∠14	137∠05	247∠75	037	2.44	PC
03	UF	R	Bhuj sst	33	057∠13	147∠01	241∠77	113∠02	204∠12	014∠78	0.8	052∠08	143∠07	273∠79	037∠13	128∠04	234∠77	057	2.49	PC
48	UF	N	Bhuj sst	07	179∠64	086∠01	356∠26	143∠44	052∠01	320∠46	0.7	176∠64	266∠00	356∠26	163∠69	053∠07	320∠19	177	0.50	PE
32	UF	N	Bhuj sst	08	157∠54	260∠09	357∠35	124∠54	224∠07	319∠35	0.3	159∠53	263∠11	000∠35	121∠29	217∠11	325∠29	016	1.19	TT
10	UF	R	Bhuj sst	16	192∠14	101∠01	007∠76	260∠02	170∠02	035∠87	0.9	196∠17	105∠04	003∠73	181∠13	272∠03	013∠77	012	2.48	PC
31	UF	R	Bhuj sst	12	067∠16	159∠07	270∠73	039∠02	309∠12	139∠78	0.9	067∠16	158∠05	264∠73	119∠19	028∠02	291∠71	065	2.35	PC
51	UF	N	Bhuj sst	06	144∠69	021∠12	287∠17	270∠86	134∠03	044∠03	0.1	134∠69	025∠07	292∠19	123∠73	002∠09	269∠15	109	0.49	PE
50	UF	N	Bhuj sst	08	121∠69	029∠01	298∠21	000∠86	188∠04	098∠01	0.2	135∠67	031∠06	298∠22	076∠73	186∠06	278∠16	114	0.53	PE
49	UF	N	Bhuj sst	11	126∠64	026∠05	294∠25	124∠54	024∠07	290∠35	0.6	129∠63	026∠06	293∠26	128∠73	018∠06	286∠16	107	0.67	PE
25	UF	N	Bhuj sst	15	124∠72	027∠02	296∠18	000∠86	152∠03	242∠02	0.1	124∠71	027∠02	296∠19	113∠74	355∠08	263∠14	116	0.63	PE
26	UF	N	Bhuj sst	16	136∠72	028∠06	296∠17	131∠65	031∠05	299∠25	0.4	134∠72	026∠06	294∠17	124∠75	010∠06	278∠14	112	0.57	PE
11	UF	N	Bhuj sst	36	111∠65	211∠05	303∠25	078∠75	202∠08	294∠12	0.2	099∠66	206∠08	300∠23	112∠70	240∠13	334∠15	125	0.61	PE
29	UF	N	Bhuj sst	09	100∠68	208∠07	300∠21	077∠76	179∠03	270∠14	0.1	102∠66	204∠05	297∠23	101∠72	205∠04	296∠17	120	0.61	PE
61	UF	N	Bhuj sst	13	066∠75	198∠10	290∠11	078∠75	214∠11	306∠10	0.2	075∠74	205∠11	298∠12	066∠75	203∠11	295∠10	119	0.54	PE

60	UF	N	Bhuj sst	07	346 \angle 73	117 \angle 11	210 \angle 13	002 \angle 65	094 \angle 01	184 \angle 25	0.3	357 \angle 77	115 \angle 06	206 \angle 12	006 \angle 74	112 \angle 04	203 \angle 16	027	0.53	PE
38	UF	R	Bhuj sst	12	171 \angle 18	080 \angle 04	338 \angle 72	113 \angle 02	023 \angle 02	247 \angle 87	0.9	176 \angle 15	086 \angle 03	345 \angle 75	150 \angle 15	241 \angle 05	349 \angle 74	174	2.45	PC

SECTOR 4 (Total number of sites investigated: 15, Sites included in fault-slip analysis: 08, Sites exposing non-striated faults: 07)

39	GUF	R	Bhuj sst	32	256 \angle 22	347 \angle 02	081 \angle 68	267 \angle 13	358 \angle 02	096 \angle 77	0.7	264 \angle 25	354 \angle 01	087 \angle 64	064 \angle 22	330 \angle 10	217 \angle 66	073	2.45	PC
41	GUF	R	Bhuj sst	16	243 \angle 24	152 \angle 02	057 \angle 66	032 \angle 02	302 \angle 02	170 \angle 87	1.0	238 \angle 25	329 \angle 02	063 \angle 64	248 \angle 18	157 \angle 03	057 \angle 72	065	2.20	TP
40	GUF	R	Bhuj sst	14	246 \angle 21	154 \angle 05	052 \angle 68	032 \angle 02	122 \angle 02	260 \angle 87	1.0	246 \angle 26	155 \angle 02	060 \angle 64	240 \angle 18	331 \angle 02	067 \angle 72	074	2.45	PC
56	UF	N	Bhuj sst	10	026 \angle 62	129 \angle 07	223 \angle 27	276 \angle 86	063 \angle 03	153 \angle 22	0.0	025 \angle 58	123 \angle 05	216 \angle 31	020 \angle 70	116 \angle 02	207 \angle 20	041	0.90	TT
57	KF ^c	R	Bhuj sst	06	072 \angle 20	342 \angle 01	248 \angle 70	199 \angle 12	108 \angle 02	010 \angle 77	1.0	055 \angle 21	149 \angle 10	263 \angle 66	085 \angle 14	353 \angle 10	227 \angle 73	074	2.43	PC
42	KF	R	Bhuj sst	24	069 \angle 22	335 \angle 08	226 \angle 66	008 \angle 01	098 \angle 12	275 \angle 78	1.0	059 \angle 17	151 \angle 08	264 \angle 71	075 \angle 15	343 \angle 07	228 \angle 73	076	2.51	PC
68	NF ^f	R	Bhuj sst	07	246 \angle 33	338 \angle 03	073 \angle 57	227 \angle 13	317 \angle 02	056 \angle 77	1.0	248 \angle 30	157 \angle 03	62 \angle 59	245 \angle 18	336 \angle 03	075 \angle 71	061	2.09	TP
89	NF	R	Bhuj sst	06	252 \angle 27	162 \angle 00	072 \angle 63	272 \angle 02	002 \angle 02	138 \angle 87	0.9	255 \angle 25	164 \angle 02	069 \angle 64	253 \angle 18	344 \angle 03	083 \angle 72	072	2.35	PC

Note. ^aGugriana Fault. ^bUnnamed Fault. ^cVigodi Fault. ^dWest Vigodi Fault. ^eKhirasra Fault. ^fNetra Fault. ^gJoints. ^hSlipped Deformation Band. ⁱSense of Slip (inferred from field observations). ^jNormal dip-slip. ^kReverse dip-slip. ^lBhuj sandstone. ^mJhuran sandstone. ⁿNumber of collected fault-slip data. ^oWin_Tensor (v.5.8.8) (Delvaux and Sperner, 2003). ^pT-Tecto studio X5 (Zalohar and Vrabec, 2007). ^qFaultKin (v.8.0) (Marrett and Allmendinger, 1990, Allmendinger et al., 2012). ^rSG2PS (Sasvári and Baharev, 2014). ^sRight Dihedral Method (Angelier and Mechler, 1977). ^{t, u, v}Trend and plunge of maximum (σ_1), intermediate (σ_2) and minimum (σ_3) principal stress axes respectively (in degrees with respect to north geographical direction) ($\sigma_1 \geq \sigma_2 \geq \sigma_3$). ^wParameter D of T-Tecto: similar to stress ratio (R) defined by Delvaux et al. (1997). ^{x, y}Orientation of maximum and minimum horizontal principal stress (in degrees with respect to north geographical direction, obtained from Win_Tensor software) in respective areas of reverse and normal faulting stress regime. ^zStress regime index (Delvaux et al., 1997). ^{*}Pure Extensive (Delvaux et al., 1997). ^{\$}Transpressive (Delvaux et al., 1997). [∞]Pure Compressive (Delvaux et al., 1997). [@]Transtensive (Delvaux et al., 1997). [#]Pure Strike-Slip (Delvaux et al., 1997).