

References

- Allmendinger, R.W., Cardozo, N.C., Fisher, D. (2012) Structural geology algorithms: vectors & tensors. Cambridge University Press, Cambridge.
- Anderson, E.M. (1905) The dynamics of faulting. Transactions of the Edinburgh Geological Society, 8, 387–402. <https://doi.org/10.1144/transed.8.3.387>
- Anderson, G., Aagaard, B., Hudnut, K. (2003) Fault interactions and large complex earthquakes in the Los Angeles area. Science, 302, 1946–1949. [10.1126/science.1090747](https://doi.org/10.1126/science.1090747)
- Anderson, K.B., Spotila, J.A., Hole, J.A. (2003) Application of geomorphic analysis and ground-penetrating radar to characterization of paleoseismic sites in dynamic alluvial environments: an example from southern California. Tectonophysics, 368, 25–32. [https://doi.org/10.1016/S0040-1951\(03\)00148-3](https://doi.org/10.1016/S0040-1951(03)00148-3)
- Angelier, J. (1990) Inversion of field data in fault tectonics to obtain the regional stress. A new rapid direct inversion method by analytical means. Geophysical Journal International, 103, 363–376. <https://doi.org/10.1111/j.1365-246X.1990.tb01777.x>
- Angelier, J. (1994) Fault slip analysis and paleostress reconstruction. In: Hancock, P.L. (Ed.), Continental Deformation. Pergamon Press, Oxford, 53–101.
- Armijo, R., Meyer, B., King, G., Rigo, A., Papanastassiou, D. (1996) Quaternary evolution of the Corinth Rift and its implications for the Late Cenozoic evolution of the Aegean. Geophysical Journal International, 126, 11–53. <https://doi.org/10.1111/j.1365-246X.1996.tb05264.x>
- Azeez, K.K., Mohan, K., Veeraswamy, K., Rastogi, B.K., Gupta, A.K., Harinarayana, T. (2020) Lithospheric resistivity structure of the 2001 Bhuj earthquake aftershock zone. Geophysical Journal International, 224, 1980–2000. <https://doi.org/10.1093/gji/ggaa556>
- Baskaran, M., Deshpande, S., Rajaguru, S., Somayajulu, B. (1989) Geochronology of miliolite rocks of kutch, Western India. Journal of the Geological Society of India, 33, 588–593.
- Beauchamp, W., Barazangi, M., Demnati, A., Alji, M.E. (1996) Intracontinental rifting and inversion: Missouri basin and Atlas mountains, Morocco. AAPG bulletin, 80, 1459–1481. <https://doi.org/10.1306/64ED9A60-1724-11D7-8645000102C1865D>

- Bendick, R., Bilham, R., Fielding, E., Gaur, V.K., Hough, S.E., Kier, G., Kulkarni, M.N., Martin, S., Mueller, K., Mukul, M. (2001) The 26 January 2001 “Republic Day” earthquake, India. *Seismological Research Letters*, 72, 328–335. <https://doi.org/10.1785/gssrl.72.3.328>
- Bennett, R.A., Friedrich, A.M., Furlong, K.P. (2004) Codependent histories of the San Andreas and San Jacinto fault zones from inversion of fault displacement rates. *Geology*, 32, 961–964. <https://doi.org/10.1130/G20806.1>
- Bhattacharya, F., Chauhan, G., Prasad, A.D., Patel, R.C., Thakkar, M.G., (2019) Strike-slip faults in an intraplate setting and their significance for landform evolution in the Kachchh peninsula, Western India. *Geomorphology*, 328, 118–137. <https://doi.org/10.1016/j.geomorph.2018.12.006>
- Bilham, R. (1999) Slip parameters for the Rann of Kachchh, India, 16 June 1819, earthquake, quantified from contemporary accounts. Geological Society, London, Special Publications, 146, 295–319. <https://doi.org/10.1144/GSL.SP.1999.146.01.18>
- BIS (2002) IS 1893–2002 (Part 1): Indian Standard Criteria for Earthquake Resistant Design of Structures, Part 1–General Provisions and Buildings. Bureau of Indian Standards, New Delhi. Retrieved from <https://bis.gov.in/other/quake.htm>.
- Bishop, P. (2007) Long-term landscape evolution: linking tectonics and surface processes. *Earth Surface Processes and Landforms*, 32, 329–365. <https://doi.org/10.1002/esp.1493>
- Biswas, S.K. (1971) The miliolite rocks of Kutch and Kathiawar (western India). *Sedimentary Geology*, 5, 147–164. [https://doi.org/10.1016/0037-0738\(71\)90029-7](https://doi.org/10.1016/0037-0738(71)90029-7)
- Biswas, S.K. (1974) Landscape of Kutch – a morphotectonic analysis. *Indian Journal of Earth Sciences*, 1, 177–190.
- Biswas, S.K. (1977) Mesozoic rock stratigraphy of Kutch. *Quarterly Journal of the Geological Mining and Metallurgical Society of India*, 49, 1–52.
- Biswas, S.K. (1982) Rift basins in the western margin of India and their hydrocarbon prospects with special reference to Kutch basin. *American Association of Petroleum Geologists Bulletin*, 66, 1497–1513. <https://doi.org/10.1306/03B5A976-16D1-11D7-8645000102C1865D>

- Biswas, S.K. (1987) Regional tectonic framework, structure and evolution of the western marginal basins of India. *Tectonophysics*, 135, 307–327.
[https://doi.org/10.1016/0040-1951\(87\)90115-6](https://doi.org/10.1016/0040-1951(87)90115-6)
- Biswas, S.K. (1993) *Geology of Kutch*. K. D. Malaviya Institute of Petroleum Exploration, Dehradun, 450 p.
- Biswas, S.K. (1999) A review on the evolution of rift basins in India during Gondwana with special reference to western Indian basins and their hydrocarbon prospects. *Proceedings of Indian National Science Academy, Special Issue*, 65, 261–283.
- Biswas, S.K. (2005) A review of structure and tectonics of Kutch basin, western India, with special reference to earthquakes. *Current Science*, 88, 1592–1600.
- Biswas, S.K. (2016) Tectonic framework, structure and tectonic evolution of Kutch Basin, western India. *Geological society of India* 6, 129–150.
[10.17491/cgsi/2016/105417](https://doi.org/10.17491/cgsi/2016/105417)
- Biswas, S.K., Deshpande, S.V. (1973) A note on the mode of eruption of the Deccan Trap lavas with special reference to Kutch. *Geological Society of India*, 14, 134–141.
- Biswas, S.K., Khattri, K.N. (2002) A geological study of earthquakes in Kutch, Gujarat, India. *Geological Society of India*, 60, 131–142.
- Bodin, P., Horton, S. (2004) Source parameters and tectonic implications of aftershocks of the Mw 7.6 Bhuj earthquake of 26 January 2001. *Bulletin of the Seismological Society of America*, 94, 818–827.
<https://doi.org/10.1785/0120030176>
- Bott, M.H.P. (1959) The mechanics of oblique slip faulting. *Geological Magazine*, 96, 109–117. <https://doi.org/10.1017/S0016756800059987>
- Brozzetti, F., Cirillo, D., de Nardis, R., Cardinali, M., Lavecchia, G., Orecchio, B., Presti, D., Totaro, C. (2017) Newly identified active faults in the Pollino seismic gap, southern Italy, and their seismotectonic significance. *Journal of Structural Geology*, 94, 13–31. <https://doi.org/10.1016/j.jsg.2016.10.005>
- Brune, S., Williams, S.E., Muller, R.D. (2018) Oblique rifting: the rule, not the exception. *Solid Earth*, 9, 1187–1206. <https://doi.org/10.5194/se-9-1187-2018>
- Buddensiek, M.L., Sheng, J., Crosby, T., Schuster, G.T., Bruhn, R.L., He, R. (2008) Colluvial wedge imaging using traveltimes and waveform tomography along the

- Wasatch Fault near Mapleton, Utah. *Geophysical Journal International*, 172, 686–697. <https://doi.org/10.1111/j.1365-246X.2007.03667.x>
- Burbank, D., Meigs, A., Brozovic, N. (1996) Interactions of growing folds and coeval depositional systems. *Basin Research*, 8, 199–223. <https://doi.org/10.1046/j.1365-2117.1996.00181.x>
- Burbank, D.W., Anderson, R.S. (2009) *Tectonic geomorphology*. John Wiley and Sons, New Jersey.
- Butler, M., Pullan, C.P. (1990) Tertiary structures and hydrocarbon entrapment in the Weald Basin of southern England. *Geological Society, London, Special Publications*, 55, 371–391. <https://doi.org/10.1144/GSL.SP.1990.055.01.19>
- Carpentier, S.F.A., Green, A.G., Doetsch, J., Dorn, C., Kaiser, A.E., Campbell, F., Horstmeyer, H., Finnemore, M. (2012a) Recent deformation of Quaternary sediments as inferred from GPR images and shallow P-wave velocity tomograms: Northwest Canterbury Plains, New Zealand. *Journal of Applied Geophysics*, 81, 2–15. <https://doi.org/10.1016/j.jappgeo.2011.09.007>
- Carpentier, S.F.A., Green, A.G., Langridge, R., Boschetti, S., Doetsch, J., Abächerli, A.N., Horstmeyer, H., Finnemore, M. (2012b) Flower structures and Riedel shears at a step over zone along the Alpine Fault (New Zealand) inferred from 2-D and 3-D GPR images. *Journal of Geophysical Research: Solid Earth*, 117(B2). <https://doi.org/10.1029/2011JB008749>
- Cassidy, N.J. (2009) Ground penetrating radar data processing, modelling and analysis, In: H. M. Jol (Ed.), *Ground Penetrating Radar Theory and Applications*, Elsevier, New York, pp. 141–176.
- Chandra, U. (1977) Earthquakes of peninsular India- a seismotectonic study. *Bulletin of the seismological Society of America*, 67, 1387–1413. Retrieved from <https://pubs.geoscienceworld.org/ssa/bssa/articleabstract/67/5/1387/117753/earthquakes-of-peninsular-india-a-seismotectonic?redirectedFrom=PDF>
- Chandrasekhar, D.V., Bürgmann, R., Reddy, C.D., Sunil, P.S., Schmidt, D.A. (2009) Weak mantle in NW India probed by geodetic measurements following the 2001 Bhuj earthquake. *Earth and Planetary Science Letters*, 280, 229–235. <https://doi.org/10.1016/j.epsl.2009.01.039>
- Chandrasekhar, E., Mathew, G., Harinarayana, T. (2012) A new hypothesis for the deep subsurface structures near the Bhuj 2001 earthquake (Mw 7.6) hypocentre

- zone and its tectonic implications. *Geophysical Journal International*, 190, 761–768. <https://doi.org/10.1111/j.1365-246X.2012.05532.x>
- Chatterjee, S., Goswami, A., Scotese, C.R. (2013) The longest voyage: tectonic, magmatic, and paleoclimatic evolution of the Indian plate during its northward flight from Gondwana to Asia. *Gondwana Research*, 23, 238–267. <https://doi.org/10.1016/j.gr.2012.07.001>
- Chorley, R.J., Beckinsale, R.P., Dunn, A.J. (1973) *The History of the Study of Landforms* (1st edition). Methuen, London, 698 p.
- Choudhury, P., Chopra, S., Kumar, M.R. (2018) A review of seismic hazard assessment of Gujarat: A highly active intra-plate region. *Earth-Science Reviews*, 187, 205–218. <https://doi.org/10.1016/j.earscirev.2018.09.014>
- Chowksey, V., Joshi, P., Maurya, D.M., Chamyal, L.S. (2011a) Ground penetrating radar characterization of fault-generated Quaternary colluvio-fluvial deposits along the seismically active Kachchh Mainland Fault, Western India. *Current Science*, 100, 915–921. Retrieved from <http://www.jstor.org/stable/24076485>
- Chowksey, V., Maurya, D.M., Joshi, P., Khonde, N., Das, A., Chamyal, L.S. (2011b) Lithostratigraphic development and neotectonic significance of the Quaternary sediments along the Kachchh Mainland Fault (KMF) zone, western India. *Journal of Earth system science*, 120, 979–99. <https://doi.org/10.1007/s12040-011-0123-0>
- Chowksey, V., Maurya, D.M., Khonde, N., Chamyal, L.S. (2010) Tectonic geomorphology and evidence for active tilting of the Bela, Khadir and Bhanjada islands in the seismically active Kachchh palaeorift graben, Western India. *Zeitschrift für Geomorphologie*, 54, 467–490. [10.1127/0372-8854/2010/0054-0021](https://doi.org/10.1127/0372-8854/2010/0054-0021)
- Chowksey, V., Maurya, D.M., Khonde, N., Chamyal, L.S. (2016) Morphotectonic control on Quaternary sedimentation and landscape evolution, Pachham Island, Kachchh, Western India. *Arabian Journal of Geosciences*, 9, 594. <https://doi.org/10.1007/s12517-016-2625-1>
- Christie, M., Tsoflias, G.P., Stockli, D.F., Black, R. (2009) Assessing fault displacement and off-fault deformation in an extensional tectonic setting using 3-D ground-penetrating radar imaging. *Journal of applied geophysics*, 68, 9–16. <https://doi.org/10.1016/j.jappgeo.2008.10.013>

- Chung, W.Y., Gao, H. (1995) Source parameters of the Anjar earthquake of July 21, 1956, India, and its seismotectonic implications for the Kutch rift basin. *Tectonophysics*, 242, 281–92. [https://doi.org/10.1016/0040-1951\(94\)00203-L](https://doi.org/10.1016/0040-1951(94)00203-L)
- Cinti, F.R., Pauselli, C., Livio, F., Ercoli, M., Brunori, C.A., Ferrario, M.F., Volpe, R., Civico, R., Pantosti, D., Pinzi, S., De Martini, P.M., Ventura, G., Alfonsi, L., Gambillara, R., Michetti, A.M. (2015) Integrating multidisciplinary, multiscale geological and geophysical data to image the Castrovillari fault (Northern Calabria, Italy). *Geophysical Journal International*, 203, 1847–1863. <https://doi.org/10.1093/gji/ggv404>
- Cooke, M.L., Kameda, A. (2002) Mechanical fault interaction within the Los Angeles basin: A two-dimensional analysis using mechanical efficiency. *Journal of Geophysical Research: Solid Earth*, 107(B7), ETG-10. <https://doi.org/10.1029/2001JB000542>
- Cowie, P.A., Vanneste, C., Sornette, D. (1993) Statistical physics model for the spatiotemporal evolution of faults. *Journal of Geophysical Research: Solid Earth*, 98(B12), 21809-21821. <https://doi.org/10.1029/93JB02223>
- Davies, R., Cloke, I., Cartwright, J., Robinson, A., Ferrero, C. (2004) Post-breakup compression of a passive margin and its impact on hydrocarbon prospectivity: An example from the Tertiary of the Faeroe–Shetland Basin, United Kingdom. *AAPG bulletin*, 88, 1–20. <https://doi.org/10.1306/09030303008>
- Davis, J.L., Annan, A.P. (1989) Ground-penetrating radar for high resolution mapping of soil and rock stratigraphy. *Geophysical prospecting*, 37, 531–551. <https://doi.org/10.1111/j.1365-2478.1989.tb02221.x>
- Dawers, N.H., Anders, M.H. (1995) Displacement-length scaling and fault linkage. *Journal of Structural Geology*, 17, 607–614. [https://doi.org/10.1016/0191-8141\(94\)00091-D](https://doi.org/10.1016/0191-8141(94)00091-D)
- Dawers, N.H., Anders, M.H., Scholz, C.H. (1993) Growth of normal faults: Displacement-length scaling. *Geology*, 21, 1107–1110. [https://doi.org/10.1130/0091-7613\(1993\)021<1107:GONFDL>2.3.CO;2](https://doi.org/10.1130/0091-7613(1993)021<1107:GONFDL>2.3.CO;2)
- Delogkos, E., Childs, C., Manzocchi, T., Walsh, J.J. (2018) The nature and origin of bed-parallel slip in Kardina Mine, Ptolemais Basin, Greece. *Journal of Structural Geology*, 113, 115–133. <https://doi.org/10.1016/j.jsg.2018.05.015>

- Delvaux, D., Moeys, R., Stapel, G., Petit, C., Levi, K., Miroshnichenko, A., Ruzhich, V., San'kov, V. (1997) Paleostress reconstructions and geodynamics of the Baikal region, Central Asia, Part 2. Cenozoic rifting. *Tectonophysics*, 282, 1–38. [https://doi.org/10.1016/S0040-1951\(97\)00210-2](https://doi.org/10.1016/S0040-1951(97)00210-2)
- Delvaux, D., Sperner, B. (2003) New aspects of tectonic stress inversion with reference to the TENSOR program. Geological Society, London, Special Publications, 212, 75–100. <https://doi.org/10.1144/GSL.SP.2003.212.01.06>
- Deng, Q., Zhang, P. (2000) Colluvial wedges associated with pre-historical reverse faulting paleoearthquakes. *Chinese Science Bulletin* 45, 1598–1604. <https://doi.org/10.1007/BF02886221>
- Densmore, A.L., Dawers, N.H., Gupta, S., Allen, P.A., Gilpin, R. (2003) Landscape evolution at extensional relay zones. *Journal of Geophysical Research: Solid Earth*, 108(B5). 10.1029/2001JB001741
- Densmore, A.L., Dawers, N.H., Gupta, S., Guidon, R. (2005) What sets topographic relief in extensional footwalls?. *Geology*, 33, 453–456. <https://doi.org/10.1130/G21440.1>
- Desai, B.G., Biswas, S.K. (2018) Postrift deltaic sedimentation in western Kachchh Basin: insights from ichnology and sedimentology. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 504, 104–124. <https://doi.org/10.1016/j.palaeo.2018.05.013>
- Desai, B.G., Patel, S.J. (2008) Trace fossil assemblages (Ichnocoenoses) of the tectonically uplifted Holocene shorelines, Kachchh, Western India. *Journal of Geological Society of India*, 71, 527–540.
- Desai, B.G., Patel, S.J. (2009) Upper Callovian–Middle Oxfordian belemnite assemblage from Jara Dome, Western Kachchh. *Journal of the Geological Society of India*, 74, 343–356.
- Dhir, R.P., Singhvi, A.K. (2012) The Thar Desert and its antiquity. *Current Science*, 10, 1001–1008.
- Doblas, M. (1998) Slickenside kinematic indicators. *Tectonophysics*, 295, 187–197. [https://doi.org/10.1016/S0040-1951\(98\)00120-6](https://doi.org/10.1016/S0040-1951(98)00120-6)
- Doblas, M., Mahecha, V., Hoyos, M., Loñpez-ruiz, J. (1997) Slickenside and fault surface kinematic indicators on active normal faults of the Alpine Betic cordilleras, Granada, southern Spain. *Journal of Structural Geology*, 19, 159–170. [https://doi.org/10.1016/S0191-8141\(96\)00086-7](https://doi.org/10.1016/S0191-8141(96)00086-7)

- Dolan, J.F., Bowman, D.D., Sammis, C.G. (2007) Long-range and long-term fault interactions in Southern California. *Geology*, 35, 855–858.
<https://doi.org/10.1130/G23789A.1>
- Dumka, R.K., Chopra, S., Prajapati, S. (2019) GPS derived crustal deformation analysis of Kachchh, zone of 2001 (M7.7) earthquake, Western India. *Quaternary International*, 507, 295–301.
<https://doi.org/10.1016/j.quaint.2019.01.032>
- Dutta, D., Mukherjee, S. (2019) Opposite shear senses: Geneses, global occurrences, numerical simulations and a case study from the Indian western Himalaya. *Journal of Structural Geology*, 126, 357–392.
<https://doi.org/10.1016/j.jsg.2019.05.008>
- Eagles, G., Wibisono, A.D. (2013) Ridge push, mantle plumes and the speed of the Indian plate. *Geophysical Journal International*, 194, 670–677.
<https://doi.org/10.1093/gji/ggt162>
- Ellis, M.A., Dunlap, W.J. (1988) Displacement variation along thrust faults: Implications for the development of large faults. *Journal of Structural Geology*, 10, 183–192. [https://doi.org/10.1016/0191-8141\(88\)90115-0](https://doi.org/10.1016/0191-8141(88)90115-0)
- Engelder, J.T. (1974) Microscopic wear grooves on slickensides: Indicators of paleoseismicity. *Journal of geophysical Research*, 79, 4387–4392.
<https://doi.org/10.1029/JB079i029p04387>
- Ercoli, M., Pauselli, C., Frigeri, A., Forte, E., Federico, C. (2014) 3-D GPR data analysis for high-resolution imaging of shallow subsurface faults: the Mt Vettore case study (Central Apennines, Italy). *Geophysical Journal International*, 198, 609–621. <https://doi.org/10.1093/gji/ggu156>
- Etchecopar, A., Vasseur, G., Daignieres, M. (1981) An inverse problem in microtectonics for the determination of stress tensors from fault striation analysis. *Journal of Structural Geology*, 3, 51–65. [https://doi.org/10.1016/0191-8141\(81\)90056-0](https://doi.org/10.1016/0191-8141(81)90056-0)
- Falcucci, E., Gori, S., Moro, M., Fubelli, G., Saroli, M., Chiarabba, C., Galadini, F. (2015) Deep reaching versus vertically restricted Quaternary normal faults: Implications on seismic potential assessment in tectonically active regions: Lessons from the middle Aterno valley fault system, central Italy. *Tectonophysics*, 651, 186–198. <https://doi.org/10.1016/j.tecto.2015.03.021>

- Federico, L., Crispini, L., Vigo, A., Capponi, G. (2014) Unravelling polyphase brittle tectonics through multi-software fault-slip analysis: The case of the Voltri Unit, Western Alps (Italy). *Journal of Structural Geology*, 68 (part A), 175–93.
<https://doi.org/10.1016/j.jsg.2014.09.011>
- Fossen, H., Cavalcante, G.C.G., Pinheiro, R.V.L., Archanjo, C.J. (2019) Deformation–Progressive or multiphase?. *Journal of Structural Geology*, 125, 82–99. <https://doi.org/10.1016/j.jsg.2018.05.006>
- Friedrich, A.M., Wernicke, B.P., Niemi, N.A., Bennett, R.A., Davis, J.L. (2003) Comparison of geodetic and geologic data from the Wasatch region, Utah, and implications for the spectral character of Earth deformation at periods of 10 to 10 million years. *Journal of Geophysical Research: Solid Earth*, 108(B4).
<https://doi.org/10.1029/2001JB000682>
- Gahalaut, V.K., Gahalaut, K., Dumka, R., Chaudhury, P., Yadav, R.K. (2019) Geodetic evidence of high compression across seismically active Kachchh paleo-rift, India. *Tectonics*, 38, 3097–3107.
<https://doi.org/10.1029/2019TC005496>
- Gallen, S.F., Wegmann, K.W., Bohnenstiehl, D.R. (2013) Miocene rejuvenation of topographic relief in the southern Appalachians. *Geological Society of America Today*, 23, 4–10. [10.1130/GSATG163A.1](https://doi.org/10.1130/GSATG163A.1)
- Geological Survey of India, Dasgupta, S., Narula, P.L., Acharyya, S.K., Banerjee, J. (2000) *Seismotectonic atlas of India and its environs*. Geological Survey of India.
- Geophysical survey systems (GSSI), Inc. (2012) *Technical manual: Radan v. 7*. Geophysical survey systems (GSSI), Inc., Salem, New Hampshire, Unites states.
- Ghosh, S.K. (1993) *Structural Geology: Fundamentals and Modern Developments*. Pergamon Press, pp. 429.
- Giambiagi, L., Alvarez, P., Creixell, C., Mardonez, D., Murillo, I., Velasquez, R., Lossada, A., Suriano, J., Mescua, J., Barrionuevo, M. (2017) Cenozoic shift from compression to strike-slip stress regime in the High Andes at 30° S, during the shallowing of the slab: implications for the El Indio/Tambo mineral district. *Tectonics*, 36, 2714–2735. <https://doi.org/10.1002/2017TC004608>
- Giambiagi, L., Alvarez, P., Spagnotto, S. (2016) Temporal variation of the stress field during the construction of the central Andes: Constrains from the volcanic arc

- region (22–26°S), Western Cordillera, Chile, during the last 20 Ma. *Tectonics*, 35, 2014–2033. <https://doi.org/10.1002/2016TC004201>
- Gibbons, A.D., Whittaker, J.M., Müller, R.D. (2013) The breakup of East Gondwana: Assimilating constraints from Cretaceous ocean basins around India into a best-fit tectonic model. *Journal of geophysical research: solid earth*, 118, 808–822. <https://doi.org/10.1002/jgrb.50079>
- Goswami, S., Lahiri, S., Mamtani, M.A. (2020). Paleostress variation during the same regional deformation in the Eastern Dharwar Craton (Southern India). *Journal of Structural Geology*, 104268. <https://doi.org/10.1016/j.jsg.2020.104268>
- Gowd, T.N., Rao, S.S., Gaur, V.K. (1992) Tectonic stress field in the Indian subcontinent. *Journal of Geophysical Research: Solid Earth* 97(B8), 11879–11888. <https://doi.org/10.1029/91JB03177>
- Green, A., Gross, R., Holliger, K., Horstmeyer, H., Baldwin, J. (2003) Results of 3-D georadar surveying and trenching the San Andreas fault near its northern landward limit. *Tectonophysics*, 368, 7–23. [https://doi.org/10.1016/S0040-1951\(03\)00147-1](https://doi.org/10.1016/S0040-1951(03)00147-1)
- Gross, R., Green, A.G., Horstmeyer, H., Begg, J.H. (2004) Location and geometry of the Wellington fault (New Zealand) defined by detailed three-dimensional georadar data. *Journal of Geophysical Research: Solid Earth*, 109(B5). <https://doi.org/10.1029/2003JB002615>
- Grützner, C., Reicherter, K., Hübscher, C., Silva, P.G. (2012) Active faulting and neotectonics in the Baelo Claudia area, Campo de Gibraltar (southern Spain). *Tectonophysics*, 554, 127–142. <https://doi.org/10.1016/j.tecto.2012.05.025>
- Gutiérrez, F., Carbonel, D., Guerrero, J., McCalpin, J.P., Linares, R., Roque, C., Zarroca, M. (2012) Late Holocene episodic displacement on fault scarps related to interstratal dissolution of evaporites (Teruel Neogene Graben, NE Spain). *Journal of Structural Geology*, 34, 2–19. <https://doi.org/10.1016/j.jsg.2011.11.006>
- Gutiérrez, F., Carbonel, D., Sevil, J., Moreno, D., Linares, R., Comas, X., Zarroca, M., Roqué, C., McCalpin, J.P. (2020) Neotectonics and late Holocene paleoseismic evidence in the Plio-Quaternary Daroca Half-graben, Iberian Chain, NE Spain. Implications for fault source characterization. *Journal of Structural Geology*, 131, 103933. <https://doi.org/10.1016/j.jsg.2019.103933>

- Heidbach, O., Rajabi, M., Cui, X., Fuchs, K., Müller, B., Reinecker, J., Reiter, K., Tingay, M., Wenzel, F., Xie, F., Ziegler, M.O., Zoback, M.L., Zoback, M. (2018) The World Stress Map database release 2016: Crustal stress pattern across scales. *Tectonophysics*, 744, 484–498.
<https://doi.org/10.1016/j.tecto.2018.07.007>
- Heidbach, O., Rajabi, M., Reiter, K., Ziegler, M. (2016) World Stress Map 2016, GFZ Data Service. <http://doi.org/10.5880/WSM.2016.002>
- Hetzl, R., Tao, M., Niedermann, S., Strecker, M.R., Ivy-Ochs, S., Kubik, P.W., Gao, B. (2004) Implications of the fault scaling law for the growth of topography: Mountain ranges in the broken foreland of north-east Tibet. *Terra Nova*, 16, 157–162. <https://doi.org/10.1111/j.1365-3121.2004.00549.x>
- Jain, S., Callomon, J.H., Pandey, D.K. (1996) On the earliest known occurrence of the Middle Jurassic ammonite genus *Reineckeia* in the Upper Bathonian of Jumara, Kachchh, western India. *Paläontologische Zeitschrift*, 70, 129–143.
- Jain, S.R., Desai, B.G. (2014) Biostratigraphic implications of the discovery of Late Bathonian Indonesian ammonite *Macrocephalites cf. mantataranus* Boehm [M] from the core of Jara dome, Kachchh, Western India. *Journal of the Paleontological Society of India*, 59, 169–80.
- Jol, H.M. (2009) *Ground Penetrating Radar: Theory and Applications*, Elsevier Science, 525 pp.
- Kaven, J.O., Maerten, F., Pollard, D.D. (2011) Mechanical analyses of fault slip data: Implications for paleostress analyses. *Journal of structural geology*, 33, 78–91.
<https://doi.org/10.1016/j.jsg.2010.12.004>
- Keller, E.A., Pinter, N. (1996) *Active tectonics*. Upper Saddle River, NJ: Prentice Hall.
- Kim, J.H., Cho, S.J., Yi, M.J. (2007) Removal of ringing noise in GPR data by signal processing. *Geosciences Journal*, 11, 75–81.
<https://doi.org/10.1007/BF02910382>
- King, G., Klinger, Y., Bowman, D., Tapponnier, P. (2005) Slip-partitioned surface breaks for the M_w 7.8 2001 Kokoxili earthquake, China. *Bulletin of the Seismological Society of America*, 95, 731–738.
<https://doi.org/10.1785/0120040101>
- King, P.R., Thrasher, G.P. (1992) Post-Eocene development of the Taranaki Basin, New Zealand: convergent overprint of a passive margin. In: Watkins, J.S.;

- Zhiqiang, F.; McMillan, K.J. (Eds.), *Geology and geophysics of continental margins*. American Association of Petroleum Geologists Memoir, 53, 93–118. <https://doi.org/10.1306/M53552C7>
- Kothyari, G.C., Dumka, R.K., Singh, A.P., Chauhan, G., Thakkar, M.G., Biswas, S.K. (2016) Tectonic evolution and stress pattern of South Wagad Fault at the Kachchh Rift Basin in western India. *Geological Magazine*, 154, 875–887. <https://doi.org/10.1017/S0016756816000509>
- Lacan, P., Nivière, B., Rousset, D., Sénéchal, P. (2012) Late Pleistocene folding above the Mail Arrouy Thrust, North-Western Pyrenees (France). *Tectonophysics*, 541, 57–68. <https://doi.org/10.1016/j.tecto.2012.03.022>
- Lacombe, O. (2012) Do fault slip data inversions actually yield “paleostresses” that can be compared with contemporary stresses? A critical discussion. *Comptes Rendus Geoscience*, 344, 159–173. <https://doi.org/10.1016/j.crte.2012.01.006>
- Lahiri, S., Rana, V., Bhatt, S., Mamtani, M.A. (2020). Paleostress and statistical analysis using quartz veins from mineralized and non-mineralized zones: Application for exploration targeting. *Journal of Structural Geology*, 133, 104006. <https://doi.org/10.1016/j.jsg.2020.104006>
- Landgraf, A., Ballato, P., Strecker, M.R., Friedrich, A., Tabatabaei, S.H., Shahpasandzadeh, M. (2009) Fault-kinematic and geomorphic observations along the North Tehran Thrust and Mosha Fasham Fault, Alborz mountains Iran: implications for fault-system evolution and interaction in a changing tectonic regime. *Geophysical Journal International*, 177, 676–690. <https://doi.org/10.1111/j.1365-246X.2009.04089.x>
- Landgraf, A., Zielke, O., Arrowsmith, J.R., Ballato, P., Strecker, M.R., Schildgen, T. F., Friedrich, A.M., Tabatabaei, S. H. (2013) Differentiating simple and composite tectonic landscapes using numerical fault slip modeling with an example from the south central Alborz Mountains, Iran. *Journal of Geophysical Research: Earth Surface*, 118, 1792–1805. <https://doi.org/10.1002/jgrf.20109>
- Lewis, C.J., Baldrige, W.S. (1994) Crustal extension in the Rio Grande rift, New Mexico: Half-grabens, accommodation zones, and shoulder uplifts in the Ladron Peak-Sierra Lucero area. In: Keller, G.R., Cather, S.M. (Eds.), *Basins of the Rio Grande Rift: Structure, Stratigraphy, and Tectonic Setting*, 291, 135–156. <https://doi.org/10.1130/SPE291-p135>

- Li, K., Xu, X., Kirby, E., Tang, F., Kang, W. (2018) Late Quaternary paleoseismology of the Milin fault: Implications for active tectonics along the Yarlung Zangbo Suture, Southeastern Tibet Plateau. *Tectonophysics*, 731, 64–72. <https://doi.org/10.1016/j.tecto.2017.12.026>
- Liberty, L.M., Hemphill-Haley, M.A., Madin, I.P. (2003) The Portland Hills Fault: uncovering a hidden fault in Portland, Oregon using high-resolution geophysical methods. *Tectonophysics*, 368, 89–103. [https://doi.org/10.1016/S0040-1951\(03\)00152-5](https://doi.org/10.1016/S0040-1951(03)00152-5)
- Lin, J., Stein, R.S. (2004) Stress triggering in thrust and subduction earthquakes and stress interaction between the southern San Andreas and nearby thrust and strike-slip faults. *Journal of Geophysical Research: Solid Earth*, 109(B2). <https://doi.org/10.1029/2003JB002607>
- Lunina, O.V., Denisenko, I.A. (2020) Single-event throws along the Delta Fault (Baikal Rift) reconstructed from ground penetrating radar, geological and geomorphological data. *Journal of Structural Geology*, 104209. <https://doi.org/10.1016/j.jsg.2020.104209>
- Lunina, O.V., Gladkov, A.S., Afonkin, A.M., Serebryakov, E.V. (2016) Deformation style in the damage zone of the Mondy fault: GPR evidence (Tunka basin, southern East Siberia). *Russian Geology and Geophysics*, 57, 1269–1282. <https://doi.org/10.1016/j.rgg.2016.08.012>
- Machiwal, D., Kumar, S., Dayal, D., (2016) Characterizing rainfall of hot arid region by using time-series modeling and sustainability approaches: a case study from Gujarat, India. *Theoretical and Applied Climatology*, 124, 593–607. <https://doi.org/10.1007/s00704-015-1435-9>
- Machuca, S., García-Delgado, H., Velandia, F. (2020) Studying active fault-related folding on tectonically inverted orogens: A case study at the Yariguíes Range in the Colombian Northern Andes. *Geomorphology*, 107515. <https://doi.org/10.1016/j.geomorph.2020.107515>
- Maestro, A., Ruano, P., Carbonell, P.T., Bohoyo, F., Galindo-Zaldívar, J., Pedrera, A., Ruiz-Constán, A., González-Castillo, L., Ibarra, P., López-Martínez, J. (2018) Stress field evolution of the southernmost Andean Cordillera from paleostress analysis (Argentine Tierra del Fuego). *Tectonics*, 38, 7–25. <https://doi.org/10.1029/2018TC005158>

- Mallik, J., Mathew, G., Angerer, T., Greiling, R.O. (2008) Determination of directions of horizontal principal stress and identification of active faults in Kachchh (India) by electromagnetic radiation (EMR). *Journal of Geodynamics*, 45, 234–245. <https://doi.org/10.1016/j.jog.2008.01.003>
- Mandal, P. (2008) Stress rotation in the Kachchh rift zone, Gujarat, India. *Pure and Applied Geophysics*, 165, 1307–1324. <https://doi.org/10.1007/s00024-008-0362-4>
- Mandal, P. (2009) Estimation of static stress changes after the 2001 Bhuj earthquake: implications towards the northward spatial migration of the seismic activity in Kachchh, Gujarat. *Journal of the Geological Society of India*, 74, 487–497. <https://doi.org/10.1007/s12594-009-0151-4>
- Mandal, P. (2013) Seismogenesis of the uninterrupted occurrence of the aftershock activity in the 2001 Bhuj earthquake zone, Gujarat, India, during 2001–2010. *Natural hazards*, 65, 1063–1083. <https://doi.org/10.1007/s11069-012-0115-7>
- Mandal, P., Horton, S. (2007) Relocation of aftershocks, focal mechanisms and stress inversion: Implications toward the seismo-tectonics of the causative fault zone of Mw7.6 2001 Bhuj earthquake (India). *Tectonophysics*, 429, 61–78. <https://doi.org/10.1016/j.tecto.2006.09.009>
- Maniatis, G., Hampel, A. (2008) Along-strike variations of the slip direction on normal faults: Insights from three-dimensional finite-element models. *Journal of structural geology*, 30, 21–28. <https://doi.org/10.1016/j.jsg.2007.10.002>
- Marrett, R.A., Allmendinger, R.W. (1990) Kinematic analysis of fault-slip data. *Journal of Structural Geology*, 12, 973–986. [https://doi.org/10.1016/0191-8141\(90\)90093-E](https://doi.org/10.1016/0191-8141(90)90093-E)
- Martinez-Diaz, J.J. (2002) Stress field variation related to fault interaction in a reverse oblique-slip fault: the Alhama de Murcia fault, Betic Cordillera, Spain. *Tectonophysics*, 356, 291–305. [https://doi.org/10.1016/S0040-1951\(02\)00400-6](https://doi.org/10.1016/S0040-1951(02)00400-6)
- Martino, R.D., Guerreschi, A.B., Montero, A.C. (2016) Reactivation, inversion and basement faulting and thrusting in the Sierras Pampeanas of Córdoba (Argentina) during Andean flat-slab deformation. *Geological Magazine*, 153, 962–991. <https://doi.org/10.1017/S0016756816000339>
- Maurya, D.M., Chowksey, V., Joshi, P.N., Chamyal, L.S. (2013) Application of GPR for delineating the neotectonic setting and shallow subsurface nature of the

- seismically active Gedi fault, Kachchh, western India. *Journal of Geophysics and Engineering*, 10, 034006. <https://doi.org/10.1088/1742-2132/10/3/034006>
- Maurya, D.M., Chowksey, V., Patidar, A.K., Chamyal, L.S. (2017a) A review and new data on the neotectonic evolution of active faults in the Kachchh Basin, Western India: legacy of post-Deccan Trap tectonic inversion, in: Mukherjee, S., Misra, A.A., Calve's, G., Nemcok, M. (Eds.), *Tectonics of Deccan large igneous province*. Geological Society of London Special Publication, London 445, pp. 237–268. <https://doi.org/10.1144/SP445.7>
- Maurya, D.M., Chowksey, V., Tiwari, P., Chamyal, L.S. (2017b) Tectonic geomorphology and neotectonic setting of the seismically active South Wagad Fault (SWF), Western India, using field and GPR data. *Acta Geophysica*, 65, 1167–1184. <https://doi.org/10.1007/s11600-017-0099-5>
- Maurya, D.M., Thakkar, M.G., Chamyal, L.S. (2003) Implications of transverse fault system on tectonic evolution of Mainland Kachchh, western India. *Current science*, 85, 661–666. Retrieved from <http://www.jstor.org/stable/24109108>
- Maurya, D.M., Thakkar, M.G., Patidar, A.K., Bhandari, S., Goyal, B., Chamyal, L.S. (2008) Late Quaternary geomorphic evolution of the coastal zone of Kachchh, western India. *Journal of Coastal Research*, 24, 746–758. Retrieved from <https://www.jstor.org/stable/30138697>
- McBride, J.H., Nelson, S.T., Heiner, B.D., Tingey, D.G., Morris, T.H., Rey, K.A. (2015) Neotectonics of the Sevier Desert basin, Utah as seen through the lens of multi-scale geophysical investigations. *Tectonophysics*, 654, 131–155. <https://doi.org/10.1016/j.tecto.2015.05.007>
- McCalpin, J.P. (Ed.). (2009) *Paleoseismology*. Academic press.
- McClymont, A.F., Green, A.G., Streich, R., Horstmeyer, H., Tronicke, J., Nobes, D.C., Pettinga, J., Campbell, J., Langridge, R. (2008a) Visualization of active faults using geometric attributes of 3D GPR data: An example from the Alpine Fault Zone, New Zealand. *Geophysics*, 73, B11–B23. <https://doi.org/10.1190/1.2825408>
- McClymont, A.F., Green, A.G., Villamor, P., Horstmeyer, H., Grass, C., Nobes, D.C. (2008b) Characterization of the shallow structures of active fault zones using 3-D ground-penetrating radar data. *Journal of Geophysical Research: Solid Earth*, 113(B10). <https://doi.org/10.1029/2007JB005402>

- McClymont, A.F., Villamor, P., Green, A.G. (2009) Fault displacement accumulation and slip rate variability within the Taupo Rift (New Zealand) based on trench and 3-D ground-penetrating radar data. *Tectonics*, 28.
<https://doi.org/10.1029/2008TC002334>
- Medeiros, W.E., Do Nascimento, A.F., da Silva, F.A., Destro, N., Demétrio, J.G.A. (2010) Evidence of hydraulic connectivity across deformation bands from field pumping tests: Two examples from Tucano Basin, NE Brazil. *Journal of Structural Geology*, 32, 1783–1791. <https://doi.org/10.1016/j.jsg.2009.08.019>
- Medina, P.Z., Limarino, C., Bonomo, N., Bernárdez, S.S., Osella, A. (2020) Using Ground Penetrating Radar and attribute analysis for identifying depositional units in a fluvial-aeolian interaction environment: The Guandacol Valley, northwest Argentina. *Journal of South American Earth Sciences*, 98, 102467.
<https://doi.org/10.1016/j.jsames.2019.102467>
- Meigs, A.J., Cooke, M.L., Marshall, S.T. (2008) Using vertical rock uplift patterns to constrain the three-dimensional fault configuration in the Los Angeles Basin. *Bulletin of the Seismological Society of America*, 98, 106–123.
<https://doi.org/10.1785/0120060254>
- Miller, J. F., Mitra, S. (2011) Deformation and secondary faulting associated with basement-involved compressional and extensional structures. *AAPG bulletin*, 95, 675–689. <https://doi.org/10.1306/09131010007>
- Mohan, K., Chaudhary, P., Patel, P., Chaudhary, B.S., Chopra, S. (2018) Magnetotelluric study to characterize Kachchh Mainland Fault (KMF) and Katrol Hill Fault (KHF) in the western part of Kachchh region of Gujarat, India. *Tectonophysics*, 726, 43–61. <https://doi.org/10.1016/j.tecto.2018.01.018>
- Morley, C.K., Nixon, C.W. (2016) Topological characteristics of simple and complex normal fault networks. *Journal of Structural Geology*, 84, 68–84.
<https://doi.org/10.1016/j.jsg.2016.01.005>
- Mukherjee, S. (2014) Review of flanking structures in meso- and micro-scales. *Geological Magazine*, 151, 957–974.
<https://doi.org/10.1017/S0016756813001088>
- Mukherjee, S., Tayade, L. (2019) Kinematic analysis of brittle roto-translational planar and listric faults based on various rotational to translational velocities of the faulted blocks. *Marine and Petroleum Geology*, 107, 326–333.
<https://doi.org/10.1016/j.marpetgeo.2019.04.024>

- Niemi, N.A., Wernicke, B.P., Friedrich, A.M., Simons, M., Bennett, R.A., Davis, J.L. (2004) BARGEN continuous GPS data across the eastern Basin and Range province, and implications for fault system dynamics. *Geophysical Journal International*, 159, 842–862. <https://doi.org/10.1111/j.1365-246X.2004.02454.x>
- Okada, T., Iio, Y., Matsumoto, S., Bannister, S., Ohmi, S., Horiuchi, S., Sato, T., Miura, T., Pettinga, J., Ghisetti, F., Sibson, R.H. (2019) Comparative tomography of reverse-slip and strike-slip seismotectonic provinces in the northern South Island, New Zealand. *Tectonophysics*, 765, 172–186. <https://doi.org/10.1016/j.tecto.2019.03.016>
- Oner, Z., Dilek, Y. (2013) Fault kinematics in supradetachment basin formation, Menderes core complex of western Turkey. *Tectonophysics*, 608, 1394–1412. <https://doi.org/10.1016/j.tecto.2013.06.003>
- Padmalal, A., Khonde, N., Maurya, D.M., Shaikh, M., Kumar, A., Vanik, N., Chamyal, L.S. (2019) Geomorphic characteristics and morphologic dating of the Allah Bund Fault scarp, Great Rann of Kachchh, Western India. In: Mukherjee, S. (Ed.), *Tectonics and Structural Geology: Indian Context*. Springer, Switzerland, 55–74. https://doi.org/10.1007/978-3-319-99341-6_3
- Patidar, A.K. (2010) Neotectonic studies in southern mainland Kachchh using GPR with special reference to Katrol Hill Fault. Ph.D. Thesis, The Maharaja Sayajirao University of Baroda, Vadodara, 163 p. Retrieved from Shodhganga: <http://hdl.handle.net/10603/59101>
- Patidar, A.K., Maurya, D.M., Thakkar, M.G., Chamyal, L.S. (2007) Fluvial geomorphology and neotectonic activity based on field and GPR data, Katrol hill range, Kachchh, western India. *Quaternary International*, 159, 74–92. <https://doi.org/10.1016/j.quaint.2006.08.013>
- Patidar, A.K., Maurya, D.M., Thakkar, M.G., Chamyal, L.S. (2008) Evidence of neotectonic reactivation of the Katrol Hill Fault during late Quaternary and its GPR characterization. *Current Science*, 94, 338–346. Retrieved from <https://www.jstor.org/stable/24100341>
- Patra, A., Saha, D. (2019) Stress regime changes in the Main Boundary Thrust zone, Eastern Himalaya, decoded from fault-slip analysis. *Journal of Structural Geology*, 120, 29–47. <https://doi.org/10.1016/j.jsg.2018.12.010>
- Pavan Kumar, G., Chaudhary, I., Nagar, M., Chouhan, A.K., Prizomwala, S.P., Mahesh, P., Chopra, S. (2018) Transient electromagnetic investigations in a

- tectonic domain of the Kachchh intraplate region, western India: a morphotectonic study of the Kachchh Mainland Fault. *Tectonics*, 37, 4239–4260. <https://doi.org/10.1029/2017TC004884>
- Pavan Kumar, G., Mahesh, P., Nagar, M., Mahender, E., Kumar, V., Mohan, K., Ravi Kumar, M. (2017) Role of deep crustal fluids in the genesis of intraplate earthquakes in the Kachchh region, northwestern India. *Geophysical Research Letters*, 44, 4054–4063. <https://doi.org/10.1002/2017GL072936>
- Pazzaglia, F.J. (2003) Landscape evolution models. *Developments in Quaternary Sciences*, 1, 247–274. [https://doi.org/10.1016/S1571-0866\(03\)01012-1](https://doi.org/10.1016/S1571-0866(03)01012-1)
- Peltzer, G., Crampé, F., Hensley, S., Rosen, P. (2001) Transient strain accumulation and fault interaction in the Eastern California shear zone. *Geology*, 29, 975–978. [https://doi.org/10.1130/0091-7613\(2001\)029<0975:TSAAFI>2.0.CO;2](https://doi.org/10.1130/0091-7613(2001)029<0975:TSAAFI>2.0.CO;2)
- Petit, J.P. (1987) Criteria for the sense of movement on fault surfaces in brittle rocks. *Journal of Structural Geology*, 9, 597–608. [https://doi.org/10.1016/0191-8141\(87\)90145-3](https://doi.org/10.1016/0191-8141(87)90145-3)
- Place, J., Géraud, Y., Diraison, M., Herquel, G., Edel, J.B., Bano, M., Le Garzic, E., Walter, B. (2016) Structural control of weathering processes within exhumed granitoids: Compartmentalisation of geophysical properties by faults and fractures. *Journal of Structural Geology*, 84, 102–119. <https://doi.org/10.1016/j.jsg.2015.11.011>
- Pollard, D., Pollard, D.D., Fletcher, R.C., Fletcher, R.C. (2005) *Fundamentals of structural geology*. Cambridge University Press. <https://doi.org/10.1017/S0016756806232485>
- Pollitz, F.F., Sacks, I.S. (2002) Stress triggering of the 1999 Hector Mine earthquake by transient deformation following the 1992 Landers earthquake. *Bulletin of the Seismological Society of America*, 92, 1487–1496. <https://doi.org/10.1785/0120000918>
- Pousse-Beltran, L., Vassallo, R., Audemard, F., Jouanne, F., Oropeza, J., Garambois, S., Aray, J. (2018) Earthquake geology of the last millennium along the Boconó Fault, Venezuela. *Tectonophysics*, 747, 40–53. <https://doi.org/10.1016/j.tecto.2018.09.010>
- Prasad, S. (1998) Ammonite biozonation of the Middle–Late Jurassic sediments with special reference to Keera and Jara dome, Kachchh district, Gujarat. *Journal of Geological Society of India*, 52, 25–40.

- Prucha, J.J., Graham, J.A., Nickelsen, R.P. (1965) Basement-controlled deformation in Wyoming Province of Rocky Mountains foreland. *AAPG Bulletin*, 49, 966–992. <https://doi.org/10.1306/A663368A-16C0-11D7-8645000102C1865D>
- Rai, J.Y. (2003) Early Callovian nannofossils from Jara Dome, Kachchh, western India. *Journal of Geological Society of India*, 61, 283–94.
- Rajendran, C.P., Rajendran, K. (2001) Characteristics of deformation and past seismicity associated with the 1819 Kutch earthquake, northwestern India. *Bulletin of the Seismological Society of America*, 91, 407–426. <https://doi.org/10.1785/0119990162>
- Rastogi, B.K., Gupta, H.K., Mandal, P., Satyanarayana, H.V.S., Kousalya, M., Raghavan, R., Jain, R., Sarma, A.N.S., Kumar, N., Satyamurty, C. (2001) The deadliest stable continental region earthquake occurred near Bhuj on 26 January 2001. *Journal of Seismology*, 5, 609–615. <https://doi.org/10.1023/A:1012228507533>
- Reiss, S., Reicherter, K.R., Reuther, C.D. (2003) Visualization and characterization of active normal faults and associated sediments by high-resolution GPR. *Geological Society, London, Special Publications*, 211, 247–255. <https://doi.org/10.1144/GSL.SP.2001.211.01.20>
- Richardson, R.M., Solomon, S.C., Sleep, N.H. (1979) Tectonic stress in the plates. *Reviews of Geophysics*, 17, 981–1019. <https://doi.org/10.1029/RG017i005p00981>
- Ricketts, J.W., Karlstrom, K.E., Kelley, S.A. (2015) Embryonic core complexes in narrow continental rifts: The importance of low-angle normal faults in the Rio Grande rift of central New Mexico. *Geosphere*, 11, 425–444. <https://doi.org/10.1130/GES01109.1>
- Rockwell, T.K., Lindvall, S., Herzberg, M., Murbach, D., Dawson, T., Berger, G. (2000) Paleoseismology of the Johnson Valley, Kickapoo, and Homestead Valley faults: Clustering of earthquakes in the eastern California shear zone. *Bulletin of the Seismological Society of America*, 90(5), 1200–1236. <https://doi.org/10.1785/0119990023>
- Ruppel, C. (1995) Extensional processes in continental lithosphere. *Journal of Geophysical Research: Solid Earth*, 100(B12), 24187–24215. <https://doi.org/10.1029/95JB02955>

- Sagripanti, L., Vera, E.A.R., Gianni, G.M., Folguera, A., Harvey, J.E., Farías, M., and Ramos, V.A. (2015) Neotectonic reactivation of the western section of the Malargüe fold and thrust belt (Tromen volcanic plateau, Southern Central Andes). *Geomorphology*, 232, 164–181.
<https://doi.org/10.1016/j.geomorph.2014.12.022>
- Sasvári, Á., Baharev, A. (2014) SG2PS (structural geology to postscript converter)—A graphical solution for brittle structural data evaluation and paleostress calculation. *Computers & geosciences*, 66, 81–93.
<https://doi.org/10.1016/j.cageo.2013.12.010>
- Savvaidis, A., Smirnov, M.Y., Tranos, M.D., Pedersen, L.B., Chouliaras, G. (2012) The seismically active Atalanti fault in Central Greece: A steeply dipping fault zone imaged from magnetotelluric data. *Tectonophysics* 554, 105–113.
<https://doi.org/10.1016/j.tecto.2012.06.002>
- Schlische, R.W. (1995) Geometry and origin of fault-related folds in extensional settings. *AAPG bulletin*, 79, 1661–1678. <https://doi.org/10.1306/7834DE4A-1721-11D7-8645000102C1865D>
- Scholz, C.H. (1982) Scaling laws for large earthquakes: consequences for physical models. *Bulletin of the Seismological Society of America*, 72, 1–14.
- Schoorl, J.M., Veldkamp, A. (2003) Late Cenozoic landscape development and its tectonic implications for the Guadalhorce valley near Alora (Southern Spain). *Geomorphology*, 50, 43–57. [https://doi.org/10.1016/S0169-555X\(02\)00207-6](https://doi.org/10.1016/S0169-555X(02)00207-6)
- Schweig, E.U., Gomberg, J.O., Petersen, M.A., Ellis, M.I., Bodin, P.A., Mayrose, L.A., Rastogi, B.K. (2003) The Mw 7.7 Bhuj earthquake: global lessons for earthquake hazard in intra-plate regions. *Journal of the Geological Society of India*, 61, 277–82.
- Sen, S., Kundan, A., Kalpande, V., Kumar, M. (2019) The present-day state of tectonic stress in the offshore Kutch-Saurashtra Basin, India. *Marine and Petroleum Geology* 102, 751–758.
<https://doi.org/10.1016/j.marpetgeo.2019.01.018>
- Shaikh, M.A., Maurya, D.M., Mukherjee, S., Vanik, N.P., Padmalal, A., Chamyal, L.S. (2020) Tectonic evolution of the intra-uplift Vigodi-Gugriana-Khirasra-Netra Fault System in the seismically active Kachchh rift basin, India: Implications for the western continental margin of the Indian plate. *Journal of Structural Geology*, 140, 104124. <https://doi.org/10.1016/j.jsg.2020.104124>

- Shaikh, M.A., Maurya, D.M., Vanik, N.P., Padmalal, A., Chamyal, L.S. (2019) Uplift induced structurally controlled landscape development: example from fault bounded Jumara and Jara domes in Northern Hill Range, Kachchh, Western India. *Geosciences Journal*, 23, 575–593. <https://doi.org/10.1007/s12303-018-0061-9>
- Sharma, K., Bhatt, N., Shukla, A., Cheong, D., Singhvi, A. (2017) Optical dating of late Quaternary carbonate sequences of Saurashtra, western India. *Quaternary Research*, 87, 133–150. [10.1017/qua.2016.12](https://doi.org/10.1017/qua.2016.12)
- Sheley, D., Crosby, T., Zhou, M., Giacomini, J., Yu, J., He, R., Schuster, G.T. (2003) 2-D seismic trenching of colluvial wedges and faults. *Tectonophysics*, 368, 51–69. [https://doi.org/10.1016/S0040-1951\(03\)00150-1](https://doi.org/10.1016/S0040-1951(03)00150-1)
- Shukla, S.B., Chowksey, V.M., Prizomwala, S.P., Ukey, V.M., Bhatt, N.P., Maurya, D.M. (2013) Internal sedimentary architecture and coastal dynamics as revealed by ground penetrating radar, Kachchh coast, western India. *Acta Geophysica*, 61, 1196–1210. <https://doi.org/10.2478/s11600-013-0102-8>
- Sibson, R.H. (1995) Selective fault reactivation during basin inversion: potential for fluid redistribution through fault-valve action. Geological Society, London, Special Publications, 88, 3–19. <https://doi.org/10.1144/GSL.SP.1995.088.01.02>
- Simón, J.L. (2019) Forty years of paleostress analysis: has it attained maturity?. *Journal of Structural Geology*, 125, 124–133. <https://doi.org/10.1016/j.jsg.2018.02.011>
- Simón, J.L., Arlegui, L.E., Ezquerro, L., Lafuente, P., Liesa, C.L., Luzón, A. (2017) Assessing interaction of active extensional faults from structural and paleoseismological analysis: The Teruel and Conclud faults (eastern Spain). *Journal of Structural Geology*, 103, 100–119. <https://doi.org/10.1016/j.jsg.2017.08.003>
- Simpson, I.R., Gravestock, M., Ham, D., Leach, H., Thompson, S.D. (1989) Notes and cross-sections illustrating inversion tectonics in the Wessex Basin. Geological Society, London, Special Publications, 44, 123–129. <https://doi.org/10.1144/GSL.SP.1989.044.01.08>
- Singh, A.P., Zhao, L., Kumar, S., Mishra, S. (2016) Inversions for earthquake focal mechanisms and regional stress in the Kachchh Rift Basin, western India: Tectonic implications. *Journal of Asian Earth Sciences*, 117, 269–283. <https://doi.org/10.1016/j.jseaes.2015.12.001>

- Singh, B., Mandal, P. (2020) Upper mantle seismic anisotropy beneath the Kachchh rift zone, Gujarat, India, from shear wave splitting analysis. *Journal of Earth System Science*, 129. <https://doi.org/10.1007/s12040-020-1373-5>
- Sippel, J., Scheck-Wenderoth, M., Reicherter, K., Mazur, S. (2009) Paleostress states at the south-western margin of the Central European Basin System- Application of fault-slip analysis to unravel a polyphase deformation pattern. *Tectonophysics*, 470, 129–146. <https://doi.org/10.1016/j.tecto.2008.04.010>
- Slater, L., Niemi, T.M. (2003) Ground-penetrating radar investigation of active faults along the Dead Sea Transform and implications for seismic hazards within the city of Aqaba, Jordan. *Tectonophysics*, 368, 33–50. [https://doi.org/10.1016/S0040-1951\(03\)00149-5](https://doi.org/10.1016/S0040-1951(03)00149-5)
- Sperner, B., Zweigel, P. (2010) A plea for more caution in fault–slip analysis. *Tectonophysics*, 482, 29–41. <https://doi.org/10.1016/j.tecto.2009.07.019>
- Stein, R.S., Barka, A.A., Dieterich, J.H. (1997) Progressive failure on the North Anatolian fault since 1939 by earthquake stress triggering. *Geophysical Journal International*, 128, 594–604. <https://doi.org/10.1111/j.1365-246X.1997.tb05321.x>
- Stewart, S.A., Argent, J.D. (2000) Relationship between polarity of extensional fault arrays and presence of detachments. *Journal of Structural Geology*, 22, 693–711. [https://doi.org/10.1016/S0191-8141\(00\)00004-3](https://doi.org/10.1016/S0191-8141(00)00004-3)
- Stoneley, R. (1982) The structural development of the Wessex Basin. *Journal of the Geological Society*, 139, 543–554. <https://doi.org/10.1144/gsjgs.139.4.0543>
- Strecker, M.R., Blisniuk, P.M., Eisbacher, G.H. (1990) Rotation of extension direction in the central Kenya Rift. *Geology*, 18, 299–302. [https://doi.org/10.1130/0091-7613\(1990\)018<0299:ROEDIT>2.3.CO;2](https://doi.org/10.1130/0091-7613(1990)018<0299:ROEDIT>2.3.CO;2)
- Taboada, A., Bousquet, J.C., Philip, H. (1993) Coseismic elastic models of folds above blind thrusts in the Betic Cordilleras (Spain) and evaluation of seismic hazard. *Tectonophysics*, 220, 223–241. [https://doi.org/10.1016/0040-1951\(93\)90233-A](https://doi.org/10.1016/0040-1951(93)90233-A)
- Teyssier, C., Tikoff, B. (1998) Strike-slip partitioned transpression of the San Andreas fault system: a lithospheric-scale approach. Geological Society, London, Special Publications, 135, 143–158. <https://doi.org/10.1144/GSL.SP.1998.135.01.10>
- Tiwari, S.K., Beniast, A., Biswal, T.K. (2020) Extension driven brittle exhumation of the lower-middle crustal rocks, a paleostress reconstruction of the

- Neoproterozoic Ambaji Granulite, NW India. *Journal of Asian Earth Sciences*, 195, 104341. <https://doi.org/10.1016/j.jseaes.2020.104341>
- Tokarski, A.K., Świerczewska, A., Lasocki, S., Cuong, N.Q., Strzelecki, P.J., Olszak, J., Kukulak, J., Alexanderson, H., Zasadni, J., Krapiec, M., Mikołajczak, M. (2020) Active faulting and seismic hazard in the Outer Western Carpathians (Polish Galicia): Evidence from fractured Quaternary gravels. *Journal of Structural Geology*, 141, 104210. <https://doi.org/10.1016/j.jsg.2020.104210>
- Tranos, M.D. (2017) The use of Stress Tensor Discriminator Faults in separating heterogeneous fault-slip data with best-fit stress inversion methods. *Journal of Structural Geology*, 102, 168–178. <https://doi.org/10.1016/j.jsg.2017.12.015>
- Tuttle, M.P., Schweig, E.S., Sims, J.D., Lafferty, R.H., Wolf, L.W., Haynes, M.L. (2002) The earthquake potential of the New Madrid seismic zone. *Bulletin of the Seismological Society of America*, 92, 2080–2089. <https://doi.org/10.1785/0120010227>
- Twiss, R.J., Unruh, J.R. (1998) Analysis of fault slip inversions: Do they constrain stress or strain rate?. *Journal of Geophysical Research: Solid Earth*, 103(B6), 12205–12222. <https://doi.org/10.1029/98JB00612>
- Ustaszewski, M., Herwegh, M., McClymont, A.F., Pfiffner, O.A., Pickering, R., Preusser, F. (2007) Unravelling the evolution of an Alpine to post-glacially active fault in the Swiss Alps. *Journal of structural geology*, 29, 1943–1959. <https://doi.org/10.1016/j.jsg.2007.09.006>
- Van Der Beek, P., Pulford, A., Braun, J. (2001) Cenozoic landscape development in the Blue Mountains (SE Australia): lithological and tectonic controls on rifted margin morphology. *The Journal of Geology*, 109, 35–56. <https://doi.org/10.1086/317963>
- Vanik, N., Shaikh, M.A., Mukherjee, S., Maurya, D.M., Chamyal, L.S. (2018) Post-Deccan Trap stress reorientation under transpression: Evidence from fault slip analysis from SW Saurashtra, Western India. *Journal of Geodynamics*, 121, 9–19. <https://doi.org/10.1016/j.jog.2018.06.004>
- Vanneste, K., Radulov, A., De Martini, P., Nikolov, G., Petermans, T., Verbeeck, K., Camelbeeck, T., Pantosti, D., Dimitrov, D., Shanov, S. (2006) Paleoseismologic investigation of the fault rupture of the 14 April 1928 Chirpan earthquake (M 6.8), southern Bulgaria. *Journal of Geophysical Research: Solid Earth*, 111(B1). [10.1029/2005JB003814](https://doi.org/10.1029/2005JB003814)

- Villani, F., Sapia, V. (2017) The shallow structure of a surface-rupturing fault in unconsolidated deposits from multi-scale electrical resistivity data: The 30 October 2016 Mw 6.5 central Italy earthquake case study. *Tectonophysics*, 717, 628–644. <https://doi.org/10.1016/j.tecto.2017.08.001>
- Wallace, R.E. (1951) Geometry of shearing stress and relation to faulting. *The Journal of geology*, 59, 118–130. Retrieved from <http://www.jstor.org/stable/30070473>
- Wang, Z., Madin, I.P., Woolery, E.W. (2003) Shallow SH-wave seismic investigation of the Mt. Angel fault, Northwest Oregon, USA. *Tectonophysics*, 368, 105–117. [https://doi.org/10.1016/S0040-1951\(03\)00153-7](https://doi.org/10.1016/S0040-1951(03)00153-7)
- Williams, G.D., Powell, C.M., Cooper, M.A. (1989) Geometry and kinematics of inversion tectonics. Geological Society, London, Special Publications, 44, 3–15. <https://doi.org/10.1144/GSL.SP.1989.044.01.02>
- Williams, R.A., Stephenson, W.J., Odum, J.K. (2003) Comparison of P-and S-wave velocity profiles obtained from surface seismic refraction/reflection and downhole data. *Tectonophysics*, 368, 71–88. [https://doi.org/10.1016/S0040-1951\(03\)00151-3](https://doi.org/10.1016/S0040-1951(03)00151-3)
- Withjack, M.O., Olsen, P.E., Schlische, R.W. (1995) Tectonic evolution of the Fundy rift basin, Canada: evidence of extension and shortening during passive margin development. *Tectonics*, 14, 390–405. <https://doi.org/10.1029/94TC03087>
- Xu, S.S., Nieto-Samaniego, Á.F., Alaniz-Álvarez, S.A., Velasquillo-Martínez, L.G. (2011) Effect of block rotation on the pitch of slickenlines. *Central European Journal of Geosciences*, 3, 29–36. <https://doi.org/10.2478/v10085-010-0031-6>
- Yamaji, A., Sato, K. (2019) Stress inversion meets plasticity theory: A review of the theories of fault-slip analysis from the perspective of the deviatoric stress-strain space. *Journal of Structural Geology*, 125, 296–310. <https://doi.org/10.1016/j.jsg.2019.03.003>
- Yeager, K.M., Wolfe, P.C., Feagin, R.A., Brunner, C.A., Schindler, K.J. (2019) Active near-surface growth faulting and late Holocene history of motion: Matagorda peninsula, Texas. *Geomorphology*, 327, 159–169. <https://doi.org/10.1016/j.geomorph.2018.10.019>
- Yin, Z.M., Ranalli, G. (1992) Critical stress difference, fault orientation and slip direction in anisotropic rocks under non-Andersonian stress systems. *Journal of Structural Geology*, 14, 237–244. [https://doi.org/10.1016/0191-8141\(92\)90060-A](https://doi.org/10.1016/0191-8141(92)90060-A)

- Zalohar, J., Vrabec, M. (2007) Paleostress analysis of heterogeneous fault-slip data: the Gauss method. *Journal of Structural Geology*, 29, 1798–1810.
<https://doi.org/10.1016/j.jsg.2007.06.009>
- Zhang, H., Zhang, P., Prush, V., Zheng, D., Zheng, W., Wang, W., Liu, C., Ren, Z. (2017) Tectonic geomorphology of the Qilian Shan in the northeastern Tibetan Plateau: Insights into the plateau formation processes. *Tectonophysics*, 706, 103–115. <https://doi.org/10.1016/j.tecto.2017.04.016>
- Zhao, W., Tian, G., Forte, E., Pipan, M., Wang, Y., Li, X., Shi, Z., Liu, H. (2015) Advances in GPR data acquisition and analysis for archaeology. *Geophysical Journal International*, 202, 62–71. <https://doi.org/10.1093/gji/ggv121>
- Zoback, M.L. (1992) First-and second-order patterns of stress in the lithosphere: The World Stress Map Project. *Journal of Geophysical Research: Solid Earth*, 97(B8), 11703–11728. <https://doi.org/10.1029/92JB00132>
- Zoback, M.L., Zoback, M.D., Adams, J., et al. (1989) Global patterns of tectonic stress. *Nature*, 341(6240), 291. <https://doi.org/10.1038/341291a0>
- Zwaan, F., Schreurs, G. (2020) Rift segment interaction in orthogonal and rotational extension experiments: Implications for the large-scale development of rift systems. *Journal of Structural Geology*, 140, 104119.
<https://doi.org/10.1016/j.jsg.2020.104119>
- Zygouri, V., Koukouvelas, I.K., Kokkalas, S., Xypolias, P., Papadopoulos, G.A. (2015) The Nisi Fault as a key structure for understanding the active deformation of the NW Peloponnese, Greece. *Geomorphology*, 237, 142–156.
<https://doi.org/10.1016/j.geomorph.2013.09.001>