

# Bibliography

- Adler, R. F., G. J. Huffman, A. Chang, R. Ferraro, P.-P. Xie, J. Janowiak, B. Rudolf, U. Schneider, S. Curtis, D. Bolvin, et al. (2003), The version-2 global precipitation climatology project (gpcp) monthly precipitation analysis (1979-present), *Journal of hydrometeorology*, 4(6), 1147–1167.
- Agnihotri, R., K. Dutta, R. Bhushan, and B. Somayajulu (2002), Evidence for solar forcing on the indian monsoon during the last millennium, *Earth and Planetary Science Letters*, 198(3), 521–527.
- Agrawal, D. P., and M. Yadava (1995), *Dating the human past*, 1, Indian Society for Prehistoric and Quaternary Studies.
- Agrawal, S., P. Sanyal, A. Sarkar, M. K. Jaiswal, and K. Dutta (2012), Variability of indian monsoonal rainfall over the past 100ka and its implication for c 3–c 4 vegetational change, *Quaternary Research*, 77(1), 159–170.
- Allison, G. (1982), The relationship between 18o and deuterium in water in sand columns undergoing evaporation, *Journal of Hydrology*, 55(1-4), 163–169.
- Allu, N. C., M. Tiwari, M. G. Yadava, N. C. Dung, C.-C. Shen, S. P. Belgaonkar, R. Ramesh, and A. H. Laskar (2015), Stalagmite  $\delta^{18}\text{O}$  variations in southern India reveal divergent trends of Indian Summer Monsoon and East Asian Summer Monsoon during the last interglacial, *Quat. Int.*, doi: 10.1016/j.quaint.2014.12.014.
- Anderson, D. M., J. C. Brock, and W. L. Prell (1992), Physical upwelling processes, upper ocean environment and the sediment record of the southwest monsoon, *Geological Society, London, Special Publications*, 64(1), 121–129.
- Anderson, P., C. Barnosky, P. Bartlein, P. Behling, L. Brubaker, E. Cushing, J. Dodson, B. Dworetsky, P. Guetter, S. Harrison, et al. (1988), Climatic changes of the last 18,000 years: Observations and model simulations., *Science*, 241, 1043–1052.

- Andrews, J. E., A. K. Singhvi, A. J. Kailath, R. Kuhn, P. F. Dennis, S. K. Tandon, and R. P. Dhir (1998), Do stable isotope data from calcrete record late pleistocene monsoonal climate variation in the thar desert of india?, *Quaternary Research*, 50(3), 240–251.
- Annamalai, H., and K. Sperber (2016), South asian summer monsoon variability in a changing climate, in *The Monsoons and Climate Change*, pp. 25–46, Springer.
- Asmerom, Y., V. J. Polyak, J. B. T. Rasmussen, S. J. Burns, and M. Lachniet (2013), Multidecadal to multicentury scale collapses of Northern Hemisphere monsoons over the past millennium., *Proc. Natl. Acad. Sci. U. S. A.*, 110(24), 9651–9656, doi:10.1073/pnas.1214870110.
- Awasthi, N. (2012), Geochemical and isotopic studies of sediments from the andaman island the andaman sea, *Unpubl. Ph. D. thesis, The Maharaja Sayajirao University of Baorda, India*, p. 181.
- Awasthi, N., J. S. Ray, A. K. Singh, S. T. Band, and V. K. Rai (2014), Provenance of the late quaternary sediments in the andaman sea: Implications for monsoon variability and ocean circulation, *Geochemistry, Geophysics, Geosystems*, 15(10), 3890–3906.
- Badeck, F.-W., G. Tcherkez, S. Nogues, C. Piel, and J. Ghashghaie (2005), Post-photosynthetic fractionation of stable carbon isotopes between plant organs—a widespread phenomenon, *Rapid communications in mass spectrometry*, 19(11), 1381–1391.
- Baldini, J., F. McDermott, and I. Fairchild (2006), Spatial variability in cave drip water hydrochemistry: Implications for stalagmite paleoclimate records, *Chemical Geology*, 235(3), 390–404.
- Bar-Matthews, M., A. Matthews, and A. Ayalon (1991), Environmental controls of speleothem mineralogy in a karstic dolomitic terrain (soreq cave, israel), *The Journal of Geology*, pp. 189–207.
- Bard, E., F. Rostek, C. Sonzogni, et al. (1997), Interhemispheric synchrony of the last deglaciation inferred from alkenone palaeothermometry, *Nature*, 385(6618), 707–710.
- Barnett, T., L. Dümenil, U. Schlese, and E. Roeckner (1988), The effect of eurasian snow cover on global climate, *Science*, 239(4839), 504–507.
- Barnett, T., L. Dümenil, U. Schlese, E. Roeckner, and M. Latif (1989), The effect

- of eurasian snow cover on regional and global climate variations, *Journal of the Atmospheric Sciences*, 46(5), 661–686.
- Belshaw, N., P. Freedman, R. O’niions, M. Frank, and Y. Guo (1998), A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for pb isotopes, *International Journal of Mass Spectrometry*, 181(1), 51–58.
- Bender, M. M. (1968), Mass spectrometric studies of carbon 13 variations in corn and other grasses., *Radiocarbon*, 10(2), 468–472.
- Berger, A. (1978), Long-Term Variations of Daily Insolation and Quaternary Climatic Changes, *J. Atmos. Sci.*, 35(12), 2362–2367, doi:10.1175/1520-0469(1978)035<2362:LTVODI>2.0.CO;2.
- Berger A. and Loutre M.F. (1991), Insolation values for the climate of the last 10 million years., *Quat. Sci. Rev.*, 10(4), 297–317.
- Berkelhammer, M., A. Sinha, L. Stott, H. Cheng, F. Pausata, and K. Yoshimura (2012), An abrupt shift in the indian monsoon 4000 years ago, *Climates, landscapes, and civilizations*, pp. 75–88.
- Berner, R. (1975), The role of magnesium in the crystal growth of calcite and aragonite from sea water, *Geochimica et Cosmochimica Acta*, 39(4), 489–504.
- Bhattacharyya, A., R. R. Yadav, H. P. Borgaonkar, and G. B. Pant (1992), Growth-ring analysis of Indian tropical trees: dendroclimatic potential, *Curr. Sci.*, 62, 736–741.
- Bhattacharyya, A., D. Eckstein, S. K. Shah, and V. Chaudhary (2007), Analyses of climatic changes around parambikulam, south india, based on early wood mean vessel area of teak, *Current Science*, 93(8), 1159.
- Biospeleologist (2013), Inner view of dandak cave of chhattisgarh, wikipedia, [Online; accessed 23-July-2016].
- Bischoff, J. L. (1968), Kinetics of calcite nucleation: magnesium ion inhibition and ionic strength catalysis, *Journal of Geophysical Research*, 73(10), 3315–3322.
- Biswas, J. (2010), Kotumsar cave biodiversity: a review of cavernicoles and their troglobiotic traits, *Biodiversity and conservation*, 19(1), 275–289.
- Biswas, J., and S. Shrotriya (2011), Dandak: a mammalian dominated cave ecosystem of india, *Subterranean Biology*, 8, 1.

- Bond, G., W. Showers, M. Cheseby, R. Lotti, P. Almasi, P. Priore, H. Cullen, I. Hajdas, G. Bonani, et al. (1997), A pervasive millennial-scale cycle in north atlantic holocene and glacial climates, *science*, *278*(5341), 1257–1266.
- Bond, G., B. Kromer, J. Beer, R. Muscheler, M. N. Evans, W. Showers, S. Hoffmann, R. Lotti-Bond, I. Hajdas, and G. Bonani (2001), Persistent solar influence on North Atlantic climate during the Holocene., *Science*, *294*(5549), 2130–6, doi:10.1126/science.1065680.
- Bond, G. C., and R. Lotti (1995), Iceberg discharges into the north atlantic on millennial time scales during the last glaciation, *Science*, *267*(5200), 1005–1010.
- Borgaonkar, H. P., A. B. Sikder, S. Ram, and G. B. Pant (2010), El Nino and related monsoon drought signals in 523-year-long ring width records of teak (*Tectona grandis* L.F.) trees from south India, *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, *285*, 74–84, doi:10.1016/j.palaeo.2009.10.026.
- Borsato, A., S. Frisia, I. J. Fairchild, A. Somogyi, and J. Susini (2007), Trace element distribution in annual stalagmite laminae mapped by micrometer-resolution x-ray fluorescence: implications for incorporation of environmentally significant species, *Geochimica et Cosmochimica Acta*, *71*(6), 1494–1512.
- Breitenbach, S. (2010), Changes in monsoonal precipitation and atmospheric circulation during the holocene reconstructed from stalagmites from northeastern india, *Tech. rep.*, Citeseer.
- Breitenbach, S., K. Rehfeld, B. Goswami, J. Baldini, H. Ridley, D. Kennett, K. Prufer, V. Aquino, Y. Asmerom, V. Polyak, et al. (2012), Constructing proxy records from age models (copra), *Climate of the Past*, *8*(5), 1765–1779.
- Broecker, W. S., and S. Hemming (2001), Climate swings come into focus, *Science*, *294*(5550), 2308–9.
- Broecker, W. S., E. A. Olson, and P. C. ORR (1960), Radiocarbon measurements and annual rings in cave formations.
- Buckley, B. M., K. Palakit, K. Duangsathaporn, P. Sanguantham, and P. Prasomsin (2007), Decadal scale droughts over northwestern thailand over the past 448 years: links to the tropical pacific and indian ocean sectors, *Climate Dynamics*, *29*(1), 63–71.
- Burns, S. J., D. Fleitmann, A. Matter, U. Neff, and A. Mangini (2001), Speleothem evidence from oman for continental pluvial events during interglacial periods, *Geology*, *29*(7), 623–626.

- Burns, S. J., D. Fleitmann, M. Mudelsee, U. Neff, A. Matter, and A. Mangini (2002), A 780-year annually resolved record of indian ocean monsoon precipitation from a speleothem from south oman, *Journal of Geophysical Research: Atmospheres*, *107*(D20).
- Cai, Y., I. Y. Fung, R. L. Edwards, Z. An, H. Cheng, J.-E. Lee, L. Tan, C.-C. Shen, X. Wang, J. A. Day, et al. (2015), Variability of stalagmite-inferred indian monsoon precipitation over the past 252,000 y, *Proceedings of the National Academy of Sciences*, *112*(10), 2954–2959.
- Carter, H., et al. (1999), Determination of uranium and thorium in geological materials using extraction chromatography, *Analyst*, *124*(3), 271–274.
- Cerling, T. E., and J. M. Harris (1999), Carbon isotope fractionation between diet and bioapatite in ungulate mammals and implications for ecological and paleoecological studies, *Oecologia*, *120*(3), 347–363.
- Charles, C. D., J. Lynch-Stieglitz, U. S. Ninnemann, and R. G. Fairbanks (1996), Climate connections between the hemisphere revealed by deep sea sediment core/ice core correlations, *Earth and Planetary Science Letters*, *142*(1), 19–27.
- Chauhan, O. S., E. Vogelsang, N. Basavaiah, and U. Kader (2010), Reconstruction of the variability of the southwest monsoon during the past 3 ka, from the continental margin of the southeastern arabian sea, *Journal of Quaternary Science*, *25*(5), 798–807.
- Cheng, H., R. L. Edwards, C.-C. Shen, V. J. Polyak, Y. Asmerom, J. Woodhead, J. Hellstrom, Y. Wang, X. Kong, C. Spötl, et al. (2013), Improvements in  $^{230}\text{Th}$  dating,  $^{230}\text{Th}$  and  $^{234}\text{U}$  half-life values, and  $\text{U}$ – $\text{Th}$  isotopic measurements by multi-collector inductively coupled plasma mass spectrometry, *Earth and Planetary Science Letters*, *371*, 82–91.
- Clark, I. D., and P. Fritz (1997), *Environmental isotopes in hydrogeology*, CRC press.
- Claussen, M., C. Kubatzki, V. Brovkin, A. Ganopolski, P. Hoelzmann, and H.-J. Pachur (1999), Simulation of an abrupt change in saharan vegetation in the mid-holocene, *Geophysical research letters*, *26*(14), 2037–2040.
- Clift, P. D., A. Carter, L. Giosan, J. Durcan, G. A. Duller, M. G. Macklin, A. Alizai, A. R. Tabrez, M. Danish, S. VanLaningham, et al. (2012), U–Pb zircon dating evidence for a pleistocene sarasvati river and capture of the yamuna river, *Geology*, *40*(3), 211–214.

- Colin, C., C. Kissel, D. Blamart, and L. Turpin (1998), Magnetic properties of sediments in the bay of bengal and the andaman sea: impact of rapid north atlantic ocean climatic events on the strength of the indian monsoon, *Earth and Planetary Science Letters*, 160(3), 623–635.
- Colin, C., L. Turpin, J. Bertaux, A. Desprairies, and C. Kissel (1999), Ero-sional history of the himalayan and burman ranges during the last two glacial–interglacial cycles, *Earth and Planetary Science Letters*, 171(4), 647–660.
- Coplen, T. B., C. Kendall, and J. Hopple (1983), Comparison of stable isotope reference samples.
- Craig, H. (1954), Carbon 13 in plants and the relationships between carbon 13 and carbon 14 variations in nature, *The journal of geology*, pp. 115–149.
- Craig, H. (1957), Isotopic standards for carbon and oxygen and correction factors for mass-spectrometric analysis of carbon dioxide, *Geochimica et cosmochimica acta*, 12(1), 133–149.
- Craig, H., and C. D. Keeling (1963), The effects of atmospheric no 2 on the mea-sured isotopic composition of atmospheric co 2, *Geochimica et Cosmochimica Acta*, 27(5), 549–551.
- Cross, M., D. McGee, W. S. Broecker, J. Quade, J. D. Shakun, H. Cheng, Y. Lu, and R. Edwards (2015), Great Basin hydrology, paleoclimate, and connections with the North Atlantic: A speleothem stable isotope and trace element record from Lehman Caves, NV, *Quat. Sci. Rev.*, (January), doi:10.1016/j.quascirev.2015.06.016.
- Dahl-Jensen, D., K. Mosegaard, N. Gundestrup, G. D. Clow, S. J. Johnsen, A. W. Hansen, and N. Balling (1998), Past temperatures directly from the greenland ice sheet, *Science*, 282(5387), 268–271.
- Dansgaard, W. (1964), Stable isotopes in precipitation, *Tellus*, 16(4), 436–468, doi:10.1111/j.2153-3490.1964.tb00181.x.
- Dansgaard, W., S. Johnsen, H. Clausen, D. Dahl-Jensen, N. Gundestrup, C. Ham-mer, C. Hvidberg, J. Steffensen, A. Sveinbjörnsdottir, J. Jouzel, et al. (1993), Evidence for general instability of past climate from a 250-kyr ice-core record, *Nature*, 364(6434), 218–220.
- D’Arrigo, R. D., G. C. Jacoby, and P. J. Krusic (1994), Progress in dendroclimatic studies in indonesia, *Terr. Atmos. Oceanic Sci*, 5, 349–363.
- Dawson, T. E., S. Mambelli, A. H. Plamboeck, P. H. Templer, and K. P. Tu

- (2002), Stable isotopes in plant ecology, *Annual review of ecology and systematics*, pp. 507–559.
- DeMenocal, P. B. (2001), Cultural responses to climate change during the late holocene., *Science (New York, NY)*, 292(5517), 667–673.
- Denniston, R. F., L. A. González, Y. Asmerom, R. H. Sharma, and M. K. Reagan (2000), Speleothem evidence for changes in indian summer monsoon precipitation over the last 2300 years, *Quaternary Research*, 53(2), 196–202.
- Deplazes, G., A. Lückge, L. C. Peterson, A. Timmermann, Y. Hamann, K. A. Hughen, U. Röhl, C. Laj, M. A. Cane, D. M. Sigman, et al. (2013), Links between tropical rainfall and north atlantic climate during the last glacial period, *Nature Geoscience*, 6(3), 213–217.
- Dhir, R., S. Tondan, S. Rajaguru, and R. Ramesh (1999), Calcretes their genesis and significance in palaeoclimatic reconstruction in arid rajasthan india, *Palaeoecology of Africa and surrounding Islands*, pp. 223–30.
- Dhir, R., S. Tandon, B. Sareen, R. Ramesh, T. Rao, A. J. Kailath, and N. Sharma (2004), Calcretes in the thar desert: genesis, chronology and palaeoenvironment, *Journal of Earth System Science*, 113(3), 473–515.
- Duplessy, J. C. (1982), Glacial to interglacial contrasts in the northern indian ocean.
- Dutt, S., A. K. Gupta, S. C. Clemens, H. Cheng, R. K. Singh, G. Kathayat, and R. L. Edwards (2015), Abrupt changes in Indian summer monsoon strength during 33,800 to 5500 years B.P., pp. 1–7, doi:10.1002/2015GL064015. Received.
- Dutta, K., R. Bhushan, and B. Somayajulu (2001), Delta r correction values for the northern indian ocean., *Radiocarbon*, 43(2A), 483–488.
- Dykoski, C. A., R. L. Edwards, H. Cheng, D. Yuan, Y. Cai, M. Zhang, Y. Lin, J. Qing, Z. An, and J. Revenaugh (2005), A high-resolution, absolute-dated holocene and deglacial asian monsoon record from dongge cave, china, *Earth and Planetary Science Letters*, 233(1), 71–86.
- Edwards, R. L., J. Chen, and G. Wasserburg (1987), 238 u 234 u 230 th 232 th systematics and the precise measurement of time over the past 500,000 years, *Earth and Planetary Science Letters*, 81(2), 175–192.
- Eggins, S., J. Woodhead, L. Kinsley, G. Mortimer, P. Sylvester, M. McCulloch, J. Hergt, and M. Handler (1997), A simple method for the precise determination of  $\geq 40$  trace elements in geological samples by icpms using enriched isotope

- internal standardisation, *Chemical Geology*, 134(4), 311–326.
- Elmer, P. (2001), The 30-minute guide to icp-ms, *Perkin Elmer, Shelton CT*.
- Emeis, K.-C., D. M. Anderson, H. Doose, D. Kroon, and D. Schulz-Bull (1995), Sea-surface temperatures and the history of monsoon upwelling in the north-west arabian sea during the last 500,000 years, *Quaternary Research*, 43(3), 355–361.
- Emiliani, C. (1955), Pleistocene temperatures, *The Journal of Geology*, pp. 538–578.
- Enzel, Y., L. Ely, S. Mishra, R. Ramesh, R. Amit, B. Lazar, S. Rajaguru, V. Baker, and A. Sandler (1999), High-resolution holocene environmental changes in the thar desert, northwestern india, *Science*, 284(5411), 125–128.
- Epstein, S., R. Buchsbaum, H. A. Lowenstam, and H. C. Urey (1953), Revised carbonate-water isotopic temperature scale, *Geological Society of America Bulletin*, 64(11), 1315–1326.
- Fairchild, I. J., and P. C. Treble (2009), Trace elements in speleothems as recorders of environmental change, *Quaternary Science Reviews*, 28(5), 449–468.
- Fairchild, I. J., A. Borsato, A. F. Tooth, S. Frisia, C. J. Hawkesworth, Y. Huang, F. McDermott, and B. Spiro (2000), Controls on trace element (sr–mg) compositions of carbonate cave waters: implications for speleothem climatic records, *Chemical Geology*, 166(3), 255–269.
- Fairchild, I. J., A. Baker, A. Borsato, S. Frisia, R. W. Hinton, F. McDERMOTT, and A. F. Tooth (2001), Annual to sub-annual resolution of multiple trace-element trends in speleothems, *Journal of the Geological Society*, 158(5), 831–841.
- Fairchild, I. J., C. L. Smith, A. Baker, L. Fuller, C. Spotl, D. Matthey, F. McDermott, et al. (2006), Modification and preservation of environmental signals in speleothems, *Earth-Science Reviews*, 75(1), 105–153.
- Farquhar, G. D., J. R. Ehleringer, and K. T. Hubick (1989), Carbon isotope discrimination and photosynthesis, *Annual review of plant biology*, 40(1), 503–537.
- Faure, G. (1977), Principles of isotope geology.
- Fleitmann, D., S. J. Burns, M. Mudelsee, U. Neff, J. Kramers, A. Mangini,

- and A. Matter (2003), Holocene forcing of the indian monsoon recorded in a stalagmite from southern oman, *Science*, *300*(5626), 1737–1739.
- Fleitmann, D., S. J. Burns, A. Mangini, M. Mudelsee, J. Kramers, I. Villa, U. Neff, A. A. Al-Subbary, A. Buettner, D. Hippler, et al. (2007), Holocene itcz and indian monsoon dynamics recorded in stalagmites from oman and yemen (socotra), *Quaternary Science Reviews*, *26*(1), 170–188.
- Foley, J. A., J. E. Kutzbach, M. T. Coe, and S. Levis (1994), Feedbacks between climate and boreal forests during the holocene epoch.
- Frisia, S., A. Borsato, I. J. Fairchild, F. McDermott, and E. M. Selmo (2002), Aragonite-calcite relationships in speleothems (grotte de clamouse, france): environment, fabrics, and carbonate geochemistry, *Journal of Sedimentary Research*, *72*(5), 687–699.
- Fritts, H. (1976), Tree rings and climate (academic, new york).
- Gabitov, R., and E. Watson (2006), Partitioning of strontium between calcite and fluid, *Geochemistry, Geophysics, Geosystems*, *7*(11).
- Gadgil, S. (2003), The Indian Monsoon and Its Variability, *Annu. Rev. Earth Planet. Sci.*, *31*(1), 429–467, doi:10.1146/annurev.earth.31.100901.141251.
- Gascoyne, M. (1983), Trace-element partition coefficients in the calcite-water system and their paleoclimatic significance in cave studies, *Journal of Hydrology*, *61*(1), 213–222.
- Gascoyne, M. (1992), Palaeoclimate determination from cave calcite deposits, *Quaternary Science Reviews*, *11*(6), 609–632.
- Gasse, F., and E. Van Campo (1994), Abrupt post-glacial climate events in west asia and north africa monsoon domains, *Earth and Planetary Science Letters*, *126*(4), 435–456.
- Gibling, M., S. Tandon, R. Sinha, and M. Jain (2005), Discontinuity-bounded alluvial sequences of the southern gangetic plains, india: aggradation and degradation in response to monsoonal strength, *Journal of Sedimentary Research*, *75*(3), 369–385.
- Gibling, M., R. Sinha, N. Roy, S. Tandon, and M. Jain (2008), Quaternary fluvial and eolian deposits on the belan river, india: paleoclimatic setting of paleolithic to neolithic archeological sites over the past 85,000 years, *Quaternary Science Reviews*, *27*(3), 391–410.

- Giosan, L., P. D. Clift, M. G. Macklin, D. Q. Fuller, S. Constantinescu, J. A. Durcan, T. Stevens, G. A. Duller, A. R. Tabrez, K. Gangal, et al. (2012), Fluvial landscapes of the harappan civilization, *Proceedings of the National Academy of Sciences*, *109*(26), E1688–E1694.
- Gonfiantini, R. (1978), Standards for stable isotope measurements in natural compounds.
- Gonfiantini, R., W. Stichler, and K. Rozanski (1995), Standards and intercomparison materials distributed by the international atomic energy agency for stable isotope measurements.
- Goodbred, S. L. (2003), Response of the ganges dispersal system to climate change: a source-to-sink view since the last interstade, *Sedimentary Geology*, *162*(1), 83–104.
- Goodbred, S. L., and S. A. Kuehl (2000), Enormous ganges-brahmaputra sediment discharge during strengthened early holocene monsoon, *Geology*, *28*(12), 1083–1086.
- Govil, P., and P. D. Naidu (2010), Evaporation-precipitation changes in the eastern Arabian Sea for the last 68 ka: Implications on monsoon variability, *Paleoceanography*, *25*, 1–11, doi:10.1029/2008PA001687.
- Govil, P., and P. D. Naidu (2011), Variations of indian monsoon precipitation during the last 32kyr reflected in the surface hydrography of the western bay of bengal, *Quaternary Science Reviews*, *30*(27), 3871–3879.
- Grootes, P. M., and M. Stuiver (1997), Oxygen 18/16 variability in Greenland snow and ice with 10<sup>-3</sup> - to 10<sup>5</sup> -year time resolution, *J. Geophys. Res. Ocean.*, *102*(C12), 26,455–26,470, doi:10.1029/97JC00880.
- Grootes, P. M., M. Stuiver, J. W. C. White, S. Johnsen, and J. Jouzel (1993), Comparison of oxygen isotope records from the GISP2 and GRIP Greenland ice cores, *Nature*, *366*(6455), 552–554, doi:10.1038/366552a0.
- Gupta, A. K., D. M. Anderson, and J. T. Overpeck (2003), Abrupt changes in the asian southwest monsoon during the holocene and their links to the north atlantic ocean, *Nature*, *421*(6921), 354–357.
- Gupta, A. K., M. Das, and D. M. Anderson (2005), Solar influence on the Indian summer monsoon during the Holocene, *Geophys. Res. Lett.*, *32*(17), L17,703, doi:10.1029/2005GL022685.
- Gupta, S., and H. Polach (1985), *Radiocarbon Dating Practices at ANU*, 113–114,

173 pp.

- Haug, G. H., K. A. Hughen, D. M. Sigman, L. C. Peterson, and U. Röhl (2001), Southward migration of the intertropical convergence zone through the holocene, *Science*, *293*(5533), 1304–1308.
- Hellstrom, J. (2006), U–th dating of speleothems with high initial <sup>230</sup>Th using stratigraphical constraint, *Quaternary Geochronology*, *1*(4), 289–295.
- Henderson, G. M. (2006), Caving in to new chronologies, *Science*, *313*(5787), 620–622.
- Hendy, C. (1971), The isotopic geochemistry of speleothems—I. The calculation of the effects of different modes of formation on the isotopic composition of speleothems and their applicability as palaeoclimatic indicators, *Geochim. Cosmochim. Acta*, *35*(8), 801–824, doi:10.1016/0016-7037(71)90127-X.
- Hendy, C., and A. Wilson (1968), Palaeoclimatic data from speleothems.
- Holland, H. D., T. V. Kirsipu, J. S. Huebner, and U. M. Oxburgh (1964), On some aspects of the chemical evolution of cave waters, *The Journal of Geology*, pp. 36–67.
- Horwitz, E. P., M. L. Dietz, R. Chiarizia, H. Diamond, A. M. Essling, and D. Graczyk (1992), Separation and preconcentration of uranium from acidic media by extraction chromatography, *Analytica Chimica Acta*, *266*(1), 25–37.
- Huang, Y., I. J. Fairchild, A. Borsato, S. Frisia, N. J. Cassidy, F. McDermott, and C. J. Hawkesworth (2001), Seasonal variations in <sup>87</sup>Sr, <sup>137</sup>Mg and <sup>15</sup>P in modern speleothems (grotta di ernesto, italy), *Chemical Geology*, *175*(3), 429–448.
- Imbrie, J., and K. P. Imbrie (1986), *Ice ages: solving the mystery*, Harvard University Press.
- Ivanochko, T. S., R. S. Ganeshram, G.-J. A. Brummer, G. Ganssen, S. J. Jung, S. G. Moreton, and D. Kroon (2005), Variations in tropical convection as an amplifier of global climate change at the millennial scale, *Earth and Planetary Science Letters*, *235*(1), 302–314.
- Jacoby Jr, G., R. D'Arrigo, et al. (1990), Teak (*Tectona grandis* Lf), a tropical species of large-scale dendroclimatic potential., *Dendrochronologia*, *8*, 83–98.
- Jain, M., S. Tandon, A. Singhvi, S. Mishra, and S. Bhatt (2005), Quaternary alluvial stratigraphical development in a desert setting: a case study from the luni river basin, thar desert of western india, *Fluvial Sedimentology VII*,

- 
- International Association of Sedimentologists. Special Publication, 35*, 349–371.
- Johnsen, S. J., D. Dahl-Jensen, N. Gundestrup, J. P. Steffensen, H. B. Clausen, H. Miller, V. Masson-Delmotte, A. E. Sveinbjörnsdottir, and J. White (2001), Oxygen isotope and palaeotemperature records from six greenland ice-core stations: Camp century, dye-3, grip, gisp2, renland northgrip, *Journal of Quaternary Science*, *16*(4), 299–307.
- Johnson, K. R. (2011), Long-distance relationship, *Nature Geoscience*, *4*, 426–427.
- Johnson, K. R., C. Hu, N. S. Belshaw, and G. M. Henderson (2006), Seasonal trace-element and stable-isotope variations in a chinese speleothem: the potential for high-resolution paleomonsoon reconstruction, *Earth and Planetary Science Letters*, *244*(1), 394–407.
- Jones, P. D. (1995), *Climate since AD 1500*, Psychology Press.
- Jung, S. J., D. Kroon, G. Ganssen, F. Peeters, and R. Ganeshram (2009), Enhanced arabian sea intermediate water flow during glacial north atlantic cold phases, *Earth and Planetary Science Letters*, *280*(1), 220–228.
- Juyal, N., L. Chamyal, S. Bhandari, R. Bhushan, and A. Singhvi (2006), Continental record of the southwest monsoon during the last 130ka: evidence from the southern margin of the thar desert, india, *Quaternary Science Reviews*, *25*(19), 2632–2650.
- Kalnay, E., M. Kanamitsu, R. Kistler, W. Collins, D. Deaven, L. Gandin, M. Iredell, S. Saha, G. White, J. Woollen, et al. (1996), The ncep/ncar 40-year reanalysis project, *Bulletin of the American meteorological Society*, *77*(3), 437–471.
- Kanamitsu, M., W. Ebisuzaki, J. Woollen, S.-K. Yang, J. J. Hnilo, M. Fiorino, and G. L. Potter (2002), NCEP–DOE AMIP-II Reanalysis (R-2), *Bull. Am. Meteorol. Soc.*, *83*(11), 1631–1643, doi:10.1175/BAMS-83-11-1631.
- Kar, A., A. Singhvi, S. Rajaguru, N. Juyal, J. Thomas, D. Banerjee, and R. Dhir (2001), Reconstruction of the late quaternary environment of the lower luni plains, thar desert, india, *Journal of Quaternary Science*, *16*(1), 61–68.
- Kay, G. F. (1931), Classification and duration of the pleistocene period, *Geological Society of America Bulletin*, *42*(1), 425–466.
- Kenoyer, J. M. (1998), *Ancient cities of the Indus valley civilization*, Oxford University Press; American Institute of Pakistan Studies.

- Kessarkar, P. M., V. Purnachadra Rao, S. W. A. Naqvi, and S. G. Karapurkar (2013), Variation in the Indian summer monsoon intensity during the Bølling-Ållerød and Holocene, *Paleoceanography*, *28*(3), 413–425, doi:10.1002/palo.20040.
- Khadkikar, A. S., L. Chamyal, and R. Ramesh (2000), The character and genesis of calcrete in late quaternary alluvial deposits, gujarat, western india, and its bearing on the interpretation of ancient climates, *Palaeogeography, Palaeoclimatology, Palaeoecology*, *162*(3), 239–261.
- Klimchouk, A. (2000), The formation of epikarst and its role in vadose speleogenesis, *Speleogenesis: Evolution of Karst Aquifers, National Speleological Society: Huntsville*, pp. 91–99.
- Kotlia, B. S., A. K. Singh, L. M. Joshi, and B. S. Dhaila (2014), Precipitation variability in the Indian Central Himalaya during last ca. 4,000 years inferred from a speleothem record: Impact of Indian Summer Monsoon (ISM) and Westerlies, *Quat. Int.*, doi:10.1016/j.quaint.2014.10.066.
- Kress, A., M. Saurer, U. Büntgen, K. S. Treydte, H. Bugmann, and R. T. Siegwolf (2009), Summer temperature dependency of larch budmoth outbreaks revealed by alpine tree-ring isotope chronologies, *Oecologia*, *160*(2), 353–365.
- Krishnan, R., K. Ramesh, B. Samala, G. Meyers, J. Slingo, and M. Fennessy (2006), Indian ocean-monsoon coupled interactions and impending monsoon droughts, *Geophysical research letters*, *33*(8).
- Kudrass, H., A. Hofmann, H. Doose, K. Emeis, and H. Erlenkeuser (2001), Modulation and amplification of climatic changes in the northern hemisphere by the indian summer monsoon during the past 80 ky, *Geology*, *29*(1), 63–66.
- Kumar, K. K., B. Rajagopalan, and M. A. Cane (1999), On the weakening relationship between the indian monsoon and enso, *Science*, *284*(5423), 2156–2159.
- Lachniet, M. S. (2009), Climatic and environmental controls on speleothem oxygen-isotope values, *Quat. Sci. Rev.*, *28*(5-6), 412–432, doi:10.1016/j.quascirev.2008.10.021.
- Laskar, A. H., S. Raghav, M. G. Yadava, R. A. Jani, A. C. Narayana, and R. Ramesh (2011), Potential of Stable Carbon and Oxygen Isotope Variations of Speleothems from Andaman Islands, India, for Paleomonsoon Reconstruction, *J. Geol. Res.*, *2011*, 1–7, doi:10.1155/2011/272971.
- Laskar, A. H., M. G. Yadava, R. Ramesh, V. J. Polyak, and Y. Asmerom (2013),

- A 4 kyr stalagmite oxygen isotopic record of the past Indian Summer Monsoon in the Andaman Islands, *Geochemistry, Geophys. Geosystems*, 14(9), 3555–3566, doi:10.1002/ggge.20203.
- Lauritzen, S.-E. (1995), High-resolution paleotemperature proxy record for the last interglaciation based on norwegian speleothems, *Quaternary Research*, 43(2), 133–146.
- Lauritzen, S.-E., and J. Lundberg (1999), Calibration of the speleothem delta function: an absolute temperature record for the holocene in northern norway, *The Holocene*, 9(6), 659–669.
- Lekshmy, P. R. (2015), Stable isotopic studies on monsoon vapour/clouds and precipitation over kerala, *Thesis submitted to MOHANLAL SUKHADIA UNIVERSITY*, p. 133.
- Leuschner, D. C., and F. Sirocko (2000), The low-latitude monsoon climate during dansgaard–oeschger cycles and heinrich events, *Quaternary Science Reviews*, 19(1), 243–254.
- Lisiecki, L. E., and M. E. Raymo (2005), A pliocene-pleistocene stack of 57 globally distributed benthic  $\delta^{18}\text{O}$  records, *Paleoceanography*, 20(1).
- Lone, M. A., S. M. Ahmad, N. C. Dung, C. C. Shen, W. Raza, and A. Kumar (2014), Speleothem based 1000-year high resolution record of Indian monsoon variability during the last deglaciation, *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 395, 1–8, doi:10.1016/j.palaeo.2013.12.010.
- Ludwig, K. (2003), Mathematical–statistical treatment of data and errors for 230th/u geochronology, *Reviews in Mineralogy and Geochemistry*, 52(1), 631–656.
- Lutgens, F., and E. Tarbuck (2000), vol. 8th edition.
- Maharashtra-Government (1973), Report of the fact finding committee for survey of scarcity areas maharashtra state, *Mumbai, India*, p. 310.
- Maharatna, A. (1996), The demography of famines: an indian historical perspective.
- Maheshwari, A., A. Sial, R. Guhey, and V. Ferreira (2005), C-isotope composition of carbonates from indravati basin, india: Implications for regional stratigraphic correlation, *Gondwana Research*, 8(4), 603–610.
- Managave, S., and R. Ramesh (2012), Isotope dendroclimatology: A review with

- a special emphasis on tropics, in *Handbook of Environmental Isotope Geochemistry*, pp. 811–833, Springer.
- Managave, S., M. Sheshshayee, R. Ramesh, H. Borgaonkar, S. Shah, and A. Bhattacharyya (2011a), Response of cellulose oxygen isotope values of teak trees in differing monsoon environments to monsoon rainfall, *Dendrochronologia*, *29*(2), 89–97.
- Managave, S. R., M. S. Sheshshayee, H. P. Borgaonkar, and R. Ramesh (2010), Past break-monsoon conditions detectable by high resolution intra-annual  $\delta^{18}\text{O}$  analysis of teak rings, *Geophys. Res. Lett.*, *37*(5), doi:10.1029/2009GL041172.
- Managave, S. R., M. S. Sheshshayee, A. Bhattacharyya, and R. Ramesh (2011b), Intra-annual variations of teak cellulose  $\delta^{18}\text{O}$  in Kerala, India: Implications to the reconstruction of past summer and winter monsoon rains, *Clim. Dyn.*, *37*, 555–567, doi:10.1007/s00382-010-0917-9.
- Mann, M. E., R. S. Bradley, and M. K. Hughes (1999), Northern hemisphere temperatures during the past millennium: inferences, uncertainties, and limitations, *Geophysical research letters*, *26*(6), 759–762.
- Mason, A. J., and G. M. Henderson (2010), Correction of multi-collector-icp-ms instrumental biases in high-precision uranium–thorium chronology, *International Journal of Mass Spectrometry*, *295*(1), 26–35.
- Mattinson, J. (2000), Revising the “gold standard”—the uranium decay constants of jaffey et al., 1971, *EOS, Transactions of the American Geophysical Union*, *81*, S444.
- Mayewski, P. A., E. E. Rohling, J. C. Stager, W. Karlén, K. A. Maasch, L. D. Meeker, E. A. Meyerson, F. Gasse, S. van Kreveld, K. Holmgren, et al. (2004), Holocene climate variability, *Quaternary research*, *62*(3), 243–255.
- McCarroll, D., and N. J. Loader (2004), Stable isotopes in tree rings, *Quaternary Science Reviews*, *23*(7), 771–801.
- McClure, H. (1976), Radiocarbon chronology of late quaternary lakes in the arabian desert.
- McDermott, F., H. Schwarcz, and P. J. Rowe (2006), *Isotopes in speleothems*, Springer.
- McDonald, J., R. Drysdale, D. Hill, R. Chisari, and H. Wong (2007), The hydrochemical response of cave drip waters to sub-annual and inter-annual climate

- variability, wombeyan caves, se australia, *Chemical Geology*, 244(3), 605–623.
- McMillan, E. A., I. J. Fairchild, S. Frisia, A. Borsato, and F. McDERMOTT (2005), Annual trace element cycles in calcite–aragonite speleothems: evidence of drought in the western mediterranean 1200–1100 yr bp, *Journal of Quaternary Science*, 20(5), 423–433.
- Meehl, G. A. (1994), Influence of the land surface in the asian summer monsoon: External conditions versus internal feedbacks, *Journal of climate*, 7(7), 1033–1049.
- Midhun, M., and R. Ramesh (2015), Validation of  $\delta^{18}\text{O}$  as a proxy for past monsoon rain by multi-GCM simulations, *Clim. Dyn.*, doi:10.1007/s00382-015-2652-8.
- Midhun, M., P. Lekshmy, R. Ramesh, K. Yoshimura, K. Sandeep, S. Kumar, R. Sinha, Ashutosh Singh, and S. Srivastava (2016), The effect of monsoon circulation on the stable isotopic composition of rainfall, *J. Geophys. Res.*, p. under review.
- Mook, W. G. (2006), *Introduction to isotope hydrology*, Taylor & Francis.
- Moore, G. (1952), Speleothem—a new cave term, *National Speleological Society News*, 10(6), 2.
- Morrill, C., J. T. Overpeck, and J. E. Cole (2003), A synthesis of abrupt changes in the asian summer monsoon since the last deglaciation, *The Holocene*, 13(4), 465–476.
- Morse, J. W., and M. L. Bender (1990), Partition coefficients in calcite: Examination of factors influencing the validity of experimental results and their application to natural systems, *Chemical Geology*, 82, 265–277.
- Murphy, J., P. Whetton, and A. Ritsema (1989), A re-analysis of a tree ring chronology from java, *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen. Series B. Palaeontology, geology, physics, chemistry, anthropology*, 92(3), 241–257.
- Murray, J. W. (1954), The deposition of calcite and aragonite in caves, *The Journal of Geology*, pp. 481–492.
- Naidu, P. D., and B. A. Malmgren (2005), Seasonal sea surface temperature contrast between the holocene and last glacial period in the western arabian sea (ocean drilling project site 723a): Modulated by monsoon upwelling, *Paleoceanography*, 20(1).

- Neff, U., S. Burns, A. Mangini, M. Mudelsee, D. Fleitmann, and A. Matter (2001), Strong coherence between solar variability and the monsoon in oman between 9 and 6 kyr ago, *Nature*, *411*(6835), 290–293.
- Newton, A., R. Thunell, and L. Stott (2006), Climate and hydrographic variability in the indo-pacific warm pool during the last millennium, *Geophysical Research Letters*, *33*(19).
- O’Brien, S., P. Mayewski, L. Meeker, D. Meese, M. Twickler, and S. Whitlow (1995), Complexity of holocene climate as reconstructed from a greenland ice core.
- O’Neil, J. R., R. N. Clayton, and T. K. Mayeda (1969), Oxygen isotope fractionation in divalent metal carbonates., *Tech. rep.*, Univ. of Chicago.
- Ortiz, J., T. Guilderson, M. Sarnthein, et al. (2000), Coherent high-and low-latitude climate variability during the holocene warm period, *Science*, *288*(5474), 2198–2202.
- Overpeck, J., D. Anderson, S. Trumbore, and W. Prell (1996), The southwest Indian Monsoon over the last 18 000 years, *Clim. Dyn.*, *12*(3), 213–225, doi: 10.1007/BF00211619.
- Paillard, D., L. Labeyrie, and P. Yiou (1996), Macintosh program performs time-series analysis, *Eos, Transactions American Geophysical Union*, *77*(39), 379–379.
- Panarello, H. O., M. C. Albero, and F. E. Angiolini (1983), Stable isotope fractionation during benzene synthesis for radiocarbon dating., *Radiocarbon*, *25*(2), 529–532.
- Pant, G., and H. Borgaonkar (1983), Growth rings of teak trees and regional climatology, *Environ. Manag. Ed. by L.R Singh, R.C.Tiwari R.P.Srivastav, Allahabad Geogr. Soc. India*, pp. 153–155.
- Pant, G., K. Rupa Kumar, N. Sontakke, and H. Borgaonkar (1993), Climate variability over india on century and longer time scales, *Tropical Meteorology. Tata McGraw-Hill, New Delhi, India*, pp. 149–158.
- Pausata, F. S., D. S. Battisti, K. H. Nisancioglu, and C. M. Bitz (2011), Chinese stalagmite [ $\delta^{18}O$ ] controlled by changes in the indian monsoon during a simulated heinrich event, *Nature Geoscience*, *4*(7), 474–480.
- Perrette, Y., J.-J. Delannoy, H. Bolvin, M. Cordonnier, J.-L. Destombes, E. A. Zhilinskaya, and A. Aboukais (2000), Comparative study of a stalagmite sample

- by stratigraphy, laser induced fluorescence spectroscopy, epr spectrometry and reflectance imaging, *Chemical Geology*, 162(3), 221–243.
- Pokharia, A. K., J. S. Kharakwal, and A. Srivastava (2014), Archaeobotanical evidence of millets in the Indian subcontinent with some observations on their role in the Indus civilization, *J. Archaeol. Sci.*, 42, 442–455, doi:10.1016/j.jas.2013.11.029.
- Polach, H., J. Gower, I. Fraser, and T. Rafter (1972), Synthesis of high purity benzene for radiocarbon dating, *Tech. rep.*, Australian National Univ., Canberra; comp.
- Ponton, C. (2012), Aridification of the indian subcontinent during the holocene: implications for landscape evolution, sedimentation, carbon cycle, and human civilizations, Ph.D. thesis, Massachusetts Institute of Technology.
- Ponton, C., L. Giosan, T. I. Eglinton, D. Q. Fuller, J. E. Johnson, P. Kumar, and T. S. Collett (2012), Holocene aridification of india, *Geophysical Research Letters*, 39(3).
- Possehl, G. L. (2002), *The Indus civilization: A contemporary perspective*, Rowman Altamira.
- Potts, P. J. (2012), *A handbook of silicate rock analysis*, Springer Science & Business Media.
- Prabhu, C., R. Shankar, K. Anupama, M. Taieb, R. Bonnefille, L. Vidal, and S. Prasad (2004), A 200-ka pollen and oxygen-isotopic record from two sediment cores from the eastern Arabian Sea, *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 214(4), 309–321, doi:10.1016/j.palaeo.2004.07.027.
- Prasad, S., and Y. Enzel (2006), Holocene paleoclimates of india, *Quaternary Research*, 66(3), 442–453.
- Prell, W. L., and J. E. Kutzbach (1987), Monsoon variability over the past 150,000 years, *Journal of Geophysical Research: Atmospheres*, 92(D7), 8411–8425.
- Pumijumnong, N., D. Eckstein, and U. Sass (1995), Tree-ring research on tectona grandis in northern thailand, *Iawa Journal*, 16(4), 385–392.
- Railsback, L. B., G. A. Brook, J. Chen, R. Kalin, and C. J. Fleisher (1994), Environmental controls on the petrology of a late holocene speleothem from botswana with annual layers of aragonite and calcite, *Journal of Sedimentary Research*, 64(1).

- Rajeevan, M., S. Gadgil, and J. Bhate (2010), Active and break spells of the indian summer monsoon, *Journal of earth system science*, *119*(3), 229–247.
- Ramesh, R., S. Bhattacharya, and K. Gopalan (1986), Stable isotope systematics in tree cellulose as palaeoenvironmental indicators-a review, *Geological Society of India*, *27*(1), 154–167.
- Ramesh, R., S. Bhattacharya, and G. Pant (1989), Climatic significance of  $\delta d$  variations in a tropical tree species from india.
- Ramesh, R., M. Tiwari, S. Chakraborty, S. R. Managave, M. G. Yadava, and D. Sinha (2010), Retrieval of south Asian monsoon variation during the Holocene from natural climatic archives, *Curr. Sci.*, *99*(12), 1770–1786.
- Rao, V. P., P. M. Kessarkar, M. Thamban, and S. K. Patil (2010), Paleoclimatic and diagenetic history of the late quaternary sediments in a core from the Southeastern Arabian Sea: Geochemical and magnetic signals, *J. Oceanogr.*, *66*, 133–146, doi:10.1007/s10872-010-0011-2.
- Rashid, H., B. Flower, R. Poore, and T. Quinn (2007), A 25ka indian ocean monsoon variability record from the andaman sea, *Quaternary Science Reviews*, *26*(19), 2586–2597.
- Reichert, G. J., M. den Dulk, H. J. Visser, C. H. van der Weijden, and W. J. Zachariasse (1997), A 225 kyr record of dust supply, paleoproductivity and the oxygen minimum zone from the murray ridge (northern arabian sea), *Palaeogeography, Palaeoclimatology, Palaeoecology*, *134*(1), 149–169.
- Reimer, P. J., M. G. Baillie, E. Bard, A. Bayliss, J. W. Beck, P. G. Blackwell, R. C. Bronk, C. E. Buck, G. S. Burr, R. L. Edwards, et al. (2009), Intcal09 and marine09 radiocarbon age calibration curves, 0-50,000 years cal bp.
- Repinski, P., K. Holmgren, S. Lauritzen, and J. Lee-Thorp (1999), A late holocene climate record from a stalagmite, cold air cave, northern province, south africa, *Palaeogeography, Palaeoclimatology, Palaeoecology*, *150*(3), 269–277.
- Richards, D. A., and J. A. Dorale (2003), Uranium-series chronology and environmental applications of speleothems, *Reviews in Mineralogy and Geochemistry*, *52*(1), 407–460.
- Richter, D. K., T. Götte, S. Niggemann, and G. Wurth (2004), REE<sup>3+</sup> and Mn<sup>2+</sup> activated cathodoluminescence in lateglacial and Holocene stalagmites of central Europe: evidence for climatic processes?, *The Holocene*, *14*(5), 759–767, doi:10.1191/0959683604hl754rp.

- Risi, C., S. Bony, and F. Vimeux (2008), Influence of convective processes on the isotopic composition ( $\delta^{18}\text{O}$  and  $\delta\text{d}$ ) of precipitation and water vapor in the tropics: 2. physical interpretation of the amount effect, *Journal of Geophysical Research: Atmospheres*, 113(D19).
- Roy, N., R. Sinha, and M. Gibling (2012), Aggradation, incision and interfluvial flooding in the Ganga valley over the past 100,000 years: testing the influence of monsoonal precipitation, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 356, 38–53.
- Rozanski, K., L. Araguás-Araguás, and R. Gonfiantini (1993), Isotopic patterns in modern global precipitation, *Climate change in continental isotopic records*, pp. 1–36.
- Rudge, J. F., B. C. Reynolds, and B. Bourdon (2009), The double spike toolbox, *Chemical Geology*, 265(3), 420–431.
- Sano, M., M. Sheshshayee, S. Managave, R. Ramesh, R. Sukumar, and T. Sweda (2010), Climatic potential of  $\delta^{18}\text{O}$  of *Abies spectabilis* from the Nepal Himalaya, *Dendrochronologia*, 28(2), 93–98.
- Sanwal, J., B. S. Kotlia, C. Rajendran, S. M. Ahmad, K. Rajendran, and M. Sandiford (2013), Climatic variability in Central Indian Himalaya during the last ~1800 years: Evidence from a high resolution speleothem record, *Quat. Int.*, 304, 183–192, doi:10.1016/j.quaint.2013.03.029.
- Sanyal, P., and R. Sinha (2010), Evolution of the Indian summer monsoon: synthesis of continental records, *Geological Society, London, Special Publications*, 342(1), 153–183.
- Saraswat, R., D. W. Lea, R. Nigam, A. Mackensen, and D. K. Naik (2013), Deglaciation in the tropical Indian Ocean driven by interplay between the regional monsoon and global teleconnections, *Earth Planet. Sci. Lett.*, 375, 166–175, doi:10.1016/j.epsl.2013.05.022.
- Sarkar, A., R. Ramesh, S. Bhattacharya, and G. Rajagopalan (1990), Oxygen isotope evidence for a stronger winter monsoon current during the last glaciation, *Nature*, 343(6258), 549–551.
- Sarkar, A., R. Ramesh, B. L. K. Somayajulu, R. Agnihotri, A. J. T. Jull, and O. S. Burr (2000), High resolution Holocene monsoon record from the eastern Arabian Sea, *Earth Planet. Sci. Lett.*, 177, 209–218, doi:10.1016/S0012-821X(00)00053-4.

- Sarkar, S., S. Prasad, H. Wilkes, N. Riedel, M. Stebich, N. Basavaiah, and D. Sachse (2015), Monsoon source shifts during the drying mid-holocene: Biomarker isotope based evidence from the core ‘monsoon zone’(cmz) of india, *Quaternary Science Reviews*, 123, 144–157.
- Sasowsky, I. D., and J. Mylroie (2007), *Studies of cave sediments: physical and chemical records of paleoclimate*, Springer Science & Business Media.
- Schmidt, G. A., A. N. LeGrande, and G. Hoffmann (2007), Water isotope expressions of intrinsic and forced variability in a coupled ocean-atmosphere model, *Journal of Geophysical Research: Atmospheres*, 112(D10).
- Scholz, D., and D. Hoffmann (2008), <sup>230</sup>th/u-dating of fossil corals and speleothems, *Quat. Sci. J.*, 57, 52.
- Scholz, D., D. L. Hoffmann, J. Hellstrom, and C. B. Ramsey (2012), A comparison of different methods for speleothem age modelling, *Quaternary Geochronology*, 14, 94–104.
- Schulz, H., U. von Rad, and H. Erlenkeuser (1998), Correlation between arabian sea and greenland climate oscillations of the past 110,000 years, *Nature*, 393(6680), 54–57.
- Schulz, H., K.-C. Emeis, H. Erlenkeuser, U. von Rad, and C. Rolf (2002), The Toba Volcanic Event and Interstadial/Stadial Climates at the Marine Isotopic Stage 5 to 4 Transition in the Northern Indian Ocean, *Quat. Res.*, 57(1), 22–31, doi:10.1006/qres.2001.2291.
- Schulz, M., and A. Paul (2002), Holocene climate variability on centennial-to-millennial time scales: 1. climate records from the north-atlantic realm, in *Climate development and history of the North Atlantic realm*, pp. 41–54, Springer.
- Schwarcz, H. (1986), Geochronology and isotopic geochemistry of speleothems, *Handbook of environmental isotope geochemistry*, 2, 271–303.
- Seth, B., M. F. Thirlwall, S. L. Houghton, and C.-A. Craig (2003), Accurate measurements of th–u isotope ratios for carbonate geochronology using mc-icp-ms, *Journal of Analytical Atomic Spectrometry*, 18(11), 1323–1330.
- Shackleton, N. (1987), Oxygen isotopes, ice volume and sea level, *Quaternary Science Reviews*, 6(3), 183–190.
- Shackleton, N., and N. Opdyke (1976), Oxygen-isotope and paleomagnetic stratigraphy of pacific core v28-239 late pliocene to latest pleistocene, *Geological Society of America Memoirs*, 145, 449–464.

- Shah, S. K., A. Bhattacharyya, and V. Chaudhary (2007), Reconstruction of June–September precipitation based on tree-ring data of teak (*Tectona grandis* L.) from Hoshangabad, Madhya Pradesh, India, *Dendrochronologia*, *25*(1), 57–64, doi:10.1016/j.dendro.2007.02.001.
- Sharma, S., M. Joachimski, M. Sharma, H. Tobschall, I. Singh, C. Sharma, M. Chauhan, and G. Morgenroth (2004), Lateglacial and holocene environmental changes in ganga plain, northern india, *Quaternary Science Reviews*, *23*(1), 145–159.
- Shen, C.-C., R. L. Edwards, H. Cheng, J. A. Dorale, R. B. Thomas, S. B. Moran, S. E. Weinstein, and H. N. Edmonds (2002), Uranium and thorium isotopic and concentration measurements by magnetic sector inductively coupled plasma mass spectrometry, *Chemical Geology*, *185*(3), 165–178.
- Sijinkumar, A., B. N. Nath, and M. Guptha (2010), Late quaternary record of pteropod preservation from the andaman sea, *Marine Geology*, *275*(1), 221–229.
- Sijinkumar, A., B. N. Nath, G. Possnert, and A. Aldahan (2011), Pulleniatina minimum events in the andaman sea (ne indian ocean): Implications for winter monsoon and thermocline changes, *Marine Micropaleontology*, *81*(3), 88–94.
- Sikka, D. R., and S. Gadgil (1980), On the Maximum Cloud Zone and the ITCZ over Indian, Longitudes during the Southwest Monsoon, doi:10.1175/1520-0493(1980)108<1840:OTMCZA>2.0.CO;2.
- Singh, A., D. Kroon, and R. Ganeshram (2006), Millennial scale variations in productivity and omz intensity in the eastern arabian sea, *JOURNAL-GEOLOGICAL SOCIETY OF INDIA*, *68*(3), 369.
- Singhvi, A., and A. Kar (2004), The aeolian sedimentation record of the thar desert, *Journal of Earth System Science*, *113*(3), 371–401.
- Sinha, A., K. G. Cannariato, L. D. Stott, H.-C. Li, C.-F. You, H. Cheng, R. L. Edwards, and I. B. Singh (2005), Variability of southwest indian summer monsoon precipitation during the bølling-ållerød, *Geology*, *33*(10), 813–816.
- Sinha, A., K. G. Cannariato, L. D. Stott, H. Cheng, R. L. Edwards, M. G. Yadava, R. Ramesh, and I. B. Singh (2007), A 900-year (600 to 1500 ad) record of the indian summer monsoon precipitation from the core monsoon zone of india, *Geophysical Research Letters*, *34*(16).
- Sinha, A., M. Berkelhammer, L. Stott, M. Mudelsee, H. Cheng, and J. Biswas

- (2011), The leading mode of indian summer monsoon precipitation variability during the last millennium, *Geophysical Research Letters*, 38(15).
- Sinha, S., and M. Naik (2004), Aquatic biodiversity as food chain link in kotumsar cave, *Abstr., XVII Int. Symp. Biospeleology, Raipur*, p. 61.
- Sirocko, F., M. Sarnthein, H. Erlenkeuser, H. Lange, M. Arnold, and J. C. Duplessy (1993), Century-scale events in monsoonal climate over the past 24,000 years.
- Sridhar, A., R. Bhushan, D. Balaji, S. Band, and L. Chamyal (2016), Geochemical and sr–nd isotopic variations in palaeoflood deposits at mainstem–tributary junction, western india: Implications on late holocene flood events, *CATENA*, 139, 32–43.
- Srivastava, P., A. Kumar, A. Mishra, N. K. Meena, J. K. Tripathi, Y. Sundriyal, R. Agnihotri, and A. K. Gupta (2013), Early holocene monsoonal fluctuations in the garhwal higher himalaya as inferred from multi-proxy data from the malari paleolake, *Quaternary Research*, 80(3), 447–458.
- Staubwasser, M., and H. Weiss (2006), Holocene climate and cultural evolution in late prehistoric–early historic west asia, *Quaternary Research*, 66(3), 372–387.
- Steig, E. J. (1999), Mid-holocene climate change, *Science*, 286(5444), 1485.
- Steig, E. J., C. P. Hart, J. W. White, W. L. Cunningham, M. D. Davis, and E. S. Saltzman (1998), Change in climate, ocean and ice-sheet conditions in the ross embayment, antarctica at 6 ka, *Ann. Glaciol.*, 27.
- Stein, A. F., R. R. Draxler, G. D. Rolph, B. J. B. Stunder, M. D. Cohen, and F. Ngan (2015), NOAA’s HYSPLIT Atmospheric Transport and Dispersion Modeling System, *Bull. Am. Meteorol. Soc.*, 96(12), 2059–2077, doi:10.1175/BAMS-D-14-00110.1.
- Stuiver, M., and P. J. Reimer (1993), Calib users guide rev. 3.0, *University of Washington, Quaternary Isotope Laboratory*.
- Suresh, N., T. N. Bagati, R. Kumar, and V. C. Thakur (2007), Evolution of quaternary alluvial fans and terraces in the intramontane pinjaur dun, sub-himalaya, nw india: Interaction between tectonics and climate change, *Sedimentology*, 54(4), 809–833.
- Tang, K., and X. Feng (2001), The effect of soil hydrology on the oxygen and hydrogen isotopic compositions of plants’ source water, *Earth and Planetary Science Letters*, 185(3), 355–367.

- Thompson, L. G., E. Mosley-Thompson, M. Davis, J. Bolzan, J. Dai, L. Klein, T. Yao, X. Wu, Z. Xie, and N. Gundestrup (1989), Holocene—late pleistocene climatic ice core records from qinghai-tibetan plateau, *Science*, *246*(4929), 474–477.
- Tiwari, M., A. K. Singh, and R. Ramesh (2011), High-resolution monsoon records since last glacial maximum: a comparison of marine and terrestrial paleoarchives from south asia, *Journal of Geological Research*, 2011.
- Tomas, R. A., and P. J. Webster (1997), The role of inertial instability in determining the location and strength of near-equatorial convection, *Quarterly Journal of the Royal Meteorological Society*, *123*(542), 1445–1482.
- Tooth, A. F., and I. J. Fairchild (2003), Soil and karst aquifer hydrological controls on the geochemical evolution of speleothem-forming drip waters, crag cave, southwest ireland, *Journal of Hydrology*, *273*(1), 51–68.
- Turney, C., M. Baillie, S. Clemens, D. Brown, J. Palmer, J. Pilcher, P. Reimer, and H. H. Leuschner (2005), Testing solar forcing of pervasive holocene climate cycles, *Journal of Quaternary Science*, *20*(6), 511–518.
- Urey, H. C. (1947), The thermodynamic properties of isotopic substances, *Journal of the Chemical Society (Resumed)*, pp. 562–581.
- Verheyden, S. (2004), Trace elements in speleothems. a short review of the state of the art, *International Journal of Speleology*, *33*(1), 9.
- Verheyden, S., E. Keppens, I. J. Fairchild, F. McDermott, and D. Weis (2000), Mg, sr and sr isotope geochemistry of a belgian holocene speleothem: implications for paleoclimate reconstructions, *Chemical Geology*, *169*(1), 131–144.
- von Rad, U., M. Schaaf, K. H. Michels, H. Schulz, W. H. Berger, and F. Sirocko (1999), A 5000-yr record of climate change in varved sediments from the oxygen minimum zone off pakistan, northeastern arabian sea, *Quaternary Research*, *51*(1), 39–53.
- Wachter, E. A., and J. Hayes (1985), Exchange of oxygen isotopes in carbon dioxide-phosphoric acid systems, *Chemical Geology: Isotope Geoscience Section*, *52*(3), 365–374.
- Wang, Y., H. Cheng, R. L. Edwards, Y. He, X. Kong, Z. An, J. Wu, M. J. Kelly, C. A. Dykoski, and X. Li (2005), The holocene asian monsoon: links to solar changes and north atlantic climate, *Science*, *308*(5723), 854–857.
- Wang, Y., H. Cheng, R. L. Edwards, X. Kong, X. Shao, S. Chen, J. Wu, X. Jiang,

- X. Wang, and Z. An (2008), Millennial-and orbital-scale changes in the east asian monsoon over the past 224,000 years, *Nature*, 451(7182), 1090–1093.
- Wanner, H., J. Beer, J. Bütikofer, T. J. Crowley, U. Cubasch, J. Flückiger, H. Goosse, M. Grosjean, F. Joos, J. O. Kaplan, et al. (2008), Mid-to late holocene climate change: an overview, *Quaternary Science Reviews*, 27(19), 1791–1828.
- Weber, S. A., and W. R. Belcher (2003), Indus ethnobiology, *New perspectives from the field*, pp. 251–326.
- Webster, P. J., L. Chou, and Lau Ka Ming (1977), Mechanics effecting the State, Evolution and Transition of the Planetary Scale Monsoon, 115, 1463–1489.
- Wedepohl, K. H. (1995), The composition of the continental crust, *Geochimica et cosmochimica Acta*, 59(7), 1217–1232.
- Wenxiang, W., and L. Tungsheng (2004), Possible role of the “holocene event 3” on the collapse of neolithic cultures around the central plain of china, *Quaternary International*, 117(1), 153–166.
- Wigley, T., L. Plummer, and F. Pearson (1978), Mass transfer and carbon isotope evolution in natural water systems, *Geochimica et Cosmochimica Acta*, 42(8), 1117–1139.
- Wikipedia (2016a), Kutumsar cave, c. p. r. environmental education centre, chennai, [Online; accessed 23-July-2016].
- Wikipedia (2016b), Banayan tree formation, belum cave.
- Williams, P. W. (2008), The role of the epikarst in karst and cave hydrogeology: a review, *International Journal of Speleology*, 37(1), 1.
- Wright, H. E. (1993), *Global climates since the last glacial maximum*, U of Minnesota Press.
- Yadava, M. (2002), Stable Isotope systematics in cave calcites : Implications to past climatic changes in tropical India, Ph.D. thesis, Devi Ahilya Vishwavidyalaya University, Indore, India.
- Yadava, M., and R. Ramesh (1999), Speleothems-Useful proxies for past monsoon rainfall, *J. Sci. Ind. Res. (India)*, 58, 339–348.
- Yadava, M., and R. Ramesh (2001), Past rainfall and trace element variations in a tropical speleothem from india, *Mausam*, 52(1), 307–316.

- Yadava, M., and R. Ramesh (2005), Monsoon reconstruction from radiocarbon dated tropical indian speleothems, *The Holocene*, *15*(1), 48–59.
- Yadava, M., and R. Ramesh (2006), Stable Oxygen and Carbon Isotope Variations as Monsoon Proxies : A Comparative Study of Speleothems from Four Different Locations in India, *J. Geol. Soc. India*, *68*(September), 461–475.
- Yadava, M., and R. Ramesh (2007), Significant longer-term periodicities in the proxy record of the Indian monsoon rainfall, *New Astron.*, *12*(7), 544–555, doi:10.1016/j.newast.2007.04.001.
- Yadava, M., R. Ramesh, and G. Pant (2004), Past monsoon rainfall variations in peninsular India recorded in a 331-year-old speleothem, *The Holocene*, *14*(4), 517–524, doi:10.1191/0959683604hl728rp.
- Yadava, M., K. Sarswat, I. Singh, and R. Ramesh (2007), Evidences of early human occupation in the limestone caves of bastar, chhattisgarh, *Current Science*, *92*(6).
- Yatagai, A., K. Kamiguchi, O. Arakawa, A. Hamada, N. Yasutomi, and A. Kitoh (2012), APHRODITE: Constructing a Long-Term Daily Gridded Precipitation Dataset for Asia Based on a Dense Network of Rain Gauges, *Bull. Am. Meteorol. Soc.*, *93*(9), 1401–1415, doi:10.1175/BAMS-D-11-00122.1.
- Ye, H., and Z. Bao (2001), Lagged teleconnections between snow depth in northern eurasia, rainfall in southeast asia and sea-surface temperatures over the tropical pacific ocean, *International Journal of Climatology*, *21*(13), 1607–1621.
- Yin, J. H., and D. S. Battisti (2001), The importance of tropical sea surface temperature patterns in simulations of last glacial maximum climate, *Journal of Climate*, *14*(4), 565–581.
- Yonge, C., D. Ford, J. Gray, and H. Schwarcz (1985), Stable isotope studies of cave seepage water, *Chemical Geology: Isotope Geoscience Section*, *58*(1), 97–105.
- Yonge, C. J., L. Goldenberg, and H. R. Krouse (1989), An isotope study of water bodies along a traverse of southwestern canada, *Journal of Hydrology*, *106*(3), 245–255.
- Yoshimura, K., M. Kanamitsu, D. Noone, and T. Oki (2008), Historical isotope simulation using Reanalysis atmospheric data, *J. Geophys. Res.*, *113*(D19), D19,108, doi:10.1029/2008JD010074.
- Yuan, D., H. Cheng, R. L. Edwards, C. a. Dykoski, M. J. Kelly, M. Zhang,

- J. Qing, Y. Lin, Y. Wang, J. Wu, J. a. Dorale, Z. An, and Y. Cai (2004), Timing, duration, and transitions of the last interglacial Asian monsoon., *Science*, *304*(5670), 575–8, doi:10.1126/science.1091220.
- Zhisheng, A., S. C. Clemens, J. Shen, X. Qiang, Z. Jin, Y. Sun, W. L. Prell, J. Luo, S. Wang, H. Xu, Y. Cai, W. Zhou, X. Liu, W. Liu, Z. Shi, L. Yan, X. Xiao, H. Chang, F. Wu, L. Ai, and F. Lu (2011), Glacial-Interglacial Indian Summer Monsoon Dynamics, *Science (80-. )*, *333*(6043), 719–723, doi:10.1126/science.1203752.
- Zhou, H., B. Chi, M. Lawrence, J. Zhao, J. Yan, A. Greig, and Y. Feng (2008), High-resolution and precisely dated record of weathering and hydrological dynamics recorded by manganese and rare-earth elements in a stalagmite from central china, *Quaternary Research*, *69*(3), 438–446.
- Zorzi, C., M. F. S. Goñi, K. Anupama, S. Prasad, V. Hanquiez, J. Johnson, and L. Giosan (2015), Indian monsoon variations during three contrasting climatic periods: The holocene, heinrich stadial 2 and the last interglacial–glacial transition, *Quaternary Science Reviews*, *125*, 50–60.