REFERENCES

egional moisture change over India during the past M...
comparison of multi-proxy reconstructions
odel simulations
an Polanski [a,*], Bijan Fallah [a], Da...

ene Glacier Fluctuations in the Peruvian
to Northern Climate Linkages

Science
AAAS

Contents lists available at Science...
Quaternary Science Rev...
journal homepage: www.elsevier.com/locate/q...

PNAS
Sc
D
xy-based reconstructions of hemispheri
and global surface temperature variations
over the past two millennia
Michael E. Mann*†, Zhihua Zhang*, Malcolm K. Hughes‡, Raymond S. Bradley§, Sonya K. Miller*,
and Fenbiao Ni‡
*Department of Meteorology and Earth and Environmental Systems Institute, Pennsylvania State University, University Park, PA
Tree-Ring Research, University of Arizona, Tucson, AZ 85721; §Department of Geosciences, University of Massachusetts, Amherst
and ¶Department of Environmental Science, Roger Williams University, Bristol, RI 02809

on source shifts during the drying mid-Holocene: Biomarker
e based evidence from the core 'monsoon zone' (CMZ) of India
ti Sarkar [a], Sushma Prasad [a], Heinz Wilkes [b], Nils Riedel [c], Martina Stebich [c],
ani Basavaiah [d], Dirk Sachse [a,e,*]

1	29–40	Berlin · Stuttgart

...tents lists available at SciVerse ScienceDirect
Quaternary International
journal homepage: www.elsevier.com/locate/quaint

...iatic fluctuations during the LIA and post-LIA in the Kumau
...india: Evidence from a 400 y old stalagmite record
Bahadur Singh Kotlia [a,*], Syed Masood Ahmad [b], Jian-Xin Zhao [c], Waseem Raza [b], K
Lalit Mohan Joshi [a], Jaishri Sanwal [d]

Quaternary coastal instability and sea level chang
ew evidences from Saurashtra Coast, Western India
by
R. K. Pant and N. Juyal, Ahmedabad

...ng of Late Quaternary Sea Levels of the
Saurashtra Coast, Western India:
an Experiment with Oyster and Clam Shells
N. JUYAL, R.K. PANT, R. BHUSHAN AND B.L.K. SOMAYAJULU
Physical Research Laboratory, Navrangpura, Ahmedabad 380 009, India

Evidence of enhanced winter
precipitation and the prevalence
cool and dry climate during the
late Holocene in mainland Gu
Vandana Prasad,* Binita Phartiyal and Anupar
...of Palaeobotany, 53 University Road, Luckn

ELSEVIER
Contents lists available at ScienceDirect
Palaeogeography, Palaeoclimatology, Palaeoecology
journal homepa...
...ier.com/locate/palaeo

Mid–late Hol...
A mul...
Quaternary Science Reviews xxx (2011) 1–15
Contents lists available at ScienceDirect
Quaternary Science Reviews
journal homepage: www.elsevier.com/locate/quascirev
ELSEVIER

...ainland Gujarat, India:
...re relationship
...a Phartiyal [a], Supriyo Ch...

...structure and origin of Holocene cold events
...Martin Grosjean [a,b], Stefan P. Ritz [b,d] M...

High-Resolution Holocene Environmental Ch
Desert, Northwestern India
Y. Enzel et al.
...284, 125 (1999);
...ience.284.5411.125

REFERENCES

Abbey, S., 1983. Studies in "Standard Samples" of Silicate Rocks and Minerals 1969-1982. Canadian Geological Survey Paper 83-15, 114.

Agnihotri, R., 2001. Chemical and Isotopic studies of sediment from the Arabian Sea and Bay of Bengal.Faculty of Science, p. 131. Mohanlal Sukhadia University, Udaipur.

Agnihotri, R., Dutta, K., Bhushan, R. and Somayajulu, B.L.K., 2002. Evidence for solar forcing on the Indian monsoon during the last millennium. Earth and Planetary Science Letters 198 (3-4), 521-527.

Agnihotri, R., Dutta, K. and Soon, W., 2011. Temporal derivative of Total Solar Irradiance and anomalous Indian summer monsoon: An empirical evidence for a Sun-climate connection. Journal of Atmospheric and Solar-Terrestrial Physics 73 (13), 1980-1987.

Agnihotri, R., Karapurkar, S.G., Sarma, V.V., Yadav, K., Kumar, M.D., Sharma, C. and Prasad, M., 2015. Stable Isotopic and chemical characteristics of bulk aerosols during winter and summer Seasons at a Station in Western Coast of India (Goa). Aerosol and Air Quality Research 15, 888-900.

Agnihotri, R., Kumar, R., Prasad, M., Sharma, C., Bhatia, S. and Arya, B., 2015. Experimental Setup and Standardization of a Continuous Flow Stable Isotope Mass Spectrometer for Measuring Stable Isotopes of Carbon, Nitrogen and Sulfur in Environmental Samples. Mapan 29 (3), 195-205.

Agnihotri, R., Sarin, M., Somayajulu, B., Jull, A. and Burr, G., 2003. Late-Quaternary biogenic productivity and organic carbon deposition in the eastern Arabian Sea. Palaeogeography, Palaeoclimatology, Palaeoecology 197 (1), 43-60.

Agrawal, D.P., Gupta, S. and Kusumgar, S., 1970. Radiocarbon dates of some Quaternary samples. Current Science 39, 219-222.

Algeo, T.J. and Maynard, J.B., 2004. Trace-element behavior and redox facies in core shales of Upper Pennsylvanian Kansas-type cyclothems. Chemical Geology 206 (3), 289-318.

Allen, J.R.L. and Haslett, S.K., 2002. Buried salt-marsh edges and tide-level cycles in the mid-Holocene of the Caldicot Level (Gwent), South Wales, UK. The Holocene 12 (3), 303-324.

Allen, J.R.L. and Haslett, S.K., 2006. Granulometric characterization and evaluation of annually banded mid-Holocene estuarine silts, Welsh Severn Estuary (UK): coastal change, sea level and climate. Quaternary Science Reviews 25 (13-14), 1418-1446.

Allen, J.R.L., Lamb, A.L. and Drak, P., 2007. Seasonality of $\delta^{13}C$ and C/N ratios in modern and mid-Holocene sediments in the Severn Estuary levels, SW Britain. The Holocene 17, 139-144.

Allmon, W.D., 1988. Ecology of recent Turrelline gastropods (Prosobranchia, Turritelladae): Current knowledge and paleontological implications. The Society of economic paleontologists and Mineralogists, 259-284.

Alongi, D.M., 2008. Mangrove forests: resilience, protection from tsunamis, and responses to global climate change. Estuarine, Coastal and Shelf Science 76 (1), 1-13.

Altabet, M.A., Higginson, M.J. and Murray, D.W., 2002. The effect of millennial-scale changes in Arabian Sea denitrification on atmospheric CO_2. Nature 415 (6868), 159-162.

Amin, B., Likhite, S., Radhakrishnamurty, C. and Somayajulu, B., 1972. Susceptibility stratigraphy and paleomagnetism of some deep Pacific Ocean coresDeep Sea Research and Oceanographic Abstracts, 19, pp. 249-252. Elsevier.

Ammann, C.M., Joos, F., Schimel, D.S., Otto-Bliesner, B.L. and Tomas, R.A., 2007. Solar influence on climate during the past millennium: Results from transient simulations with the NCAR Climate System Model. Proceedings of the National Academy of Sciences 104 (10), 3713-3718.

An, Z., Porter, S.C., Kutzbach, J.E., Xihao, W., Suming, W., Xiaodong, L., Xiaoqiang, L. and Weijian, Z., 2000. Asynchronous Holocene optimum of the East Asian monsoon. Quaternary Science Reviews 19 (8), 743-762.

Andersson, C., Risebrobakken, B., Jansen, E. and Dahl, S.O., 2003. Late Holocene Surface Ocean conditions of the Norwegian Sea (Vøring Plateau). Paleoceanography 18 (2).

Angulo, R.J., Lessa, G.C. and de Souza, M.C., 2006. A critical review of mid-to late-Holocene sea-level fluctuations on the eastern Brazilian coastline. Quaternary Science Reviews 25 (5), 486-506.

Antonioli, F., Cremona, G., Immordino, F., Puglisi, C., Romagnoli, C., Silenzi, S., Valpreda, E. and Verrubbi, V., 2002. New data on the Holocene sea-level rise in NW Sicily (Central Mediterranean Sea). Global and Planetary Change 34 (1-2), 121-140.

Banerjee, P., 1993. Imprints of late quaternary climatic and sea level changes on East and South Indian coast. Geo-Marine Letters 13 (1), 56-60.

Banerjee, P., 2000. Holocene and Late Pleistocene relative sea level fluctuations along the east coast of India. Marine Geology 167 (3), 243-260.

Banerji, U.S., Pandey, S., Bhushan, R. and Juyal, N., 2015. Mid-Holocene climate and land-sea interaction along the southern coast of Saurashtra, western India. Journal of Asian Earth Sciences 111, 428-439.

Barber, K., Maddy, D., Rose, N., Stevenson, A., Stoneman, R. and Thompson, R., 2000. Replicated proxy-climate signals over the last 2000 yr from two distant UK peat bogs: new evidence for regional palaeoclimate teleconnections. Quaternary Science Reviews 19 (6), 481-487.

Bardhan, S., Ghosh, T., Mondal, S., Roy, A. and Mallick, S., 2011. The Holocene sea level changes as evidenced from palaeontological data: A case study from Glauconome sculpta (Bivalvia) along the eastern coast of India. Palaeoworld 20 (1), 92-97.

Baskaran, M., 1996. The Origin of QuaternaryCarbonate Deposits (Mliolites): a TheoreticalPerspective. Memoirs Geologial society of India 32, 360-371.

Baskaran, M., Baldev, S., Sood, R.K. and Somayajulu, B.L.K., 1987. Geochronological studies of strandlines of Saurashtra, India, detected by remote sensing techniques. International Journal of Remote Sensing 8 (2), 167-176.

Baskaran, M., Marathe, A., Rajaguru, S. and Somayajulu, B., 1986. Geochronology of palaeolithic cultures in the Hiran Valley, Saurashtra, India. Journal of Archaeological Science 13 (6), 505-514.

Beer, J., Mende, W. and Stellmacher, R., 2000. The role of the sun in climate forcing. Quaternary Science Reviews 19 (1-5), 403-415.

Berner, R.A., 1970. Sedimentary pyrite formation. American Journal of Science 268 (1), 1-23.

Bhatt, N. and Bhonde, U., 2006. Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India. Journal of Earth System Science 115 (4), 395-402.

Bhattacharya, A. and Banerjee, S.N., 1979. Quaternary geology and geomorphology of the Ajoy-Bhagirathi valley, Birbhum and Murshidabad districts, West Bengal. Indian Journal of Earth Science 2, 51-61.

Bhonde, U. and Bhatt, N., 2009. Joints as fingerprints of stress in the quaternary carbonate deposits along coastal Saurashtra, Western India. Journal of the Geological Society of India 74 (6), 703-710.

Bhushan, R., Chakraborty, S. and Krishnaswami, S., 1994. Physical research laboratory (chemistry) radiocarbon date list I. Radiocarbon 36 (2), 251-256.

Bhushan, R., Dutta, K. and Somayajulu, B.L.K., 2001. Concentrations and burial fluxes of organic and inorganic carbon on the eastern margins of the Arabian Sea. Marine Geology 178 (1-4), 95-113.

Bhushan, R., Somayajulu, B.L.K., Chakraborty, S. and Krishnaswami, S., 2000. Radiocarbon in the Arabian Sea water column: Temporal variations in bomb ^{14}C inventory since the GEOSECS and CO_2 air-sea exchange rates. Journal of Geophysical Research: Oceans 105 (C6), 14273-14282.

Bianchi, G.G. and McCave, I.N., 1999. Holocene periodicity in North Atlantic climate and deep-ocean flow south of Iceland. Nature 397 (6719), 515-517.

Bird, E., 2011. Coastal geomorphology: an introduction. John Wiley & Sons.

Biswas, S., 1971. The miliolite rocks of Kutch and Kathiawar (western India). Sedimentary Geology 5 (2), 147-164.

Biswas, S.K., 1982. Rift basins in western margin of India and their hydrocarbon prospects with special reference to Kutch Basin. Bulletin American Association of Petroleum Geology 10, 1497-1513.

Biswas, S.K., 1987. Regional tectonic framework, structure and evolution of western marginal basins of India. Tectonophysics 135, 307-327.

Blackburn, T.H., 1983. The microbial nitrogen cycle. In: W. E. Krumbein (Ed.) Microbial Geo-chemistry pp. 63-89. Blackwell Scientific, Oxford.

Bond, G., Kromer, B., Beer, J., Muscheler, R., Evans, M.N., Showers, W., Hoffmann, S., Lotti-Bond, R., Hajdas, I. and Bonani, G., 2001. Persistent solar influence on North Atlantic climate during the Holocene. Science 294 (5549), 2130-2136.

Bottrell, S.H. and Newton, R.J., 2006. Reconstruction of changes in global sulfur cycling from marine sulfate isotopes. Earth-Science Reviews 75 (1), 59-83.

Bouillon, S., Dahdouh-Guebas, F., Rao, A., Koedam, N. and Dehairs, F., 2003. Sources of organic carbon in mangrove sediments: variability and possible ecological implications. Hydrobiologia 495 (1-3), 33-39.

Bradley, R.S. and Jonest, P.D., 1993. 'Little Ice Age' summer temperature variations: their nature and relevance to recent global warming trends. The Holocene 3 (4), 367-376.

Brandes, J.A. and Devol, A.H., 2002. A global marine-fixed nitrogen isotopic budget: Implications for Holocene nitrogen cycling. Global Biogeochemical Cycles 16 (4), 67-61-67-14.

Breit, G.N. and Wanty, R.B., 1991. Vanadium accumulation in carbonaceous rocks: a review of geochemical controls during deposition and diagenesis. Chemical Geology 91 (2), 83-97.

Brenninkmeijer, C.A.M., van Geel, B. and Mook, W.G., 1982. Variations in the D/H and 18 O/16 O ratios in cellulose extracted from a peat bog core. Earth and Planetary Science Letters 61 (2), 283-290.

Briffa, K.R., 2000. Annual climate variability in the Holocene: interpreting the message of ancient trees. Quaternary Science Reviews 19 (1), 87-105.

Broecker, W.S., 2001. Paleoclimate: was the medieval warm period global? Science 291 (5508), 1497.

Brown, E.T. and Johnson, T.C.C.Q., 2005. Coherence between tropical East African and South American records of the Little Ice Age. Geochemistry, Geophysics, Geosystems 6 (12).

Brumsack, H.-J., 1989. Geochemistry of recent TOC-rich sediments from the Gulf of California and the Black Sea. Geologische Rundschau 78 (3), 851-882.

Bryson, R.A. and Swain, A., 1981. Holocene variations of monsoon rainfall in Rajasthan. Quaternary Research 16 (2), 135-145.

Burton, K.W. and Vance, D., 2000. Glacial-interglacial variations in the neodymium isotope composition of seawater in the Bay of Bengal recorded by planktonic foraminifera. Earth and Planetary Science Letters 176 (3-4), 425-441.

Cahoon, D.R. and Lynch, J.C., 1997. Vertical accretion and shallow subsidence in a mangrove forest of southwestern Florida, USA. Mangroves and Salt Marshes 1 (3), 173-186.

Calvert, S. and Pedersen, T., 1993. Geochemistry of recent oxic and anoxic marine sediments: implications for the geological record. Marine Geology 113 (1), 67-88.

Canfield, D., 2001. Biogeochemistry of sulfur isotopes. Reviews in Mineralogy and Geochemistry 43 (1), 607-636.

Canfield, D.E., Habicht, K.S. and Thamdrup, B., 2000. The Archean sulfur cycle and the early history of atmospheric oxygen. Science 288 (5466), 658-661.

Caratini, C., Bentaleb, L., Fontigue, M., Morzadee Kerfourn, M.T., Pascal, J.P. and Tissot, C., 1994. A less humid climate since 3,500 yr B.P., from marine cores off Karwar, Western India. Palaeogeography, Palaeoclimatology, Palaeoecology 109, 371-384.

Caratini, C., Fontugne, M., Pascal, J.P., Tissot, C. and Bentaleb, I., 1991. A major change at ca. 3500 years B.P. in the vegetation of the Western Ghats in North Kanara, Karnataka. Current Science 61, 669-672.

Castagnoli, G.C., Bonino, G., Taricco, C. and Bernasconi, S., 2002. Solar radiation variability in the last 1400 years recorded in the carbon isotope ratio of a Mediterranean sea core. Advances in Space Research 29 (12), 1989-1994.

Chakraborty, S., 1993. Environmental significance of isotopic and trace elemental variations in banded corals. Geology Department. M.S. University of Baroda, Vadodara.

Chakraborty, S., Bhattacharya, S., Ranhotra, P., Bhattacharyya, A. and Bhushan, R., 2006. Palaeoclimatic scenario during Holocene around Sangla valley, Kinnaur northwest Himalaya based on multi proxy records. Current Science 91 (6), 777.

Champion, H.G. and Seth, S.K., 1968. A Revised Survey of the Forest Types of India. Manager of Publications, Delhi, India.

Chamyal, L., Maurya, D. and Raj, R., 2003. Fluvial systems of the drylands of western India: a synthesis of Late Quaternary environmental and tectonic changes. Quaternary International 104 (1), 69-86.

Chauhan, M., 2015. Vegetation and climatic variability in southeastern Madhya Pradesh, India since Mid-Holocene, based on pollen records. Current Science 109 (5), 956-965.

Chauhan, O.S., Vogelsang, E., Basavaiah, N. and Kader, U., 2010. Reconstruction of the variability of the southwest monsoon during the past 3 ka, from the continental margin of the southeastern Arabian Sea. Journal of Quaternary Science 25 (5), 798-807.

Chaujar, R.K., 2006. Effects of climatic changes on the advance and retreat of the Dokriani Bamak (glacier), Garhwal Himalaya, India.5th European Congress on Regional Geoscientific Cartography and Information System, 1, pp. 320-321. Barcelona, Spain.

Chaujar, R.K., 2009. Climate change and its impact on the Himalayan glaciers-a case study on the Chorabari glacier, Garhwal Himalaya, India. Curr. Sci 96 (5), 703-708.

Chen, L., Zonneveld, K.A. and Versteegh, G.J., 2011. Short term climate variability during "Roman Classical Period" in the eastern Mediterranean. Quaternary Science Reviews 30 (27), 3880-3891.

Chmura, G. and Aharon, P., 1995. Stable carbon isotope signatures of sedimentary carbon in coastal wetlands as indicators of salinity regime. Journal of Coastal Research, 124-135.

Chmura, G.L., Anisfeld, S.C., Cahoon, D.R. and Lynch, J.C., 2003. Global carbon sequestration in tidal, saline wetland soils. Global Biogeochemical Cycles 17 (4).

Cohen, A.S., Coe, A.L., Harding, S.M. and Schwark, L., 2004. Osmium isotope evidence for the regulation of atmospheric CO_2 by continental weathering. Geology 32 (2), 157-160.

Cook, E.R., Seager, R., Cane, M.A. and Stahle, D.W., 2007. North American drought: reconstructions, causes, and consequences. Earth-Science Reviews 81 (1), 93-134.

Crowley, T.J., 2000. Causes of climate change over the past 1000 years. Science 289 (5477), 270-277.

Dalai, T.K., Rengarajan, R. and Patel, P., 2004. Sediment geochemistry of the Yamuna River System in the Himalaya: Implications to weathering and transport. Geochemical Journal 38 (5), 441-453.

Das, A. and Krishnaswami, S., 2007. Elemental geochemistry of river sediments from the Deccan Traps, India: implications to sources of elements and their mobility during basaltâ€"water interaction. Chemical Geology 242 (1), 232-254.

Daskalakis, K.D., 1993. The solubility of sphalerite (ZnS) in sulfidic solutions at 25 C and 1 atm pressure. Geochimica et Cosmochimica Acta 57 (20), 4923-4931.

De Wit, R., 1999. The Role of Buffering capacities in stabilising coastal lagoon ecosystems. EaC-. ELOISE. ENV4-CT96-0218, 2 volumes.

Degens, E., Guillard, R., Sackett, W. and Hellebust, J., 1968. Metabolic fractionation of carbon isotopes in marine plankton- I. Temperature and respiration experimentsDeep Sea Research and Oceanographic Abstracts, 15, pp. 1-9. Elsevier.

Deines, P., 1980. The isotopic composition of reduced organic carbon. Elsevier, Amsterdam.

Delgado, J., Boski, T., Nieto, J., Pereira, L., Moura, D., Gomes, A., Sousa, C. and García-Tenorio, R., 2012. Sea-level rise and anthropogenic activities recorded in the late Pleistocene/Holocene sedimentary infill of the Guadiana Estuary (SW Iberia). Quaternary Science Reviews 33, 121-141.

Desai, B.G. and Patel, S.J., 2008. Trace fossil assemblages (Ichnocoenoses) of the tectonically uplifted Holocene shorelines, Kachchh, Western India. Journal geological Society of Indian 71, 527-540.

Desai, G. and Pandya, K., 1982. Microfauna of Saurashtra coastline sediments. In: S. S. Merh (Ed.) Geology and geomorphology of quaternary terrains of Gujarat with special reference to coastal evolution. Geology Department, Faculty of Science, M.S. University of Baroda Varodara, Gujarat.

Douglas, B., 1991. Global sea level rise. Journal of Geophysical Research 96 (C4), 6981-6992.

Dupont, L.M. and Mook, W.G., 1987. Palaeoclimate analysis of 2H/1H ratios in peat sequences with variable plant composition. Chemical Geology: Isotope Geoscience section 66 (3), 323-333.

Dutta, K., Bhushan, R. and Somayajulu, B., 2001. ΔR correction values for the northern Indian Ocean. Radiocarbon 43 (2A), 483-488.

Dymond, J., Suess, E. and Lyle, M., 1992. Barium in Deep-Sea Sediment: A Geochemical Proxy for Paleoproductivity. Paleoceanography 7 (2), 163-181.

Eddy, J.A., 1976. The Maunder Minimum. Science 192 (4245), 1189-1202.

Einsele, G., Herm, D. and Schwarz, H., 1974. Sea level fluctuation during the past 6000 yr at the coast of Mauritania. Quaternary Research 4 (3), 282-289.

Ellison, J.C., 1989. Pollen analysis of mangrove sediments as a sea-level indicator: assessment from Tongatapu, Tonga. Palaeogeography, Palaeoclimatology, Palaeoecology 74 (3-4), 327-341.

Emerson, S. and Hedges, J., 1988. Processes controlling the organic carbon content of open ocean sediments. Paleoceanography 3 (5), 621-634.

Engels, S. and van Geel, B., 2012. The effects of changing solar activity on climate: contributions from palaeoclimatological studies. J. Space Weather Space Clim. 2, A09.

Enzel, Y., Ely, L.L., Mishra, S., Ramesh, R., Amit, R., Lazar, B., Rajaguru, S.N., Baker, V.R. and Sandler, A., 1999. High-resolution Holocene environmental changes in the Thar desert, northwestern India. Science 284 (5411), 125-128.

Erdtman, G., 1943. An introduction to pollen analysis.Chronica Botanica. Waltham Mass, USA, 239.

Evelpidou, N., Kampolis, I., Pirazzoli, P. and Vassilopoulos, A., 2012. Global sea-level rise and the disappearance of tidal notches. Global and Planetary Change 92, 248-256.

Fairbridge, R.W., 1952. Marine erosionProceedings of the Seventh Pacific Science Congress, 3, pp. 347-359. Pacific Science Association.

Farooqui, A., Gaur, A.S. and Prasad, V., 2013. Climate, vegetation and ecology during Harappan period: excavations at Kanjetar and Kaj, mid-Saurashtra coast, Gujarat. Journal of Archaeological Science 40 (6), 2631-2647.

Feulner, G., 2012. Understanding the influence of solar irradiance changes on Earth's climate during the HoloceneAIP Conference Proceedings, 1531, pp. 748-751. Dahlem Cube, Free University, Berlin.

Fleitmann, D., Burns, S.J., Mangini, A., Mudelsee, M., Kramers, J., Villa, I., Neff, U., Al-Subbary, A.A., Buettner, A. and Hippler, D., 2007. Holocene ITCZ and Indian monsoon dynamics recorded in stalagmites from Oman and Yemen (Socotra). Quaternary Science Reviews 26 (1), 170-188.

Fleming, K., Johnston, P., Zwartz, D., Yokoyama, Y., Lambeck, K. and Chappell, J., 1998. Refining the eustatic sea-level curve since the Last Glacial Maximum using far- and intermediate-field sites. Earth and Planetary Science Letters 163 (1-4), 327-342.

Fogel, M.L., Cifuentes, L.A., Velinsky, D.J. and Sharp, J.H., 1992. Relationship of carbon availability in estuarine phytoplankton to isotopic composition. Marine Ecology Progress Series (82), 291-300.

Fontugne, M.R. and Jouanneau, J.-M., 1987. Modulation of the particulate organic carbon flux to the ocean by a macrotidal estuary: evidence from measurements of carbon isotopes in organic matter from the Gironde system. Estuarine, Coastal and Shelf Science 24 (3), 377-387.

Friis-Christensen, E. and Lassen, K., 1991. Length of the solar cycle: an indicator of solar activity closely associated with climate. Science 254 (5032), 698-700.

Frisia, S., Borsato, A., Spotl, C., Villa, I.M. and Cucchi, F., 2005. Climate variability in the SE Alps of Italy over the past 17000 years reconstructed from a stalagmite record. Boreas 34 (4), 445-455.

Froelich, P.N., Klinkhammer, G., Bender, M.a.a., Luedtke, N., Heath, G.R., Cullen, D., Dauphin, P., Hammond, D., Hartman, B. and Maynard, V., 1979. Early oxidation of organic matter in pelagic sediments of the eastern equatorial Atlantic: suboxic diagenesis. Geochimica et Cosmochimica Acta 43 (7), 1075-1090.

Frohlich, C. and Lean, J., 1998. The Sun's total irradiance: Cycles, trends and related climate change uncertainties since 1976. Geophysical Research Letters 25 (23), 4377-4380.

Ganapathi, S., Patel. M.P. and Merh, S.S., 1982. Evolution of the coastline between okhamadhi and Kodinar, western Saurashtra with special reference to quaternary morphology and sedimentation. In: S. S. Merh (Ed.),. In: S. S. Merh (Ed.) Geology and geomorphology of quaternary terrains of Gujarat with special reference to coastline evolution. M.S. University of Baroda, Vadodara.

Ganpathi, S., Patel, M.P. and Merh, S.S., 1982. Evolution of the coastline between Okhamadhi and and Kodinar, western Saurashtra with special reference to morphology and sedimentation. In: S. S. Merh (Ed.) Geology and geomorphology of quaternary terrains of Gujarat with special reference to coastline evolution. M.S.University of Baroda, Vadodara, Department of geology.

Gao, X., Yang, Y. and Wang, C., 2012. Geochemistry of organic carbon and nitrogen in surface sediments of coastal Bohai Bay inferred from their ratios and stable isotopic signatures. Marine pollution bulletin 64 (6), 1148-1155.

Garcia, D., Fonteilles, M. and Moutte, J., 1994. Sedimentary fractionations between Al, Ti, and Zr and the genesis of strongly peraluminous granites. The Journal of Geology, 411-422.

Gaur, A.S., Vora, K.H. and Sundaresh, 2007. Shoreline changes during the last 2000 years on the Saurashtra coast of India: Study based on archaeological evidences. Current Science 92 (1), 103-110.

Gaye-Haake, B., Lahajnar, N., Emeis, K.-C., Unger, D., Rixen, T., Suthhof, A., Ramaswamy, V., Schulz, H., Paropkari, A. and Guptha, M., 2005. Stable nitrogen isotopic ratios of sinking particles and sediments from the northern Indian Ocean. Marine Chemistry 96 (3), 243-255.

Gayes, P.T., Scott, D.B., Collins, E.S. and Nelson, D.D., 1992. A late Holocene sea-level irregularity in South Carolina.

Gearing, J., 1988. The use of stable isotope ratios for tracing the nearshore-offshore exchange of organic matter.Coastal-Offshore Ecosystem Interactions, pp. 69-101. Springer.

Gislason, S.R., Oelkers, E.H., Eiriksdottir, E.S., Kardjilov, M.I., Gisladottir, G., Sigfusson, B., Snorrason, A., Elefsen, S., Hardardottir, J., Torssander, P. and Oskarsson, N., 2009. Direct evidence of the feedback between climate and weathering. Earth and Planetary Science Letters 277 (1-2), 213-222.

Gladney, E.S. and Roelandts, I., 1987 Compilation of Elemental Concentration Data for USGS BHVO-1, MAG-1, QLO-1, RGM-1, SCo-1, SDC-1, SGR-1, and STM-1. Geostandards Newsletter 12, 253-362.

Goldberg, E.D. and Arrhenius, G., 1958. Chemistry of Pacific pelagic sediments. Geochimica et Cosmochimica Acta 13 (2), 153-212.

Goosse, H., Arzel, O., Luterbacher, J., Mann, M., Renssen, H., Riedwyl, N., Timmermann, A., Xoplaki, E. and Wanner, H., 2006. The origin of the European" Medieval Warm Period". Climate of the Past 2 (2), 99-113.

Gordon, E.S. and Goni, M.A., 2003. Sources and distribution of terrigenous organic matter delivered by the Atchafalaya River to sediments in the northern Gulf of Mexico. Geochimica et Cosmochimica Acta 67 (13), 2359-2375.

Govindaraju, K., 1994. 1994 Compilation of Working Values and Descriptions for 383Geostandards. Geostandards Newsletter 18, 1-158.

Gray, L.J., Beer, J., Geller, M., Haigh, J.D., Lockwood, M., Matthes, K., Cubasch, U., Fleitmann, D., Harrison, G., Hood, L., Luterbacher, J., Meehl, G.A., Shindell, D., van Geel, B. and White, W.C.R., 2010. Solar Influences on Climate. Reviews of Geophysics 48 (4), RG4001.

Gribben, J. and Lamb, H.H., 1978. Climatic change in historical times. Cambridge Univ. Press.

Grove, J., 1988. The 'Little Ice Age'. London: Methuen.

Gundalia, M.J. and Dholakia, M.B., 2013. Estimation of pan evaporation using mean air temperature and radiation for monsoon season in Junagadh region. International journal of engineering research and application 3 (6), 64-70.

Gupta, A.K., Das, M. and Anderson, D.M., 2005. Solar influence on the Indian summer monsoon during the Holocene. Geophysical Research Letters 32 (17).

Gupta, S., 1972. Chronology of the raised beaches and inland coral reefs of the Saurashtra coast. The Journal of Geology, 357-361.

Gupta, S.K. and Amin, B.S., 1974. Io/U ages of corals from Saurashtra coast. Marine Geology 16, 79-83.

Gupta, S.K. and Polach, H.A., 1985. Radiocarbon dating practices at ANU: Garran ACT. Radiocarbon Dating Research.

Habicht, K.S., Gade, M., Thamdrup, B., Berg, P. and Canfield, D.E., 2002. Calibration of sulfate levels in the Archean ocean. Science 298 (5602), 2372-2374.

Haneesh Kumar, V., 2001. Sea level variations during the late Quaternary and coastal evolution along the northern Kerala, south west of India. Centre for Earth Science Studies.

Harrison, A. and Thode, H., 1957. The kinetic isotope effect in the chemical reduction of sulphate. Transactions of the Faraday Society 53, 1648-1651.

Hashimi, N., Nigam, R., Nair, R. and Rajagopalan, G., 1995. Holocene sea level fluctuations on western Indian continental margin: an update. Journal of the Geological Society of India 46, 157-162.

Hemminga, M. and Mateo, M., 1996. Stable carbon isotopes in seagrasses: variability in ratios and use in ecological studies. Marine Ecology Progress Series 140.

Herschel, W., 1800. Observations Tending to Investigate the Nature of the Sun, in Order to Find the Causes or Symptoms of Its Variable Emission of Light and Heat; with Remarks on the Use That May Possibly Be drawn from Solar Observations. [Abstract]. Abstracts of the Papers Printed in the Philosophical Transactions of the Royal Society of London 1, 49-52.

Hild, E. and Brumsack, H.-J., 1998. Major and minor element geochemistry of Lower Aptian sediments from the NW German Basin (core Hoheneggelsen KB 40). cretaceous Research 19 (5), 615-633.

Hiremath, K. and Mandi, P., 2004. Influence of the solar activity on the Indian Monsoon rainfall. New Astronomy 9 (8), 651-662.

Hodgkin, E.P., 1964. Rate of erosion of intertidal limestone. Zeitschrift für Geomorphologie 8, 385-392.

Holgate, S., 2007. On the decadal rates of sea level change during the twentieth century. Geophysical Research Letters 34 (1).

Hong, Y.T., Wang, Z.G., Jiang, H.B., Lin, Q.H., Hong, B., Zhu, Y.X., Wang, Y., Xu, L.S., Leng, X.T. and Li, H.D., 2001. A 6000-year record of changes in drought and precipitation in northeastern China based on a $\delta^{13}C$ time series from peat cellulose. Earth and Planetary Science Letters 185 (1-2), 111-119.

Horton, B.P., Zong, Y., Hillier, C. and Engelhart, S., 2007. Diatoms from Indonesian mangroves and their suitability as sea-level indicators for tropical environments. Marine Micropaleontology 63 (3), 155-168.

Hoyt, D.V. and Schatten, K.H., 1997. The role of the sun in climate change. Oxford University Press, Inc., New York.

Hughes, M.K. and Diaz, H.F., 1996. Was there a "Medieval Warm Period" and if so, where and when? Climate Change 26, 109-142.

IPCC, 2007. Contribution of Working Group I,I I and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. In: R. K. Pachauri, A. Resinger and C. w. team) (Eds.), Climate Change 2007 Synthesis Report p. 104. Geneva.

Jansen, E., J. Overpeck, K.R. Briffa, J.-C. Duplessy, F. Joos, V. Masson-Delmotte, D. Olago, B. Otto-Bliesner, W.R. Peltier, S. Rahmstorf, R. Ramesh, D. Raynaud, D. Rind, O. Solomina, Villalba, R. and Zhang, D., 2007. Palaeoclimate. In: S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H. L. Miller (Eds.), Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the

Intergovernmental Panel on Climate Change Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

Jansson, B.-O. and Gearing, J.N., 1988. The Use of Stable Isotope Ratios for Tracing the Nearshore-Offshore Exchange of Organic MatterCoastal-Offshore Ecosystem Interactions, 22, pp. 69-101. Springer Berlin Heidelberg.

Jirikowic, J.L. and Damon, P.E., 1994. The medieval solar activity maximum. Climatic Change 26 (2-3), 309-316.

Jørgensen, B.B., 1977. The sulfur cycle of a coastal marine sediment (Limfjorden, Denmark) 1. Limnology and Oceanography 22 (5), 814-832.

Jørgensen, B.B., 1990. A thiosulfate shunt in the sulfur cycle of marine sediments. Science 249 (4965), 152-154.

Jull, A., Donahue, D. and Linick, T., 1989. Carbon-14 activities in recently fallen meteorites and Antarctic meteorites. Geochimica et Cosmochimica Acta 53 (8), 2095-2100.

Juyal, N., Pant, R.K., Bhushan, R. and Somayajulu, B.L.K., 1995. Radiometric dating of late Quaternary sea levels of the Saurashtra coast, Western India: An experiment with oyster and clam shells. Geological Society of India Memoir 32, 372-379.

Kalubarme, M.H., 2014. Mapping and Monitoring of Mangroves in the Coastal Districts of Gujarat State using Remote Sensing and Geo-informatics. Asian Journal of Geoinformatics 14 (1).

Kaplan, I., 1975. Stable isotopes as a guide to biogeochemical processes. Proceedings of the Royal Society of London B: Biological Sciences 189 (1095), 183-211.

Kemp, D.B. and Izumi, K., 2014. Multiproxy geochemical analysis of a Panthalassic margin record of the early Toarcian oceanic anoxic event (Toyora area, Japan). Palaeogeography, Palaeoclimatology, Palaeoecology 414 (0), 332-341.

Khan, N.S., Vane, C.H. and Horton, B.P., 2015. Stable carbon isotope and C/N geochemistry of coastal wetland sediments as a sea-level indicator. Handbook of Sea-Level Research, 295-311.

Kidson, C., 1982. Sea level changes in the Holocene. Quaternary Science Reviews 1 (2), 121-151.

Klein, G.D., 1985. Intertidal Flats and Intertidal Sand Bodies. In: R. A. Davis (Ed.) Coastal Sedimentary Environments, pp. 187-224. Springer New York, New York, NY.

Knudsen, M.F., Jacobsen, B.H., Riisager, P., Olsen, J. and Seidenkrantz, M.-S., 2011. Evidence of Suess solar-cycle bursts in subtropical Holocene speleothem □18O records. The Holocene 22 (5), 597–602.

Knudsen, M.F., Riisager, P., Jacobsen, B.H., Muscheler, R., Snowball, I. and Seidenkrantz, M.-S.C.L., 2009. Taking the pulse of the Sun during the Holocene by joint analysis of 14C and 10Be. Geophysical Research Letters 36 (16).

Konecky, B.L., Russell, J.M., Rodysill, J.R., Vuille, M., Bijaksana, S. and Huang, Y., 2013. Intensification of southwestern Indonesian rainfall over the past millennium. Geophysical Research Letters 40 (2), 386-391.

Kotlia, B.S., Ahmad, S.M., Zhao, J.-X., Raza, W., Collerson, K.D., Joshi, L.M. and Sanwal, J., 2012. Climatic fluctuations during the LIA and post-LIA in the Kumaun Lesser Himalaya, India: Evidence from a 400 y old stalagmite record. Quaternary International 263 (0), 129-138.

Kshetrimayum, T.S., 2007. Sedimentology and geochemistry of tidal mudflats along central West coast of india Department of Marine Sciences, PhD. Goa University, Goa.

Ku, H.W., Chen, Y.G. and Liu, T.K., 2005. Environmental Change in the Southwestern Coastal Plain of Taiwansince Late Pleistocene: Using Multiple Proxies of Sedimentary Organic Matter. Terrestrial, Atmospheric and Oceanic Sciences 16 (5), 1079-1096.

Kumaran, K.P.N., Nair, K.M., Shindikar, M., Limaye, R.B. and Padmalal, D., 2005. Stratigraphical and palynological appraisal of the Late Quaternary mangrove deposits of the west coast of India. Quaternary Research 64, 418-431.

Kump, L.R., Brantley, S.L. and Arthur, M.A., 2000. Chemical weathering, atmospheric CO2, and climate. Annual Review of Earth and Planetary Sciences 28 (1), 611-667.

Kunte, P.D. and Wagle, B., 2005. The beach ridges of India: A review. Journal of Coastal Research, 174-183.

Kusumgar, S., Raj, R., Chamyal, L.S. and Yadav, G.N., 1998. Holocene palaeoenvironmental changes in the Mahi river basin, Gujarat, Western India. Radiocarbon 40 (2), 819-823.

Kusumgar, S., Raj, R., Chamyal, L.S. and Yadav, G.N., 1998. Holocene palaeoenvironmental changes in the Mahi river basin, Gujarat, Western India. Radiocarbon 40 (2), 819-823.

Lamb, A.L., Vane, C.H., Wilson, G.P., Rees, J.G. and Moss-Hayes, V.L., 2007. Assessing $\delta^{13}C$ and C/N ratios from organic material in archived cores as

Holocene sea level and palaeoenvironmental indicators in the Humber Estuary, UK. Marine Geology 244 (1-4), 109-128.

Lamb, A.L., Wilson, G.P. and Leng, M.J., 2006. A review of coastal palaeoclimate and relative sea-level reconstructions using $\delta^{13}C$ and C/N ratios in organic material. Earth-Science Reviews 75 (1), 29-57.

Lamb, H., 1965. The early medieval warm epoch and its sequel. Palaeogeography, Palaeoclimatology, Palaeoecology 1, 13-37.

Lamb, H., 1995. Climate, History and the Modern World. London: Routledge.

Laskar, A., Yadava, M., Sharma, N. and Ramesh, R., 2013. Late-Holocene climate in the Lower Narmada valley, Gujarat, western India, inferred using sedimentary carbon and oxygen isotope ratios. The Holocene 23 (8), 1115-1122.

Le Roy Ladurie E, 1971. Times of Feast, Times of Famine: A History of Climate since the Year 1000 (Original publication Histoire du Climat depuis l'an Mil, Paris 1967). London, 426p.

Lean, J., 1997. The sun's variable radiation and its relevance for earth. Annual Review of Astronomy and Astrophysics 35 (1), 33-67.

Lean, J. and Rind, D., 2001. Earth's response to a variable Sun. Science 292, 234-236.

Lee-Thorp, J., Holmgren, K., Lauritzen, S.E., Linge, H., Moberg, A., Partridge, T., Stevenson, C. and Tyson, P., 2001. Rapid climate shifts in the southern African interior throughout the mid to late Holocene. Geophysical Research Letters 28 (23), 4507-4510.

Lemcke, G. and Sturm, M., 1997. Î´18O and trace element measurements as proxy for the reconstruction of climate changes at Lake Van (Turkey): Preliminary results.

Third millennium BC climate change and Old World collapse, pp. 653-678. Springer.

Li, Z., Saito, Y., Mao, L., Tamura, T., Song, B., Zhang, Y., Lu, A., Sieng, S. and Li, J., 2012. Mid-Holocene mangrove succession and its response to sea-level change in the upper Mekong River delta, Cambodia. Quaternary Research 78 (2), 386-399.

Libby, W.F., 1955. Radiocarbon dating. University of Chicago Press.

Limaye, R.B. and Kumaran, K., 2012. Mangrove vegetation responses to Holocene climate change along Konkan coast of south-western India. Quaternary International 263, 114-128.

Linick, T., Jull, A., Toolin, L. and Donahue, D., 1986. Operation of the NSF-Arizona accelerator facility for radioisotope analysis and results from selected collaborative research projects. Radiocarbon 28 (2A), 522-533.

Liu, K.-b., Yao, Z. and Thompson, L.G., 1998. A pollen record of Holocene climatic changes from the Dunde ice cap, Qinghai-Tibetan Plateau. Geology 26 (2), 135-138.

Lorente, F.L., Pessenda, L.C.R., Oboh-Ikuenobe, F., Buso Jr, A.A., Cohen, M.C.L., Meyer, K.E.B., Giannini, P.C.F., de Oliveira, P.E., de Fatima Rossetti, D. and Borotti Filho, M.A., 2015. Palynofacies and stable C and N isotopes of Holocene sediments from Lake Macuco (Linhares, Esparito Santo, southeastern Brazil): depositional settings and palaeoenvironmental evolution. Palaeogeography, Palaeoclimatology, Palaeoecology 415, 69-82.

Luckge, A., Doose-Rolinski, H., Khan, A.A., Schulz, H. and von Rad, U., 2001. Monsoonal variability in the northeastern Arabian Sea during the past 5000 years:

geochemical evidence from laminated sediments. Palaeogeography, Palaeoclimatology, Palaeoecology 167 (3-4), 273-286.

Magyar, B., Moor, H. and Sigg, L., 1993. Vertical distribution and transport of molybdenum in a lake with a seasonally anoxic hypolimnion. Limnology and Oceanography 38, 521-521.

Maksymowska, D., Richard, P., Piekarek-Jankowska, H. and Riera, P., 2000. Chemical and isotopic composition of the organic matter sources in the Gulf of Gdansk (Southern Baltic Sea). Estuarine, Coastal and Shelf Science 51 (5), 585-598.

Mangini, A., Spotl, C. and Verdes, P., 2005. Reconstruction of temperature in the Central Alps during the past 2000 yr from a δ18O stalagmite record. Earth and Planetary Science Letters 235 (3), 741-751.

Mann, M.E., Zhang, Z., Rutherford, S., Bradley, R.S., Hughes, M.K., Shindell, D., Ammann, C., Faluvegi, G. and Ni, F., 2009. Global signatures and dynamical origins of the Little Ice Age and Medieval Climate Anomaly. Science 326 (5957), 1256-1260.

Marathe, A.R., 1981. Geoarchaeology of the Hiren valley, Saurashtra, India. Deccan College and Post Graduate Research Institute, Pune.

Martin-Puertas, C., Jiménez-Espejo, F., Martin-Rulz, F., Nieto-Moreno, V., Rodrigo, M., Mata, M.P. and Valero-Garces, 2010. Late Holocene climate variability in the southwestern Mediterranean region: an integrated marine and terrestrial geochemical approach. Climate of the Past 6 (6), 807-816.

Maslin, M.A. and Burns, S.J., 2000. Reconstruction of the Amazon Basin effective moisture availability over the past 14,000 years. Science 290 (5500), 2285-2287.

Mathur, U.B. and Mehra, S., 1975. Report on the Quaternary deposits of Porbandar area, Junagarh district, Gujarat. Geological Society of India.

Mauquoy, D., Yeloff, D., Van Geel, B., Charman, D.J. and Blundell, A., 2008. Two decadally resolved records from north-west European peat bogs show rapid climate changes associated with solar variability during the mid-late Holocene. Journal of Quaternary Science 23 (8), 745-763.

Mayer, B. and Schwark, L., 1999. A 15,000-year stable isotope record from sediments of Lake Steisslingen, Southwest Germany. Chemical Geology 161 (1), 315-337.

Mayewski, P.A., Meeker, L.D., Twickler, M.S., Whitlow, S., Yang, Q., Lyons, W.B. and Prentice, M., 1997. Major features and forcing of high-latitude northern hemisphere atmospheric circulation using a 110,000-year-long glaciochemical series. Journal of Geophysical Research: Oceans 102 (C12), 26345-26366.

McCann, S.B., 1980. Classification of tidal environments. Geological Association Canada, St. Johns, Newfoundland.

McCutchan, J.H., Lewis, W.M., Kendall, C. and McGrath, C.C., 2003. Variation in trophic shift for stable isotope ratios of carbon, nitrogen, and sulfur. Oikos 102 (2), 378-390.

McDermott, F., Frisia, S., Huang, Y., Longinelli, A., Spiro, B., Heaton, T.H., Hawkesworth, C.J., Borsato, A., Keppens, E. and Fairchild, I.J., 1999. Holocene climate variability in Europe: Evidence from □18O, textural and extension-rate variations in three speleothems. Quaternary Science Reviews 18 (8), 1021-1038.

Mehta, V.M. and Lau, K.M., 1997. Influence of solar irradiance on the Indian Monsoon-ENSO relationship at decadal-multidecadal time scales. Geophysical Research Letters 24 (2), 159-162.

Meijerink, A.M.J., 1982. Dynamic Geomorphology of the Mahanadi delta. ITC Journal 3, 243.

Merh, S.S., 1995. Geology of Gujarat. Geological Society of India, Bangalore

Merh, S.S. and Chamyal, L.S., 1993. The Quaternary sediments in Gujarat. Current Science 64, 824-827.

Meyers, P.A., 1994. Preservation of elemental and isotopic source identification of sedimentary organic matter. Chemical Geology 114 (3-4), 289-302.

Meyers, P.A., 1997. Organic geochemical proxies of paleoceanographic, paleolimnologic, and paleoclimatic processes. Organic Geochemistry 27 (5-6), 213-250.

Middelburg, J.J. and Herman, P.M., 2007. Organic matter processing in tidal estuaries. Marine Chemistry 106 (1), 127-147.

Milne, G.A., Long, A.J. and Bassett, S.E., 2005. Modelling Holocene relative sea-level observations from the Caribbean and South America. Quaternary Science Reviews 24 (10), 1183-1202.

Morse, J. and Luther, G., 1999. Chemical influences on trace metal-sulfide interactions in anoxic sediments. Geochimica et Cosmochimica Acta 63 (19), 3373-3378.

Mueller, A.D., Islebe, G.A., Hillesheim, M.B., Grzesik, D.A., Anselmetti, F.S., Ariztegui, D., Brenner, M., Curtis, J.H., Hodell, D.A. and Venz, K.A., 2009. Climate drying and associated forest decline in the lowlands of northern Guatemala during the late Holocene. Quaternary Research 71 (2), 133-141.

Nair, R.R., 1974. Holocene sea-levels on the western continental shelf of IndiaProceedings of the Indian Academy of Sciences-Section B, 79, pp. 197-203. Springer.

Nambiar, A.R., Rajagopalan, G. and Rao, B.R.J., 1991. Radiocarbon dates of sediment cores from inner continental shelf off Karwar, west coast of India. Current Science 61, 353-354.

Nath, B.N., 2007. Geochemical proxies for understanding paleoceanographyRefresher course on marine geology and geophysics pp. 143-151. National Institute of Oceanography, India, Goa.

Nayar, T.S., 1990. Pollen flora of Maharashtra State, India. Today and Tommorow's Printers and Publishers, New Delhi.

Nesje, A. and Dahl, S.O., 1993. Lateglacial and Holocene glacier fluctuations and climate variations in western Norway: a review. Quaternary Science Reviews 12 (4), 255-261.

Newton, A., Thunell, R. and Stott, L., 2011. Changes in the Indonesian Throughflow during the past 2000 yr. Geology 39 (1), 63-66.

Nigam, R., Henriques, P. and Wagh, A., 1993. Barnacle fouling on relict foraminiferal specimens from the western continental margin of India: an indicator of paleosea-level. Continental Shelf research 13 (2), 279-286.

Noakes, J.E., Kim, S.M. and Stipp, J.J., 1965. Chemical and counting advances in liquid scintillation counting. In: R. M. Chatters and E. A. Olson (Eds.), International 14C conference, 6, pp. 68-92. Clearinghouse for Fed Sci & Tech Inf, Natl Bur Standards, Washington, DC.

Norgaard-Pedersen, N. and Mikkelsen, N., 2009. 8000 year marine record of climate variability and fjord dynamics from Southern Greenland. Marine Geology 264 (3), 177-189.

Norman, A.L., Barrie, L.A., Toom-Sauntry, D., Sirois, A., Krouse, H.R., Li, S.M. and Sharma, S., 1999. Sources of aerosol sulphate at Alert: Apportionment using stable isotopes. Journal of Geophysical Research: Atmospheres 104 (D9), 11619-11631.

Olsen, J., Noe-Nygaard, N. and Wolfe, B.B., 2010. Mid-to late-Holocene climate variability and anthropogenic impacts: multi-proxy evidence from Lake Bliden, Denmark. Journal of Paleolimnology 43 (2), 323-343.

Oppo, D.W., Rosenthal, Y. and Linsley, B.K., 2009. 2,000-year-long temperature and hydrology reconstructions from the Indo-Pacific warm pool. Nature 460 (7259), 1113-1116.

Ortiz, J., Guilderson, T., Adkins, J., Sarnthein, M., Baker, L. and Yarusinsky, M., 2000. Abrupt onset and termination of the African Humid Period: rapid climate responses to gradual insolation forcing. Quaternary Science Reviews 19 (1), 347-361.

Overpeck, J., Anderson, D., Trumbore, S. and Prell, W., 1996. The southwest Indian Monsoon over the last 18 000 years. Climate Dynamics 12 (3), 213-225.

Pandey, S., Scharf, B.W. and Mohanti, M., 2014. Palynological studies on mangrove ecosystem of the Chilka Lagoon, east coast of India during the last 4165 yrs BP. Quaternary International 325, 126-135.

Pant, R.K. and Juyal, N., 1993. Late Quaternary coastal instability and sea level changes: New evidence from Saurashtra coast, Western India. Zeitschrift fir Geo-morphologie N.F. 37, 29-40.

Parker, D., Jones, P., Folland, C. and Bevan, A., 1994. Interdecadal changes of surface temperature since the late nineteenth century. Journal of Geophysical Research: Atmospheres (1984-2012) 99 (D7), 14373-14399.

Parker, E., 1999. Solar physics: Sunny side of global warming. Nature 399 (6735), 416-417.

Patel, P.P., 1997. Ecoregions of Gujarat. Gujarat Ecology Commission, Varodara.

Paterson, D.M., Crawford, R.M. and Little, C., 1990. Subaerial exposure and changes in the stability of intertidal estuarine sediments. Estuarine, Coastal and Shelf Science 30 (6), 541-556.

Peck, J.A., Khosbayar, P., Fowell, S.J., Pearce, R.B., Ariunbileg, S., Hansen, B.C. and Soninkhishig, N., 2002. Mid to Late Holocene climate change in north central Mongolia as recorded in the sediments of Lake Telmen. Palaeogeography, Palaeoclimatology, Palaeoecology 183 (1), 135-153.

Perry, C.T., Spencer, T. and Kench, P., 2008. Carbonate budgets and reef production states: a geomorphic perspective on the ecological phase-shift concept. Coral Reefs 27 (4), 853-866.

Peters, K., Sweeney, R. and Kaplan, I., 1978. Correlation of carbon and nitrogen stable isotope ratios in sedimentary organic matter 1. Limnology and Oceanography 23 (4), 598-604.

Peterson, B.J. and Fry, B., 1987. Stable isotopes in ecosystem studies. Annual review of ecology and systematics, 293-320.

Peterson, B.J. and Howarth, R.W., 1987. Sulfur, carbon, and nitrogen isotopes used to trace organic matter flow in the salt-marsh estuaries of Sapelo Island, Georgia1. Limnology and Oceanography 32 (6), 1195-1213.

Phadtare, N.R., 2000. Sharp Decrease in Summer Monsoon Strength 4000-3500 cal yr B.P. in the Central Higher Himalaya of India Based on Pollen Evidence from Alpine Peat. Quaternary Research 53 (1), 122-129.

Pirazzoli, P., 1986. Secular trends of relative sea-level (RSL) changes indicated by tide-gauge records. CNRS-INTERGEO, 191 Rue Saint Jacques, 75005 Paris, France.

Pirazzoli, P.A., 1978. High stands of Holocene sea levels in the Northwest Pacific. Quaternary Research 10 (1), 1-29.

Pluet, J. and Pirazzoli, P., 1991. World atlas of Holocene sea-level changes. Elsevier.

Poddar, M.C., 1964. Mesozoic of western India-Their geology and oil possibilities. 22nd International Geological Congress on Geology of Petroleum, Section-I Part I, pp. 126-143. New Delhi.

Powar, S.D., Venkataramana, B., Mathai, T. and Mallikarjuna, C., 1983. Progress report (unpublished). Geological Survey of India Trivandrum.

Prahl, F.G., Bennett, J.T. and Carpenter, R., 1980. The early diagenesis of aliphatic hydrocarbons and organic matter in sedimentary particulates from Dabob Bay, Washington. Geochimica et Cosmochimica Acta 44 (12), 1967-1976.

Prasad, S. and Enzel, Y., 2006. Holocene paleoclimates of India. Quaternary Research 66 (3), 442-453.

Prasad, S., Kusumgar, S. and Gupta, S.K., 1997. A mid to late Holocene record of palaeoclimatic changes from Nal Sarovar: a palaeodesert margin lake in western India. Journal of Quaternary Science 12 (2), 153-159.

Prasad, V., Farooqui, A., Sharma, A., Phartiyal, B., Chakraborty, S., Bhandari, S., Raj, R. and Singh, A., 2014. Mid - late Holocene monsoonal variations from mainland

Gujarat, India: A multi-proxy study for evaluating climate culture relationship. Palaeogeography, Palaeoclimatology, Palaeoecology 397, 38-51.

Prasad, V., Phartiyal, B. and Sharma, A., 2007. Evidence of enhanced winter precipitation and the prevalence of a cool and dry climate during the mid to late Holocene in mainland Gujarat, India. The Holocene 17 (7), 889-896.

Proctor, C., Baker, A., Barnes, W. and Gilmour, M., 2000. A thousand year speleothem proxy record of North Atlantic climate from Scotland. Climate Dynamics 16 (10-11), 815-820.

Quamar, M.F. and Chauhan, M.S., 2014. Signals of Medieval Warm Period and Little Ice Age from southwestern Madhya Pradesh (India): A pollen-inferred Late-Holocene vegetation and climate change. Quaternary International 325, 74-82.

Quinn, W.H., 1992. A study of southern oscillation-related climatic variability for A. D. 622-1900 incorporating Nile River flood data. Cambridge Univ. Press, Cambridge, UK.

Raiswell, R. and Berner, R.A., 1985. Pyrite formation in euxinic and semi-euxinic sediments. American Journal of Science 285 (8), 710-724.

Rajendran, C.P., Rajagopalan, G. and Narayanswamy, 1989. Quaternary geology of Kerala: Evidence from radiocarbon dates. Journal of the Geological Society of India 33, 218-225.

Raju, K.P. and Vaidyanadhan, R., 1978. Geomorphology of Visakhapatnam, Andhra Pradesh. Geological Society of India 19 (1), 26-34.

Ramesh, R., 2007. Sun-Climate relationship in past. In: I. I. o. A. (IIA) (Ed.). Koramangala, Bangalore

Ranasinghe, P., Ortiz, J.D., Smith, A., Griffith, E., Siriwardana, C.H., De Silva, S. and Wijesundara, D.T., 2013. Mid-to late-Holocene Indian winter monsoon variability from a terrestrial record in eastern and southeastern coastal environments of Sri Lanka. The Holocene, 0959683612475141.

Rao, S.M. and Vaidyanadhan, R., 1979. Morphology and evolution of Godavari delta. Zeitschrift fur Geomorphologie NF 23, 243-255.

Rao, V.B. and Vaidyanadhan, R., 1975. Photogeomorphic study of coastal features between Visakhapatnam and Pudimadaka in Andhra Pradesh. Journal of the Indian Society of Photo-Interpretation 3 (1), 43-46.

Rashid, T., Suzuki, S., Sato, H., Monsur, M.H. and Saha, S.K., 2013. Relative sea-level changes during the Holocene in Bangladesh. Journal of Asian Earth Sciences 64, 136-150.

Ravizza, G., Norris, R., Blusztajn, J. and Aubry, M.P., 2001. An osmium isotope excursion associated with the late Paleocene thermal maximum: Evidence of intensified chemical weathering. Paleoceanography 16 (2), 155-163.

Rees, C., Jenkins, W. and Monster, J., 1978. The sulphur isotopic composition of ocean water sulphate. Geochimica et Cosmochimica Acta 42 (4), 377-381.

Reichart, G.J., den Dulk, M., Visser, H.J., van der Weijden, C.H. and Zachariasse, W.J., 1997. A 225 kyr record of dust supply, paleoproductivity and the oxygen minimum zone from the Murray Ridge (northern Arabian Sea). Palaeogeography, Palaeoclimatology, Palaeoecology 134 (1-4), 149-169.

Reid, G.C., 1987. Influence of solar variability on global sea surface temperatures. Nature.

Reimer, P.J., Baillie, M.G.L., Bard, E., Bayliss, A., Beck, J.W., Blackwell, P.G., Ramsey, C.B., Buck, C.E., Burr, G.S., Edwards, R.L., Friedrich, M., Grootes, P.M., Guilderson, T.P., Hajdas, I., Heaton, T.J., Hogg, A.G., Hughen, K.A., Kaiser, K.F., Kromer, B., McCormac, F.G., Manning, S.W., Reimer, R.W., Richards, D.A., Southon, J.R., Talamo, S., Turney, C.S.M., van der Plicht, J. and Weyhenmeyer, C.E., 2009. IntCal09 and Marine09 Radiocarbon Age Calibration Curves, 0-50,000 Years cal BP. Radiocarbon 51 (4), 1111-1150.

Reimer, P.J., Bard, E., Bayliss, A., Beck, J.W., Blackwell, P.G., Bronk Ramsey, C., Buck, C.E., Cheng, H., Edwards, R.L., Friedrich, M., Grootes, P.M., Guilderson, T.P., Haflidason, H., Hajdas, I., Hatté, C., Heaton, T.J., Hoffmann, D.L., Hogg, A.G., Hughen, K.A., Kaiser, K.F., Kromer, B., Manning, S.W., Niu, M., Reimer, R.W., Richards, D.A., Scott, E.M., Southon, J.R., Staff, R.A., Turney, C.S.M. and van der Plicht, J., 2013. IntCal13 and Marine13 Radiocarbon Age Calibration Curves 0-50,000 Years cal BP. Radiocarbon 55 (4), 1869-1887.

Richards, M.P., Fuller, B.T., Sponheimer, M., Robinson, T. and Ayliffe, L., 2003. Sulphur isotopes in palaeodietary studies: a review and results from a controlled feeding experiment. International Journal of Osteoarchaeology 13 (1-2), 37-45.

Roy, P., Nagar, Y., Juyal, N., Smykatz-Kloss, W. and Singhvi, A., 2009. Geochemical signatures of Late Holocene paleo-hydrological changes from Phulera and Pokharan saline playas near the eastern and western margins of the Thar Desert, India. Journal of Asian Earth Sciences 34 (3), 275-286.

Ruddiman, W.F., 2007. The early anthropogenic hypothesis: Challenges and responses. Reviews of Geophysics 45 (4).

Rühland, K., Phadtare, N.R., Pant, R.K., Sangode, S.J. and Smol, J.P., 2006. Accelerated melting of Himalayan snow and ice triggers pronounced changes in a valley peatland from northern India. Geophysical Research Letters 33 (15), L15709.

Rust, D. and Kershaw, S., 2000. Holocene tectonic uplift patterns in northeastern Sicily: evidence from marine notches in coastal outcrops. Marine Geology 167 (1), 105-126.

Sachs, J.P., 2007. Nitrogen isotopes in paleoclimate research. Encycopedia of Paleoclimatology and Ancient Environments, Gornitz V (ed). Kluwer Academic Publishers: New York.

Sadiq, M., 1988. Thermodynamic solubility relationships of inorganic vanadium in the marine environment. Marine Chemistry 23 (1), 87-96.

Saha, S., Ghosh, A., Banerjee, S., Saraswati, P.K. and Burley, S.D., 2011. Characteristics of an open coast tidal flat: Example from Daman, west coast of India. Journal of the Geological Society of India 77 (5), 409-418.

Sallun, A.E., Sallun Filho, W., Suguio, K., Babinski, M., Gioia, S.M., Harlow, B.A., Duleba, W., De Oliveira, P.E., Garcia, M.J. and Weber, C.Z., 2012. Geochemical evidence of the 8.2 ka event and other Holocene environmental changes recorded in paleolagoon sediments, southeastern Brazil. Quaternary Research 77 (1), 31-43.

Sampei, Y., Matsumoto, E., Kamei, T. and Tokuoka, T., 1997. Sulfur and organic carbon relationship in sediments from coastal brackish lakes in the Shimane peninsula district, southwest Japan. Geochemical Journal 31 (4), 245-262.

Santapau, H. and Janardhanan, K.P., 1976. The Flora of Saurashtra, 8 (supplement no.1), pp. 1-54.

Schilman, B., Ayalon, A., Bar-Matthews, M., Kagan, E.J. and Almogi-Labin, A., 2002. Sea-Land paleoclimate correlation in the Eastern Mediterranean region during the Late Holocene. Israel Journal of Earth Sciences 51, 181-190.

Schilman, B., Bar-Matthews, M., Almogi-Labin, A. and Luz, B., 2001. Global climate instability reflected by Eastern Mediterranean marine records during the late Holocene. Palaeogeography, Palaeoclimatology, Palaeoecology 176 (1), 157-176.

Schulz, M. and Stattegger, K., 1997. Spectrum: spectral analysis of unevenly spaced paleoclimatic time series. Computers & Geosciences 23 (9), 929-945.

Selvam, V., Ravichandran, K., Gnanappazham, L. and Navamuniyammal, M., 2003. Assessment of community-based restoration of Pichavaram mangrove wetland using remote sensing data. Current Science 85 (6), 794-798.

Shah, S.K. and Chaudhary, V., 2007. Climatic changes during the last 1800 yrs BP from paradise lake, Sela Pass, Arunachal Pradesh, Northeast Himalaya. Current Science 93 (7).

Shi, Z. and Chen, J.Y., 1996. Morphodynamics and sediment dynamics on intertidal mudflats in China (1961-1994). Continental Shelf Research 16 (15), 1909-1926.

Singh, G., 1971. The Indus Valley culture: seen in the context of post-glacial climatic and ecological studies in north-west India. Archaeology & Physical Anthropology in Oceania, 177-189.

Singh, G., Joshi, R., Chopra, S. and Singh, A., 1974. Late Quaternary history of vegetation and climate of the Rajasthan Desert, India. Philosophical Transactions of the Royal Society B: Biological Sciences 267 (889), 467-501.

Singh, G., Joshi, R.D. and Singh, A., 1972. Stratigraphic and radiocarbon evidence for the age and development of three salt lake deposits in Rajasthan, India. Quaternary Research 2 (4), 496-505.

Singh, H., 2003. Marine protected areas in India. Indian journal of marine sciences 32 (3), 226-233.

Singh, K.T., Nayak, G., Fernandes, L.L., Borole, D. and Basavaiah, N., 2014. Changing environmental conditions in recent past-Reading through the study of geochemical characteristics, magnetic parameters and sedimentation rate of mudflats, central west coast of India. Palaeogeography, Palaeoclimatology, Palaeoecology 397, 61-74.

Singh, K.T., Nayak, G.N. and Fernandes, L.L., 2013. Geochemical Evidence of Anthropogenic Impacts in Sediment Cores from Mudflats of a Tropical Estuary, Central West Coast of India. Soil and Sediment Contamination: An International Journal 22 (3), 256-272.

Singh, S.K., 1999. Isotopic and geochemical studies of the Lesser Himalayan sedimentariesGeology Department, PhD, p. 160. M.S. University of Baroda, Vadodara.

Singh, V., Prasad, V. and Chakraborty, S., 2007. Phytoliths as indicators of monsoonal variability during mid-late Holocene in mainland Gujarat, western India. Current Science 92 (12), 1754-1758.

Sinha, R., Smykatz-Kloss, W., Doris, S.B., Harrison, S.P., Berner, Z. and Kramar, U., 2006. Late Quaternary palaeoclimatic reconstruction from the lacustrine sediments of the Sambhar playa core, Thar Desert margin, India. Palaeogeography, Palaeoclimatology, Palaeoecology 233 (3-4), 252-270.

Somayajulu, B., Bhushan, R., Sarkar, A., Burr, G. and Jull, A., 1999. Sediment deposition rates on the continental margins of the eastern Arabian Sea using 210Pb, 137Cs and 14C. Science of the total environment 237, 429-439.

Southon, J., Kashgarian, M., Fontugne, M., Metivier, B. and Yim, W., 2002. Marine reservoir corrections for the Indian Ocean and Southeast Asia. Radiocarbon 44 (167-180).

Sridhar, A., 2007. A mid-late Holocene flood record from the alluvial reach of the Mahi River, Western India. Catena 70 (3), 330-339.

Sridhar, A., 2009. Evidence of a late-medieval mega flood event in the upper reaches of the Mahi River basin, Gujarat. Current Science 96 (11), 1517-1520.

Sridhar, A., Bhushan, R., Balaji, D., Band, S. and Chamyal, L., 2016. Geochemical and Sr–Nd isotopic variations in palaeoflood deposits at mainstem–tributary junction, western India: Implications on late Holocene flood events. Catena 139, 32-43.

Sridhar, A., Chamyal, L.S. and Patel, M., 2014. Palaeoflood record of high-magnitude events during historical time in the Sabarmati River, Gujarat. Current Science 107 (4), 675-678.

Sridhar, A., Laskar, A., Prasad, V., Sharma, A., Tripathi, J.K., Balaji, D., Maurya, D.M. and Chamyal, L.S., 2015. Late Holocene flooding history of a tropical river in western India in response to southwest monsoon fluctuations: A multi proxy study from lower Narmada valley. Quaternary International 371, 181-190.

Srivastava, J., Anjum, F. and Hussain, S.M., 2012. Vegetation history and salinity gradient during the last 3700 years in Pichavaram estuary, India. Journal of Earth System Science 121 (5), 1229-1237.

Srivastava, J. and Farooqui, A., 2013. Late Holocene mangrove dynamics and coastal environmental changes in the Northeastern Cauvery River Delta, India. Quaternary International 298, 45-56.

Staubwasser, M., Sirocko, F., Grootes, P. and Segl, M., 2003. Climate change at the 4.2 ka BP termination of the Indus valley civilization and Holocene south Asian monsoon variability. Geophysical Research Letters 30 (8).

Steinhilber, F., Beer, J. and Fröhlich, C., 2009. Total solar irradiance during the Holocene. Geophysical Research Letters 36 (19), L19704.

Strauss, H., 1997. The isotopic composition of sedimentary sulfur through time. Palaeogeography, Palaeoclimatology, Palaeoecology 132 (1-4), 97-118.

Strauss, H., 2003. Sulphur isotopes and the early Archaean sulphur cycle. Precambrian Research 126 (3), 349-361.

Stuiver, M. and Braziunas, T.F., 1993. Modeling atmospheric (super 14) C influences and (super 14) C ages of marine samples to 10,000 BC. Radiocarbon 35, 137-137.

Stuiver, M., Pearson, G.W. and Braziunas, T., 1986. Radiocarbon age calibration of marine samples back to 9000 cal yr BP. Radiocarbon 28 (2B), 980-1021.

Stuiver, M., Reimer, P.J. and Braziunas, T.F., 1998. High-precision radiocarbon age calibration for terrestrial and marine samples. Radiocarbon 40 (3), 1127-1151.

Sukumar, R., Ramesh, R., Pant, R.K. and Rajagopalan, G., 1993. A □□□C record of late Quaternary climate change from tropical peats in southern India. Nature 364 (6439), 703-706.

Tan, M., Hou, J. and Liu, T., 2004. Sun coupled climate connection between eastern Asia and northern Atlantic. Geophysical Research Letters 31 (7).

Thanikaimoni, G., 1987. Mangrove Palynology. UNDP/UNESCO Regional Project on Training and Research on mangrove Ecosystems, RAS/79/002. French Institute, Pondicherry.

Thode, H., 1970. Sulfur isotope geochemistry and fractionation between coexisting sulfide minerals Mineral. Soc. Amer. Spec. Pap. 3, 133-144.

Tiwari, M., Nagoji, S.S. and Ganeshram, R.S., 2015. Multi-centennial scale SST and Indian summer monsoon precipitation variability since mid-Holocene and its nonlinear response to solar activity. The Holocene 25 (9), 1415-1424.

Tiwari, M., Ramesh, R., Yadava, M.G., Somayajulu, B.L.K., Jull, A.J.T. and Burr, G.S., 2006. Is there a persistent control of monsoon winds by precipitation during the late Holocene? Geochemistry Geophysics Geosystems 7 (3), Q03001.

Tribovillard, N., Algeo, T.J., Lyons, T. and Riboulleau, A., 2006. Trace metals as paleoredox and paleoproductivity proxies: An update. Chemical Geology 232 (1-2), 12-32.

Tripathy, G.R., Singh, S.K. and Ramaswamy, V., 2014. Major and trace element geochemistry of Bay of Bengal sediments: Implications to provenances and their controlling factors. Palaeogeography, Palaeoclimatology, Palaeoecology 397, 20-30.

Tyagi, A.K., Shukla, A.D., Bhushan, R., Thakker, P.S., Thakkar, M.G. and Juyal, N., 2012. Mid-Holocene sedimentation and landscape evolution in the western Great Rann of Kachchh, India. Geomorphology 151, 89-98.

Tyson, R. and Pearson, T., 1991. Modern and ancient continental shelf anoxia: an overview. Geological Society, London, Special Publications 58 (1), 1-24.

Tyson, R.V., 1995. Sedimentary Organic Matter: Organic Facies and Palynofacies. Chapman and Hall, London.

Urban, N., Ernst, K. and Bernasconi, S., 1999. Addition of sulfur to organic matter during early diagenesis of lake sediments. Geochimica et Cosmochimica Acta 63 (6), 837-853.

Urban, N.R., 1994. Retention of Sulfur in Lake Sediments. American Chemical Society, Atlanta.

Van Andel, T.H. and Laborel, J., 1964. Recent high relative sea level stand near Recife, Brazil. Science 145 (3632), 580-581.

Veena, M.P., Achyuthan, H., Eastoe, C. and Farooqui, A., 2014. A multi-proxy reconstruction of monsoon variability in the late Holocene, South India. Quaternary International 325, 63-73.

Velasco Herrera, V.M., Mendoza, B. and Velasco Herrera, G., 2015. Reconstruction and prediction of the total solar irradiance: From the Medieval Warm Period to the 21st century. New Astronomy 34, 221-233.

Velasco, V.M. and Mendoza, B., 2008. Assessing the relationship between solar activity and some large scale climatic phenomena. Advances in Space Research 42 (5), 866-878.

Verma, K.K., 1982. Geology of southern Saurashtra coastlinewith special reference to the miliolite problem. In: S. S. Merh (Ed.) Geology and geomorphology of quaternary terrains of Gujarat with special reference to coastline evolution. Department of Geology, M.S. University of Baroda, Vadodara.

Verma, K.K., Barman, G. and Misra, K.S., 1974. Report on the detailed mapping and investigation to study the extension of the Narmada Fault into coastal Saurashtra

in connection with the selection of site for setting up Atomic Power Station at Balana in Gujarat Geological Society of India.

Verma, K.K. and Mathur, U.B., 1979. Report on the studies on miliolite limestones and associated tertiary and quaternary deposits of Delvada coast, Junagarh district, GujaratProgress report for the field seasons 1973-74 & 75-76. Geological survey of India Western Region.

Verma, K.K. and Moitra, A.K., 1975. Report on the drilling carried out till 18.2.1975 to study the extension of the Narmada-Broach Fault in the coastal Saurashtra in connection with the selection of site for setting up of Atomic Power Station at Balana in Saurashtra, Gujarat State. Geological Society of India.

Verrna, K.K. and Mathur, U.B., 1979. Report on the studies on miliolite limestones and associated tertiary and quaternary deposits of Delvada coast, Junagarh district, GujaratProgress report for the field seasons 1973-74 & 75-76. Geological survey of India Western Region.

Von Rad, U., Schaaf, M., Michels, K.H., Schulz, H., Berger, W.H. and Sirocko, F., 1999. A 5000-yr Record of Climate Change in Varved Sediments from the Oxygen Minimum Zone off Pakistan, Northeastern Arabian Sea. Quaternary Research 51 (1), 39-53.

Vora, K., Wagle, B., Veerayya, M., Almeida, F. and Karisiddaiah, S., 1996. 1300 km long late Pleistocene-Holocene shelf edge barrier reef system along the western continental shelf of India: Occurrence and significance. Marine Geology 134 (1), 145-162.

Vora, K.H., Gaur, A.S. and Tripati, S., 2006. Archaeological sites as indicators of ancient shorelines. In: A. S. Gaur and K. H. Vora (Eds.), Proceedings of the

Seventh Conference on Marine Archaeology of Indian Ocean Countries, pp. 82-86. National Institute of Oceanography, Goa.

Wagle, B., Vora, K., Karisiddaiah, S., Veerayya, M. and Almeida, F., 1994. Holocene submarine terraces on the western continental shelf of India; implications for sea-level changes. Marine Geology 117 (1), 207-225.

Wall, D., Dale, B., Lohmann, G.P. and Smith, W.K., 1977. The environmental and climatic distribution of dinoflagellate cysts in modern marine sediments from regions in the North and South Atlantic Oceans and adjacent seas. Marine Micropaleontology 2, 121-200.

Wanner, H., Beer, J., Buetikofer, J., Crowley, T.J., Cubasch, U., Flueckiger, J., Goosse, H., Grosjean, M., Joos, F. and Kaplan, J.O., 2008. Mid-to Late Holocene climate change: an overview. Quaternary Science Reviews 27 (19), 1791-1828.

Warrier, A.K. and Shankar, R., 2009. Geochemical evidence for the use of magnetic susceptibility as a paleorainfall proxy in the tropics. Chemical Geology 265 (3), 553-562.

Warrier, A.K., Shankar, R. and Sandeep, K., 2014. Sedimentological and carbonate data evidence for lake level variations during the past 3700 years from a southern Indian lake. Palaeogeography, Palaeoclimatology, Palaeoecology 397, 52-60.

Wasson, R.J., Smith, G.I. and Agrawal, D.P., 1984. Late quaternary sediments, minerals and inferred geochemical history of Didwana Lake, Thar Desert, India. Palaeogeography, Palaeoclimatology, Palaeoecology 46 (4), 345-372.

Wickman, F.E., 1952. Variations in the relative abundance of the carbon isotopes in plants. Geochimica et Cosmochimica Acta 2 (4), 243-254.

Williams, M., Dunkerley, D., Deckker, P.D., Kershaw, P. and Chappell, J., 1998. Quaternary environments. Oxford University Press, New York.

Willson, R.C. and Hudson, H.S., 1991. The Sun's luminosity over a complete solar cycle. Nature 351 (6321), 42-44.

Wilson, G.P., Lamb, A.L., Leng, M.J., Gonzalez, S. and Huddart, D., 2005. $\delta^{13}C$ and C/N as potential coastal palaeoenvironmental indicators in the Mersey Estuary, UK. Quaternary Science Reviews 24 (18), 2015-2029.

Wilson, S.A. and Weber, J.H., 1979. An EPR study of the reduction of vanadium (V) to vanadium (IV) by fulvic acid. Chemical Geology 26 (3), 345-354.

Woodroffe, S.A. and Horton, B.P., 2005. Holocene sea-level changes in the Indo-Pacific. Journal of Asian Earth Sciences 25 (1), 29-43.

Yadava, M. and Ramesh, R., 1999. Speleothems-useful proxies for past monsoon rainfall. Journal of Scientific and Industrial Research 58 (5), 339-348.

Yadava, M., Ramesh, R. and Pant, G., 2004. Past monsoon rainfall variations in peninsular India recorded in a 331-year-old speleothem. The Holocene 14 (4), 517-524.

Yallop, M.L., de Winder, B., Paterson, D.M. and Stal, L.J., 1994. Comparative structure, primary production and biogenic stabilization of cohesive and non-cohesive marine sediments inhabited by microphytobenthos. Estuarine, Coastal and Shelf Science 39 (6), 565-582.

Yancheva, G., Nowaczyk, N.R., Mingram, J., Dulski, P., Schettler, G., Negendank, J.r.F., Liu, J., Sigman, D.M., Peterson, L.C. and Haug, G.H., 2007. Influence of the intertropical convergence zone on the East Asian monsoon. Nature 445 (7123), 74-77.

Yang, J., Gao, J., Cheung, A., Liu, B., Schwendenmann, L. and Costello, M.J., 2013. Vegetation and sediment characteristics in an expanding mangrove forest in New Zealand. Estuarine, Coastal and Shelf Science 134, 11-18.

Yu, K.-F., Zhao, J.-X., Wei, G.-J., Cheng, X.-R. and Wang, P.-X., 2005. Mid-late Holocene monsoon climate retrieved from seasonal Sr/Ca and δ18O records of Porites lutea corals at Leizhou Peninsula, northern coast of South China Sea. Global and Planetary Change 47 (2), 301-316.

Zhan, Q., Wang, Z., Xie, Y., Xie, J. and He, Z., 2011. Assessing C/N and $\delta^{13}C$ as indicators of Holocene sea level and freshwater discharge changes in the subaqueous Yangtze delta, China. The Holocene, 0959683611423685.

Zhao, M.-Y. and Zheng, Y.-F., 2015. The intensity of chemical weathering: Geochemical constraints from marine detrital sediments of Triassic age in South China. Chemical Geology 391, 111-122.

Zwartz, D., Bird, M., Stone, J. and Lambeck, K., 1998. Holocene sea-level change and ice-sheet history in the Vestfold Hills, East Antarctica. Earth and Planetary Science Letters 155 (1-2), 131-145.