

List of Figures

Fig. 1.1	Nitrogen cycle.....	2
Fig. 1.2	Topology of the denitrification system.....	5
Fig. 1.3	Conceptual illustration of the distal and proximal controls on denitrifying community and denitrification.....	9
Fig. 1.4	Development of biofilm.....	11
Fig. 1.5	A typical biofilm structure.....	15
Fig. 1.6	Chemical heterogeneity in biofilms.....	16
Fig. 1.7	Active and passive forms of biofilm detachment.....	17
Fig. 1.8	Some most widely used tools to study biofilms in the laboratory.....	18
Fig. 2.1	Most probable number of the denitrifying bacteria in different activated sludge samples.....	41
Fig. 2.2	Abundance of 16S rRNA, <i>nosZ</i> and <i>nirS</i> genes in different sludge samples.....	42
Fig. 2.3	Phylogenetic similarity of isolated denitrifiers.....	45
Fig. 2.4	Rarefaction analysis of <i>nosZ</i> clones from DaS and GS samples.....	47
Fig. 2.5	Distribution of <i>nosZ</i> OTUs.....	48
Fig. 2.6	Phylogenetic tree of translated <i>nosZ</i> sequences.....	50
Fig. 2.7	Nitrous oxide production by <i>Paracoccus</i> sp. W1b and <i>Diaphorobacter</i> sp. D1.....	51
Fig. 2.8	Phylogenetic tree showing position of <i>Paracoccus</i> sp. W1b and <i>Diaphorobacter</i> sp. D1.....	52
Fig. 2.9	Denitrification pattern of <i>Paracoccus</i> sp. W1b and <i>Diaphorobacter</i> sp. D1.....	53
Fig. 2.10	Nitrite accumulation at increasing nitrate concentration.....	54
Fig. 2.11	Influence of C/N ratio.....	55
Fig. 2.12	Denitrification pattern of the isolates obtained from the activated sludge samples.....	58
Fig. 3.1	Brightfield microscopic image of the <i>Paracoccus</i> sp. W1b biofilm.....	84

Fig. 3.2	ESEM image of the <i>Paracoccus</i> sp. W1b biofilm.....	85
Fig. 3.3	Influence of different nutrient concentrations on biofilm formation by <i>Paracoccus</i> sp. W1b.....	86
Fig. 3.4	Nutrient components influencing <i>Paracoccus</i> sp. W1b biofilm formation.....	87
Fig. 3.5	CSLM images of <i>Paracoccus</i> sp. W1b biofilm structure.....	91
Fig. 3.6	ESEM images of <i>Paracoccus</i> sp. W1b biofilm in different media.....	94
Fig. 3.7	Comparison of <i>Paracoccus</i> sp. W1b biofilm structures formed in different media.....	95
Fig. 3.8	Denitrification activity of <i>Paracoccus</i> sp. W1b biofilm in different media.....	96
Fig. 3.9	Effect of EDTA on <i>Paracoccus</i> sp. W1b biofilm formation.....	98
Fig. 3.10	Chelator treatment on <i>Paracoccus</i> sp. W1b biofilm of various ages.....	98
Fig. 3.11	CSLM images of chelator treated biofilm of various ages.....	99
Fig. 3.12	3D image of variously aged biofilm grown in MM2-Mg medium.....	100
Fig. 3.13	Cell surface hydrophobicity of <i>Paracoccus</i> sp. W1b cells.....	101
Fig. 3.14	FAME results of biofilm subpopulation grown in MM2-Mg medium after EDTA treatment.....	103
Fig. 3.15	Biofilm formation by <i>Paracoccus</i> sp. W1b in presence of different nitrite concentrations.....	104
Fig. 3.16	Influence of nitric oxide on <i>Paracoccus</i> sp. W1b biofilm formation.....	105
Fig. 3.17	Influence of nitric oxide on <i>Paracoccus</i> sp. W1b biofilm of various ages.....	105
Fig. 4.1	Laboratory-scale reactor used for biofilm development.....	119
Fig. 4.2	Activity of the biofilm in presence of different carbon sources.....	124
Fig. 4.3	Melt curve of the real time results.....	125
Fig. 4.4	Abundance of <i>nosZ</i> and 16S rRNA genes in the biofilm and effluent....	126
Fig. 4.5	3D projection of the biofilm CSLM images grown in different C sources.....	128
Fig. 4.6	Quantification results of the CSLM images of the biofilm.....	128
Fig. 4.7	DGGE image of the community biofilm.....	131
Fig. 4.8	Moving window analysis of the biofilm community.....	132
Fig. 4.9	FISH images acquired during the biofilm development.....	135

Fig. 4.10 Ratio of *Alcaligenes* sp. and *Paracoccus* sp. to *Pseudomonas* sp.
during biofilm development as analysed by FISH.....136

Fig. 4.11 Ratio of *Paracoccus* sp. to *Pseudomonas* sp. in the biofilm.....137

Fig. 4.12 3D image of the FISH involving probes for *Paracoccus* sp. and
Pseudomonas sp.....138