
List of Figures

Figure 1.1: Anatomy of human eye.	7
Figure 1.2: Structure of cornea	8
Figure 1.3: Classification of proteolytic enzymes.	20
Figure 1.4: Schematic overview of fungal cell wall composition	26
Figure 1.5: Chemical structure of Fumonisin.	33
Figure 1.6: Chemical structure of Trichothecene	35
Figure 1.7: Chemical structure of Zearalenone	37
Figure 1.8: The basic structures of 1,4-naphthoquinone and 1,2-naphthoquinones	40
Figure 1.9: Structure of Naphthoquinones.....	40
Figure 2.1: Morphology and microscopy of CSH1 and CSH2.....	56
Figure 2.2: Morphology and microscopy of CSH3 and CSH5.....	57
Figure 2.3: Morphology and microscopy of CSH6 and CSH7.....	58
Figure 2.4: Morphology and microscopy of CSH8 and CSH9.....	59
Figure 2.5: Morphology and microscopy of CSH10 and CSH11	60
Figure 2.6: Morphology and microscopy of Cc50 and Cc240.....	61
Figure 2.7: Morphology and microscopy of Cc26, Cc119 and CSH4.....	62
Figure 2.8: Morphology and microscopy of Cc52 and Cc61.....	63
Figure 2.9: Morphology and microscopy of Cc167 and Cc215.....	64
Figure 2.10: Morphology and microscopy of Cc172.....	65
Figure 2.11: Representative image of 2% Agarose gel of amplified DNA isolated from different <i>Fusarium</i> isolates	66
Figure 2.12: Phylogeny tree of <i>Fusarium</i> isolates based on ITS gene sequence analysis.....	73
Figure 2.13: Phylogeny tree of <i>Fusarium</i> isolates based on TEF gene sequence analysis	73
Figure 2.14: Structure of the rRNA gene cluster and positions of fungal PCR primers.	78
Figure 2.15: Map of TEF gene region in <i>Fusarium</i> with primer location	79
Figure 3.1: 12% SDS-PAGE gelatine (0.1%) zymogram of crude extracted protease of FSSC isolates.....	106

Figure 3.2: 12% SDS-PAGE gelatine (0.1%) zymogram of crude extracted protease of FSSC isolates.....	107
Figure 3.3: 12% SDS-PAGE gelatine (0.1%) zymogram of crude extracted protease of FSSC isolates.....	108
Figure 3.4: 12% SDS-PAGE gelatine (0.1%) zymogram of crude extracted protease of FDSC isolates.....	108
Figure 3.5: 12% SDS-PAGE gelatine (0.1%) zymogram of crude extracted protease of <i>F. sacchari</i> isolates.....	109
Figure 3.6: 12% SDS-PAGE gelatine (0.1%) zymogram of crude extracted protease of <i>F. incarnatum-equiseti</i> Cc172.....	109
Figure 3.7: Relative gene expression of C7Z7U2, C7Z7NV5, C7YQJ2, C7YVF3, C7YY94, C7Z436 and C7Z6W1 in FSSC isolates.	111
Figure 3.8: Relative gene expression of C7Z7U2, C7Z7NV5, C7YQJ2, C7YVF3, C7YY94, C7Z436 and C7Z6W1 in FSSC isolates.	112
Figure 3.9: Relative gene expression of C7Z7U2, C7Z7NV5, C7YQJ2, C7YVF3, C7YY94, C7Z436 and C7Z6W1 in FSSC isolates.	113
Figure 3.10: Purification of protease using casein agarose affinity column chromatography.	114
Figure 3.11: Silver stained 12% SDS-PAGE of purified fraction 13, 14, 15, 16 and 17.....	115
Figure 3.12: <i>Ex vivo</i> caprine cornea maintained in Dulbecco's modified eagle's medium (DMEM) at days 0, 5, 10, and 15.....	117
Figure 3.13: Cornea before and after MTT induction.....	118
Figure 3.14: Specific absorbance of formazon complex at 570 nm at Day 0, day 5, day 10 and day 15 using MTT assay to assess the viability of cornea.	118
Figure 3.15: Corneal epithelial cells after trypsin treatment.....	119
Figure 3.16: The graph of % viable cells at Day 0, day 5, day10 and day 15 using trypan blue assay.	119
Figure 3.17: <i>Ex vivo</i> cornea infected with Cc61 at day 2, day 4 and day 8...	121
Figure 3.18: Histology of uninfected and infected <i>ex vivo</i> corneas.	121
Figure 3.19: Relative gene expression of the C7Z0E6, C7ZFW9, C7Z7U2, C7ZNV5, and C7YY94 in Cc61.....	122
Figure 3.20: <i>Ex vivo</i> cornea infected with Cc50 at day 2, day 4 and day 8...	124

Figure 3.21: <i>Ex vivo</i> cornea infected with CSH3 at day 2, day 4 and day 8..	124
Figure 3.22: <i>Ex vivo</i> cornea infected with Cs1 at day 2, day 4 and day 8.	125
Figure 3.23: Histology of control and infected <i>Ex-vivo</i> corneas.	125
Figure 3.24: Specific activity estimation using azocasein assay during an <i>ex vivo</i> infection condition.....	126
Figure 3.25: Relative gene expression of the C7Z0E6, C7ZFW9, C7Z7U2, C7ZNV5, and C7YY94 in an <i>ex vivo</i> infection condition.	128
Figure 4.1: Light micrograph of <i>Fusarium</i> mycelia stained with aniline blue.	150
Figure 4.2: Representative TLC plate of Standard β -1,3-glucan and crude β -glucan extracted from <i>Fusarium</i> isolates.	151
Figure 4.3: FTIR spectra of Standard β -1,3-glucan from <i>E. gracilaris</i>	153
Figure 4.4: FTIR spectra of Standard Curdlan.	154
Figure 4.5: FTIR spectra of Standard Laminarin.	154
Figure 4.6: FTIR spectra of crude β -glucan extracted from FSSC CSH1.	154
Figure 4.7: FTIR spectra of crude β -glucan extracted from FSSC CSH2.	154
Figure 4.8: FTIR spectra of crude β -glucan extracted from FSSC CSH3.	155
Figure 4.9: Zoomed FTIR spectra of crude β -glucan extracted from FSSC CSH3 to detect presence of 1 \rightarrow 6 linkage at 1073-1079 cm^{-1}	155
Figure 4.10: FTIR spectra of crude β -glucan extracted from FSSC CSH5. ..	155
Figure 4.11: Zoomed FTIR spectra of crude β -glucan extracted from FSSC CSH5 to detect presence of 1 \rightarrow 6 linkage at 1073-1079 cm^{-1}	156
Figure 4.12: FTIR spectra of crude β -glucan extracted from FSSC CSH6. ..	156
Figure 4.13: FTIR spectra of crude β -glucan extracted from FSSC CSH7. ..	156
Figure 4.14: FTIR spectra of crude β -glucan extracted from FSSC CSH8. ..	157
Figure 4.15: FTIR spectra of crude β -glucan extracted from FSSC CSH9. ..	157
Figure 4.16: FTIR spectra of crude β -glucan extracted from FSSC CSH10. ..	157
Figure 4.17: Zoomed FTIR spectra of crude β -glucan extracted from FSSC CSH10 to detect presence of 1 \rightarrow 6 linkage at 1073-1079 cm^{-1}	158
Figure 4.18: FTIR spectra of crude β -glucan extracted from FSSC CSH11. ..	158
Figure 4.19: Zoomed FTIR spectra of crude β -glucan extracted from FSSC CSH11 to detect presence of 1 \rightarrow 6 linkage at 1073-1079 cm^{-1}	159
Figure 4.20: FTIR spectra of crude β -glucan extracted from FSSC Cs1.	159
Figure 4.21: FTIR spectra of crude β -glucan extracted from FSSC Cs2.	159

Figure 4.22: Zoomed FTIR spectra of crude β -glucan extracted from FSSC Cs2 to detect presence of 1 \rightarrow 6 linkage at 1073-1079 cm^{-1}	160
Figure 4.23: FTIR spectra of crude β -glucan extracted from FSSC Cc50.....	160
Figure 4.24: FTIR spectra of crude β -glucan extracted from FSSC Cc240...	160
Figure 4.25: FTIR spectra of crude β -glucan extracted from FDSC Cc26....	161
Figure 4.26: FTIR spectra of crude β -glucan extracted from FDSC Cc119..	161
Figure 4.27: FTIR spectra of crude β -glucan extracted from FDSC CSH4...	161
Figure 4.28: Zoomed FTIR spectra of crude β -glucan extracted from FDSC CSH4 to detect presence of 1 \rightarrow 6 linkage at 1073-1079 cm^{-1}	162
Figure 4.29: FTIR spectra of crude β -glucan extracted from <i>F.sacchari</i> Cc52	162
Figure 4.30: Zoomed FTIR spectra of crude β -glucan extracted from <i>F.sacchari</i> Cc52 to detect presence of 1 \rightarrow 6 linkage at 1073-1079 cm^{-1}	163
Figure 4.31: FTIR spectra of crude β -glucan extracted from <i>F.sacchari</i> Cc61	163
Figure 4.32: FTIR spectra of crude β -glucan extracted from <i>F.sacchari</i> Cc167	163
Figure 4.33: FTIR spectra of crude β -glucan extracted from <i>F.sacchari</i> Cc215	164
Figure 4.34: FTIR spectra of crude β -glucan extracted from <i>F. incarnatum-equiseti</i> Cc172.....	164
Figure 4.35: Zoomed FTIR spectra of crude β -glucan extracted from <i>F. incarnatum-equiseti</i> Cc172 to detect presence of 1 \rightarrow 6 linkage at 1073-1079 cm^{-1}	164
Figure 4.36: Relative gene expression of G1, G3, G5, G6, FKS1 and GS2 in FSSC isolates	166
Figure 4.37: Relative gene expression of G1, G3, G5, G6, FKS1 and GS2 in FSSC isolates	167
Figure 4.38: Relative gene expression of G1, G3, G5, G6, FKS1 and GS2 in FSSC isolates	168
Figure 4.39: TNF alpha estimation using ELISA in whole blood cells to study the effect of β -glucan	169
Figure 5.1: TLC plate of crude toxin extracted from FSSC Cc240 from day 10 to day 20 in PDB and SDB medium.	186

Figure 5.2: TLC plate of crude toxin extracted from <i>F. sacchari</i> Cc215 grown in PDB and SDB medium from day 10 to day 20.....	187
Figure 5.3: TLC plate of standard ZEA and crude extracted toxin from FSSC Cc50 and Cc240, <i>F. sacchari</i> Cc52, Cc61, Cc167 and Cc215, and <i>F. incarnatum-equiseti</i> Cc172.....	187
Figure 5.4: TLC plate of standard ZEA and crude extracted toxin from FSSC CSH1, CSH2, CSH3, CSH5 and CSH6, and FDSC CSH4.	188
Figure 5.5: TLC plate of standard ZEA and crude extracted toxin from FSSC CSH7, CSH8, CSH9, CSH10, CSH11, Cs1 and Cs2.	189
Figure 5.6: TLC plate of standard ZEA and crude extracted toxin from FSSC Cc50 and Cc240, <i>F. sacchari</i> Cc61, Cc167 and Cc215, and <i>F. incarnatum-equiseti</i> Cc172.....	190
Figure 5.7: TLC plate of standard ZEA and crude extracted toxin from <i>F. sacchari</i> Cc52 and <i>F. incarnatum-equiseti</i> Cc172.	191
Figure 5.8: TLC plate of standard ZEA and crude extracted toxin from FSSC Cs1, Cs2, CSH1, CSH2 and CSH3, and FDSC CSH4.	191
Figure 5.9: TLC plate of standard ZEA and crude extracted toxin from FSSC CSH5, CSH6, CSH7, CSH8, CSH9 and CSH10.	192
Figure 5.10: TLC plate of standard ZEA and crude extracted toxin from FSSC CSH11.....	192
Figure 5.11: TLC plate of standard T2 toxin and crude extracted toxin from FSSC Cc50 and Cc240, <i>F. sacchari</i> Cc52, Cc61, Cc167 and Cc215, and <i>F. incarnatum-equiseti</i> Cc172.....	194
Figure 5.12: TLC plate of standard T2 toxin and crude extracted toxin from FSSC and FDSC isolates grown on corn medium.	195
Figure 5.13: TLC plate of standard T2 toxin and crude extracted toxin from FSSC and FDSC isolates grown on rice medium.	196
Figure 5.14: TLC plate of standard T2 toxin and crude extracted toxin from FSSC Cc50 and Cc240, <i>F. sacchari</i> Cc61, Cc167 and Cc215, and <i>F. incarnatum-equiseti</i> Cc172.....	197
Figure 5.15: TLC plate of standard T2 toxin and crude extracted toxin from <i>F. sacchari</i> Cc52 and <i>F. incarnatum-equiseti</i> Cc172.	198
Figure 5.16: TLC plate of standard T2 toxin and crude extracted toxin from FSSC Cs1, Cs2, CSH1, CSH2 and CSH3, and FDSC CSH4.	199

Figure 5.17: TLC plate of standard T2 toxin and crude extracted toxin from FSSC CSH5, CSH6, CSH7, CSH8, CSH9, CSH10 and CSH11.....	200
Figure 5.18: HPLC chromatogram of standard ZEA toxin.....	203
Figure 5.19: HPLC chromatogram of crude toxin extracted from <i>F. sacchari</i> Cc61 grown in PDB.....	203
Figure 5.20: HPLC chromatogram of crude toxin extracted from <i>F. sacchari</i> Cc61 grown in PDB spiked with 2 ppm std. ZEA toxin.....	204
Figure 5.21: HPLC chromatogram of crude toxin extracted from Cc215 grown in SDB.....	204
Figure 5.22: HPLC chromatogram of crude toxin extracted from Cc240 grown in PDB.....	204
Figure 5.23: HPLC chromatogram of crude toxin extracted from Cc240 grown in SDB.....	205
Figure 5.24: HPLC chromatogram of standard ZEA toxin.....	205
Figure 5.25: HPLC chromatogram of crude toxin extracted from CSH11 grown in SDB.....	205
Figure 5.26: HPLC chromatogram of crude toxin extracted from CSH11 grown in SDB spiked with 2 ppm standard ZEA.....	206
Figure 5.27: HPLC chromatogram of crude toxin extracted from CSH5 grown in PDB.....	206
Figure 5.28: HPLC chromatogram of crude toxin extracted from CSH9 grown in SDB.....	206
Figure 5.29: Mass spectrum of standard ZEA.....	208
Figure 5.30: Mass spectrum of crude toxin extracted from CSH11 grown in SDB.....	209
Figure 6.1: Growth of FSSC Cc240 in different media.....	219
Figure 6.2: TLC plate of extracted pigment from Cc240 from 10 th to 20 th day.....	220
Figure 6.3: TLC plate of extracted pigment from Cc215 from 10 th to 20 th day.....	221
Figure 6.4: TLC plate of extracted pigment from FSSC Cc50, <i>F. sacchari</i> Cc52, Cc61 and Cc167, FDSC Cc26 and Cc119, and <i>F. incarnatum-equiseti</i> Cc172.....	222

Figure 6.5: TLC plate of extracted pigment from FSSC Cs1, Cs2, CSH1, CSH2, CSH3, CSH5 and CSH6.....	223
Figure 6.6: TLC plate of extracted pigment from FSSC CSH7, CSH8, CSH9, CSH10 and CSH11.	224
Figure 6.7: TLC plate of extracted pigment from FSSC Cc240 at 20 th day after treatment with methanolic KOH followed by heating at 80°C.....	225
Figure 6.8: Mass spectrum of fast orange compound in ESI positive mode.	226
Figure 6.9: Structure of 19-oxoandrost-4-ene-3,17- dione.	226
Figure 6.10: Mass spectrum of fast orange compound in ESI positive mode.	226
Figure 6.11: Structure of 3-hydroxy-3-methyl-2-(3,7,11,15-tetramethylhexadec-2-enyl)-2H-naphthalene-1,4-dione.....	227