

**REFERENCES**

1. Abdel-Raheem, A. and Shearer, C.A. (2002) Extracellular enzyme production by freshwater ascomycetes. *Fungal Diversity*. **11**: 1–19.
2. Agrios, G.N., 1997. *Plant Pathology*, 4th ed. Academic Press, San Diego.
3. Alspaugh, J. A., J. R. Perfect, and J. Heitman. (1997) *Cryptococcus neoformans* mating and virulence are regulated by the G-protein alpha subunit GPA1 and cAMP. *Genes Dev*. **11**:3206-17.
4. Alsubaey, A., Sisler, H.D. and Matthews, B.F. (1996) Purification and characterisation of an extracellular phenoloxidase from culture filtrates of *Pyricularia oryzae*. *Canadian Journal of Microbiology*. **42**: 437-445.
5. Ander, P. and Eriksson, K.E.L. (1978) Lignin degradation and utilisation by microorganisms. *Progress in Industrial Microbiology*. **14**: 1-58.
6. Andrews, S.C., Robinson, A.K., and Rodriguez-Quinones, F. (2003) Bacterial iron homeostasis. *FEMS Microbiol Rev*. **27**: 215–237.
7. Aramayo, R. and Timberlake, W. (1990). Sequence and molecular structure of the *Aspergillus nidulans* yA (laccase I) gene. *Nucleic Acids Research*, **18** (11): 3415.
8. Ardon, O., Kerem, Z. and Hadar. Y. (1998) Enhancement of lignin degradation and laccase activity in *Pleurotus ostreatus* by cotton stalk extract. *Can. J. Microbiol*. **44**:676-680.
9. Assavanig, A., Amornkitticharoen, B., Ekpaisal, N., Meevootisom, V. and Flegel, T.M. (1992) Isolation, characterization and function of laccase from *Trichoderma*. *Appl.Microbiol. Biotechnol*. **38**: 198-202.

10. Babujee, L. and Gnanamanickam, S.S. (2000) Molecular tools for characterization of rice blast pathogen (*Magnaporthe grisea*) population and molecular marker-assisted breeding for disease resistance. *Curr. Sci.* **78**: 248.
11. Bagasra, O. and Prilliman, K. R. (2004) RNA interference: the molecular immune system. *J Mol Hist.* **35**:545–553.
12. Banerjee, U.C. and Vohra, R.M. (1991) Production of laccase by *Curvularia* sp. *Folia Microbiol.* **36**: 343–346.
13. Barluzzi, R., Saleppico, S., Nocentini, A., Boelaert, J.R., Neglia, R., Bistoni, F., and Blasi, E. (2002) Iron overload exacerbates experimental meningoencephalitis by *Cryptococcus neoformans*. *J Neuroimmunol.* **132**: 140-146.
14. Bechinger, C., Giebel, K.F., Schnell, M., Leiderer, P., Deising, H.B. and Bestmeyer, M. (1999) Optical measurement of invasive forces exerted by appressoria of a plant pathogenic fungus. *Science.* **285**: 1896-1899.
15. Bell, A. A. and Wheeler, M. H. (1986) Biosynthesis and functions of fungal melanins. *Annu Rev Phytopathol.* **24**: 411–451.
16. Bollag, J. and Leonowicz, A. (1984) Comparative studies of extracellular fungal laccases. *Applied and Environmental Microbiology.* **48**:849-854.
17. Bollag, J.M., Liu, S.Y. and Minard, R.D. (1979) Asymmetric diphenol formation by a fungal laccase. *Applied and Environmental Microbiology.* **38** (1): 90-92.
18. Bonman, J.M., Estrada, B.A., Kim, C.K. and Lee, E.J. (1991) Assessment of blast disease and yield loss in susceptible and partial resistant rice cultivars in two irrigated lowland environments. *Plant Disease.* **75**: 462-466.

19. Bourbonnais, R. and Paice, M.G. (1990) Demethylation and delignification of kraft pulp by *Trametes versicolor* laccase in the presence of ABTS. *Applied Microbial Biotechnology*. **36**: 823-827.
20. Bourbonnais, R., Paice, M.G., Freiermuth, B., Bodie, E. and Borneman, S. (1997a) Reactivities of various mediators and laccases with kraft pulp and lignin model compounds. *Applied and Environmental Microbiology*. **63**: 4627-4632.
21. Bourbonnais, R., Paice, M.G., Leech, D. and Freiermuth, B. (1997b) Reactivity and mechanism of laccase mediators for pulp delignification. *Tappi Proceedings*: 335-338.
22. Bourett, T. M. and Howard, R. J. (1990) In vitro development of penetration structures in the rice blast fungus *Magnaporthe grisea*. *Can. J. Microbiol.* **68**: 329–342.
23. Bradford, M. M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem.* **72**: 248-54.
24. Catalanotto, C., Pallotta, M., ReFalo, P., Sachs, M. S., Vayssie, L., Macino, G., and Cogoni, C. (2004) Redundancy of the two Dicer genes in transgene-induced posttranscriptional genensilencing in *Neurospora crassa*. *Mol Cell Biol* **24**: 2536–2545.
25. Chakraborty, R., Dasgupta, D., Adhya, S. and Basu, M. K. (1999) Cationic liposome-encapsulated antisense oligonucleotide mediates efficient killing of intracellular *Leishmania*. *Biochem.* **340**: 393-396.

26. Chen, X., Liu, W., Zhao, C., Liu, S., Razee, M., Lu, G. and Wang, Z. (2009) Functional analysis of two laccase genes in *Magnaporthe grisea*. *Advances in Genetics, Genomics and Control of Rice Blast Disease*. 51-57.
27. Chen, D. C., Yang, B. C. and Kuo, T. T. (1992) One-step transformation of yeast in stationary phase. *Curr Genet*. **21**:83-4.
28. Chi, J.T., Chang, H.Y., Wang, N.N., Chang, D.S., Dunphy, N. and Brown, P.O. (2003) Genomewide view of gene silencing by small interfering RNAs. *Proc Natl Acad Sci USA*. **100**: 6343–6346
29. Chumley, F.G. and Valent, B. (1990) Genetic analysis of melanin deficient, non pathogenic mutants of *Magnaporthe grisea*. *Mol. Plant Microbe Interact*. **3**: 135-143.
30. Clergeot, P. H., M. Gourgues, J. Cots, F. Laurans, M. P. Latorse, R. Pepin, D. Tharreau, J. L. Notteghem, and M. H. Lebrun. (2001) PLS1, a gene encoding a tetraspanin-like protein, is required for penetration of rice leaf by the fungal pathogen *Magnaporthe grisea*. *Proc Natl Acad Sci USA*. **98**: 6963-8.
31. Cogoni, C. and Macino, G. (1999) Gene silencing in *Neurospora crassa* requires a protein homologous to RNA-dependent RNA polymerase. *Nature*. **399**:166–169.
32. Cooper, R. M., Longman, D., Campbell, A., Henry, M., and Lees, P. E. (1988) Enzymatic adaptation of cereal pathogens to the monocotyledonous primary walls. *Physiol. Mol. Plant Pathol*. **32**:33-47.

33. Cottrell, T.R., and Doering, T.L. (2003) Silence of the strands: RNA interference in eukaryotic pathogens. *Trends Microbiol.* **11**:37–43.
34. Couch, B.C., Fudal, I., Lebrun, M.H., Tharreau, D and Valent, B. (2005) Origins of hostspecific populations of the blast pathogen *Magnaporthe oryzae* in crop domestication with subsequent expansion of pandemic clones on rice and weeds of rice. *Genetics.* **170**:613–30.
35. Crestini, C. and D. S. Argyropoulos. (1998) The early oxidative biodegradation steps of residual kraft lignin models with laccase. *Bioorg Med Chem.* **6**:2161-9.
36. Crowley, T. E., Nellen, W., Gomer, R. H. and Firtel, R. A. (1985) Phenocopy of discoidin I-minus mutants by antisense transformation in *Dictyostelium*. *Cell.* **43**: 633-641.
37. D'Souza, T.M., Boominathan, K and Reddy, C.A. (1996) Isolation of laccase gene specific sequences from white rot and brown rot fungi by PCR. *Appl Environ Microbiol.* **62** (10): 3739-3744.
38. Dantzig, A. E., Zuckerman, S. H., and Andonov-Roland, M. M. (1986) Isolation of a *Fusarium solani* mutant reduced in cutinase activity and virulence. *J. Bacteriol.* **168**:911-916.
39. Darvill, A., Augur, C., Bergmann, C., Carlson, R. W., Cheong, J.J., Eberhard, S., Hahn, M. G., Ló, V. M., Marfà, V., Meyer, B., Mohnen, D., O'Neill, M. A., Spiro, M. D., Van Halbeek, H., York, W. S., and Albersheim, P. (1992) Oligosaccharins - oligosaccharides that regulate growth, development and defence responses in plants. *Glycobiology.* **2**:181-198.

40. De Jong, J.C., McCormack, B.J., Smirnoff N., Talbot, N.J. (1997) Glycerol develops turgor in rice blast. *Nature*. **399**: 244-245.
41. Dean, R. A., and Timberlake, W. E. (1989) Production of cell wall degrading enzymes by *Aspergillus nidulans*: A model system for fungal pathogenesis. *Plant Cell*. **1**:265-273.
42. Dean, R. A., Talbot, N. J., Ebbole, D. J., Farman, M. L., Mitchell, T. K., Orbach, M. J., Thon, M., Kulkarni, R., Xu, J. R., Pan, H., Read, N. D., Lee, Y. H., Carbone, I., Brown, D., Oh, Y. Y., Donofrio, N., Jeong, J. S., Soanes, D. M., Djonovic, S., Kolomiets, E., Rehmeier, C., Li, W., Harding, M., Kim, S., Lebrun, M. H., Bohnert, H., Coughlan, S., Butler, J., Calvo, S., Ma, L. J., Nicol, R., Purcell, S., Nusbaum, C., Galagan, J. E. and Birren, B. W. (2005) The genome sequence of the rice blast fungus *Magnaporthe grisea*. *Nature*. **434**: 980-6.
43. De Backer, M.D., Nelissen, B., Logghe, M., Viaene, J., Loonen, I., Vandoninck, S., de Hoogt, R., Dewaele, S., Simons, F.A., Verhasselt, P., Vanhoof, G., Contreras, R., and Luyten, W. H. (2001) An antisense-based functional genomics approach for identification of genes critical for growth of *Candida albicans*. *Nat Biotechnol*. **19**: 235-241.
44. Dellaporta, S.L., Wood, J. and Hicks, J.B. (1983) A plant DNA miniprep: version 2. *Plant Mol. Biol. Rep.* **1**: 19-22.

45. DeZwaan, T.M., Carroll, A.M., Valent, B., Sweigard, J.A. (1999) *Magnaporthe grisea* Pth11p is a novel plasma membrane protein that mediates appressorium differentiation in response to inductive substrate cues. *Plant Cell*. **11**: 2013–2030.
46. Diamantidis, G., Effosse, A., Potier, P. and Bally, R. (2000) Purification and characterisation of the first bacterial laccase in rhizospheric bacteria, *Azospirillum lipoferum*. *Soil Biol and Biochem*. **32**: 919-927.
47. Dickman, M. B. and Patil, S. S. (1986) Cutinase deficient mutants of *Colletotrichum gloeosporioides* are non-pathogenic to papaya fruit. *Physiol. Mol. Plant. Pathol.* **28**:235-242.
48. Dickman, M. B., Patil, S. S., and Kolattukudy, P. E. (1982) Purification, characterization and role of infection of an extracellular cutinolytic enzyme from *Colletotrichum gloeosporioides* Penz. on *Carica papaya* L. *Physiol. Plant Pathol.* **20**:333-347.
49. Ducros, V., Brzozowski, A.M., Wilson, K.S., Brown, S.H., Ostergaard, P., Schneider, P., Yaver, D.S., Pedersen, A.H. and Davies, G.J. (1998) Crystal structure of the type-2 Copper depleted laccase from *Coprinus cinereus* at 2.2 Å resolution. *Nat Struc Biol.* **5**:310-316.
50. Dufresne, M. and Osbourn, A.E. (2001) Definition of tissue-specific and general requirements for plant infection in a phytopathogenic fungus. *Mol. Plant Microbe Interact.* **14**: 300–307.
51. Ebbole, D. J. (2007) *Magnaporthe* as a model for understanding host-pathogen interactions. *Annu Rev Phytopathol.* **45**:437-56.

52. Edens, W. A., Goins, T. Q., Dooley, D. and Henson, J. M. (1999) Purification and characterization of a secreted laccase of *Gaeumannomyces graminis* var. tritici. *Appl Environ Microbiol.* **65**:3071-4.
53. Eggert, C., LaFayette, P.R., Temp, U., Eriksson, K.L. and Dean, J.F.D. (1998) Molecular analysis of a laccase gene from the white rot fungus *Pycnoporus cinnabarinus* *Appl Environ Microbiol.* **64** (5): 1766-1772.
54. Eggert, C., Temp, U. and Eriksson, K.L. (1996) The ligninolytic system of the white rot fungus *Pycnoporus cinnabarinus*: Purification and characterisation of the laccase. *Appl Environ Microbiol.* **62** (4): 1151-1158.
55. Elbashir, S. M., Harborth, J., Lendeckel, W., Yalcin, A., Weber, K. and Tuschl, T. (2001) Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells. *Nature.* **411**:494-498.
56. Farman, M.L. and Leong, S.A. (1998) Chromosome walking to the AVRI-CO39 avirulence gene of *Magnaporthe grisea*; discrepancy between the physical and genetic maps. *Genetics.* **150**: 1049-1058.
57. Farnet, A.M., Criquet, S., Tagger, S., Gil, G. and Le Petit, J. (2000). Purification, partial characterisation, and reactivity with aromatic compounds of two laccases from *Marasmius quercophilus* strain 17. *Can Journal of Microbiol.* **46**: 189-194.
58. Felby, C. (1998) Measurement of laccase activity by a syringaldazine based assay. Novo Nordisk, Application Development. 1-3.
59. Fernandez-Larrea, J. and Stahl, U. (1996) Isolation and characterisation of a laccase gene from *Podospora anserina*. *Mol. Gen. Genet.* **252**: 539-551.

60. Filazzola, M.T., Sannino, F., Rao, M.A. and Giangreda, L. (1999) Bioremediation and biodegradation: Effect of various pollutants and soil- like constituents on laccase from *Cerrena unicolor*. *Journal of Environmental Quality*. **28**: 1929-1938.
61. Fitzgerald, A., Kan, J.A., and Plummer, K.M. (2004) Simultaneous silencing of multiple genes in the apple scab fungus, *Venturia inaequalis*, by expression of RNA with chimeric inverted repeats. *Fungal Genet Biol*. **41**: 963–971.
62. Froehner, S.C. and Eriksson, K.E.L. (1974) Purification and properties of *Neurospora crassa* laccase. *Journal of Biotechnology*. **120(1)**: 458-465.
63. Fukishima, Y. and Kirk, T.K. (1995) Laccase component of the *Ceriporiopsis subvermispota* lignin-degrading system. *Appl Environ Microbiol*. **61** (2): 872-876.
64. Germann, U.A. and Lerch, K. (1986) Isolation and partial nucleotide sequence of the laccase gene from *Neurospora crassa*: Amino acid sequence homology of the protein to human ceruloplasmin. *Proc. Natl. Acad. Sci. USA*. **83**: 8854-8858.
65. Germann, U.A., Muller, G., Hunziker, P.E. and Lerch, K. (1988) Characterisation of two allelic forms of *Neurospora crassa* laccase. *J. Biol. Chem*. **263** (2): 885-896.
66. Giardina, P., Palmieri, G., Scaloni, A., Fontanella, B., Faraco, V., Cennamo, G. and Sannia, G. (1999) Protein and gene structure of a blue laccase from *Pleurotus ostreatus*. *Biochem. J*. **341**: 655-663.
67. Gilbert, R.D., Johnson, A.M. and Dean, R.A. (1996) Chemical signals responsible for appressorium formation in the rice blast fungus *Magnaporthe grisea*. *Physiol. Mol. Plant Pathol*. **48**: 335-346.

68. Goff, S.A. (1999) Rice as a model for cereal genomics. *Curr. Opin. Plant Biol.* **2**: 86–89.
69. Goodell, B., K. Yamamoto, J. Jellison, M. Nakamura, T. Fujii, and K. Takabe. 1998. Laccase immunolabelling and microanalytical analysis of wood degraded by *Lentinus edodes*. *Holzforschung*. **52**:345-350.
70. Guillen, F., Munoz, C., Gomez-Torbio, V., Martinez, A.T. and Marinez, M.J. (2000) Oxygen activation during oxidation of methoxyhydroquinones by laccase from *Pleurotus eryngii*. *Appl Environ Microbiol.* **66**: 170-175.
71. Hahn, M. G., Bucheli, P., Cervone, F., Doares, S. H., O'Neill, R. A., Darvill, A. G., and Albersheim, P. (1989) Roles of cell wall constituents in plant-pathogen interactions. *Plant-Microbe Interactions: Molecular and Genetic Perspectives.* **3**:131-181.
72. Hamer, J.E., Farrall, L., Orbach, M.J., Valent, B., Chumley, F.G. (1989) Host species specific conservation of a family of repeated DNA sequences in the genome of a fungal plant pathogen. *Proc. Natl. Acad. Sci. USA.* **84**: 9981–9985.
73. Hamer, J.E., Howard, R.J., Chumley, F.G. and Valent, B. (1988) A mechanism for surface attachment in spores of a plant pathogenic fungus. *Science.* **239**: 288-290.
74. Hammond, S. M., Caudy, A. A. and Hannon, G. J. (2001) Post-transcriptional gene silencing by double-stranded RNA. *Nat Rev Genet* **2**:110–119.
75. Harkin, J.M. and Obst, J.R. (1973). Syringaldazine, an effective reagent for detecting laccase and peroxidase in fungi. *Experientia.* **29**: 381-508.

76. Heath, M.C., Howard, R.J., Valent, B., Chumley F.G. (1992) Ultrastructural interactions of one strain of *Magnaporthe grisea* with goosegrass and weeping lovegrass. *Can. J. Bot.* **70**: 779-787.
77. Hissen, A. H., A. N. Wan, M. L. Warwas, L. J. Pinto, and M. M. Moore. (2005) The *Aspergillus fumigatus* siderophore biosynthetic gene sidA, encoding L-ornithine N5-oxygenase, is required for virulence. *Infect Immun.* **73**:5493-503.
78. Hoopes, J. T., and J. F. Dean. (2004) Ferroxidase activity in a laccase-like multicopper oxidase from *Liriodendron tulipifera*. *Plant Physiol Biochem.* **42**:27-33.
79. Horton, P., K. J. Park, T. Obayashi, N. Fujita, H. Harada, C. J. Adams-Collier, and K. Nakai. (2007) WoLF PSORT: protein localization predictor. *Nucleic Acids Res*, **35**:W585-7.
80. Howard, R. J., and Valent. B. (1996) Breaking and entering: host penetration by the fungal rice blast pathogen *Magnaporthe grisea*. *Annu Rev Microbiol.* 50:491-512.
81. Howard, R.J. and Ferrari, M.A. (1989) Role of melanin in appressoria formation. *Exp. Mycol.* **13**: 403-418.
82. Howard, R.J., Ferrari, M.A., Roach, D.H. and Money, N. P. (1991) Penetration of hard surfaces by a fungus employing enormous turgor pressure. *Proc. Natl. Acad. Sci. USA.* **88**: 11281-11284.

83. Hublik, G. and Schinner, F. (2000) Characterisation and immobilisation of the laccase from *Pleurotus ostreatus* and its use for the continuous elimination of phenolic pollutants. *Enzyme and Microbial Technology*. **27**: 330-336.
84. Hutvagner, G. and Zamore, P. D. (2002) RNAi: nature abhors a double-strand. *Curr Opin Genet Dev* **12**:225–232.
85. Iimura, Y., Hartikainen, P. and Tatsumi, K. (1996) Dechlorination of tetrachloroguaiacol by laccase of white-rot basidiomycetes *Coriolus versicolor*. *Applied Microbiol Biotechnology*. **45**(3):434-439.
86. Ikeda R, Sugita T, Jacobson ES and Shinoda T (2003) Effects of melanin upon susceptibility of *Cryptococcus* to antifungals. *Microbiol Immunol* **47**: 271–277.
87. Inouye, M. (1988) Antisense RNA: its functions and applications in gene regulation. *Gene*. **72**: 25-34.
88. Iyer, G. and Chattoo, B. B. (2003) Purification and characterization of laccase from the rice blast fungus, *Magnaporthe grisea*. *FEMS Microbiol Lett*. **227**:121-6.
89. Jackson, A.L., Burchard, J., Schelter, J., Chau, N., Cleary, M., Lim, L., and Linsley, P.S. (2006) Widespread siRNA ‘off-target’ transcript silencing mediated by seed region sequence complementarity. *RNA*. **12**: 1179–1187.
90. Jelitto, T.C., Page, H.A., Read, N.D. (1994) Role of external signals in regulating the pre-penetration phase of infection by the rice blast fungus, *Magnaporthe grisea*. *Planta*. **194**: 471-477.

91. Jeon, J., J. Goh, S. Yoo, M. H. Chi, J. Choi, H. S. Rho, J. Park, S. S. Han, B. R. Kim, S. Y. Park, S. Kim, and Y. H. Lee. (2008) A putative MAP kinase kinase kinase, MCK1, is required for cell wall integrity and pathogenicity of the rice blast fungus, *Magnaporthe oryzae*. *Mol Plant Microbe Interact.* **21**:525-34.
92. Jimenez M, Gonzalez AE, Martinez MJ, Martinez AT and D'ale BE (1991) Screening of yeasts isolated from decayed wood for lignocellulose degrading enzyme activities. *Mycol Res.* **95**: 1299-1302.
93. Jolivalt, C., Raynal, A., Caminade, E., Kokel, B., Le Goffic, F. and Mougou, C. (1999). Transformation of N',N'-dimethyl-N=(hydroxyphenyl)ureas by laccase from the white rot fungus *Trametes versicolor*. *App Microbiol and Biotechnol.* **51**: 676-681.
94. Jönsson, L.J., Saloheimo, M. and Penttilä, M. (1997) Laccase from the white-rot fungus *Trametes versicolor*: cDNA cloning of *lcc1* and expression in *Pichia pastoris*. *Curr. Genet.* **32**: 425-430.
95. Jung, W. H., Sham, A., White, R. and J. W. Kronstad. (2006) Iron regulation of the major virulence factors in the AIDS-associated pathogen *Cryptococcus neoformans*. *PLoS Biol.* **4**: e410.
96. Junghanns, C., Moeder, M., Krauss, G., Martin, C. and Schlosser, D. (2005) Degradation of the xenoestrogen nonylphenol by aquatic fungi and their laccases. *Microbiology.* **151**: 45-57.

97. Kachroo, P., Ahuja, M., Leong, S., Chattoo, B.B. (1997) Organisation and molecular analysis of repeated DNA sequences in the rice blast fungus *Magnaporthe grisea*. *Curr. Genetics*. **31**: 361-369.
98. Kachroo, P., Leong, S. A. and B. B. Chattoo. (1994) Pot2, an inverted repeat transposon from the rice blast fungus *Magnaporthe grisea*. *Mol Gen Genet*. **245**:339-48.
99. Kadotani, N., Nakayashiki, H., Tosa, Y., and Mayama, S. (2003) RNA silencing in the phytopathogenic fungus *Magnaporthe oryzae*. *Mol Plant Microbe Interact*. **16**: 769–775.
100. Kariko, K., Bhuyan, P., Capodici, J., Ni, H. P., Lubinski, J., Friedman, H. and Weissman, D. (2004) Exogenous siRNA mediates sequence-independent gene suppression by signalling through Toll-like receptor 3. *Cells Tissues Organs*. **117**: 132–138.
101. Karlsson, S., Holmbom, B., Spetz, P., Mustranta, A. and Buchert, J. (2001) Reactivity of *Trametes* laccases with fatty and resin acids. *Appl Microbiol Biotechnol*. **55**: 317-320.
102. Khush, G.S., Singh, R. J., Sur, S.C., Librojo, A.L., 1984. Primary trisomics of rice: Origin, morphology, cytology and use in linkage mapping. *Genetics*. **107**: 141-163
103. Kirk, T.K. and Farrell, R.L. (1987). Enzymatic ‘combustion’: the microbial degradation of lignin. *Ann. Rev. Microbiol*. **41**: 465-505.

104. Kojima, Y., Tsukuda, Y., Kawai, Y., Tsukamoto, A., Sugiura, J., Sakaino, M. and Kita, Y. (1990). Cloning, sequence analysis, and expression of ligninolytic phenoloxidase genes of the white-rot basidiomycetes *Coriolus hisutus*. *J. Biol. Chem.* **265** (25): 15224-15230.
105. Kolattukudy, P. E., Rogers, L. M., Li, D., Hwang, C.S. and Flaishman, M. A. 1995. Surface signaling in pathogenesis. *Proc. Natl. Acad. Sci. USA.* **92**:4080-4087.
106. Köller, W., Allan, C. R. and Kolattukudy, P. E. (1982a) Protection of *Pisum sativum* from *Fusarium solani* f. sp. *pisi* by inhibition of cutinase with organophosphorus pesticides. *Phytopathology.* **72**:1425-1430.
107. Köller, W., Allan, C. R. and Kolattukudy, P. E. (1982b) Role of cutinase and cell wall degrading enzymes in infection of *Pisum sativum* by *Fusarium solani* f. sp. *pisi*. *Physiol. Plant Pathol.* **20**:47-60.
108. Komari, T., Hiei, Y., Saito, Y., Murai, N. and Kumashiro, T. (1996) Vectors carrying two separate T-DNAs for cotransformation of higher plants mediated by *Agrobacterium tumefaciens* and segregation of transformants free from selection markers. *The Plant J.* **10**: 165- 174.
109. Kumar, J., Nelson, R.J., and Zeigler, R.S. (1999) Population structure and dynamics of *Magnaporthe grisea* in the Indian Himalayas. *Genetics.* **152**:971-84
110. Kumar, M. and Carmichael, G. G. (1998). Antisense RNA: function and fate of duplex RNA in cells of higher eukaryotes. *Microbiol Mol Biol Rev.* **62**: 1415-1434.

111. Kuss, B. and Cotter, F. (1999). Antisense - time to shoot the messenger. *Ann Oncol.* **10**: 495-503.
112. Lante, A., Crapisi, A., Krastanov, A. and Spettoli, P. (2000) Biodegradation of phenols by laccase immobilised in a membrane reactor. *Process Biochemistry.* **36**: 51-58.
113. Lau, G. and Hamer, J.E. (1996) Regulatory genes controlling MPG1 expression and pathogenicity in the rice blast fungus *Magnaporthe grisea*. *Plant Cell.* **8**: 771-781.
114. Lee, H.Y. and Dean, R.A. (1994) Hydrophobicity of contact surface induces appressorium formation in *Magnaporthe grisea*. *FEMS Lett.* **115**: 71-76.
115. Lee, H.Y. and Dean, R.A. (1993). cAMP regulates infection structure formation in the plant pathogenic fungus *Magnaporthe grisea*. *Plant Cell.* **5**: 693-700.
116. Leem, Y., Kim, S., Ross, I.K. and Choi, H.T. (1999) Transformation and laccase mutant isolation in *Coprinus congregatus* by restriction enzyme-mediated intergration. *FEMS Microbiol Lett.* **172**: 35-40.
117. Lengeler, K. B., Davidson, R. C., D'Souza, C., Harashima, T., Shen, W. C., Wang, P., Pan, X., Waugh, M. and Heitman, J. (2000) Signal transduction cascades regulating fungal development and virulence. *Microbiol Mol Biol Rev.* **64**:746-85.
118. Leonowicz, A., Szklarz, G. and Wojtas-Wasilewka, M. (1985) The effect of fungal laccase on fractionated lignosulphonates (Peritan Na). *Phytochemistry.* **24** (3): 393-396.

119. Leontievsky, A., Myasoedova, N., Pozdnyakova, N. and Golovleva, L. (1997) 'Yellow' laccase of *Panus tigrinus* oxidises non-phenolic substrates without electron-transfer mediators. *FEBS Lett.* **413**: 446-448.
120. Levine, W.G. (1965) Laccase, a review. In: *The biochemistry of copper*, Academic Press Inc., New York: 371-385.
121. Liang, Z. C. (2005) High-throughput screening using genomewide siRNA libraries. *IDrugs* **8**:924–926.
122. Liu, H., Cottrell, T.R., Pierini, L.M., Goldman, W.E., and Doering, T.M. (2002) RNA interference in the pathogenic fungus *Cryptococcus neoformans*. *Genetics.* **160**: 463–470.
123. Liu, L., Tewari, R. P. and Williamson, P. R. (1999) Laccase protects *Cryptococcus neoformans* from antifungal activity of alveolar macrophages. *Infect Immun.* **67**:6034-9.
124. Liu, T., Williams, J. G. and Clarke, M. (1992). Inducible expression of calmodulin antisense RNA in *Dictyostelium* cells inhibits the completion of cytokinesis. *Mol Biol Cell.* **3**: 1403-1413.
125. Liu, Z. and Carmichael, G. G. (1994) Nuclear antisense RNA. *Mol Biotechnol.* **2**: 107-118.
126. Livak, K. J., and Schmittgen, T. D. (2001) Analysis of relative gene expression data using real-time quantitative PCR and the  $2^{-\Delta\Delta Ct}$  method. *Methods.* **25**: 402-408.

127. Lozovaya, V. V., Lygin, A. V., Zernova, O. V., Li, S., Widholm., J. M. and Hartman, G. L. (2006) Lignin degradation by *Fusarium solani* f. sp. *glycines*. Plant Dis. **90**:77-82.
128. Luisa, M., F.C. Goncalves, and W. Steiner. (1996) Purification and characterisation of laccase from a newly isolated wood-decaying fungus. American Chemical Society, chapter 20: 258-263.
129. Machonkin, T.E., Quintanar, L., Palmer, A. E., Hassett, R., Severance, S., Kosman, D. J. and Solomon, E. I. (2001) Spectroscopy and reactivity of the type 1 copper site in Fet3p from *Saccharomyces cerevisiae*: correlation of structure with reactivity in the multicopper oxidases. J Am Chem Soc. **123**: 5507–5517.
130. Mai, C., Schormann, O., Milstein, O. and Huttermann, A. (2000) Enhanced stability of laccase in the presence of phenolic compounds. Applied Microbiol Biotechnology. **54**: 510-514.
131. Maiti, I.B. and Kolattukudy, P.E. (1979) Prevention of fungal infection of plants by specific inhibition of cutinase. Science. **205**: 507-508.
132. Majcherczyk, A., Johannes, C. and Hutterman, A. (1998). Oxidation of polycyclic aromatic hydrocarbons (PAH) by laccase of *Trametes versicolor*. Enzyme and Microbial Technol. **22**: 335-341.
133. Malaga, S. and Yoshida, N. (2001) Targeted reduction in expression of *Trypanosoma cruzi* surface glycoprotein gp90 increases parasite infectivity. Infect Immun. **69**: 353-359.

134. Marques, J.T., and Williams, B. R.G. (2005) Activation of the mammalian immune system by siRNAs. *Nat Biotechnol.* **23**:1399–1405.
135. Mayer, A.M. (1987) Polyphenoloxidases in plants: recent progress. *Phytochemistry.* **26**: 11-20.
136. McDonald, T., Brown, D., Keller, N.P. and Hammond, T.M. (2005) RNA silencing of mycotoxin production in *Aspergillus* and *Fusarium* species. *Mol Plant Microbe Interact.* **18**: 539–545.
137. McKinley, M. J., Guzzo-Pernell, N. and Sinnayah, P. (2000) Antisense oligonucleotide inhibition of angiotensinogen in the brains of rats and sheep. *Methods.* **22**: 219-225.
138. Medvedeva, S., Volchatova, I., Kanitskaya, L., Stupina, E. and Babkin, V. (1995) Oxidative biotransformation of phenol substrates by white rot fungus. 8<sup>th</sup> International symposium on wood and pulping chemistry. **2**: 57-62.
139. Mew, T. (1991) Disease management in rice. *CRC handbook of Pest Management in Agriculture* (2<sup>nd</sup> Ed.) V-III, D. Pimental ed. CRC press, Inc. Boca Raton, Ann Arbor, Boston. *Biological studies. Curr. Harm Des.* **5**: 73-99.
140. Mikuni, J. and Morohoshi, N. (1997) Cloning and sequencing of a second laccase gene from the white-rot fungus *Coriolus versicolor*. *FEMS Microbiol Lett*, **155**: 79-84.
141. Mitchell, D. A., Marshall, T. K. and Deschenes, R. J. (1993) Vectors for the inducible overexpression of glutathione S-transferase fusion proteins in yeast. *Yeast.* **9**:715-22.

142. Mouyna, I., Henry, C., Doering, T.L., and Latge, J.P. (2004) Gene silencing with RNA interference in the human pathogenic fungus *Aspergillus fumigatus*. FEMS Microbiol Lett. **237**: 317–324.
143. Mullins, E.D., Chen, X., Romaine, C.P., Raina, R., Geiser, D.M. and Kang, S. (2001) *Agrobacterium*-mediated transformation of *Fusarium oxysporum*: an efficient tool for insertional mutagenesis and gene transfer. Phytopathology. **91**: 173-180.
144. Nakayashiki, H., Hanada, S., Nguyen, B. Q., Kadotani, N., Tosa, Y. and Mayama, S. (2005) RNA silencing as a tool for exploring gene function in ascomycete fungi. Fungal Genet Biol. **42**:275-83.
145. Nguyen, Q. B., Kadotani, N., Kasahara, S., Tosa, Y., Mayama, S. and Nakayashiki, H. (2008) Systematic functional analysis of calcium-signalling proteins in the genome of the rice-blast fungus, *Magnaporthe oryzae*, using a high-throughput RNA-silencing system. Mol Microbiol. **68**:1348-65.
146. Nishimura, M., Nakamura, S., Hayashi, N., Asakawa, S., Shimizu, N., Kaku, H., Hasebe, A., and Kawaski, S. (1998) Construction of a BAC library of the rice blast fungus *Magnaporthe grisea* and finding specific genome regions in which its transposons tend to cluster. Biosci. Biotechnol. Biochem. **62**: 1515-1521.
147. Nitta, N., Farman, M.L. and Leong, S.A. (1997) Genome organization of *Magnaporthe grisea*; integration of genetic maps, clustering of transposable elements and identification of genome duplications and rearrangements. Theor. Appl. Genet. **95**: 20-32.

148. Oide, S., W. Moeder, S. Krasnoff, D. Gibson, H. Haas, K. Yoshioka, and B. G. Turgeon. (2006) NPS6, encoding a nonribosomal peptide synthetase involved in siderophore-mediated iron metabolism, is a conserved virulence determinant of plant pathogenic ascomycetes. *Plant Cell*. **18**: 2836-53.
149. Ou, S. H. (1985) *Rice Diseases*, second ed. Commonwealth Mycological Institute, Kew, United Kingdom. 109–201.
150. Ou, S. H. (1972) Studies on stable resistance to rice blast disease. In: *Rice Breeding*. International Rice Research Institute Manila Philippines. 227-237.
151. Palmieri, G., Giardina, P., Bianco, C., Scalon, A., Capasso, A. and Sanna, G. (1997) A novel white laccase from *Pleurotus ostreatus*. *J. of Biol. Chem.* **272** (50): 31301-31307.
152. Parsons, K.A., Chumley, F.G. and Valent, B. (1987) Genetic transformation of the fungal pathogen responsible for rice blast disease. *Proc. Natl. Acad. Sci USA* **84**: 4161-4165.
153. Pellier, A. L., R. Lauge, C. Veneault-Fourrey, and T. Langin. (2003) CLNR1, the AREA/NIT2-like global nitrogen regulator of the plant fungal pathogen *Colletotrichum lindemuthianum* is required for the infection cycle. *Mol Microbiol.* **48**:639-55.
154. Peltonen, S. (1995) Comparison of xylanase production by fungal pathogens of barley with special reference to *Bipolaris sorokiniana*. *Mycol. Res.* **99**:717-723.

155. Perez, J., Marinez, J. and De la Rubia, T. (1996) Purification and partial characterisation of a laccase from the white rot fungus *Phanerochaete flavidobialba*. *App Environ Microbiol.* **62**: 4263-4267.
156. Perry, C. M. and Balfour, J. A. (1999) Fomivirsen. *Drugs.* **57**: 375-380.
157. Perry, C.R., Matcham, S.E., Wood, D.A. and Thurston, C.F. (1993a) The structure of lacase protein and its synthesis by the commercial mushroom *Agaricus bisporus*. *J. Gen. Microbiol.* **139**: 171-178.
158. Perry, C.R., Smith, M., Britnell, C.H., Wood, D.A. and Thurston, C.F. (1993b) Identification of two laccase genes in the cultivated mushroom *Agaricus bisporus*. *J. Gen. Microbiol.* **139**: 1209-1218.
159. Persidis, A. (1999) Antisense therapeutics. *Nat Biotechnol.* **17**: 403-404.
160. Petter, R., Kang, B.S., Boekhout, T., Davis, B. J. and Kwon-Chung, K. J. (2001) A survey of heterobasidiomycetous yeasts for the presence of the genes homologous to virulence factors of *Filobasidiella neoformans*, CNLAC1 and CAP59. *Microbiology.* **147**: 2029-2036.
161. Pointing, S.B. and Vrijmoed, L.L.P. (2000) Decolourisation of azo and triphenylmethane dyes by *Pycnoporus sanguineus* producing laccase as the sole phenoloxidase. *World J. of Microbiol and Biotechnol.* **16**: 317-318.
162. Qi, Y. J., Zhong, X. H., Itaya, A. and Ding, B. (2004) Dissecting RNA silencing in protoplasts uncovers novel effects of viral suppressors on the silencing pathway at the cellular level. *Nucleic Acids Res.* **32**:e179.

163. Quoc, N.B., Kadotani, N., Kasahara, S., Tosa, Y., Mayama, S., and Nakayashiki, H. (2008) Systematic functional analysis of calcium signalling proteins in the genome of the rice blast fungus *Magnaporthe oryzae*, using a high-throughput RNA silencing system. *Mol Microbiol.* **68**: 1348–1365.
164. Rao, K.M. (1994) Rice Blast Disease, Daya Publishing House, Delhi, India.1-2.
165. Rappleye, C.A., Engle, J.T., and Goldman, W.E. (2004) RNA interference in *Histoplasma capsulatum* demonstrates a roles for a-(1,3)-glucan in virulence. *Mol Microbiol.* **53**: 153–165.
166. Ratledge, C. and Dover, L. G. (2000) Iron metabolism in pathogenic bacteria. *Annu Rev Microbiol.* **54**: 881–941.
167. Rodriguez, A., Falcon, M. A., Carnicero, A., Perestelo, F., Delafuente, G. and Trojanowski, J. (1996) Laccase activities of *Penicillium chrysogenum* in relation to lignin degradation. *Appl Microbiol Biotechnol.* **45**: 399-403.
168. Saloheimo, M., Niku-Paavola, M.L. and Knowles, J.K.C. (1991) Isolation and structural analysis of the laccase gene from the lignin-degrading fungus *Phlebia radiata*. *Journal of General Microbiology.* **137**: 1537-1544.
169. Sambrook, J., Fritch, E. and Maniatis, T. (1989) *Molecular Cloning: A Laboratory Manual* 2nd edn. Cold Spring Harbor: Cold Spring Harbor Laboratory Press.
170. Sanchez-Amat, A. and Solano, F. (1997) A pluripotent polyphenol oxidase from the melanogenic marine *Alteromonas* sp shares catalytic capabilities of tyrosinases and laccases. *Biochem and Biophy Res Comm.* **240**: 787-792.

171. Schaible, U.E. and Kaufmann, S.H. (2004) Iron and microbial infection. *Nat Rev Microbiol.* **2**: 946–953.
172. Scherer, M. and Fischer, R. (1998) Purification and characterization of laccase II of *Aspergillus nidulans*. *Arch Microbiol.* **170**: 78–84.
173. Schlosser, D., Grey, R. and Fritsche, W. (1997) Patterns of ligninolytic enzymes in *Trametes versicolor*. Distribution of extra and intracellular enzyme activities during cultivation on glucose, wheat straw and beech wood. *App. Microbial Biotechnol.* **47**: 412-418.
174. Schlosser, D., Grey, R. and Fritsche, W. (1997) Patterns of ligninolytic enzymes in *Trametes versicolor*. Distribution of extra and intracellular enzyme activities during cultivation on glucose, wheat straw and beech wood. *App. Microbial Biotechnol.* **47**: 412-418.
175. Schrettl, M., Bignell, E., Kragl, C., Joechl, C., Rogers, T., Arst Jr., H.N., Haynes, K., Haas, H., 2004. Siderophore biosynthesis but not reductive iron assimilation is essential for *Aspergillus fumigatus* virulence. *J. Exp. Med.* **200**: 1213-1219.
176. Sesma, A. and Osbourn, A. E. (2004) The rice leaf blast pathogen undergoes developmental processes typical of root-infecting fungi. *Nature.* **431**: 582-586.
177. Snoeiijers, S.S., A. Perez-Garcia, M.H. Joosten, and P.J. De Wit. (2000) The effect of nitrogen on disease development and gene expression in bacterial and fungal pathogens. *Eur. J. Plant Pathol.* **106**: 493–506.

178. Southerton, S. G., Osbourn, A. E., Dow, J. M., and Daniels, M. J. (1993) Two xylanases from *Gaeumannomyces graminis* with identical N-terminal amino acid sequence. *Physiol. Mol. Plant Pathol.* **42**:97-107.
179. Stoj, C. and Kosman, D. J. (2003) Cuprous oxidase activity of yeast Fet3p and human ceruloplasmin: implication for function. *FEBS Lett.* **554**: 422–426.
180. Sweigard, J. A., Chumley, F. G. and Valent, B. (1992a) Cloning and analysis of *CUT1*, a cutinase gene from *Magnaporthe grisea*. *Mol. Gen. Genet.* **232**:174-182.
181. Sweigard, J. A., Chumley, F. G. and Valent, B. (1992b) Disruption of a *Magnaporthe* cutinase gene. *Mol. Gen. Genet.* **232**:183-190.
182. Talbot, N.J. (1995) Having a blast: exploring the pathogenicity of *Magnaporthe grisea*. *Trends Microbiol.* **3**: 9-16.
183. Talbot, N.J., McCafferty, H. R. K., Ma, M., Moore, K. and Hamer, J. E. (1997) Nitrogen starvation of the rice blast fungus *Magnaporthe grisea* may act as an environmental cue for disease symptom expression. *Physiol. Mol. Plant Pathol.* **50**:179-195.
184. Tanguay, P., Bozza, S. and Breuil, C. (2006) Assessing RNAi frequency and efficiency in *Ophiostoma floccosum* and *O. piceae*. *Fungal Genet Biol.* **43**: 804-812.
185. Tavernarakis, N., Wang, S. L., Dorovkov, M., Ryazanov, A. and Driscoll, M. (2000) Heritable and inducible genetic interference by double-stranded RNA encoded by transgenes. *Nat Genet.* **24**:180–183.

186. Tentler, S., Palas, J., Enderlin, C., Campbell, J., Taft, C., Miller, T. K., Wood, R. L. and Selitrennikoff, C. P. (1997) Inhibition of *Neurospora crassa* growth by a glucan synthase-1 antisense construct. *Curr Microbiol.* **34**: 303-308.
187. Thakker, G.D., Evans, C.S. and Rao, K.K. (1992) Purification and characterisation of laccase from *Monocillium indicum* Saxena. *Applied Microbiol Biotechnol.* **37**: 321-323.
188. Thines, E., Weber, R. W. and Talbot, N. J. (2000) MAP kinase and protein kinase A-dependent mobilization of triacylglycerol and glycogen during appressorium turgor generation by *Magnaporthe grisea*. *Plant Cell.* **12**:1703-18.
189. Thurston, C.F. (1994) The structure and function of fungal laccases. *Microbiology.* **140**: 19-26.
190. Tucker, S.L. and Talbot, N.J. (2001) Surface attachment and pre-penetration stage development by plant pathogenic fungi. *Annu. Rev. Phytopathol.* **39**: 385-417.
191. Tusn'ady, G. E. and Simon, I. (1998) Principles governing amino acid composition of integral membrane proteins: application to topology prediction. *J. Mol. Biol.* **283**: 489–506.
192. Uchiyama, T., Ogasawara, N., Nanba, Y. and Ito, H. (1979) Conidial germination and appressorial formation on the coverglass or cellophane coated with various lipid components of plant leaf waxes. *Agric. Biol. Chem.* **43**: 383-384.
193. Valent, B. (1990) Rice blast as a model system for plant pathology. *Phytopathology.* **80**: 33-36.

194. Valent, B. and Chumley, F.G. (1991) Molecular genetic analysis of the rice blast fungus *Magnaporthe grisea*. *Annu. Rev. Phytopathol.* **29**: 443-467.
195. Wahleitner, J.A., Xu, F., Brown, K.M., Brown, S.H., Golightly, E.J., Halkier, T., Kauppinen, S., Pederson, A. and Schneider, P. (1996) The identification and characterisation of four laccases from the plant pathogenic fungus *Rhizoctonia solani*. *Curr Genet*: **29**: 395-403.
196. Walton, J. D. (1994) Deconstructing the cell wall. *Plant Physiol.* **104**: 1113-1118.
197. Waterhouse, P.M., Graham, H.W. and Wang, M. B. (1998) Virus resistance and gene silencing in plants can be induced by simultaneous expression of sense and antisense RNA. *Proc Natl Acad Sci USA.* **98**:13959–13964.
198. Weber, R.W.S., Wakley, G.E., Thines, E. and Talbot, N.J. (2001) The vacuoles as central element of the lytic system and sink for lipid droplets in maturing appressoria of *Magnaporthe grisea*. *Protoplasma.* **216**: 101-112.
199. Williamson, P. R. (1994) Biochemical and molecular characterization of the diphenol oxidase of *Cryptococcus neoformans* - identification as a laccase. *J Bacteriol.* **176**: 656-664.
200. Williamson, P. R., Wakamatsu, K. and Ito, S. (1998) Melanin biosynthesis in *Cryptococcus neoformans*. *J Bacteriol.* **180**:1570-2.
201. Woloshuk, C. P., Sisler, H. D., Tokousbalides, C. M. and Dutky, S. R. (1980) Melanin biosynthesis in *Pyricularia oryzae*: Site of tricyclazole inhibition and pathogenicity of melanin-deficient mutants. *Pestic. Biochem. Physiol.* **14**: 256-264.

202. Wu, S. C., S. Kauffmann, A. G. Darvill, and P. Albersheim. 1995. Purification, cloning and characterization of two xylanases from *Magnaporthe grisea*, the rice blast fungus. *Mol Plant Microbe Interact.* **8**:506-14.
203. Xu, F., Shin, W., Brown, S. H., Wahleithner, J. A., Sundaram, U. M. and Solomon, E. I. (1996) A study of a series of recombinant fungal laccases and bilirubin oxidase that exhibit significant differences in redox potential, substrate specificity, and stability. *Biochim Biophys Acta.* **1292**: 303–311.
204. Xu, H. and Mendgen, K. (1997) Targeted cell wall degradation at the penetration site of cowpea rust basidiosporelings. *Mol. Plant-Microbe Interact.* **10**:87–94.
205. Xu, F. 1996. Oxidation of phenols, anilines, and benzenethiols by fungal laccases: correlation between activity and redox potentials as well as halide inhibition. *Biochemistry.* **35**:7608-14.
206. Xu, F., Berka, R.M., Wahleithner, J.A., Nelson, B.A., Shuster, J.R., Brown, S.H., Palmer, A.E. and Solomon, E.I. (1998) Site-directed mutations in fungal laccase: effect on redox potential, activity and pH profile. *Biochem. Journal.* **334**: 64-70.
207. Xu, F., Palmer, A.E., Yaver, D.S., Berka, R.M., Gambetta, G.A., Brown, S.H. and Solomon, E.I. (1999). Targeted mutations in a *Trametes villosa* laccase. *J. of Biol. Chem.* **274** (18): 12372-12375.
208. Xu, J. R., Staiger, C. J. and Hamer, J. E. (1998) Inactivation of the mitogen-activated protein kinase Mps1 from the rice blast fungus prevents penetration of host cells but allows activation of plant defense responses. *Proc Natl Acad Sci USA.* **95**:12713-8.

209. Yaver, D.S., Berka, R.M., Brown, S.H. and Xu, F. (2001) Cloning, characterisation, expression and commercialisation of fungal laccases. 8<sup>th</sup> symposium on recent advances in lignin biodegradation and biosynthesis. 40.
210. Zablackis, E., York, W. S., Pauly, M., Hantus, S., Reiter, W.-D., Chapple, C. C. S., Albersheim, P., and Darvill, A. (1996) Substitution of L-fucose by L-galactose in cell walls of *Arabidopsis mur1*. *Science*. **272**: 1808-1810.
211. Zhu XD, Gibbons J, Garcia-Rivera J, Casadevall A and Williamson PR (2001) Laccase of *Cryptococcus neoformans* is a cell wall-associated virulence factor. *Infect Immun*. 69: 5589-5596.
212. Zhu, H., Blackmon, B.P., Sasinowski, M. and Dean, R.A. (1999) Physical map and organization of chromosome 7 in the rice blast fungus, *Magnaporthe grisea*. *Genome Res*. **9**: 739-750.
213. Zhu, H., Choi, S., Johnston, A.K., Wing, R.A. and Dean, R.A. (1997) A large-insert (130kbp) bacterial artificial chromosome library of the rice blast fungus *Magnaporthe grisea* genome analysis, contig assembly, and gene cloning. *Fungal Genet. Biol*. **21**: 337-347.
214. Hoegger, P.J., Kilaru, S., James T. Y., Thacker J. R. and Kues, U. (2006) Phylogenetic comparison and classification of laccase and related multicopper oxidase protein sequences. *FEBS Journal*. **273**: 2308–2326.
215. Valderrama, B., Oliver, P., Medrano-Soto, A. and Vazquez-Duhalt, R. (2003) Evolutionary and structural diversity of fungal laccases. *Antonie van Leeuwenhoek*. **84**: 289–299.