

List of Figures

Figure 1.1. Schematics of arrangement of plant cells and cell wall layers:	10
Figure 1.2. Schematic of distribution of plant cell wall components in cell wall:.....	10
Figure 1.3. Schematic structure of monolignols and their polymer lignin:	12
Figure 1.4. Molecular structure and microfibril arrangements in cellulose:.....	13
Figure 1.5. Schematic representation of different hemicelluloses:.....	15
Figure 1.6. Schematic representation of pectin structure:	15
Figure 1.7. Spatial arrangement of cellulose, hemicellulose and lignin in the plant cell wall:.....	16
Figure 1.8. Anatomy of vascular bundle in sugarcane stem section:.....	18
Figure 2.1. Representative images of primary (qualitative) screening for xylanase, pectinase and cellulase enzymes:.....	52
Figure 2.2. Summary of qualitative screening for polysaccharide hydrolase production by the bacterial isolates:.....	54
Figure 2.3. Secondary (quantitative) screening of xylanase and pectinase activities:	57
Figure 2.4. Representative brightfield micrographs of isolate J208:	58
Figure 2.5. Representative image of 16S rRNA gene amplification and ARDRA pattern:.....	60
Figure 2.6. Dendrograms of 54 selected isolates with three type strains <i>B. safensis</i> FO-36b ^T , <i>B. altitudinis</i> 41KF2b ^T and <i>B. pumilus</i> ATCC 7061 ^T :.....	61
Figure 2.7. Phylogenetic tree based on 16S rRNA gene sequences of the seven isolates and closely related type strains:.....	63
Figure 2.8. <i>gyrB</i> gene amplification and restriction digestion pattern analysis of the seven closely related type strains:.....	65
Figure 2.9. Dendrogram of seven isolates and three type strains <i>B. safensis</i> FO-36b ^T , <i>B. altitudinis</i> 41KF2b ^T and <i>B. pumilus</i> ATCC 7061 ^T based on the RFLP analysis of <i>gyrB</i> gene:.....	66
Figure 2.10. Phylogenetic tree of seven selected <i>Bacillus</i> spp. with their closely matched type strains:67	
Figure 2.11. Representative images of isolates showing antibiotic sensitivity tests:.....	71
Figure 2.12. Crude xylanase and pectinase activities of <i>B. safensis</i> M18, M33 & M35 and <i>B. altitudinis</i> R30, R31, J208 & J216 at different pH:	72
Figure 2.13. Crude xylanase and pectinase activities of <i>B. safensis</i> M18, M33 & M35 and <i>B. altitudinis</i> R30, R31, J208 & J216 at different temperatures:	72
Figure 2.14. Scanning electron micrograph of selected three isolates:.....	73
Figure 2.15. Time course production of xylanase and pectinase enzymes:	74
Figure 2.16. Growth curve of selected three isolates:	75
Figure 3.1. Saccharification of raw agrowaste biomass by individual pectinase, xylanase and commercial cellulase:	85
Figure 3.2. Saccharification of raw agrowaste biomass by CX cocktail:	87
Figure 3.3. Saccharification of raw agrowaste biomass by CP cocktail:.....	89
Figure 3.4. Saccharification of raw agrowaste biomass by PX cocktail:.....	92
Figure 3.5. Saccharification of raw agrowaste biomass by CPX cocktail:	94
Figure 3.6. Scanning electron micrograph of raw Barley husk:	97
Figure 3.7. Scanning electron micrograph of raw Sugarcane bagasse:	98
Figure 3.8. Scanning electron micrograph of raw Wheat Husk:	99

Figure 3.9. FTIR spectra of raw, commercial cellulase treated and J208 CPX cocktail treated agrowaste biomass:.....	101
Figure 4.1. Visible morphological differences in raw and PSCB biomass:.....	117
Figure 4.2. Release of % SRS in pretreatment filtrate from raw and PSCB:.....	119
Figure 4.3. Representative chromatographs of TLC analysis for pretreatment filtrates:	119
Figure 4.4. Representative chromatographs of HPLC analysis for pretreatment filtrates:	120
Figure 4.5. Loss in dry weight (%) from raw and pretreated biomass:	121
Figure 4.6. Contour plots representing release of reducing sugar and dry weight loss at different loading values of biomass and chemicals:.....	123
Figure 4.7. FTIR spectra of raw and PSCB biomass fragments:	126
Figure 4.8. Scanning electron micrographs of raw SCB and PSCB biomass fragments:	128
Figure 4.9. Digestibility of cellulose from raw and PSCB by commercial cellulase:	131
Figure 4.10. Digestibility of xylan from raw and PSCB by crude xylanases:	132
Figure 4.11. Digestibility of pectin from raw and PSCB by crude pectinases:	134
Figure 4.12. Microscopy of DW treated sugarcane pith section depicting stained cell wall:	138
Figure 4.13. Microscopy of safranin stained raw (untreated) sugarcane transverse section depicting stained cell wall after incubation with cellulase:	139
Figure 4.14. Microscopy of safranin stained autoclaved sugarcane cell wall before and after incubation with cellulase:.....	140
Figure 4.15. Microscopy of safranin stained steam exploded sugarcane cell wall before and after incubation with cellulase:	141
Figure 4.16. Microscopy of safranin stained NH ₄ OH sugarcane cell wall before and after incubation with cellulase:.....	142
Figure 4.17. Microscopy of safranin stained NaOH treated sugarcane cell wall:	143
Figure 5.1. Saccharification of raw and pretreated SCB by additive PX cocktails:	153
Figure 5.2. Saccharification of raw and pretreated SCB by additive CX cocktail:	155
Figure 5.3. Saccharification of raw and pretreated SCB by additive CP cocktail:	157
Figure 5.4. Saccharification of raw and pretreated SCB by additive CPX cocktail:	159
Figure 5.5. Saccharification of raw and pretreated SCB by substitutive cocktails:	165
Figure 5.6. Comparison between PSCB saccharification by substitutive and additive cocktails:	167
Figure 5.7. FTIR spectra of PSCB biomass solids before and after enzymatic saccharification:.....	169
Figure 5.8. Scanning electron micrographs of PSCB after enzymatic hydrolysis with cellulase and substituted CPX cocktail:	170
Figure 6.1. Activity of crude xylanases from three <i>Bacillus</i> isolates on xylan:	187
Figure 6.2. Activity of crude pectinases from three <i>Bacillus</i> isolates on pectin:.....	188
Figure 6.3. SDS-PAGE and zymogram analysis for crude xylanase enzymes:.....	190
Figure 6.4. SDS-PAGE and zymogram analysis for crude pectinase enzymes:.....	191
Figure 6.5. Contour plots of % relative xylanase activity based on the data of Table 6.5:.....	195
Figure 6.6. Effect of temperature on stability of xylanases from three <i>Bacillus</i> isolates:	198
Figure 6.7. Effect of pH on stability of crude xylanases from three <i>Bacillus</i> isolates:.....	200
Figure 6.8. Action of crude xylanases of selected <i>Bacillus</i> isolates on viscosity of xylan:	201
Figure 6.9. TLC analysis for breakdown of polymers by xylano-pectinolytic enzymes:	203

Figure 6.10. HPLC analysis of xylan hydrolysis by xylanase from individual isolates:	204
Figure 7.1. Growth of <i>Bacillus</i> cultures on BHM-YEP medium supplemented with and without individual substrates:	216
Figure 7.2. Xylanase production by <i>Bacillus</i> isoaltes on BHM-YEP medium with and without individual substrates:	217
Figure 7.3. Pectinase production by <i>Bacillus</i> isolates on BHM-YEP medium with and without individual substrates:	218
Figure 7.4. Screening of substrates for induction of xylanases and pectinases individually:	220
Figure 7.5. WB induced xylanase and pectinase activities:	223
Figure 7.6. CP induced xylanase and pectinase activities:	224
Figure 7.7. Effect of CP and WB on concurrent production of xylanase-pectinase enzymes:	225
Figure 7.8. Contour plots exhibiting effects of WB and CP on xylanase production response from three <i>Bacillus</i> strains:	229
Figure 7.9. Contour plots exhibiting effects of WB and CP on pectinase production response from three <i>Bacillus</i> strains:	230
Figure 7.10. Desirability plots for optimized responses of xylanase and pectinase production from three <i>Bacillus</i> strains obtained through numerical optimization:	231
Figure 7.11. Overlay plots for optimized responses of xylanase and pectinase production from three <i>Bacillus</i> strains obtained through graphical optimization:	232
Figure 7.12. Xylanase-pectinase production by the three <i>Bacillus</i> strains and their growth on optimized production medium.	235

List of Tables:

Table 1.1. The contents of cellulose, hemicellulose, and lignin in common agricultural residues and wastes:	11
Table 1.2. Cellulases, the reactions they catalyze and released end-products:	19
Table 1.3. Xylanases, the reactions they catalyze and released end-products:	20
Table 1.4. Pectinases, the reaction they catalyze and released end-products:	21
Table 1.5. Literature survey of xylanase-pectinase and cellulase producing <i>Bacillus</i> spp. in span of 2017-18:	23
Table 1.6. Commercial enzymes available for biomass saccharification studies:	25
Table 1.7. Comparison of advantages and disadvantages of pretreatments:	26
Table 1.8. % Saccharification or glucan and xylan conversion of different pretreated biomass by different enzyme preparation commercial enzyme preparations:	28
Table 2.1. List of some polysaccharide degrading enzymes reported from diverse sources:	36
Table 2.2. Sampling details- source of samples and specifications for sample collection:	50
Table 2.3. Distribution of plant polysaccharide degrading isolates obtained from individual samples:	50
Table 2.4. Bacterial isolates showing xylanase and pectinase activities above cut-off level from different samples:	58
Table 2.5. Morphological and microscopic characteristics observed for isolates:	59
Table 2.6. <i>Bacillus</i> spp. reported for production of xylanase, pectinase and cellulase enzyme(s):	59
Table 2.7. Accession numbers assigned by NCBI to submitted gene sequences:	67
Table 2.8. Growth phenotypes of selected seven isolates and three type strains:	68
Table 2.9. Biochemical phenotypes of selected seven isolates and three type strains:	69
Table 2.10. Antibiotic sensitivity test for seven isolates and three type strains:	70
Table 3.1. % Saccharification and fold increase in % Saccharification (Degree of Synergism, DS) by cellulase and xylanase combinations:	88
Table 3.2. % Saccharification and fold increase in % Saccharification (Degree of Synergism, DS) by cellulase and pectinase combinations:	90
Table 3.3. % Saccharification and fold increase in % Saccharification (Degree of Synergism, DS) by pectinase and xylanase combinations:	91
Table 3.4. % Saccharification and fold increase in % Saccharification (Degree of Synergism, DS) by cellulase, pectinase and xylanase combinations:	93
Table 3.5. % Saccharification of agrowaste biomass with 1N HCl:	95
Table 3.6. FTIR absorbance bands observed for plant biomass in range of wavenumber 400-1800 cm ⁻¹ and the functional groups or bands to which they are attributed:	100
Table 4.1. S/L and S/CR loading ratios for different physicochemical pretreatments:	115
Table 4.2. % Solubles released from biomass other than SRS during different pretreatments:	124
Table 4.3. % Saccharification observed from PSCB by individual cellulase, xylanase or pectinase enzymes:	135
Table 4.4. Biomass saccharification by xylanase and pectinase from bacterial isolates:	136
Table 5.1. % Saccharification and DS by various additive combinations of commercial cellulase, M35-xylanase-and M35-pectinase:	161
Table 5.2. % Saccharification and DS by various additive combinations of commercial cellulase, R31-xylanase and R31-pectinase:	161

Table 5.3. % Saccharification and DS by various additive combinations of commercial cellulase, J208-xylanase and J208-pectinase:	162
Table 5.4. Maximum saccharification observed for each additive cocktail from different PSCB biomass:.....	163
Table 5.5. Comparison of % saccharification by individual xylanase and pectinase enzymes with substitutive xylanase and substitutive pectinase cocktail:	164
Table 5.6. Saccharification and DS by various substitutive combinations of commercial cellulase and xylanase-pectinase enzymes from three isolates together:	166
Table 5.7. Saccharification of pretreated agrowaste biomass by diverse enzyme cocktails:	171
Table 6.1. List of modulators studied for their effects on xylanase activities:	184
Table 6.2. Enzyme activities of commercial cellulase, crude xylanase and pectinase enzymes from <i>B. safensis</i> M35, <i>B. altitudinis</i> R31 and <i>B. altitudinis</i> J208:.....	186
Table 6.3. General composition of birchwood and beechwood xylan (Source: Megazyme):	186
Table 6.4. Kinetic parameters of xylanase enzymes from <i>Bacillus</i> isolates on Birchwood and Beechwood xylan:	193
Table 6.5. Comparison of % relative xylanase activities from three isolates at different temperature and pH incubations:	194
Table 6.6. E_a values calculated below and above inflexion points for xylanases:	196
Table 6.7. $t_{1/2}$ values of xylanase enzymes from the three <i>Bacillus</i> isolates:.....	199
Table 6.8. Rate of viscosity decrease (r_{vd}) and end-product accumulation (r_{epa}) by xylanase enzyme from three selected <i>Bacillus</i> isolates:	202
Table 6.9. Effect of modulators on activity of xylanases from selected <i>Bacillus</i> strains:	206
Table 7.1. 2^2 -CCD of 11 runs with actual values of selected variables:.....	213
Table 7.2. Volumetric rate of enzyme production on different inducer substrates:.....	221
Table 7.3. Specific rate of enzyme production on different inducer substrates:.....	222
Table 7.4. Volumetric rate of xylanase and pectinase production on inducer substrates:	226
Table 7.5. Specific rate of xylanase and pectinase production on inducer substrates:	226
Table 7.6. Xylanase and pectinase production by selected <i>Bacillus</i> spp. in individual runs of the CCD:	227
Table 7.7. Point prediction for validation of the selected quadratic model:	233
