

## BIBLIOGRAPHY

- Abe, H., Miyahara, E. and Yamana, K. 1972. Synthesis of alkaline phosphatase in embryonic cells during aggregate formation. Nature New Biol., 235: 254-256.
- Aer, J., Halme, J., Kivirikko, K.I. and Laitinen, O. 1968. Action of growth hormone on the metabolism of collagen in rat. Biochem. Pharmacol., 17: 1173-1180.
- Anton, H.J. 1961. Zur frage der Aktivierung der Gewebe im Extremitätenstumpf bei Urodelen vor der Blastembildung. Arch. f. Entw-mech., 153: 363-369.
- Anton, H.J. 1965. The origin of blastema cells and protein synthesis during forelimb regeneration in Triturus. In: Regeneration in animals and related problems. ed. V. Kiorstsis and H.A.L. Trampusch, pp.377-395. Amsterdam, North Holland.
- Balek, R.W. and Chan, T.H.C. 1969. LDH isozyme changes in tail and forelimb regeneration in two species of salamander. Am. Zool., 9: 611-612.
- Banerjee, A.B. and Ganguli, N.C. 1962. Metabolic studies on scorbutic guinea pigs. 2. Hepatic glycogen synthesis in vitro and in vivo. J. Biol. Chem., 237: 14-18.

- Benerjee, S. and Ghosh, N.C. 1947. Relation of scurvy to glucose tolerance test, liver glycogen and insulin content of pancreas in guinea pigs. J. Biol. Chem., 168: 207-211.
- Bantle, J.A. and Tassava, R.A. 1974. The neurotrophic influence on RNA precursor incorporation into polyribosomes of regenerating adult newt forelimbs. J. Exp. Zool., 189: 101-114.
- Barber, L.W. 1944. Correlations between wound healing and regeneration in forelimbs and tails of lizards. Anat. Rec., 89: 441-453.
- Barnes, M.J. and Kodicek, E. 1972. Biological hydroxylations and ascorbic acid with special regard to collagen metabolism. Vitamin and Hormones. 30 Ed. R.S. Harris, P.L. Munson, J. Glover and E. Dkzfalusy.
- Becker, R.O., 1961a. The bioelectric factors in amphibian limb regeneration. J. Bone and Joint Surg., 43 : 643-656.
- Becker, R.O. 1961b. Search for evidence of axial current flow in peripheral nerves of salamander. Science, 134: 101-102.
- Bennet, A.F. 1972a. A comparison of activities of metabolic enzymes in lizards and rats. Comp. Biochem. Physiol., 42: 637-647.

- Bennet, A.F. 1972b. The effect of activity on oxygen consumption oxygen debt and heart rate in the lizards Varanus gouldii and Sauromalus hispidus. J. Comp. Physiol., 79: 259-280.
- Bennet, A.F. and Dawson, W.R. 1972. Aerobic and anaerobic metabolism during activity in the lizard, Dipsosaurus dorsalis. J. Comp. Physiol., 81: 289-299.
- Bennet, A.F. and Dawson, W.R. 1973. Metabolism. In: Biology of the reptilia. (ed. by Gans. C.), Physiology A, Vol. 5. Academic Press, New York.
- Bennet, A.F. and Licht, P. 1972. Anaerobic metabolism during activity in the lizards. J. Comp. Physiol., 81: 277-288.
- Biswas, N.M. 1969. Ascorbic acid biosynthesis of toad kidney as related to experimental alteration of pituitary gonadotropic hormone. Life Sciences, 8: 363-368.
- Bodemer, C.W. 1964. Evocation of regrowth phenomena in anuran limbs by electrical stimulation of the nerve supply. Anat. Rec., 148: 441-458.

- Borgens, R.B., Vanahle Jr., J.W. and Jaffee, L.F. 1977.  
Bioelectricity and regeneration: 1. Initiation  
of frog limb regeneration by minute currents.  
J. Exp. Zool., 200: 403-416.
- Borgens, R.B., Vanable Jr., J.W. and Jaffee, L.F. 1979.  
Small artificial current enhance Xenopus limb  
regeneration. J. Exp. Zool., 207: 217-226.
- Borghese, E. 1957. Recent histochemical results of  
studies of embryos of some birds and mammals.  
Int. Rev. Cytol., 6: 289-341.
- Bornstein, J. 1972. Relation of the structure of human  
growth hormone to the control of carbohydrate and  
fat metabolism. In: Growth and Growth hormone,  
Proceedings of the second international symposium  
on growth hormone. Milan, May, 5-7, 1971. ed.  
Pecile, A. and Muller, E.E. Excerpta Medica,  
Amsterdam. pp. 68-74.
- Brachet, J. 1950. "Chemical embryology". New York.  
(Cited from A.E. Needham, 1952).
- Bratcher, J.B. and Kent, G.C. 1971. Ascorbic acid depletion  
activity of the pituitary of the female Anole. Proc.  
Soc. Exp. Biol. Med., 136: 839-841.

- Bromley, S.C. 1977. Accumulation of Glucocorticoids in regenerating areas of limbs of the newt, Notophthalmus viridescens. J. Exp. Zool., 201:101-108.
- Brown, J.H.U. 1978. Integration and coordination of metabolic processes. A systems approach to endocrinology. Van Nostrand Reinhold Company, New York.
- Buchanan, W.E. and Schartz, T. B. 1967. Lysosomal enzyme activity in heart and skeletal muscle of cortisone treated rats. Am. J. Physiol., 212: 732-736.
- Burstone, M.S. 1962. In: Enzyme histochemistry and its applications in the study of neoplasm. Academic Press, New York.
- Candlish, J. and Chandra, N. 1967. Studies of the chemical composition of a healing skin wound in rats and of the concentration of some constituents of tissues distant from the healing wound. Biochem. J., 102: 767-773.
- Chakko, T.V. 1968. Ph.D. thesis entitled, "A histological and histochemical study of the normal and regenerating tail of the house lizard (Hemidactylus flaviviridis), submitted to the M.S. University of Baroda, Baroda-2, India.

- Chandola, A., Kumar, D.S. and Thapliyal, J.P. 1974a.  
Metabolic response to male hormone and thyroid activity in the Indian garden lizard, Calotes versicolor. J. Endocrinol., 61: 285-291.
- Chandola, A., Kumar, D.S. and Thapliyal, J.P. 1974b.  
Thyroid activity and oxidative metabolism in a species of gecko (Hemidactylus flaviviridis, Ruppel) in relation to sex hormones. J. Endocrinol., 63: 191-199.
- Chatterjee, I.B. 1970. Biosynthesis of L ascorbate in animals. Methods Enzymol., 18: 28-34.
- Chatterjee, I.B. 1973. Evolution and the biosynthesis of ascorbic acid. Science, 182: 1271-1272.
- Chatterjee, I.B., Kar, N.C., Ghosh, N.C. and Guha, B.C. 1961. Biosynthesis of L-ascorbic acid: Missing steps in animals incapable of synthesising the vitamin. Nature, 192: 163-164.
- Christensen, H.N., Rothwell, J.T., Sears, R.A. and Streicher, J.A. 1948. Association between rapid growth and elevated cell concentrations of amino acids. 2. In regenerating liver after partial hepatectomy in the rat. J. Biol. Chem., 175: 101-106.

- Christensen, H.N., Thompson, D.H., Markel, S. and Sidky, M. 1958. Decreasing "Amino acid hunger" of human muscle with age. Proc. Soc. Exptl. Biol. Med., 99: 780-782.
- Connelly, T.G., Goldstein, A.M. and Yamada, T. 1974. Influence of hypophysectomy and starvation on blood glucose levels in newt, Notophthalmus viridescens. J. Exp. Zool., 188: 367-373.
- Cottingham, E., and Mills, C.A. 1943. Influence of environmental temperature and vitamin-deficiency upon phagocytic functions. J. Immunology, 47: 493-502.
- Cox, P.G. 1969. Some aspects of tail regeneration in the lizard, Anolis carolinensis. 1. A description based on histology and autoradiography. J. Exp. Zool., 171: 127-150.
- Dawson, W. and West, G.B. 1965. The influence of ascorbic acid on histamine metabolism in guinea pigs. Brit. J. Pharmacol., 24: 725-734.
- Dearlove, G.E. and Stocum, D.L. 1974. Denervation-induced changes in soluble protein content during forelimb regeneration in the adult newt Nothphthalmus viridescens. J. Exp. Zool., 190: 317-328.

- De Both, N.J. 1970. The developmental potencies of the regeneration blastema of the axolotl limb: Wilhelm. Roux. Archiv., 165: 242-276.
- De Coninck, L., Denuse, M., Dierckx, Fr., and Janssens, M. 1956. Acides ribonucleique hormone somatotrope, et regeneration chez Triturus (Urodeles). Ann. Soc. Roy. Zool., Belgique., 86: 191-234.
- De Duve, C., and Wattiaux, R. 1966. Functions of lysosomes. Ann. Rev. Physiol., 28: 435-492.
- Degroot, N. and Cohen, P.P. 1962. Studies on dehydrogenase activities during amphibian metamorphosis. Biochim. Biophys. Acta. 59: 588-594.
- Delescluse, C., Fukuyama, K. and Epstein, W.L. 1976. Dibutyryl - cyclic AMP induced differentiation of epidermal cells in tissue culture. J. invest. Derm., 66: 8-13.
- De Nicola, A.F., Clayman, M. and Johnstone, R.M. 1968. Hormonal control of ascorbic acid transport in rat adrenal glands. Endocrinology, 82: 436-446.
- Deuchar, E.M., 1966. In Biochemical aspects of amphibian development. Methuen's Monographs. (Methuen and Co. Ltd. London).

Deuchar, E.M., Weber, R., and Lehmann, F.E. 1957.

Differential changes of catheptic activity in regenerating tails of Xenopus larvae related to protein breakdown and total nitrogen. Helv. Physiol. Acta., 15: 212-229.

Dieter, M.P. 1969. Hormonal control of the synthesis and distribution of ascorbic acid in Cockerels (Gallus domesticus). Proc. Soc. Exp. Biol. Med., 130: 210-213.

Dorfman, A. and Schiller, S. 1958. Effects of hormones on the metabolism of acid mucopolysaccharides of connective tissue. Recent. progr. Hormone Res., 14: 427-453.

Dyson, M. and Joseph, J. 1968. The effect of androgens on tissue regeneration. J. Anat., 103: 491-505.

Einhauser, M. 1939. Giftwirkung der Schlafmittel und Nebennierenrinde. Klin. Wochenschrift., 18:423-427.

Engel, W.K. 1961. Cytological localization of glycogen in cultured skeletal muscle. J. Histochem. Cytochem., 9: 38-43.

Faber, J. 1965. Autonomous morphogenetic activities of the amphibian regeneration blastema. In: Regeneration in animals and related problems. Eds. Kiortsis, V. and H.A.L. Trampusch. pp.404-419. Amsterdam, North Holland..

- Fabro, S.P. and Rinaldini, L.M. 1965. Loss of ascorbic acid synthesis in embryonic development. Develop. Biol., 11: 468-488.
- Falin, L.I. 1961. Glycogen in the epithelium of mucous membranes and skin and its significance. Acta Anat., 46: 244-276.
- Farrar, W.W. and Bush, F.M. 1969. Isozymic structure and pyruvate inhibition of lactate dehydrogenase of ventricle, pectoralis muscle and cerebrum during morphogenesis of the house sparrow, Passer domesticus. Comp. Biochem. Physiol., 29: 89-108.
- Fitzgerald, P.J. 1970. Biochemical mechanisms involved in regeneration. Fed. Proc., 29: 1429-1432.
- Folin, O. and Malmros, H. 1929. An improved form of Folin's microchemical method for blood sugar determination. J. Biol. Chem., 83: 115-120.
- Freedland, R.A., Avery, E.H. and Taylor, A.R. 1968. Effect of thyroid hormones on metabolism. 2. The effect of adrenalectomy or hypophysectomy on responses of rat liver enzyme activity of L-thyroxine injection. Can. J. Biochem., 46: 141-150.

- Geczik, R. and Wolsky, A. 1959. Dehydrogenase activity during regeneration in tail of Triturus viridescens: a histological and enzymological study. Anat. Rec., 134: 568.
- Geraudie, J. and Singer, M. 1978. Nerve dependent macromolecular synthesis in the epidermis and blastema of the adult newt regenerate. J. Exp. Zool., 203: 455-460.
- Ghiretti, F. 1950. On the activity of acid and alkaline phosphatase during tail regeneration in Triturus cristatus (Laur). Experientia, 6: 98-100.
- Giri, K.V. and Singh, S.N. 1978. Age dependent response of lactate dehydrogenase of gastrocnemius muscle of the rat to testosterone and estradiol. Current Science, 47: 99-100.
- Goodfriend, T.L. and Kaplan, N.O. 1964. Effects of hormone administration on lactate dehydrogenase. J. Biol. Chem., 239: 130-135.
- Goss, R.J. 1956. An experimental analysis of taste barbel regeneration in the catfish. J. Exp. Zool., 131: 27-47.
- Goss, R.J. 1969. Principles of regeneration. Academic Press, New York and London.

- Goss, R.J. and Grimes, L.N. 1972. Tissue interactions in the regeneration of rabbit's ear holes. Am. Zool., 12: 151-157.
- Gould, B.S. 1963. Collagen formation and fibrogenesis with special reference to the role of ascorbic acid. Int. Rev. Cytol., 15: 301-361.
- Gould, B.S. 1970. Possible folate ascorbate interaction in collagen formation. In: "Chemistry and Molecular Biology of Intercellular Matrix". Vol. 1, pp.431-437. (Ed. E.A. Balazs). Academic Press, N.Y.
- Gourley, D.R.H., Suh, T.K. and Brunton, L. 1969. Seasonal difference and the effect of insulin on pyruvate uptake, oxidation and synthesis of glycogen by frog skeletal muscle. Comp. Biochem. Physiol., 29:509-524.
- Grollman, A.P. and Lehninger, A.L. 1957. Enzymatic synthesis of L-ascorbic acid in different animal species. Arch. Biochem. Biophys., 69: 458-467.
- Gupta, S.D., Gupta, C.S., Chaudhuri, C.R. and Chatterjee, I.B. 1970. Enzymatic synthesis of L-ascorbic acid from synthetic and biological D-glucurono-1,4-Lactone conjugated. Analyt. Biochem., 38: 46-55.

- Hall, A.B. and Schotte, O.E. 1951. Effects of hypophysectomies upon initiation of regenerative processes in limb of Triturus viridescens. J. Exp. Zool., 118: 368-388.
- Haas, H.J. 1962. Studies on the mechanism of joint and bone formation in the skeleton rays of fish fins. Develop. Biol., 5: 1-34.
- Hay, E.D. 1965. Metabolic patterns in limb development and regeneration. In: Organogenesis eds. R.K. DeHaan and H. Ursprung, pp. 315-336. New York. Holt, Rinehart, and Winston.
- Hay, E.D. 1966. In: Regeneration. Holt, Rinehart and Winston, New York.
- Hay, E.D. 1968. Dedifferentiation and metaplasia in vertebrate and invertebrate regeneration. In: The stability of the differentiated state. Ed. H. Ursprung, Baltimore pp 85-108.
- Heacock, R.A. and Powell, W.S. 1973. Adenochrome and related compounds. Progress in Medical Chemistry., 9: 275-339.
- Helminen, H.J., Ericsson, J.L.E. and Arborgh, B. 1972. Differing patterns of acid phosphatase and cathepsin-D activities in the rat ventral prostate gland

- during castration induced prostatic involution.  
Acta Endocr., 69: 747-761.
- Herbert, J.D., Coulson, R.A. and Hernandez, T. 1966. Free amino acids in the caiman and rat. Comp. Biochem. Physiol., 17: 583-598.
- Hernneman, D.H. 1971. Growth hormone inhibition of proline hydroxylation in vitro. Am. J. Physiol., 220: 1808-1813.
- Hessler, A.C. and Bromley, S.C. 1969. LDH isozyme regulation, a function of growth hormone in newt forelimb regeneration. Am. Zool., 9: 612.
- Hopper, A.F. 1949a. Development and regeneration of the anal fin of normal and castrate males and females of Lebistes reticulatus. J. Exp. Zool., 110: 299-318.
- Hopper, A.F. 1949b. The effect of ethynyl testosterone on the intact and regenerating anal fin of normal and castrated females and normal males of Lebistes reticulatus. J. Exp. Zool., 111: 393-414.
- Hutton, Jr., J.J., Tappel, A.L. and Udenfriend, S. 1967. Cofactor and substrate requirement of collagen proline hydroxylase. Archs. Biochem. Biophys. 118: 231-240.

- Isherwood, F.A., Mapson, L.W. and Chen, Y.T. 1960.  
Synthesis of L-ascorbic acid in rat liver homogenates: Conversion of L-gulonolactone and the respective acids into L-ascorbic acid. Biochem. J. 76: 157-171.
- Ishii, S., Sarkar, A.K. and Kobayashi, H. 1970. Ovarian ascorbic acid depleting factor in Pigeon median eminence extracts. Gen. Comp. Endocrinol., 14: 461-466.
- Jabaily, J.A. and Singer, M. 1977. Neurotrophic stimulation of DNA synthesis in the regenerating forelimb of the adult newt Triturus. J. Exp. Zool., 199: 251-256.
- Jabaily, J., Ball, T.W. and Singer, M. 1975. Assay of cyclic 3'-5' monophosphate in the regenerating forelimb of the newt Triturus. J. Morph., 147: 379-384.
- Johnson, E.A. and Singer, M. 1964. A histochemical study of succinic and lactic dehydrogenases in the regenerating forelimb of the adult newt, Triturus. Proc. Soc. Exp. Biol. Med., 117: 27-31.
- Joseph, J. and Dyson, M. 1966. Effect of anabolic androgens on tissue replacement in the ear of the rabbit. Nature, 211: 193-194.

- Kamrin, R.P. and Singer, M. 1955. The influence of the spinal cord in regeneration of the lizard, Anolis carolinensis. J. Exp. Zool., 128: 611-628.
- Kinariwala, R.V. 1977. Ph.D. thesis entitled "A comparative study of certain aspects of histology and physiology of some organs during tail regeneration in the scincid lizard, Mabuya carinata and wound healing in the agamid lizard, Calotes versicolor. Submitted to the M.S. University of Baroda, Baroda-2, India.
- Klockars, M. and Wegelius, O. 1969. Lysosomal enzymes in regenerating rat liver. Proc. Soc. Exp. Biol. Med., 131: 218-222.
- Kothari, J.S. 1977. Ph.D. thesis entitled, "Studies on certain physiological changes during tail regeneration in the house lizard, Hemidactylus flaviviridis. Submitted to the M.S. University of Baroda, Baroda-2, India.
- Kothari, J.S., Hiradhar, P.K. and Shah, R.V. 1979. Thyroid-Gonad interrelationship and its effect on growth rate of regenerating tail in the gekkonid lizard, Hemidactylus flaviviridis. Indian J. Exp. Zool., 17: 869-872.
- Ksabyan, S.S. 1956. Arkh. Patol. 18:91. (Cited from B.S. Gould, 1963).

- Lauber, H.J. and Rosenfeld, W. 1938. Klin. Wochschr., 17: 1587. (Cited by B.S. Gould, 1963).
- Layne, E. 1957. Spectrophotometric and turbidimetric methods for measuring protein. In: "Methods in enzymology", vol. 3, Colowick, S.P. and Kaplan, N.O. (Eds). Academic Press, New York.
- Lebowitz, P. and Singer, M. 1970. Neurotropic control of protein synthesis in the regenerating limb of the newt, Triturus. Nature, 225: 824-827.
- Lewin, S. 1974. High intake of vitamin C in relation to adenosine 3'-5' cyclic monophosphate and guanosine 3'-5' cyclic monophosphate concentrations and to blood sugar concentration. Biochem. Soc. Trans., 2: 922-924.
- Lewin, S. 1976. Vitamin C its molecular biology and medical potential. Academic Press, London, New York.
- Licht, P. and Jones, R.E. 1967. Effect of exogenous prolactin on reproduction and growth in adult males of the lizard Anolis carolinensis. Gen. Comp. Endocrinol., 8: 228-244.
- Licht, P. and Howe, N.R. 1969. Hormonal dependence of tail regeneration in the lizard, Anolis carolinensis. J. Exp. Zool., 171: 75-84.

- Liversage, R.A. 1963. Effect of hypophysectomy on pectoral fin regeneration in Fundulus heteroclitus (Killifish). Am. Zool., 3: 70.
- Liversage, R.A. 1967. Hypophysectomy and forelimb regeneration in Amblystoma opacum larvae. J. Exp. Zool., 165: 57-70.
- Liversage, R.A. 1973. Hypophysectomy and pectoral fin regeneration in adult Fundulus heteroclitus (Killifish). Can. J. Zool., 51: 1047-1054.
- Liversage, R.A. and Brandes, P.J. 1977. Thyroidectomy and forelimb regeneration in adult Notophthalmus viridescens. Am. Zool., 17: 879.
- Liversage, R.A. and Fisher, K.R.S. 1974. Regeneration of the forelimb in adult hypophysectomized Notophthalmus (Diemictylus) viridescens given embryonic or adult chicken anterior pituitary extracts. J. Exp. Zool., 190: 133-142.
- Liversage, R.A. and Korneluk, R.G. 1978. Serum levels of thyroid hormone during forelimb regeneration in the adult newt Notophthalmus viridescens. J. Exp. Zool., 206: 223-228.

- Liversage, R.A. and Liivamagi, L. 1971. Forelimb regeneration in hypophysectomized adult Diemictylus viridescens following organ culture and autoplasmic implantation of the adenohipophysis. J. Embryol. Exp. Morphol., 26: 443-458.
- Liversage, R.A. and Price, B.W. 1973. Adrenocorticosteroid levels in adult Diemictylus viridescens plasma following hypophysectomy and forelimb amputation. J. Exp. Zool., 185: 259-264.
- Liversage, R.A., Price B.W., Clarke, W.C. and Butler, D.G. 1971. Plasma adrenocorticosteroid levels in adult Fundulus heteroclitus (Killifish) following hypophysectomy and pectoral fin amputation. J. Exp. Zool., 178: 23-28.
- Liversage, R.A. and Scadding, S.R. 1969. Re-establishment of forelimb regeneration in adult hypophysectomized Diemictylus (Triturus) viridescens given frog anterior pituitary extract. J. Exp. Zool., 170:381-396.
- Lucy, J.A. and Rinaldini, L.M. 1959. The amino acid metabolism of differentiating skeletal myoblasts in vitro. Exp. Cell. Res., 17: 385-398.

- MacManus, J.P., Franks, D.J., Youdale, T. and Braceland, B.M. 1972. Increases in rat liver cyclic AMP concentrations prior to the initiation of DNA synthesis following partial hepatectomy or hormone infusion. Biochem. Biophys. Res. Comm., 49:1201-1207.
- Maden, M. 1978. Neurotrophic control of the cell cycle during amphibian limb regeneration. J. Embryol. Exp. Morph., 48: 169-175.
- Maderson, P.F.A. and Licht, P. 1968. Factors influencing rates of tail regeneration in lizard, Anolis carolinensis. Experientia, 24: 1083-1086.
- Maderson, P.F.A. and Salthe, S.N. 1969. The problem of the adaptive significance of lizard tail regeneration. Am. Zool., 9: 613.
- Maekawa, H. and Yamana, K. 1975. Alkaline phosphatase isozymes of Xenopus laevis embryos and tissues. J. Exp. Zool., 192: 155-164.
- Magon, D.K. 1970. Ph.D. thesis entitled "Studies on the normal and regenerating tail of the house lizard, (Hemidactylus flaviviridis) with emphasis on oxidative enzymes." Submitted to the M.S. University of Baroda, Baroda-2, India.

- Maier, C.E. and Singer, M. 1977. The effect of light on forelimb regeneration in the newt. J. Exp. Zool., 202: 241-244.
- Majumder, P.K. and Chatterjee, G.C. 1974. Effects of testosterone and human chorionic gonadotrophin on the enzymes involved in the metabolism of L-ascorbic acid in rats. Indian J. Exp. Biol., 12: 387-388.
- Manning, J.M. and Meister, A. 1966. Conversion of proline to collagen hydroxyproline. Biochem., 5:1154-1165.
- Manson, J.R., Tassava, R. and Nishiwara, M. 1976. Denervation effects on aspartate carbamyl transferase, thymidine kinase and uridine kinase activities in newt regenerates. Develop. Biol., 50: 109-121.
- Manwell, C. and Betz, T.W. 1966. The effect of embryonic partial decapitation on the developmental sequence of some proteins in the chick<sup>C</sup>. J. Embryol. Exp. Morph., 16: 83-89.
- Marchmont-Robinson, S.W. 1941. Effect of vitamin C on workers exposed to lead dust. J. of Lab. and Clin. Med., 114: 1178-1181.

- Marin, J.V. 1941. Tratamiento experimental de la intoxication mercurial aguda en el cobayo per el acido ascorbico. Revista de le Sociedad Argentina de Biologia, (Buenos Aires), 17: 581-586.
- Martin, C.R. 1976. Text book of endocrine physiology. Published in cooperation with E.R. George Landsberger. New York, Oxford University Press.
- Mattock, G.L. 1965. The mechanism of the reduction of adrenochrome by ascorbic acid. J. Chem. Soc., 4728-4735.
- Mazur, A., Charleton, A. and Carlson, A. 1961. A relation of oxidative metabolism to the incorporation of plasma iron into ferritin in vivo. J. Biol. Chem., 236: 1109.
- McGilvery, R.W. 1970. In: Biochemistry: A functional approach. W.B. Saunders Company. Philadelphia.
- McWhinnie, D.J. and Thommes, R.C. 1973. The influence of hypophysectomy on bone growth and alkaline phosphatase activity in the chick embryo. J. Embryol. Exp. Morph., 29: 515-527.
- Michael, M.I. and Faber, J. 1971. Morphogenesis of mesenchyme from regeneration blastemas in the absence of digit formation in Amblystoma mericanum. Wilhelm. Roux. Archiv., 168: 174-180.

- Miller Jr., A.T. and Hale, D.M. 1968. Comparisons of lactic dehydrogenase in rat and turtle organs. Comp. Biochem. Physiol., 27: 597-601.
- Miller, N.R. and Wolfe, H.J. 1968. The nature and localization of acid phosphatase during early phase of urodele limb regeneration. Develop. Biol., 17: 447-481.
- Miller, M.R. and Wurster, D.H. 1958. Further studies on the blood glucose and pancreatic islets of lizards. Endocrinology, 63: 191.
- Mills, C.A. 1949. Bone marrow nutrition in relation to the phagocytic activity of blood granulocytes. Effect of ascorbic acid on phagocytic activity established quantitatively. Blood, 4: 153-159.
- Moffat, L.A. and Bellairs, A. d'A. 1964. The regenerative capacity of the tail in embryonic and postnatal lizard. (Lacerta vivipara, Jacquin). J. Embryol. Exp. Morph., 12: 769-786.
- Morgan, T.H. 1901. In: Regeneration. New York: Macmillan.
- Morzlock, F.V. and Stocum, D.L. 1972. Neural control of RNA synthesis in regenerating limb of the adult newt Triturus viridescens. Roux.Arch. f. Entw. 171:170-180.

- Needham, A.E. 1952. In: Regeneration and wound healing.  
Methuen's Monographs Methuen & Co. Ltd., New York.
- Niazi, I.A. 1964. Effect of destruction of the notochord  
in the stump on tail regeneration in the ammocoetes.  
Can. J. Zool., 42: 707-714.
- Nicholas, J. 1955. Regeneration. Vertebrates. In: Analysis  
of development. ed. by B.H. Willer, P.A. Weiss and  
V. Hamburger, Philadelphia. W.B. Saunders Co.,  
pp. 674-698.
- Niwelinski, J. 1958. The effect of prolactin and somato-  
tropin on the regeneration of forelimb in newt,  
Triturus alpestris. Folia Biol., 6: 9-36.
- Noall, M.W., Riggs, T.R., Walker, L.M. and Christensen,  
H.N. 1957. Endocrine control of amino acid transfer.  
Science, 126: 1002-1005.
- Norman, W. and Schmidt, A.J. 1967. The fine-structure of  
tissues in the amputated regenerating limb of the  
adult newt, Diemictylus viridescens. J. Morph.,  
123: 171-181.
- Nungester, W.J. and Ames, A.M. 1948. The relationship  
between ascorbic acid and phagocytic activity.  
J. Infectious Diseases, 83: 50-54.

- O' Connor, R.J. 1950. The metabolism of cell division.  
Brit. J. Exp. Path., 31: 390-396.
- O' Connor, R.J. 1957. Carbohydrate metabolism and embryonic determination. In: International Review of Cytology. Vol. 4. eds. G.H. Bourne and J.F. Danielli, pp.343-381.
- Orechowitsch, W.N., and Bromley, N.W. 1934. Die Hisoly-sierenden Eigenschaften des Regenerations blastems.  
Biol Zentralbl., 54: 524-535.
- Packard, G.C. and Randall, J.G. 1975. The influence of thyroxine and acclimation temperature on glycogen reserve of the frog Rana pipens. J. Exp. Zool., 191: 365-370.
- Pearse, A.G.E. 1968. Histochemistry, Theoretical and Applied. Churchill. London.
- Piechowski, J.A. and McWhinnie, D.J. 1977. Amphibian acid phosphatase. 3. Electrophoretic analysis of tissue and plasma proteins and acid phosphatase isoenzyme in Rana pipiens. Comp. Biochem. Physiol., 56B: 123-130.
- Prasad, G.C. 1971. Studies on the epithelial regeneration in vitro. Indian J. Exp. Biol., 9: 28-31.

- Pratt, R.M. and Martin, G.R. 1975. Epithelial cell death and cyclic AMP increase during palatell development. Proc. natn. Acad. Sci., U.S.A. 72: 874-877.
- Procaccini, D.J., Doyle, C.M. and Procaccini, R.L. 1973. Changes in liver metabolites during forelimb regeneration in the adult newt, D. viridescens. J. Exp. Zool., 186: 141-150.
- Procaccini, D.J., Procaccini, R.L. and Doyle, C.M. 1971. Liver monoamineoxidase in normal and regenerating Diemictylus viridescens. Experientia, 27: 1012-1013.
- Radhakrishnan, N. 1972. Ph.D. thesis entitled, "Histological and histophysiological studies on the normal and regenerating tail of the scincid lizard, Mabuya carinata," submitted to the M.S. University of Baroda, Baroda-2, India.
- Radhakrishnan, N. and Shah, R.V. 1973. Studies on the levels of glycogen and phosphorylase in the normal and regenerating tail of the scincid lizard, Mabuya carinata: A quantitative and histochemical analysis. J. Anim. Morphol. Physiol., 20: 150-159.
- Raekallio, J. 1960. Enzymes histochemically demonstrable in earliest phase of wound healing. Nature, 188: 234-235.

- Raghuvanshi, C. and Swarup, H. 1978. Changes in the amount of ascorbic acid in normal and regenerating barbels of fish, Heteropeneustes fossilis (Bloch). Current Science, 47: 826-827.
- Ramachandran, A.V. 1972. Ph.D. thesis entitled, "Studies on certain biochemical and histochemical aspects of the normal and regenerating tail of scincid lizard (Mabuya carinata)," submitted to the M.S. University of Baroda, Baroda-2, India.
- Ramachandran, A.V., Radhakrishnan, N. and Shah, R.V. 1975. Cytochrome oxidase and ascorbic acid in the normal and regenerating tail of the scincid lizard, Mabuya carinata, A histophysiological study. Acta. anat., 93: 411-420.
- Rangneker, P.V. and Padgaonkar, A.S. 1972. Effects of total hypophysectomy on the glycemic and plasma cholesterol levels in the snake Natrix piscator (Russell). Acta Zoologica, 53: 1-7.
- Rangneker, P.V. and Sabnis, P.B. 1966. Glycemic changes in the lizard (Varanus monitor) following pancreatectomy and hypophysectomy. Indian J. Exp. Biol., 4: 226-227.

- Rasmussen, F. 1967. Healing of urinary bladder wounds. Uptake of  $S^{35}$  - sulfate in acid mucopolysaccharides. Proc. Soc. Exp. Biol. Med., 125: 834-837.
- Richardson, D. 1945. Thyroid and pituitary hormones in relation to regeneration. 2. Regeneration of the hind leg of the newt, Triturus viridescens, with different combinations of thyroid and pituitary hormones. J. Exp. Zool., 100: 417-428.
- Rinaldini, L.M. 1960. Growth and ascorbic acid content of the chick embryo. J. Embryol. Exp. Morph., 8:527-539.
- Roberts, E. and Frankel, S. 1949. Free amino acids in the normal and neoplastic tissues of mice as studied by paper chromatography. Cancer Res., 9: 645-648.
- Roberts, E. and Simonsen, D.G. 1962. In: Amino acid pools. Edited by J.T. Holden (Elsevier, Amsterdam) p.289.
- Robinson, H. 1973. An electrophoretic and biochemical analysis of acid phosphatase in the tail of Xenopus laevis during development and metamorphosis. J. Exp. Zool., 180: 127-140.
- Roe, J.H. 1954. Chemical determination of ascorbic, dehydroascorbic and diketogulonic acids. In: Methods of Biochemical Analysis. Vol. 1, pp.115-139. Ed. D. Glick, New York. Interscience.

- Rogers, K.T. 1960. Studies on chick brain of biochemical differentiation related to morphological differentiation and onset of function. Histochemical localization of alkaline phosphatase. J. Exp. Zool., 145: 49-59.
- Rose, S.M. 1964. Regeneration. In: Physiology of the amphibia. J.A. Moore, ed. Academic Press. New York. pp. 545-622.
- Rose, W.C. Oesterling, M.J. and Womack, M. 1948. Comparative growth on diets containing ten and nineteen amino acids, with further observations upon the role of glutamic and aspartic acids. J. Biol. Chem., 176: 753-762.
- Rosenthal, I.M., Bonting, S.L., Hogan, W. and Pirani, C.L. 1960. A. M. A. J. Diseases children, 99: 185-192. (Cited by Burstone, 1968).
- Roy, R.N. and Guha, B.C. 1958. Species difference in regard to the biosynthesis of ascorbic acid. Nature, 182: 319-320.
- Russell, J.A. 1936. Carbohydrate levels in fasted and fed hypophysectomized rats. Proc. Soc. Exp. Biol. Med., 34: 279.

- Russell, J.A. 1938. The relation of the anterior pituitary to carbohydrate metabolism. Physiol. Rev., 18: 1.
- Sato, N.L. and Inoue, S. 1973. Effect of growth hormone and nutrient on limb regeneration in hypophysectomized adult newt. J. Morph., 140: 477-486.
- Schauble, M.K. 1972. Seasonal variation of newt forelimb regeneration under controlled environmental conditions. J. Exp. Zool., 181: 281-286.
- Schauble, M.K. and Nentwig, M.R. 1974. Temperature and prolactin as control factors in newt forelimb regeneration. J. Exp. Zool., 187: 335-344.
- Schauble, J.F., Chen, R., Postlethwaite, R.W. and Dillon, M.L. 1960. Surg. Gynecol. Obstet., 110: 314.  
Cited by Gould 1963.
- Schilling, J.A., McCoord, A.B., Clausen, S.W., Whelan, J.J. and Kuykendall, S.J. 1953. Electrolyte changes in healing muscle wounds in dogs. Surg. Gynecol. Obstet., 97: 162.
- Schiltz, J.R., Rosenbloom, J. and Levensone, G.E. 1977. The effects of ascorbic acid deficiency on collagen synthesis by mouse molar tooth germs in organ culture. J. Embryol. Exp. Morph., 37: 49-57.

- Schmidt, A.J. 1960. Preblastemic changes of intramuscular glycogen in forelimb regeneration of the adult newt, Triturus viridescens. J. Exp. Zool., 145: 43-48.
- Schmidt, A.J. 1962. Distribution of polysaccharides in the regenerating forelimb of the adult newt, Diemictylus viridescens (Triturus v.). J. Exp. Zool., 149: 171-191.
- Schmidt, A.J. 1966a. The sudanophilic lipid of normal and regenerating limb tissues of the adult newt Diemictylus viridescens. J. Morph., 118: 57-78.
- Schmidt, A.J. 1966b. Lipid of normal and regenerating limb of the adult newt Diemictylus viridescens: Acidic and non-acidic lipids, Phospholipids and cholesterol. J. Morph., 118: 353-366.
- Schmidt, A.J. 1968. Cellular biology of vertebrate regeneration and repair. Chicago University, Chicago Press.
- Schmidt, A.J. and Weary, M. 1963. The localization of acid phosphatase in the regenerating forelimb of the adult newt Diemictylus viridescens. J. Exp. Zool., 152: 101-114.

- Schmidt, A.J., and Weidman, T. 1964. Dehydrogenases and aldolase in regenerating forelimb of the adult newt, Diemictylus viridescens. J. Exp. Zool., 155: 303-316.
- Schotte, O.E. and Bierman, R.H. 1956. Effect of cortisone and allied adrenal steroids upon limb regeneration in hypophysectomized Triturus viridescens. Rev. Suisse. Zool. 63: 353-375.
- Schotte, O.E. and Chamberlain, J.L. 1955. Effect of ACTH upon limb regeneration in normal and in hypophysectomized Triturus viridescens. Rev. Suisse. Zool., 62: 253-279.
- Schotte, O.E. and Hall, A.B. 1952. Effect of hypophysectomy upon phases of regeneration in progress (Triturus viridescens). J. Exp. Zool., 121: 521-560.
- Schotte, O.E. and Lindberg, D.A. 1954. Effect of Xenoplastic adrenal transplants upon limb regeneration in normal and in hypophysectomized newt (Triturus viridescens). Proc. Soc. Exp. Biol. Med., 87: 26-29.
- Schultz, P.W. and Herrman, H.J. 1958. Effect of a leucine analogue on incorporation of glycine into the proteins of explanted chick embryos. J. Embryol. Exp. Morph., 6: 262-269.

- Seifter, S., Dayton, S.D., Novic, B., Muntwyler, V. 1950.  
The estimation of glycogen with anthrone reagent.  
Arch. Biochem., 25: 191.
- Shah, R.V. and Chakko, T.V. 1966. Histochemical localization of acid phosphatase in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis.  
J. Anim. Morph. Physiol., 13: 169-188.
- Shah, R.V. and Chakko, T.V. 1967a. The histochemical demonstration of alkaline phosphatase in the normal (non-amputated) and regenerating tail of the common house lizard, Hemidactylus flaviviridis. J. Anim. Physiol., 14: 69-88.
- Shah, R.V. and Chakko, T.V. 1967b. Histochemical localization of glycogen and Phosphorylase in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 14: 257-264.
- Shah, R.V. and Chakko, T.V. 1968a. Preliminary observations on the changes in the thyroid activity in the house lizard, Hemidactylus flaviviridis during the different phases of tail regeneration. J. Biol. Scs., 11: 41-44.

- Shah, R.V. and Chakko, T.V. 1968b. Histological observations on the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 15: 26-39.
- Shah, R.V. and Chakko, T.V. 1969. Histochemical localization of succinate dehydrogenase (SDH) in the normal regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 16: 89-96.
- Shah, R.V. and Chakko, T.V. 1972. Histochemical localization of nucleic acids in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 19: 28-33.
- Shah, R.V. and Hiradhar, P.K. 1974. Studies on glycogen, glycogen synthetase and respiratory quotient in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. Neth. J. Zool., 24: 1-9.
- Shah, R.V. and Hiradhar, P.K. 1975. Glycosaminoglycan during tail regeneration in the house lizard, Hemidactylus flaviviridis (Lacertilia: gekkonidae). J. Anim. Morphol. Physiol., 22: 43-50.
- Shah, R.V. and Hiradhar, P.K. 1976. Possible role of B-glucuronidase in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. Acta. Anat., 95: 508-517.

- Shah, R.V. and Hiradhar, P.K. 1977. Levels of total lipids and histochemical distribution of malic enzyme in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 24: 91-98.
- Shah, R.V. and Hiradhar, P.K. 1978. Lizard tail regeneration. J. Anim. Morphol. Physiol., Silver Jubilee issue, pp. 59-67.
- Shah, R.V., Hiradhar, P.K. and Magon, D.K. 1971. Ascorbic acid in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Embryol. Exp. Morphol., 26: 285-293.
- Shah, R.V., Kinariwala, R.V. and Ramachandran, A.V. 1977b. The effect of tail regeneration on hepatic glycogen content and blood glucose level, in the scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 24: 76-85.
- Shah, R.V., Kothari, J.S. and Hiradhar, P.K. 1976. Involvement of renal and hepatic ascorbic acid in the tail regeneration of the lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 23: 167-175.

- Shah, R.V., Kothari, J.S. and Hiradhar, P.K. 1977a.  
Alterations in certain metabolites during tail regeneration in the gekkonid lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 24: 65-75.
- Shah, R.V., Kothari, J.S. and Hiradhar, P.K. 1979c. Alterations in certain liver dehydrogenases during tail regeneration in the gekkonid lizard, Hemidactylus flaviviridis. J. Anat., 129: 273-279.
- Shah, R.V., Kothari, J.S. and Hiradhar, P.K. 1979b. Effects of testosterone on the rate of growth of the regenerating tail of normal and thyroidectomized gekkonid lizard, Hemidactylus flaviviridis. Indian J. Exp. Biol., 17: 1194-1197.
- Shah, R.V. and Ramachandran, A.V. 1970. Lactate and malate dehydrogenases (LDH and MDH) in the regenerating tail of the lizard, Mabuya carinata. Acta. Histo. Cyto., 3: 152-159.
- Shah, R.V. and Ramachandran, A.V. 1972. Aldolase activity in the normal and regenerating tail of the scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 19: 43-49.

- Shah, R.V. and Ramachandran, A.V. 1973. Glucose-6-phosphate dehydrogenase and malic enzyme in the normal and regenerating tail of the scincid lizard, Mabuya carinata. Can. J. Zool., 51: 641-645.
- Sicard, R.D. 1975. The effect of hypophysectomy upon the endocrine levels of cyclic AMP during forelimb regeneration of adult newts (Notophthalmus viridescens). Roux's Archiv. Entwicklmech. Develop. Biology., 177: 159-162.
- Sigma Technical Bulletin No. 104. Sigma Chemical Co. 3500. DeKalb st, st Louis 18, MO. USA.
- Simkiss, K. 1964. Phosphates as crystal poisons of calcification. Biol. Rev., 39: 487-505.
- Simpson, S.B. Jr., 1964. Analysis of tail regeneration in the lizard, Lygosoma laterale. 1. Initiation of regeneration and cartilage differentiation: The role of ependyma. J. Morph., 114: 425-435.
- Simpson, S.B. Jr., 1965. Regeneration of the lizard tail. In: Regeneration in animals and related problems. ed. Kiortsis, V. and Trampusch, H.A.L., North Holland Publishing Co., Amsterdam, Netherlands. pp. 431-443.

- Singer, M. and Caston, J.D. 1972. Neurotrophic dependence of macromolecular synthesis in the early limb regenerate of the newt Triturus. J. Embryol. Exp. Morph., 28: 1-11.
- Singer, M. and Ilan, J. 1977. Nerve-dependent regulation of absolute rates of protein synthesis in newt regenerates. Measurement of methionine specific activity in peptidyl-t RNA of the growing polypeptide chain. Develop. Biol., 57: 174-187.
- Singer, M., Maier, C.E. and McNutt, W.S. 1976. Neurotrophic activity of brain extracts on forelimb regeneration in the urodele, Triturus. J. Exp. Zool., 196: 131-150.
- Singer, M. and Salpeter, M.M. 1961. Regeneration in vertebrates: The role of wound epithelium. In: "Growth in living systems" (M.X. Zarrow, ed.) Basic Book Inc., N.Y. pp. 277-311.
- Smith, S.D. 1974. Effects of electrode placement on stimulation of adult frog limb regeneration. Ann. N.Y. Acad. Sci., 238: 500-507.
- Smith, G.N. Jr., Toole, B.P. and Gross, J. 1975. Hyaluronidase activity and glycosaminoglycan synthesis in the amputated newt limbs: Comparison of denervated nonregenerating limbs with regenerates. Develop. Biol., 43: 221-232.

- Spallanzani, L. 1768. Prodomo da un Opera da imprimersi  
Sopra le Riproduzioni Animali. Modena, (Maty, M.  
{trans} 1769. An essay on animal reproduction.  
London: T. Becket).
- Stetten, M.R. 1964. Metabolism of inorganic Pyrophosphate.  
1. Microsomal inorganic pyrophosphate phosphotrans-  
ferase of rat liver. J. Biol. Chem., 239: 3576-3583.
- Stocum, D.L. 1968a. The urodele limb regeneration blastema:  
A self-organizing system. 1. Differentiation in vitro.  
Develop. Biol., 18: 441-456.
- Stocum, D.L. 1968b. The urodele limb regeneration blastema:  
A self-organizing system. 2. Morphogenesis and  
differentiation of autografted whole and functional  
blastemas. Develop. Biol., 18: 457-480.
- Straus, W. 1964. Occurrence of phagosomes and phagolysosomes  
in different segments of the nephron in relation to  
the absorption, transport, digestion and extrusion  
of intravenously injected horseradish peroxidase. J.  
Cell. Biol., 21: 295-308.
- Stubbs, D.W. and McKernan, J.B. 1967. A sexual influence  
on the biosynthesis and storage of L-ascorbic acid  
in rats. Proc. Soc. Exp. Biol. Med., 125: 1326-1328.

- Stubbs, D.W., McKernan, J.B. and Haufrect, D.B. 1967. An androgenic basis for the sexual difference in L-ascorbic acid biosynthesis in rats. Proc. Soc. Exp. Biol. Med., 126: 464-467.
- Subramanian, N., Nandi, B.K., Majumder, A.K. and Chatterjee, I.B. 1973. Role of L-ascorbic acid on detoxification of histamine. Biochem. Pharmacol., 22: 1671-1673.
- Suryawanshi, S.A. and Rangneker, P.V. 1974. Effects of hypophysectomy and hypophysopancreatectomy on the blood glucose and plasma cholesterol levels in the lizard, Uromastix hardwickii (Gray). Indian J. Exp. Biol., 12: 337-339.
- Tassava, R.A. 1969. Hormonal and Nutritional requirements for limb regeneration and survival of adult newts. J. Exp. Zool., 170: 33-54.
- Tepperman, J. 1965. In: Metabolic and endocrine physiology. pp. 145-167. Year Book Medical Publishers, Chicago.
- Thorpe, C.W., Bond, J.S. and Collins, J.M. 1974. Early events in lens regeneration: Changes in cyclic AMP concentrations during initiation of RNA and DNA synthesis. Biochim. Biophys. Acta, 340: 413-418.
- Thornton, C.S. 1968. Amphibian limb regeneration. In: Advances in morphogenesis. Vol.7. Academic Press, N.Y.

- Thornton, C.S. and Bromley, S.C. 1973. Vertebrate regeneration. Dowden, Hutchinson and Ross, Inc., Stroudsburg, Pennsylvania.
- Tisdale, M.J. 1975. Inhibition of cyclic adenosine 3' 5' monophosphate phosphodiesterase from Walker carcinoma by ascorbic and dehydroascorbic acids. Biochem. Biophys. Res. Commun., 61: 877-882.
- Trampusch, H.A.L. and Harrebomee, A.E. 1965. Differentiation: a pre-requisite of regeneration. In: Regeneration in animals and related problems. Ed. Kiortsis, V. and Trampusch, H.A.L. pp. 341-376. Amsterdam, North Holland.
- Turner, J.E. 1972. Effects of hypophysectomies and thyroxine replacement upon the initiation of tail regeneration in the lizard, Anolis carolinensis. J. Morphol., 137: 449-462.
- Turner, J.E. and Tipton, S.R. 1971. The role of the lizard thyroid gland in tail regeneration. J. Exp. Zool., 178: 63-86.
- Turner, J.E. and Tipton, S.R. 1972. The effect of unnatural day lengths on tail regeneration in the lizard Anolis carolinensis. Herpetologica, 28: 47-50.

- Van Wyk, C.P. and Kotze, J.P. 1975. Effect of ascorbic acid on plasma adenosine 3'-5' cyclic monophosphate level in the baboon *Papio ursinus* South African. J. of Science, 71: 28-29.
- Vethamany-Globus, S. and Liversage, R.A. 1973a. In vitro studies of the influence of hormone on tail regeneration in adult *Diemictylus viridescens*. J. Embryol. Exp. Morphol., 30: 397-413.
- Vethamany-Globus, S. and Liversage, R.A. 1973b. The relationship between the anterior pituitary gland and the pancreas in tail regeneration of the adult newt. J. Embryol. Exp. Morphol., 30: 414-426.
- Vethamany-Globus, S. and Liversage, R.A. 1973c. Effects of insulin insufficiency on forelimb and tail regeneration in adult *Diemictylus viridescens*. J. Embryol. Exp. Morphol., 30: 427-447.
- Vethamany-Globus, S., Globus, M., Hartford, J.A., Fraser, I. and Weber, D. 1977. Hormonal control in regeneration: effects of somatostatin on appendage regeneration, blood glucose and liver glycogen in *Diemictylus viridescens*. J. Embryol. Exp. Morphol., 40: 115-124.

- Vladimirova, E. 1934. Gehalt an Aminosäuren in den Regenerierenden Extremitäten des Axolotls auf verschiedenen Stufen der regeneration. Proc. Acad. Sci., (USSR). 3: 479.
- Voorhees, J.J., Duell, E.A., Bass, L.J., Powell, J.A. and Harrell, E.R., 1972. The cyclic AMP system in normal and psoriatic epidermis. J. Invest. Derm., 59: 144-150.
- Voorhees, J.J., Duell, E.A., Stawiski, M. and Harrell, E.R. 1974. Cyclic nucleotide metabolism in normal and proliferating epidermis. In: Advances in cyclic Nucleotide Research. Vol. 4. (Eds. P. Greengard and G.A. Robison) Raven Press, New York. pp.117-162.
- Vos, J., Schade, J.P., Van der Helm, H.J. 1967. IN Progr. in Br. Res., (C.G. Bernhard and J.P. Schade, ed.). Elsevier, Amsterdam, London. New York. Vol. 26. pp. 193-213.
- Waterman, A.J. 1965. Prolactin and regeneration of the forelimbs of the newt. Am. Zool., 5: 237.
- Weber, G., Banerjee, G. and Bronstem, S.B. 1961. Role of enzymes in Homeostasis. 3. Selective induction of increases of liver enzymes involved in carbohydrate metabolism. J. Biol. Chem., 236: 3106-3111.

- Weber, G. and MacDonald, H. 1961. Role of Enzymes in metabolic Homeostasis. 1. Depletion and restoration of liver enzymes involved in glycolysis, gluconeogenesis and hexosemonophosphate shunt in normal and hypophysectomized rats. Exp. Cell. Res., 22: 292-302.
- Weber, R. and Niehus, B. 1961. The acid phosphatase activity in the tail of Xenopus larve during growth and metamorphosis. Helv. Physiol. Acta, 19: 103-117.
- Wheatley, V.R. 1974. Cutaneous lipogenesis, major pathways of carbon flow and possible interrelationships between the epidermis and sebaceous glands. J. Invest. Derm., 62: 245-256.
- Wilfred, G. and Rao, J.P. 1977. Effect of in vivo administration of insulin on hepatic alkaline phosphatase activity. Indian J. Exp. Biol., 15: 627-630.
- Wilkerson, J.A. 1963. The role of growth hormone in regeneration of the forelimb of the hypophysectomized newt. J. Exp. Zool., 154: 223-230.
- Windle, W. 1955. Regeneration in the central nervous system. Springfield 3. Charles C. Thomas. Publisher.
- Wolfe, H.J. and Cohen, R.B. 1963. Histochemical studies on regenerating urodele limb. 1. Oxidative and glycolytic enzymes. Develop. Biol., 8: 48-66.

- Woodland, W.N.F. 1921. Some observations on caudal autotomy and regeneration in the gekko (Hemidactylus flaviviridis Ruppel) with notes on the tails of Sphenodon and Pygopus. Quart. J. Microscop. Sci., 65: 63-100.
- Yeh, K.Y. and Moog, F. 1977. Influence of the thyroid and adrenal glands on the growth of the intestine of the suckling rat, and on the development of intestinal alkaline phosphatase and disaccharidase activities. J. Exp. Zool., 200: 337-348.
- Zamecnik, P.C., Frantz, Jr., I.D., Loftfield, R.B. and Stephenson, M.L. 1948. Incorporation in vitro of radioactive carbon from carboxyl-labelled DL-alanine and Glycine into proteins of normal and malignant rat liver. J. Biol. Chem., 175: 299-314.
- Zuskin, E., Lewis, A.J. and Bouhuys, A. 1973. Inhibition of histamine induced airway constriction by ascorbic acid. J. Allergy Clin. Immunol., 51: 218-226.