

B I B L I O G R A P H Y

- Abe, K., Yonida, K., Fujita, R., Yokota, V. and Dawes, C. 1980. The effect of epinephrine, norepinephrine and phenylephrine on the types of proteins secreted by rat salivary glands. J. Dent. Res., 59: 1627-1634.
- Abraham, S. and Chaikoff, I.L. 1959. Glycolytic pathways and lipogenesis in mammary glands. J. Biol. Chem., 234: 2246-2253.
- Ahmed, K. and Williams-Ashman, H.G. 1969. Studies on the microsomal sodium plus potassium ion stimulated adenosine triphosphatase system in rat ventral prostate. Biochem. J., 113: 829-836.
- Alves, A.M., Thody, A.J., Fischer, C. and Shuster, S. 1986. Measurement of lipogenesis in isolated preputial gland cells of the rat and the effect of estrogen. J. Endocr., 109: 138.
- Ambadkar, P.M. 1969. In vivo effect of testosterone propionate and gonadotropin on the lipid content and the lipase and succinic dehydrogenase activities in the rat testis and epididymis. J. Anim. Morphol. Physiol., 16: 115-126.
- Ambadkar, P.M. and Gangaramani, N.F. 1976. Effects of castration on liver lipids in albino rats. J. Anim. Morphol. Physiol., 23: 185-198.
- Ambadkar, P.M. and Gangaramani, N.F. 1982. Early effects of castration and hormone replacement on some aspects of carbohydrate metabolism. J. Anim. Morphol. Physiol., 29: 183-188.
- Ambadkar, P.M. and Vyas, D.M. 1975. Effect of castration on lipid metabolism of the preputial glands of male rats. J. Anim. Morphol. Physiol., 22: 184-190.

- Archibald, A. and Schuster, S. 1969. The bioassay of androgens and antiandrogens using sebum secretion in the rat. Proc. R. Soc. Med., 62: 881-888.
- Assarson, N. and Emmelin, N. 1964, as cited by Nordenfelt, I. 1967.
- Atkinson, W.B., Wilson, F. and Coates, S. 1959. The nature of the sexual dimorphism of the submandibular gland of the mouse. Endocrinology, 65: 114-117.
- Balasubramanian, K., Pereira, B.M.J. and Govindarajulu, P. 1981. Influence of castration, TP, Androstenedione and estradiol-17B on LDH and isoenzymes of the vas deferens. Ind. J. Exp. Biol., 19: 419-421.
- Banerjee, S. and Ghosh, N.C. 1947. Relation of scurvy to glucose tolerance test, liver glycogen and insulin content of pancreas in guinea pig. J. Biol. Chem., 168: 207
- Barka, T. 1966. Stimulation of RNA synthesis in the salivary gland by isoproterenol. Exp. Cell. Res., 41: 573-579.
- Barnett, Zumoff, Rosenfield, R.S., Hellman, L. 1981. Selective elevation of plasma free cholesterol concentration by administration of estrogen in the presence of biliary obstruction. Atherosclerosis, 40: 139-144.
- Barthe, P.L., Bullock, L.P., Mowszowicz, I., Bardin, C.W. and Orth, D.N. 1974. Submaxillary gland epidermal growth factor: A sensitive index of biologic androgen activity. Endocrinology, 95: 1019-1025.
- Baum, J.B., 1983. α -adrenergic receptors and signal events in the rat parotid gland. J. Dent. Res., 62: 164.

- Baum, B.J., Costa, P.T. and Izutsu, K.T. 1984. Sodium handling by aging human parotid gland is inconsistent with a 2-stage secretion model. Am.J.Physiol., 246: R35-R39.
- Baum, B.J., Kuyatt, B.L. and Takuma. 1984. Adrenergic regulation of protein synthesis in rat submandibular salivary gland cells. Arch. Oral. Biol., 29: 499-502.
- Beg, Z.H., Allmann, D.W. and Gibson, D.M. 1973. Modulation of 3-hydroxy-8-methyl-glutaryl coenzyme A reductase activity with cAMP and with protein fractions of rat liver cytosol. Biochem. Biophys. Res. Comm., 54: 1362-1369.
- Berkman, M.D. and Kronman, J.H. 1970. A histochemical study of effects of castration and testosterone administration on the major salivary glands of Swiss mice. Acta. Anat., 76: 200-219.
- Best, C.H. and Taylor, N.B. 1985. Chapter 44: 'Secretion'. In: "Physiological basis of medical practice" (eds) West, J.B. Williams and Wilkins Baltimore/London Co.
- Bexendle, P.M., Reed, M.J. and James, V.H.T. 1980. Testosterone in saliva of normal men and its relationship with unbound and total testosterone levels in plasma. J. Endocrinol., 87: 46P.
- Bixler, D., Muhler, J.C. and Shafer, W.G. 1955. The effect of castration, sex hormones and desalivation on dental caries in the rat. J. Dent. Res., 34: 889-894.
- Blazquez, N.B., Long, S.E., Perry, G.C. and Watson, E.D. 1987. Effect of oestradiol-17B on perineal and neck skin glands in heifer calves. J. Endocrinol., 115: 43-46.

- Bloom, G.D., Carlsoo, D., Danielsson, A., Hellstrom and Henriksson. 1981. Trophic effect of the sympathetic nervous system on the early development of the rat parotid gland. A quantitative ultrastructural study. Anat. Rec. 201: 512.
- Booth, W.D. 1972. The occurrence of testosterone and 5 α -dihydro-testosterone in the submaxillary salivary gland of the boar. J. Endocr., 55: 119-125.
- Booth, W.D. 1977. Metabolism of androgens in vitro by the submaxillary salivary gland of the mature domestic boar. J. Endocr., 75: 145-154.
- Bortz, W.M. and Steele, L.A. 1973. Synchronization of hepatic cholesterol synthesis, cholesterol and bile acid content, fatty acid synthesis and plasma free fatty acid levels in the fed and fasted rats. Biochem. et Biophys. Acta., 306: 85-94.
- Bortz, W.N., Steele, L.A. and Grundhofer, B. 1973. Structure of the alteration of the hepatic cholesterol synthesis in the rat. Biochem. et Biophys. Acta., 316: 366-377.
- Bose, T.K. and Prasad, M.R.N. 1975. Changing patterns of sialic acid in the spermatozoa and luminal plasma of the epididymis and vas deferens of the hamster, Mesocricetus auratus (water house). Ind. J. Exp. Biol., 13: 8-11.
- Bose, T.K., Rajalakshmi, M. and Prasad, M.R.N. 1977. Effects of cyproterone acetate on the accessory organs of reproduction and on the fertility performance of the hamster, Mesocricetus auratus. Ind. J. Exp. Biol., 15: 959-961.
- Bricker, L.A. and Levy, G.S. 1972. Autonomous cholesterol and fatty acid synthesis in hepatomas: Deletion of the adenosine 3',

- 5'-cyclic monophosphate control mechanism of normal liver. Biochem. Biophys. Res. Commun., 48: 362-365.
- Brooks, D.E. 1978. Androgenic regulation of metabolic pathways in the rat epididymis. Biol. Reprod., 18: 629-638.
- Brooks, D.E. 1979. Influence of androgens on the weights of male accessory reproductive organs and on the activities of mitochondrial enzymes in the epididymis of the rat. J. Endocr., 82: 293-303.
- Brooks, D.E. and Higgins, S.J. 1980. Characterization and androgen dependence of proteins associated with luminal fluid and spermatozoa in the rat epididymis. J. Reprod. Fert., 59: 363-376.
- Bruns, F.H. and Bergmeyer, H. 1963. Fructose-1, 6-diphosphate aldolase. pp. 724-731. In: "Methods of enzymatic analysis". (ed) Bergmeyer, H. 1963. Verlag Chemie. GMBH. Weinheim/Bergster, Acad Press New York London.
- Buillard and Delsuc. 1953. As cited by Shafer and Muhler. 1953.
- Burgen, A.S.V. 1956. As cited by Schneyer, L.H. 1967.
- Butcher, R.W. and Sutherland, E.W. 1962. Adenosine 3', 5'-phosphate in biological material. I. Purification and properties of cyclic 3', 5'-nucleotide phosphodiesterase and use of this enzyme to characterize adenosine 3', 5'-phosphate in human urine. J. Biol. Chem., 237: 1244-1250.
- Byyny, R.L., Orth, D.N., Cohen, S. and Doynt, E.S. 1974. Epidermal growth factor: Effects of androgens and adrenergic agents. Endocrinology, 95: 776-782.

- Cahill, G.F. Jr., Ashmore, J., Zottu, S. and Hasting, A.B. 1957. Studies on carbohydrate metabolism in rat liver slices. IX. Ionic and hormonal effects on phosphorylase and glycogen. J. Biol. Chem., 224: 237-250.
- Callard, P.I. and Chan, D.K.O. 1972. Hormonal effects on liver glycogen and blood sugar level in Iguanid lizard, Dipsosaurus dorsalis. Gen. Comp. Endocrinol., 18: 552-556.
- Campbell, R.M. and Scanes, C.G. 1985. Adrenergic control of lipogenesis and lipolysis in the chicken in vitro. Comp. Biochem. Physiol. C. Comp. Pharmacol. Toxicol., 82: 137-142.
- Capuzzi, D.M., Rothman, V. and Margolis, S. 1974. The regulation of lipogenesis by cyclic nucleotides in intact hepatocytes prepared by a simplified technique. J Biol. Chem., 249: 1286-1294.
- Carlson, A.J., Greer, J.R. and Becht, F.C. 1907. As cited by Schneyer and Hall. 1967.
- Carmena, M.J. and Juan-Carlos Prieto. 1985. cyclic AMP response to vasoactive intestinal peptide and β -adrenergic or cholinergic agonists in isolated epithelial cells of rat ventral prostate. Biosci. Rep., 5: 791-798.
- Case, R.M., Conigrave, A.D., Novak, I. and Young, J.A. 1980. Electrolyte and protein secretion by the perfused rabbit mandibular gland stimulated with acetylcholine or catecholamines. J. Physiol. (Lond), 300: 467-487.
- Cassano, N.A. 1958. Ghiandole salivari sottomascellari e ormoni. I. Effecti della castrazione, del testosterone e del nor-androstenolo sui tubuli sierosi della ghiandola salivare sottomascellare del ratto. Fol. endocrin. Pisa 11: 629-646.

- Catanzaro, O.L., Flawia, M.M., Taba, S. and Marzi, A. 1974. Adenylate cyclase and DNA synthesis in the salivary glands of isoproterenol : sexual difference. Pharmacol. Res. Commun. 5: 117-123.
- Chandola, A., Sureshkumar, D., Thapliyal, J.P. 1974. Metabolic response to male hormone and thyroid activity in the Indian garden lizard, Calotes versicolor. J. Endocr. 61: 285-291.
- Chapola, A., Villa, N., Valle, L.B.S., Oliveira-Filho, R.M. and Minetti, C.A.S.A. 1985. β -adrenergic stimulation of mouse parotid gland. Amylase activity and secretory granules during IPR induced mitosis. Gen. Pharmacol., 16: 419-422.
- Chaulin-Serviniere, J. 1942a. Sur les variations de la morphologie cellulaire dans le segment tubuleux de la glande sous-maxillaire de la souris. C. R. Soc. Biol., 136: 262-264.
- Chaulin-Serviniere, J. 1942b. Castration et glande sous-maxillaire de la souris femelle. C. R. Soc. Biol., 136: 335-336.
- Chinoy, N.J. 1969. Source of electron energy for animal metabolism. I. Role of ascorbic acid in the metabolism of avian muscle. Histochemie, 19: 125-128.
- Chinoy, N.J. 1970. Source of electron energy for animal metabolism. II. Role of ascorbic acid in the metabolism of insect tissues. The Nucleus, 13: 55.
- Chinoy, N.J. 1971. Ascorbic acid levels in the Indian Roller bird and Pond Heron tissues. A cytophotoelectrometric study. PAVO, 9: 36-39.
- Chinoy, N.J. 1973. Metabolic significance of ascorbic acid free radical (AA-FR) peroxidase in animal tissues. Ind. Nat. Sci. Acad., 39B: 119-121.

- Chinoy, N.J., Buch, R.P., Seethalakshmi, L. and Sheth, K.M. 1975. Ascorbic acid, prostaglandins and reproduction. Research in reproduction. As cited by Chinoy and Parmar, 1975.
- Chinoy, N.J., Parmar, P.Y., Laliwala, S.M. and Shah, V.C. 1974. Ascorbic acid turnover in developing chick embryonic tissues and its metabolic significance. Acta. Zool., 55: 1-6.
- Chinoy, N.J. and Parmar, P.Y. 1975. Ascorbic metabolism in post hatched chicken tissues under normal and inanition conditions I. In some ascorbic acid and hormone synthesizing tissues. PAVO, 13: 47-53.
- Chinoy, N.J. and Rao, M.V. 1979. Inter relationships between ascorbic acid and sex hormones in steroidogenic tissues and ascorbic acid synthesizing tissues of albino rats. J. Anim. Morphol. Physiol., 26: 36-43.
- Chinoy, N.J., Rao, M.V. and Seethalakshmi, L. 1979. Effects of gonadectomy and sex hormone replacement on tissue distribution of ascorbate in male and female albino rats. Ind. J. Exp. Biol., 17: 1171-1175.
- Chinoy, N.J. and Seethalakshmi, L. 1978. Hormonal control of tissue distribution and metabolism of ascorbic acid in male rats. J. Anim. Morphol. Physiol. 25: 235-242.
- Chinoy, N.J., Sheth, K.M. and Shah, V.C. 1973. A comparative histophysiological study on the normal, castrated and testosterone treated levator ani muscle of rodents. Acta Endocrinol., 74: 389-398.
- Cooke, B.A., Golding, M.A., Dix, C.J. and Hunter, M.G. 1982. Catecholamine stimulation of testosterone production via cyclic

- AMP in mouse Leydig cells in monolayer culture. Mol. Cell. Endocr., 27: 221-232.
- Correze, C., Salahedine, B., Tamayo, L. and Nunez, J. 1982. Effect of thyroid hormones and cyclic AMP on some lipogenic enzymes of the fat cell. Eur. j. Biochem., 122: 387-392.
- Crawford, N. 1958. An improved method for the determination of free and total cholesterol using ferric chloride reaction. Clinica. Chem. Acta, 3: 357-367.
- Curbello, H.M., Arias, N.H. and Houssay, A.B. 1987. Histometric comparison between two types of submaxillary gland hypertrophy in mice. Commun. Biol., 6: 23-29.
- Curbello, H.M., Houssay, A.B., Gamper, C.H. and Sancho, O. 1973. Influence of the the adrenal glands on the sialic acid contents of submaxillary and retrolingual gland in the rat. J Dent. Res., 52: 1051-1053.
- Dahm, C.H. Jr., Minagawa, J. and Jellinex, M. 1977. Effects of progesterone on some enzymes of fat and carbohydrate metabolism in rat liver. Amer. J. Obstet. Gynecol., 129: 130-132.
- Dale, H.H. and Laidlaw, pp. 1912 as cited by Schneyer and Hall, 1967.
- Daniel, H.G. 1972. Effects of mammalian ACTH on liver and muscle glycogen levels in the South American caiman(Caiman scierops) Gen. Comp. Endocrinol., 19: 1-6.
- Densie, B., Delaey, B., Rombauts, W. and Heyns, W. 1986. Influence of castration and androgen treatment on the synthesis of prostatic binding protein and the concentration of its

- messenger RNA in the rat ventral prostate. J. Steroid Biochem., 24: 661-668.
- De Smet, J. 1953. Comp. Rend. Soc. Biol., 147: 542-544 cited by Deuel, H.J. 1955.
- Deuel, H.J. Jr. 1955. "The lipids their chemistry and biochemistry" Vol. II & III. Interscience Pub., Inc., New York.
- Dieter, M.P. 1969. Hormonal control of the synthesis and distribution of ascorbic acid in cockerels (Gallus domesticus). Proc. Soc. Exp. Biol. Med., 130: 210-213.
- Dixit, V.P. 1976. Effects of a single injection of α -chlorohydrin/cadmium chloride into vas deferens on testicular function of dog. Ind. J. Exp. Biol., 14: 613.
- Dixit, V.P. 1977. Effect of Malva viscus konzatti green flower extract on testicular function of the house rat Rattus rattus rufescens and the gerbil Meriones hurriane jerdon : a biochemical study. Ind. J. Exp. Biol., 15: 506-509.
- Djabali, M. and Pic, P. 1982. Effects of α - and β -adrenoreceptors on branchial cAMP level in seawater mullet, Mugil capito. Gen. Comp. Endocrinol., 46: 193-199.
- Djoseland, O., Gardeladze, J.O., Hoglo, S., Halse, J.I. and Haugen, H.N. 1980. Evidence for androgen dependent phosphodiesterase activity in rat seminal vesicles and epididymis. Int. J. Andrology, 3: 363-366.
- Doeg, K.A. 1968. Control of mitochondrial lipid biosynthesis by testosterone in male sex accessory gland tissue and liver of castrate rats. Endocrinology, 82: 535-539.
- Doeg, K.A., Polomski, L.L., Doeg, L.H. and Dubos, P.M. 1971. Andro-

- gen control of mitochondrial protein biosynthesis in male sex accessory tissue and liver of rats. Endocrinology, 89: 338-346.
- Do Khac, L., Mokhtari and Harbon, S. 1986. A reevaluated role for cyclic AMP in uterine relaxation. Differential effect of IPR and Forskolin. J. Pharmacol. Exp. Ther., 239: 236-242.
- Drummond, G.I., Harwood, J.P. and Powell, C.A. 1969. Studies on the activation of phosphorylase in skeletal muscle by contraction and by epinephrine. J. Biol. Chem., 244: 4235-4240.
- Durant, S. 1986. In vivo effects of catecholamines and glucocorticoids on mouse thymic cAMP content and thymolysis. Cell. Immunol., 102: 136-143.
- Earp, H.S., Watson, B.S. and Ney, R.L. 1970. Adenosine 3',5'-monophosphate as the mediator of ACTH induced ascorbic acid depletion in the rat adrenal. Endocrinology, 87: 118.
- Ebling, F.J. 1974. Hormonal control and methods of measuring sebaceous gland activity. J. Invest. Dermatol., 62: 161-171.
- Eckstein, B. and Vिलlee, C.A. 1966. Effect of estradiol on enzymes of carbohydrate metabolism in rat uterus. Endocrinology, 78: 409.
- Edelman, J.C., Brendler, H., Zorngiotti, A.W. and Edelman, P.M. 1963. Effects of castration on mitochondria of rat ventral prostate. Endocrinology, 72: 853-858.
- Eichberg, J., Shein, H.M., Schwartz, M., Hauser, G. 1973. Stimulation of ³²P incorporation into phosphatidylinositol and phosphatidylglycerol by catecholamines and β -adrenergic receptor blocking agents in rat pineal organ culture. J Biol. Chem., 248: 3615-3622.

- Ekstrom, J. 1980. Sensitization of the rat parotid gland to secretagogues following either parasympathetic denervation or sympathetic denervation or decentralization. Acta Physiol. Scand. 108: 253-261.
- Elks, M.L., Vincent, C.M. and Vaughan, M. 1983. Hormone-sensitive particulate cAMP-phosphodiesterase activity in 3T3-L1 adipocytes. Regulation of responsiveness by dexamethasone. J. Biol. Chem., 258: 8582-8587.
- Emmelin, N., Holmberg, J. and Ohlin, P. 1965. As cited by Seifert, G. 1967.
- Epstein, F.H., Cynamon, M. and McKay, W. 1971. Endocrine control of Na^+K^+ -ATPase and seawater adaptation in Anguilla rostrata. Gen. Comp. Endocrinol., 16: 323-328.
- Ferguson, M.M., Glen, J.B. and Mason, D.K. 1970. Cortisol utilization by salivary gland, kidney and adrenal cortex. J. Endocr. 47: 511-515.
- Fewster, M.A., Pirrie, R.E. and Turner, D.A. 1967. Effect of estradiol benzoate on lipid metabolism in the rat. Endocrinology, 80: 263-268.
- Flynn, E.A., Yelland, K.T., Shklar, G. 1983. Effect of estradiol on ultrastructure of granular ducts in submandibular glands of female rats. Anat. Rec., 206: 23-30.
- Folch, J., Lees, M. and Sloanstanley, G.H. 1957. A simple method for the isolation and purification of total lipids from animal tissues. J. Biol. Chem., 226: 497-509.
- Fransworth, W.E. 1972. The role of the steroid-sensitive cation-dependent ATPase in human prostatic tissue. J. Endocr., 54: 375-385.

- Fredrikson, D.S. and Gordon, R.S. Jr. 1958. Transport of fatty acids. Physiol. Rev. 38: 585-630.
- Freinkel, R.K. 1963. The effect of age and sex on the metabolism of the preputial gland of the rat. pp. 125-134. In: "Advances in biology of skin. Vol. IV. The sebaceous glands". (eds.) Montagna, W., Ellis, R.A. and Silver, A.F. Pergamon Press, Oxford, London, New York.
- Froberg, S.O., Hultman, E. and Son Nilson, L.H. 1975. Effects of noradrenaline on triglyceride and glycogen concentrations in liver and muscle from man. Metabolism, 24: 119-126.
- Gaben, C., Marie, A., Annie, Q., Aron, Y., Brigant, L., Jahchan, T., Pellow, J. and Swierczewski, E. 1984. Development under the control of insulin of lipogenic enzymes, lipoprotein lipase, isoproterenol and glucagon sensitivity in differentiating rat preadipocytes in primary culture. Biochem. Biophys. Acta, 805: 252-260.
- Gangaramani, N.F. 1976. Observations on the influence of sex hormones on certain functions of liver in male albino rats, Rattus norvegicus albinus. Ph.D. Thesis, M.S. University of Baroda, Baroda, India.
- Garcia-Sainz, J.A. and Fain, J.N. 1980. Effect of insulin, catecholamines and calcium ions on phospholipid metabolism in isolated white fat cells. Biochem. J., 186: 781-789.
- Garrett, J.R. 1965 and 1966. As cited by Nordenfelt, I. 1967.
- Garrett, J.R. and Kidd, A. 1977. Effects of secretory nerve stimulation on acid phosphatase and peroxidase in submandibular saliva and acini in cats. Histochem. J., 9: 435-451.

- George, J.C. and Jyoti, D. 1957. Studies on the structure and physiology of the flight muscles of the birds. 2. The relative reduction of the fat and glycogen in the pectoralis major during sustained activity. J. Anim. Morphol. Physiol., 4: 119-123.
- Goodman, De W.S. 1963. Cholesterol metabolism and the liver. Med. Clin. N. Am., 47: 649.
- Gregory, K.W. and Booth, R. 1975. Specificity of the effect of dietary cholesterol on rat liver microsomal 3-Hydroxy-3 methyl glutaryl coenzyme A reductase activity. Biochem. J., 148: 337-339.
- Gupta, C.L. and Dixit, V.P. 1981. Effects of danazol on the epididymal function in male langurs (Presbytis entellus entellus). Andrologia, 13: 314-321.
- Harper. 1988. Harper's review of biochemistry. Martin, D.W., Mayes, P.A. and Rodwell, V.W. Lange medical publications.
- Haug, A., Hostmark, A.T., Spydevold, O. and Eilertsen, E. 1986. Hypercholesterolemia, hypotriacylglycerolemia and increased lipoprotein lipase activity following orchidectomy in rats. Acta Endocrinol., 113: 133-139.
- Hayes, S.J., Bowling, N. and Border, G.B. 1984. Contractility and protein phosphorylation in cardiomyocytes: Effects of isoproterenol and AR-L57 (2-2, 4-dimethoxy phenyl) -14-imido (4,5-b) pyridine). Am. J. Physiol., 247: H157-H169.
- Hers, H.G. and Dewulf, H. 1968. In: "Control of glycogen metabolism" pp. 65-76. (ed) Whelan, W.I. 1968. Academic Press London and New York
- Hers, H.G., Dewulf, H., Stalman, W. and Vanden Berghe, G. 1970. Adv. Enz. Regul., 8: 171.

- Higgins, S.J., Brooks, D.E. and Fuller, F.M. 1981. Isolation of cells from rat seminal vesicles and epididymis and their use in studying androgen action. Moll. Cell. Endocr., 23: 207-224.
- Hiroya, U., Muraki, T. and Kato, R. 1982. Involvement of α -adrenergic receptors in stimulation of phosphatidylinositol metabolism by catecholamines in mouse thyroids. Biochem. Pharmacol., 31: 2237-2242.
- Hiroyuk, M., Fukuma, K., Matsuo, I., Nakahara, K., and Maeyama, M. 1981. Effect of progestogen on glycogen metabolism in the endometrium of infertile patients during the menstrual cycle. Fertil. Steril., 35: 289-295.
- Hollifield, G. and Parson, W. 1961. Metabolic adaptations to a "stuff and starve" feeding programme. I. Studies of adipose tissue and liver glycogen in rats limited to a short daily feeding period. J. Clin. Invest., 41: 245.
- Hornbrook, K.R. 1970. Adrenergic receptor for metabolic responses in the liver. Federation Proc., 29: 1381-1385.
- Horton, B.J., Hickman, P.E. and Sobine, J.R. 1970. The effects of diet on the diurnal variation of cholesterol synthesis in rat liver. Life Sciences, 9: 1409-1417.
- Hoshino, K. and Lin, C.D. 1968. Hyperplasia-inducing factor in mouse salivary gland isografts. Cancer Res., 28: 2556-2558.
- Hosoi, K., Kobayashi, S. and Ueha, T. 1978. Influence of androgens on β -glucuronidase activity in liver, kidney and submandibular salivary glands of the mouse. Arch. Oral. Biol., 3C10: 905-910.

- Houssay, A.B. and Harfin, J.F. 1954. Effect of estrogen on submaxillary glands in mice. J. Dent. Res., 32: 262-268.
- Houssay, A.B. and Harfin, J.F. 1973. Effects of estrogens on submaxillary glands in mice. J. Dent. Res., 52: 1051-1053.
- Huggins, C., Parsons, F.M. and Jensen, E.V. 1955. Promotion of growth of preputial glands by steroids and the pituitary growth hormone. Endocrinology, 57: 25-32.
- Jain, S.K. 1973. Regulation of growth and metabolism of ovariectomized rat uterus by adenosine 3',5'-cyclic monophosphate. Ind. J. Biochem. Biophys. 15: 43-48.
- Javery, M.H., Mason, M.M. and Rosen Krantz, H. 1963. A histochemical study of androgen-dependent succinic acid dehydrogenase in rat ventral prostate. Lab. Invest., 12: 422-431..
- Jia-Huey, Yu, Burns, S.M. and Schneyer, C.A. 1983. Salivary secretion induced by substance P. Proc. Soc. Exp. Biol. Med., 173: 467-470.
- Jirakulsomchok, D., Yu, J.H. and Schneyer, C.A. 1984. Secretory responses to autonomic stimulation of rat salivary glands following reserpine treatment. Arch. Oral. Biol., 29: 39-44.
- John, L.C. Jr., Catherine, J. and Hiken, J.F. 1986. Control of glycogen synthase by insulin and isoproterenol in rat adipocytes. Changes in the distribution of phosphate in the synthase subunit in response to insulin and β -adrenergic receptor activation. J. Biol. Chem., 261: 669-677.
- Jose, M.G. and Coimbra, A. 1981. The effect of sexual hormones on lipid and protein secretion of the rat preputial sebaceous gland. Arch. Dermatol. Res., 270: 325-332.

- Joseph, S. and Mills, I. 1980. Epinephrine inhibits thyrotropin stimulated cAMP accumulation in cat thyroid tissue. Endocrinology, 106: 28-34.
- Judah, J.D. and Ahmed, K. 1964. The biochemistry of sodium transport. Biol. Rev., 39: 160-193.
- Junqueira, L.C. 1949. Estudo histologico, histoquimico bioquimico e experimental da glandular submaxilar de camondongo (Mus musculus L.). Arch. brasil Med., 39: 381-410.
- Junqueira, L.C., Fajer, A., Rabinovitch, M. and Frankenthal. 1949. Biochemical and histochemical observations on the sexual dimorphism of mice submaxillary glands. J. Cell.Comp. Physiol., 34: 129-158.
- Kasayama, S., Yoshimura, M. and Oka, T. 1989. The regulation by thyroid hormones and androgen of epidermal growth factor synthesis in the submandibular gland and its plasma concentrations in mice. J. Endocr., 121: 269-275.
- Kashiwagi, A., Huecksteadt, T.P. and Foley, J.E. 1983. The regulation of glucose transport by cAMP-stimulators via three different mechanisms in rat and human adipocytes. J Biol. Chem., 285: 13685
- Katkov, T., Booth, W.D. and Gower, D.B. 1972. The metabolism of 16-Androstenes in boar salivary glands. Biochim. Biophys. Acta., 270: 546-556.
- Katz, J. and Rogenstad, R. 1966. The metabolism of tritiated glucose by rat adipose tissue. J. Biol. Chem., 241: 3600-3601.
- Kesztyus, L. and Martin, J. 1937. As cited by Schneyer and Hall, 1967.

- Khandwekar, P.V., Deshpande, M.K., Nath, N. and Nath, M.C. 1973. Ascorbic acid metabolism in castrated rats. Metabolism, 22: 1485-1489.
- Kiss, Z. and Farkas, T. 1975. The effect of isoproterenol on the metabolism of phosphatidylinositol by rat heart in vitro. Biochem. Pharmacol., 24: 999-1002.
- Klein, W.L. and Boyer, P.D. 1972. Energization of active transport of Escherichia coli. J. Biol. Chem., 247: 7257-7265.
- Kochakian, Endahl and Hall, 1955 as cited by Kronman and Spinale 1965.
- Kozo, H., Koide, K., Kawamoto, T., Horiuchi, I., Takata, K., Okahashi M., Hiraoka, T., Nomura, Y., Tokumo, H. 1987. Rat hypolipidemia and lipid metabolic change of liver induced by 17 α -ethynylestradiol treatment. Jpn. J. Gastroenterol., 83: 2022-2027.
- Krebs, E.G., Delange, R.J., Kemp, R.G. and Riley, W.D. 1966. Pharmac. Rev., 18:163. As cited by Jain S.K. 1968.
- Krebs, E.G. and Fischer, E.H. 1962. As cited in "Control of glycogen metabolism" pp. 2. (ed) Whelan, W.J. Academic Press London and New York
- Kritchevsky, D. 1958. In: "Cholesterol". John Wiley & Sons, Inc. New York
- Kritchevsky, D., Tepper, S.A., Staple, E. and Whitehouse, M.W. 1963. Influence of sex and sexhormones on the oxidation of cholesterol-26-C by rat liver mitochondria. J. Lip. Res., 4: 188-192.

- Kronman, J.H. 1963a. Hamster salivary gland sexual dimorphism. I. Protein histochemical study. J. Dent. Res., 42: 123-127.
- Kronman, J.H. 1963b. Hamster salivary gland sexual dimorphism. II. A histochemical study of hypophysectomy-induced changes in rat submandibular and sublingual glands. Am. J. Anat. 113: 337-346.
- Kronman, J.H. and Spinale, J.J. 1965. A histochemical study of testosterone induced changes in the submandibular and sublingual gland of mice. Am. J. Anat., 117: 123-127.
- Kun, E. and Abood, L.G. 1949. Colorimetric estimation of succinic dehydrogenase by triphenyltetrazolium chloride. Science, 109: 144-145.
- Kurt, H., Kudchodkar, B.J., Chait, A., Albers, J.A., Bierman, E.L. 1981. Effect of hydrocortisone on cholesterol metabolism of cultured human skin fibroblasts. Biochem. Biophys. Acta, 666: 199-204.
- Kushwah, A., Kamboj, V.P., Kushwah, H.S. and Karkun, J.N. 1987. Effect of altered hormonal states on some carbohydrate metabolizing enzymes in the genital organs of immature female rhesus monkeys. Theriogenology, 27: 879-886.
- Lacassagne, A. 1940a. Dimorphisme sexuel de la glande sous-maxillaire chez la souris. C. R. Soc. Biol., 133: 180-181.
- Lacassagne, A. 1940b. Mesure del'action des hormones sexuelles sur la glande sous-maxillaire de la souris. C. R. Soc. Biol., 133: 227-229.
- Lakshmanan, M.R., Nepokroeff, C.M. and Porter, J.W. 1972. Control of the synthesis of fatty acid synthetase in rat liver by

- insulin, glucagon, adenosine 3',5'-cyclic monophosphate.
Proc. Natl. Acad. Sci. U.S.A., 69: 3516-3519.
- Langley, J.N. 1878. As cited by Schneyer and Hall, 1967.
- Langstroth, G.O., McRac, D.R. and Stavraký, G.W. 1938. A study of cat's submaxillary saliva obtained under nerve stimulation or adrenaline administration. Arch. Intern. Pharmacodyn., 58: 61-77.
- Larner, J. 1966. As cited in "Control of glycogen metabolism" pp.2 (ed) Whelan, W.J. 1968. Academic Press London and New York.
- Laron, Z. and Kowadlo, A. 1963. Fat mobilizing effect of testosterone. Metabolism, 12: 588.
- Laron, Z. and Kowadlo, A. 1964. Further evidence for fat mobilizing effect of androgens. Acta Endocrinol., 45: 427.
- Lars-Ake, M., Goran, C., Palin, T., Goran, Z. and Goran, S. 1980. Administration of dehydroepiandrosterone enanthate to oophorectomized women: Effects on sex hormones and lipid metabolism. Maturitas, 2: 301-310.
- Lee, K.H., Thrall, T. and Kim, K.H. 1973. Hormonal regulation of acetyl coenzyme A carboxylase: Effect of insulin and epinephrine. Biochem. Biophys. Res. Commun., 54: 1133-1140.
- Lee, T.P. and Reed, C.E. 1977. Effects of steroid on the regulation of the levels of cyclic AMP in human lymphocytes. Biochem. Biophys. Res. Commun., 78: 998-1004.
- Lehninger, A.L. 1984. Principles of Biochemistry. CBS Publishers and distributors, New Delhi.
- Leloir, L.F. and Goldemberg, S.H. 1962. Glycogen synthetase from rat liver. Methods Enzymol., 1: 145

- Lerner, J., Villar-Palasi, C., Goldber, N.D., Bishop, J.S., Huijing, F., Wenger, J.I., Sasko, H. and Brown, N.B. 1968. As cited by Jain, S.K. 1978.
- Lockwood, D.H. and Williams-Ashman, H.G. 1971. Cholinergic stimulated alkaline phosphatase secretion and phospholipid synthesis in guinea pig seminal vesicles. J. Cell. Physiol., 77: 7-16.
- Lowry, D.H., Rosenbrough, N.J., Farr, A. and Randall, J. 1951. Protein measurement with the Folin-phenol reagent. J. Biol. Chem., 193: 265-275.
- Maity, C.R., Ray, D. and Ghosal, S.K. 1981. Effect of ethynyl estradiol and dl-norgesterol on testicular phosphohexose isomerase and aldolase activity. Ann. Natl. Acad. Med. Sci., 17: 9-14.
- Majmudar, P.K. and Chatterjee, G.C. 1974. Effects of testosterone and human chorionic gonadotrophin on the enzymes involved in the metabolism of L-ascorbic acid in rats. Ind. J. Exp. Biol., 12: 387-388.
- Malbon, C.C. and Campbell, R. 1982. Thyroid hormone administration in vivo regulates the activity of hepatic glycogen phosphorylase phosphatase. Endocrinology, 111: 1741
- Mangan, F.R., Pegg, A.E. and Main Waring, W.I.P. 1973. A reappraisal of the effects of adenosine 3',5'-cyclic monophosphate on the function and morphology of the rat prostate gland. Biochem. J., 134: 129-142.
- Mangos, J.A., McSherry, N.R., Barber, T., Arvanitakis, S.N. and Wagner, V. 1975a. Dispersed rat parotid acinar cells.

- II. Characterization of cholinergic receptors. Am. J. Physiol., 229: 560-565.
- Mangos, J.A., McSherry, N.R. and Barber, T. 1975b. Dispersed rat parotid acinar cells. III. Characterization of cholinergic receptors. Am. J. Physiol., 229: 566-569.
- Markert, C.L. 1974. "Isozymes" Vol. I Molecular structure. pp.11-39.
- Martirosyan, M.E. 1980. Mechanism of development of the post castration hyper glycemia in male albino rats. ZH EKSP KLIN MED., 20: 252-257.
- Marvin, M.R., Domino, E.F., Han, S.S., Ortiz, A., Mathews, B.N. and Tait, S.K. 1983. Effect of parasympathetic denervation of acetylcholine levels in the rat parotid gland: Is there an extra neuronal pool of acetylcholine? Life Sci., 33: 1191-1198.
- Matute, M.L. and Kalkhoff, R.K. 1973. Sex steroid influence on hepatic gluconeogenesis and glycogen formation. Endocrinology, 92: 762-768.
- Mayer, S.E. 1970a. Adrenergic receptors for metabolic receptors in the heart. Federation Proc., 29: 1367-1372.
- Mayer, S.E. 1970b. Adenyl cyclase as a component of the adrenergic receptor. In Ciba Foundation Symposium on molecular properties of drug receptors., Porter, R. and O'Connor, M. (eds.) London Churchill, 43-56.
- Meyer, S.E. and Moran, N.C. 1960. Relation between pharmacologic augmentation of cardiac contractile force and the activation of myocardial glycogen phosphorylase. J. Pharmacol. Expt. Therap., 129: 271-281.

- Mazariegos, M.R. and Hand, A.R. 1984. Regulation of tight junctional permeability in the rat parotid gland by autonomic agonists. J. Dent. Res., 63: 1102-1107.
- Maziere, J.C., Mazierie, C., Gassette, J., Mora, L. and Polonovski, J. 1983. Effect of cyclic AMP on low density lipoprotein binding and internalization by cultured human fibroblasts. Biochem. Biophys. Res. Commun., 112: 795-800.
- Mazur, A., Carleton, A. and Carlson, A. 1961. Relation of oxidative metabolism to the incorporation of plasma iron into ferritin in vivo. J. Biol. Chem., 236: 1109-1116.
- McClanahan, H.H. and Amberson, W.R. 1935. Bicarbonate elimination through the salivary glands under nervous and chemical stimulation. J. Pharmacol. Exptl. Therap., 53: 189-197.
- Meshchishen, I.F., Myslitskii, V.F. and Khodorovskii, G.I. 1980. Effect of castration on carbohydrate metabolism. Probl. Endokrinol., 26: 52-55.
- Mesquita-G.J. and Coimbra, A. 1981. The effect of sexual hormones on lipid and protein secretion of the preputial sebaceous gland. Arch. Dermatol. Res., 270: 325-332.
- Metcalf, W. and Gross, E. 1960. Influence of anabolic steroids on uptake of alpha-aminoisobutyric acid by levator ani muscle. Science, 132: 41-42.
- Michell, R.H. and Jones, L.M. 1974. Enhanced phosphatidylinositol labelling in rat parotid fragments exposed to α -adrenergic stimulation. Biochem J., 138: 47-52.
- Mills, T.M. and Spaziani, E. 1968. The influence of testosterone on penetration of α -aminoisobutyric acid and α -deoxyglucose

- Minetti, C.A.S.A., Valle, L.B.S., Oliveira-Filho, R.M. and Moraes, F.F. 1985. Effects of testosterone and its metabolites in relation to androgen-binding activity in murine submandibular salivary glands. Arch. Oral. Biol., 30: 615-620.
- Moger, W.H. and Anakwe, O.O. 1983. Effects of forskolin on androgen production by mouse interstitial cells in vitro: Interactions with leutinizing hormone and isoproterenol. Biol. Reprod., 29: 932-937.
- Moger, W.H. and Murphy, P.R. 1983. B-adrenergic agonist induced androgen production during primary culture of mouse Leyding cells. Arch. Androl., 10: 135-142.
- Moger, W.H., Murphy, P.R. and Casper, R.F. 1982. Catecholamine stimulation of androgen production by mouse interstitial cells in primary culture. J. Androl., 3: 227-231.
- Montagna, W. 1953. Chapter 2. The sebaceous glands in man and Chapter 3. Comparative aspects of sebaceous glands. In: "Advances in biology of skin" Vol. IV. The sebaceous glands (eds.) Montagna, W., Ellis, R.A. and Silver A.F. Pergamon press.
- Moore, L., Knapp, H.R. Jr. and Landon, E.J. 1977. An effect of estradiol and testosterone on calcium pump activity and phospholipid fatty acid composition of rat liver microsomes. Endocrinology, 100: 1516-1520.
- Moran, N.C. 1967. New adrenergic blocking drugs: Their pharmacological, biochemical and clinical actions. Ann. NY. Acad. Sci., 139: 541-1009.

- Moreno, M., Martinez, E.V. and Lopez, M.A. 1984. Effect of sympathetic stimulation on salivary secretion in submandibular gland in the rabbit stimulated by pilocarpine. Rev. Esp. Fisiol. 40: 15-18.
- Morvaj, J., Altorjay, I. and Sas, M. 1983. Saliva level of ethynyl estradiol in presence of ethynodiol concentration after oral administration. Horm. Res., 17: 181-184.
- Nag, S., Sarkar, D., Ghosh, J.J. 1977. Sialic acid and sialidase activity in rat testis and epididymis in relation to age and action of different antifertility agents. Ind. J. Exp. Biol., 15: 510-512.
- Nathani, M.G., Idress, B., Nath, N., Daginawala, H.F. and Nath, M.C. 1971. Ascorbic acid metabolism in adrenalectomized rats. Metabolism, 20: 1036-1043.
- Newton, N.E. and Hornbrook, K.R. 1972. Effects of adrenergic agents on carbohydrate metabolism of rat liver: activities of adenyl cyclase and glycogen phosphorylase. J. Pharmacol. Exptl. Therap., 181: 479-488.
- Nickerson, C. and Collier, H. 1970. "The pharmacological basis of Therapeutics". In: Chapter 26. (eds.) Goodman, L.S. and Gillman, A. Macmillan Publishing Co New York Canada Toronto.
- Norberg, K.A. and Hamberger, B. 1965. As cited by Seifert, G. 1967.
- Nordenfelt, I. 1964. As cited by Nordenfelt, I. 1967.
- Nordenfelt, I. 1967. Metabolism of transmitter substances in salivary glands. In: "Secretory mechanisms of salivary glands" (eds) Schneyer, L.H. and Schneyer, C.A. Academic Press, New York and London. pp. 142-154.

- Northrup, G. 1968. Effects of adrenergic blocking agents on epinephrine and 3',5'-AMP induced responses in the perfused rat liver. J. Pharmacol. Exptl. Therap., 159: 22-28.
- Northrup, G. and Parks, R.E. Jr. 1964. The effects of adrenergic blocking agents and theophylline on 3',5'-AMP-induced hyperglycemia. J. Pharmacol. Exptl. Therap., 145: 87-91.
- Novi, A.M. and Baserga, R. 1972. Correlation between synthesis of ribosomal RNA and stimulation of DNA synthesis in mouse salivary glands. Lab. Invest. 26: 540-546.
- Pageaux, J.F., Laugier, C., Duperray, B., Pacheco, H. and Brard, E. 1980. Inhibition by tamoxifen of the effects of estradiol benzoate on lipid metabolism in female quail (Coturnix coturnix japonica). Gen Comp. Endocrinol., 41: 115-121.
- Palech, S.L., Pritchard, P.H. and Vance, D.E. 1981. cAMP analogues inhibit phosphatidylcholine biosynthesis in cultured rat hepatocytes. J. Biol. Chem., 256: 8283.
- Panse, G.T. 1981. Effects of antiandrogens on glycogen metabolism of spermatozoa from caput epididymis. Ind. J. Exp. Biol. 19: 872-873.
- Patro, U.K.N. and Patnaik, B.R. 1979. Changes in ascorbic acid, glycogen and protein of muscle and brain of Ophiocephalus punctatus Bloch following short term cold stress. Ind. J. Exp. Biol. 17: 521-523.
- Patsch, W., Kenneth, K., Walter, W. and Gustav, S. 1980. Effects of sex hormones on rat lipoproteins. Endocrinology, 107: 1085

- Pochi, P.E. and Strauss, J.S. 1974. Endocrinologic control of the development and the activity of the human sebaceous gland. J. Invest. Dermatol., 62: 191-201.
- Poddar, S. and Jacob, S. 1978. Histology and mucosubstance histochemistry of mongoose salivary glands. Acta Anat., 100: 545-556.
- Pohto, P. and Paasonen, M.K. 1964. As cited by Seifert, G. 1967.
- Poland, R.E. and Rubin, R.T. 1982. Saliva control levels following dexamethasone administration in endogenously depressed patients. Life Sci., 30: 177-182.
- Prosser, C.G. and Hartman, P.E. 1983. Saliva and breast milk composition during the menstrual cycle of women. Aust. J. Exp. Biol. Med. Sci., 61: 265-275.
- Putney, J. 1983. The role of Ca in salivary gland secretion. J. Dent. Res., 62: 164.
- Raheja, K.L., Reber, E.F., Anderson, D.L. and Bert, M.H. 1971. Effects of testosterone propionate and dicumarol on plasma prothrombin rate and serum cholesterol level in capons and orchidectomized rats. Gen. Comp. Endocrinol., 16: 385-390.
- Rajalakshmi, M., Prasad, M.R.N., and Singh, S.P. 1970. Study of epididymal function following long term treatment with isomers of clomiphene citrate. Ind. J. Exp. Biol., 8: 258-262.
- Rauch, S. 1959. "Die speicheldrüsen des Menschen". Thieme, stuttgart. As cited by Seifert, G. 1967.
- Ravetto, C., Gulluzo, F. and Siervo, R. 1965. On the presence of sialic acid sulfate groups in rat submaxillary gland. J. Histochem. Cytochem., 14: 114-115.

- Raychoudhary, K. and late Chowdhury, A.K. 1987. Effect of low doses of estradiol benzoate on male reproductive organs of adult rats. Ind. J. Med. Res., 85: 385-394.
- Raynaud, J. 1950. Action locale de la testosterone injectee dans la glande sous-maxillaire de la souris. C. R. Acad. Sci. 230: 2045-2047.
- Raynaud, J. and Rebeyrotte, P. 1949. Difference d'active amylasique de la glande sous-maxillaire des souris males et des souris femelles: conditionnement de cette activite, par les hormones androgens. C. R. Acad. Sci., 229: 84-86.
- Read, G.F., Wilson, D.W., Hughes, I.A. and Griffith, S.K. 1984. The use of salivary progesterone assays in the assessment of ovarian function in post menarcheal girls. J. Endocr., 102: 265-268.
- Rindi, G. 1971. The biological role of cyclic AMP. Acta Diabetol. Lat., 8: 865-898.
- Roe, J.H. 1954. Chemical determination of ascorbic, dehydroascorbic and diketogulonic acids. Methods of biochemical analysis. Vol. I (ed.) Glick, D. pp. 116-139.
- Ross, P.S., Vincent, C.M. and Vaughan, M. 1977. Regulation of cyclic nucleotide phosphodiesterase in cultured hepatoma cells by dexamethasone and N , O -dibutyryl adenosine 3',5'-monophosphate. J. Biol. Chem., 252: 1448-1452.
- Rusch, H.P. and Kline, B.E. 1941. The inhibition of phospholipid oxidation by carcinogenic and related compounds. Cancer Res., 1: 465-472.

- Sannikka, E., Terho, P., Suominen, J. and Santti, R. 1983. Testosterone concentrations in human seminal plasma and saliva and its correlation with non-protein-bound and total testosterone levels in serum. Int. J. Androl. 6: 319-330.
- Santti, R.S. and Vिलlee, C.A. 1971. Hormonal control of hexokinase in male sex accessory gland. Endocrinology, 89: 1162-1170.
- Sato, L., Noboru, M., Watanabe, S. and Takehiko, I. 1981. Histological pattern and histochemistry of the preputial gland in weasels (Mustela sibirica coreana). Jpn. J. Anim. Reprod., 27: 36-39.
- Schacht, J. 1985. Hormonal regulation of adenylate cyclase in the stria vascularis of the mouse. Heart Res., 20: 9-14.
- Schachter, M. 1963 and 1965. As cited by Schachter, M. 1967.
- Schachter, M. 1967. Control of blood flow in the salivary glands. In: "Secretory mechanisms of salivary glands". (eds) Schneyer L.H. and Schneyer, C.A. 1967 Academic Press New York London
- Schneyer, C.A. 1962. Salivary gland changes after isoproterenol-induced enlargement. Am. J. Physiol., 203: 232-236.
- Schneyer, C.A. 1965. Modification of the action of pilocarpine by adrenergic blocking agents. Proc. Soc. Exp. Biol. Med., 120: 230-232.
- Schneyer, C.A. and Halls, H.D. 1965. Comparison of rat salivas evoked by auriculotemporal and pilocarpine stimulation. Am. J. Physiol., 209: 484-488.
- Schneyer, C.A. and Hall, H.D. 1967. Autonomic regulation of the immature and adult rat parotid gland. In: Secretory mechanisms of salivary glands. (eds) Schneyer, L.H. and Schneyer,

C.A. Academic Press New York London

- Schneyer, C.A., Humphreys, M.B. and Jirakulsomchok, D. 1986. Effects of electrical stimulation of the sympathetic nerve on the levels of β -adrenergic and cholinergic muscarinic receptors and cyclic nucleotides in rat salivary glands. Arch. Oral. Biol., 31: 629-632
- Schneyer, C.A. and Jia-Huey, Yu. 1984. Calcium concentration of saliva and salivary glands of rat after cycloctidine. Proc. Soc. Exp. Biol. Med., 175: 16-20.
- Schneyer, C.A. and Schneyer, L.H. 1961. Secretion by salivary glands deficient in acini. Am. J. Physiol., 201: 939-942.
- Schneyer, C.A., Yu, J.H. and Jirakulsomchok, D. 1983. Calcium concentration of salivary glands and saliva after chemical or surgical sympathectomy. J. Auton. Ner. Syst., 8: 117-118.
- Schneyer, L.H. 1967. Exchange of potassium in rat submaxillary gland. In: Secretory mechanisms of salivary glands. (eds) Schneyer, L.H. and Schneyer, C.A. Academic Press New York London pp.35-55.
- Schneyer, L.H. and Schneyer, C.A. (eds) 1967. Secretory mechanisms of salivary glands. Academic Press New York London
- Schneyer, L.H. and Thavornthon, T. 1973. Isoproterenol induced stimulation of sodium absorption in perfused salivary duct. Am. J. Physiol., 224: 136-139.
- Schneyer, L.H., Young, J.A. and Schneyer, C.A. 1972. Salivary secretion of electrolytes. Physiol. Rev. 52: 720-777.
- Schramm, M. 1967. Secretion of enzymes and macromolecules. Ann. Rev. Biochem., 36: 307-322.

- Schuermeyer, T. and Nieschlag. 1984. Comparative pharmacokinetics of testosterone enanthate and testosterone cyclohexane carboxylate as assessed by serum and salivary testosterone levels in normal men. Int. J. Androl., 7: 181-187.
- Schuler, L.A., Toaff, M.E. and Strauss, J.F. 1981. Regulation of ovarian cholesterol metabolism: control of 3-Hydroxy-3-methyl glutaryl coenzyme A reductase and acyl coenzyme A : Cholesterol acyl transferase. Endocrinology, 108: 1476- .
- Seaton, B. and Fahmy, R.D. 1979. Use of salivary progesterone assays to monitor menstrual cycles in Bangladeshi women. J. Endocr., 82: 164-
- Seifert, G. 1964 a, b & c. As cited by Seifert, G. 1967.
- Seifert, G. 1966. As cited by Seifert, G. 1967.
- Seifert, G. 1967. Experimental sialadenosis by isoproterenol and other agents: Histochemistry and electron microscopy. In: Secretory mechanisms of salivary glands. (eds) Schneyer, L.H. and Schneyer, C.A. Academic Press New York and London pp.191-208.
- Seifter, S., Datton, S., Novic, B. and Muntwyler, B. 1950. The estimation of glycogen with anthrone reagent. Arch. Biochem., 25: 191-200.
- Selye, H., Cantin, M. and Veilleux, R. 1961. As cited by Seifert, G. 1967.
- Selye, H., Veilleux, R. and Cantin, M. 1961. Science, 133: 44. As cited by Seifert, G. 1967.
- Shackleford, J. and Klapper, E.C. 1961. The influence of ovarian hormones on hamster submaxillary mucin. Anat. Rec., 139: 334

- Shafer, W.G. and Muhler, C.J. 1953. Effect of gonadectomy and sex hormones on the structure of the rat salivary glands. J. Dent. Res., 32: 262-268.
- Shapiro, B. and Wertheimer, E. 1943. Phosphorolysis and synthesis of glycogen in animal tissues. Biochem. J., 37: 397-403.
- Shepherd, R.E., Bah, M.D. and Nelson, K.M. 1986. Enhanced lipolysis is not evident in adipocytes from exercise-trained spontaneously hypertensive rats. J. Appl. Physiol., 61: 1301-1308.
- Siegel, I.A. 1966. Federation Proc., 25: 415 as cited by Schneyer, L.H. 1967.
- Simoni, R.D. and Shallenberger, M.K. 1972. Coupling of energy to active transport of amino acid in Eschericia coli. Pro. Nat. Acad. Sci., U.S.A. 69: 2663-2667.
- Singhal, R.J., Wang, D. and Ling, G.M. 1968. Proc. Can. Fed. Biol. Sci., 11: 146-147. As cited by Mangan et al., 1973.
- Singhal, R.L., Parulekar, M.R., Vijayvargiya, R. and Robinson, G.A. 1971. Metabolic control mechanisms in mammalian systems. Involvement of adenosine 3',5'-cyclic monophosphate in androgen action. Biochem. J., 125: 329-342.
- Singhal, R.L. and Valadares, J.R.E. 1968. Metabolic control mechanisms in mammalian systems. Hormonal regulation of phosphofructokinase in the rat prostate and seminal vesicles. Biochem. J., 110: 703-711.
- Skou, J.C. 1965. Enzymatic basis for active transport of Na and K across cell membrane. Physiol. Rev., 45: 596-617.
- Smith, R.G., Besch, P.K., Dill, B. and Buttram, V.C. 1979. Saliva as a matrix for measuring free androgens: Comparison with

- serum androgens in polycystic ovarian diseases. Fertil. Steril., 31: 513-
- Smith, R.J. and Frommer, J. 1975. Quantitative morphology and carbohydrate histochemistry of the mouse submandibular gland following prepubertal castration. Am. J. Anat. 144: 137-148.
- Sreedevianma, K.K. and Oommen, V.O. 1987. Influence of testosterone on few biochemical constituents in differnt tissues of Indian garden lizard, Calotes versicolor. JRBCE 7: 13-20.
- Srivastava, S.R., Sheth, A.R. and Dasgupta, P.R. 1981. Biochemical composition of rat Cowper's gland. Andrologia, 13: 363-367.
- Stephen, R.M. and Toop, J. 1983. Androgens enhance in vivo 2-Deoxyglucose uptake by rat striated muscle. Endocrinology, 113: 119-
- Stetten, D. Jr. and Stetten, M.R. 1960. Glycogen metabolism. A review. Physiol. Rev., 40: 505
- Strombald, B.C.R. and Nickerson, M. 1961. As cited by Nordenfelt, I. 1967.
- Stubbs, D.W. and McKerman, J.B. 1967. A sexual influence on the biosynthesis and storage of L-ascorbic acid in rats. Proc. Soc. Exp. Biol. Med. 125: 1326-1336.
- Stubbs, D.W., McKerman, J.B. and Haufreet, D.B. 1967. An androgenic basis for the sexual difference in L-ascorbic acid biosynthesis in rats. Proc. Soc. Exp. Biol. Med., 126: 464-467.
- Sultan, S.D. 1980. Influence of hormones on testicular lipids of adult rats. Horm. Res. (Basel) 13: 165-173.

- Sutherland, E.W. and Rall, T.W. 1960. Pharmacol Rev., 12: 265 as cited in Hormonal and non-hormonal control of glycogen synthesis-control of transferase phosphatase and transferase I kinase. "Control of glycogen metabolism" (ed) Whelon, W.J. 1968.
- Tadashi, Y. 1987. Quantitative immunoelectron microscopic localization of Na⁺-K⁺-ATPase in rat parotid gland. J Histochem. Cytochem., 35: 871-880.
- Takayasu, S. and Adachi, K. 1970. Hormonal control of metabolism in hamster costovascular glands. J. Invest. Dermatol., 55: 13-19
- Tanaka, N. 1987. Specific regulation by steroid hormones of adenylate cyclase in endometrium. Gynaecol. Jpn., 39: 599-604.
- Teruo, K., Kinoshita, Y. and Konno, M, 1987. Effects of castration and testosterone enanthate replacement therapy of the γ -glutamyl transpeptidase (γ -GTP) activity in the rat epididymis. Jpn. J. Fertil. Steril., 32: 100-104.
- Thapliyal, J.P., Gupta, S.C. and Garg, R.K. 1975. Metabolic effects of testosterone in the chequered water-snake, Natrix piscator J. Endocr., 65: 333-339.
- Thibault, M.C., Cote, C. and Vallieres, J. 1979. Changes in skeletal muscle glycogenolysis after prolonged cold exposure and repeated injections with isoproterenol. Can. J. Physiol. Pharmacol., 57: 938-943.
- Thoenen, H. and Barde, Y.A. 1980. Physiology of nerve growth factor Physiol. Rev., 60: 1285-1293.

- Thoma, K.H. and Goldman, H.M. 1960. "Oral pathology". Mosby, St. Louis, Missouri.
- Thomas, J.A. and Manandhar, M. 1975. Effects of prolactin and/or testosterone on nucleic acid levels in prostate glands of normal and castrated rats. J. Endocr., 65: 149-150.
- Tindall, D.J., French, F.S. and Nayfeh, S.N. 1981. Estradiol-17 β inhibition of androgen uptake, metabolism and binding in epididymis of adult male rats in vivo: A comparison with cyproterone acetate. Steroids, 37: 257-268.
- Todd, G.L., Pieper, G.M., Clayton and Eliot, R.S. 1979. Heterogeneity in distribution of cardiac glycogen following isoproterenol infusion in the dog. Histochem. J., 11: 425-434.
- Trendelenburg, U. 1954. As cited by Schneyer and Hall, 1967.
- Ulf, T.W., Schueiring, B., Senge, T., Neumann, F., Schweikert, H.U. and Rohr, H.P. 1981. Morphometric analysis of prostates in castrated dogs after treatment with androstenediol, estradiol and cyproterone acetate. Invest. Urol., 18: 289-292.
- Umopathy, E., Manimekalai, S. and Govindarajulu, P. 1979. Influence of hormones on accessory sex glands in males. Ind. J. Physiol. Pharmacol., 23: 179-184.
- Umopathy, E. and Rai, U.C. 1980. Effects of antiandrogens on the accessory sex glands of castrated rats. Ind J. Exp. Biol., 18: 1090-1093.
- Umbreit, K. 1957. In: "Methods of enzymatic analysis". p. 722. Hans Ulrich Bergmeyer (ed) Academic Press New York.
- Umbreit, W.W., Burris, R.H. and Stauffer, J.F. 1957. "Manometric techniques". Burgess Public Co.

- Weber, G., Banerjee, G. and Bronstein, S.B. 1961. Role of enzymes in homeostasis. III., Selective induction of increases of liver enzymes involved in carbohydrate metabolism. J. Biol. Chem., 236: 3106
- Webster, M.E., Skinner, N.S. Jr. and Powell, W.J. Jr. 1967. As cited by Schachter, M. 1967.
- Weiner, A.L., Ofner, P. and Sweeny, E.A. 1970. Metabolism of testosterone-4 C by the canine submaxillary gland in vivo. Endocrinology, 87: 406-409.
- Weiss, G.H., Rosen, O.M. and Rubin, C.S. 1980. Regulation of fatty acid synthetase concentration and lipolytic activity during adipocyte differentiation. J. Biol. Chem., 255: 4741-4757.
- Wells, D.J. and Michael, G.H. 1985. Analysis of protein synthesis in the rat salivary glands after chronic treatment with β -receptor agonists and phosphodiesterase inhibitors. Biochem. Pharmacol., 34: 4229-4238.
- Whitton, P.D. and Hems, D.A. 1976. Glycogen synthesis in the perfused liver of adrenalectomized rats. Biochem J., 156: 585-592.
- Winegard, A.I. and Renold, A.E. 1958. Studies on rat adipose tissue in vitro. I. Effect of insulin on the metabolism of glucose pyruvate and acetate. J. Biol. Chem., 233: 267.
- Winston, D.C., Henniger, R.A., Spicer, S.S., Garrett, J.R. and Schuller, B.A. 1988. Immunohistochemical localization of $\text{Na}^+\text{-K}^+\text{-ATPase}$ in rodent and human salivary and lacrimal glands. J. Histochem. Cytochem., 36: 1139-1145.

- Valette, A., Mercier, L., Benoit, V., Meignen, J.M. and Boyer, J. 1987. Nutritional dependence of the effect of estrogen on fat cell lipoprotein lipase. J. Steroid. Biochem., 28: 445-448.
- Valette, A., Verine, A., Varesi, L. and Boyer, J. 1978. Effects of ethynyl estradiol and progesterone on triglyceride metabolism in the female rat. Endocrinology, 103: 1647.
- Verma, O.P., Joshi, B.C., Kumar, S. and Chatterjee, S.N. 1980. Antifertility effects of alcoholic extract of Malva viscus conzatti flower extract on male albino mice. Ind. J. Exp. Biol., 18: 561-564.
- Vincent, M. and Vaughan, M. 1972. An effect of dexamethasone on adenosine 3',5'-monophosphate content and adenosine 3',5'-monophosphate phosphodiesterase activity of cultured hepatoma cells. J. Clin. Invest., 51: 2763-2767.
- Vincent, M. and Vaughan, M. 1973. An effect of insulin on cyclic adenosine 3',5'-monophosphate phosphodiesterase activity in fat cells. J. Biol. Chem., 248: 7164-7170.
- Walker, S., Mustafa, A., Walker, R.F. and Riad-Fahmy. 1981. The role of salivary progesterone in studies on infertile women: Br. J. Obstet. Gynaecol., 88: 1009-1015.
- Watkins, M.L., Fizetti, N. and Heimberg, M. 1972. Sexual influences on hepatic secretion of triglycerides. Biochem. Biophys. Acta, 280: 82-85.
- Watson, E.F., Jacobson, K.D. and Horwitz, H. 1984. Reserpinization: Effects on parotid gland function. J. Dent. Res., 63: 82-86.

- Yagil, C., Yukio, N. and Barka, T. 1986. Immunocytochemical localization of developmentally regulated, isoproterenol inducible protein (large mobile protein) in rat submandibular gland. Am. J. Anat., 177: 55-62.
- Yorek, M.A., Gerald, R.A. Jr. and Ray, P.D. 1980. Gluconeogenesis in rabbit liver: 3. Influence of glucagon, epinephrine, α -adrenergic and β -adrenergic agents on gluconeogenesis in isolated hepatocytes. Biochim. Biophys. Acta, 632: 517-526.
- Yoshida, Y., Sprecher, R.L., Schneyer, C.A. and Schneyer, L.H. 1967. Role of β -receptors in sympathetic regulation of electrolytes in rat submaxillary saliva. Proc. Soc. Exp. Biol. Med., 126: 912-916.
- Young, J.A. and van Lennep, E.W. 1978. "The morphology of salivary glands". Academic Press London.
-
-