BIBLIOGRAPHY

Babich, G.L. and Foret, J.E. 1973. Effects of dibutryl cAMP and related compounds on newt regeneration blastemas *in vitro* : II. ^{14}C-leucine incorporation. *Oncology*, **28** : 189-195.

Bantle, J.A. and Tassava, R.A. 1974. The neurotrophic influence on RNA precursor incorporation into polyribosomes of regenerating adult newt forelimbs. *J. Exp. Zool.*, **189** : 101-113.

Barfurth, C. 1891. Zur Regeneration der Gewebe. *Arch. Micr. Anat.*, **37** : 406-491.

Barnett, S.A. and Bourne, G. 1942. Distribution of ascorbic acid in cells and tissues of the developing chick. *Quart. J. Micro. Sci.*, **83** : 259-263.

Barnes, M.J. and Kodicek, E. 1972. Biological hydroxylation and ascorbic acid with special reference to collagen metabolism. In: "*Vitamins and Hormones*". Vol.30, pp. 1-43. R.S. Haris, P.L.Munson, E.Dkzfalusy and J.Glover (eds.), Academic Press, New York.

Bartlett, M.K., Jones, C.M. and Ryan, A.E. 1942a. Vitamin C and wound healing : I. Experimental wound in guinea pigs. *New Eng. J. Med.*, **226** : 469-473.

Bartlett, M.K., Jones, C.M. and Ryan, A.E. 1942b. Vitamin C and wound healing : II. Ascorbic acid content and tensile strength of healing wounds in human beings. *New Eng. J. Med.*, **226** : 474-481.

Bast,R.E., Singer,M. and Ilan,J. 1979. Nerve-dependent changes in content of ribosomes, polysomes, and nascent peptides in newt limb regenerates. Develop. Biol., 70 : 13-26.

Becker,R.O. 1961a. The bioelectric factors in amphibian limb regeneration. J. Bone and Joint Surg., 43 : 643-656.

Becker,R.O. 1961b. Search for evidence of axial current flow in peripheral nerves of salamander. Science, 134 : 101-102.

Bennet,A.F. 1972. The effect of activity on oxygen debt and heart rate in the lizards Varanus gouldii and Sauromalus hispidus. J. Comp. Physiol., 79 : 259-280.

Bennet,A.F. and Light,P. 1972. Anaerobic metabolism during activity in the lizards. J. Comp. Physiol., 81 : 277-288.

Bennet,A.F. and Dawson,W.R. 1972. Aerobic and anaerobic metabolism during activity in the lizard, Dipsosaurus dorsalis. J. Comp. Physiol., 81 : 289-299.

Bennet,A.F. and Dawson,W.R. 1973. Metabolism. pp. 127-211. In: Biology of the Reptilia (ed. C.Gans), Physiology A, Vol.5 New York : Academic Press. pp. 1-556.

Bergmeyer,H.U. and Bernet,E. 1965. Transaminases. In : "Methods in Enzymatic Analysis" pp. 837-853. H.U.Bergmeyer (ed.), Academic Press, New York.

Beriz,A., Lundholm,L. and Mohmeludholm,E. 1977. cAMP as a mediator of hormonal metabolic effects in brown adipose tissue. Acta Physiol. Scand., 81 : 145-156.

Berridge,M.J. 1975. Control of cell division : A unifying hypothesis. J. Cyclic Nucl. Res., 1 : 305-320.

Biswas,N.M. 1969. Ascorbic acid biosynthesis of toad kidney as related to experimental alterations of pituitary gonadotrophic hormones. Life Sci., 8 : 363-368.

Blanco,A. and Zinkham,W.H. 1963. Lactate dehydrogenases in human testes. Science, 139 : 601-602.

Blanco,A., Zinkham,W.H. and Kupchyk. 1964. Genetic control and ontogeny of lactate dehydrogenase in pigeon testes. J. Exp. Zool., 156 : 137-152.

Bodemer,C.W. 1964. Evocation of regrowth phenomena in anuran limbs by electrical stimulation of the nerve supply. Anat. Rec., 148 : 441-458.

Borgens,R.B., Vanable Jr.,J.W. and Jaffee,L.F. 1977. Bioelectricity and regeneration : 1 . Initiation of forg limb regeneration by minute currents. J. Exp. Zool., 200 : 403-416.

Borgens,R.B., Vanable Jr., J.W. and Jaffee,L.F. 1979. Small artificial current enhance Xenopus limb regeneration. J. Exp. Zool., 307 : 217-226.

Bradbury,E.M., Inglis,R.J. and Malthews,H.R. 1974. Control of cell division by very lysine rich histone (F) phosphorylation. Nature, 247 : 257-261.

Brinster,R.L. 1979. Isozymes : Current Topics in Biological and Medical Research, 3, 155-184, as cited by D.W.Moss in : Isoenzymes, pp. 1-199. Chapman and Hall,London.

Britton,S.W. and Silvette,H. 1932. The apparent pre-potent function of the adrenal glands. Am. J. Physiol. 100 : 701-713.

Bullough,W.S. and Laurence,E.B. 1966. The diurnal cycle in epidermal mitotic duration and its reaction to chalone and adrenalin. Exp. Cell. Res., 43 : 343.

Butcher,R.W. and Sutherland,E.W. 1962. Adenosine 3',5'-phosphate in biological material. I. Purification and properties of cyclic 3',5'-nucleotide phosphodiesterase and use of this enzyme to characterize adenosine 3',5'-phosphate in human urine. J. Biol. Chem. 237 : 1244-1250.

Cahil,G.F. Jr., Ashmore,J., Zottu,S. and Hastings,A.B. 1957. Studies on carbohydrate metabolism in rat liver slices. IX. Ionic and hormonal effects on phosphorylase and glycogen. J. Biol. Chem., 224 : 237-250.

Cahn,R.D., Kaplan,L.O., Levine,L. and Zwilling, E. 1962. Nature and development of lactate dehydrogenases. Science, 136 : 962-969.

Campbell,R.M. and Cuthbertson,D. 1966. Effects of environmental temperature on the metabolic response to injury. Nature, 210 : 206-208.

Carlone,R.C. and Foret,J.E. 1979. Stimulation of mitosis in cultured limb blastema of the newt, Notophthalmus viridescens. J. Exp. Zool., 210 : 245-252.

Carlson,B.M. 1974. Morphogenetic interactions between rotated skin cuffs and underlying stump tissues in regenerating axolotl forelimbs. Develop Biol., 39 : 263-285.

Carlson,B.M. 1975. The effects of rotation and positional changes of stump tissues upon morphogenesis of the regenerating axolotl limb. Develop Biol., 47 : 269-291.

Chakko,T.V. 1967. Ph.D. thesis entitled "A histological and histochemical study of the normal and regenerating tail of the house lizard "Hemidactylus flaviviridis" submitted to The M.S.University of Baroda, Baroda-2, India.

Chavin,W. and Bouwman,B. 1965. Metabolism of iodine and thyroid hormone synthesis in the goldfish, Carasius auratus (L.). Gen. Comp. Endocrinol., 5 : 493-503.

Chin,C. and Wang,F. 1979. Mechanism of absorption disturbance of glucose in the intestine of adrenalectomized rats. Acta Zool., 25 (1) : 86-94.

Connely,T.G., Goldstein,A.M. and Yamada,T. 1974. Influence of hypophysectomy and starvation on blood glucose levels in newt, Notophthalmus viridescens. J. Exp. Zool., 188 : 367-373.

Cope,O., Nathanson,I.T., Rourke,G.M. and Wilson, H. 1943. Metabolic observations. Annals. Surg., 117 : 937-958.

Cox,P.G. 1969. Some aspects of tail regeneration in the lizard, Anolis carolinensis II. A role of the peripheral nerves. J. Exp. Zool., 171 : 151-160.

Cuthbertson,D.P. 1960. The disturbance of protein metabolism following physical injury. In: The Biochemical response to injury, (ed.) H.B. Stoner, pp. 193-216. Springfield, III : Thomas.

Dearlove,G.E. and Stocum,D.L. 1974. Denervation induced changes in soluble protein content during forelimb regeneration in the adult newt, Notophthalmus viridescens. J. Exp. Zool., 190 : 317-328.

Degroot,N. and Cohen,P.P. 1962. Studies on dehydrogenase activities during amphibian metamorphosis. Biochim. Biophys. Acta., 59 : 588-594.

DeNicola,A.F., Clayman,M. and Johnstone,R.M. 1968. Hormonal control of ascorbic acid transport in rat adrenal glands. Endocrinology, 82 : 436-446.

Dickens,F. 1951. Anaerobic glycolysis, respiration and Pasteur effects. pp. 624-633 in J.B.Summer and K.Myrback, (eds.) The enzymes. Vol.2. Academic Press, New York.

Dietz,A.A. and Lybranon,T. 1967. Separation and quantitation of lactate dehydrogenase isozymes by disc gel electrophoresis. Anal. Biochem., 20 : 246-257.

Dieter,M.D. 1969. Hormonal control of the synthesis and distribution of ascorbic acid in Cockereles, (Gallus domesticus). Proc. Soc. Exp. Biol. Med. 130 : 210-213.

Dinsmore,C.E. 1981a. Regulative ability of the regenerating urodele tail : The effect of unilateral soft tissue ablation. Develop. Biol., 82 : 186-191.

Dinsmore,C.E. 1981b. Morphogenetic effect of rotated skin cuffs on tail regeneration in Plethodon cinereus. J. Exp. Zool., 215 : 151-161.

Dinsmore,C.E. 1982. Regeneration from split forelimbs in two species of urodele amphibian : A revised interpretation. Anat. Rec., 202 : 46A.

Dokas,L.A. 1973. Increased RNA synthesis in nuclei isolated from rat liver tissue slices incubated with cyclic adenosine 3',5'-monophosphate or glucagon. Arch. Biochem. Biophys., 159 : 712-721.

Donaldson,D.J., Mason,J.M. and Jennings,B.R. 1974. Protein patterns during regeneration and wound healing in the adult newt : A comparative study using gel electrophoresis. Oncology, 30 : 334-346.

Dresden,M.H. 1969. Denervation effects on newt limb regeneration : DNA, RNA and protein synthesis. Develop. Biol., 19 : 311-320.

Dresden,M.H. and Moses,R.E. 1973. Denervation effects on newt limb regeneration : DNA polymerase activity *in vitro*. *Devel. Biol.*, *34* : 346-350.

Drummond,G.I., Harwood,J.P. and Dowell,C.A. 1969. Studies on the activation of phosphorylase in skeletal muscle by contraction and epinephrine. *J. Biol. Chem.*, *244* : 4235-4240.

Ellis,M.M. 1909. The relation of the amount of tail regeneration to the amount removed in tadpoles of *Rana damitaus*. *J. Exp. Zool.*, *7* : 421-455.

Evans,E.S., Scholley,R.A., Evans,A.B., Jenkins,C.A. and Taurog,A. 1966. Biological evidence for extra-thyroidal thyroxine formation. *Endocrinology*, *78* : 983-1001.

Fine,I.H., Kaplan,N.O. and White,S. 1962. Changes in rat heart LDH during development and aging. [illegible] *Federation Proc.*, *21* : 409.

Fiske,C.H. and Subbarow,Y. 1925. The colorimetric determination of phosphorous. *J. Biol. Chem.*, *66* : 375-400.

Flexner,L.B., Flexner,J.B., Roberts,R.B. and de la Haba,G. 1960. Lactic dehydrogenases of the developing cerebral cortex and liver of the mouse and guinea pig. *Devel. Biol.*, *2* : 313-328.

Folin,O. and Malmros,H. 1929. An improved form of Folin's microchemical method for blood sugar determination. J. Biol. Chem., 83 : 115-120.

Foret,J.E. 1973. Stimulation and retardation of limb regeneration by adenosine 3',5'-monophosphate and related compounds. Oncology, 27 : 153-159.

Foret,J.E. and Babich,G.L. 1973. Effects of dibutyryl cAMP and related compounds on newt limb regeneration blastemas in vitro. I. ^{3}H Thymidine incorporation. Oncology, 28 : 83-88.

Fredrickson,D.S. and Gordon,R.S. 1958. Transport of fatty acids. Physiol. Rev., 38 : 585-630.

Friedman,L. 1976. Role of cyclic nucleotides in cell growth and differentiation. Physiol. Rev., 56 : 652-708.

Garling,D.J. and Tassava,R.A. 1984. Injury, nerve, and wound epidermis related electrophoretic and fluorographic protein patterns in forelimbs of adult newt. J. Exp. Zool., 231 : 221-241.

Gauldi,B.S. 1963. Collagen formation and fibrogenesis with special reference to the role of ascorbic acid. Int. Rev. Cytol., 15 : 301-361.

Giri,K.V. and Singh,S.N. 1978. Age dependent response of lactate dehydrogenase of gastrocnemius muscle of the rat to testosterone and estradiol. Current Science, 47 : 99-100.

Glade,R. 1978. Morphogenetic influence of tail skin on limb regeneration during stages in development of the skin in Ambystoma mexicanun. Growth, 42 : 253-262.

Globus,M., Vethamany-Globus,S. and Chong,Y.I.L. 1980. Effect of Apical Epidermal Cap on Mitotic Cycle and Cartilage Differentiation in Regeneration Blastemata in the Newt, Notophthalmus viridescens. Dev. Biol., 75 : 358-372.

Goldberg,E. 1963. Lactic and malic dehydrogenases in human spermatozoa. Science, 139 : 602-603.

Goodfriend,T.L. and Kaplan,N.O. 1964. Effects of hormone administration on lactate dehydrogenase. J. Biol. Chem., 239 : 130-135.

Gorbman,A. 1963. Thyroid hormones. In: Comparative endocrinology, V.1, (eds.) U.S. von Euler and H. Heller, pp. 291-324, New York : Academic Press.

Goss,R.J. 1969. Principles of regeneration. Academic Press, New York and London. pp. 1-287

Greenberg,A.H., Najjar,S., Blizzard,R.M. 1974. Effects of thyroid hormone on growth, differentiation and development. In : Handbook of Physiology. Section 7 : Endocrinology, Vol.III Thyroid, p.p.377-387. Greer,G.A., Solomon,D.H., (eds.) Washington, D.C., American Physiological Society.

Grobstein,C. 1955. Tissue interaction in the morphogenesis of mouse embryonic rudiments in vitro. In: Aspects of Synthesis and Order in Growth. (ed.) D. Rudnik. Princeton University, Princeton; pp. 233-256.

Grodsky,G.M. 1981. Chemistry and functions of the Hormones : 1. Thyroid, Pancreas, Adrenal, and Gastrointestinal Tract. In "Harper's Review of Biochemistry". David W. Martin, Peter A. Mayes, Victor W. Rodwell (eds.). Lange Medical Publications, Maruzen Asia (Pte.) Ltd. pp. 468-503.

Gudernatsch,J.F. 1912. Feeding experiments on tadpoles : I. The influence of specific organs given as food on growth and differentiation. Arch. Entw. Mech., 35 : 457-483.

Guenther,V. and Klaus,S. 1970. Red cell and plasma cholinesterase activities in microsamples of human and animal blood determined simultaneously by a modified acetylthiocholine/DTNB procedure. Toxicol. Appl. Pharmacol., 16 : 764-772.

Hartzell,S.B. and Stone,W.E. 1942. The relationship of the concentration of ascorbic acid of the blood to the tensile strength of wounds in animals. Surg. Gynec. and Obst., 75 : 1-7.

Hashizume,K. and Ichikawa,K. 1985. Induction of cytosolic proteins which control mitochondrial protein synthesis by thyroid hormone. Folia Endocrinol., 61 (11) : 1249-1258.

Hess,O. 1959. Osmimumeteroxyl als fixierungs mitted fur ungesattigte fettsauren and Tierische Gewebe. Exp. Cell. Res., 16 : 452-455.

Hiradhar,P.K. 1972. Ph.D. thesis entitled "Studies on certain histophysiological aspects of the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis", submitted to The M.S.University of Baroda, Baroda-2, India.

Hunt,A.H. 1941. The role of Vitamin C in wound healing. Brit. J. Surg., 28 : 436-461.

Ishii,S., Sarkar,A.K. and Kobayashi,H. 1970. Ovarian ascorbic acid depleting factor in pigeon median eminence extracts. Gen. Comp. Endocrinol., 14 : 461-466.

Ishibashi,H. and Catton,G.L. 1978. Cyclic AMP stimulated phosphorylation of liver pyruvate kinase in hepatocytes. Biochem. Biophys. Res. Commun., 85 : 900-905.

Jabaily,J.A., Rall,T.W. and Singer,M. 1975. Assay of cyclic 3',5'-monophosphate in the regenerating forelimb of the newt, Triturus. J. Morphol., 147 : 379-384.

Jabaily,J.A. and Singer,M. 1977. Neurotrophic stimulation of DNA synthesis in the regenerating forelimbs of the newt, Triturus. J. Exp. Zool., 199 : 251-256.

Jackson,D.S. 1958. Some biochemical aspects of fibrogenesis and wound healing. New Eng. J. Med., 259 : 814-820.

Johnson,E.A. and Singer,M. 1964. A histochemical study of succinic and lactic dehydrogenases in the regenerating forelimb of the newt, Triturus. Proc. Soc. Exp. Biol., 117 : 27-31.

Kar,A. and Chandola,A. 1985. Circulating thyroid hormone concentrations in relation to seasonal events in the male Indian garden lizard, Calotes versicolor. Gen. Comp. Endocrinol., 60 (1) : 14-19.

Kinariwala,R.V. 1977. Ph.D. thesis entitled "A comparative study of certain aspects of histology and physiology of some visceral organs during tail regeneration in the Scincid lizard, Mabuya carinata and wound healing in the agamid lizard, Calotes versicolor" submitted to The M.S.University of Baroda, Baroda-2, India.

Kinariwala,R.V., Shah,R.V. and Ramachandran,A.V. 1977. II. The effect of tail amputation and wound healing on hepatic glycogen content and blood glucose level, in the Agamid lizard, Calotes versicolor. J. Anim. Morphol. Physiol., 24 : 86-90.

Kinariwala,R.V., Shah,R.V. and Ramachandran,A.V. 1978. Tail regeneration and lipid metabolism : Changes in the content of total hepatic lipids, glycerides and total blood lipids in the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 25 (1&2) : 153-160.

Kinariwala,R.V., Shah,R.V. and Ramachandran,A.V. 1981. "Vit.C.in wound healing : a quantitative evaluation of the changes in the caudal, hepatic and renal ascorbic acid contents during wound healing in the

agamid lizard, Calotes versicolor". J. Anim. Morphol. Physiol., 28 : 158-165.

Knox,W.E. and Greengard,O. 1965. The regulation of some enzymes of nitrogen metabolism - an introduction to enzyme physiology. In: "Advances in enzyme regulation". Vol.III, pp.247-313. G.Weber (ed.), Pergman Press, Oxford.

Korneluk,R.G. and Liversage,R.A. 1978. Accumulation of thyroid hormone in regenerating forelimbs of adult newts Notophthalmus viridescens, as cited by Liversage,R.A. and Korneluk,R.G. 1978.

Kosher,R.A. and Savage,M.D. 1980. Studies on possible role of cyclic AMP in limb morphogenesis and differentiation. J. Embryol. Exp. Morphol., 56 : 91-105.

Kothari,J.S. 1977. Ph.D. thesis entitled, "Studies on certain physiological changes during tail regeneration in the house lizards, Hemidactylus flaviviridis", submitted to the M.S.University of Baroda, Baroda-2, India.

Kothari,J.S., Hiradhar,P.K. and Shah,R.V. 1979. Thyroid-Gonadal interrelationship and its effects of growth rate of regenerating tail in the gekkonid lizard, Hemidactylus flaviviridis. Indian J. Exp. Biol., 17 : 869-872.

Kobo,H. 1964. A histochemical study of epidermal cells during wound healing. Skin Res., (Osaka), 6 : 23-42.

Laemmli,U.K. 1970. Cleavage of structural protein during the assembly of the head of bacteriophage T_4. Nature, 227 : 680-685.

Langan,T.A. 1970. Phosphorylation of histones in vitro under the control of cyclic AMP and hormones. Adv. Biochem. Psychopharmacol., 3 : 307-323.

Lebowitz,P. and Singer,M. 1970. Neurotrophic control of protein synthesis in the regenerating limb of the newt, Triturus. Nature, 225 : 824-827.

Lheureux,E. 1975. Nouvelles donnees sur les roles de la peau et des Ø tissus internes dans la regeneration du membre du triton, Pleurodeles Waltlii Michah (Amphibien, Urode'le). Wilhelm Roux' Arch. devl. Biol., 176 : 285-301.

Lheureux,E. 1976. Roles due derme et de lepiderme dans la regeneration du membre du triton, Pleurodeles Waltlii. Bull. Soc. Zool. Fr., 101 Suppl. (3) : 109-118.

Licht,P. 1967. Interaction of Prolactin and Gonadotropins on Appetite, Growth and Tail Regeneration in the lizard, Anolis carolinensis. Gen. Comp. Endocrinol., 9 :49-63.

Liversage,R.A. and Scadding,S.R. 1969. Re-establishment of forelimb regeneration in adult hypophysectomized Diemictylus (Triturus) viridescens given frog anterior pituitary extract. J. Exp. Zool., 170 : 381-396.

Liversage,R.A. and Brandes,P.J. 1977. Thyroidectomy and forelimb regeneration in adult Notophthalmus viridescens. Am. Zool., 17 : 879.

Liversage,R.A., Rathbone,M.P.,and McLaughlin,H.M.G. 1977. Changes in cyclic GMP levels during forelimb regeneration in adult Notophthalmus viridescens. J. Exp. Zool., 200 : 169-175.

Liversage,R.A. and Korneluk,R.G. 1978. Serum levels of thyroid hormones during forelimb regeneration in the adult newt, Notophthalmus viridescens. J. Exp. Zool., 206 : 223-228.

Long,C.H.N., Katzin,B. and Fry,E.G. 1940. The adrenal cortex and carbohydrate metabolism. Endocrinology, 26 : 309-344.

Losert,W., Loge,O. and Richter,K.D. 1970. Investigations on insulin secretion in normal, spontaneously diabetic, streptozotocin diabetic and adrenalectomized Chinese hamsters. Diabetologica, 6 : 79.

Lowry,O.H., Rosebrough,N.J., Farr,A.L. and Randall,R.J. 1951. Protein measurement with the folin-phenol reagent. J. Biol. Chem., 193 : 265-276.

MacManus,J.P., Franks,D.J., Youdale,T. and Braceland,B.M. 1972. Increase of rat liver cyclic AMP concentrations prior to the initiation of DNA synthesis following partial hepatectomy or hormone infusion. Biochem. Biophys. Res. Commun., 49 : 1201-1207.

MacManus,J.P., Braceland,B.M., Youdale,T. and Whitfield,J.F. 1973. Adrenergic antagonists, and a possible link between the increase in cyclic adenosine 3',5'-monophosphate and DNA synthesis during liver regeneration. J. Cellu.Physiol., 82 : 157-164.

Maderson,P.F.A. and Licht,P. 1968. Factors influencing rates of tail regeneration in the lizard, Anolis carolinensis. Experientia, 24 : 1083-1086.

Maderson,P.F.A. and Salthe,S.N. 1969. The problem of the adaptive significance of lizard tail regeneration. Am. Zool., 9 : 613.

Magon,D.K. 1970. Ph.D. thesis entitled "Studies on the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis with emphasis on oxidative enzymes," submitted to the M.S.University of Baroda, Baroda-2, India.

Maier,C.E. and Singer,M. 1977. The effect of light on forelimb regeneration in the newt. J. Exp. Zool., 202 : 241-244.

Manson,J., Tassava,R.A. and Nishikavara,M. 1976. Denervation effects on aspartate carbamyl transferase, thymidine kinase and uridine kinase activities in newt regenerates. Dev. Biol., 50 : 109-121.

Markert,C.L. and Møller,F. 1959. Multiple forms of enzymes : Tissue, ontogenetic, and species specific patterns. Proc. Nat. Acad. Sci. U.S.A., 45 : 753-763.

Markert,C.L. and Ursprung,H. 1962. The ontogeny of isozyme patterns of lactate dehydrogenase in the mouse. Dev. Biol., 5 : 362-381.

Mazur,A., Charleton,A. and Carlson,A. 1961. A relation of oxidative metabolism to the incorporation of plasma iron into ferritin in vivo. J. Biol. Chem., 236 : 1109-1111.

Menon,J., Shah,R.V. and Hiradhar,P.K. 1981. Effect of thyroidectomy on carbohydrate metabolism during tail regeneration in the Gekkonid lizard, Hemidactylus flaviviridis. Indian J. Exp. Biol., 19 : 1018-1021.

Miller,J.P. 1977. Cyclic mucleotide analogues. In: "Cyclic 3',5'-nucleotides : Mechanisms of action" pp. 77-105. H. Cramer and J. Schultz (eds.), John Wiley and Sons, London.

Moore,F.D. 1957. Hormones and stress : Endocrine changes after anesthesia, surgery and unanesthetized trauma in man. Rec. Progr. Hormone Res., 13 :511-582.

Moore,F.D. 1959a. Metabolic care of the surgical patient. Philadelphia : Saunders.

Moore,F.D. 1959b. Systemic factors acting in the healing wound. In Wound healing and tissue repair, (ed.) W.B. Patterson, Chicago : Univ. Chicago Press.

Morgan,T.H. 1901. In : Regeneration. New York : Macmillan. As Cited by Schmidt, 1968.

Morzlock,F.V. and Stocum,D.L. 1972. Neural control of RNA synthesis in regenerating limbs of the adult newt, Triturus viridescens. Wilhelm Roux. Arch. 171 : 170-180.

Nachlas,M.M., Tsou,C., De Souza,E., Cheng,C.S. and Seligman, A.M. 1957. Cytochemical demonstration of Succinic dehydrogenase by the use of a new-p-nitrophenil substituted ditetrazole. J. Histochem. Cytochem., 5 : 420-436.

Nathani,M.G., Idrees,B., Nath,N., Daginawala,H.F. and Nath, N.C. 1971. Ascorbic acid metabolism in adrenalectomized rats. Metabolism, 20 : 1036-1043.

Needham,A.E. 1952. Regeneration and wound healing. John Wiley and Sons, New York. As Cited by Schmidt, 1968.

Niwelinski,J. 1958. The effect of prolactin and somatotrophin on the regeneration of forelimb in newt, Triturus alpestris. Folia Biol., 6 : 9-36.

Ogata,T. and Mori,M. 1964. Histochemical study of oxidative enzymes in invertebrate skeletal muscles. J. Histochem. Cytochem., 12 : 183-187.

Okuneff,N. 1933. Ubereinige physiki-chemische Erscheinungen Wohrend der Regeneration. V. Uber den Milchsanregechalt Regenerierender Axolotuxtrenitalin. Biochem. Z., 257 : 242-244.

Oommen, O.V. 1978. Seasonal variation in the response of oxygen consumption of isolated skeletal muscle and liver from the lizard, Calotes versicolor to hormones in vitro. J. Zool. Soc. Ind., 30 : 1-6.

Oommen, O.V. 1980. Effect of testosterone, its metabolites and testosterone plus actinomycin D or chloramphenicol on oxidative metabolism of lizard tissues in vitro. J. Anim. Morphol. Physiol., 27 : 124-131.

Padhi, S.N. and Patnaik, B.K. 1979. Growth hormone induced renotrophic effect in male garden lizard, Calotes versicolor (Dauden). Indian J. Exp. Biol., 17 : 93-94.

Pearse, A.G.E. 1968. Histochemistry: Theoretical and Applied. 3rd Ed. Vol.1 London : Churchil. pp. 1-759.

Philip, J. and Vesell, E.S. 1962. As cited by Moss, D.W. In "Isoenzymes". pp. 1-199. Chapman and Hall, London.

Plummer, D.T., Elliott, B.A., Cooke, K.B. and Wilkinson, J.H. 1963. Organ specificity and Lactate-Dehydrogenase Activity. 1. The relative activities with pyruvate and 2-oxobutyrate of electrophoretically separated fractions. Biochem. J., 87 : 416-422.

Pough, F.H. 1969. Environmental adaptation in the blood of lizards. Comp. Biochem. Physiol., 31 : 885-901.

regenerating tail of the Scincid lizard, Mabuya carinata: A quantitative and histochemical analysis. J. Anim. Morphol. Physiol., 32 : 195-204.

Rall,T.W., Sutherland,E.W. and Berthert,J. 1957. The relationship of epinephrine and glucagon to liver phosphorylase. IV. Effect of epinephrine and glucagon on the reactivation of phosphorylase in liver homogenates. J. Biol. Chem., 224 : 463-475.

Ramachandran,A.V. 1972. Ph.D. thesis entitled "Studies on certain histochemical aspects of normal and regenerating tail of the Scincid lizard, Mabuya carinata", submitted to the M.S.University of Baroda, Baroda-2, India.

Ramachandran,A.V., Radhakrishnan,N. and Shah,R.V. 1975. Cytochrome oxidase and ascorbic acid in the normal and regenerating tail of the Scincid lizard, Mabuya carinata : A histophysiological study. Acta Anat., 93 : 411-420.

Ramachandran,A.V., Kinariwala,R.V. and Shah,R.V. 1978. Tail wound healing and lipid metabolism : Changes in the content of total hepatic lipids, glycerides and total blood lipids in the Agamid lizard, Calotes versicolor. J. Anim. Morphol. Physiol., 25 : 161-166.

Ramachandran,A.V., Kinariwala,R.V. and Shah,R.V. 1979. Tail regeneration and lipid metabolism : 2. Changes in the content of total hepatic cholesterol, phospholipids,

and blood cholesterol in the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 26 : 21-28.

Ramachandran,A.V., Kinariwala,R.V. and Shah,R.V. 1980. The effect of tail regeneration on total hepatic nucleic acids, protein, and water content in the Scincid lizard, Mabuya carinata. Folia. Biol., 28 (4) : 333-339.

Ramachandran,A.V., Kinariwala,R.V. and Shah,R.V. 1981a. Preliminary observations on thyroid during tail regeneration in the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 28 : 242-245.

Ramachandran,A.V., Swamy,M.S. and Shah,R.V. 1981b. Cholinesterases in tail regeneration : A systemic and local analysis in the Scincid lizard, Mabuya carinata. Indian J. Exp. Biol., 19 : 1022-1025.

Ramachandran,A.V., Swamy,M.S. and Shah,R.V. 1982. Local and systemic alterations in protein content and transaminases during tail regeneration in the Scincid lizard, Mabuya carinata. Indian. J. Exp. Biol., 20 : 820-823.

Ramachandran,A.V., Swamy,M.S. and Shah,R.V. 1983. Involvement of cAMP in tail regeneration in the Scincid lizard, Mabuya carinata as evaluated by the changes in the activity levels of cAMP phosphodiesterase : A systemic and local analysis. Cell. Mol. Biol., 29(1) : 53-60.

Ramachandran,A.V., Swamy,M.S. and Shah,R.V. 1984. Tail regeneration in the Scincid lizard, Mabuya carinata, related to breeding seasons and thyroid activity. Amphibia-Reptilia, 5 : 135-144.

Ramachandran,A.V., Kinariwala,R.V. and Shah,R.V. 1985. Haematopoiesis and regeneration : Changes in the liver, spleen, bone marrow and hepatic iron content during tail regeneration in the Scincid lizard, Mabuya carinata. (Boulenger), Amphibia-Reptilia, 6 : 377-386.

Ramachandran,A.V. and Chako,S.M. 1987a. Carbohydrate metabolism in relation to tail regeneration in the Gekkonid lizard, Hemidactylus flaviviridis : A seasonal evaluation. Communicated for publication in the Indian J. Exp. Biol.

Ramachandran,A.V. and Chacko,S.M. 1987b. Protein metabolism in relation to tail regeneration in the Gekkonid lizard, Hemidactylus flaviviridis : A seasonal evaluation. Communicated for publication in the Indian J. Exp. Biol.

Rappaport,D.A. and Fritz,R.R. 1972. Molecular biology of developing mammalian brain. In : Structure and function of Nervous Tissue. (ed.) G.H. Bourne. Vol.6, Academic Press.

Rasmussen,H. 1975. Mechanisms of hormone action. In: "Endocrinology and diabetes". pp. 3-16. L.J. Kryston, R.A. Shaw (eds.), Grane & Stratton Publishers, New York.

Reynolds,B.L., Leveque,T.F. and Buxton,R.W. 1963. Metabolic parameters in the healing of open skin wounds in animals. Am. Surg., 29 : 325-336.

Richardson,D. 1940. Thyroid and pituitary hormones in relation to regeneration : I. The effect of anterior pituitary hormone on regeneration of the hind leg in normal and thyroidectomized newts. J. Exp. Zool., 83 : 407-429.

Robinson,G.A. 1973. The biological role of cyclic AMP. An updated overview. In: "Prostaglandins and cyclic AMP: Biological actions and clinical applications", pp. 229-247. R.H.Khan and W.E.M.Lands (eds.), Academic Press, London.

Roe,J.H. 1954. Chemical determination of ascorbic acid, dehydro-ascorbic acid and diketogalonic acids. In : "Methods in Biochemical Analysis", Vol.I. pp. 115-139. D. Glick (ed.), Interscience Publishers Inc., New York.

Rosalki,S.B. and Wilkinson,J.H. 1960. Reduction of α-keto-butyrate by Human Serum. Nature, 188 : 1110-1111.

Rossiter,R.J. and Strickland,K.P. 1966. The metabolism and function of phosphatides. In: "Lipid Metabolism". (ed.) K. Bloch. John Wiley and Sons.

Russel,D.H. and Stambrook,P.J. 1975. Cell cycle specific fluctuations in adenosine 3',5'-cyclic monophosphate and polyamines of chinese hamster cells. Proc. Nat. Acad. Sci.,U.S.A., 72 : 1482-1486.

Ryvkina,D.E. 1940. Der Gehalt an Reduzierten Stoffen in den Geweben der Regeneration. Proc. Acad. Sci. (USSR), 27 : 380-384.

Schauble,M.K. 1972. Seasonal variation of newt forelimb regeneration under controlled environmental conditions. J. Exp. Zool., 181 : 281-286.

Schauble,M.K. and Nentwig,M.R. 1974. Temperature and prolactin as control factors in newt forelimb regeneration. J. Exp. Zool., 187 : 335-344.

Schmidt,A.J. 1958. Forelimb regeneration of thyroidectomised adult newts, II. Histology. J. Exp. Zool., 139:95-136.

Schmidt,A.J. 1960. Preblastemic changes of intramuscular glycogen in forelimb regeneration of the adult newt, Triturus viridescens. J. Exp. Zool., 145 : 43-48.

Schmidt,A.J. 1962. Distribution of polysaccharides in the regenerating forelimb of the adult newt, Diemictylus viridescens (Triturus v.). J. Exp. Zool., 149 : 171-191.

Schmidt,A.J. 1966a. Electrophoretic separation of soluble proteins extracted from regenerating forelimbs of adult newt, Diemictylus viridescens. Anat. Rec., 154 : 417-418.

Scmidt,A.J. 1966b. The sudanophilic lipid of normal and regenerating limb tissues of the adult newt, Diemictylus viridescens. J. Morphol, 118 : 57-78.

Scmidt,A.J. 1966c. Lipid of normal and regenerating limb tissues of the adult newt, Diemictylus viridescens : Acidic and non-acidic lipids, phospholipids, and cholesterol. J. Morphol, 118 : 353-366.

Scmidt,A.J. 1966d. Lipoprotein in the normal and regenerating limb tissues of the adult newt, Diemictylus viridescens. Anat. Rec., 155 : 65-76.

Schmidt, A.J. 1968. "Cellular Biology of vertebrate regeneration and repair". Chicago University Press, Chicago. pp. 1-420.

Schotte,O.E. and Hall,A.B. 1952. Effects of hypophysectomy upon the phases of regeneration in progress in Triturus viridescens. J. Exp. Zool., 121 : 521-560.

Schotte,O.E. and Washburn,W.W. 1954. Effects of thyroidectomy on the regeneration of forelimb in Triturus viridescens. Anat. Rec., 120 : 156.

Schotte,O.E. and Wilber,J.F. 1958. Effects of adrenal transplants upon forelimb regeneration in normal and hypophysectomised adult frogs. J. Embryol. Exp. Morphol., 6 : 247-260.

Schotte, O.E. and Smith,C.B. 1961. Effects of ACTH and of cortisone upon amputational wound healing processes in mice digits. J. Exp. Zool., 146 : 209-229.

Schwartz,J., Wiesen,J., Carlson,B., Yamasaki,L., Moore,M. and Womble,M. 1986. Increased phenylalanine incorporation in regenerating skeletal muscle grafts [illegible] hormone). Can. J. Physiol. Pharmacol., 64 (2) : 199-205.

Seifter,S., Dayton,S.D., Novic,B. and Muntwyler,V. 1950. The estimation of glycogen with anthrone reagent. Arch. Biochem., 25 : 191-200.

Selye,H. 1950. The physiology and pathology of exposure to stress. Montreal : ACTA. As Cited by Schmidt, 1968.

Shah,R.V. and Chakko,T.V. 1967. Histochemical localisation of glycogen and phosphorylase in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 14 : 257-264.

Shah,R.V. and Hiradhar,P.K. 1974. Studies on glycogen, glycogen synthetase and respiratory quotient in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. Netherlands J. Zool., 24 : 1-9.

Shah,R.V. and Hiradhar,P.K. 1977. Levels of total lipids and histochemical distribution of malic enzyme in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 24 : 91-98.

Shah,R.V. and Hiradhar,P.K. 1978. Lizard tail regeneration. J. Anim. Morphol. Physiol., Silver Jubilee Volume : 59-67.

Shah,R.V. and Ramachandran,A.V. 1970. Lactate and malate dehydrogenases(LDH and MDH) in the regenerating tail of the Scincid lizard, Mabuya carinata. Acta Histochim. Cytochim., 3 : 152-159.

Shah,R.V. and Ramachandran,A.V. 1972. Aldolase activity in the normal and regenerating tail of the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 19 : 43-49.

Shah,R.V. and Ramachandran,A.V. 1973. Glucose-6-phosphate dehydrogenase and malic enzyme in the normal and regenerating tail of the Scincid lizard, Mabuya carinata. Can. J. Zool., 51 : 641-645.

Shah,R.V. and Ramachandran,A.V. 1974. Diaphorases in lacertilian tail regeneration : a histochemical study. Forma et Functio, 7 : 355-362.

Shah,R.V. and Ramachandran,A.V. 1975. Metabolic changes during regeneration : α-glycerophosphate and β-hydroxy butyrate dehydrogenases (α-GPDH and BDH) in the regenerating tail of the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 22 : 212-220.

Shah,R.V. and Ramachandran,A.V. 1976. Metabolic changes during regeneration : Succinate and isocitrate dehydrogenases (SDH and ICDH) in the normal and regenerating tail of the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 23 : 159-166.

Shah,R.V., Hiradhar,P.K. and Magon,D.K. 1971. Ascorbic acid in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Embryol. Exp. Morphol., 26 : 285-293.

Shah,R.V., Kothari,J.S. and Hiradhar, P.K. 1976. Involvement of renal and hepatic ascorbic acid in the tail regeneration of the lizard, Hemidactylus flaviviridis (Lacertilia : Gekkonidae). J. Anim. Morphol. Physiol., 23 : 167-175.

Shah,R.V., Kothari,J.S. and Hiradhar,P.K. 1977a. Alterations in certain metabolites during tail regeneration in the Gekkonid lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 24 : 65-75.

Shah,R.V., Kinariwala,R.V. and Ramachandran,A.V. 1977b. I. The effect of tail regeneration on hepatic glycogen content and blood glucose level, in the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 24 : 76-85.

Shah,R.V., Kothari,J.S. and Hiradhar,P.K. 1978. Alterations in liver dehydrogenases during tail regeneration in the Gekkonid lizard, Hemidactylus flaviviridis. J. Anat., 129(2) : 273-277.

Shah,R.V., Kinariwala,R.V. and Ramachandran,A.V. 1979a. Tail wound healing and lipid metabolism : 2.Changes in the content of total hepatic cholesterol, phospholipids, and blood cholesterol in the Agamid lizard, Calotes versicolor. J. Anim. Morphol. Physiol., 26 : 29-35.

Shah,R.V., Kothari,J.S. and Hiradhar,P.K. 1979b. Effects of testosterone on the rate of growth of the regenerating tail of normal and thyroidectomized Gekkonid lizard, Hemidactylus flaviviridis. Indian J. Exp. Biol., 17 : 1194-1196.

Shah,R.V., Kothari,J.S. and Hiradhar,P.K. 1979c. Alterations in liver dehydrogenases during tail regeneration in the Gekkonid lizard, Hemidactylus flaviviridis. J. Anat., 129 : 273-277.

Shah,R.V., Kinariwala,R.V. and Ramachandran,A.V. 1980a. The effect of tail wound healing on total hepatic nucleic acids, protein, and water content in the Agamid lizard, Calotes versicolor. Folia. Biol., 28 : 341-346.

Shah,R.V., Kinariwala,R.V. and Ramachandran,A.V. 1980b. Vitamin C in regeneration : A quantitative evaluation of the changes in the hepatic and renal ascorbic acid contents during tail regeneration in the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 27 : 194-200.

Shah,R.V., Kinariwala,R.V. and Ramachandran,A.V. 1980c. Haematopoiesis and regeneration : Changes in the cellular elements of blood and haemoglobin during tail regeneration in the Scincid lizard, Mabuya carinata (Boulenger). Monitore Zool. Ital., 14 (3) : 137-150.

Shah,R.V., Kinariwala,R.V. and Ramachandran,A.V. 1980d. Histoenzymology of the regenerating lacertilian tail : Hexo- and glucokinases activity in the Scincid lizard, Mabuya carinata. Cell. Mol. Biol., 26 : 43-47.

Shah,R.V., Swamy,M.S. and Ramachandran,A.V. 1982a. Local and systemic alterations in glycogen content and phosphorylase activity during tail regeneration in the Scincid lizard, Mabuya carinata (Boulenger). Monitore zool. Ital., 16 : 187-196.

Shah, R.V., Kinariwala,R.V. and Ramachandran,A.V. 1982b, Changes in the visceral fat bodies associated with haematopoiesis and lipid metabolism in relation to tail regeneration in the Scincid lizard, Mabuya carinata: A histomorphological analysis. Anat. Anz. Jena., 151 : 137-143.

Shah,R.V., Swamy,M.S. and Ramachandran,A.V. 1982c. Thyroid and carbohydrate metabolism in relation to tail regeneration in the Scincid lizard, Mabuya carinata : A local and systemic analysis. Adv. Bios., 1 : 42-53.

Shah,R.V., Swamy,M.S. and Ramachandran,A.V. 1982d. Quantitative and electrophoretic analysis of lactate dehydrogenase during tail regeneration in the Scincid lizard, Mabuya carinata. Physiol. Zool., 55(4) : 415-422.

Shah,R.V., Valsamma,P.E. and Ramachandran,A.V. 1987. Comparative evaluation of in loco and systemic carbohydrate metabolism during caudal autotomy and forelimb amputation in Hemidactylus flaviviridis. Communicated for publication in Indian J. Exp. Biol.

Shappard,J.R. 1972. Difference in cyclic adenosine 3',5'-monophosphate levels in normal and transformed cells. Nature (New Biol.), 236 : 14-16.

Sharma,S.K. and Talwar,G.P. 1970. Action of cyclic adenosine 3',5'-monophosphate in vitro on the uptake and incorporation of uridine into ribonucleic acid in ovariectomized rat uterus. J. Biol. Chem., 245 : 1513-1519.

Short,J., Tsukado,K., Rudert,W.A. and Lieberman,I. 1975. Cyclic adenosine 3',5'-monophosphate and the induction of deoxyribonucleic acid synthesis in liver. J. Biol. Chem., 250 : 3602-3606.

Siegel,E. and Tabias,C.A. 1966. Actions of thyroid hormones on cultured human cells. Nature, 212 : 1318-1321.

Silver,A. 1974. "Biology of cholinesterases". Elsevier Publishers, Amsterdam. pp. 1-596.

Simpson,S.B. 1964. Analysis of tail regeneration in the lizard, Lygosoma laterale. 1. Initiation of regeneration and cartilage differentiation : the role of the ependyma. J. Morphol., 114 : 425-436.

Simpson,S.B. 1968. Morphology of the regenerated spinal cord in the lizard, Anolis carolinensis. J. Comp. Neurol., 134 : 193-210.

Simpson,S.B. 1970. Studies on regeneration of the lizard's tail. Am. Zool., 10 : 157-165.

Simpson,S.B. 1977. Nerves, trophic factors and limb regeneration. In: Vertebrate Limb and Somite morphogenesis (D.A. Ede, J.R.Hinchliffe, and M. Balls, (eds.). British Society for Developmental Biology Symposium No.3, Cambridge University Press, pp. 329-346.

Singer,M. 1952. The influence of the nerves in regeneration of the amphibian extremity. Quart. Rev. Biol., 27 : 169-200.

Singer,M. (1961). Induction of regeneration of body parts in the lizard, Anolis. Proc. Soc. Exp. Biol. Med., 107 : 106-108.

Singer,M., Davis,M.H. and Schewing,M.R. 1960. The influence of atropine and other neuropharmacological substances on regeneration of the forelimb in the adult urodele, Triturus. J. Exp. Zool., 143 : 33-45.

Singer,M. and Caston,J.D. 1972. Neurotrophic dependence of macromolecular synthesis in early limb regeneration of the newt, Triturus. J. Embryol. Exp. Morphol., 28 : 1-11.

Singer,M., Maier,C.E. and McNutt,W.S. 1976. Neurotrophic activity of brain extracts in forelimb regeneration of urodele, Triturus. J. Exp. Zool., 196 : 131-150.

Singer,M. 1978. On the nature of the neurotrophic phenomenon in urodele limb regeneration. Am. Zool., 18 : 829-841.

Slack,J.M.W. 1982. Protein synthesis during limb regeneration in the axolotl. J. Embryol. Exp. Morphol., 70:241-260.

Smith,S.D. 1974. Effects of electrode placement on stimulation of adult frog limb regeneration. Ann. N.Y. Acad. Sci., 238 : 500-507.

Stoner,H.B. 1960. The biochemical response to injury. Blackwell Scie. Pub. Springfield, III. : Thomas. As Cited by Schmidt, 1968.

Stubbs,D.W., McKerman,J.B. and Haufreet,D.B. 1967. An androgenic basis for the sexual difference in L-ascorbic acid biosynthesis in rats. Proc. Soc. Exp. Biol. Med. 126 : 464-467.

Stubbs,D.W. and McKernan,J.B. 1967. A sexual influence of the biosynthesis and storage of L-ascorbic acid in rats. Proc. Soc. Exp. Biol. Med., 125 : 1326-1328.

Swamy,M.S. 1981. Ph.D. thesis entitled "Certain physiological and endocrine aspects of tail regeneration in the Scincid lizard, Mabuya carinata", submitted to the M.S.University of Baroda, Baroda-2, India.

Swamy,M.S., Ramachandran,A.V. and Shah,R.V. 1982a. Local and systemic alterations in Succinate dehydrogenase activity in relation to altered thyroid functioning and tail regeneration in the Scincid lizard, Mabuya carinata. J. Anim. Morphol. Physiol., 29 : 162-168.

Swamy,M.S., Ramachandran,A.V. and Shah,R.V. 1982b. Local and systemic alterations in lactate and succinate dehydrogenases during tail regeneration in the Scincid lizard, Mabuya carinata. Indian J. Exp. Biol., 20 : 817-819,

Swamy,M.S., Ramachandran,A.V. and Shah,R.V. 1983. Hepatic and renal ascorbic acid contents during tail regeneration in the Scincid lizard, Mabuya carinata (Boulenger) under euthyroidic, hypothyroidic, and T_4 replacement conditions. Monitore zool. Ital., 17(2) : 105-112.

Taban,C. and Cathieni,M. 1978. Cyclic AMP and noradrenaline sensitivity fluctuations in regenerating newt tissue. Nature, 271 : 470-471.

Taban,C. and Cathieni,M. 1978. Cyclic AMP and noradrenaline sensitivity fluctuations in regenerating newt tissue. Nature, 271 : 470-471.

Tassava,R.A. 1969. Hormonal and nutritional requirements of forelimb regeneration and survival of adult newts. J. Exp. Zool., 170 : 33-53.

Tassava,R.A. and Goss,R.J. 1966. Regeneration rate and amputation level in fish fins and lizard tails. Growth, 30 : 9-21.

Tassava,R.A., Chlapowski,F.J. and Thornton,C.S. 1968. Limb regeneration in amblystoma larvae during and after treatment with adult pituitary hormones. J. Exp. Zool., 167 : 157-164.

Thapliyal, J.P., Chandola,A., Kumár,D.S. and Oommen,O.V.1974a. Testosterone versus thyroid hormone in the regulation of oxidative metabolism in two species of reptiles. J. Endocrinol., 63 : 419-420.

Thapliyal,J.P., Kumar,D.S. and Garg,R.K. 1974b. Effect of castration and male hormone administration on the tissue respiration and thyroid activity of the checkered water snake, Natrix piscator. Gen. Comp. Endocrinol., 22 : 308.

Thapliyal,J.P., Kumar,D.S. and Oommen,O.V. 1975. Variation in thyroid activity and respiratory rate during a 24 hour period and role of testosterone and thyroxine on the oxidative metabolism of the water snake, Natrix piscator. Gen. Comp. Endocrinol., 26 : 100-106.

Theoharides,T.V.C. and Cannelakis,Z.N. 1975. Spermine inhibits induction of ornithine decarboxylase by cyclic AMP, but not by dexamethasone in rat hepatoma cells. Nature, 225 :257-261.

Thomas,E.W., Murad,F., Looney,W.B. and Morris,H.P. 1973. Adenosine 3',5'-monophosphate and guanosine 3',5'-monophosphate concentrations in Morris hepatomas of different growth rates. Biochim. Biophys. Acta., 297 : 564-567.

Thomas,V. 1980. Ph.D. thesis entitled "Certain physiological and endocrinological aspects of lizard tail regeneration", submitted to the M.S.University of Baroda, Baroda-2, India.

Thornton,C.S. 1970. Amphibian regeneration and its relation to nerves. Am. Zool., 10 : 113-118.

Thornton,C.S. and Bromley,S.C. 1973. Vertebrate regeneration. Dowden, Hutchinson and Ross, Inc., Stroudsburg, Pennsylvania. pp. 1-512.

Timothy,M., Chan, K., Steiner,E. and John,H.E. 1979. Effects of adrenalectomy on hormone action on hepatic glucose metabolism. J. Biol. Chem., 254 : 11374-11378.

Turner,J.E. 1972. Effect of hypophysectomies and thyroxine replacement upon the initiation of tail regeneration in the lizard, Anolis carolinensis. J. Morphol., 137 : 449-462.

Turner,J.E. and Tipton,S.R. 1971. The role of the lizard thyroid gland in tail regeneration. J. Exp. Zool., 178 : 63-86.

Turner,J.E. and Tipton,S.R. 1972. The effect of unnatural day lengths on tail regeneration in the lizard, Anolis carolinensis. Herpetologica, 28 : 47-50.

Valsamma,P.E. 1982. Ph.D. thesis entitled "Certain experimental and endocrine studies on tail regeneration in the Gekkonid lizard, Hemidactylus flaviviridis", submitted to the M.S.University of Baroda, Baroda-2, India.

Valsamma,P.E., Ramachandran,A.V. and Shah,R.V. 1987. Local and systemic alterations in protein content post-caudal autotomy and post-limb amputation : A comparative evaluation in Hemidactylus flaviviridis. Communicated for publication in Indian J. Exp. Biol.

Varley,H. 1975. Colorimetric method. In "Practical Clinical Biochemistry", Vol.1. By Varley,H., Published by William Heinemann Publishers (India) Private Ltd., Indian Edition. pp. 1 - 1277.

Vessel,E.S., Philip,J. and Bearn,A.G. 1962. Comparative studies of the isozymes of lactic dehydrogenase in rabbit and man. Observations during development and tissue culture. J. Exp. Med., 116 : 797-800.

Vethamany-Globus,S. and Liversage,R.A. 1973a. The relationship between the anterior pituitary gland and the pancreas

in tail regeneration of the adult newt. J. Embryol. Exp. Morphol., 30 : 415-426.

Vethamany-Globus,S. and Liversage,R.A. 1973b. Effects of insulin insufficiency on forelimb and tail regeneration in adult Diemictylus viridescens. J. Embryol. Exp. Morphol., 30 : 427-447.

Waddington,C.H. 1935. Cancer and the theory of organizers. Nature, 135 : 606-608.

Wheeler,G.E., Coleman,R. and Finean,J.B. 1972. Cholinesterase activities in subcellular fractions of rat liver . Association of acetylcholinesterase with the surface membrane and other properties of the enzyme. Biochim. Biophys. Acta., 255 : 917-930.

Whitt,G.S. 1969. Homology of lactate dehydrogenase genes. E gene function in the teleost nervous system. Science, 166 : 1156-1158.

Williamson,M.B. 1956. Protein metabolism during healing of wounds. Clin. Chem., 2 : 1-15.

Wolbach,S.B. 1933. Controlled formation of collagen and reticulum. A study of the source of intracellular substance in recovery from experimental scorbutus. Am. J. Path., 9 : 689-700.

Wolf,H.J. and Cohen,R.B. 1963. Histochemical studies on regenerating urodele limb. 1. Oxidative and glycogenic enzymes. Develop. Biol., 8 : 48-66.

Zimmermann, B. 1965. Pituitary and adrenal function in relation to surgery. Surg. Clin. North Am., 45 : 299-315.

ADDENDA

Bellairs, A. d'A. and Bryant, S. V. 1985. Autotomy and regeneration in reptiles. pp. 301-440. In: Biology of the Reptiles. vol. 15, (eds.) Carl Gans and Frank Billett. 1-731 John Wiley & Sons New york Chichester Brisbane Toranto Singapore.

Moss, D. W. 1982. Isoenzymes London New York Chapman and Hall pp. 1-204

ERRATA

Shah et al., 1978. to be omitted.

Taban and Cathieni, 1978. is repeated.