

## BIBLIOGRAPHY

- Abdullah, M.I. and Y.S. Yean (1985). Quality changes in fish caught off the coast of peninsular Malaysia. Frozen storage of chub mackerel (Rastrelliger kanagurta) yellow banded travelly (Selaroides leptolepis) and Threadfin bream (Nemipterus tolu) FAO Fisheries report No.317. Suppl. F 11 VR 317, TPI ed. London: 162.
- Ackman, R.G. (1966). Empirical relationships between iodine value and polyunsaturated fatty acid contents in marine oils and lipids. Journal Am. Oil. Chem. Soc. 43: 385 - 389.
- Acker, L.W. (1969). Water activity and enzymatic activity. Food Tech. 23 : 1287.
- Ahmed, A.T.A. S.F. Rubbi, G. Mustafa, M. Muslemuddin and M.M. Ahmed (1981). The proximate composition of flesh and food of Tilapia nilotica (L) and Tilapia mossambica. The Dhaka Univ. Stud. 29(2) : 33 - 40.
- Ahmed, A.T.A. S.F. Rubbi, M. Muslemuddin and A.R. Mollah (1983). Study on the variation in proximate composition of putifish species (cyprinidae). 8th Bang. Ann. Sci. Conf. Abstract. 537. 6 : 273.

- Akiba, M. (1955). Discussion on the variation in the amount of bound water in fish meat during the processing of marine food products. Bull. Japan. Soc. Sci. Fisheries 20(1) : 937 - 940 : In: Fish as Food. G. Borgstrom ed. Vol.111, Part-1, Chapter-3: 107 - 128.
- Alm, F. (1956). Protein decomposition in semi preserved herring. In: Fish as Food. Vol.-1. G. Borgstrom, Ed, Acad. Press, New York and London: 108 - 111.
- Amlacher, E. (1961). Rigor morties in fish. In: Fish as Food. G. Borgstrom. Ed. Vol.-1. Publ. Acad. Press New York and London, 1961: 385 and 403 - 406.
- Anderson, C.L. and Pederson, R.K. (1951). Salting of fishes. In: Marine products and commerce by D.K. Tresaler and J.M. Lemon. Reinhold Publ. Corp. New York: 375 - 393.
- Anon (1955b). Deterioration during cold storage protein denaturation and effect of freezing rate G.B. Dept. Sci. Ind. Res. Food Invest. Board. Food Invest. Report 1955 : 27.
- Anon (1966a). Analytical method committee report prepared by the fish products. Sub Committee. Nitrogen factor for cod flesh. Analyst. Lond. 91 : 540 - 542.
- Anonymous (1961). Effect of temperatures on freshness. Torry Research Station. Scotland. U.K. Annual Rept.1960 :6

- AOAC (1960). Official method of Analysis. Association of official Agricultural chemists 9th Ed. Washington D.C: 237.
- Arsdel, V.W.B. (1963). In: Food dehydration. The Avi. Publ. Comp. INC. Vol.-1 : 70.
- Babbitt, J.K., Grewford, D.L. and Law, D.K. (1972). Decomposition of trimethyleamine oxide and changes in protein extractibility during frozen storage in minced and intact hake. Agr. and Food Chem. 20 : 1052.
- Bachhil, V.N. (1982). Responses of extra release volume to the variations in pH and microbial load during spoilage of fish at refrigerated temperature. Fishery Tech. India. Vol.-19 : 55 - 57.
- Baldwin, E. (1957). In: Dynamics aspects of biochemistry Publ. Cambridge Univ. Press. London and New York. 3rd Edition : 298.
- Banks, A. (1938a). The storage of fish with special reference to the onset of rancidity 1. The cold storage of herrings. Journal Soc. Chem. Ind. London. 57 : 124 - 128.
- Banks, A. (1952). The development of rancidity in cold storage herrings. The influence of some antioxidants. Journal Sci. Food Agr. 3 : 250 - 256.

- Beatty, S.A. and Fouger, H. (1957). The processing of dried salted fish. In: Fish as Food. Vol.-111, G. Borgstrom. Ed. Acad. Press, New York and London : 141.
- Berezen, N.T. (1948). Does the salt brine salting accelerate the fish preservation in salt (In Russian). Rybnoe Khoz (24/11): 39 - 41. In: Fish as Food. G. Borgstrom. Ed. Vol.-111, Part - 1, Chapter 3, 1965.
- Berezen, N.T. (1951). Industrial Tech. of fish. In Russian. Pischchepromizdat. Moscow. In: Fish as Food. G. Borgstrom Ed. Vol.-111, Part- 1, 1965, Chapter 3: 107 - 128.
- Boddeke, R., Shijpa, E.J. and Vanderstett, A. (1959). Histological characteristics of the body musculature of fishes in correlation with their mode of life. Koninkkyke Ned. Akad. Van Wetenschappan Ser. C, 62: In: The Chem. analy. of fishes, Acad. Press, London and New York: 578 - 588. 17, 32.
- Borgstrom, G. (1965). Salting of herrings. N.A. Voskresensky. In: Fish as Food. Chapter - 3, Vol.-111(1) : 112. Publ. Academic Press.
- Borgstrom, G. (1965). In: Fish as Food, Publ. Academic Press, Vol.-1, 1961, Chapter the spoilage of fresh water fish: 613 - 633, Vol.-111, 1965 Part - 1, Chapter Salting of herring: 107 - 119; Vol.-IV,

- 1965, Part - 2, Chapter Fish and Shellfish freezing: 365 - 397, Vol.-11, Part - 1, Fish protein Nutritive aspects (Ernest Geiger and Georg Borgstrom) Chapter. Nutrition : 29 - 90 and Chapter - 3, Nutritive aspects of fish oils (Y. Yoyama and T. Kaneda) Vol.-11, 1962.
- Bose, A.N. (1969). Freezing of tropical fish. In: Freezing and irradiation of fish. Ed. R. Kreuzer. Survey. England. Fishing News (book) Ltd. FAO : 179 - 188.
- Braekkan, O.R. (1956). Function of red muscle in fish. Nature, 178 : 747.
- Bramsnaes, F. (1955). Handling of fish. Chapter - 1, In: Fish as Food. G. Borgstrom Ed. Vol.-IV, Part-2, 1965. Acad. Press, New York and London 24 - 36.
- Bramsnaes, F. and Hamsen, P. (1965). Tech. problems connected with rigor mortis in fish requiring more knowledge from fundamental research. In: Technology of fish utilization Ed. by R. Kreuzer, London, Fishing News (Books) Ltd. FAO : 3 - 4.
- Brandes, C.H. (1954). Proc. Symposium on fish and frozen fish technol. Swed. Inst. Food Research 953, 100: Paper No: 12 : 11.
- Brandes, C.H. and Dietrich, R. (1953). On the distribution of fat in the body of herrings. Veroff. Inst. Messesfossch Bremesh 2(1) : 109 - 121 : 36 - 37:

- In: The Chem. analyses of fishes. R.M. Love (1974).  
Ed. Acad. Press, Publ. London and New York.
- Brandes, C.H. and Dietrich, R. (1953b). A review of the  
problem of fat and water content in the edible  
part of the herrings. Fette seifen. 55 : 533 - 541,  
225. In: The Chem. Analyses of fishes. R.M. Love  
(1974) Ed. Acad. Press, London and New York.
- Branstedt, F. and Aurbach (1961). Spoilage of fresh water  
fish. In: Fish as Food. Acad. Press, New York and  
London, 2 : 613 - 637.
- Burgess, G.H.O. and Cutting, C.L. (1960). The need for  
lower temperatures in distribution of fish. Proc.  
of the 10th international congress of refrigerat-  
ions. Copenhagen. Pergamon Press, 3 : 160 - 164.
- Burgess, G.H.O., R.M. Eockber, C.L. Cutting and W.B. Robb  
(1959). The temperature of British fish during  
distribution in summer. Dept. Sci. Ind. Res.  
London. Torry. Research Technology Paper No: 1.
- Burgess, C.H.O., C.L. Cutting, J.A. Lovern and J.J. Waterman  
(1965). What fish are made of , In: Fish handling  
and processing, Pub. on Her Majesty stationary  
Office, London, 308 - 318.
- Burgess, C.H.C., Cutting, C.L., Lovern, J.A. and Waterman,  
J.J. (1965). Drying of fish. In: Fish handling  
and processing. Torry Research Station England.  
120 - 122 and 346 - 390.

- Burt, J.R., Stroud, G.D. and Jones N.R. (1969). The estimation of hypoxanthine concentrations in fish muscle by a rapid visual modification of the enzyme assay. Proc. In: Freezing and irradiation of fish. R. Kreuzer Ed. Fishing News (books) Ltd. London: 367 - 370.
- Bykov, V.P. (1978). Osmovnye re-zultaty tek. Ksilya. Rybn. Khoz. 10 : 60 - 64. In: Advances in fish Science and Technology J.J. Connell. 1979, Ed. Publ. Fishing News (book) Ltd. London.
- Callow, E.H. (1952). Frozen meat. Journal Sci. Food Agr. 3: 145 - 150. Borgstrom G. Ed. In: Fish as Food. 1 : 320.
- Castell, L.H. and Maccallum, W.A. (1950). The value of temperatures close to freezing on the storage of fish. Journal Fisheries Res. Board of Canada 8 : 111 - 116. In : Fish as Food. Vol. IV, Borgstrom, G. Ed. Publ. Acad. Press, London and New York.
- Castell, C.H. and Maxine, F., Greenough and R.S. Rodgers and A.S. Macfarlane (1958). Journal Fish Research, Board, Canada, 15 (4) : 701 - 716.
- Cassens, R.G. (1966). General aspects of Postmortem changes. In: The physiology and biochemistry of muscle as a food. E.J. Briskey. R.G. Lassens and J.C. Trantman Eds: 181 - 196. Univ. of Wisconsin Press,

- Madison, Wisconsin. In: Biochemistry of Food,  
NAM Eskim et al., (1971).
- Charnley, P. (1945). The measurement of spoilage in  
herrings stored under moderately low temperature  
conditions Analyst. 70 : 168 - 172.
- Charnley, F. and Goard, D.H. (1942). On the use of the value  
as a measure of freshness of fish muscle tissue.  
Canadian Journal Research D. 20(1) : 20 - 32.  
In: Fish as Food. G. Borgstrom. Ed. 1965, Vol.-IV,  
Part - 2, Chap.2, 65 - 99.
- Charnley and Davies (1944). Analyst 69 : 302. In: The  
Chemical Analyses of food. D. Pearson, Ed: 309.
- Chhaya, N.D. (1988). Why fisheries. Paper presented at  
Symposium on development physiology and applied  
zoology, M.S. Univ. Aug. 1988 : 1 - 9.
- Cift (1988). Fish production export and consumption.  
Central Institute of fisheries Technology Indian  
Council of Agri. Research, Report, Willingdon.  
Island. Matsyapuri. Cochin. 682029, Kerala, India :  
1. (Personal Communication Statistics and  
Information Section).
- Conway, E.J. and Byrne, A. (1933). An absorption apparatus  
for the micro determinations of certain volatile  
substances. Bio Chem. Journal 27 : 419 - 429.

- Connell, J. J. (1961). The relative stabilities of the skeletal muscle myosins of some animals. Bio Chem. Journal 80 : 503 - 509.
- Connell, J. J. (1962). Changes in the amount of myosin extractable from cod flesh during storage at -14°C. Journal Sci. Food Agr. 13 : 607.
- Crean, P.B. (1961). The light pickle salting of cod. Journal Fisheries Research Board, Ed. Canada, 18 : 833.
- Cutting, C.L. (1953). Changes in pH and buffering capacity of fish during spoilage. Journal, Sci. Food. Agriculture 4 : 597 - 603.
- Cutting, C.C., Eddic, G.C., Reay, G.A. and Shewan, J.M. (1953). The care of the trawler's fish in Gt. Brit. Dept. Sci. Ind. Research. Food Investigation Board. Leaflet. No.3, In: Fish as Food, Vol.-IV Borgstrom, G. Ed.: 1 - 49.
- Cutting, C.L. and Waterman, J.J. (1965). In: Fish handling and processing Publ. Her Majesty Stationary Office. Edinburgh, London: 102 - 119.
- Dassow, A. J. (1963). Handling of fresh fish. Ind. Fisheries Technology, Reinhold publ. comp. Chapman and Hall Ltd. London : 275 - 393.
- Day, F. (1958). In: The fishes of India. Publ. William Dawson and Sons Ltd. London Vol.-9.

- De, H.N. and A.R. Mea (1966). Total volatiles base ammonia. Urea. Volatile reducing substances and total Volatile acids in some fish of this region and the effect of decomposition and cooking of the above value. On some species of fish. East Pakistan Science Research, 3(2) : 110 - 119.
- Del Valle, F.R. and Nickerson, J.T.R. (1968). Studies on salting and drying of fish. 3. Some considerations concerning diffusion of water in drying of salted fish. Journal Food Science Vol.-22, 1037. Food Technology 11 : 105.
- Dewberry, E.B. (1961). Salmon cannings a thriving industry of the Canadian north west food Manuf. 36(5) : 185 - 191. In: Fish as Food. Vol.-II, 1962. Publ. Acad. Press, New York and London.
- Dietrich, R. (1954). In : Fish as Food. Vol.-I: 145 - 191. Borgstrom. G. Ed. Publ. Acad. Press, London and New York.
- Doe, P.K., Curran, R.G. and Poulter (1983). Determination of the water activity and shelf-life of dried fish products. FAO. Fisheries report No: 279. (Suppl.) 1983.
- Doty, D.M. Wang, H. and Auerback, E. (1953). Chemical and histological properties of dehydrated meat. Journal of Agriculture Food Chemistry, 664 - 668.

- Duerr, J. O. and W.J. Dyer (1952). Properties of fish muscle. IV. Denaturation by salt. Journal of the Fisheries Research Board of Canada 8(5) : 325 - 331.
- Dyer, W.J., Sigardsson, G.J. and Wood, A.J. (1944). A rapid test for detection of spoilage in sea food. Food Research 9 : 183 - 187.
- Dyer, W.J. (1951). Protein denaturation in frozen and stored fish. Food Research, 16 : 522 - 527.
- Dyer, F.E. and Dyer, W.J. (1949). Changes in the palatability of cod fillets. Journal Fisheries Research Board of Canada. 7 : 449 - 460.
- Dyer, W.J. (1954). Main problems of fish protein denaturation. Proc. Symposium. cured frozen fish technology. Goteborg, Sweden, S.I.K. Publ. No. 100(VII) : 12.
- Dyer, W. J. (1957). Storage and transportation of frozen fish. Canadian Fisherman. 44 : 37 - 43.
- Dyer, W.J., Frazer, D.I. and MacLallum, W.A. (1957b). Further study of the influence of short storage periods. 3 days to 2 weeks at 15°F on the quality of frozen cod at 0°F. Journal Fisheries Research Board Canada 14 : 925 - 929.
- Dyer, W.J. and Fransier, D.I. (1959). Proteins in fish muscles. 13. Lipid hydrolysis. Journal Fisheries Research Board Canada 16 : 43 - 52.

- Dyer, W.J. and Dingle, J.R. (1961). Fish protein with reference to freezing. In: Fish as Food. G. Borgstrom Ed. Vol.-I: 319 - 320.
- Fazzina, T. (1958). Objectives test for ground fish quality. Paper given at, the attractive fisheries Technology Conference Cambridge, Mass., U.S.A. Jap : 27 - 29.
- Fauber, L. (1965). Freshness test In: Fish as Food. Vol.-IV(2). Borgstrom, G. Ed. Publ. Acad. Press, New York and London : 77 - 175 and 518.
- Fellers, C.R., Gagnon, M. and Khatchikian, R. (1957). Bio Chem. and bacteriological method for determining shrimp quality, Proc. Gulf and Gibbean Fisheries Institute, 9 : 23 - 26.
- Finn, D.B. (1934). The denaturation of fish muscle proteins by freezing. Contrib. Canadian Biological and Fisheries. 8 : 311 - 320.
- Fish handling and processing (1965) cited from Burgess et al, 1965.
- Folch, J., Lees, M. and Stoanstanly, G.H. (1957). A simple method for the isolation and purification of total lipids from animal tissues. Journal Biological Chemistry 226 : 497 - 509.
- Fougeres, H. (1952). Some considerations on heavy salted pickle fish. Fisheries Research Board of Canada Progr. Repts. Atlantic Coast Stas. 52 : 15 - 17.

- Frazier, W.C. (1958). General principle underlying spoilage of food. In: Food microbiology. McGraw Hill Book Comp. Inc. New York, London, Toronto : 425.
- Frasier, D.I., Mannan, A. and Dyer, W.J. (1961). Proximate composition of Canadian atlantic fish III. Sectional differences in the flesh of a species of Chandrostei one of Chimacrae and of some miscellaneous teleosts. Journal Fish Research Board Canada. 18 (7) : 893- 905.
- George, J.C. (1962). A histophysiological study of the red and white muscles of the mackerel. Am. Mid. Nat. 68 : 487.
- Gheyasuddin, S.A., Rahman and M. Mumtazuddin (1979). Bio Chemical composition of shell fishes of Bangladesh. Banqladesh Journal Science Research, 2 : 15 - 23.
- Gheyasuddin, S. and M.A.H. Saik (1980). Bio Chemical studies on fresh water fish, 4th Bang. Annual Science Conference Abstract. 8 :(6) 156.
- Glassman, G. and Rockwagar, F. (1929). In: Fish as Food. Vol.-IV, Part-2, (1965) : 65 - 97. G. Borgstrom, Ed. Publ. Academic Press, New York and London.
- Good, C.M. and Stern, J.A. (1955). The effect of iced and frozen storage upon the trimethylamine content of flounder muscles. Food Technology 9 : 527 - 532.

- Gopalan, C.B.T., Ramashastry, S.C., Balasubramanian (1978).  
Nutritive value of Indian Food. National Institute  
of Nutrition. Indian Council of Medical Research,  
Hyderabad, India : 94 - 103 and 204.
- Hamm, R. (1960). Bio-chemistry in meat hydration, In:  
Advances in Food Research 10 : 355, Bio Chemical  
changes in food: Meat and Fish, Publ. Acad. Press,  
New York and London, 1971.
- Hashimoto, T., Shira, H. and Tsuchiya, T. (1946). Charac-  
teristics of the oils extracted from fresh and  
state sardines. In: Fish as Food. G. Borgstrom,  
Ed. Vol.-I : 244.
- Heen, E. (1949). The quality of frozen fish. Norweg frozen  
fish Ltd. Oslo. In: Fish as Food, Vol.-IV :  
355 - 404.
- Hess, E. (1932). The influence of low temperature above  
freezing upon the rate of autolytic and bacterial  
decomposition of haddock muscle. Contribs. Can.  
Biol. and Fisheries. 7 : 149 - 163, In: Fish as  
Food, G. Borgstrom Ed. 1965. Vol.-IV. Part 2,  
Publ., Acad. Press, New York and London.
- Hilditch, T.P. and Williams, P.N. (1969). The component  
acids of fats of aquatic flora and fauna. In the  
Chemical constituents of natural fats: 26 - 79.  
(John Wiley, The advances of marine biology. Vol.-10.

Ferderick S. Russel and Marrison Yonge. Acad.  
Press, London and New York 1972.)

Hjorth-Hansen, S. (1943). Studies of the postmortem fish  
muscle and its alterations during storage.

Report: Norwegian Fisheries. Research Laboratory  
1 No.4 : 47.

Hodgkiss, W. and Jones, N.R. (1955). The amino acids of  
fish postmortem changes in sterile skeletal muscle  
of north sea codling. Cadus callarias. Bio chem.  
Journal Proc. Bio Chem. Soc. 4 : 61.

Hollander, D.H. and Nell, E.E. (1954). Improved preservation  
of Treponema pallidum and other bacterin by freez-  
ing with glycerol Applied Microbial. 2(3) : 164-169.

Hoogland, P.C. (1958). Grading fish for quality 2. Statis-  
tical analyses of the results of expts. regard-  
ing grades and TMA values. Journal Fish Research  
Board Canada. 15(4) : 717 - 728.

Howgate, P. (1978). Measuring of quality and acceptability  
of fish products. Indo-Pacific fishery commission  
78/SYMP/44/January 1978 : 1- 13.

ICAR (1988). Indian Council of Agricultural Research. Report.  
1988. Statistics and Information Section,  
Central Institute of Fisheries  
Technology , Cochin, Kerala, India.

- Ironside, J.I.M. and Love, R.M. (1958). Studies on protein denaturation in frozen fish Journal Sci. Food Agriculture 9 : 597 - 617 : ( 1-3 ).
- Ivanova, I.S. (1958). Some features of fish salt brine in Media for the presence of micro-organisms, Sci. Tech. Bull. NIIMRP Sci. Research Institute. Meat and Fish. Ind. Lenngnad. No. 5 - 6 : 64 - 70.
- Jacquot, R. (1961). Organic constituents of fish and other aquatic animals. In: Fish as Food. G. Borgstrom, Ed. Academic Press, N.Y. and London. 1 : 145 - 200 and 725.
- Jacquot, R. and Creach, P.V. (1950). In : Fish as Food. Vol.-I : 145 - 191. Borgstrom. G. Ed. Publ. Academic Press, New York and London.
- Jhingaran, V.G. (1977). In: Fish and Fisheries of India. Hindustan Publ. Corp. India : 100 and 121.
- Jhingaran, V.G. (1983). In: Fish and Fisheries of India. Hindustan Publ. Corp. India : 548.
- Johnston, P.V. and Roots, B.I. (1964). Brain lipid fatty acid, and temperature acclimations, comp. Biochem. Physiol. 11 : 217 and 303 - 309.
- Jones, L.V. and Thoustrones, L.L. (1955). The Psychophysis of semautis. An experimental investigations. Journal Applied Psychol. 39 : 31 - 36.

- Jones, L.V., Peryam, D.R. and Thoustone, L.L. (1955).  
Development of a scale for measuring soldiers  
food preferences. Food Research 20 : 512 - 520.
- Jones, R.E.E. and Bilinski, E. (1967a). Glycerolphosphoryl  
choline and related compounds in rainbow trout  
muscle stored at -4°C. Fish Research Board Canada  
24 : 273 - 280.
- Joseph, M.M. (1967). A histophysiological study of the  
red and white muscle of a migratory Hilsa ilisha  
and a non-migratory Hilsa zoli fish. Ph.D.  
Thesis, M.S. Univ. of Baroda, India : 14 - 40.
- Kamaluddin, A.M., A. Malek and Sanaulah (1977). In :  
Deshio Khadder pustiman. Dept. of Biochem., The  
Dhaka Univ. Studies : Bangladesh, 1 - 20.
- Kandoran, M.K. (1979). In : Quality control in fish process-  
ing. Publ. Central Institute of Fisheries  
Technology, Cochin, India. 9 - 32.
- Kawabata, T. (1953b). Fundamental studies on the determina-  
tion of volatile basic nitrogen by aerolion  
method. N. Special factors affecting the velocity  
constant in removing the volatile base. Bull.  
Japan, Soc. Sci. Fisheries. 19 : 819 - 823.
- Kelly, P.B., Resiser, R. and Hood, D.W. (1958b). The  
effect of diet on the fatty acid composition of  
several species of fresh water fish. Journal

American Oil. Chemistry Society. 35 : 503 - 505.

In : The Chem. Analy. of fishes. Love R.M. Ed.  
1974. Acad. Press, London and New York.

Keywood (1957). Roy. Soc. Health. Journal 77 : 520. In :  
The Chem. analyses of food. Pearson, D. Ed. 1962:  
308.

Khuda, M.Q., H.N. De and M.A.H. Shariff (1960). Evaluation  
of the mechanism of fish spoilage of measurement  
of Tyrosine value. Pakistan Journal Sci. Industrial  
Research 3(4) : 187 - 190.

Khuda, M.Q., H.N. De., N.M. Khan and D.C. Debnath (1962).  
Chemical composition and quality of traditionally  
processed fish. Pakistan Journal Sci. Industrial  
Research 5(2) : 70 - 73.

Kimura, K. and Kiamukura, S. (1934). Detection of the onset  
of decomposition in fish meat as shown by the  
content of ammonia. Proc. 5th Pacific Science  
Congr. 5 : 3709.

Kimura, K. and Kiamikeura, S. (1939). Detection of the onset  
of decomposition in fish meat as shown by the  
content of ammonia. Proc. 5th Pacific Science  
Congress, 5 : 3709.

Kikuchi, T., Wada, S. and Suzuki, H. (1976). In: Food  
and Nutrition. 29 (3) : 147 - 152.

- Kleymenov, I. (1952). Swelling of meat in table salt solutions. Trudy VNIRO, 20 : 35 - 48.
- Konosu, S., Katori, S., Ota, R., Eguchi, S. and Mori, T. (1956). Amino acid composition of fish muscle protein. Bull. Japan Society Scient. Fish. 21 : 1163 - 1166. In : The Chem. Analy. of fishes. R.M. Love. Ed. 1974. Publ. Acad. Press, London and New York.
- Kordyl, E. (1951). Chemical Composition of Baltic cod and herrings in relation to the degree of sexual maturity. Report Sea fisheries Institute. Gdynia, 6 : 145 - 157. In : Fish as Food. Vol.-I : 145 - 191. Borgstrom, G. Ed. Publ. Acad. Press, New York and London.
- Krippnath, W.G., and Mead, J.E. (1968). The effect of the environment temperature on the fatty acid composition and in vivo. In corporation of 14 C acetate in gold fish Carassius auratus. Lipids. 3 : 121 - 128 and 217.
- Krishnan, G.S. (1983). Export prospects of dried marine products from India. FAO Fisheries report No. 279 (Suppl.). 261.
- Kreuzer, R. (1972). Inspection and quality control. Fishing News (book) Ltd. London: 1 - 4. In : Freezing and irradiation of fishes. R. Kreuzer, Ed.

- Lanham, W.B. and Nilson, H.W. (1947). Some studies on the feeding value of fish meals, Cambridge Fisheries Review 9(8) : 1 - 12.
- Lassen, S. Bacon, E.K. and Dunn, H.I. (1951). Fish reduction process relation of yields and quality of products of freshness of raw materials. Ind. Eng. Chem. 43 : 2082 - 2087.
- Lavagna, M.F. (1954). Biochem. of fish tissues comparative study of the water content of animal lenses. Biol. Bull. Society Ophtal. Fr. 45 - 51, 262 In: The Chem. analyses of fishes. Love R.M. Ed. 1974. Acad. Press, London and New York.
- Labuza, T.P. (1972). Sorption phenomena in food. Food Technology, 22 : 263.
- Levanidov, I.P. (1954). The diffusion of salt and the rate of fish salting (In Russian), Rybnekhhoz. 24(11) 33 - 39.
- Levanidov, I.P. (1960). Quantitative characteristics of fish after salting in saturated brine. Israil Prog. Sci. Translat PST. Catalogue No: 109 - 139.
- F.R. Delvalla and J.T.R. Nickerson. 1967. Journal Food Sci. 32 : 173. Chapter. Studies on salting and drying of fishes.

- Lovern, J.A. (1932b). Fat metabolism of fishes. 11. The peritoneal pancreatic and liver fats of the sturgeon Acipenser sturio. Bio Chemical Journal 28 : 1985 - 1988. In : The Chem. Analy. of fishes. Love R.M. 1974. Ed. Publ. Acad. Press, London and New York
- Lovern, J.A. (1938b). Fat metabolism in fishes XIII. Factors influencing the composition of the depot fat of fishes. Bio Chemical Journal 32 : 1214 - 1224. In: The Chem. analyses of fishes. Love R.M. (1974) Ed. Acad. Press, London and New York.
- Lovern, J. A. (1952). Chemistry and advances in fish process. Fish News. 25 : 11.
- Lovern, J. A. (1958). The nutritional significance of fish lipid. Proc. Nutr. Soc. 17 : 161 - 166 and 142.
- Love, R.M. (1954). Post mortem changes in the lenses of fish eyes. Assessment of storage time and fish quality. Journal Sci. Food Agr. 5 : 566 - 572, 262. In : The chem. analyses of fishes. Love R.M. (1974). Ed. Acad. Press. London and New York.
- Love, R.M. (1962a). New factors involved in the denaturation of frozen cod muscle protein. Journal Food Science, 26(6) : 544 - 550.
- Love, R.M., Lovern, J.A. and Jones, N.R. (1959). The chemical composition of fish tissues.

- Spec. Rep. Fd. Invest. Bd. D.S.I.R. 69,62 : 259.
- Love, R.M., Robertron, I. and Stradan, I. (1968). Studies on the north sea cod. VI. Effects of starvation sodium and potassium. Journal Sci. Fd. Agriculture 19 : 415 - 422. In : The Chem. analyses of fishes. Love, R.M. Ed. Acad. Press, London and New York.
- Love, R.M., Lavety, J. and Steel, P.J. (1969). The connectives tissues of fish. 11. Gaping in commercial species of frozen fish in relation to rigor mortis. Journal Fd. Technology 4 : 39 - 44. In : The Chem. analy. of fishes. Love, R.M. Ed. Academic Press, London and New York.
- Love, R.M. (1970). In : The chemical biology of fishes. Publ. Academic Press, London : 262.
- Lowry, Olive, H., Nira J. Rosenbrough (1951). Estimation of protein with folin-phenol reagent. Journal of Biol. Chemistry, 193 : 265.
- Lucke, F. and W. Geidel (1935). In : Fish as Food. Vol.-IV. G. Borgstrom Ed: 65 - 97.
- Lujipen, Afmg (1954b). Changes in fish during storage and spoilage conservation, 3 : 164 - 167. Central Inst. Voedingson. derrock. TNO. Publ. No.190 :12.
- Lujipen, Afmg (1958). Objectives spoilage tests for fish stored under conditions other than normal chilling in ice. Journal Science Food Agriculture : 9 : 410 - 417.

- Macpherson, N.C. (1933). Vitamin A. concentration of cod liver oil. Correlated with age of cod. Nature London 132 :26 7 In : The chem. analyses of fishes. Love, R.M. 1974. Ed. Academic Press, London and New York.
- Mackie, I.M. and Thomson, B.W. (1974). Decomposition of trimethyleamine oxide during iced and frozen storage of whole and communitied tissue. Proc. IV. Int. Corp. Food. Sci. Technol. 1977). 10(3) : 143 - 146.
- Mann, H. (1959). In : Advances in Marine biology. Sir Frederick, S. Russell and Maurice Yonge. Vol.-10 Publ. Academic Press, London and New York, 1972: 471.
- Mathen, C. (1979). In : Quality control in fish processing. Central Institute of Fisheries Technology, Cochin, India : 23 - 32.
- Menon, K.K.P. (1978). Fish processing industry in India. Paper presented in Indo-pacific Fishery Commission/78/SYMP/59/January 1978. The Tata oil mills company Ltd. Cochin. Fisheries division, Cochin, India : 1 - 8.
- Mendelsohn, J.M. (1974). Rapid salting of fish. In fishing products Ed. R. Kreuzer. Fishing News (books) Ltd. 23. Rsemovnt Avenue. West Byflest. Surrey. England : 301 - 304.

- Mestorff (1954, a and b). In: Fish as Food. G. Borgstrom Ed. Vol. 1 : 403 (1961). Publ. Academic Press, New York, London.
- Mian, M.A. and Miyan, M.A. (1984). In: An introduction to statistics. Ideal Lib. Publ. Bang. 352 and 681.
- Milligan, S. (1965). Salt curing. In: Fish handling and processing. Her Majesty stationary Office. Torry Research Station. England: 102 -115.
- Minder, D.P. (1952). The influence of some factors upon the change of weight of the fish during salting (In Russian). Trudy. VNIRO, 23 : 48 - 141.
- Misericordia, Fr. (1954). Freshness tests. Chapter - 2, Lionel Farber, G. Borgstrom. Ed. In : Fish as Food. 1965, 4(2) : 71 - 73,
- Montefredine, A. (1955). Freshness tests, Chapter - 2, Lionel Farber. Ed. G. Borgstrom. In: Fish as Food. 1965 : 4(1) : 71 - 73, Academic Press, London and New York.
- Morawa, F.W. Fr. (1954). In : Fish as Food, Vol.-1, Borgstrom, G. (1961). Ed. 145 - 191.
- Mohr Method (1959). Douglas, A. Skoog. 1963. In : Fundamentals of Analytic chemistry. Hatt. Rein hart and Winston. INC: 675.

- Mossel, D.A.A. and Ingram, M. (1955). The physiology of the microbiol spoilage of foods. Journal Applied Bacteriology. 18 : 232.
- Muller, H.G. (1977). Sensory quality control report on a survey. In sensory quality control. Practical approach in food and drink production. H.W. Symons and J. J. Wren (Ed.) Society of chemical industry, London. 28 - 36. Sensory evaluation of food. Ed. J.R. Piggott. Elsevier supplied Sci. 1984: 141.
- Muslemuddin, M. Ma, Wahed, Safia Khatun and Ma, Rahman (1984). Investigations on the cold storage deterioration of different species of fishes and shell fishes of Bangladesh. Bangladesh Journal Science Industrial Research Vol.- XIX N(1 - 4). 11 - 16.
- Nair, R.B. Tharamani, P.K. and Lahiry, N.L. (1971). Journal Food Science Technology. 8 - 33.
- Nicol, D.L. (1959). Some aspects of the rail transport of wet fish. Mod. Refrig. 62 : 451 - 454.
- Nikkila, O.E. and Linko, P.R. (1956). Freezing packaging and frozen storage of fishes. Food Research, 21 : 42 - 46.
- Nishimato, Jun-Ichi, I. Ketut Sujetya and Hidemasamidi (1985). Effect of superchilled storage of freshness of mackerel. S. Japonicus muscle Japan Mem. Fac. Fish. Kagoshima Univ. 34(1) : 83 - 88.

- Ona, T. (1935). Chemical changes of fish body fats in cold storage (In Japanese) Bull. Japan. Soc. Sci. Fisheries. 3 : 225 - 262.
- Ota, F. (1958). Carbonyl compounds in fish as related to deterioration. Bull Japan. Soc. Sci. Fisheries. 24(5): 334 - 337.
- Otcott, R. (1962). Improving products quality. Freeze drying of foods. Natt. Acad. Sci. Natt. Research Council, Washington, D.C: 252.
- Paladino, J.A.I. (1945). In: Fish as Food. Vol.-1: 613 - 637. Borgstrom, G. Ed. 1961. Publ. Acad. Press, New York and London.
- Patel, M.I. and Chhaya, N.O. (1980). In: Field Key to fishes of Gujarat, CFASPI, Publ. I. Gujarat Fisheries <sup>A</sup>quatic Science Research Institute, Dept. of Fisheries, Govt. of Gujarat, Port Okha. 10 - 39.
- Partmann, W. (1953). Spoilage of fresh water fish. F. Bramstedt. and Mangarette Auerbach. In: Fish as Food. Vol.-1: 613 - 632.
- Pearson, D. (1962). In: The Chem. analyses of food. 5th Ed. Flesh Food: Table Jellies, J. and A. Churchill Ltd. London: 24 - 25 and 308 - 311.
- Pearson, D. (1962). Lab. Practice. Univ. of Reading, England. 11 : 538.

- Pearson, D. and Muslemuddin, M. (1968). Journal of the association of public analysts. 6 : 117. In : The chem. analyses of food. D. Pearson Ed. 1976. Chem. Publ. Co. Inc. New York, N.Y.
- Pearson, D. and Muslemuddin, M. (1969a). Journal of the association of public analyst. 6 : 117. In: The chem. analyst of food. D. Pearson, Ed. 1976. Chem. Publ. Co. New York.
- Pearson, D. (1970). Journal of the association of public analysts, 8 : 22.
- Pearson, D. and Muslemuddin, M. (1971). Journal of the association of public analysis: 28.
- Pearson, D. (1976). In: The chemical analyses of food. 7th Ed. Chemical publ. Co. Inc., New York, N.Y.: 386 - 387 and 493 - 494.
- Peryam, D.R. and Girandot, N.F. (1952). Advanced test method. Food Eng: 24 : 58 - 61, 194.
- Peryam, D.R. and Pilgrim, F.J. (1957). Hedonic scale method of measuring food preferences. Food Technol. 11(9) : Suppl. 9 - 14.
- Phillips, A.M., Livingston, D.C. and Porton, H.A. (1966). The effect of changes in protein quality caloric sources levels upon the growth and chemical composition of brook trout. Fish Review Bull. New York 29 : 6 - 14. In : The chem. analyses

- of fishes. Love R. M. 1974. Ed. Academic Press, London and New York.
- Pierangali, E., Crespo, J.F.G. and Lopez, R.B. (1954).  
Indices of freshness in edible fish. Rev. Assoc. Ang. dietol. 13 : 67 - 82.
- Poulter, R.G. and R.A. Lawric (1977). Studies on fish muscle protein. Nutritional consequence of the changes occurring during frozen storage. Journal Sci. Food. Agric. 28 : 701.
- Poulter, R.G., L. Nicolaides and D.A. Hector (1978).  
Quality changes in fish from south China sea.  
Iced storage of chub mackerel, grouper and fusilier.  
Proc. Indo-pacific fishery commission/18/3 :  
169 - 185.
- Power, H.E., Margaret, C., Morton and Ruth, F. Sindair (1969). The chemical and physical characteristics of cold stored at superchill temperatures. In: Freezing and irradiation of fish. Ed. Rudolf Kreuzer, Publ. Fishing News (Book) Ltd. England: 104 - 112.
- Rao, T.A. (1971). Fat and water contents of the muscle and ovary during the maturation cycle of Pseudosciaena aneus (Block) and Johnius caseetta (Bloch).  
India. Journal Fish. 14 (1 - 2): 293 - 297.

- Reay, G.A. and Shewan, J.M. (1949). The spoilage of fish and its preservation by chilling. Advances in food research. 2: 343 - 398.
- Reay, G.A. and Shewan, J.M. (1953). The preservation of fresh herrings. The tech. of herrings utilization. Directorate of fisheries Bergen. Norway : 164 - 185.
- Resiser, R., Stevens, B., Kayama, M., Chowdhury RBR and Hood, D.W. (1963). The influence of dietary fatty acid and environmental temperature on the fatty acid and environmental temperature on the fatty acid compound of teleost fish. Journal Am. Oil. Chemistry Soc. 40 : 507 - 513.
- Riemann, H. (1952). Post mortem of fish and rigor. In: Fish as Food. Vol.-IV : 65 - 97. Borgstrom, G.Ed.
- Rockland, L.B. (1969). Water activity and storage stability. Food Tech. 23 : 1241.
- Rockwood, B.N., Ramsbottom, J.M. and Mehlenbacher, V.C. (1947). Preparations of animal tissues fats for determination of peroxides and free fatty acids. Anal. Chem. 19 : 853 - 854.
- Ronsivalli, L.J., Steinberg, M.A. and H.C. Seabran (1965). Radiation preservation of fish of the north-west atlantic and the great lakes. Radiation preservation of food. Publ. National Acad. of Sci.

National Res. Council. Washington. D.C: 78.

- Rubbi, S.F., M.M. Rahman, A.R., Khan, S.S., Jahan, and M. Begum (1987). Bangl. Journal Sci. Research 5(1) : 21 - 31.
- Sato, Y. (1960). Examinations in freshness of bottom fish. In : Japanese with english summary. Bull. Japan Soc. Sci. Fisheries 26(3) : 312 - 316.
- Scott, W.J. (1957). Water relations of food spoilage micro-organisms, Advances in Food research. 7 : 83.
- Semenov, N.A. (1952). Degree of fish preservation in Salt depending on its size (In Russian) Trudy. VINIRO. 20 : 48 - 56.
- Setna, S.B., Saraugdhar, R.N. and Ganpule, N.U. (1944). Nutritive value of some fishes of Bombay, Indian Journal Med. Research 32 : 171 - 176. In : Fish as Food. Vol.-II, 1962, G. Borgstrom, Ed. Academic Press, New York and London.
- Shewan, J.M. (1938). The spoilage of fish. Report of the Director of food investigation : 29.
- Shewan, J.M. (1942). Some bacteriological aspects of fish preservation. Chem. Ind. London. 613 : 312 - 314.
- Shewan, J.M. (1951). The chemistry and metabolism of the nitrogenous extractions of fish. Bio chem. Soc. Symposia. Cambridge. Engl. No.6 : 28 - 48.

- Shewan, J.M., Ruth, G., MacIntosh, C.G., Tucker and ASC Ehrenberg (1953). The development of a numerical scoring system for the sensory assessment of the spoilage of wet white fish stored in ice. Journal Sci. Food Agriculture 4 : 283-298.
- Shewan, J.M. and Ehrenberg, A.S.C. (1957). Volatile bases as quality indices of iced north sea cod. Journal Science Food Agriculture 8 : 227.
- Shewan, J.M. and Jones, N.R. (1957). Chemical changes occurring in cod muscles during chill storage and then possible use an objective indices of quality, Journal Sci. Food. Agriculture : 491 - 498.
- Shewan, J.M., G. Hobbs, and W. Hodgkiss (1960). The pseudomonas and Achromobacter groups of bacteria in the spoilage of marine white fish. Journal Applied Bacteria. 23 : 463.
- Sigurdsson, G.J. (1947). Ind. Eng. Chem. Analy. Ed. 19 : 892. In : The Chem. analyses of food. 5th Ed. D. Pearson, 1962, Publ. J. and A. Churchill Ltd. London.
- Sikorski, Z.E., Bykowski, P. and Knyszewski, J. (1979). The utilize of krill for food, Proc. 2nd Int. Congr. on Engg. Food Process. Helsinke Univ. of Tech. Espoo. Finland. In: Advances of fish tech. by J.J. Connell : 78 - 84. Publ. Fishing News

- (books) Ltd. Farnham, Surrey, England, 1979.
- Simidu, W. (1961). Non-protein nitrogenous compounds.  
In : Fish as Food. Borgstrom G. Ed. Vol.-1, Chapter  
11, Academic Press, London and New York : 288  
and 353 - 384.
- Simidu, W. and Hibiki, S. (1957). Studies on putrefaction  
of aquatic products. XXIV. On spoilage of some  
shell fish. In Japanese with Eng. summary. Bull.  
Japan Soc. Sci. Fisheries. 23 : 255 - 259.
- Smith, A.C. and Goldstein, R.A. (1967). Variation in  
protein compounds of the eye lens muscles in  
ocean white fish Caustotatus princeps comp.  
Bio chem. Physiol. 23 : 167 and 533 - 539.
- Soudan, F.J., Bagin, G., Chapel, E. Seynave and A. Doknoff  
(1956). Estimation of fish spoilage by means of  
systematic organoleptic examination. FAO.  
Inter in comitte. In : fish handling and process-  
ing. Fish Process Tech. Meeting. Patterdam,  
Netherlands, 25 - 29. June, Sym. Paper No:25 - 11.
- Spencer, R. and Baines, C.R. (1964). The effect of temper-  
ature on the spoilage of wet white fish 1.  
storage at constant temperature between -1°C and  
25°C. Food Tech. Champaign. 18(5) : 175 - 179.
- Stanby, M.E., Harrisson, R.W., Dassow, J. and Sater, N.  
(1944). Ind. Eng. Chem. Anlyst. Edn. 16(9) : 593.

- Stansly, M.E. and S.H. Otcott (1963). Composition of fish.  
Industrial fisheries Tech. Reinhold publ. Corp.  
New York, 339 - 349 and 393.
- Stevens, S.S. (1961). The psychophysics of sensory functions.  
In sensory communications WARsenbbith (Ed.  
Willey, New York : 1 - 33.
- Stoud, G.D. (1969). Rigor in fish. The effect of quality.  
Torry advice, Note : 36.
- Tanikawa, E. (1935). Studies on measuring freshness of fish  
and shellfish meat. In Japanese. Journal Soc.  
Ind. Fisheries (Japan). 3 : 267 - 298.
- Tanikawa, E. and Akiba, M. (1955). On the manufacture of  
crab meat from *Renolithodes conntoschatiuous* 1.  
Velocity of bacterial decomposition of the meat.  
Bull. Japan. Soc. Sci. Fisheries. 21 : 397 - 401.
- Tanikawa, E., Akiba, M. and Takawara, N. (1955). On the  
manufacture of canned crab during heating and  
the freshness of the meat. Bull. Japan. Soc. Sci.  
Fisheries. 21 : 397 - 401 and 405 - 408.
- Tappel, A.C. (1955). The mechanism of vitamin action,  
III. In vitro copolymerization of oxidized fats  
with protein Arch. Journal. Bio chem. Bio  
physics. 54 : 266 - 280.
- Taylor, H. (1953). The potential of the ocean Mimeagra Phed.  
Report. Am. Assoc. advances. Sci. Meeting. Boston.

- Massachusetts. In : Fish as Food. Vol.-II. 1962.  
Borgstrom G. Ed. Academic Press, New York and  
London : 34.
- Taylor, A. A. (1961). Determination of moisture equilibrium  
in dehydrated foods. Food technology, 15 : 536.
- Templeman, W. and Andrews, G.L. (1956). Jellied condition  
in the American Plaice, Hippoglossoides plates-  
soides. Journal Fish Res. Bd. Can. 13 : 147 - 182.  
In : The Chem. Analy. of fishes, R.M. Love, Ed.  
1974, Publ. London and New York.
- TFYP (1985). The third five year plan. 1985 - 1990. Dec.  
Bangladesh Ministry of Planning : 193 - 199 and  
273 - 278.
- Tillmans, J. and Otto, R. (1924). In : Fish as Food. Vol.-  
IV, Part - 2, Borgstrom, G. Ed. 1965 : 25 - 37,  
Publ. Academic Press.
- Tomiyama, T., Yone, Y. and Ide, K. (1950). Catalase test  
for gill tissue as a spoilage indicator (In  
Japanese). Bull Japan Soc. Sci. Fisheries. 16 :  
17 - 24.
- Torry Research Station (1959). Report, Dept. Sci. Indus-  
trial Research, London : 6.
- Torry Research Station (1962). Annual Report, Aberdeen  
Scotland. Cited from F.R. Del Valle and J.T.R.  
Nickerson, Vol.32, 1967. Journal of Food Science,

173. Studies on Salting and drying Fish. 1.  
Equilibrium considerations in salting.
- Torry Research Station (1965). Freezing and cold storage.  
In : Fish handling and processing. Her Majesty  
Stationary Office. Publ: Edenbergh, London :  
140 - 151.
- Tomiyama, T., Yone, Y. and Ide, K. (1950). Catalase test  
for gill tissue as a spoilage indicator (In  
Japanese). Bull. Japan. Soc. Sci. Fisheries.  
16 : 17 - 21.
- Tressler, D.K. and Lemon, J. McW. (1951). In : Marine  
products of commerce. 2nd. 387. Reinhold publ.  
Company, New York and London : 361 - 375.
- Watt, R.L. and Watts, D.C. (1974). Nitrogen metabolism in  
fishes. Chem. Zool. Acad. Vol.-8: 369 - 446.  
In : Advances in fish Sci. and Tech. J.J. Cornell.  
Ed. 1979. London. Publ. Fishing Nees (Book) Ltd.
- Waterman, J. J. (1976). The production of dried fish.  
FAO. Fisheries Technology, Paper No.16, (Rome): 52.
- Wang, N.P., Damico, J.M. and Salwin, H. (1967). Journal  
of the association of official analytical  
chemists. 50 : 8.
- Westman, K., Sumari, O. and Laine, J. J. (1969). Comparative  
dry diet feeding experiment on <sup>a</sup>rainbow trout.  
Salmo gavidneri. Richardson in floating net

- containers Suoman kalatalons. Finlands Fiskerier.  
No. 40 : 46.
- Weigstein and Dyer (1965). The tech. of fish utilization  
Ed. R. Kreuzer. London, Fishing News (Books)  
Ltd. FAO : 3 - 4.
- Wierzhchowski, J. (1956). Some chemical indications of fish  
spoilage (In Polisa). In : Fish as Food. Vol.-IV.  
65 - 97 and 162 - 165. Publ. Academic Press.
- Wistereich, H.E., Morwe, R.E. and Kenyong, Z.J. (1959).  
Curing of ham. A study of sodium chloride  
accumulation 11. Effects of temperatures action  
of muscle and solutions of the concentration,  
Food Technology, 13(8) : 441 - 443.
- Wood, E.M., Yasutaka, W.T., Woodall, A.N. and Halver, J.E.  
(1957b). The nutrition of salmonoid of fishes 1.  
Chemical and histological studies of wild and  
domestic fish. Journal Natro. 61 : 465 - 477.  
In : The chem. analyses of fishes. R.M. Love,  
Ed. 1974. Publ. Academic Press, London.
- Wojciech, R. and Varela, G. (1958). In : Fish as Food,  
V-IV. P-2, Chap-3 : 71 - 73. G. Borgstrom.,  
Academic Press (1965).
- Varela, G. and Wojciech, R. (1956). Bio chemical process  
in the decomposition of European Lake. Anal.  
Bromatal (Madried) 8 : 5 - 18.

- Van Deures, J.A. and Haff-Joregenson, E. (1936). The use of pH on the determination investigation on the preparation and exportation of fish fillets. Ingenioram. 45 (1 - 4). Chem. Ind. (Paris). 36: 1217 - 1218.
- Venkataraman, R. and Prabhu, P.V. (1964). Paper presented at Tanners conf. Rajkot, India. IPFC/78/SYMP/27/ January, 1978 : 1 - 5
- Venkataraman, R. and Devadasen, K. (1978). Marine products processing industry in India its growth and future prospects. Indo-pacific fishery commission/32/ January, 1978 : 1 - 7.
- Voskresensky, N.A. (1958). Technology of salting smoking and drying fish : 546. Moscow (In Russian).
- Voskresensky, N.A. (1958). Kinetics of the fish salting process. (In Russian) Turdy. VNIRO. 20 : 56 - 76.
- Vonloesecke, H.W. (1955). Rehydration of dehydrated foods. Some analytical method. In: drying and dehydration of foods. 2nd Ed. New York, Reinhold Publ. Corp.: 284.
- Yamura, Y. (1933). The putrefaction degree and the pH value of fish muscle. Bull. Japan. Soc. Sci. Fish. 2 : 118 - 120.
- Yamada, K. (1969). Post-mortem breakdown of trimethylamine in fishes and marine invertebrates. Bull. Japan Soc. Sci. Fisheries. 34 : 541.