BIBLIOGRAPHY

1. Acuna, F. H., Excoffon, A. C., & Griffiths, C. L. (2004). First record and redescription of the introduced sea anemone *Sagartia ornata* (Holdsworth, 1855) (Cnidaria: Actiniaria: Sagartiidae) from South Africa. *African Zoology*, *39*(2), 314-318.
2. Acuna, F. H., Excoffon, A. C., McKinstry, S. R., & Martinez, D. E. (2007). Characterization of *Aulactinia* (Actiniaria: Actiniidae) species from Mar del Plata (Argentina) using morphological and molecular data. *Hydrobiologia*, *592*(1), 249-256.
3. Acuna, F. H., Alvarado, J., Garese, A., & Cortes, J. (2012). First record of the sea anemone *Anthopleura nigrescens* (Cnidaria: Actiniaria: Actiniidae) on the Pacific coast of Central America. *Marine Biodiversity Records*, 5, 1-3.
4. Acuna, F. H., Garese, A., Excoffon, A. C., & Cortes, J. (2013). New records of sea anemones (Cnidaria: Anthozoa) from Costa Rica. *Revista de Biologaa Marina y Oceanografla* 48 (1) 177-184.
5. Adhavan, D., Kamboj, R. D., Chavdaand, D. V., & Bhalodi, M. M. (2014). Status of intertidal biodiversity of Narara Reef Marine National Park, Gulf of Kachchh, Gujarat. *Journal of Marine Biology and Oceanography, 3*(3), 2.
6. Ainsworth, T. D., Heron, S. F., Ortiz, J. C., Mumby, P. J., Grech, A., Ogawa, D., & Leggat, W. (2016). Climate change disables coral bleaching protection on the Great Barrier Reef. *Science*, *352*(6283), 338-342.
7. Alegre-Cebollada, J., Onaderra, M., Gavilanes, J. G., & Del Pozo, A. M. (2007). Sea anemone actinoporins: the transition from a folded soluble state to a functionally active membrane-bound oligomeric pore. *Current protein and peptide science*, *8*(6), 558-572.
8. Alemu, J. B.; & Clement, Y. (2014). Mass coral bleaching in 2010 in the southern Caribbean. *PLoS one*, *9*(1).

9. Anderson, P. A., & Bouchard, C. (2009). The regulation of cnidocyte discharge. *Toxicon, 54*(8), 1046-1053.
10. Annandale, N. (1907). The fauna of brackish ponds at Port Canning, Lower Bengal. *Rec. Indian Mus*, *1*(4), 45-74.
11. Annandale, N., & Kemp, S. (1915). Fauna of the Chilka Lake. *Sponges. Mem. Indian Mus*, *5*(1), 21-54.
12. Arora, M., Chaudhury, N. R., Gujrati, A., Kamboj, R. D., Joshi, D., Patel, H., & Patel, R. (2019). Coral bleaching due to increased sea surface temperature in Gulf of Kachchh Region, India, during June 2016. *Indian Journal of Geo-Marine Sciences, 48(03), 327-332.*
13. Arthur, R. (2000). Coral bleaching and mortality in three Indian reef regions during an El Nino southern oscillation event. *Current Science*, 79(12), 1723-1729.
14. Arvedlund, M., & Takemura, A. (2006). The importance of chemical environmental cues for juvenile *Lethrinus nebulosus* Forsskal (Lethrinidae, Teleostei) when settling into their first benthic habitat. *Journal of Experimental Marine Biology and Ecology*, *338*(1), 112-122.
15. Averincev, V. G. (1967). Actiniaria of the Possjet Bay of the Sea of Japan. *Issledovaniya Fauny Morey*, *5*, 62-77.
16. Ayre, D. J. (1984). The effects of sexual and asexual reproduction on geographic variation in the sea anemone *Actinia tenebrosa*. *Oecologia, 62*(2), 222-229.
17. Baird, A. H., Guest, J. R., & Willis, B. L. (2009). Systematic and biogeographical patterns in the reproductive biology of scleractinian corals. *Annual Review of Ecology, Evolution, and Systematics*, *40*, 551-571.
18. Barragan, Y., Sanchez, C., & Rodriguez, E. (2019). First inventory of sea anemones (Cnidaria: Actiniaria) from La Paz Bay, southern Gulf of California (Mexico). *Zootaxa, 4559*(3), 501-549.
19. Bates, A. E., Mclean, L., Laing, P., Raeburn, L. A., & Hare, C. (2010). Distribution patterns of zoochlorellae and zooxanthellae hosted by two

Pacific northeast anemones, *Anthopleura elegantissima* and *A. xanthogrammica*. *The Biological Bulletin*, *218*(3), 237-247.

20. Bhatt, N. (2003). The Late Quaternary bioclastic carbonate deposits of Saurashtra and Kachchh, Gujarat, western India: A review. *Proceedings-Indian National Science Academy Part A*, *69*(2), 137-150.
21. Biju Kumar, A., Dhaneesh, K. V., & Geethu, M. (2015). First Record of the Sea anemone *Anthopleura Buddemeieri* Fautin (Cnidaria: Actiniaria: Actiniidae) From the Indian Coast. *Journal of Aquatic Biology & Fisheries, 3*, 111-114.
22. Billingham, M., & Ayre, D. J. (1996). Genetic subdivision in the subtidal, clonal sea anemone *Anthothoe albocincta*. *Marine Biology, 125*(1), 153-163.
23. Blank, R. J., & Trench, R. K. (1985). Speciation and symbiotic dinoflagellates. *Science, 229*(4714), 656-658.
24. Bocharova, E. (2016). Reproduction of sea anemones and other hexacorals. *The Cnidaria, Past, Present and Future*, *Springer*, *2*, 239-248.
25. Bocharova, E. S., & Kozevich, I. A. (2011). Modes of reproduction in sea anemones (Cnidaria, Anthozoa). *Biology bulletin, 38*(9), 849-860.
26. Bouchard, J. N., & Yamasaki, H. (2008). Heat stress stimulates nitric oxide production in Symbiodinium *microadriaticum*: a possible linkage between nitric oxide and the coral bleaching phenomenon. *Plant and Cell Physiology, 49*(4), 641-652.
27. Bozaykut, P., Ozer, N. K., & Karademir, B. (2014). Regulation of protein turnover by heat shock proteins. *Free Radical Biology and Medicine*, *77*, 195-209.
28. Brace, R. C. (1981). Intraspecific aggression in the colour morphs of the anemone Phymactis clematis from Chile. *Marine Biology*, *64*(1), 85-93.
29. Bragadeeswaran, S., Thangaraj, S., Prabhu, K., & Rani, S. R. S. (2011). Antifouling activity by sea anemone (*Heteractis magnifica* and *H.*

aurora) extracts against marine biofilm bacteria. *Latin American Journal of Aquatic Research*, *39*(2), 385-389.

30. Bridge, D., Cunningham, C. W., DeSalle, R., & Buss, L. W. (1995). Class-level relationships in the phylum Cnidaria: molecular and morphological evidence. Molecular Biology and Evolution, 12(4), 679-689.
31. Brolund, T. M., Tychsen, A., Nielsen, L. E., & Arvedlund, M. (2004). An assemblage of the host anemone *Heteractis magnifica* in the northern Red Sea, and distribution of the resident anemone fish. *Journal of the Marine Biological Association of the United Kingdom*, *84*(3), 671-674.
32. Brown, B. E. (1997). Coral bleaching: causes and consequences. *Coral reefs, 16*(1), 129-138.
33. Brusca, R.C. & Brusca, G.J. (1990). The Invertebrates. *Sinauer Associates, Sunderland, MA (USA)*, 922.
34. Burce, A., & Aj, B. (1976). Coral reef Caridea and “Commensalism". *Micronesica, 2*, 83-98.
35. Burnett, W. J., Benzie, J. A. H., Beardmore, J. A., & Ryland, J. S. (1997). Zoanthids (Anthozoa, Hexacorallia) from the Great Barrier Reef and Torres Strait, Australia: systematics, evolution and a key to species. *Coral Reefs, 16*(1), 55-68.
36. Cairns, S., den Hartog, J. C., Arneson, C., & Rutzler, K. (1986). Class Anthozoa (corals, anemones). *Marine Fauna and Flora of Bermuda. John Wiley and Sons, New York*, 164-194.
37. Cairns SD. 1988. Asexual reproduction in solitary Scleractinia. *Proceedings of the 6th International Coral Reef Symposium 2*, 641–646.
38. Cairns, S. D., Calder, D. R., Brinckmann-Voss, A., Castro, C. B., Fautin, D. G., Pugh, P. R., & Opresko, D. M. (2002). Common and scientific names of aquatic invertebrates from the United States and Canada: Cnidaria and Ctenophora. *American Fisheries Society,* 28*,* 115.
39. Cairns, S. D., Bayer, F. M., & Fautin, D. G. (2007). *Galatheanthemum profundale* (Anthozoa: Actiniaria) in the western Atlantic. *Bulletin of Marine Science*, *80*(1), 191-200.

40. Carlgren, O. (1949). A survey of the Ptychodactiaria, Corallimorpharia and Actiniaria. Kungl. Swedish Academy of Sciences Proceedings, (3), 1-121.
41. Carlgren, O. (1938). Kungliga Svenska vetenskapsakademiens handlingar [The royal Swedish academy of sciences documents]. *South African Actinaria and Zoantharia*, *3*.
42. Carlgren, O. (1949). A survey of the Ptychodactiaria, Corallimorpharia and Actiniaria. *Kungl. Svenska Vetenskapsakademiens Handlingar*, (3), 1-121.
43. Carlgren, O. (1950). A revision of some Actiniaria described by AE Verrill. *Journal of the Washington Academy of Sciences, 40*(1), 22-28.
44. Carlgren, O. (1951). The actinian fauna of the Gulf of California. *Proceedings of the United States National Museum, 101*, 415– 449.
45. Carrillo, L., & Menanteau, L. (2012). Integrated management of the natural and cultural heritage in marine protected areas (MPAs) of Mexico: case studies in the Gulf of Mexico and the Caribbean Sea. *I Congreso Iberoamericano de Gestion Integrada de areas Litorales*, 1626-1637.
46. Cavalier-Smith, T., Couch, J. A., Thorsteinsen, K. E., Gilson, P., Deane, J. A., Hill, D. R. A., & McFadden, G. I. (1996). Cryptomonad nuclear and nucleomorph 18S rRNA phylogeny. *European Journal of Phycology,* 31(4), 315-328.
47. Cha, H. R., Buddemeier, R. W., Fautin, D. G., & Sandhei, P. (2004). Distribution of sea anemones (Cnidaria, Actiniaria) in Korea analyzed by environmental clustering. *Hydrobiologia*, *530*(1-3), 497-502.
48. Chadwick-Furman NE, Spiegel M. 2000. Abundance and clonal replication in the tropical corallimorpharian *Rhodactis rhodostoma*. *Invertebrate Biology,* 119, 351–360.
49. Chakravarty, G., Chakraborty, S. K., Achari, G. P., & Dam Roy, S. (2005). Sea-Anemones. *CMFRI Special Publication: Mangrove ecosystems-A manual for the assessment of biodiversity*, (83), 146-149.

50. Charbonnel, N., Chaval, Y., Berthier, K., Deter, J., Morand, S., Palme, R., & Cosson, J. F. (2008). Stress and demographic decline: a potential effect mediated by impairment of reproduction and immune function in cyclic vole populations. *Physiological and Biochemical Zoology*, 81(1), 63-73.

51. Cheng, M. Y., Hartl, F. U., Martin, J., Pollock, R. A., Kalousek, F., Neuper, W. & Horwich, A. L. (1989). Mitochondrial heat-shock protein hsp60 is essential for assembly of proteins imported into yeast mitochondria. *Nature*, *337*(6208), 620-625.

52. Chia, F. S. (1976). Sea anemone reproduction: patterns and adaptive radiations. *In Coelenterate ecology and behavior, Springer, Boston, MA*, 261-270.

53. Choresh, O., Ron, E., & Loya, Y. (2001). The 60-kDa heat shock protein (HSP60) of the sea anemone *Anemonia viridis*: a potential early warning system for environmental changes. *Marine Biotechnology*, *3*(5), 501-508.

54. Choresh, O., Ron, E., & Loya, Y. (2001). The 60-kDa heat shock protein (HSP60) of the sea anemone Anemonia viridis: a potential early warning system for environmental changes. *Marine Biotechnology*, *3*(5), 501-508.

55. Choudhury, S. (2018). New records of Actiniarian sea anemones in Andaman and Nicobar Islands, India. *Proceedings of the International Academy of Ecology and Environmental Sciences*, *8*(2), 83.

56. Choudhury, S., Raghunathan, C., & Venkataraman, K. (2015). First record of black coral associated Sea anemone *(Nemanthus annamensis* Carlgren 1943; Family Nemanthidae) from India. *Records of the Zoological Survey of India*, *115*(4), 351-356.

57. Choudhury, S., Raghunathan, C., Raghuraman, R., & Venkatraman, K. (2015). Actiniarian Sea Anemone diversity in Andaman and Nicobar Islands. *Zoological Survey of India, Andaman and Nicobar Regional Centre, Port Blai*, 102, 58-66.

58. Chow, A. M., Tang, D. W., Hanif, A., & Brown, I. R. (2014). Localization of heat shock proteins in cerebral cortical cultures following induction by celastrol. *Cell Stress and Chaperones*, *19*(6), 845-851.

59. Chown, S. L., Clarke, A., Fraser, C. I., Cary, S. C., Moon, K. L., & McGeoch, M. A. (2015). The changing form of Antarctic biodiversity. *Nature*, *522*(7557), 431-438.

60. Cohen, A.N. (2005). Overview of 2004/05 Rapid Assessment Shore and Channel Surveys for Exotic Species in San Francisco Bay. Final Report for the California State Coastal Conservancy, Association of Bay Area Governments/San Francisco Bay-Delta Science Consortium, National Geographic Society and Rose Foundation. San Francisco Estuary Institute, Oakland, CA.

61. Coles, S. L., & Jokiel, P. L. (1978). Synergistic effects of temperature, salinity and light on the hermatypic coral *Montipora verrucosa*. *Marine Biology*, *49*(3), 187-195.

62. Collingwood, C. (1868). IV.—Note on the existence of gigantic sea-anemones in the China Sea, containing within them quasi-parasitic fish. *Journal of Natural History*, *1*(1), 31-33.

63. Collins, A. G., Schuchert, P., Marques, A. C., Jankowski, T., Medina, M., & Schierwater, B. (2006). Medusozoan phylogeny and character evolution clarified by new large and small subunit rDNA data and an assessment of the utility of phylogenetic mixture models. *Systematic biology, 55*(1), 97-115.

64. Collins, A. G., Bentlage, B., Lindner, A., Lindsay, D., Haddock, S. H., Jarms, G. & Cartwright, P. (2008). Phylogenetics of Trachylina (Cnidaria: Hydrozoa) with new insights on the evolution of some problematical taxa. *Journal of the Marine Biological Association of the United Kingdom*, 88(8), 1673-1685.

65. Craig, E. A., & Gross, C. A. (1991). Is hsp70 the cellular thermometer? *Trends in biochemical sciences*, 16, 135-140.

66. Crowell, S.; & Oates, S. (1980) Metamorphosis and reproduction by transverse fission in an Edwarsiid anemone. In: Tardent P, Tardent R

(eds) Developmental and cellular biology of coelenterates. *Elsievier/ North Holland, Amsterdam*, 139–142.

67. Crowther, A. L. (2011). Class Anthozoa Ehrenberg, 1834. In: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. *Zootaxa, 3148*(1), 19-23.
68. Cutress, C. E. (1949). The Oregon shore anemones (Anthozoa). (Master Dessirtation, The Oregon State College).
69. Dahlhoff, E. P., Buckley, B. A., & Menge, B. A. (2001). Physiology of the rocky intertidal predator *Nucella ostrina* along an environmental stress gradient. *Ecology, 82*(10), 2816-2829.
70. Daly, M. (2004). Anatomy and Taxonomy of Three Species of Sea Anemones (Cnidaria: Anthozoa: Actiniidae) from the Gulf of California, Including *Isoaulactinia hespervolita* Daly, n. sp. *Pacific Science, 58*(3), 377-390.
71. Daly, M. and D.G. Fautin (2004). *Anthopleura mariscali*, a new species of sea anemone (Cnidaria: Anthozoa: Actiniaria) from the Gulf of Mexico and Caribbean. *Zootaxa 416*, 1-8.
72. Daly, M., & Den Hartog, J. C. (2004). Anthopleura (Cnidaria: Anthozoa: Actiniaria) from the Gulf of Mexico and Caribbean. *Bulletin of Marine Science*, *74*(2), 401-421.
73. Daly, M., Brugler, M. R., Cartwright, P., Collins, A. G., Dawson, M. N., Fautin, D. G., & Romano, S. L. (2007). The phylum Cnidaria: a review of phylogenetic patterns and diversity 300 years after Linnaeus. Zootaxa 1668:127-182.
74. Daly, M., Gusmao, L. C., Reft, A. J., & Rodriguez, E. (2010). Phylogenetic signal in mitochondrial and nuclear markers in sea anemones (Cnidaria, Actiniaria), *Integrative and Comparative Biology*, *50*(3), 371–388.
75. Daly, M., Perissinotto, R., Laird, M., Dyer, D., & Todaro, A. (2012). Description and ecology of a new species of Edwardsia de Quatrefages, 1842 (Anthozoa, Actiniaria) from the St Lucia Estuary, South Africa. *Marine Biology Research*, *8*(3), 233-245.

76. Dave, C. S. (2011). Ecological assessment of Narara reef with special reference to coral community. (Doctoral dissertation, The MS University of Baroda).

77. Dave, C. S., & Mankodi, P. C. (2009). Species specific association of sea anemones. *Current Science, 97*(11), 1522.

78. Davenport, J., Moloney, T. V., & Kelly, J. (2011). Common sea anemones *Actinia equina* are predominantly sessile intertidal scavengers. *Marine Ecology Progress Series*, *430*, 147-155

79. Davie, P., & Davie, P. (1998). *Wild Guide to Moreton Bay: wildlife and habitats of a beautiful Australian coast-Noosa to the Tweed*. Queensland Museum.

80. Day, F. (1878). Fishes of India. *William Dawson, London, 1*, 379.

81. Dayton, P. K., England, K. W., & Robson, E. A. (1997). An unusual sea anemone, Dactylanthus antarcticus (Clubb, 1908) (Order Ptychodactiaria), on gorgonians in Chilean fjords. In *Proceedings of the 6th International Conference on Coelenterate Biology. National Natuurhistorisch Museum, Leiden, 135A42*.

82. De Barry, J., Fosset, M., & Lazdunski, M. (1977). Molecular mechanism of the cardiotoxic action of a polypeptide neurotoxin from sea anemone on cultured embryonic cardiac cells. *Biochemistry*, *16*(17), 3850-3855.

83. DeFelice, R. C., Eldredge, L. G., & Carlton, J. T. (2001). Nonindigenous marine invertebrates. *A guidebook of introduced marine species in Hawaii. Bishop Museum Technical Report*, *21*, B1-B60.

84. Den Hartog, J. C., & Vennam, J. (1993). Some Actiniaria (Cnidaria: Anthozoa) from the west coast of India. *Zoologische mededelingen*, *67*(42), 601-637.

85. Denny, M. (2014). Biology and the mechanics of the wave-swept environment. *Princeton University Press, New Jersey, USA.*

86. Deshmukhe, G., Ramamoorthy, K., & Gupta, R. S. (2000). On the coral reefs of the Gulf of Kachchh. *Current Science*, *79*(2), 160-162.

87. Dharani, G., Nazar, A. A., Saravanane, N., Vinithkumar, N. V., Santhanakumar, J., Ratnam, K., & Kirubagaran, R. (2012). On the recurrence of coral bleaching and recovery in North Bay, Port Blair, Andaman and Nicobar Islands. In *Ecology of Faunal Communities on the Andaman and Nicobar Islands*, *Springer, Berlin, Heidelberg*, 71-84.

88. Dohna, T. A., & Kochzius, M. (2016). Obstacles to molecular species identification in sea anemones (Hexacorallia: Actiniaria) with COI, a COI intron, and ITS II. *Marine Biodiversity, 46*(1), 291-297.

89. Douglas, A. E. (2003). Coral bleaching—how and why? *Marine pollution bulletin, 46*(4), 385-392.

90. Doumenc, D.A. & Van Praet, M. (1987) ORDRE des Actiniaires, ordre des Ptyochodactiares, ORDRE des Corallimorphares. In*: Grassé, P.P. (Ed), Traite de Zoologie, Tome III, Fasicule 3, Cnidaries Anthozoaires. Masson, Paris*, 257–401.

91. Duerden, J. E. (1897). I.—The Actiniarian family Aliciidæ. *Journal of Natural History*, *20*(115), 1-15.

92. Duerden, J. E. (1898). The Actiniaria around Jamaica. *Journal of the Institute of Jamaica, 2*, 449–465.

93. Duerden, J. E. (1900). Jamaican Actiniaria. Part II. Stichodactylidae and Zoanthdae. *Scientific Transactions of the Royal Dublin Society*, *7*, 133-208.

94. Duerden, J. E. (1900). Report on the actinians of Porto Rico. *Bulletin of the United States Fish Commission*, *20*, 323–374.

95. Dunbar, R. B., Wellington, G. M., Colgan, M. W., & Glynn, P. W. (1994). Eastern Pacific sea surface temperature since 1600 AD: The 180 record of climate variability in Galapagos corals. *Paleoceanography, 9*(2), 291-315.

96. Dunn, D. F. (1981). The clownfish sea anemones: Stichodactylidae (Coelenterata: Actiniaria) and other sea anemones symbiotic with pomacentrid fishes. *Transactions of the American Philosophical Society*, *71*(1), 3-115.

97. Dunn, D. F. (1982). Cnidaria. *Synopsis and classification of living organisms*, *1*, 669-706.

98. Dunn, D. F. (1983). Some Antarctic and sub-Antarctic sea anemones (Coelenterata: Ptychodactiaria and Actiniaria). *Biology of the Antarctic Seas XIV, 39*, 1-67.

99. Dunn, D. F., Kashiwagi, M., & Norton, T. R. (1975). The origin of antitumour activity in sea anemones. *Comparative biochemistry and physiology. C: Comparative pharmacology*, *50*(1), 133.

100. Dunn, D.F., 1974a. Radianthus papillosa (Coelenterata, Actiniaria) rediscribed from Hawaii. *Pacific Science, 28*(2): 171-179.

101. Dunn, D.F., 1974b. Redescription of Anthpleura nigrescens (Coelenterata, Actiniaria) from Hawaii. *Pacific Science, 28*(4): 377-382.

102. Dunn, D.F., 1974c. Actiniogeton sesere (Coelenterata, Actiniaria) in Hawaii. *PacificScience,28*(2): 181-188.

103. Dunn, D.F., 1978. Anthopleura handi n. sp. (Coelenterata, Actiniaria), and internally brooding intertidal sea anemone from Malaysia. *The Wasmann J. Biol., 35*(1): 54-64.

104. Eash-Loucks, W. E. (2010). *Taxonomy and distribution of sea anemones (Cnidaria: Actiniaria, Corallimorpharia) from deep water of the northeastern Pacific* (Doctoral dissertation, University of Kansas).

105. Ellis, D. V. (2003). Rocky shore intertidal zonation as a means of monitoring and assessing shoreline biodiversity recovery. *Marine Pollution Bulletin, 46*(3), 305-307.

106. England, K. W. (1984). *A new sea anemone from South Africa (Anthozoa, Ptychodactiaria)* (Vol. 94, No. 5). *South African Museum, 94*(5), 305-329.

107. England, K. W. (1987). *Certain Actiniaria (Cnidaria, Anthozoa) from the Red Sea and tropical Indo-Pacific Ocean*. British Museum (Natural History).

108. Excoffon, A. C., Acuna, F. H., & Cortes, J. (2009). The sea anemone *Nemanthus californicus* (Cnidaria: Actiniaria: Nemanthidae) from Costa

Rica: re-description and first record outside the type locality. *Marine Biodiversity Records, 2.*

109. Fariman, G. A., & Javid, P. (2015). First records of the sea anemones *Stichodactyla tapetum* and *Stichodactyla haddoni* (Anthozoa: Actiniaria: Stichodactylidae) from the southeast of Iran, Chabahar (Sea of Oman). *Turkish Journal of Zoology*, *39*(3), 432-437.
110. FARIMAN, G. A., Javid, P., & Shakouri, A. (2015). Morphology and phylogeny of the sea anemone *Stichodactyla haddoni* (Cnidaria: Anthozoa: Actiniaria) from Chabahar Bay, Iran. *Turkish Journal of Zoology*, *39*(6), 998-1003.
111. Fautin, D. G. (1988). Sea anemones (Actiniaria and corallimorpharia) of Madang province. *Science in New Guinea*, 14(1), 22-29.
112. Fautin, D. G. (2000). Electronic atlas of sea anemones: an OBIS pilot project. *Oceanography*, 13(3), 66-69.
113. Fautin, D. G. (2005). Three Species of Intertidal Sea Anemones (Anthozoa: Actiniidae) from the Tropical Pacific: Description of *Anthopleura buddemeieri*, n. sp., with Remarks on *Anthopleura asiatica* and *Gyractis sesere*. *Pacific Science*, *59*(3), 379-391.
114. Fautin, D. G., & Allen, G. R. (1997). *Anemone fishes and their host sea anemones: a guide for aquarists and divers*. Sea Challengers.
115. Fautin, D. G., & Fitt, W. K. (1991, June). A jellyfish-eating sea anemone (Cnidaria, Actiniaria) from Palau: *Entacmaea medusivora* sp. nov. *Hydrobiologia*, *216*(1), 453-461.
116. Fautin, D. G., & Goodwill, R. H. (2009). * *Neoaiptasia morbilla** new species (Cnidaria: Actiniaria), a sea anemone symbiont of sand-dwelling gastropods on Saipan, Mariana Islands, with comments on some other such associations. *Micronesica*, 41(1), 101–115.
117. Fautin, D. G., & Hand, C. (2007). Actiniaria. *Light's and Smith's manual: a guide to intertidal invertebrates of Central California. University of California Press,* LosAngeles, 134-145.
118. Fautin, D. G., & Hartog, J. D. (2003). An unusual sea anemone from slope depths of the tropical west Pacific: range extension and

redescription of *Isactinernus quadrilobatus* Carlgren, 1918 (Cnidaria: Actiniaria: Actinernidae). *Zoologische Verhandelingen*, 345, 103-116.

119. Fautin, D. G., & Tan, R. (2016). Sea anemones (Cnidaria: Actiniaria) of Singapore: redescriptions of Paracondylactis singaporensis (England, 1987) and P. hertwigi (Wassilieff, 1908). *Raffles Bulletin of Zoology*, 34, 170-177.
120. Fautin, D. G., Allen, G. R., Allen, G. R., Naturalist, A., Allen, G. R., & Naturaliste, A. (1992). Field guide to anemonefishes and their host sea anemones.
121. Fautin, D. G., Bucklin, A., & Hand, C. (1989). Systematics of sea anemones belonging to genus *Metridium* (Coelenterata: Actiniaria), with a description of *M. giganteum* new species. *Wasmann J. Biol*, *47*(1-2), 77-85.
122. Fautin, D. G., Crowther, A. L., & Wallace, C. C. (2008). Sea anemones (Cnidaria: Anthozoa: Actiniaria) of Moreton Bay. *Memoirs of the Queensland Museum — Nature,* 54(1), 35-64.
123. Fautin, D. G., Daly, M., & Cappola, V. A. (2005). Sea anemones (Cnidaria: Actiniaria) of the Faroe Islands: a preliminary list and biogeographic context. *Ann Soc Sci Faeroensi*, 41, 77-87.
124. Fautin, D. G., Hickman, C. P., Daly, M., & Molodtsova, T. (2007). Shallow-Water Sea Anemones (Cnidaria: Anthozoa: Actiniaria) and Tube Anemones (Cnidaria: Anthozoa: Ceriantharia) of the Galápagos Islands1, 2. *Pacific Science, 61*(4), 549-573.
125. Fautin, D. G., Tan, R., Liang, W., Yap, N., Hee, T. S., Crowther, A., & Chieh, T. Y. (2015). Sea anemones (Cnidaria: Actiniaria) of Singapore: shallow-water species known also from the Indian subcontinent. *Raffles Bulletin of Zoology*, 31, 44-59.
126. Fautin, D. G., Tan, S. H., & Tan, R. (2009). Sea anemones (Cnidaria: Actiniaria) of Singapore: abundant and well-known shallow-water species. *Raffles Bulletin of Zoology*, 22, 121-143.
127. Fautin, Daphne G., Andrea L. Crowther, and Carden C. Wallace. 2008. Sea anemones (Cnidaria: Anthozoa: Actiniaria) of Moreton Bay.

[Proceedings of the Thirteenth International Marine Biological Workshop: The Marine Fauna and Flora of Moreton Bay, Queensland, P. J. F Davie and J. A. Phillips, editors] Memoirs of the Queensland Museum, *Nature, 54*(1), 35-64.

128. Feder, M. E., & Hofmann, G. E. (1999). Heat-shock proteins, molecular chaperones, and the stress response: evolutionary and ecological physiology. *Annual review of physiology*, *61*(1), 243-282.
129. Finke, G. R., Navarrete, S. A., & Bozinovic, F. (2007). Tidal regimes of temperate coasts and their influences on aerial exposure for intertidal organisms. *Marine Ecology Progress Series*, *343*, 57-62.
130. Flot, J. F., Hespeels, B., Li, X., Noel, B., Arkhipova, I., Danchin, E. G., & Barbe, V. (2013). Genomic evidence for ameiotic evolution in the bdelloid rotifer Adineta vaga. *Nature*, *500*(7463), 453-457.
131. Francis, L. (1979). Contrast between solitary and clonal lifestyles in the sea anemone *Anthopleura elegantissima*. *American Zoologist, 19*(3), 669-681.
132. Fransozo, A., Negreiros-Fransozo, M.; Mantelatto, F.; Pinheiro, M.;, & Santos, S. (1992). Composition and distribution of Brachyura (Crustacea, Decapoda) from the unconsolidated sublittoral in Enseada da Fortaleza, Ubatuba (SP). *Brazilian Journal of Biology*, 52 (4), 667-675.
133. Gale, W. F. (1971). An experiment to determine substrate preference of the fingernail clam, *Sphaerium transversum*. *Ecology*, *52*(2), 367-370.
134. Garese, A., Guzman, HM, & Acuna, FH (2009). Sea anemones (Cnidaria: Actiniaria and Corallimorpharia) from Panama. *Journal of Marine Biology and Oceanography*, 44 (3), 791-802.
135. Glynn, P. W. (1993). Coral reef bleaching: ecological perspectives. *Coral reefs*, *12*(1), 1-17.
136. Glynn, P. W. (2000). Effects of the 1997–98 El Nino Southern Oscillation on eastern Pacific corals and coral reefs: An overview. In Proc. 9th Int. *Coral Reef Symp, 2*, 1169-1174.

137. Glynn, P. W., & D'croz, L. (1990). Experimental evidence for high temperature stress as the cause of El Niño-coincident coral mortality. *Coral reefs, 8*(4), 181-191.
138. Glynn, P.W. & Wellington, G.M. (1983) Corals and Coral Reefs of the Galápagos Islands. *University of California Press,* Berkeley, 330.
139. Goddard, M. R., & Burt, A. (1999). Recurrent invasion and extinction of a selfish gene. *Proceedings of the National Academy of Sciences*, *96*(24), 13880-13885.
140. Goddard, M. R., Leigh, J., Roger, A. J., & Pemberton, A. J. (2006). Invasion and persistence of a selfish gene in the Cnidaria. *PLoS One*, *1*(1), 1-6.
141. Gohel, S. (2016). Ecological assessment of intertidal zone of Saurashtra coast with special reference to Molluscan diversity (Doctoral dissertation, The Maharaja Sayajirao University of Baroda).
142. Gonzalez-Delgado, S., Lozano-Bilbao, E., & Alcazar-Trevino, J. (2018). Habitat preference of *Anemonia sulcata* in intertidal pools in the north-East Atlantic. *Majorensis*, *14*, 7-11.
143. Gonzalez-Munoz, R., Simoes, N., Sanchez-Rodriguez, J., Rodriguez, E., & Segura-Puertas, L. (2012). First inventory of sea anemones (Cnidaria: Actiniaria) of the Mexican Caribbean. *Zootaxa*, *3556*(1), 1-38.
144. Gonzalez-Munoz, R., Simoes, N., Tello-Musi, J. L., & Rodriguez, E. (2013). Sea anemones (Cnidaria, Anthozoa, Actiniaria) from coral reefs in the southern Gulf of Mexico. *ZooKeys,* (341), 77.
145. Gonzalez-Munoz, R., Simoes, N., Mascaro, M., Tello-Musi, J. L., Brugler, M. R., & Rodriguez, E. (2015). Morphological and molecular variability of the sea anemone *Phymanthus crucifer* (Cnidaria, Anthozoa, Actiniaria, Actinoidea). *Journal of the Marine Biological Association of the United Kingdom*, *95*(1), 69-79.
146. Gonzalez-Solis, A. (1985). Composition and population structure of anemones from Isla Verde, Veracruz. (Doctoral dissertation, National Polytechnic Institute, Mexico).

147. Goodger, N. E. W. (1941). Coelenterates as enemies of fishes. IN. Sea anemones and corals as fish eaters. *New England Naturalist, 10*, 1-8.
148. Goreau, T. F., Goreau, N. I., & Goreau, T. J. (1979). *Corals and coral reefs. Scientific American, 241*(2), 124-137.
149. Gosliner, T., Behrens, D. W., & Williams, G. C. (1996). *Coral reef animals of the Indo-Pacific: animal life from Africa to Hawaii exclusive of the vertebrates*. Sea Challengers.
150. Gotshall, D. (1994) Guide to Marine Invertebrates: Alaska to Baja California. *Sea Challengers*, Monterey, California, 112.
151. Grajales, A. (2014). *Morphological and molecular evolution of sea anemones as revealed by an emerging model organism, Aiptasia (Cnidaria, Actiniaria, Aiptasiidae)* (Doctoral dissertation).
152. Grottoli, A. G., Warner, M. E., Levas, S. J., Aschaffenburg, M. D., Schoepf, V., McGinley, M., & Matsui, Y. (2014). The cumulative impact of annual coral bleaching can turn some coral species winners into losers. *Global Change Biology*, *20*(12), 3823-3833.
153. Guiler, E. R. (1959). Intertidal belt-forming species on the Hocky coasts of Northern Chile. In *Papers and Proceedings of the Royal Society of Tasmania*, *93*, 33-58.
154. Gul, S., & Haussermann, V. First records of sea anemones (cnidaria: actiniaria) from the coast of Pakistan (northern arabian sea). *International Journal of Biology And Biotechnology*, 14 (2), 247-252.
155. Gusmao, L. C., & Daly, M. (2010). Evolution of sea anemones (Cnidaria: Actiniaria: Hormathiidae) symbiotic with hermit crabs. *Molecular Phylogenetics and Evolution*, *56*(3), 868-877.
156. Guzman, HM, & Guevara, CA (2001). Coral reefs of Bocas del Toro, Panama: IV. Distribution, structure and conservation status of the continental reefs of the Valiant Peninsula. *Tropical Biology Journal*, 49 (1), 53-66.
157. Hand C, Unlinger KR (1992). The culture, sexual and asexual reproduction, and growth of the sea anemone *Nematostella vectensis*. *Biol Bull, 182*(2), 169–176.

158. Hand, C. (1955). The sea anemones of Central California. 2. The Endomyarian and Mesomyarian anemones. *Wasmann Journal of Biology, 13*, 37-99.
159. Hand, C. H. (1955). *The sea anemones of central California*. San Francisco University, *Wasmann Biological Society, 13*, 37-99.
160. Haque, M. M. (1977). Some littoral coelenterates of Bangladesh and Pakistan coasts. *Bangladesh Journal of Zoology*, *5*(1), 33-40.
161. Harbo, R. M. (1999). *Whelks to whales: coastal marine life of the Pacific Northwest*. Harbour Publishing Company.
162. Ha-Rim, C. (2001). Taxonomy of two subtribes, Mesomyaria and Acontiaria (Anthozoa, Actiniaria) in Korea. *Animal Systematics, Evolution and Diversity*, *17*(1), 91-113.
163. Harley, C. D., Randall Hughes, A., Hultgren, K. M., Miner, B. G., Sorte, C. J., Thornber, C. S., ... & Williams, S. L. (2006). The impacts of climate change in coastal marine systems. Ecology letters, 9(2), 228-241.
164. Hart, C. E., & Crowe, J. H. (1977). The effect of attached gravel on survival of intertidal anemones. *Transactions of the American Microscopical Society*, 96(1), 28-41.
165. Hartl, F. U., & Hayer-Hartl, M. (2002). Molecular chaperones in the cytosol: from nascent chain to folded protein. *Science*, *295*(5561), 1852-1858.
166. Hartl, F. U., Bracher, A., & Hayer-Hartl, M. (2011). Molecular chaperones in protein folding and proteostasis. *Nature*, *475*(7356), 324-332.
167. Haussermann, V., & Forsterra, G. (2001). A new species of sea anemone from Chile, Anemonia alicemartinae n. sp. (Cnidaria: Anthozoa). An invader or an indicator for environmental change in shallow water? *Organisms Diversity & Evolution*, *1*(3), 211-224.
168. Haussermann, V. (2004). Identification and taxonomy of soft-bodied hexacorals exemplified by Chilean sea anemones; including guidelines for sampling, preservation and examination. *Journal of the Marine Biological Association of the United Kingdom*, *84*(5), 931-936.

169. Haussermann, V. (2006). Biodiversity of Chilean sea anemones (Cnidaria: Anthozoa): distribution patterns and zoogeographic implications, including new records for the fjord region. *Latin American Journal of Aquatic Research*, *34*(2), 23-35.
170. Haussermann, V., & Forsterra, G. (2003). First evidence for coloniality in sea anemones. *Marine Ecology Progress Series*, *257*, 291-294.
171. Haussermann, V., & Forsterra, G. (2005). Distribution patterns of Chilean shallow-water sea anemones (Cnidaria: Anthozoa: Actiniaria, Corallimorpharia); with a discussion of the taxonomic and zoogeographic relationships between the actinofauna of the South East Pacific, the South West Atlantic and the Antarctic. *Scientia Marina*, *69*(S2), 91-102.
172. Haussermann, V., 2004b. Redescription of Phymactis papillosa (Lesson, 1830) and Phymanthea pluvia (Drayton in Dana, 1846) (Cnidaria: Anthozoa), two actiniid sea anemones from the south east Pacific with a discussion of the genera *Phymactis*, *Bunodosoma* and *Phymanthea*. *Zoologische Mededelingen 78*, 345-381.
173. Haussermann, V., Spano, C., Thiel, M., & Lohrmann, K. B. (2015). First record of the sea anemone Diadumene lineata (Verrill, 1869) from the Chilean coast. *Spixiana*, *38*(1), 39-42.
174. Hazlett, B. A. (1981). The behavioral ecology of hermit crabs. *Annual Review of Ecology and Systematics*, *12*(1), 1-22.
175. Hebert, P. D., Ratnasingham, S., & De Waard, J. R. (2003). Barcoding animal life: cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, *270*(1), S96-S99.
176. Hedling, N., Mantelatto, F., Negreiros-Fransozo, Ml, & Fransozo, A. (1994). Survey and distribution of brachyuros and anumuros (Crustacea, Decapoda) of the sub-coastal sediments of the Anchieta island region, Ubatuba (SP). Bulletin Inst. Fishing, 21, 1-9.

177. Helmuth, B. (2002). How do we measure the environment? Linking intertidal thermal physiology and ecology through biophysics. *Integrative and Comparative Biology, 42*(4), 837-845.
178. Helmuth, B. S., & Hofmann, G. E. (2001). Microhabitats, thermal heterogeneity, and patterns of physiological stress in the rocky intertidal zone. *The Biological Bulletin*, *201*(3), 374-384.
179. Hessinger, D. A., & Lenhoff, H. M. (1988). *Biology of nematocysts*. Academic Press.
180. Hiebert, T. C., Butler, B. A., & Shanks, A. L. (2015). Oregon Estuarine Invertebrates: Rudys' Illustrated Guide to Common Species. *Oregon Estuarine Invertebrates: Rudys' Illustrated Guide to Common Species. 3rd edition.*
181. Hinde, R.T. (1998). "The Cnidaria and Ctenophora". In Anderson, D.T. (ed). *Invertebrate Zoology. Oxford University Press*, 28–57.
182. Hoegh-Guldberg, O. (1999). Climate change, coral bleaching and the future of the world's coral reefs. *Marine and freshwater research*, *50*(8), 839-866.
183. Hoegh-Guldberg, O., & Bruno, J. F. (2010). The impact of climate change on the world's marine ecosystems. *Science*, *328*(5985), 1523-1528.
184. Hoegh-Guldberg, O., Berkelmans, R., and Oliver, J. (1997). Coral bleaching: implications for the Great Barrier Reef Marine Park. In '*Proceedings of the Cooperative Research Centre Conference in Research and Reef Management Meeting,* 21–43.
185. Hoegh-Guldberg, O., Eakin, C. M., Hodgson, G., Sale, P. F., & Veron, J. E. N. (2015). Climate change threatens the survival of coral reefs. *International Society for Reef Studies (ISRS)*, *2015*, 4.
186. Hoegh-Guldberg, O., Mumby, P. J., Hooten, A. J., Steneck, R. S., Greenfield, P., Gomez, E., & Knowlton, N. (2007). Coral reefs under rapid climate change and ocean acidification. *Science*, *318*(5857), 1737-1742.

187. Hoeksema, B. W., Tuti, Y., & Becking, L. E. (2015). Mixed medusivory by the sea anemone Entacmaea medusivora (Anthozoa: Actiniaria) in Kakaban Lake, Indonesia. *Marine Biodiversity*, *45*(2), 141-142.
188. Hofmann, G. E., & Somero, G. N. (1996). Interspecific variation in thermal denaturation of proteins in the congeneric mussels *Mytilus trossulus* and *M. galloprovincialis*: evidence from the heat-shock response and protein ubiquitination. *Marine Biology*, *126*(1), 65-75.
189. Hofmann, G., & Somero, G. (1995). Evidence for protein damage at environmental temperatures: seasonal changes in levels of ubiquitin conjugates and hsp70 in the intertidal mussel *Mytilus trossulus*. *Journal of Experimental Biology*, *198*(7), 1509-1518.
190. Honma, T., & Shiomi, K. (2006). Peptide toxins in sea anemones: structural and functional aspects. *Marine biotechnology*, *8*(1), 1-10.
191. Hornell, J. (1916). *Report to the Government of Baroda on the marine zoology of Okhamandal in Kattiawar*.
192. Hou, X. G., Stanley, G., Zhao, J., & Ma, X. Y. (2005). Cambrian anemones with preserved soft tissue from the Chengjiang biota, China. *Lethaia*, *38*(3), 193-203.
193. Hughes, T. P., Kerry, J. T., Alvarez-Noriega, M., Alvarez-Romero, J. G., Anderson, K. D., Baird, A. H., & Bridge, T. C. (2017). Global warming and recurrent mass bleaching of corals. *Nature, 543*(7645), 373-377.
194. Hughes, T. P., Rodrigues, M. J., Bellwood, D. R., Ceccarelli, D., Hoegh-Guldberg, O., McCook, L. & Willis, B. (2007). Phase shifts, herbivory, and the resilience of coral reefs to climate change. *Current biology*, *17*(4), 360-365.
195. Hunter, T. (1984). The energetics of asexual reproduction: pedal laceration in the symbiotic sea anemone *Aiptasia pulchella* (Carlgren, 1943). *Journal of experimental marine biology and ecology*, *83*(2), 127-147.
196. Hyman, L. H. (1940). The invertebrates: Protozoa through Ctenophora, The McGraw-Hill Companies,1.

197. ICMAM 2002. Geographical Information System for Gulf of Kutch, Integrated Coastal and Marine Area Report.

198. Izumi, T., Yanagi, K., & Fujita, T. (2018). Re-description of *Metedwardsia akkeshi* (Cnidaria: Anthozoa: Actiniaria: Edwardsiidae), Discovered in Akkeshi, Hokkaido, Almost 80 Years after Original Description, with a Revision of the Diagnosis of Genus *Metedwardsia*. *Species Diversity*, *23*(2), 135-142.

199. Jha, B., Reddy, C. R. K., Thakur, M. C., & Rao, M. U. (2009). *Seaweeds of India: the diversity and distribution of seaweeds of Gujarat coast*, Springer Science & Business Media, *3.*

200. John, S. T. (2009). Bioactivity of sea anemones of Kanyakumari coast southern India. (Doctoral dissertation, Manonmaniam Sundaranar University).

201. Joshi, D. (2016). Impact assessment of coral reef ecosystem with special reference to climate change (Doctoral dissertation, The MS University of Baroda).

202. Kaplan, Z., & Fehrer, J. (2004). Evidence for the hybrid origin ofpotamogeton× cooperi (Potamogetonaceae): Traditional morphology-based taxonomy and molecular techniques in concert. *Folia Geobotanica*, *39*(4), 431-453.

203. Karthikayalu, S., Rama, V., Kirubagaran, R., & Venkatesan, R. (2010). Characterization, purification and phylogenetic analysis of a cytolysin from the sea anemone Heteractis magnifica of the Indian Ocean. *Journal of Venomous Animals and Toxins including Tropical Diseases*, *16*(2), 223-240.

204. Kastle, M., Woschee, E., & Grune, T. (2012). Histone deacetylase 6 (HDAC6) plays a crucial role in p38MAPK-dependent induction of heme oxygenase-1 (HO-1) in response to proteasome inhibition. *Free Radical Biology and Medicine*, *53*(11), 2092-2101.

205. Katwate, U., & Sanjeevi, P. (2011). On a documentation of Haddon's Carpet anemone (Stichodactyla haddoni) (Saville-Kent 1893)

(Anthozoa: Actiniaria: Stichodactylidae) and its unique symbiotic fauna from Gulf of Kutch. *Bugs 'R' All Newsletter, 17*, 31-34.

206. Kay, E. A. (1991). The marine mollusks of the Galapagos. In *Galapagos Marine Invertebrates,* Springer, Boston, MA, 235-252.
207. Kazmi, Q. B. (2016). First report of *Diadumene lineata* (Verrill 1871) (Anthozoa, Diadumenidae) from Pakistani coast (Indian Ocean). *International Journal of Fauna and Biological Studies*, 2016; 3(5):7-9.
208. Kazmi, Q. B., & Naushaba, R. (2013). Checklist of marine worms reported from Pakistani marine waters. *Pakistan Journal of Nematology*, *31*(2), 187-280.
209. Kee Alfian, A.; Arshad, A.; Mazlan, A.; Tan, A.; Zulfigar, Y. (2007). Sea Anemone and Anemone Fish Distribution in the South China Sea. *Proc Conf Mar Ecos*, 227-284.
210. Keynes, R., & Darwin, C. (2001). *Charles Darwin's zoology notes & specimen lists from HMS Beagle*, Cambridge University Press.
211. Khoo, M. L., & Mazlan, G. A. (2013). Diurnal patterns of the effective quantum yield of the magnificent sea anemone Heteractis magnifica in Pulau Tioman, Malaysia. *Galaxea, Journal of Coral Reef Studies*, *15*(Supplement), 133-137.
212. Kim, J., Kim, W., & Cunningham, C. W. (1999). A new perspective on lower metazoan relationships from 18S rDNA sequences. *Molecular Biology and Evolution*, 16(3), 423-427.
213. Kim, B. M., Rhee, J. S., Jeong, C. B., Seo, J. S., Park, G. S., Lee, Y. M., & Lee, J. S. (2014). Heavy metals induce oxidative stress and trigger oxidative stress-mediated heat shock protein (hsp) modulation in the intertidal copepod Tigriopus japonicus. *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, *166*, 65-74.
214. Kingsley, R. J., Afif, E., Cox, B. C., Kothari, S., Kriechbaum, K., Kuchinsky, K., & Kish, V. M. (2003). Expression of heat shock and cold shock proteins in the gorgonian Leptogorgia virgulata. *Journal of Experimental Zoology Part A: Comparative Experimental Biology*, *296*(2), 98-107.

215. Knight-Jones, E. W. (1953). Laboratory experiments on gregariousness during setting in Balanus balanoides and other barnacles. *Journal of Experimental Biology*, *30*(4), 584-598.

216. Knowlton, N., & Keller, B. D. (1985). Two more sibling species of alpheid shrimps associated with the Caribbean Sea anemones Bartholomea annulata and Heteractis lucida. *Bulletin of Marine Science, 37*(3), 893-904.

217. Kohn, A. J. (1969). A Visit to Okha. *Bios*, 3-9.

218. Kostina, E. (1985). The distribution of some common species of sea anemones in the coastal zone of the Japan and Okhotsk seas in relation to their habitat conditions. *Biologiya Morya-Marine Biology*, (1), 14-19.

219. Kostina, E. E. (2009). On the sea anemone fauna of Amursky Bay (Peter the Great Bay, Sea of Japan). *Ecological Studies and the State of the Ecosystem of Amursky Bay and the Estuarine Zone of the Razdolnaya River (Sea of Japan)*, *2*, 321-331.

220. Kostina, E.E., (2011). Sea anemones of intertidal and upper subtidal zones of the Far East Marine Reserve and adjacent waters. *Studies of the Intertidal Zone of the Far East State Marine Reserve and Adjacent Areas, Vladivostok*, Far East Branch of the USSR Academy of Sciences, 11–16.

221. Koziol, C., Wagner-Hulsmann, C., Mikoc, A., Gamulin, V., Kruse, M., Pancer, Z. & Muller, W. E. (1996). Cloning of a heat-inducible biomarker, the cDNA encoding the 70 kDa heat shock protein, from the marine sponge Geodia cydonium: response to natural stressors. *Marine Ecology Progress Series*, *136*, 153-161.

222. Koziol, C., Wagner-Hülsmann, C., Mikoc, A., Gamulin, V., Kruse, M., Pancer, Z. & Müller, W. E. (1996). Cloning of a heat-inducible biomarker, the cDNA encoding the 70 kDa heat shock protein, from the marine sponge Geodia cydonium: response to natural stressors. *Marine Ecology Progress Series*, *136*, 153-161.

223. Kramarsky-Winter E, Loya Y. 1996. Regeneration versus budding in fungiid corals: a trade-off. *Marine Ecology Progress Series, 134*, 179–185.

224. Krishnan, P., Roy, S. D., George, G., Srivastava, R. C., Anand, A., Murugesan, S., ... & Soundararajan, R. (2011). Elevated sea surface temperature during May 2010 induces mass bleaching of corals in the Andaman. *Current Science*, 111-117.

225. Kruger, L. M., & Griffiths, C. L. (1996). Sources of nutrition in intertidal sea anemones from the south-western Cape, South Africa. *African Zoology*, *31*(3), 110-119.

226. Kruger, L. M., & Griffiths, C. L. (1998). Sea anemones as secondary consumers on rocky shores in the south-western Cape, South Africa. *Journal of Natural History*, *32*(5), 629-644.

227. Kumar, S., Stecher, G., Li, M., Knyaz, C., & Tamura, K. (2018). MEGA X: molecular evolutionary genetics analysis across computing platforms. *Molecular biology and evolution*, *35*(6), 1547-1549.

228. Kumari, S., Zacharia, P. U., Kripa, V., Sreenath, K. R., & George, G. (2016). Distribution pattern and community structure of zoanthids (Zoantharia) along the coast of Saurashtra, Gujarat. *Indian Journal of the Marine Biological Association of the United Kingdom, 96*(8), 1577-1584.

229. Laird, M. C. (2013). *Taxonomy, systematics and biogeography of South African Actiniaria and Corallimorpharia* (Doctoral dissertation, University of Cape Town).

230. Laird, M. C., & Griffiths, C. L. (2016). Additions to the South African sea anemone (Cnidaria, Actiniaria) fauna, with expanded distributional ranges for known species. *African Invertebrates*, *57*, 15.

231. Lajeunesse, T. C., & Trench, R. K. (2000). Biogeography of two species of Symbiodinium (Freudenthal) inhabiting the intertidal sea anemone *Anthopleura elegantissima* (Brandt). *The Biological Bulletin, 199*(2), 126-134.

232. LaJeunesse, T. C., Parkinson, J. E., Gabrielson, P. W., Jeong, H. J., Reimer, J. D., Voolstra, C. R., & Santos, S. R. (2018). Systematic revision of Symbiodiniaceae highlights the antiquity and diversity of coral endosymbionts. *Current Biology*, *28*(16), 2570-2580.

233. Lele, K. M. (1973). Studies in the Talchir flora of India-10. Early and Late Talchir microfloras from the west Bokaro coalfield, Bihar, *Palaeobotanist*, *22*(3), 219.

234. Lesser, M. P. (2004). Experimental biology of coral reef ecosystems. *Journal of Experimental Marine Biology and Ecology, 300*(1-2), 217-252.

235. Lesser, M. P. (2006). Oxidative stress in marine environments: biochemistry and physiological ecology. *Annual Review of Physiology*, *68*, 253-278.

236. Lesser, M. P., & Slattery, M. (2011). Phase shift to algal dominated communities at mesophotic depths associated with lionfish (Pterois volitans) invasion on a Bahamian coral reef. *Biological Invasions*, *13*(8), 1855-1868.

237. Li, Y., LIU, R., & Xu, K. (2013). *Phytocoetes sinensis* n. sp. and *Telmatactis clavata* (Stimpson, 1855), two poorly known species of Metridioidea (Cnidaria: Anthozoa: Actiniaria) from Chinese waters. *Zootaxa*, *3637*(2), 113-122.

238. Light, S. F. (2007). *The Light and Smith manual: intertidal invertebrates from central California to Oregon*. University of California Press.

239. Lin, J., Chen, C. P., & Chen, I. M. (1992). Sexual and asexual reproduction of *Anthopleura dixoniana* (Anthozoa: Actiniaria): periodicity and regulation. *Marine Biology*, *112*(1), 91-98.

240. Lindquist, S. (1986). The heat-shock response. *Annual review of biochemistry*, *55*(1), 1151-1191.

241. Lopez, D. N., Arancibia, P. A., & Neill, P. E. (2013). Potential dispersal mechanisms of the cryptogenic anemone, *Anemonia alicemartinae*. *Chilean Journal of Natural History, 86*(3), 369-372.

242. Madhu, R., & Madhu, K. (2007). Occurrence of anemonefishes and host sea anemones in Andaman and Nicobar Islands. *Journal of the Marine Biological Association of India*, *49*(2), 118-126.

243. Manilal, A., Sujith, S., Selvin, J., Kiran, G. S., Shakir, C., & Lipton, A. P. (2010). Antimicrobial potential of marine organisms collected from the southwest coast of India against multiresistant human and shrimp pathogens. *Scientia Marina*, *74*(2), 287-296.

244. Manuel, R. L., 1981 (revised edition 1988). British anthozoa. *Keys and notes for the identi¢cation of the species.* London, New York, Toronto, Sydney, San Fransisco: Academic Press.

245. Marimuthu, N., Dharani, G., Vinithkumar, N. V., Vijayakumaran, M., & Kirubagaran, R. (2011). Recovery status of sea anemones from bleaching event of 2010 in the Andaman waters. *Current Science*, *101*(6), 734-735.

246. Mariscal, R. N. (1966). The symbiosis between tropical sea anemones and fishes: a review. *The Galapagos*, 157-171.

247. Mathew, K. (1972). Studies on the sea anemone *Anthopleura nigrescens* (verrill). *Proceedings of the Indian National Science Academy: Biological sciences*, *38*, 329.

248. Mayer, M. P., & Bukau, B. (2005). Hsp70 chaperones: cellular functions and molecular mechanism. *Cellular and molecular life sciences*, *62*(6), 670.

249. Mayfield, A. B., Wang, L. H., Tang, P. C., Fan, T. Y., Hsiao, Y. Y., Tsai, C. L., & Chen, C. S. (2011). Assessing the impacts of experimentally elevated temperature on the biological composition and molecular chaperone gene expression of a reef coral. *PloS one*, *6*(10), e26529.

250. Mc Commas, S.; & LJ Lester. 1980. Electrophoretic evaluation of the taxonomic status of two species of sea-anemone. *Biochemical Systematics and Ecology 8*(3), 289-292.

251. McClanahan, T. R. (2004). The relationship between bleaching and mortality of common corals. *Marine Biology, 144*(6), 1239-1245.

252. McCommas, S. A. (1991). Relationships within the family Actiniidae (Cnidaria, Actiniaria) based on molecular characters. *Coelenterate Biology: Recent Research on Cnidaria and Ctenophora*, Springer, Dordrecht, 509-512.

253. McFadden, C. S., Grosberg, R. K., Cameron, B. B., Karlton, D. P., & Secord, D. (1997). Genetic relationships within and between clonal and solitary forms of the sea anemone *Anthopleura elegantissima* revisited: evidence for the existence of two species. *Marine Biology, 128*(1), 127-139.

254. McLennan, S. M., Taylor, S. R., McCulloch, M. T., & Maynard, J. B. (1990). Geochemical and isotopic composition of deep-sea turbidites: crustal evolution and plate tectonic associations. *Geochimica et Cosmochimica Acta, 54*(7), 2015-2050.

255. McMurrich, J. P. (1898). *Report on the Actiniaria collected by the Bahama Expedition of the State University of Iowa*, 1893. Iowa.

256. Medina, M., Collins, A. G., Silberman, J. D., & Sogin, M. L. (2001). Evaluating hypotheses of basal animal phylogeny using complete sequences of large and small subunit rRNA. Proceedings of the National Academy of Sciences, 98(17), 9707-9712.

257. Menge, B. A., & Farrell, T. M. (1989). Community structure and interaction webs in shallow marine hard-bottom communities: tests of an environmental stress model. In *Advances in Ecological Research*, Academic Press, *19,* 189-262.

258. Mercier, A., & Hamel, J. F. (2008). Depth-related shift in life history strategies of a brooding and broadcasting deep-sea asteroid. *Marine Biology*, *156*(2), 205-223.

259. Merh, S. S., & Chamyal, L. S. (1993). The quaternary sediments in Gujarat. *Current Science*, 823-827.

260. Mettam, C. (1994), G. R., Navarrete, S. A., & Bozinovic, F. (2007). Tidal regimes of temperate coasts and their influences on aerial exposure for intertidal organisms. *Marine Ecology Progress Series, 343*, 57-62.

261. Miller, D., & McLennan, A. G. (1988). The heat shock response of the cryptobiotic brine shrimp Artemia—II. Heat shock proteins. *Journal of Thermal Biology, 13*(3), 125-134.
262. Minchin, D. (2007). A checklist of alien and cryptogenic aquatic species in Ireland. *Aquatic Invasions*, *2*(4), 341-366.
263. Misra, S., & Kundu, R. (2005). Seasonal variations in population dynamics of key intertidal molluscs at two contrasting locations. *Aquatic Ecology*, *39*(3), 315-324.
264. Mitra, S., & Pattanayak, J. G. (2013). Diversity and Distribution of Sea-Anemones (Cnidaria: Actiniaria) in the Estuaries and Mangroves of Odisha, India. *Records of the Zoological Survey of India, 113*(3), 113-118.
265. Moghaddam, S., Shokri, M. R., & Rajabi-Maham, H. (2018). Clade C Symbiodinium in dominant sea anemones off Qeshm and Hengam islands in the northern Persian Gulf, Iran. *Regional Studies in Marine Science*, *24*, 10-16.
266. Mohanty, P. C., Mahendra, R. S., Bisoyi, H., Tummula, S. K., Grinson, G., Nayak, S., & Sahu, B. K. (2013). Assessment of the coral bleaching during 2005 to decipher the thermal stress in the coral environs of the Andaman Islands using Remote Sensing. *European Journal of Remote Sensing*, *46*(1), 417-430.
267. Mohanty, P. C., Venkateshwaran, P., Mahendra, R. S., Kumar, H. S., Kumar, T. S., Vinithkumar, N. V., & Prakash, V. D. (2017). Coral bleaching along Andaman coast due to thermal stress during summer months of 2016: a geospatial assessment. *American Journal of Environmental Protection*, *6*(1), 1-6.
268. Molina, L. M., Valinas, M. S., Pratolongo, P. D., Elias, R., & Perillo, G. M. (2009). First record of the sea anemone *Diadumene lineata* (Verrill 1871) associated to *Spartina alterni* flora roots and stems, in marshes at the Bahia Blanca estuary, Argentina. *Biological Invasions*, *11*(2), 409-416.

269. Mondal, T., Raghunathan, C., & Venkataraman, K. (2014). Coral bleaching in Andaman Sea–an indicator for climate change in Andaman and Nicobar Islands. *Indian Journal of Geo-Marine Sciences, 43(10),* 1945-1948.

270. Monroy-Estrada, H. I., Segura-Puertas, L., Galvan-Arzate, S., Santamaria, A., & Sanchez-Rodriguez, J. (2007). The crude venom from the sea anemone *Stichodactyla helianthus* induces haemolysis and slight peroxidative damage in rat and human erythrocytes. *Toxicology in Vitro*, *21*(3), 398-402.

271. Moore, S. J. (1989). Narcotising sea anemones. *Journal of the Marine Biological Association of the United Kingdom*, *69*(4), 803-811.

272. Morales, L., Acevedo, O., Martinez, M., Gokhman, D., & Corredor, C. (2009). Functional discrimination of sea anemone neurotoxins using 3D-plotting. *Open Life Sciences*, *4*(1), 41-49.

273. Moran, N. A., & Dunbar, H. E. (2006). Sexual acquisition of beneficial symbionts in aphids. *Proceedings of the National Academy of Sciences*, *103*(34), 12803-12806.

274. Morandini, A. C., Gul, S., Haussermann, V., & Porschmann, U. (2015). Checklist of cnidarians from Pakistani waters. *Check List*, *11*(2), 1-8.

275. Nair, K. N., & Mahadevan, S. (1965). Underwater ecological observations in the Gulf of Mannar off Tuticorin. *V. On the sea anemones and the fishes Amphiprion and Dascyllus* found with them. *Journal of marine biology assessment, India*, *7*(2), 458-459.

276. Nair, V. R. (2002). Status of Flora and fauna of Gulf of Kachchh, India. *National Institute of Oceanography,* 157.

277. Nakamura, M., Morita, M., Kurihara, H., & Mitarai, S. (2012). Expression of hsp70, hsp90 and hsf1 in the reef coral Acropora digitifera under prospective acidified conditions over the next several decades. *Biology open*, *1*(2), 75-81.

278. Nayar, K. N., & Appukuttan, K. K. (1983). Turbo and Trochus resources. *CMFRI Bulletin*, *34*, 81-84.

279. Newell, R. C. (1979). *Biology of intertidal animals*. Marine ecological surveys.

280. Niesen, T. M. (2007). Intertidal habitats and marine biogeography of the Oregonian Province. *The Light and Smith manual: intertidal invertebrates from central California to Oregon. JT Carlton (ed.). University of California Press, Berkeley, CA,* 3-17.

281. Nomenclature, I. C. O. Z. (2017). Opinion 2404 (Case 3633)—Dysactis pallida Agassiz in Verrill, 1864 (currently *Aiptasia pallida*; Cnidaria, Anthozoa, Hexacorallia, Actiniaria): precedence over *Aiptasia diaphana* (Rapp, 1829), *Aiptasia tagetes* (Duchassaing de Fombressin & Michelotti, 1864), *Aiptasia mimosa* (Duchassaing de Fombressin & Michelotti, 1864) and *Aiptasia inula* (Duchassaing de Fombressin & Michelotti, 1864) not approved. *The Bulletin of Zoological Nomenclature*, *74*(1), 130-132.

282. Odorico, D. M., & Miller, D. J. (1997). Variation in the ribosomal internal transcribed spacers and 5.8 S rDNA among five species of Acropora (Cnidaria; Scleractinia): patterns of variation consistent with reticulate evolution. *Molecular biology and evolution*, *14*(5), 465-473.

283. Okey, T. A., Banks, S., Born, A. F., Bustamante, R. H., Calvopiña, M., Edgar, G. J., & Salazar, S. (2004). A trophic model of a Galápagos subtidal rocky reef for evaluating fisheries and conservation strategies. *Ecological Modelling, 172*(2-4), 383-401.

284. Okey, T. A., Shepherd, S., & Martínez, P. C. (2003). A new record of anemone barrens in the Galapagos. *Noticias de Galapagos, 62*, 17-20.

285. Oliverio, M., Barco, A., Richter, A., & Modica, M. V. (2009). The coralliophiline (Gastropoda: Muricidae) radiation: repeated colonizations of the deep sea? *Nautilus*, *123*(3), 113.

286. Olsen, D. H. (2013). A scalar comparison of motivations and expectations of experience within the religious tourism market. *International Journal of Religious Tourism and Pilgrimage*, *1*(1), 5.

287. Ostman, C., Borg, F., Roat, C., Kultima, J. R., & Wong, S. Y. G. (2013). Cnidae in the sea anemone Sagartiogeton viduatus (Muller, 1776) (Cnidaria, Anthozoa); A comparison to cnidae in the sea anemone Metridium senile (Linnaeus, 1761) (Cnidaria, Anthozoa). *Acta Zoologica, 94*(4), 392-409.
288. Ottaway, J. R. (1975). Review of Actinia, isaci'inia, and Cnidopus (Cnidama: Anthozoa) in New Zealand. *New Zealand Journal of Marine and Freshwater Research*, *9*(1), 53-61.
289. Ottaway JR & Thomas IM (1971). Movement and zonation of the intertidal anemone *Actinia tenebrosa* Farqu. (Cnidaria: Anthozoa) under experimental conditons. Marine and Freshwater Research, 1971; 22(2): 63-78.
290. Paine, R. T. (1977). Controlled manipulations in the marine intertidal zone and their contributions to ecological theory. In *Proceedings of the Academy of Natural Sciences, 12*, 245-270.
291. Palumbi, S. R., Barshis, D. J., Traylor-Knowles, N., & Bay, R. A. (2014). Mechanisms of reef coral resistance to future climate change. *Science*, *344*(6186), 895-898.
292. Pandolfi, J. M., Connolly, S. R., Marshall, D. J., & Cohen, A. L. (2011). Projecting coral reef futures under global warming and ocean acidification. *Science*, *333*(6041), 418-422.
293. Pandya, K., & Mankodi, P. (2013). Brachycnemic zooxanthellate zoanthids (Cnidaria: Zoantharia) of Saurashtra coast: A preliminary survey. *Research Journal of Marine Sciences, 1*(1), 10-13.
294. Pandya Khushali, M. (2015). Ecological assessment and distribution pattern of some anthozoans along the Saurashtra coast of Gujarat India. (Doctoral dissertation, The MS University of Baroda).
295. Panikkar, N. K. (1936). The Structure, Bionomics, and Systematic Position of Two New Brackish-water Actiniaria from Madras. In *Proceedings of the Zoological Society of London*, Blackwell Publishing Ltd., 229-249.

296. Panikkar, N. K. (1937). A study of the actinian, *Phytocoetes gangeticus*. *Zool. Jahb. Abt. Anat*, *3*, 62-71.
297. Panikkar, N. K. (1937). Notes on *Nevadnegaluca. Record of Indian Museum*, 39, 1-4.
298. Panikkar, N. K. (1937, February). The morphology and systematic relationships of a new *boloceroidarian* from brackish-water near Madras, together with an account of its asexual reproduction. In *Proceedings of the Indian Academy of Sciences-Section B*, Springer India, *5*(2), 76-90.
299. Panikkar, N. K. (1939). Studies on the brackish water anemone Pelocoetes exul, Annandale and on a new marine species from Madras. In *Proc. Zool. Soc. London*, *108*, 4-7.
300. Papp, E., Nardai, G., Soti, C., & Csermely, P. (2003). Molecular chaperones, stress proteins and redox homeostasis. *Biofactors*, *17*(1-4), 249-257.
301. Parker, G. H. (1919). *The elementary nervous system*, 1920
302. Parmar, H. B. (2018). Assessment of macrobenthic community assemblage on rocky intertidal zone of south Saurashtra coast line with special reference to its ecological status.
303. Parsell, D. A., & Lindquist, S. (1993). The function of heat-shock proteins in stress tolerance: degradation and reactivation of damaged proteins. *Annual review of genetics*, *27*(1), 437-496.
304. Parulekar, A. (1967). Two new species of sea anemones (Actiniaria) from Maharashtra. *J. Bombay Nat. Hist. Soc*, *64*(3), 524-529.
305. Parulekar, A. (1968). Sea anemones (Actiniaria) of Bombay. *Journal of the Bombay Natural History Society*, *65*(1), 138-147.
306. Parulekar, A. (1969). *Neoaiptasia commensali,* gen. et. sp. nov.: an actiniarian commensal of hermit crabs. *J. Bombay Nat. Hist. Soc*, *66*(1), 57-62.
307. Parulekar, A. (1969). On a new species of sea anemone from Maharashtra, India. *J. Bombay Nat. Hist. Soc*, *66*(3), 590-595.

308. Parulekar, A. H. (1971). A new sea anemone, *Cribrinopsis robertii*, (Endomyaria: Actiniidae) from Maharashtra and Goa coast. *J Bombay Nat Hist Soc*, *68*(1), 291-295.
309. Parulekar, A. H. (1990). Actiniarian sea anemone fauna of India. *National institute of oceanography*, 218-228.
310. Patzner, R. A. (2004). Associations with sea anemones in the Mediterranean Sea: a review. *Ophelia*, *58*(1), 1-11.
311. Pearse, V., & Francis, L. (2000). *Anthopleura sola*. *Proceedings of the Biological Society of Washington*, *113*(3), 596-608.
312. Pearse, V. B. (1974). Modification of sea anemone behavior by symbiotic zooxanthellae: expansion and contraction. The Biological Bulletin, 1974; 147(3): 641-651.
313. Picton, B. E., & Costello, M. J. (Eds.). (1998). *Bio Mar biotope viewer: a guide to marine habitats, fauna and flora of Britain and Ireland*. Environmental Sciences Unit, Trinity College.
314. Polteva, D. G. (1970). Morphogenetic Processes during Somatic Embryogenesis in Metridium senile. *Vestn. Leningr. Gos. Univ*, *9*, 96-105.
315. Pyza, E., Mak, P., Kramarz, P., & Laskowski, R. (1997). Heat shock proteins (HSP70) as biomarkers in ecotoxicological studies. *Ecotoxicology and Environmental Safety*, *38*(3), 244-251.
316. Raghunathan, C., Raghuraman, R., Choudhury, S., & Venkataraman, K. (2014). Diversity and distribution of sea anemones in India with special reference to Andaman and Nicobar Islands. *Records of the Zoological Survey of India*, *114*(2), 269-294.
317. Raghunathan, C., & Choudhury, S. (2017). New distributional records of Actiniarian sea anemones from Andaman and Nicobar Islands. *Records of the Zoological Survey of India*, *117*(1), 26-33.
318. Ramamoorthy, K., Sankar, G., & Sakkaravarthi, K. (2012). Assessment of reef associated biota in the Pirotan Island, Gulf of Kachchh, and Gujarat, India. *European Journal of Experimental Biology, 3*, 551-561.

319. Randall, J., & Fautin, D. (2002). Fishes other than anemonefishes that associate with sea anemones. *Coral Reefs*, *21*(2), 188-190.
320. Reddy, M. S., Basha, S., Kumar, V. S., Joshi, H. V., & Ramachandraiah, G. (2004). Distribution, enrichment and accumulation of heavy metals in coastal sediments of Alang–Sosiya ship scrapping yard, India. *Marine Pollution Bulletin*, *48*(11-12), 1055-1059.
321. Reimer, J. D., Ono, S., Iwama, A., Tsukahara, J., & Maruyama, T. (2006). High levels of morphological variation despite close genetic relatedness between *Zoanthus* aff. *vietnamensis* and *Zoanthus kuroshio* (Anthozoa: Hexacorallia). *Zoological Science, 23*(9), 755-762.
322. Reimer, J. D., Ono, S., Takishita, K., Tsukahara, J., & Maruyama, T. (2006). Molecular evidence suggesting species in the zoanthid genera *Palythoa* and *Protopalythoa* (Anthozoa: Hexacorallia) are congeneric. *Zoological science, 23*(1), 87-95.
323. Reimer, J. D., Takishita, K., Ono, S., & Maruyama, T. (2007). Diversity and evolution in the zoanthid genus Palythoa (Cnidaria: Hexacorallia) based on nuclear ITS-rDNA. *Coral Reefs, 26*(2), 399-410.
324. Reimer, J. D., & Sinniger, F. (2010). Unexpected diversity in Canadian Pacific zoanthids (Cnidaria: Anthozoa: Hexacorallia): a molecular examination and description of a new species from the waters of British Columbia. *Marine Biodiversity, 40*(4), 249-260.
325. Richier, S., Cottalorda, J. M., Guillaume, M. M., Fernandez, C., Allemand, D., & Furla, P. (2008). Depth-dependant response to light of the reef building coral, Pocillopora verrucosa: Implication of oxidative stress. *Journal of experimental marine biology and ecology, 357*(1), 48-56.
326. Ricketts, E. F., Calvin, J., Hedgpeth, J. W., & Phillips, D. W. (1985). Between Pacific Tides: Stanford University Press. *Palo Alto, California*.
327. Riemann-Zurneck, K., & Gallardo, V. A. (1990). A new species of sea anemone (*Saccactis coliumensis* n. sp.) living under hypoxic conditions on the central Chilean shelf. *Helgoland Marine Research, 44*(3), 445.

328. Riis, A., & Dolmer, P. (2003). The distribution of the sea anemone *Metridium senile* (L.) related to dredging for blue mussels (*Mytilus edulis* L.) and flow habitat. *Ophelia*, *57*(1), 43-52.
329. Roberts, R. A., Nebert, D. W., Hickman, J. A., Richburg, J. H., & Goldsworthy, T. L. (1997). Perturbation of the mitosis/apoptosis balance: a fundamental mechanism in toxicology. *Toxicological Sciences*, *38*(2), 107-115.
330. Rodriguez, E., Barbeitos, M. S., Brugler, M. R., Crowley, L. M., Grajales, A., Gusmao, L., & Daly, M. (2014). Hidden among sea anemones: the first comprehensive phylogenetic reconstruction of the order Actiniaria (Cnidaria, Anthozoa, Hexacorallia) reveals a novel group of hexacorals. *PloS one*, *9*(5), e96998.
331. Rodriguez, E., Lopez-Gonzalez, P. J., & Daly, M. (2009). New family of sea anemones (Actiniaria, Acontiaria) from deep polar seas. *Polar Biology*, *32*(5), 703-717.
332. Rosado-Matos, MJ (1990). Patterns of diversity, distribution and use of the space of anemones and zoanthids (Coelenterata: Anthozoaria) of Veracruz. (Doctoral dissertation, National Autonomous University of Mexico).
333. Rosic, N. N., Pernice, M., Dove, S., Dunn, S., & Hoegh-Guldberg, O. (2011). Gene expression profiles of cytosolic heat shock proteins Hsp70 and Hsp90 from symbiotic dinoflagellates in response to thermal stress: possible implications for coral bleaching. *Cell Stress and Chaperones*, *16*(1), 69-80.
334. Rowan, R. O. B., & Powers, D. A. (1991). A molecular genetics classification of zooxanthellae and the evolution of animal-algal symbioses. *Science, 251*(4999), 1348-1351.
335. Rowan, R., & Powers, D. A. (1991). Molecular genetics identification of symbiotic dinoflagellates (zooxanthellae). *Marine ecology progress series*, *Oldendorf, 71*(1), 65-73.
336. Ryland, J. S. (1997). Budding in Acrozoanthus Saville-Kent, 1893 (Anthozoa: Zoanthidea). In *Proceedings of the 6th international*

conference of coelenterate biology. Nationaal Natuurhistorisch Museum, Leiden, 423-428.

337. Sachithanandam Vdhivya, P.; & Mohan, P. M. (2011). Collection of *aiptasia mutabilis* from andaman coastal region,India.*World Journal of Zoology, 6*(2):83-186.

338. Salinas, S. News/Reports. *The Ecological Niche of Anthopleura elegantissina at Race Rocks.*

339. Salvini-Plawen, L. V. (1978). On the origin and evolution of the lower Metazoa. *Journal of Zoological Systematics and Evolutionary Research*, 16(1), 40-87.

340. Sanamyan, N. P., & Sanamyan, K. E. (2006). The genera *Urticina* and *Cribrinopsis* (Anthozoa: Actiniaria) from the north-western Pacific. *Journal of Natural History*, *40*(7-8), 359-393.

341. Sanders, I. O., Harpham, N. V. J., Raskin, I., Smith, A. R., & Hall, M. A. (1991). Ethylene binding in wild type and mutant *Arabidopsis* thaliana (L.) Heynh. *Annals of botany, 68*(2), 97-103.

342. Sanders, R., Fortin, P., Dipasquale, T., & Walling, A. (1993). Operative treatment in 120 displaced intraarticular calcaneal fractures. Results using a prognostic computed tomography scan classification. *Clinical orthopaedics and related research,* 290, 87-95.

343. Sarvaiya, R. T. (1989). Studies on shell and meat composition of molluscs from Saurashtra coast. *Journal of the Indian Fisheries Association*, *19*, 59-64.

344. Schama, R., Mitchell, M., & Solé-Cava, A. M. (2012). Actinia ebhayiensis sp. nov., a new species of sea anemone (Anthozoa: Actiniaria: Actiniidae) from South Africa. *Journal of the Marine Biological Association of the United Kingdom*, *92*(5), 885-894.

345. Schmidt, H. (1970). Anthopleura stellula (Actiniaria, Actiniidae) and its reproduction by transverse fission. *Marine Biology, 5*(3), 245-255.

346. Schmidt, M. (1970). Space distribution and luminosity functions of quasars. *The Astrophysical Journal*, *162*, 371.

347. Schmidt-Roach, S., Miller, K. J., Woolsey, E., Gerlach, G., & Baird, A. H. (2012). Broadcast spawning by Pocillopora species on the Great Barrier Reef. *PLoS One*, *7*(12), e50847.

348. Sebens, K. P. (1976). The ecology of Caribbean Sea anemones in Panama: utilization of space on a coral reef. In *Coelenterate ecology and behavior*, Springer, Boston, MA, 67-77.

349. Sebens, K. P. (1982). Asexual reproduction in *Anthopleura elegantissima* (Anthozoa: Actiniaria): seasonality and spatial extent of clones. *Ecology*, *63*(2), 434-444.

350. Sebens, K. P. (1983). Settlement and metamorphosis of a temperate soft-coral larva (Alcyonium siderium Verrill): induction by crustose algae. *The Biological Bulletin*, *165*(1), 286-304.

351. Sebens, Kenneth P. (1998) *Marine flora and fauna of the Eastern United States Anthozoa: Acitniaria, Corallimorpharia, Ceriantharia, and Zoanthidea.* Seattle, WA, NOAA/National Marine Fisheries Service, (NOAA Technical Report NMFS, 141).

352. Secord, D., & Muller-Parker, G. (2005). Symbiont distribution along a light gradient within an intertidal cave. *Limnology and Oceanography, 50*(1), 272-278.

353. Seveso, D., Montano, S., Reggente, M. A. L., Orlandi, I., Galli, P., & Vai, M. (2015). Modulation of Hsp60 in response to coral brown band disease. *Diseases of aquatic organisms*, *115*(1), 15-23.

354. Seveso, D., Montano, S., Strona, G., Orlandi, I., Galli, P., & Vai, M. (2016). Hsp60 expression profiles in the reef-building coral Seriatopora caliendrum subjected to heat and cold shock regimes. *Marine environmental research*, *119*, 1-11.

355. Shah Pinal, D., Thakkar Nevya, J., Tailor Parth, A., & Mankodi Pradeep, C. Surveillance of Gravel Attached Sea Anemone. *Research Journal of Marine Sciences 4(4): 12-18*

356. Shah, P. D., Thakkar, N. J., & Mankodi, P. C. (2017). First evidence of aggregating sea anemone, *Anthopleura elegantissima* (brandt, 1835)

from the Saurashtra coast, Gujarat, *International Journal of Information Research and Review, 04*(08), 4437-4439.

357. Shah, P., Thakkar, N. J., & Mankodi, P. C. (2017). Comprehensive diversity study with few new records of sea anemones along the Saurashtra cost, Gujarat. *International Journal of Fauna and Biological Studies*, 4(4), 12-18.
358. Sharp, P. A. (1994). Split genes and RNA splicing. *Cell*, *77*(6), 805-815.
359. Sharp, V. A., Brown, B. E., & Miller, D. (1997). Heat shock protein (hsp 70) expression in the tropical reef coral *Goniopora djiboutiensis*. *Journal of Thermal Biology, 22*(1), 11-19.
360. Shearer, T. L., Van Oppen, M. J. H., Romano, S. L., & Worheide, G. (2002). Slow mitochondrial DNA sequence evolution in the Anthozoa (Cnidaria). *Molecular ecology*, *11*(12), 2475-2487.
361. Shick, J. M. (1991). *A functional biology of sea anemones*. Functional Biology Series, 119-170.
362. Shick, J. M., & Lamb, A. N. (1977). Asexual reproduction and genetic population structure in the colonizing sea anemone *Haliplanella luciae*. *The Biological Bulletin*, *153*(3), 604-617.
363. Shick, J. M., Dunlap, W. C., Pearse, J. S., & Pearse, V. B. (2002). Mycosporine-like amino acid content in four species of sea anemones in the genus *Anthopleura* reflects phylogenetic but not environmental or symbiotic relationships. *The Biological Bulletin*, *203*(3), 315-330.
364. Smith, D. J., Suggett, D. J., & Baker, N. R. (2005). Is photoinhibition of zooxanthellae photosynthesis the primary cause of thermal bleaching in corals? *Global Change Biology, 11*(1), 1-11.
365. Smith, T. B., Nemeth, R. S., Blondeau, J., Calnan, J. M., Kadison, E., & Herzlieb, S. (2008). Assessing coral reef health across onshore to offshore stress gradients in the US Virgin Islands. *Marine Pollution Bulletin*, *56*(12), 1983-1991.
366. Song, J. I., & Cha, H. R. (2002). Taxonomy of Actiniidae (Anthozoa, Actiniaria, Thenaria, Endomvaria) from Korea. *Animal Systematics, Evolution and Diversity*, *18*(2), 253-270.

367. Song, J. I., & Cha, H. R. (2004). Three new records of Actiniaria (Anthozoa: Zoantharia) from Korea. *Animal Systematics, Evolution and Diversity*, *20*(2), 201-214.

368. Sonnenberg, R., Nolte, A. W., & Tautz, D. (2007). An evaluation of LSU rDNA D1-D2 sequences for their use in species identification. *Frontiers in zoology, 4*(1), 6.

369. Sorensen, J. G., Kristensen, T. N., & Loeschcke, V. (2003). The evolutionary and ecological role of heat shock proteins. *Ecology letters*, *6*(11), 1025-1037.

370. Spano, C. A., Canales-Aguirre, C. B., Musleh, S. S., Haussermann, V., & Gomez-Uchida, D. (2019). Species delimitation in sea anemones (Anthozoa: Actiniaria): From traditional taxonomy to integrative approaches. *BMC Genetics, 13*(1), 33.

371. Stanley, G. D., & Fautin, D. G. (2001). The origins of modern corals. *Science*, *291*(5510), 1913-1914.

372. Stanley, O. D. (2004). Wetland ecosystems and coastal habitat diversity in Gujarat, India. *Journal of coastal development*, *7*(2), 49-64.

373. Stepanjants, S. D., Cortese, G., Kruglikova, S. B., & Bjorklund, K. R. (2006). A review of bipolarity concepts: history and examples from Radiolaria and Medusozoa (Cnidaria). *Marine Biology Research*, *2*(3), 200-241.

374. Stephenson, T. (1928). The British Sea Anemones. London, Ray Society, 1, *113.*

375. Stephenson, T. A. (1922). Memoirs: On the Classification of Actiniaria: Part III.--Definitions connected with the forms dealt with in Part II. *Journal of Cell Science*, *2*(262), 247-319.

376. Stephenson, T. A. (1929). On methods of reproduction as specific characters. *Journal of the Marine Biological Association of the United Kingdom, 16*(1), 131-172.

377. Stephenson, T. A., & Stephenson, A. (1972). Life between tidemarks on rocky shores. *Estuarine and Coastal Marine Science, I*, 433-434.

378. Stephenson, T.A. 1935. The British sea anemones. *Dulau & Co.*, London, *II*, 464.
379. Stillman, J., & Somero, G. (1996). Adaptation to temperature stress and aerial exposure in congeneric species of intertidal porcelain crabs (genus Petrolisthes): correlation of physiology, biochemistry and morphology with vertical distribution. *Journal of Experimental Biology, 199*(8), 1845-1855.
380. Stoletzki, N., & Schierwater, B. (2005). Genetic and colour morph differentiation in the Caribbean Sea anemone *Condylactis gigantea*. *Marine Biology*, *147*(3), 747-754.
381. Stotz, W. B. (1979). Functional morphology and zonation of three species of sea anemones from rocky shores in southern Chile. *Marine Biology*, *50*(2), 181-188.
382. Sudhanshu, B. N. (2011). Assessment of coral reefs with special reference to environmental threats. (Doctorate dissertation, Maharaja Sayajirao University of Baroda).
383. Tamura, K., & Nei, M. (1993). Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. *Molecular biology and evolution*, *10*(3), 512-526.
384. Taylor, D. L. (1967). The pigments of the zooxanthellae symbiotic with the intertidal anemone, *Anemonia sulcata* 1. *Journal of phycology*, *3*(4), 238-240.
385. Taylor, D. L. (1969). The nutritional relationship of *Anemonia sulcata* (Pennant) and its dinoflagellate symbiont. *Journal of cell science*, *4*(3), 751-762.
386. Thangaraj, S., & Bragadeeswaran, S. (2012). Assessment of biomedical and pharmacological activities of sea anemones Stichodactyla mertensii and Stichodactyla gigantea from Gulf of Mannar Biosphere Reserve, southeast coast of India. *Journal of Venomous Animals and Toxins including Tropical Diseases*, *18*(1), 53-61.
387. Thangaraj, S., Bragadeeswaran, S., Suganthi, K., & Kumaran, N. S. (2011). Antimicrobial properties of sea anemone Stichodactyla

mertensii and Stichodactyla gigantea from Mandapam coast of India. *Asian Pacific Journal of Tropical Biomedicine*, *1*(1), S43-S46.

388. Tomanek, L. (2010). Variation in the heat shock response and its implication for predicting the effect of global climate change on species' biogeographical distribution ranges and metabolic costs. *Journal of Experimental Biology*, *213*(6), 971-979.
389. Tomascik, T., & Mah, A. J. (1994). An anchialine lagoon of a raised atoll, Kakaban Island, east Kalimantan, Indonesia. *Tropical Biodiversity*, *2*(3), 385.
390. Trivedi, Y. (1976). A Study of the associative behaviour of the fish Amphiprion polymnus (Linn.) And Sea Anemone *Stoichactis Giganteum. Bombay Nat. Hist. Soc., 73*, 444-447.
391. Uchida, T. (1938). Report of the biological survey of Mutsu Bay 33. Actiniaria of Mutsu Bay. *Science Reports of the Tohoku Imperial University, Serie*, *4*, 281-317.
392. Uchida, T., & Muramatsu, S. (1958). Notes on Some Japanese Sea-anemones (With 5 Text-figures). *Jour. Fac. Sci. Hokkaido Univ., Ser. VI, Zool*, *14*(1), 111-119.
393. Van Hooidonk, R., Maynard, J. A., & Planes, S. (2013). Temporary refugee for coral reefs in a warming world. *Nature Climate Change*, *3*(5), 508-511.
394. Van Woesik, R., Sakai, K., Ganase, A., & Loya, Y. (2011). Revisiting the winners and the losers a decade after coral bleaching. *Marine Ecology Progress Series*, *434*, 67-76.
395. 386. Velez-Alaves M (2007) Anemia Fauna of the Isla Verde reef plain, Veracruz. (Master Dissertation, National Autonomous University of Mexico).
396. Verdeilhan, DC (1965). Actinias de Montemar, Valparaiso. *Rev. Biol. Mar, 12*, 129.
397. Verrill AE. 1870. On the geographical distribution of the polyps of the west coast of America. *Transactions of the Connecticut Academy of Arts and Sciences, 1*(7), 558-567.

398. Verrill, A. E. (1869). Review of the corals and polyps of the west coast of America. 6. Transact. Connect. In *Academy of Arts and Sciences, 1*, 377-567.

399. Verrill, A. E. (1899). Additions to the Anthozoa and Hydrozoa of the Bermudas. Anthozoa. *Transactions of the Connecticut Academy of Arts and Sciences, 10*, 551–572.

400. Verrill, A. E. (1907). *The Bermuda Islands: Part IV Geology and Paleontology, and Part V. An Account of the Coral Reefs*. *Transactions of the Connecticut Academy of Arts and Sciences, 12*, 45–348.

401. Verrill, A.F., 1928. Hawaiian shallow water Anthozoa. *Bull. Bishop Mus*., *Honolulu*, *49*, 30.

402. Wang, W., Caldwell, M. C., Lin, S., Furneaux, H., & Gorospe, M. (2000). HuR regulates cyclin A and cyclin B1 mRNA stability during cell proliferation. *The EMBO journal*, *19*(10), 2340-2350.

403. Warner, M. E., Fitt, W. K., & Schmidt, G. W. (1996). The effects of elevated temperature on the photosynthetic efficiency of zooxanthellae in hospite from four different species of reef coral: a novel approach. *Plant, Cell & Environment, 19*(3), 291-299.

404. Watson, L. A. (2017). Sea anemones of the Southern Ocean: ecology, phylogenetic relationships, life history, and population genomics (Doctoral dissertation, University of Tasmania).

405. Wedi, S. E., & Dunn, D. F. (1983). Gametogenesis and reproductive periodicity of the subtidal sea anemone *Urticina lofotensis* (Coelenterata: Actiniaria) in California. *The Biological Bulletin, 165*(2), 458-472.

406. Wehrtmann, I. S., & Cortes, J. (Eds.). (2008). *Marine Biodiversity of Costa Rica*, Central America, Springer, Science & Business Media, 86, 161-167.

407. Weis, V. M., Verde, E. A., Pribyl, A., & Schwarz, J. A. (2002). Aspects of the larval biology of the sea anemones *Anthopleura elegantissima* and *A. artemisia*. *Invertebrate Biology*, *121*(3), 190-201.

408. Wilding, C. S., & Weedall, G. D. (2019). Morphotypes of the common beadlet anemone *Actinia equina* (L.) are genetically distinct. *Journal of Experimental Marine Biology and Ecology*, *510*, 81-85.

409. Wilmer, J. W., & Mitchell, M. L. (2008). A preliminary investigation of the utility of ribosomal genes for species identification of Sea Anemones (Cnidaria: Actiniaria). *Memoirs of the Queensland Museum*, *54*(1).

410. Wolstenholme, J. K., & Wallace, C. C. (2004). Australian anemones final report accompanied by attribution database of Australian anemones (on CD rom): prepared for the Department of Environment and Heritage, Heritage Division.

411. Won, J., Rho, B., & Song, J. (2001). A phylogenetic study of the Anthozoa (phylum Cnidaria) based on morphological and molecular characters. Coral Reefs, 20(1), 39-50.

412. Wood, C. (2013). *Sea anemones and corals of Britain and Ireland*. Princeton University Press.

413. Yap, N. W. L., Fautin, D. G., Ramos, D. A., & Tan, R. (2014). Sea anemones of Singapore: Synpeachia temasek new genus, new species, and redescription of *Metapeachia tropica* (Cnidaria: Actiniaria: Haloclavidae). *Proceedings of the Biological Society of Washington*, *127*(3), 439-454.

414. Zaharenko, A. J., Ferreira Jr, W. A., Oliveira, J. S., Richardson, M., Pimenta, D. C., Konno, K., & Freitas, J. C. (2008). Proteomics of the neurotoxic fraction from the sea anemone *Bunodosoma cangicum* venom: Novel peptides belonging to new classes of toxins. *Comparative Biochemistry and Physiology Part D: Genomics and Proteomics*, *3*(3), 219-225.

415. Zamponi, MO, & Excoffon, AC (1995). The anemone fauna of Bahia Concepcion (Chile). I. some contributions to the distribution and biology of the genera *Phlyctenactis* Stuckey, 1909 (Actiniaria: Actiniidae) and *Antholoba* Hertwig, 1882 (Actiniaria: Actinostolidae). Physis A, 50, 118-119.

416. Zolgharnein, H., & Hoseini, S. (2016). Molecular Phylogeny Study of the Sea Anemone Genus Anemonia (Actiniaria: Actiniidae) Based on Mitochondrial (COI) DNA Sequences in the Persian Gulf. *Journal of Oceanography*, *6*(24), 77-83.

417. Zullo, V. A. (1991). Zoogeography of the shallow-water cirriped fauna of the Galapagos Islands and adjacent regions in the tropical eastern Pacific. In *Galapagos Marine Invertebrates*, Springer, Boston, MA, 173-192.

Web Links:

1. https://encryptedtbn0.gstatic.com/images?q=tbn:ANd9GcS0llwOWrqXK7TkH1ZYFy12w85uGtYR4YloqGj6_v_ZanzzT2fE dated 01-01-2020
2. http://cdn.differencebetween.net/wpcontent/uploads/2018/01/Difference-between-Polyp-and-Medusa.jpg dated 01-01-2020
3. https://www.google.co.in/url?sa=i&source=images&cd=&ved=2ahUKEwjx19CfwOTmAhXNyDgGHdPcD34QjRx6BAgBEAQ&url=https%3A%2F%2Fslideplayer.com%2Fslide%2F13486582%2F&psig=AOvVaw3rhtiw2vja173dyRycJYH1&ust=1578040242376613dated 01-01-2020
4. http://cdn.biologydiscussion.com/wpcontent/uploads/2016/04/clip_image007-12.jpg
5. https://images.squarespacecdn.com/content/v1/55d252b7e4b016caae2cee5a/1476133033159TXQOR15IEDO109UT8ENV/ke17ZwdGBToddI8pm48kCV1sJcGKwVDYhe5ZNpjnuF7gQa3H78H3Y0txjaiv_0fDoOvxcdMmMKkDsyUqMSsMWxHk725yiiHCCLfrh8O1z5QHyNOqBUUEtDDsRWrJLTmePVJHkxHwrJrQcWPoRj1XaP9MlC1Cxq8Hbhk8MUQh4dT_jkXcVx3dBAoFUs8JxEa/MeghanRock_MesenteryMuscles.png?format=750
6. http://cdn.biologydiscussion.com/wpcontent/uploads/2016/04/clip_image013_thumb2-2.jpg)
7. www.wti.org.in

8. http://www.uwc.ca/pearson/racerock/research/santiago/santiago.htm
9. Fautin, D. G. (2004). Hexacorallians of the World. *http://hercules. kgs. ku. edu/hexacoral/anemone2/index.cfm*.
10. Biosearch v 1.2 (2009). Bioinforma,cs centre, hIp://www.biosearch.in/Public Organism Page.php?id=131340
11. Horton, A. 2000. "Snakelocks Anemome" http://ourworld.compuserve.com/homepages/BMLSS/Snakelok.htm