

Bibliography

- Abhilash, P. C., & Singh, N. (2008). Pesticide use and application: An Indian scenario. *Journal of Hazardous Materials*, *165*, 1–12.
<https://doi.org/10.1016/j.jhazmat.2008.10.061>
- Abot, A. R., Puker, A., Taira, T. L., Rodrigues, S. R., Korasaki, V., & de Oliveira, H. N. (2012). Abundance and diversity of coprophagous beetles (Coleoptera: Scarabaeidae) caught with a light trap in a pasture area of the Brazilian Cerrado. *Studies on Neotropical Fauna and Environment*, *47*(1), 53–60.
<https://doi.org/10.1080/01650521.2012.662846>
- Abro, G. H., Memon, A. J., Syed, T. S., & Shaikh, A. A. (2004). Infestation of *Earias* spp. on cotton and okra grown as mono and mix crops. *Pak. J Biolo. Sci*, *7*(6), 837–942.
- Adarsh, C. K., Aneesh, K. S., & Nameer, P. O. (2014). A preliminary checklist of odonates in Kerala Agricultural University (KAU) campus, Thrissur District, Kerala, Southern India. *Journal of Threatened Taxa*, *6*(8), 6127–6137.
<https://doi.org/10.11609/jott.o3491.6127-37>
- Adedoja, O., & Kehinde, T. (2017). Seasonal variation in the diversity of anthophilous insects in three land use types on Obafemi Awolowo University, Ile-Ife, Southwestern Nigeria. *Environtropica*, *14*, 63–74.
- Adiroubane, D., & Kuppammal, P. (2010). Lepidopteran fauna of agri-horticultural ecosystem in Karaikal region. *Journal of Biopesticides*, *3*(1), 1–10.
- Adjei, M., Jr, G., Frank, J. H., & Leppla, N. (2009). Control of pest mole crickets (Orthoptera: Gryllotalpidae) in bahiagrass pastures with the nematode *Steinernema scapterisci* (Rhabditida: Steinernematidae). *Florida Entomologist*, *89*, 532–535.
[https://doi.org/10.1653/0015-4040\(2006\)89\[532:COPMCO\]2.0.CO;2](https://doi.org/10.1653/0015-4040(2006)89[532:COPMCO]2.0.CO;2)
- Adler, P. H., & Courtney, G. W. (2019). Ecological and Societal Services of Aquatic Diptera. *Insects*, *10*(3). <https://doi.org/10.3390/insects10030070>
- Aebi, A., Brown, P. M. J., de Clercq, P., Hautier, L., Howe, A., Ingels, B., Ravn, H. P., Sloggett, J. J., Zindel, R., & Thomas, A. (2011). Detecting arthropod intraguild predation in the field. *BioControl*, *56*(4), 429–440.
<https://doi.org/10.1007/s10526-011-9378-2>
- Agrawal, A. A. (2007). Macroevolution of plant defense strategies. *Trends in Ecology*

- & *Evolution*, 22(2), 103–109. <https://doi.org/10.1016/j.tree.2006.10.012>
- Aguirre, A., & Dirzo, R. (2008). Effects of fragmentation on pollinator abundance and fruit set of an abundant understory palm in a Mexican tropical forest. *Biological Conservation*, 141(2), 375–384.
- Akhtar, M. H., Usmani, M. K., & Nayeem, M. R. (2014). Taxonomic Studies and Ecological Observations of Hieroglyphus nigrorepletus (Hemiacridinae : Acrididae : Orthoptera) as a Pest of Paddy in Uttar Pradesh , India. *Scholars Academic Journal of Biosciences*, 2(10) 681-686.
- Ali, J. G., & Agrawal, A. A. (2012). Specialist versus generalist insect herbivores and plant defense. *Trends in Plant Science*, 17(5), 293–302. <https://doi.org/10.1016/j.tplants.2012.02.006>
- Ali, M., Ahmed, K., Ali, S., Raza, G., Hussain, I., Nafees, M. A., & Anjum, S. I. (2018). An annotated checklist of Coccinellidae with four new records from Pakistan (Coleoptera, Coccinellidae). *ZooKeys*, 803, 93.
- Allinne, C., Savary, S., & Avelino, J. (2016). Delicate balance between pest and disease injuries, yield performance, and other ecosystem services in the complex coffee-based systems of Costa Rica. *Agriculture, Ecosystems & Environment*, 222, 1–12. <https://doi.org/10.1016/j.agee.2016.02.001>
- Altieri, M. A., Nicholls, C. I., & Ponti, L. (2008). Crop diversification strategies for pest regulation in IPM systems. *Integrated Pest Management: Concepts, Tactics, Strategies and Case Studies, January 2016*, 116–130. <https://doi.org/10.1017/CBO9780511626463.011>
- Amaral, G., Bushee, J., Cordani, U. G., Kawashita, K., Reynolds, J. H., Almeida, F. F. M. D. E., de Almeida, F. F. M., Hasui, Y., de Brito Neves, B. B., Fuck, R. A., Oldenzaal, Z., Guida, A., Tchalenko, J. S., Peacock, D. C. P., Sanderson, D. J., Rotevatn, A., Nixon, C. W., Rotevatn, A., Sanderson, D. J., ... Junho, M. do C. B. (2013). World Urbanizations Prospects. *Journal of Petrology*, 369(1), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>
- Ananthaselvi, R., Suresh, P., Sundaram, J., Kam, K., & Vijayakumar, I. (2009). Acridid (Orthoptera) fauna of agricultural ecosystem in some southern districts of Tamil Nadu, India. *JoTT NOTE*, 1, 491–492. <https://doi.org/10.11609/JoTT.o1621.491-2>
- Anbalagan, V., Paulraj, M. G., & Ignacimuthu, S. (2015). Biodiversity of Insects in

Organic and Chemical Vegetable Fields in Tiruvallur District, Tamil Nadu, India.
International Journal of Pure and Applied Zoology ISSN ISSN, 3(2), 2320–9577.
<http://www.ijpaz.com>

- Anderson, K. E., Linksvayer, T. A., & Smith, C. R. (2008). The causes and consequences of genetic caste determination in ants (Hymenoptera: Formicidae). *Myrmecol News, 11(11)*, 9–132.
- Ane, N. U., & Hussain, M. (2015). Diversity of insect pests in major rice growing areas of the world. *Journal of Entomology and Zoology Studies, 4(1)*, 36-41.
- Antonovics, J., Boots, M., Ebert, D., Koskella, B., Poss, M., & Sadd, B. M. (2013). The origin of specificity by means of natural selection: evolved and nonhost resistance in host-pathogen interactions. *Evolution; International Journal of Organic Evolution, 67(1)*, 1–9. <https://doi.org/10.1111/j.1558-5646.2012.01793.x>
- Arévalo, E., Zhu, Y., Carpenter, J. M., & Strassmann, J. E. (2004). The phylogeny of the social wasp subfamily Polistinae: evidence from microsatellite flanking sequences, mitochondrial COI sequence, and morphological characters. *BMC Evolutionary Biology, 4(1)*, 8.
- Armstrong, K., & Ball, S. (2005). DNA barcodes for biosecurity: Invasive species identification. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences, 360*, 1813–1823. <https://doi.org/10.1098/rstb.2005.1713>
- Arora, R., & Sandhu, S. (2017). Breeding insect resistant crops for sustainable agriculture. *Breeding Insect Resistant Crops for Sustainable Agriculture*, 1–421. <https://doi.org/10.1007/978-981-10-6056-4>
- Arun, P. R., & Vijayan, V. S. (2004). Patterns in abundance and seasonality of insects in the siruvani forest of Western ghats, nilgiri biosphere reserve, southern India. *TheScientificWorldJournal, 4(July 2004)*, 381–392. <https://doi.org/10.1100/tsw.2004.33>
- Asghar, M., Arshad, M., Fiaz, M., & Suhail, A. (2013). A survey of rice farmers' farming practices posing threats to insect biodiversity of rice crop in the Punjab, Pakistan. *Int. J. Biodivers. Conserv. 5(10)*, 647-654. <https://doi.org/10.5897/IJBC11.199>
- Aslam, M. A., Javed, K., Javed, H., Mukhtar, T., & Bashir, M. S. (2019). Infestation of *Helicoverpa armigera* Hübner (Noctuidae: Lepidoptera) on soybean cultivars in Pothwar region and relationship with physico-morphic characters. *Pak. J. Agric. Sci, 55*, 401–405.

- Aukema, J. E., Leung, B., Kovacs, K., Chivers, C., Britton, K. O., Englin, J., Frankel, S. J., Haight, R. G., Holmes, T. P., Liebhold, A. M., McCullough, D. G., & von Holle, B. (2011). Economic impacts of Non-Native forest insects in the continental United States. *PLoS ONE*, 6(9), 1–7.
<https://doi.org/10.1371/journal.pone.0024587>
- Avanesyan, A. (2014). Plant DNA Detection from Grasshopper Guts: A Step-by-Step Protocol, from Tissue Preparation to Obtaining Plant DNA Sequences. *Applications in Plant Sciences*, 2. <https://doi.org/10.3732/apps.1300082>
- Awmack, C. S., & Leather, S. R. (2002). Host Plant Quality and Fecundity in Herbivorous Insects. *Annual Review of Entomology*, 47(1), 817–844.
<https://doi.org/10.1146/annurev.ento.47.091201.145300>
- Azpurua, J., Cruz, D. D. La, Valderama, A., & Windsor, D. (2010). *Lutzomyia Sand Fly Diversity and Rates of Infection by Wolbachia and an Exotic Leishmania Species on Barro*. 4(3). <https://doi.org/10.1371/journal.pntd.0000627>
- Badieritakis, E. G., Fantinou, A. A., & Emmanouel, N. G. (2016). A faunistic study on Carabidae and Scarabaeidae in alfalfa fields from Central Greece. *Biologia*, 71(11), 1274–1280.
- Baker, C. S., Lento, G. M., Cipriano, F., & Palumbi, S. R. (2000). Predicted decline of protected whales based on molecular genetic monitoring of Japanese and Korean markets. *Proc Biol Sci*. 267(1449): 1191–1199.
- Baker, J. L., Sudarsan, N., Weinberg, Z., Roth, A., Stockbridge, R. B., & Breaker, R. R. (2012). Widespread genetic switches and toxicity resistance proteins for fluoride. *Science*, 335(6065), 233–235.
- Balakrishnan, R. (2016). Behavioral ecology of insect acoustic communication. In *Insect hearing* (49–80). Springer.
- Baldwin, I. T., Halitschke, R., Kessler, A., & Schittko, U. (2001). Merging molecular and ecological approaches in plant-insect interactions. *Current Opinion in Plant Biology*, 4(4), 351–358. [https://doi.org/10.1016/S1369-5266\(00\)00184-9](https://doi.org/10.1016/S1369-5266(00)00184-9)
- Ballard, J., & Rand, D. (2005). Ballard J.W.O., Rand D.M. The population biology of mitochondrial DNA and its phylogenetic implications. *Annu Rev Ecol Evol Syst* 36: 621-642. <https://doi.org/10.1146/annurev.ecolsys.36.091704.175513>
- Bambaradeniya, C. N. B., & Edirisinghe, J. P. (2009). Composition, structure and dynamics of arthropod communities in a rice agro-ecosystem. *Ceylon Journal of*

Science (Biological Sciences), 37(1).

Banerjee, M. (2014). Diversity and composition of beetles (Order: Coleoptera) of Durgapur, West Bengal, India. *Psyche (London)*, 2014.

<https://doi.org/10.1155/2014/792746>

Banerjee, M., Ul Ane, N., Hussain, M., Ojha, R., Thesis, P. D., Poveda, K. ., Gómez, M. I. ., Martínez, E. ., Letourneau, D. K., Brou Jr., V. A., Gatrell, R. R., Hutchison, W. D., Burkness, E. C., Mitchell, P. D., Moon, R. D., Leslie, T. W., Fleischer, S. J., Abrahamson, M., Hamilton, K. L., Qazi, M. A. (2018). New Records of Two Fruit-piercing Moths Encountered in Louisiana and Other Southern States. *Environmental Entomology*, 12(2), 2495–2505.

<https://doi.org/10.1126/science.1190242>

Barbour, M. A., Rodriguez-Cabal, M. A., Wu, E. T., Julkunen-Tiitto, R., Ritland, C. E., Miscampbell, A. E., Jules, E. S., & Crutsinger, G. M. (2015). Multiple plant traits shape the genetic basis of herbivore community assembly. *Functional Ecology*, 29(8), 995–1006. <https://doi.org/10.1111/1365-2435.12409>

Barlow, J., Lennox, G. D., Ferreira, J., Berenguer, E., Lees, A. C., & Nally, R. Mac. (2016). *Anthropogenic disturbance in tropical forests can double biodiversity loss from deforestation. Nature*, 535(7610):144-7.

<https://doi.org/10.1038/nature18326>

Barone, J. (2002). Host-specificity of folivorous insects in a moist tropical forest. *Journal of Animal Ecology*, 67, 400–409. <https://doi.org/10.1046/j.1365-2656.1998.00197.x>

Baruah, C., & Saikia, P. K. (2015). Abundance and Diversity of Odonates in Different Habitats of Barpeta District, Assam, India. *International Research Journal of Biological Sciences*, 4(9), 17–27.

Bazelet, C., & Samways, M. (2011). Identifying grasshopper bioindicators for habitat quality assessment of ecological networks. *Ecological Indicators*, 11, 1259–1269. <https://doi.org/10.1016/j.ecolind.2011.01.005>

Behere, A. P., Basnet, P., & Campbell, P. (2017). Effects of Family Structure on Mental Health of Children: A Preliminary Study. *Indian Journal of Psychological Medicine*, 39(4), 457–463. <https://doi.org/10.4103/0253-7176.211767>

Benton, M. J. (2010). The origins of modern biodiversity on land. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365(1558), 3667–3679.

Benton, T. G., Vickery, J. A., & Wilson, J. D. (2003). Farmland biodiversity: is habitat

- heterogeneity the key? *Trends in Ecology & Evolution*, 18(4), 182–188.
- Bergé, J. B., & Ricroch, A. E. (2010). Emergence of minor pests becoming major pests in GE cotton in China: what are the reasons? What are the alternatives practices to this change of status? *GM Crops*, 1(4), 214–219.
<https://doi.org/10.4161/gmcr.1.4.13421>
- Berger, G., Mazière, M., Sastre, J., & Comar, D. (1980). Carrier-free ¹¹C Formaldehyde: An approach. *Journal of Labelled Compounds and Radiopharmaceuticals*, 17(1), 59–71. <https://doi.org/10.1002/jlcr.2580170107>
- Bernays, E. (2009). *Phytophagous Insects* (798–800). <https://doi.org/10.1016/B978-0-12-374144-8.00210-1>
- Bhatt, U., & Nagar, P. (2017). Diversity of butterflies in an arboretum of Vadodara, Gujarat, India. *Check List*, 13, 2073. <https://doi.org/10.15560/12.2.2073>
- Bhusnar, A. (2015). Acridid (Orthoptera) diversity of agriculture ecosystem from Solapur District of Maharashtra, India. *Biolife*, 3, 461–468.
<https://doi.org/10.17812/blj2015.32.15>
- Bianchi, F. J. J. A., Booij, C. J. H., & Tschardtke, T. (2006). Sustainable pest regulation in agricultural landscapes: A review on landscape composition, biodiversity and natural pest control. *Proceedings of the Royal Society B: Biological Sciences*, 273(1595), 1715–1727. <https://doi.org/10.1098/rspb.2006.3530>
- Bieńkowski, A., & Orlova-Bienkowskaja, M. (2018). Alien leaf beetles (Coleoptera, Chrysomelidae) of European Russia and some general tendencies of leaf beetle invasions. *PLOS ONE*, 13, e0203561.
<https://doi.org/10.1371/journal.pone.0203561>
- Blaxter, M. L. (2004). The promise of a DNA taxonomy. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 359(1444), 669–679.
- Bocak, L., Motyka, M., Bocek, M., & Bocakova, M. (2018). Incomplete sclerotization and phylogeny: The phylogenetic classification of *Plastocerus* (Coleoptera: Elateroidea). *PloS one*, 13(3), e0194026.
- Boivin, G., & Hance, T. (2003). Ground beetle assemblages in cultivated organic soil and adjacent habitats: Temporal dynamics of microspatial changes. *Pedobiologia*, 47(2), 193–202. <https://doi.org/10.1078/0031-4056-00182>
- Borror, D. J., Triplehorn, C.A. & Johnson, N. (1992). *An introduction to the study of insect* (Orlando (ed.); 6th ed.). Saunders College Publishing.

- Bouchard, P., Smith, A. B. T., Douglas, H., Gimmel, M. L., Brunke, A. J., & Kanda, K. (2017). Biodiversity of Coleoptera. In *Insect Biodiversity*, 337-413. <https://doi.org/10.1002/9781118945568.ch11>
- Bourke, B. P., Oliveira, T. P., Suesdek, L., Bergo, E. S., & Sallum, M. A. M. (2013). A multi-locus approach to barcoding in the *Anopheles strodei* subgroup (Diptera: Culicidae). *Parasites and Vectors*, 6(1), 111.
- Bradshaw, C. J. A., Leroy, B., Bellard, C., Roiz, D., Albert, C., Fournier, A., Barbet-Massin, M., Salles, J.-M., Simard, F., & Courchamp, F. (2016). Massive yet grossly underestimated global costs of invasive insects. *Nature Communications*, 7(1), 12986. <https://doi.org/10.1038/ncomms12986>
- Braga, R. F., Korasaki, V., Andresen, E., & Louzada, J. (2013). Dung Beetle Community and Functions along a Habitat-Disturbance Gradient in the Amazon: A Rapid Assessment of Ecological Functions Associated to Biodiversity. *PLoS ONE*, 8(2). <https://doi.org/10.1371/journal.pone.0057786>
- Braman, S. K., Duncan, R. R., Station, G. E., Engelke, M. C., Agricultural, T., Station, E., & Road, C. (2000). *Evaluation of Turfgrass Selections for Resistance to Fall Armyworms (Lepidoptera : Noctuidae)*. 35(7), 1268–1270.
- Branstetter, M. G., Childers, A. K., Cox-Foster, D., Hopper, K. R., Kapheim, K. M., Toth, A. L., & Worley, K. C. (2018). Genomes of the Hymenoptera. *Current Opinion in Insect Science*, 25, 65–75.
- Bremer, B., Bremer, K., Heidari, N., Erixon, P., Olmstead, R. G., Anderberg, A. A., Källersjö, M., & Barkhordarian, E. (2002). Phylogenetics of asterids based on 3 coding and 3 non-coding chloroplast DNA markers and the utility of non-coding DNA at higher taxonomic levels. *Molecular Phylogenetics and Evolution*, 24(2), 274–301. [https://doi.org/10.1016/s1055-7903\(02\)00240-3](https://doi.org/10.1016/s1055-7903(02)00240-3)
- Brewer, M. J., Noma, T., & Elliott, N. C. (2005). Hymenopteran parasitoids and dipteran predators of the invasive aphid *Diuraphis noxia* after enemy introductions: Temporal variation and implication for future aphid invasions. *Biological Control*, 33(3), 315–323. <https://doi.org/10.1016/j.biocontrol.2005.03.013>
- Brown, J. W., Epstein, M. E., Gilligan, T. M., Passoa, S. C., & Powell, J. A. (2010). Biology, identification, and history of the light brown apple moth, *Epiphyas postvittana* (Walker)(Lepidoptera: Tortricidae: Archipini) in California: an example of the importance of local faunal surveys to document the establishment

- of exotic insects. *American Entomologist*, 56(1), 34–43.
- Buchholz, J., Querne, P., Paredes, D., Bauer, T., Strauss, P., Guernion, M., Scimia, J., Cluzeau, D., Burel, F., Kratschmer, S., Winter, S., Potthoff, M., & Zaller, J. G. (2017). *Soil biota in vineyards are more influenced by plants and soil quality than by tillage intensity or the surrounding landscape*. June, 1–12.
<https://doi.org/10.1038/s41598-017-17601-w>
- Bybee, S., Córdoba-Aguilar, A., Duryea, M. C., Futahashi, R., Hansson, B., Lorenzo-Carballa, M. O., Schilder, R., Stoks, R., Suvorov, A., Svensson, E. I., Swaegers, J., Takahashi, Y., Watts, P. C., & Wellenreuther, M. (2016). Odonata (dragonflies and damselflies) as a bridge between ecology and evolutionary genomics. *Frontiers in Zoology*, 13, 46. <https://doi.org/10.1186/s12983-016-0176-7>
- Caeiro-Dias, G., Luís, C., Pinho, C., Crochet, P. A., Sillero, N., & Kaliontzopoulou, A. (2018). Lack of congruence of genetic and niche divergence in *Podarcis hispanicus* complex. *Journal of Zoological Systematics and Evolutionary Research*, 56(4), 479–492. <https://doi.org/10.1111/jzs.12219>
- Cardoso, P., Barton, P. S., Birkhofer, K., Chichorro, F., Deacon, C., Fartmann, T., Fukushima, C. S., Gaigher, R., Habel, J. C., Hallmann, C. A., Hill, M. J., Hochkirch, A., Kwak, M. L., Mammola, S., Ari Noriega, J., Orfinger, A. B., Pedraza, F., Pryke, J. S., Roque, F. O., ... Samways, M. J. (2020). Scientists' warning to humanity on insect extinctions. *Biological Conservation*, 242. <https://doi.org/10.1016/j.biocon.2020.108426>
- Carelli, V. (2015). Keeping in shape the dogma of mitochondrial DNA maternal inheritance. *PLoS Genet*, 11(5), e1005179.
- Carelli, V., Schimpf, S., Fuhrmann, N., Valentino, M. L., Zanna, C., Iommarini, L., Papke, M., Schaich, S., Tippmann, S., & Baumann, B. (2011). A clinically complex form of dominant optic atrophy (OPA8) maps on chromosome 16. *Human Molecular Genetics*, 20(10), 1893–1905.
- Carmona, D., Lajeunesse, M. J., & Johnson, M. T. J. (2011). Plant traits that predict resistance to herbivores. *Functional Ecology*, 25(2), 358–367.
<https://doi.org/10.1111/j.1365-2435.2010.01794.x>
- Chandra, K., & Chandra, K. (2015). *Insect Fauna of States and Union Insect Fauna of States and Union. A review*. *Int. J. Eng. and Sci.*, 10: 25-31.
- Chandra, K., & Gupta, D. (2012). Diversity and Composition of Dung beetles

- (Scarabaeidae: Scarabaeinae and Aphodiinae) Assemblages in Singhori Wildlife Sanctuary, Raisen, Madhya Pradesh (India). *Munis Entomology and Zoology*, 7, 812–827.
- Chase, M. W., Cowan, R. S., Hollingsworth, P. M., Berg, C. Van Den, Madriñán, S., Petersen, G., Seberg, O., Jørgensen, T., Cameron, K. M., Pedersen, N., Hedderson, T. A. J., Conrad, F., Salazar, G. A., James, E., Hollingsworth, M. L., Barraclough, T. G., Kelly, L., Chase, M. W., Cowan, R. S., ... Wilkinson, M. (2007). A Proposal for a Standardised Protocol to Barcode All Land Plants Published by : International Association for Plant Taxonomy (IAPT) : NEW TRENDS A proposal IN PLANT to barcode all land plants fo. *Taxon*, 56(2), 295–299.
- Chattopadhyay, B. (2017). Reconstructing atmospheres: Ambient sound in film and media production. *Communication and the Public*, 2(4), 352–364. <https://doi.org/10.1177/2057047317742171>
- Chaya, T. X. & Mona, S. (2019). Climate change exacerbates the challenge of plant pests. *Foodtank*.
- Checa, M. F., Rodriguez, J., Willmott, K. R., & Liger, B. (2014). Microclimate variability significantly affects the composition, abundance and phenology of butterfly communities in a highly threatened neotropical dry forest. *Florida Entomologist*, 97(1), 1–13.
- Chen, L., & Fadamiro, H. Y. (2007). Differential electroantennogram response of females and males of two parasitoid species to host-related green leaf volatiles and inducible compounds. *Bulletin of Entomological Research*, 97(5), 515–522. <https://doi.org/10.1017/S0007485307005172>
- Chen, Y., Giles, K. L., Payton, M. E., & Greenstone, M. H. (2000). Identifying key cereal aphid predators by molecular gut analysis. *Molecular Ecology*, 9(11), 1887–1898.
- Chen, Y. H., Gols, R., & Benrey, B. (2015). *Crop Domestication and Its Impact on Naturally Selected Trophic Interactions*. <https://doi.org/10.1146/annurev-ento-010814-020601>
- Chintauan-Marquier, I. C., Legendre, F., Hugel, S., Robillard, T., Grandcolas, P., Nel, A., Zuccon, D., & Desutter-Grandcolas, L. (2016). Laying the foundations of evolutionary and systematic studies in crickets (Insecta, Orthoptera): a multilocus phylogenetic analysis. *Cladistics*, 32(1), 54–81.

- Chisté, M. N., Mody, K., Gossner, M. M., Simons, N. K., Köhler, G., Weisser, W. W., & Blüthgen, N. (2016). Losers, winners, and opportunists: How grassland land-use intensity affects orthopteran communities. *Ecosphere*, 7(11), 1–15. <https://doi.org/10.1002/ecs2.1545>
- Chitra, N., Soundararajan, R. P., & Gunathilagaraj, K. (2000). Orthoptera in rice fields of Coimbatore. *Zoos' Print Journal*, 15(8), 309–311. <https://doi.org/10.11609/jott.zpj.15.8.309-11>
- Choi, S.-W., & Jung, C. (2015). Diversity of Insect Pollinators in Different Agricultural Crops and Wild Flowering Plants in Korea: Literature Review. *Journal of Apiculture*, 30, 191. <https://doi.org/10.17519/apiculture.2015.09.30.3.191>
- Colgan, T. J., Carolan, J. C., Bridgett, S. J., Sumner, S., Blaxter, M. L., & Brown, M. J. F. (2011). Polyphenism in social insects: insights from a transcriptome-wide analysis of gene expression in the life stages of the key pollinator, *Bombus terrestris*. *BMC Genomics*, 12(1), 623. <https://doi.org/10.1186/1471-2164-12-623>
- Cordero-montoya, G., Flores-villegas, A. L., Salazar-schettino, P. M., & Vences-blanco, M. O. (2019). *The cost of being a killer 's accomplice : Trypanosoma cruzi impairs the fitness of kissing bugs*. 2523–2529.
- Costa, L. S., Fidelis, G. P., Cordeiro, S. L., Oliveira, R. M., Sabry, D. A., Câmara, R. B. G., Nobre, L. T. D. B., Costa, M. S. S. P., Almeida-Lima, J., Farias, E. H. C., Leite, E. L., & Rocha, H. A. O. (2010). Biological activities of sulfated polysaccharides from tropical seaweeds. *Biomedicine & Pharmacotherapy = Biomedecine & Pharmacotherapie*, 64(1), 21–28. <https://doi.org/10.1016/j.biopha.2009.03.005>
- Cruaud, A., Ronsted, N., Chantarasuwan, B., Chou, L. S., Clement, W. L., Couloux, A., Cousins, B., Genson, G., Harrison, R. D., Hanson, P. E., Hossaert-Mckey, M., Jabbour-Zahab, R., Jousselin, E., Kerdelhué, C., Kjellberg, F., Lopez-Vaamonde, C., Peebles, J., Peng, Y. Q., Santinelo Pereira, R. A., ... Savolainen, V. (2012). An Extreme case of plant-insect codiversification: Figs and fig-pollinating wasps. *Systematic Biology*, 61(6), 1029–1047. <https://doi.org/10.1093/sysbio/sys068>
- Cuevas, J. M., Domingo-Calap, P., & Sanjuán, R. (2012). The fitness effects of synonymous mutations in DNA and RNA viruses. In *Molecular biology and evolution* 29, (1) 17–20). <https://doi.org/10.1093/molbev/msr179>

- Cywinska, A., Hunter, F., & Hebert, P. (2007). Identifying Canadian mosquito species through DNA Barcodes. *Medical and Veterinary Entomology*, 20, 413–424. <https://doi.org/10.1111/j.1365-2915.2006.00653.x>
- da Silva, F. L., Ekrem, T., & Fonseca-Gessner, A. A. (2013). DNA barcodes for species delimitation in Chironomidae (Diptera): a case study on the genus *Labrundinia*. *The Canadian Entomologist*, 145(6), 589–602.
- Daly, A. J., Baetens, J. M., & De Baets, B. (2018). Ecological diversity: Measuring the unmeasurable. *Mathematics*, 6(7). <https://doi.org/10.3390/math6070119>
- Dangles, O., Mesías, V., Crespo-Perez, V., & Silvain, J. F. (2009). Crop damage increases with pest species diversity: Evidence from potato tuber moths in the tropical Andes. *Journal of Applied Ecology*, 46(5), 1115–1121. <https://doi.org/10.1111/j.1365-2664.2009.01703.x>
- Danne, A., Thomson, L. J., Sharley, D. J., Penfold, C. M., & Hoffmann, A. A. (2010). Effects of Native Grass Cover Crops on Beneficial and Pest Invertebrates in Australian Vineyards. *Environmental Entomology*, 39(3), 970–978. <https://doi.org/10.1603/EN09144>
- Das, K., & Gupta, S. (2012). Seasonal variation of Hemiptera community of a temple pond of Cachar District, Assam, northeastern India. *Journal of Threatened Taxa*, 4, 3050–3058. <https://doi.org/10.11609/JoTT.o2724.3050-8>
- David, B. V., & Ananthakrishnan, T. N. (2004). *Entomology, General and Applied*. Tata McGraw-Hill Publishing Company Limited, New Delhi.
- Dawkar, V. V., Chikate, Y. R., Lomate, P. R., Dholakia, B. B., Gupta, V. S., & Giri, A. P. (2013). Molecular insights into resistance mechanisms of lepidopteran insect pests against toxicants. *Journal of Proteome Research*, 12(11), 4727–4737. <https://doi.org/10.1021/pr400642p>
- Dawnay, N., Ogden, R., McEwing, R., Carvalho, G. R., & Thorpe, R. S. (2007). Validation of the barcoding gene COI for use in forensic genetic species identification. *Forensic Science International*, 173(1), 1–6. <https://doi.org/10.1016/j.forsciint.2006.09.013>
- De Mandal, S., Chhakchhuak, L., Gurusubramanian, G., & Kumar, N. S. (2014). Mitochondrial markers for identification and phylogenetic studies in insects—A Review. *DNA Barcodes*, 2(1), 1–9.
- de Oliveira, J. L., Campos, E. V. R., Bakshi, M., Abhilash, P. C., & Fraceto, L. F. (2014). Application of nanotechnology for the encapsulation of botanical

- insecticides for sustainable agriculture: prospects and promises. *Biotechnology Advances*, 32(8), 1550–1561. <https://doi.org/10.1016/j.biotechadv.2014.10.010>
- Dedyukhin, S. V. (2015). Diversity of phytophagous beetles (Coleoptera: Chrysomeloidea, Curculionoidea) in steppe communities in the forest-steppe of the High Trans-Volga region. *Entomological Review*, 95(8), 1070–1087. <https://doi.org/10.1134/S001387381508014X>
- Delpont, W., Poon, A. F. Y., Frost, S. D. W., & Pond, S. L. K. (2010). *Datamonkey 2010: a suite of phylogenetic analysis tools for evolutionary biology*. 26(19), 2455–2457. <https://doi.org/10.1093/bioinformatics/btq429>
- Desneux, N., Wajnberg, E., Wyckhuys, K. A. G., Burgio, G., Arpaia, S., Narva, C. A., Catala, D., & Toma, C. P. (2010). *Biological invasion of European tomato crops by Tuta absoluta: ecology, geographic expansion and prospects for biological control*. 197–215. <https://doi.org/10.1007/s10340-010-0321-6>
- Deutsch, C. A., Tewksbury, J. J., Tigchelaar, M., Battisti, D. S., Merrill, S. C., Huey, R. B., & Naylor, R. L. (2018). Increase in crop losses to insect pests in a warming climate. *Science*, 361(6405), 916–919. <https://doi.org/10.1126/science.aat3466>
- DeWoody, J. A., & Avise, J. C. (2000). Microsatellite variation in marine, freshwater and anadromous fishes compared with other animals. *Journal of Fish Biology*, 56(3), 461–473.
- Dhaliwal, G., & Arora, R. (2001). *Integrated Pest Management: Concepts and Approaches* Kalyani Publishers, New Delhi
- Dhaliwal, G. S., Jindal, V., & Dhawan, A. K. (2010). Insect pest problems and crop losses: changing trends. *Indian Journal of Ecology*, 37(1), 1–7.
- Dhaliwal, G. S., Jindal, V., & Mohindru, B. (2015). Crop Losses due to insect pests: Global and Indian Scenario. *Indian Journal of Entomology*, 77(2), 165. <https://doi.org/10.5958/0974-8172.2015.00033.4>
- Dhaliwal GS, Arora R Babu B, Varaprasad KS, Anitha K, Prasada Rao RDVJ, Chakrabarty SK, C. P. (eds). (2002). Estimation of losses due to insect pests in field crops In: Sarath p. *Resources Management in Plant Protection, Plant Protection Association of India, Hyderabad, 1*, 11–23.
- Dholakia, H. & Datta, S. (2010). High Growth Trajectory and Structural Changes in Gujarat Agriculture, New Delhi: *Macmillan Publishers India Ltd.*
- Ding, X., Yang, M., Huang, H., Chuan, Y., He, X., Li, C., Zhu, Y., & Zhu, S. (2015).

- Priming maize resistance by its neighbors: Activating 1,4-benzoxazine-3-ones synthesis and defense gene expression to alleviate leaf disease. *Frontiers in Plant Science*, 6. <https://doi.org/10.3389/fpls.2015.00830>
- Diserud, O. H., Ødegaard, F., Information, C., Delivery, S., Description, S., Novotny, V., Weiblen, G. D., Mandal, R., Novotny, V., Weiblen, G. D., Pokharia, A. K., Agnihotri, R., Sharma, S., Bajpai, S., Nath, J., Zaniccio, A., Cola, J., Guilherme, P., Porto, G., and Sankarganesh, E. (2017). Tortoise beetles and their host plants from Pune [Maharashtra State, India] and nearby places [Coleoptera: Chrysomelidae: Cassidinae]. *Journal of Entomology and Zoology Studies*, 2(4), 15–28. <https://doi.org/10.2307/3503507>
- Duru, M., Therond, O., Martin, G., Martin-Clouaire, R., Magne, M. A., Justes, E., Journet, E. P., Aubertot, J. N., Savary, S., Bergez, J. E., & Sarthou, J. P. (2015). How to implement biodiversity-based agriculture to enhance ecosystem services: a review. *Agronomy for Sustainable Development*, 35(4), 1259–1281. <https://doi.org/10.1007/s13593-015-0306-1>
- Dwivedi, B., & Gadagkar, S. (2009). Phylogenetic inference under varying proportions of indel-induced alignment gaps. *BMC Evolutionary Biology*, 9, 211. <https://doi.org/10.1186/1471-2148-9-211>
- Dzemo, W., Niba, A., & Asiwe, J. (2010). A comparative study of the bionomics of *Clavigralla tomentosicollis* Stål (Hemiptera: Coreidae) on three varieties of cowpea (*Vigna unguiculata* (L.) Walp). *African Journal of Agricultural Research*, 5.
- Ehrlich, P. R., & Raven, P. H. (1964). Butterflies and Plants: A Study in Coevolution. *Evolution*, 18(4), 586–608. <https://doi.org/10.2307/2406212>
- Ekholm. (2019). *The forgotten season : the impact of autumn phenology on a specialist insect herbivore community on oak. 2010*. <https://doi.org/10.1111/een.12719>
- Elanchezhyan, K., Sowmiya, C., Agilesh, S., & Venkatesh, M. (2017). *Diversity of odonates at agricultural college campus , Killikulam , Tamil Nadu , India*. 5(5), 935–940.
- Endara, M. J., Coley, P. D., Ghabash, G., Nicholls, J. A., Dexter, K. G., Donoso, D. A., Stone, G. N., Pennington, R. T., & Kursar, T. A. (2017). Coevolutionary arms race versus host defense chase in a tropical herbivore{\textendash}plant system. *Proceedings of the National Academy of Sciences*, 114(36), E7499--E7505. <https://doi.org/10.1073/pnas.1707727114>

- Eriksson M, F. J. and D. J. (2008). How does climate change affect human health in the Hindu Kush-Himalaya region? *Regional Health Forum.*, 12(1), 11-15.
- Fand, B. B., Kamble, A. L., & Kumar, M. (2012). Will climate change pose serious threat to crop pest management : A critical review ? *International Journal of Scientific and Research Publications*, 2(11), 1–14.
- FAO (Food and Agriculture Organization of the United Nations). (2018). *Integrated management of the Fall Armyworm on maize*.
<http://www.grainsa.co.za/upload/FAO---FAW-Guide.pdf>
- Fartmann, T., Krämer, B., Stelzner, F., & Poniatowski, D. (2012). Orthoptera as ecological indicators for succession in steppe grassland. *Ecological Indicators*, 20, 337–344. <https://doi.org/10.1016/j.ecolind.2012.03.002>
- Fay, J., & Wu, C.-I. (2003). Fay JC, Wu CI. Sequence divergence, functional constraint, and selection in protein evolution. *Annu Rev Genomics Hum Genet* 4: 213-235. *Annual Review of Genomics and Human Genetics*, 4, 213–235.
<https://doi.org/10.1146/annurev.genom.4.020303.162528>
- Fazekas, A. J., Burgess, K. S., Kesanakurti, P. R., Graham, S. W., Newmaster, S. G., Husband, B. C., Percy, D. M., Hajibabaei, M., & Barrett, S. C. H. (2008). Multiple multilocus DNA barcodes from the plastid genome discriminate plant species equally well. *PloS One*, 3(7), e2802.
<https://doi.org/10.1371/journal.pone.0002802>
- Fernandez, C., Lelong, B., Vila, B., Mévy, J. P., Robles, C., Greff, S., Dupouyet, S., & Bousquet-Mélou, A. (2006). Potential allelopathic effect of *Pinus halepensis* in the secondary succession: An experimental approach. *Chemoecology*, 16(2), 97–105.
<https://doi.org/10.1007/s00049-006-0334-z>
- Ferrer-Paris, J. R., Sánchez-Mercado, A., Vilorio, Á. L., & Donaldson, J. (2013). Congruence and Diversity of Butterfly-Host Plant Associations at Higher Taxonomic Levels. *PLoS ONE*, 8(5).
<https://doi.org/10.1371/journal.pone.0063570>
- Fišer Pečnikar, Ž., & Buzan, E. V. (2014). 20 years since the introduction of DNA barcoding: from theory to application. *Journal of Applied Genetics*, 55(1), 43–52.
<https://doi.org/10.1007/s13353-013-0180-y>
- Flowers, R. W. (2004). New flightless Eumolpinae of the genera *Apterodina* Bechyn and *Brachypterodina* n. gen.(Coleoptera: Chrysomelidae) from the Neotropics.

- Zootaxa*, 549(1), 1–18.
- Floyd, R. B., Farrow, R. A., & Matsuki, M. (2002). *Variation in insect damage and growth in Eucalyptus globulus*.
- Floyd, R. M., Wilson, J. J., & Hebert, P. D. N. (2009). DNA Barcodes and Insect Biodiversity. *Insect Biodiversity: Science and Society*, 417–431.
<https://doi.org/10.1002/9781444308211.ch17>
- Footitt, R. G., Maw, H. E. L., & Pike, K. S. (2009). DNA barcodes to explore diversity in aphids (Hemiptera: Aphididae and Adelgidae). *Redia*, 92, 87–91.
- Forbes, A. A., Bagley, R. K., Beer, M. A., Hippee, A. C., & Widmayer, H. A. (2018). Quantifying the unquantifiable: Why Hymenoptera, not Coleoptera, is the most speciose animal order. *BMC Ecology*, 18(1), 1–11.
<https://doi.org/10.1186/s12898-018-0176-x>
- Fordyce, J. (2010). Host shifts and evolutionary radiations of butterflies. *Proceedings. Biological Sciences / The Royal Society*, 277, 3735–3743.
<https://doi.org/10.1098/rspb.2010.0211>
- French, B. W., Chandler, L. D., Ellsbury, M. M., Fuller, B. W., & West, M. (2004). Ground Beetle (Coleoptera: Carabidae) Assemblages in a Transgenic Corn–Soybean Cropping System. *Environmental Entomology*, 33(3), 554–563.
<https://doi.org/10.1603/0046-225x-33.3.554>
- Gagnon, A. È., Doyon, J., Heimpel, G. E., & Brodeur, J. (2011). Prey DNA detection success following digestion by intraguild predators: Influence of prey and predator species. *Molecular Ecology Resources*, 11(6), 1022–1032.
<https://doi.org/10.1111/j.1755-0998.2011.03047.x>
- Gangurde, S. (2008). Aboveground arthropod pest and predator diversity in irrigated rice (*Oryza sativa* L.) production systems of the Philippines. *Journal of Tropical Agriculture*, 45(1), 1–8.
- García-Robledo, C., Erickson, D. L., Staines, C. L., Erwin, T. L., & Kress, W. J. (2013). Tropical Plant-Herbivore Networks: Reconstructing Species Interactions Using DNA Barcodes
García-Robledo, C., Erickson, D. L., Staines, C. L., Erwin, T. L., & Kress, W. J. (2013). Tropical Plant-Herbivore Networks: Reconstructing Species Interactions Using. *PLoS ONE*, 8(1).
<https://doi.org/10.1371/journal.pone.0052967>
- Gardner, W. A., H. B. Peeler, J. LaForest, P. M. Roberts, A. N. Sparks, J., & J. K. Greene, D. Reisig, D. R. Suiter, J. S. Bacheler, K. K. (2013). Confirmed

- distribution and occurrence of *Megacopta cribraria* (F.) (Hemiptera: Heteroptera: Plataspidae) in the Southeastern United States. *J. Entomol. Sci.*, 48, 118–127.
- Gerber, B., Cavallo, A., & Marek, E. (2001). Relationships among informal learning environments, teaching procedures and scientific reasoning ability. *International Journal of Science Education - INT J SCI EDUC*, 23, 535–549.
<https://doi.org/10.1080/095006901750162892>
- Gessé, F., Monleon-Getino, A., & Goula, M. (2014). Biodiversity Analysis of True Bug Assemblages (Hemiptera, Heteroptera) in Four Habitats in the Garraf Natural Park (Barcelona, Spain). *Journal of Insect Science*, 14, 283.
<https://doi.org/10.1093/jisesa/ieu145>
- Ghazali, S., Md zain, B. munir, & Yaakop, S. (2014). *Phylogeny of Economically Important Insect Pests That Infesting Several Crops Species in Malaysia* (1614).
<https://doi.org/10.1063/1.4895288>
- Gilbert, J. A., Steele, J. A., Caporaso, J. G., Steinbrück, L., Reeder, J., Temperton, B., Huse, S., McHardy, A. C., Knight, R., Joint, I., Somerfield, P., Fuhrman, J. A., & Field, D. (2012). Defining seasonal marine microbial community dynamics. *ISME Journal*, 6(2), 298–308. <https://doi.org/10.1038/ismej.2011.107>
- Gill, R. J., Ramos-rodriguez, O., & Raine, N. E. (2012). Combined pesticide exposure severely affects individual- and colony-level traits in bees. *Nature*, 490(7422), 105–108. <https://doi.org/10.1038/nature11585>
- Giron, D., Dubreuil, G., Bennett, A., Dedeine, F., Dicke, M., Dyer, L. A., Erb, M., Harris, M. O., Huguët, E., Kaloshian, I., Kawakita, A., Lopez-Vaamonde, C., Palmer, T. M., Petanidou, T., Poulsen, M., Sallé, A., Simon, J. C., Terblanche, J. S., Thiéry, D., ... Pincebourde, S. (2018). Promises and challenges in insect–plant interactions. *Entomologia Experimentalis et Applicata*, 166(5), 319–343.
<https://doi.org/10.1111/eea.12679>
- Godfray, C. (2002). Challenges for taxonomy. *Nature*, 417, 17–19.
<https://doi.org/10.1038/417017a>
- Godfray, H. C. J., & Garnett, T. (2014). *Food security and sustainable intensification*. 6–11.
- Gomez, R. A., Lightfoot, D., & Miller, K. (2012). A phylogenetic review of the North American band-winged grasshopper genus, *Encoptolophus* Scudder with description of *Nebulatettix* gen.n. (Orthoptera: Acrididae: Oedipodinae). *Insect*

- Systematics & Evolution*, 43, 117–145.
<https://doi.org/10.1163/187631212X649541>
- Gonthier, D. J., Ennis, K. K., Farinas, S., Hsieh, H., Tschardtke, T., Iverson, A. L., Cardinale, B. J., Perfecto, I., & Gonthier, D. J. (2014). *Biodiversity conservation in agriculture requires a multi-scale approach*. 9–14.
- Gonthier, P., Anselmi, N., Capretti, P., Bussotti, F., Feducci, M., Giordano, L., Honorati, T., Lione, G., Luchi, N., Michelozzi, M., Papparatti, B., Sillo, F., Vettraino, A. M., & Garbelotto, M. (2014). *An integrated approach to control the introduced forest pathogen *Heterobasidion irregulare* in Europe*. *May*, 471–481.
<https://doi.org/10.1093/forestry/cpu015>
- Grasswitz, T. R. (2016). Laboratory evaluation of predation rates of two native natural enemies on the exotic pest *Bagrada hilaris*. *Journal of Applied Entomology*, 140(10), 744–756. <https://doi.org/10.1111/jen.12318>
- Greenstone, M. H., Tillman, P. G., & Hu, J. S. (2014a). Predation of the Newly Invasive Pest *Megacopta cribraria* (Hemiptera: Plataspidae) in Soybean Habitats Adjacent to Cotton by a Complex of Predators. *Journal of Economic Entomology*, 107(3), 947–954. <https://doi.org/10.1603/EC13356>
- Greenstone, M. H., Tillman, P. G., & Hu, J. S. (2014b). Predation of the Newly Invasive Pest *Megacopta cribraria* (Hemiptera: Plataspidae) in Soybean Habitats Adjacent to Cotton by a Complex of Predators. *Journal of Economic Entomology*, 107(3), 947–954. <https://doi.org/10.1603/EC13356>
- Grewal, P. S., Lewis, E. E., Gaugler, R., & Campbell, J. F. (1994). Host finding behaviour as a predictor of foraging strategy in entomopathogenic nematodes. *Parasitology*, 108(2), 207–215. <https://doi.org/10.1017/S003118200006830X>
- Grünig, M., Mazzi, D., Calanca, P., Karger, D. N., & Pellissier, L. (2020). Crop and forest pest metawebs shift towards increased linkage and suitability overlap under climate change. *Communications Biology*, 3(1), 1–10.
<https://doi.org/10.1038/s42003-020-0962-9>
- Gullan, P. J., & Cranston, P. (2010). Insect systematics: phylogeny and classification. In *The Insects: An Outline of Entomology*.
- Gupta, R., & Pathania, P. C. (2017). Report on Hemipteran Pest Diversity on Apple Plantations (*Malus domestica* Borkh.) in Jammu and Kashmir State of India. *Records of the Zoological Survey of India*, 117(4), 356.
<https://doi.org/10.26515/rzsi/v117/i4/2017/121290>

- Guruprasad, B., Hegde, S., & Krishna, M. (2010). Seasonal and Altitudinal Changes in Population Density of 20 Species of *Drosophila* in Chamundi Hill. *Journal of Insect Science (Online)*, *10*, 123. <https://doi.org/10.1673/031.010.12301>
- Gutiérrez-gutiérrez, C., Cantalapiedra-navarrete, C., Montes-borrego, M., Palomares-rius, J. E., & Castillo, P. (2013). *Molecular phylogeny of the nematode genus Longidorus (Nematoda : Longidoridae) with description of three new species*. 473–500. <https://doi.org/10.1111/zoj.12019>
- Hahn, M. (2015). *Lepidoptera in agricultural landscapes – The role of field margins , the effects of agrochemicals and moth pollination services*. September.
- Hahn, M., Schotthöfer, A., Schmitz, J., Franke, L., & Brühl, C. (2015). The effects of agrochemicals on Lepidoptera, with a focus on moths, and their pollination service in field margin habitats. *Agriculture, Ecosystems & Environment*, *207*. <https://doi.org/10.1016/j.agee.2015.04.002>
- Hajibabaei, M., Singer, G. A., Hebert, P. D., & Hickey, D. A. (2007). DNA barcoding: How it complements taxonomy, molecular phylogenetics and population genetics. *Trends in Genetics*, *23*(4), 167–172.
- Hajibabaei, Mehrdad, Shokralla, S., Zhou, X., Singer, G. A. C., & Baird, D. J. (2011). *Environmental Barcoding : A Next-Generation Sequencing Approach for Biomonitoring Applications Using River Benthos*. *6*(4). <https://doi.org/10.1371/journal.pone.0017497>
- Haldhar, S. M., Kumar, R., Samadia, D. K., Singh, B., & Singh, H. (2018). Role of insect pollinators and pollinizers in arid and semi-arid horticultural crops. *Journal of Agriculture and Ecology*, *5*, 1–25. <http://saaer.org.in>
- Hall, R. M., Penke, N., Kriechbaum, M., Kratschmer, S., Jung, V., Chollet, S., Guernion, M., Nicolai, A., Burel, F., Fertil, A., Lora, Á., Sánchez-Cuesta, R., Guzmán, G., Gómez, J., Popescu, D., Hoble, A., Bunea, C. I., Zaller, J. G., & Winter, S. (2020). Vegetation management intensity and landscape diversity alter plant species richness, functional traits and community composition across European vineyards. *Agricultural Systems*, *177*, 102706. <https://doi.org/10.1016/j.agry.2019.102706>
- Han, Y., Lei, W., Wen, L., & Hou, M. (2015). Silicon-mediated resistance in a susceptible rice variety to the rice leaf folder, *Cnaphalocrocis medinalis* Guenée (Lepidoptera: Pyralidae). *PloS One*, *10*(4), e0120557.

- Harris, R. M. B., McQuillan, P., & Hughes, L. (2013). Experimental manipulation of melanism demonstrates the plasticity of preferred temperature in an agricultural pest (*Phaulacridium vittatum*). *PloS One*, 8(11), e80243–e80243. <https://doi.org/10.1371/journal.pone.0080243>
- Harris, R., McQuillan, P., & Hughes, L. (2012). *Patterns in body size and melanism along a latitudinal cline in the wingless grasshopper , Phaulacridium vittatum*. 1450–1461. <https://doi.org/10.1111/j.1365-2699.2012.02710.x>
- Hassan, S. (2009). Effect of variety and intercropping on two major cowpea [*Vigna unguiculata* (L .) Walp] field pests in Mubi, Adamawa State, Nigeria. *Journal of Horticulture and Forestry*, 1(2), 14–16.
- Havemann, N., Gossner, M. M., Hendrich, L., Morinière, J., Niedringhaus, R., Schäfer, P., & Raupach, M. J. (2018). From water striders to water bugs: the molecular diversity of aquatic Heteroptera (Gerromorpha, Nepomorpha) of Germany based on DNA barcodes. *PeerJ*, 6, e4577.
- Hazarika, H. N., & Kalita, J. (2018). *A Preliminary Study on Different Feeding Habits of Beetles (Coleoptera)*. 3(7), 99–102.
- Hebert, P. D., Cywinska, A., & Ball, S. L. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London B: Biological Sciences*, 270(1512), 313–321.
- Hebert, P. D. N., Ratnasingham, S., & Jeremy, R. (2003). *Barcoding animal life : cytochrome c oxidase subunit I divergences among closely related species*. September 2016. <https://doi.org/10.1098/rsbl.2003.0025>
- Hebert, P. D. N., Ratnasingham, S., Zakharov, E. V., Telfer, A. C., Levesque-Beaudin, V., Milton, M. A., Pedersen, S., Jannetta, P., & Dewaard, J. R. (2016). Counting animal species with DNA barcodes: Canadian insects. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371(1702). <https://doi.org/10.1098/rstb.2015.0333>
- Hebert, P. D. N., Stoeckle, M. Y., Zemplak, T. S., & Francis, C. M. (2004). *Identification of Birds through DNA Barcodes*. 2(10). <https://doi.org/10.1371/journal.pbio.0020312>
- Heeb, L., Jenner, E., & Cock, M. J. W. (2019). Climate-smart pest management: building resilience of farms and landscapes to changing pest threats. *Journal of Pest Science*, 92(3), 951–969. <https://doi.org/10.1007/s10340-019-01083-y>
- Heinrichs, J., Kreier, H.-P., Feldberg, K., Schmidt, A. R., Zhu, R.-L., Shaw, B., Shaw,

- A. J., & Wissemann, V. (2011). Formalizing morphologically cryptic biological entities: new insights from DNA taxonomy, hybridization, and biogeography in the leafy liverwort *Porella platyphylla* (Jungermanniopsida, Porellales). *American Journal of Botany*, 98(8), 1252–1262. <https://doi.org/10.3732/ajb.1100115>
- Hernández-Vera, G., Toševski, I., Caldara, R., & Emerson, B. C. (2019). Evolution of host plant use and diversification in a species complex of parasitic weevils (Coleoptera: Curculionidae). *PeerJ*, 2019(3), 1–21. <https://doi.org/10.7717/peerj.6625>
- Hill, C. B., Crull, L., Herman, T. K., Voegtlin, D. J., & Hartman, G. L. (2010). A new soybean aphid (Hemiptera: Aphididae) biotype identified. *Journal of Economic Entomology*, 103(2), 509–515.
- Hiremath, R. B., & Cb, G. (2016). A preliminary study on hymenopteran diversity in university of agricultural sciences campus, Dharwad. *Journal of Entomology and Zoology Studies*, 4, 1271–1274.
- Hoehn, P., Tschardtke, T., Tylianakis, J., & Steffan-Dewenter, I. (2008). Functional group diversity of bee pollinators increases crop yield. *Proceedings. Biological Sciences / The Royal Society*, 275, 2283–2291. <https://doi.org/10.1098/rspb.2008.0405>
- Holland, J. M. (2014). Carabid beetles: their ecology, survival and use in agroecosystems the Game conservancy Trust, fordingbridge, hampshire, SP6 1EF, UK Abbreviations: SADIE, Spatial analysis by distance indices. *The Agroecology of Carabid Beetles, January 2002*, 1–40.
- Hon, S. (2019). Preliminary study on diversity of beetles from Kopergaon thasil, Ahmednagar, Maharashtra, India. *Journal of Biological Sciences*, 7(6) 23-25, 23–25.
- Hoogendoorn, M., & Heimpel, G. E. (2001). PCR-based gut content analysis of insect predators: using ribosomal ITS-1 fragments from prey to estimate predation frequency. *Molecular Ecology*, 10(8), 2059–2067. <https://doi.org/10.1046/j.1365-294x.2001.01316.x>
- Hunt, T., Bergsten, J., Levkanicova, Z., Papadopoulou, A., John, O. S., Wild, R., Hammond, P. M., Ahrens, D., Balke, M., Caterino, M. S., Gómez-Zurita, J., Ribera, I., Barraclough, T. G., Bocakova, M., Bocak, L., & Vogler, A. P. (2007). A comprehensive phylogeny of beetles reveals the evolutionary origins of a

- superradiation. *Science (New York, N.Y.)*, 318(5858), 1913–1916.
<https://doi.org/10.1126/science.1146954>
- Hunter, M. C., Schipanski, M. E., Burgess, M. H., LaChance, J. C., Bradley, B. A., Barbercheck, M. E., Kaye, J. P., & Mortensen, D. A. (2019). Cover Crop Mixture Effects on Maize, Soybean, and Wheat Yield in Rotation. *Agricultural & Environmental Letters*, 4(1), 1–5. <https://doi.org/10.2134/ael2018.10.0051>
- Ibanez, S., Manneville, O., Miquel, C., Taberlet, P., Duparc, Q., Lavorel, S., & Moretti, M. (2013). Plant functional traits reveal the relative contribution of habitat and food preferences to the diet of grasshoppers. *Oecologia* 173, 1459–1470
<https://doi.org/10.1007/s00442-013-2738-0>
- Ingegno, B. L., La-Spina, M., Jordan, M. J., Tavella, L., & Sanchez, J. A. (2016). Host Plant Perception and Selection in the Sibling Species *Macrolophus melanotoma* and *Macrolophus pygmaeus* (Hemiptera: Miridae). *Journal of Insect Behavior*, 29(2), 117–142. <https://doi.org/10.1007/s10905-016-9549-1>
- Ingels, B., Aeby, A., Hautier, L., Van Leeuwen, T., & De Clerc, P. (2013). Molecular analysis of the gut contents of *Harmonia axyridis* (Coleoptera: Coccinellidae) as a method for detecting intra-guild predation by this species on aphidophagous predators other than coccinellids. *European Journal of Entomology*, 110(4), 567–576.
- Iqbal, B. A. (2018). Indian Agricultural Scenario in 21 st Century. *Journal of Food Science and Toxicology*, 2(1.5), 3–4.
- Jadhao, M. F., & Khurad, A. M. (2011). Insect pests Vidarbha, complex of rice ecosystem in eastern of Maharashtra, India. *International Referred Research Journal*, 2(24), 19–21.
- Jadhav, B. (2019). Genetic Diversity and Phylogeny of Subterranean Termites from Maharashtra using Mitochondrial Coi Gene. *RJLBPCS* 5(1) 872
<https://doi.org/10.26479/2019.0501.73>
- Jalali, S. K., Ojha, R., & Venkatesan, T. (2015). DNA barcoding for identification of agriculturally important insects. In *New horizons in insect science: Towards sustainable pest management Springer*. 13–23. https://doi.org/10.1007/978-81-322-2089-3_2
- Jankielsohn, A. (2018). *The Importance of Insects in Agricultural Ecosystems*. 62–73.
<https://doi.org/10.4236/ae.2018.62006>

- Janz, N. (2011). Ehrlich and Raven Revisited: Mechanisms Underlying Codiversification of Plants and Enemies. *Annual Review of Ecology, Evolution, and Systematics*, 42(1), 71–89. <https://doi.org/10.1146/annurev-ecolsys-102710-145024>
- Jarman, S. N., & Elliott, N. G. (2000). DNA evidence for morphological and cryptic Cenozoic speciations in the Anaspididae, 'living fossils' from the Triassic. *Journal of Evolutionary Biology*, 13(4), 624–633.
- Jemal, A., & Getu, E. (2018). Diversity of butterfly communities at different altitudes of Menageshasuba state forest, Ethiopia. *Journal of Entomology and Zoology Studies*, 6(2), 2197-2202.
- Jiménez-Soto, E., Cruz-Rodríguez, J. A., Vandermeer, J., & Perfecto, I. (2013). *Hypothenemus hampei* (Coleoptera: Curculionidae) and its interactions with *Azteca instabilis* and *Pheidole synanthropica* (Hymenoptera: Formicidae) in a shade coffee agroecosystem. *Environmental Entomology*, 42(5), 915–924.
- Johnson, K. P., Dietrich, C. H., Friedrich, F., Beutel, R. G., Wipfler, B., Peters, R. S., Allen, J. M., Petersen, M., Donath, A., & Walden, K. K. O. (2018). Phylogenomics and the evolution of hemipteroid insects. *Proceedings of the National Academy of Sciences*, 115(50), 12775–12780.
- Jolivet, P., Verma, K., Mille, C., & Govt, M. (2007). New Genera and Species of Eumolpinae from New Caledonia (Coleoptera, Chrysomelidae). *Revue Française d'entomologie*, 29, 77–92.
- Jonas, J. L., Wolesensky, W., & Joern, A. (2015). Weather affects grasshopper population dynamics in continental grassland over annual and decadal periods. *Rangeland Ecology and Management*, 68.
- Jørgensen, F. G., Schierup, M. H., & Clark, A. G. (2007). Heterogeneity in regional GC content and differential usage of codons and amino acids in GC-poor and GC-rich regions of the genome of *Apis mellifera*. *Molecular Biology and Evolution*, 24(2), 611–619. <https://doi.org/10.1093/molbev/msl190>
- Jörger, K. M., & Schrödl, M. (2013). How to describe a cryptic species? Practical challenges of molecular taxonomy. *Frontiers in Zoology*, 10(1), 1–27. <https://doi.org/10.1186/1742-9994-10-59>
- Joshi, N. C., Joshi, P. C., Kumar, S., Nath, P., Singh, V. K., & Mansotra, D. (2016). *Entomofaunal diversity in fruit orchards along the altitudinal gradients of district*

- Nainital , Uttarakhand*. 3(2), 113–120.
- Jurado-Rivera, J. A., Vogler, A. P., Reid, C. A. M., Petitpierre, E., & Gómez-Zurita, J. (2009). DNA barcoding insect-host plant associations. *Proceedings of the Royal Society B: Biological Sciences*, 276(1657), 639–648.
<https://doi.org/10.1098/rspb.2008.1264>
- Kaila, L. (2004). Phylogeny of the superfamily Gelechioidea (Lepidoptera: Ditrysia): an exemplar approach. *Cladistics*, 20(4), 303–340.
- Kaila, L., Mutanen, M., & Nyman, T. (2011). Phylogeny of the mega-diverse Gelechioidea (Lepidoptera): Adaptations and determinants of success. *Molecular Phylogenetics and Evolution*, 61(3), 801–809.
- Kannagi, A., Sivakumar, V., Santhi, V., & Borgia, J. F. (2013). Hymenopteran diversity in a deciduous forest from South India. *International Journal of Biodiversity and Conservation*, 5(10), 666–670. <https://doi.org/10.5897/IJBC2013.0544>
- Karthika, P., Krishnaveni, N., Vadivalagan, C., Murugan, K., Nicoletti, M., & Benelli, G. (2016). DNA barcoding and evolutionary lineage of 15 insect pests of horticultural crops in South India. *Karbala International Journal of Modern Science*, 2(3), 156–168. <https://doi.org/10.1016/j.kijoms.2016.03.006>
- Karthika, P., Krishnaveni, N., Vadivalagan Ph.D, C., Murugan, K., Nicoletti, M., & Benelli, G. (2016). DNA barcoding and evolutionary lineage of 15 insect pests of horticultural crops in South India-NC-ND license. *Karbala International Journal of Modern Science*, 1–13. <https://doi.org/10.1016/j.kijoms.2016.03.006>
- Kataria, R., & Kumar, D. (2012). Occurrence and Infestation Level of Sucking pests: Aphids on various host plants in Agricultural Fields of Vadodara, Gujarat (India). *International Journal of Scientific and Research Publications*, 2.
- Kataria, R., & Kumar, D. (2017). Population dynamics of *Aphis craccivora* (Koch) and its natural enemies on bean crop in relation to weather parameters in Vadodara, Gujarat, India. *Legume Research*, 40(3), 571–579.
<https://doi.org/10.18805/lr.v0iOF.10282>
- Kathirvelu, C., & Nadu, T. (2018). *Research Article Diversity and Relative Abundance of Lycaenidae Butterflies in Annamalai Nagar , Tamil Nadu*. 9(D), 26777–26780.
<https://doi.org/10.24327/IJRSR>
- Kerchev, P. I., Fenton, B., Foyer, C. H., & Hancock, R. D. (2012). Plant responses to insect herbivory: Interactions between photosynthesis, reactive oxygen species and hormonal signalling pathways. *Plant, Cell and Environment*, 35(2), 441–453.

- <https://doi.org/10.1111/j.1365-3040.2011.02399.x>
- Khan, A. A., Zaki, F. A., Khan, Z. H., & Mir, R. A. (2009). Biodiversity of predacious ladybird beetles (Coleoptera: Coccinellidae) in Kashmir. *Journal of Biological Control*, 23(1), 43–47.
- Kim, M., & Masuda, M. (1997). Cancer chemoprevention by green tea polyphenols. In T. Yamamoto, L. R. Juneja, D. C. Chu, & M. Kim (Eds.), *In Chemistry and Applications of Green Tea* (pp. 61–73.).
- Kisetu Nassary, E., & Nyasasi, B. (2014). Determination of land productivity under maize-cowpea intercropping system in agro-ecological zone of mount Uluguru in Morogoro, Tanzania. *Global Journal of Agricultural Sciences*, 2 (2), 147-157
- Kishimoto-Yamada, K., Kamiya, K., Meleng, P., Diway, B., Kaling, H., Chong, L., Itioka, T., Sakai, S., & Ito, M. (2013). Wide Host Ranges of Herbivorous Beetles? Insights from DNA Bar Coding. *PLoS ONE*, 8(9), 1–10.
<https://doi.org/10.1371/journal.pone.0074426>
- Kitson, J. J. N., Warren, B. H., Vincent Florens, F. B., Baider, C., Strasberg, D., & Emerson, B. C. (2013). Molecular characterization of trophic ecology within an island radiation of insect herbivores (Curculionidae: Entiminae: Cratopus). *Molecular Ecology*, 22(21), 5441–5455. <https://doi.org/10.1111/mec.12477>
- Koch, H. (2010). Combining morphology and DNA barcoding resolves the taxonomy of western Malagasy *Liotrigona* Moure, 1961 (Hymenoptera: Apidae: Meliponini). *African Invertebrates*, 51(2), 413–421.
- Kohler, F., Verhulst, J., Klink, R. Van, & Kleijn, D. (2008). *At what spatial scale do high-quality habitats enhance the diversity of forbs and pollinators in intensively farmed landscapes ? 2005, 753–762.* <https://doi.org/10.1111/j.1365-2664.2007.01394.x>
- Koul, O., & Dhaliwal, G. (2010). *Quest for Pest Management: From Green Revolution to Gene Revolution.* Kalyani Publishers..
- Kovács-Hostyánszki, A., Espíndola, A., Vanbergen, A. J., Settele, J., Kremen, C., & Dicks, L. V. (2017). Ecological intensification to mitigate impacts of conventional intensive land use on pollinators and pollination. *Ecology Letters*, 20(5), 673–689. <https://doi.org/10.1111/ele.12762>
- Kremen, C., & Miles, A. (n.d.). Ecosystem Services in Biologically Diversified versus Conventional Farming Systems: Benefits, Externalities, and Trade-Offs. *Ecology*

- and Society*, 17(4). <https://doi.org/10.5751/ES-05035-170440>
- Kress, W., & Erickson, D. (2007). A Two-Locus Global DNA Barcode for Land Plants: The Coding *rbcL* Gene Complements the Non-Coding *trnH-psbA* Spacer Region. *PLoS One*, 2, e508. <https://doi.org/10.1371/journal.pone.0000508>
- Kress, W. J., & Erickson, D. L. (2007). A Two-Locus Global DNA Barcode for Land Plants: The Coding *rbcL* Gene Complements the Non-Coding *trnH-psbA* Spacer Region. *PLoS ONE*, 2(6). <https://doi.org/10.1371/journal.pone.0000508>
- Kritika, T., & Jaimala, S. (2017). *Diversity and ecology of Coleoptera in India: A review SO - Journal of Entomology and Zoology Studies*. 5(2 S), 1422–1429.
- Kulkarni, A. S., & Subramanian, K. A. (2013). *Habitat and seasonal distribution of Odonata (Insecta) of Mula and Mutha river basins , Maharashtra , India Habitat and seasonal distribution of Odonata (Insecta) of Mula and Mutha river basins , Maharashtra , India. April*. <https://doi.org/10.11609/JoTT.o3253.4084-95>
- Kumar, A. (2005). Changing scenario of insect pests' problems. *Alternatives to Chemical Pesticides in Pest Management.*, Agrotech Publishing Academy, Udaipur., 21-38.
- Kumar, D. (2012). Occurrence and Infestation Level of Sucking pests : Aphids on various host plants in Agricultural Fields of. *International Journal of Scientific and Research Publications*, 2(7), 1–6.
- Kumar, D., & Naidu, B. (2010). A contribution towards the insect fauna of Vadodara , Gujarat (India): The Order Hemiptera. *Halteres*, 2(2), 58–63.
http://www.antdiversityindia.com/halteresentomology_research_journal
- Kumar, H., & Usmani, M. K. (2014). Taxonomic studies on Acrididae (Orthoptera: Acridoidea) from Rajasthan (India). *Journal of Entomology and Zoology Studies JEZS*, 131(23), 131–146.
- Kumar, H., & Usmani, M. K. (2015). A new genus *Mesophlaeoba* (Orthoptera: Acrididae: Acridinae) from India. *Entomologia*, 3.
<https://doi.org/10.4081/entomologia.2015.269>
- Kumar, S. G. D. (2015). Butterfly Species Abundance in Agricultural fields of Vadodara, Gujarat with Special Emphasis on the Conservation of Complementary Plantations. In *International Journal of Science and Research (IJSR)* 4, (10), 1933–1936. <https://www.ijsr.net/archive/v4i10/SUB1592722.pdf>
- Kumar Shah, S., Biswas, O., Mishra, P., & Mallick, K. (2015). Taxonomic Account of Erebididae (Lepidoptera: Noctuoidea) Pests of Tea gardens of West Bengal, India.

- Journal of Entomology and Zoology Studies*, 3(5), 185–192.
- Kuruvila, M. E., Mohan, S., & Jacob, S. (2019). *Effect of Seasonal Variations in Grasshopper Diversity at Selected High and Low Range Areas*. 4(2), 239–242.
- Lahaye, R., Van Der Bank, M., Bogarin, D., Warner, J., Pupulin, F., Gigot, G., Maurin, O., Duthoit, S., Barraclough, T. G., & Savolainen, V. (2008). DNA barcoding the floras of biodiversity hotspots. *Proceedings of the National Academy of Sciences of the United States of America*, 105(8), 2923–2928.
<https://doi.org/10.1073/pnas.0709936105>
- Lal Sharma, A., & Singh, A. (2014). Agriculturally Important Insects Diversity in Kharif and Rabi crops of Talwandi sabo, Punjab. *International Journal of Scientific and Research Publications*, 4(8), 2250-3153.
- Landis, D. A., Wratten, S. D., & Gurr, and G. M. (2000). The C halkstream H habitat M anual. *Annu. Rev. Entomol.*, 45, 175–201.
- Lanfear, R., Calcott, B., Kainer, D., Mayer, C., & Stamatakis, A. (2014). *Selecting optimal partitioning schemes for phylogenomic datasets*. 1–14.
- Packer L., Gibbs, J. C. and Jason, H. (2009). Barcoding methodology and applications dna barcoding and the mediocrity of morphology. *Molecular Ecology Resources*, 9(1), 42–50.
- Laxmi Rai, V., Sharma, P., & Kushwaha, R. (2015). Beneficial insects and their value to agriculture. *Research Journal of Agriculture and Forestry Sciences*, 3(5), 25–30. www.isca.me
- Legendre, F., Whiting, M. F., Bordereau, C., Canello, E. M., Evans, T. A., & Grandcolas, P. (2008). The phylogeny of termites (Dictyoptera: Isoptera) based on mitochondrial and nuclear markers: implications for the evolution of the worker and pseudergate castes, and foraging behaviors. *Molecular Phylogenetics and Evolution*, 48(2), 615–627.
- Leslie, T. W., Biddinger, D. J., Mullin, C. A., & Fleischer, S. J. (2009). Carabidae population dynamics and temporal partitioning: Response to coupled neonicotinoid-transgenic technologies in maize. *Environmental Entomology*, 38(3), 935–943. <https://doi.org/10.1603/022.038.0348>
- Leslie, T. W., Biddinger, D. J., Rohr, J. R., Hulting, A. G., Mortensen, D. A., Fleischer, S. J., Mullin, C. A., Fleischer, S. J., Badieritakis, E. G., Fantinou, A. A., Emmanouel, N. G., Plexida, S. G., Sfougaris, A. I., & Papadopoulos, N. T. (2014).

- A faunistic study on Carabidae and Scarabaeidae in alfalfa fields from Central Greece. *Environmental Entomology*, 71(11), 1274–1280.
- Lewinsohn, T. M., & Roslin, T. (2008). Four ways towards tropical herbivore megadiversity. *Ecology Letters*, 11(4), 398–416.
<https://doi.org/doi:10.1111/j.1461-0248.2008.01155.x>
- Li, C., He, X., Zhu, S., Zhou, H., Wang, Y., Li, Y., Yang, J., Fan, J., Yang, J., Wang, G., Long, Y., Xu, J., Tang, Y., Zhao, G., Yang, J., Liu, L., Sun, Y., Xie, Y., Wang, H., & Zhu, Y. (2009). Crop Diversity for Yield Increase. *PLoS ONE*, 4(11).
<https://doi.org/10.1371/journal.pone.0008049>
- Li, F., Zhao, X., Li, M., He, K., Huang, C., Zhou, Y., Li, Z., & Walters, J. R. (2019). Insect genomes: progress and challenges. *Insect Molecular Biology*, 28(6), 739–758.
- Li, H., Leavengood, J. M., Chapman, E. G., Burkhardt, D., Song, F., Jiang, P., Liu, J., Zhou, X., & Cai, W. (2017). Mitochondrial phylogenomics of Hemiptera reveals adaptive innovations driving the diversification of true bugs. *Proceedings of the Royal Society B: Biological Sciences*, 284(1862).
<https://doi.org/10.1098/rspb.2017.1223>
- Liebholt, A. M., McCullough, D. G., Blackburn, L. M., Frankel, S. J., Von Holle, B., & Aukema, J. E. (2013). A highly aggregated geographical distribution of forest pest invasions in the USA. *Diversity and Distributions*, 19(9), 1208–1216.
- Liebholt, A., & Tobin, P. (2008). Population Ecology of Insect Invasions and Their Management. *Annual Review of Entomology*, 53, 387–408.
<https://doi.org/10.1146/annurev.ento.52.110405.091401>
- Linzmeier, Adelita M, & Ribeiro-Costa, C. S. (2012). Spatial–temporal composition of Chrysomelidae (Insecta: Coleoptera) communities in southern Brazil. *Journal of Natural History*, 46(31–32), 1921–1938.
- Linzmeier, Adelita Maria, & Ribeiro-Costa, C. S. (2009). Spatio-temporal dynamics of Alticini (Coleoptera, Chrysomelidae) in a fragment of Araucaria Forest in the state of Parana, Brazil . In *Revista Brasileira de Entomologia* (Vol. 53, pp. 294–299). scielo .
- Liu, D., Dong, Z., Zhang, D., Gu, Y., Guo, P., Han, R., & Jiang, G. (2009). Molecular Phylogeny of the Higher Category of Acrididae (Orthoptera: Acridoidea). *Zoological Research*, 29(6), 585–591.
<https://doi.org/10.3724/sp.j.1141.2008.06585>

- Liu, Y., Dietrich, C. H., & Wei, C. (2019). Genetic divergence, population differentiation and phylogeography of the cicada *Subpsaltria yangi* based on molecular and acoustic data: an example of the early stage of speciation? *BMC Evolutionary Biology*, *19*(1), 5.
- Loiola, P., Silva, I., Silva, D., & Batalha, M. (2012). Underdispersion of anti-herbivore defence traits and phylogenetic structure of cerrado tree species at fine spatial scale. *Journal of Vegetation Science*, *23*, 1095–1104.
<https://doi.org/10.2307/23322314>
- Lonsdorf, E., Kremen, C., Ricketts, T., Winfree, R., Williams, N., & Greenleaf, S. (2009). Modelling pollination services across agricultural landscapes. *Annals of Botany*, *103*, 1589–1600. <https://doi.org/10.1093/aob/mcp069>
- Lopes, J., Korasaki, V., Catelli, L. L., Marçal, V. V. M., & Nunes, M. P. B. P. (2011). A comparison of dung beetle assemblage structure (Coleoptera: Scarabaeidae: Scarabaeinae) between an Atlantic forest fragment and adjacent abandoned pasture in Paraná, Brazil . In *Zoologia (Curitiba)* (Vol. 28, pp. 72–79). scielo .
- Losey, J. E., & Vaughan, M. (2006). The Economic Value of Ecological Services Provided by Insects. *BioScience*, *56*(4), 311–323. [https://doi.org/10.1641/0006-3568\(2006\)56\[311:TEVOES\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2006)56[311:TEVOES]2.0.CO;2)
- Lyons, D. M., & Lauring, A. S. (2017). Evidence for the selective basis of transition-to-transversion substitution bias in two RNA viruses. *Molecular Biology and Evolution*, *34*(12), 3205–3215. <https://doi.org/10.1093/molbev/msx251>
- Macfadyen, S., Cunningham, S. A., Costamagna, A. C., & Schellhorn, N. A. (2012). Managing ecosystem services and biodiversity conservation in agricultural landscapes: are the solutions the same? *Journal of Applied Ecology*, *49*(3), 690–694.
- Macfadyen, S., Gibson, R., Polaszek, A., Morris, R. J., Craze, P. G., Planqué, R., Symondson, W. O. C., & Memmott, J. (2009). Do differences in food web structure between organic and conventional farms affect the ecosystem service of pest control? *Ecology Letters*, *12*(3), 229–238.
- Mahendran, B., Sharma, R. K., & Sinha, S. R. (2018). Strategies for Insect Management in Cauliflower (*Brassica oleraceae* var. botrytis) Through Habitat Intervention. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, *88*(1), 305–311.

- Mandal, S. De, Chhakchhuak, L., Gurusubramanian, G., & Kumar, N. S. (2014). Mitochondrial markers for identification and phylogenetic studies in insects – A Review. *DNA Barcodes*, 2(1). <https://doi.org/10.2478/dna-2014-0001>
- Mandal, R. (2014). Flood, cropping pattern choice and returns in agriculture: A study of Assam plains, India. *Economic Analysis and Policy*, 44(3), 333–344. <https://doi.org/10.1016/j.eap.2014.08.001>
- Mao, M., Gibson, T., & Downton, M. (2014). Evolutionary dynamics of the mitochondrial genome in the Evaniomorpha (Hymenoptera)—a group with an intermediate rate of gene rearrangement. *Genome Biology and Evolution*, 6(7), 1862–1874.
- Maqbool, A., Rather, S. U., Akbar, S. A., & Wachkoo, A. A. (2020). Preliminary Survey of Ladybird Beetle Composition (Coleoptera: Coccinellidae) in Unmanaged Apple Orchard Ecosystems of Kashmir Himalayas. In *Proceedings of the Zoological Society* (Vol. 73, Issue 2, pp. 160–174). <https://doi.org/10.1007/s12595-020-00322-w>
- Marini, L., Økland, B., Jönsson, A. M., Bentz, B., Carroll, A., Forster, B., Grégoire, J., Hurling, R., Nageleisen, L. M., Netherer, S., Ravn, H. P., Weed, A., & Schroeder, M. (2017). Climate drivers of bark beetle outbreak dynamics in Norway spruce forests. *October 2016*, 1426–1435. <https://doi.org/10.1111/ecog.02769>
- Mariod, A. A., Saeed Mirghani, M. E., & Hussein, I. (2017). Schistocerca gregaria (Desert Locust) and Locusta migratoria (Migratory Locust). *Unconventional Oilseeds and Oil Sources*, 293–297. <https://doi.org/10.1016/b978-0-12-809435-8.00044-5>
- Mata, L., Andersen, A. N., Morán-Ordóñez, A., Hahs, A. K., Backstrom, A., Ives, C. D., Bickel, D., Duncan, D., Palma, E., Thomas, F., Cranney, K., Walker, K., Shears, I., Semeraro, L., Malipatil, M., Moir, M. L., Plein, M., Porch, N., Vesk, P. A. Lynch, Y. (2020). Indigenous plants promote insect biodiversity in urban greenspaces. *BioRxiv*, 2020.05.29.122572. <https://doi.org/10.1101/2020.05.29.122572>
- Mata, L., Threlfall, C. G., Williams, N. S. G., Hahs, A. K., Malipatil, M., Stork, N. E., & Livesley, S. J. (2017). Conserving herbivorous and predatory insects in urban green spaces. *Scientific Reports*, 7(1), 40970. <https://doi.org/10.1038/srep40970>
- Matheson, C., Muller, G., Junnila, A., Vernon, K., Miller, M., Greenblatt, C., Hausmann, A., & Schlein, Y. (2008). A PCR Method for Detection of Plant Meals

- from the Gut of Insects. – ODE 7 (2008): 294-303. *Organisms Diversity & Evolution*, 7, 294–303.
- Maxwell-Lefroy, & H. Harold. (1909). *Indian insect life : a manual of the insects of the plains (tropical India)*. Spink & Co., W. Thacker & Co.
- May, M. L. (2019). Odonata: who they are and what they have done for us lately: classification and ecosystem services of dragonflies. *Insects*, 10(3), 62.
- McKenna, D. D., Shin, S., Ahrens, D., Balke, M., Beza-Beza, C., Clarke, D. J., Donath, A., Escalona, H. E., Friedrich, F., Letsch, H., Liu, S., Maddison, D., Mayer, C., Misof, B., Murin, P. J., Niehuis, O., Peters, R. S., Podsiadlowski, L., Pohl, H., and Beutel, R. G. (2019). The evolution and genomic basis of beetle diversity. *Proceedings of the National Academy of Sciences of the United States of America*, 116(49), 24729–24737. <https://doi.org/10.1073/pnas.1909655116>
- Meyer, C. P., & Paulay, G. (2005). *PLoS Biology Dna Barcoding : Error Rates Based on Comprehensive Sampling*. 3(12). <https://doi.org/10.1371/journal.pbio.0030422>
- Miao, H., Liu, Y., Shan, L., & Wu, G. (2018). Linkages of plant-soil interface habitat and grasshopper occurrence of typical grassland ecosystem. *Ecological Indicators*, 90(March), 324–333. <https://doi.org/10.1016/j.ecolind.2018.03.008>
- Mishra, M., Lomate, P. R., Joshi, R. S., Punekar, S. A., Gupta, V. S., & Giri, A. P. (2015). Ecological turmoil in evolutionary dynamics of plant–insect interactions: defense to offence. *Planta*, 242(4), 761–771.
- Misof, B., Liu, S., Meusemann, K., Peters, R. S., Donath, A., Mayer, C., Frandsen, P. B., Ware, J., Flouri, T., & Beutel, R. G. (2014). Phylogenomics resolves the timing and pattern of insect evolution. *Science*, 346(6210), 763–767.
- Misselhorn, A., Aggarwal, P., Ericksen, P., Gregory, P., Horn-Phathanothai, L., Ingram, J., & Wiebe, K. (2012). A vision for attaining food security. *Current Opinion in Environmental Sustainability*, 4(1), 7–17.
- Mitchell, C., Brennan, R. M., Graham, J., & Karley, A. J. (2016). Plant defense against herbivorous pests: Exploiting resistance and tolerance traits for sustainable crop protection. In *Frontiers in Plant Science* 7 (6). <https://doi.org/10.3389/fpls.2016.01132>
- Mitter, C., Farrell, B., & Futuyma, D. J. (1991). Phylogenetic studies of insect-plant interactions: Insights into the genesis of diversity. *Trends in Ecology and*

- Evolution*, 6(9), 290–293. [https://doi.org/10.1016/0169-5347\(91\)90007-K](https://doi.org/10.1016/0169-5347(91)90007-K)
- Mobin, S., Kumar, H., & Usmani, M. (2017). A Checklist of Acrididae (Orthoptera: Acridoidea) of Uttar Pradesh, India. *Trends in Biosciences*, 10, 8907–8912.
- Mohammad Din, A., Hazmi, I., & Yaakop, S. (2015). Colonisation of Dung Beetles (Coleoptera: Scarabaeidae) of Smaller Body Size in the Bangi Forest Reserve, Selangor, Malaysia: A Model Sampling Site for a Secondary Forest Area. *Pertanika Journal of Tropical Agricultural Science*, 38, 519–532.
- Moir, M. L., & Brennan, K. E. C. (2009). Using bugs (Hemiptera) as ecological and environmental indicators in forest ecosystems. In *Ecology Research Progress*. Inc. New York, Nova Science Publishers.
- Mora, C., Tittensor, D., Adl, S., Simpson, A., & Worm, B. (2011). How Many Species Are There on Earth and in the Ocean? *PLoS Biology*, 9, e1001127. <https://doi.org/10.1371/journal.pbio.1001127>
- Motyka, M., Masek, M., & Bocak, L. (2017). Congruence between morphology and molecular phylogeny: the reclassification of Calochromini (Coleoptera: Lycidae) and their dispersal history. *Zoological Journal of the Linnean Society*, 180(1), 47–65.
- Mouhoub-Sayah, C., Djoudad-Kadji, H., Kletty, F., Malan, A., Robin, J. P., Saboureau, M., & Habold, C. (2018). Seasonal variations in the diet and food selection of the Algerian hedgehog *Atelerix algirus*. *African Zoology*, 53(1), 1-10.
- Muellner-Riehl, A., Schaefer, H., & Lahaye, R. (2011). Evaluation of candidate DNA barcoding loci for economically important timber species of the mahogany family (Meliaceae). *Molecular Ecology Resources*, 11, 450–460. <https://doi.org/10.1111/j.1755-0998.2011.02984.x>
- Nagrare, V. S., Kranthi, S., Biradar, V. K., Zade, N. N., Sangode, V., Kakde, G., Shukla, R. M., Shivare, D., Khadi, B. M., & Kranthi, K. R. (2009). Widespread infestation of the exotic mealybug species, *Phenacoccus solenopsis* (Tinsley) (Hemiptera: Pseudococcidae), on cotton in India. *Bulletin of Entomological Research*, 99(5), 537–541. <https://doi.org/10.1017/S0007485308006573>
- Nagrare, V. S., Kranthi, S., Kumar, R., Dhara Jothi, B., Amutha, M., Deshemukh, A. J., Bisane, K. D., & Kranthi, K. R. (2011). *Compendium of Cotton Mealybugs*. Central Institute for Cotton Research, Nagpur, P 42
- Narender, M., Ahmad, S. A., Pandit, R. S., & Wankhade, V. (2016). Seasonal variations in diversity and abundance of odonata at Sawanga-Vithoba Lake, India. *Journal*

- of *Entomology*, 13(5–6), 170–178. <https://doi.org/10.3923/je.2016.170.178>
- Nasiruddin, M., & Roy, R. C. (2012). Rice field insect pests during the rice growing seasons in two areas of Hathazari, Chittagong. *Bangladesh Journal of Zoology*, 40(1), 89–100.
- Natalie Robinson Stephen Armstead M. Deane Bowers. (2012). Butterfly community ecology: the influences of habitat type, weather patterns, and dominant species in a temperate ecosystem. *Entomologia Experimentalis Et Applicata*, 145(1), 50–61. <https://doi.org/https://doi.org/10.1111/j.1570-7458.2012.01308.x>
- Navarro, S. P., Jurado-Rivera, J. A., Gómez-Zurita, J., Lyal, C. H. C., & Vogler, A. P. (2010). DNA profiling of host-herbivore interactions in tropical forests. *Ecological Entomology*, 35(1), 18–32. <https://doi.org/10.1111/j.1365-2311.2009.01145.x>
- Nekola, J. C., Barker, G. M., Cameron, R. A. D., & Pokryszko, B. M. (2000). *in land snail populations and communities. Poulin 1996.*
- Nicholls, C., & Altieri, M. (2016). Agroecology: Principles for the Conversion and Redesign of Farming Systems. *Journal of Ecosystem and Ecography*, 01. <https://doi.org/10.4172/2157-7625.S5-010>
- Nicholls, C. I., Parrella, M. P., & Altieri, M. A. (2000). Reducing the abundance of leafhoppers and thrips in a northern California organic vineyard through maintenance of full season floral diversity with summer cover crops. *Agricultural and Forest Entomology*, 2(2), 107–113. <https://doi.org/10.1046/j.1461-9563.2000.00054.x>
- Novotny, V., Basset, Y., Miller, S., Weiblen, G., Bremer, B., Cizek, L., & Drozd, P. (2002). Low host specificity of herbivorous insects in a tropical forest. *Nature*, 416, 841–844. <https://doi.org/10.1038/416841a>
- Novotny, V., Miller, S. E., Hulcr, J., Drew, R. A. I., Basset, Y., Janda, M., Setliff, G. P., Darrow, K., Stewart, A. J. A., Auga, J., Isua, B., Molem, K., Manumbor, M., Tamtiai, E., Mogia, M., & Weiblen, G. D. (2007). Low beta diversity of herbivorous insects in tropical forests. *Nature*, 448(7154), 692–695. <https://doi.org/10.1038/nature06021>
- Novotny, V., & Weiblen, G. D. (2005). From communities to continents: Beta diversity of herbivorous insects. *Annales Zoologici Fennici*, 42(4), 463–475.
- Nyeko, P. (2009). Dung Beetle Assemblages and Seasonality in Primary Forest and

- Forest Fragments on Agricultural Landscapes in Budongo, Uganda. *Biotropica*, 41(4), 476–484. <https://doi.org/doi:10.1111/j.1744-7429.2009.00499.x>
- Oberprieler, R. G., Anderson, R. S., & Marvaldi, A. E. (2014). Curculionoidea Latreille, 1802: introduction, phylogeny. *Handbook of Zoology, Arthropoda: Insecta*, 285–300.
- Occhipinti, A. (2013). Plant coevolution: evidences and new challenges. *Journal of Plant Interactions*, 8(3), 188–196.
- Ohsawa, M., & Nagaike, T. (2006). Influence of forest types and effects of forestry activities on species richness and composition of Chrysomelidae in the central mountainous region of Japan. *Biodiversity and Conservation*, 15(4), 1179–1191. <https://doi.org/10.1007/s10531-004-4693-x>
- Okrikata, E., & Yusuf, O. A. (2016). Diversity and abundance of insects in Wukari, Taraba State, Nigeria. *International Biological and Biomedical Journal*, 2(4), 156-166.
- Omkar, & Pervez, A. (2011). Functional response of two aphidophagous ladybirds searching in tandem. *Biocontrol Science and Technology*, 21(1), 101–111.
- Opatovsky, I., Chapman, E. G., Weintraub, P. G., Lubin, Y., & Harwood, J. D. (2012a). Molecular characterization of the differential role of immigrant and agrobiont generalist predators in pest suppression. *Biological Control*, 63(1), 25–30. <https://doi.org/10.1016/j.biocontrol.2012.06.003>
- Opatovsky, I., Chapman, E., Weintraub, P., Lubin, Y., & Harwood, J. (2012b). Molecular characterization of the differential role of immigrant and agrobiont generalist predators in pest suppression. *Biological Control*, 63, 25–30. <https://doi.org/10.1016/j.biocontrol.2012.06.003>
- Orford, K., Vaughan, I., & Memmott, J. (2015). The forgotten flies: The importance of non-syrphid Diptera as pollinators. *Proceedings. Biological Sciences / The Royal Society*, 282. <https://doi.org/10.1098/rspb.2014.2934>
- Paredes, D., Cayuela, L., Gurr, G. M., & Campos, M. (2013). Effect of non-crop vegetation types on conservation biological control of pests in olive groves. *PeerJ*, 1, e116–e116. <https://doi.org/10.7717/peerj.116>
- Parikh, P. H., & Sonavane, S. (2008). Current Sciences Diversity of diptera in Gir PA. *Journal Of Current Sciences*, 12, 7–716.
- Parikh, P., & Sonavane, S. (2010). Odonata as indicators of general species richness in river and resevoirs of Gir forests, Gujarat, India. *International Journal of*

- Environment and Earth Science*, 1(1), 40–49.
- Parker, I. M., Saunders, M., Bontrager, M., Weitz, A. P., Hendricks, R., Magarey, R., Suiter, K., & Gilbert, G. S. (2015). Phylogenetic structure and host abundance drive disease pressure in communities. *Nature*, 520(7548), 542–544. <https://doi.org/10.1038/nature14372>
- Pasupalak, Surendranath and Pasupalak, S. (2009). Climate Change and Agriculture in Orissa. *Orissa Review*, 49–52.
- Patel, R., Ghetiya, L., & Patel, D. (2016). Odonates of South Gujarat: An Inventory. *Advances in Life Sciences*, 5(21).
- Patel, R., Ghetiya, L. V., & Patel, S. R. (2018). Study of odonates in South Gujarat in relation to their diversity and morphological characteristics. *Journal of Entomology and Zoology Studies*, 6.
- Patil, P. B., & Gaikwad, S. (2019). Diversity and Association of Ladybird. *Jetir*, 6(5).
- Patole, D. S. S. (2017). Review on Beetles (Coleoptera): An Agricultural Major Crop Pests of the World. *International Journal of Life-Sciences Scientific Research*, 3(6), 1424–1432. <https://doi.org/10.21276/ijlssr.2017.3.6.1>
- Patole, D. S. S. (2019). Studies on Diversity and Relative Abundance of Dung Beetles (Coleoptera: Scarabaeidae) From Sakri Tahsil, Distdhulia (M.S.) India. *Indian Journal of Applied Research*, 10, 1–4. <https://doi.org/10.36106/ijar/2013162>
- Paul, M., & Sultana, A. (2020). Studies on butterfly (Insecta: Lepidoptera) diversity across different urban landscapes of Delhi, India. *Current Science*, 118, 819–827.
- Paulson, L., Thakkar, B., & Parikh, P. (2020). *Diversity of Agriculturally Important Insect in and around Vadodara*. 10(1), 15–28.
- Pentinsaari, M., Hebert, P. D., & Mutanen, M. (2014). Barcoding beetles: a regional survey of 1872 species reveals high identification success and unusually deep interspecific divergences. *PLOS ONE*, 9(9), e108651.
- Pereira, F. F., Zanuncio, T. V., & Zanuncio, J. C. (2008). *Species of Lepidoptera Defoliators of Eucalyptus as New Host for the Parasitoid Palmistichus elaeisis (Hymenoptera : Eulophidae)*. 51, 259–262.
- Pervaiz, K., Usman, K., Gul, S., Rehman, H. U., Pervaiz, K., & Khan, H. (2017). *Grasshoppers of Taxa (Insecta , Orthoptera , Acrididae) at Ahmad Abad District Karak Khyber Pakhtunkhwa , Pakistan Khalid Usman , Shabina Gul , Hameed Ur*
Grasshoppers of Taxa (Insecta , Orthoptera , Acrididae) at Ahmad Abad District

Karak Khyber Pak. 7, 26–30.

- Phua, D. H., Tsai, W.-J., Ger, J., Deng, J.-F., & Yang, C.-C. (2008). Human Melia azedarach poisoning. *Clinical Toxicology*, 46(10), 1067–1070.
- Pimentel, D. (2009). Pesticides and pest control. In: R. Peshin and A.K. Dhawan (eds). *Integrated Pest Management: Innovation Development Springer, Dordrecht, The Netherland*, 1, 83–88.
- Plexida, S. G., Sfougaris, A. I., & Papadopoulos, N. T. (2014). The impact of human land use on the composition and richness of ground and dung beetle assemblages. *Appl. Ecol. Env. Res*, 12, 661–679.
- Pompeo, P. N., Oliveira Filho, L. C. I. de, Santos, M. A. B. dos, Mafra, Ã. L., Klauberg Filho, O., & Baretta, D. (2017). Morphological Diversity of Coleoptera (Arthropoda: Insecta) in Agriculture and Forest Systems. *Revista Brasileira de CiÃ\textordfemeninencia Do Solo*, 41
http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0100
- Popay, A. J., & Thom, E. R. (2009). Endophyte effects on major insect pests in Waikato dairy pasture. *Proceedings of the New Zealand Grassland Association*, 121–126.
<https://doi.org/10.33584/jnzg.2009.71.2758>
- Post, D. M. (2002). Using Stable Isotopes to Estimate Trophic Position: Models, Methods, and Assumptions. *Ecology*, 83(3), 703–718.
[https://doi.org/https://doi.org/10.1890/00129658\(2002\)083\[0703:USITET\]2.0.CO;2](https://doi.org/https://doi.org/10.1890/00129658(2002)083[0703:USITET]2.0.CO;2)
- Potts, S. G., Vulliamy, B., Dafni, A., Ne’eman, G., & Willmer, P. (2003). Linking bees and flowers: How do floral communities structure pollinator communities? *Ecology*, 84(10), 2628–2642. <https://doi.org/10.1890/02-0136>
- Price, J., Walker, I., & Boschetti, F. (2013). climate change responses. *Journal of Environmental Psychology*, September 2018.
<https://doi.org/10.1016/j.jenvp.2013.10.001>
- Priesnitz, K. U., & Schork, N. J. (2013). *Testing a User-Defined Selection of Diversity Indices*. 12(6), 1068–1078. <https://doi.org/10.1111/1755-0998.12004>. Assessing
- Priyadarshi, N. (2009). *The Survival of Agriculture in a Destabilized Climate with special reference to India and its Jharkhand State*.
- Puri, S.N. and Mote, U. N. (2003). Emerging pest problems of India and critical issues in their management. In: B. Subrahmanyam, V.V. Ramamurthy and V.S. Singh (eds) Proc. Natn. Symp. *Frontier Areas of Entomological Research*.

- Entomological Society of India, New Delhi*, 13-24.
- Puri, S. N., & Ramamurthy, V. (2009). Insects and integrated pest management in the context of climate change-an overview. *Proceedings of National Symposium on IPM Strategies to Combat Emerging Pests in the Current Scenario of Climate Change*, 1-7.
- Rafi, U., Kamilusmani, M., Akhtar, H., & Nayeem, M. (2014). *Population Density, Diversity and Distributional Pattern of Grasshopper Fauna (Acrididae: Acridoidea: Orthoptera) in Central and Eastern Uttar Pradesh, India*. 114, 165-176.
- Rai, M. (2010). India's preparedness for food security in view of climate change. *International Conference on Food Security and Climate Change in Dry Areas.*, 6-7.
- Raju, A. J. S., Rani, B. U., Sulakshana, M., Kumar, B. D., Rao, M. M., & Rao, C. P. (2016). A Study on Morphology and Feeding Ecology of the Blister Beetle, *Mylabris Pustulata* Thunberg (Coleoptera: Meloidae). *Advances in Pollen Spore Research*, 34, 127-137.
- Ramesh, T. ; Hussain, K. J. ; Selvanayagam, M. ; Satpathy, K. K. ; Prasad, M. V. R. (2010). Patterns of diversity, abundance and habitat associations of butterfly communities in heterogeneous landscapes of the department of atomic energy (DAE) campus at Kalpakkam, South India. *International Journal of Biodiversity and Conservation*, Vol.2(4), 75-85.
- Ramirez-Cabral, N. Y. Z., Kumar, L., & Shabani, F. (2017). Future climate scenarios project a decrease in the risk of fall armyworm outbreaks. *The Journal of Agricultural Science*, 155(8), 1219-1238.
<https://doi.org/10.1017/S0021859617000314>
- Rao, B. B., Ramaraj, A. P., Chattopadhyay, C., Prasad, Y. G., & Rao, V. U. M. (2012). *Predictive model for mustard aphid infestation for eastern plains of Rajasthan*. 14, 60-62.
- Rathee, M., & Dalal, P. K. (2018). Emerging insect pests in Indian agriculture. *Indian Journal of Entomology*, 80, 267. <https://doi.org/10.5958/0974-8172.2018.00043.3>
- Rathod, D. (2015). An inventory of odonates of central Gujarat, India V. B. Rohmare, Darshana M. Rathod, S. G. Dholu, B. M. Parasharya & S. S. Talmale. *Journal of Threatened Taxa*. <https://doi.org/10.11609/JoTT.o4292.7805-11>

- Rathod, D., Parasharya, B., & Talmale, S. (2016). Odonata (Insecta) diversity of southern Gujarat, India. *Journal of Threatened Taxa*, 8(11) SE-Short Communications). <https://doi.org/10.11609/jott.2609.8.11.9339-9349>
- Ratnadass, A., Fernandes, P., Avelino, J., & Habib, R. (2012). Plant species diversity for sustainable management of crop pests and diseases in agroecosystems: A review. In *Agronomy for Sustainable Development* (Vol. 32, Issue 1). <https://doi.org/10.1007/s13593-011-0022-4>
- Raupach, M. J., Astrin, J. J., Hannig, K., Peters, M. K., Stoeckle, M. Y., & Wägele, J.-W. (2010). Molecular species identification of Central European ground beetles (Coleoptera: Carabidae) using nuclear rDNA expansion segments and DNA barcodes. *Frontiers in Zoology*, 7(1), 26. <https://doi.org/10.1186/1742-9994-7-26>
- Ravi, R. K., & Fulekar, M. H. (2018). *Pesticides utilization in agricultural sector of Gujarat and its effect on environment : A conceptual review*. 849–855.
- Reddy D Raji, Sreenvias G, P. G. (2009). Climate Change Impacts on ice in Andhra Pradesh, ISPRS Archives XXXVIII-8/W3. *Workshop Proceedings: Impact of Climate Change on Agriculture*, 124–126.
- Rehman, F., Khan, F. A., & Anis, S. B. (2014). Assessment of aphid infestation levels in some cultivars of mustard with varying defensive traits. *Archives of Phytopathology and Plant Protection*, 47(15), 1866–1874. <https://doi.org/10.1080/03235408.2013.860724>
- Rekha, B. S., Ramkumar, J., Kandibane, M., Raguraman, S., & Swamiappan, M. (2009). Diversity of coccinellids in cereals, pulses, vegetables and in weeded and partially weeded rice-cowpea ecosystems in Madurai District of Tamil Nadu. *Madras Agr. J*, 96, 251–264.
- Replansky, T., & Bell, G. (2009). The relationship between environmental complexity, species diversity and productivity in a natural reconstructed yeast community. *Oikos*, 118(2), 233–239. <https://doi.org/10.1111/j.1600-0706.2008.16948.x>
- Rindi, F., Guiry, M., & Lopez-Bautista, J. (2008). Distribution, morphology, and phylogeny of Klebsormidium (Klebsormidiales, Charophyceae) in urban environment in Europe. *Journal of Phycology*, 44, 1529–1540. <https://doi.org/10.1111/j.1529-8817.2008.00593.x>
- Rollo, F., Ubaldi, M., Marota, I., Luciani, S., & Ermini, L. (2002). DNA Diagenesis: Effect of Environment and Time on Human Bone. *Ancient Biomolecules*, 4, 1–7. <https://doi.org/10.1080/13586120290018473>

- Rondon, M. R., August, P. R., Bettermann, A. D., Brady, S. F., Grossman, T. H., Liles, M. R., Loiacono, K. A., Lynch, B. A., MacNeil, I. A., Minor, C., Tiong, C. L., Gilman, M., Osburne, M. S., Clardy, J., Handelsman, J., & Goodman, R. M. (2000). Cloning the soil metagenome: a strategy for accessing the genetic and functional diversity of uncultured microorganisms. *Applied and Environmental Microbiology*, 66(6), 2541–2547. <https://doi.org/10.1128/aem.66.6.2541-2547.2000>
- Rossetto M., V., & Verbruggen, H. (2016). Multi-marker metabarcoding of coral skeletons reveals a rich microbiome and diverse evolutionary origins of endolithic algae. *Scientific Reports*, 6, 31508. <https://doi.org/10.1038/srep31508>
- Rossi, E., Antichi, D., Loni, A., Canovai, R., Sbrana, M., Mazzoncini, M., & Redak, R. (2019). Ground Beetle (Coleoptera: Carabidae) Assemblages and Slug Abundance in Agricultural Fields under Organic and Low-Input Conventional Management Within a Long-Term Agronomic Trial in Central Italy. *Environmental Entomology*, 48(6), 1377–1387. <https://doi.org/10.1093/ee/nvz119>
- Saeed, K., Khan Khattak, M. N., & Naz, F. (2016). Genus *Coccinella* (Coccinellidae: Coleoptera) from District Buner Khyber Pakhtunkhwa Pakistan. *Entomology, Ornithology & Herpetology: Current Research*, 05(04). <https://doi.org/10.4172/2161-0983.1000187>
- Sahney, S., Benton, M. J., & Ferry, P. A. (2010). *Links between global taxonomic diversity, ecological diversity and the expansion of vertebrates on land*. January, 544–547.
- Salunke, R. N., & More, S. V. (2017). *Diversity of Insect Pests in Agricultural and Forest Areas From Chandgad Tahsil, Kolhapur District of Maharashtra*. 13(1), 263–267.
- Samin, N., Sakenin, H., Imani, S., Shojai, M., & Hermann, H. (2010). A Contribution to the Knowledge of Robber Flies (Diptera: Asilidae) from Tehran Province and Vicinity, Iran. *Journal of Biological Control*, 24(1), 42–46. <https://doi.org/10.18311/jbc/2010/3564>
- Sanderson, M. J., Boss, D., Chen, D., Cranston, K. A., & Wehe, A. (2008). The PhyLoTA Browser: Processing GenBank for Molecular Phylogenetics Research. *Systematic Biology*, 57(3), 335–346. <https://doi.org/10.1080/10635150802158688>
- Sandhu, H., Wratten, S., Costanza, R., & Pretty, J. (2015). Significance and value of

- non-traded ecosystem services on farmland. <https://doi.org/10.7717/peerj.762>
- Sankarganesh, E. (2017). *Insect Biodiversity : The Teeming Millions- A review*. 6, 101–105.
- Sathe, T. V., Jadhav, B. V., Desai, A. S., & Shendage, N. (2014). *Ecology , ethology and control of green stink bug Plautia affinis Dallas (Hemiptera : Pentatomidae) on mulberry Morus alba l . Varieties V-1 and M- 5 from Kolhapu r. December*.
- Sathe, T. V, Patil, S. S., Bhosale, A. M., Devkar, S. S., Govali, C. S., & Hankare, S. S. (2016). *Ecology and Control of Brinjal insect pests from Kolhapur region , India Ecology and Control of Brinjal insect pests from Kolhapur region , India. February*. <https://doi.org/10.17812/blj.2016.4121>
- Satheesha, D., Aj, N., Mm, V., Fc, J., & Sreenivasa, G. (2018). Preliminary study on composition and diversity of beetles (Order- Coleoptera) in and around Davangere University Campus, Davangere, Karnataka. *Journal of Entomology and Zoology Studies*, 6(4), 1751–1758.
- Satpathy, S., Kumar, A., Maharudrappa Timalapur, S., & Rai, A. (2008). Screening of Chilli Germplasms against Yellow Mite and Thrips on the Basis of Leaf Symptoms. *PROGRE Horticulture*, 40, 227–228.
- Savary, S. and Willocquet, L. (2014). Simulation Modeling in Botanical Epidemiology and Crop Loss Analysis. *The Plant Health Instructor*. <https://doi.org/10.1094/PHI-A-2014-0314-01>.
- Savolainen, V., Cowan, R. S., Vogler, A. P., Roderick, G. K., & Lane, R. (2005). *Towards writing the encyclopaedia of life : an introduction to DNA barcoding*. 2003, 1805–1811. <https://doi.org/10.1098/rstb.2005.1730>
- Savopoulou-Soultani, M., Papadopoulos, N. T., Milonas, P., & Moyal, P. (2012). Abiotic Factors and Insect Abundance. *Psyche*, 2012, 167420. <https://doi.org/10.1155/2012/167420>
- Schoonhoven, L. M., Loon, J. J. A. van., & Dicke, M. (2005). *Insect-plant biology*. Oxford University Press.
- Schwagerl, C. (2016). What’s Causing the Sharp Decline in Insects, and Why It Matters. In *Yale environment 360*. The Yale School of the Environment.
- Scudder, G. G. E. (2017). The Importance of Insects. In *Insect Biodiversity* (pp. 9–43). John Wiley & Sons, Ltd. <https://doi.org/10.1002/9781118945568.ch2>
- Seo, M.-J., Shin, H.-S., Jo, S.-H., Gawk, C.-S., Kwon, H., Park, M.-W., Kim, S.-H., Cho, D.-H., Yu, Y.-M., & Youn, Y.-N. (2011). Selection of environmental-

- friendly control agents for controlling the comstock mealybug [Pseudococcus comstocki (Kuwana), Pseudococcidae, Hemiptera]. *The Korean Journal of Pesticide Science*, 15(4), 479–484.
- Shah Hussain, A. M., Mursalin, A., & Kamrul, A. (2018). Species diversity, seasonal abundance and morphometric analysis of grasshopper (Orthoptera: Caelifera) in Rajshahi city, Bangladesh. *Serangga*, 23(1), 24–34.
- Shah, J., Walling, L., & Walling, L. (2017). *Editorial : Advances in Plant-Hemipteran Interactions*. 8(9), 8–11. <https://doi.org/10.3389/fpls.2017.01652>
- Shah, J., Walling, L., Walling, L., Sokame, B. M., Siaw, E., Peter, N., Baldwin, A., Bruno, T., Le, P., Chao, D., Gerald, K., Paul, J., Calatayud, A., Stenberg, J. A., Muola, A., Pimentel, R., Lopes, D. J. H., Mexia, A. M. M., & Mumford, J. D. (2017). Validation of a geographic weighted regression analysis as a tool for area-wide integrated pest management programs for *Ceratitis capitata* Wiedemann (Diptera: Tephritidae) on Terceira Island, Azores. *International Journal of Pest Management*, 63(2), 172–184. <https://doi.org/10.1080/09670874.2016.1256512>
- Sharma, A., Kumar, V., Thukral, A. K., & Bhardwaj, R. (2019). Responses of Plants to Pesticide Toxicity: an Overview. *Planta Daninha*, 37.
- Sharma, H. C., Dhillon, M. K., & Kibuka, J. (2005). *Plant Defense Responses to Sorghum Spotted Stem Borer , Chilo partellus under Irrigated and Drought Conditions*. 1(1), 1–3.
- Shaw, J., Lickey, E., Schilling, E., & Small, R. (2007). Comparison of whole chloroplast genome sequence to choose noncoding regions for phylogenetic studies in Angiosperms: The tortoise and the hare III. *American Journal of Botany*, 94, 275–288. <https://doi.org/10.3732/ajb.94.3.275>
- Sheppard, S. K., & Harwood, J. D. (2005). Advances in molecular ecology: Tracking trophic links through predator-prey food-webs. *Functional Ecology*, 19(5), 751–762. <https://doi.org/10.1111/j.1365-2435.2005.01041.x>
- Shimadzu, H., Dornelas, M., Henderson, P. A., & Magurran, A. E. (2013). Diversity is maintained by seasonal variation in species abundance. *BMC Biology*, 11. <https://doi.org/10.1186/1741-7007-11-98>
- Shrewsbury, P. M., & Leather, S. R. (2012). Using Biodiversity for Pest Suppression in Urban Landscapes. *Biodiversity and Insect Pests: Key Issues for Sustainable Management*, May, 293–308. <https://doi.org/10.1002/9781118231838.ch18>

- Silva, D. P., Vilela, B., & Jr, P. D. M. (2014). *Using Ecological Niche Models and Niche Analyses to Understand Speciation Patterns: The Case of Sister Neotropical Orchid Bees*. 1–17. <https://doi.org/10.1371/journal.pone.0113246>
- Silva, E. D. B. da, Kuhn, T. M. A., & Monteiro, L. B. (2011). Oviposition behavior of *Grapholita molesta* Busck (Lepidoptera: Tortricidae) at different temperatures. *Neotropical Entomology*, *40*, 415–420.
http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1519-566X2011000400001&nrm=iso
- Silva, S. de S., & Silveira, O. T. (2009). Social wasps (Hymenoptera, Vespidae, Polistinae) of an Amazonian "terra firme" rain forest in Caxiuanã, Melgaço, PA, Brazil. *Iheringia. Série Zoologia*, *99*(3), 317–323.
- Simmons, A. M., Wakil, W., Qayyum, M. A., Ramasamy, S., Kuhar, T. P., & Philips, C. R. (2017). Lepidopterous Pests: Biology, Ecology, and Management. In *Sustainable Management of Arthropod Pests of Tomato* (Issue January). <https://doi.org/10.1016/B978-0-12-802441-6.00006-1>
- Singh, A., & Gandhi, S. (2012). Agricultural Insect Pest: Occurrence and Infestation Level in Agricultural Fields of Vadodara, Gujarat. *International Journal of Scientific and Research Publications*, *2*(1), 2250–3153. www.ijsrp.org
- Singh, A. K., Choudhury, B., & Bouman, B. (2002). Effects of rice establishment methods on crop performance, water use, and mineral nitrogen. In *Water-Wise Rice Production*. *International Rice Research Institute*. 237-246.
- Singh, P., & Nair, A. (2012). Environmental Sustainability of Cropping Patterns in Gujarat. *IRMA Working Paper Series*.
- Singhal, S., Thakkar, B., Pandya, P., & Parikh, P. (2018). Unraveling the diversity, phylogeny, and ecological role of cryptic Coleopteran species of Vadodara district: a first comparative approach from India. *The Journal of Basic and Applied Zoology*, *79*(1). <https://doi.org/10.1186/s41936-018-0062-2>
- Singla, M., Sharma, V. L., Sobti, R. C., Sodhi, M., & Kumari, M. (2013). Genetic relationship among Indian termites based on DNA sequence of mitochondrial 12S ribosomal RNA gene. *International Journal of Evolution*, *2*(1).
- Smith, M. A., Fisher, B. L., & Hebert, P. D. N. (2005). DNA barcoding for effective biodiversity assessment of a hyperdiverse arthropod group: the ants of Madagascar. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *360*(1462), 1825–1834.

- Sohn, J., Regier, J. C., Mitter, C., Adamski, D., Landry, J., Heikkilae, M., Park, K., Harrison, T., Mitter, K., & Zwick, A. (2016). Phylogeny and feeding trait evolution of the mega-diverse Gelechioidea (Lepidoptera: Obtectomera): new insight from 19 nuclear genes. *Systematic Entomology*, *41*(1), 112–132.
- Sokame, B. M., Rebaudo, F., Musyoka, B., Obonyo, J., Mailafiya, D. M., Le Ru, B. P., Kilalo, D. C., Juma, G., & Calatayud, P. A. (2019). Carry-over niches for lepidopteran maize stemborers and associated parasitoids during non-cropping season. *Insects*, *10*(7), 1–18. <https://doi.org/10.3390/insects10070191>
- Solomon, S. (2007). IPCC (2007): Climate Change The Physical Science Basis. *AGU Fall Meeting Abstracts, 2007*, U43D-01. <https://ui.adsabs.harvard.edu/abs/2007AGUFM.U43D..01S>
- Song, H., Mariño-Pérez, R., Woller, D., & Cigliano, M. (2018). Evolution, Diversification, and Biogeography of Grasshoppers (Orthoptera: Acrididae). *Insect Systematics and Diversity*, *2*. <https://doi.org/10.1093/isd/ixy008>
- Song, N., Li, X., Yin, X., Li, X., Yin, J., & Pan, P. (2019). The mitochondrial genomes of palaeopteran insects and insights into the early insect relationships. *Scientific Reports*, *9*(1), 1–11. <https://doi.org/10.1038/s41598-019-54391-9>
- Song, N., & Liang, A.-P. (2013). A preliminary molecular phylogeny of planthoppers (Hemiptera: Fulgoroidea) based on nuclear and mitochondrial DNA sequences. *PloS One*, *8*(3), e58400.
- Soria, M. F., Degrande, P. E., Panizzi, A. R., & Toews, M. D. (2017). Economic injury level of the neotropical brown stink bug *Euschistus heros* (F.) on cotton plants. *Neotropical Entomology*, *46*(3), 324–335.
- Soumya, B. R., Verghese, A., & Jayanthi, P. D. K. (2017). *Diversity and economic status of Lepidopteran insect-pest on two major varieties of mango*. *5*(3), 838–843.
- Souza, J. M., Marinoni, R., & Marinoni, L. (2014). Open and Disturbed Habitats Support Higher Diversity of Syrphidae (Diptera)? A Case Study During Three Yr of Sampling in a Fragment of Araucaria Forest in Southern Brazil. *Journal of Insect Science (Online)*, *14*. <https://doi.org/10.1093/jisesa/ieu098>
- Sparks, T. C., & Nauen, R. (2014). IRAC : Mode of action classification and insecticide resistance management. *Pesticide Biochemistry and Physiology*, *December*. <https://doi.org/10.1016/j.pestbp.2014.11.014>

- Speight, M. C. D. 2008. (2008). Species accounts of European Syrphidae (Dip-tera) 2008. In: *Speight, M.C.D., Castella, E., Sarthou, J.-P. and Monteil, C. (Eds.) Syrph the Net, the Database of European Syr-Phidae*, 55(262).
- Ssakhi, D. E., Enjelloun, M. B., Rrabhi, N. E., Archli, H. E. L. H., & Hadraoui, L. E. L. G. (2014). *Richesse spécifique en Orthoptères Acridiens du Moyen Atlas marocain Locusts Grasshoppers species richness of the Moroccan Middle Atlas*. 08, 41–48.
- Ssymank, A., Kearns, C., Pape, T., & Thompson, F. (2011). Pollinating Flies (Diptera): A major contribution to plant diversity and agricultural production. *Biodiversity*, 9. <https://doi.org/10.1080/14888386.2008.9712892>
- Stehle, S., & Schulz, R. (2015). *Agricultural insecticides threaten surface waters at the global scale*. 112(18). <https://doi.org/10.1073/pnas.1500232112>
- Stenberg, J. A., & Muola, A. (2017). *How Should Plant Resistance to Herbivores Be Measured ?* 8(April), 10–13. <https://doi.org/10.3389/fpls.2017.00663>
- Stoate, C., Báldi, A., Beja, P., Boatman, N. D., Herzog, I., Van Doorn, A., De Snoo, G. R., Rakosy, L., & Ramwell, C. (2009). Ecological impacts of early 21st century agricultural change in Europe—a review. *Journal of Environmental Management*, 91(1), 22–46.
- Stoltzfus, A., & Norris, R. (2015). On the Causes of Evolutionary Transition:Transversion Bias. *Molecular Biology and Evolution*, 33. <https://doi.org/10.1093/molbev/msv274>
- Stork, N. E. (2018). How Many Species of Insects and Other Terrestrial Arthropods Are There on Earth? *Annual Review of Entomology*, 63(1), 31–45. <https://doi.org/10.1146/annurev-ento-020117-043348>
- Stork, N. E., McBroom, J., Gely, C., & Hamilton, A. J. (2015). New approaches narrow global species estimates for beetles, insects, and terrestrial arthropods. *Proceedings of the National Academy of Sciences of the United States of America*, 112(24), 7519–7523. <https://doi.org/10.1073/pnas.1502408112>
- Sujevan R. Paul D. and Hebert, N. (2007). Barcoding Bold : The Barcode of Life Data System. *Molecular Ecology Notes*, 7, 355–364. <https://doi.org/10.1111/j.1471-8286.2006.01678.x>
- Summerville, K., & Crist, T. (2008). *Structure and conservation of lepidopteran communities in managed forests of northeastern North America: a review*.
- Sushko, G. G. (2017). Taxonomic composition and species diversity of insect

- assemblages in grass–shrub cover of peat bogs in Belarus. *Contemporary Problems of Ecology*, 10(3), 259–270.
- Suvagiya, D., Parth, S., & N. J., A. (2017). Growth Performance of Major Flower Crops in Gujarat State. *International Journal of Educational Science and Research*, 7, 19–26.
- Sweeney, B.W., Battle, J. M. and Jackson, J. K., (2011) C. D. barcodes of stream macroinvertebrates improve descriptions of community structure and water quality? *J. N. A. B. S.* 30(1):195–216. doi:10. 1899/1.-016. . (2011). Can DNA barcodes of stream macroinvertebrates improve descriptions of community structure and water quality? *J N Am Benthol Soc*, 30(1), 195–216. <https://doi.org/doi:10.1899/10-016.1>
- Swenson, N., & Enquist, B. (2007). Ecological and evolutionary determinants of a key plant functional trait: Wood density and its community-wide variation across latitude and elevation. *American Journal of Botany*, 94, 451–459. <https://doi.org/10.3732/ajb.94.3.451>
- Symondson, W. O. C., Sunderland, K. D., & Greenstone, M. H. (2002). Can Generalist Predators be Effective Biocontrol Agents? *Annu Rev Entomol. Annual Review of Entomology*, 47(1), 561–594. <https://doi.org/10.1146/annurev.ento.47.091201.145240>
- Taberlet, P., Coissac, E., Pompanon, F., Gielly, L., Miquel, C., Valentini, A., Vermat, T., Corthier, G., Brochmann, C., & Willerslev, E. (2007). Power and limitations of the chloroplast trnL (UAA) intron for plant DNA barcoding. *Nucleic Acids Research*, 35(3). <https://doi.org/10.1093/nar/gkl938>
- Tangmitcharoen, S., Takaso, T., Siripatanadilox, S., Tasen, W., & Owens, J. N. (2006). Behavior of major insect pollinators of teak (*Tectona grandis* L. f.): A comparison of clonal seed orchard versus wild trees. *Forest Ecology and Management*, 222(1–3), 67–74.
- Taye, R. R., Deka, M. K., Rahman, A., & Bathari, M. (2017). Effect of electromagnetic radiation of cell phone tower on foraging behaviour of Asiatic honey bee, *Apis cerana* F.(Hymenoptera: Apidae). *J Entomol Zool Stud*, 5, 1527–1529.
- Taylor, J. E., & Riley, D. G. (2008). *Artificial infestations of beet armyworm , Spodoptera exigua (Lepidoptera : Noctuidae), used to estimate an economic injury level in tomato.* 27, 268–274. <https://doi.org/10.1016/j.cropro.2007.05.014>

- Teles, T. S., Ribeiro, D. B., Raizer, J., & Linzmeier, A. M. (2019). Richness of chrysomelidae (Coleoptera) depends on the area and habitat structure in semideciduous forest remnants. *Iheringia - Serie Zoologia*, *109*, 1–8. <https://doi.org/10.1590/1678-4766e2019040>
- Thakkar, B., & Parikh, P. H. (2016). A Study on Diversity and Abundance of Coleopterans in Gujarat, India. *Journal of Entomology and Zoology Studies*, *4*(5), 1082-1089.
- Thakkar, B., & Parikh, P. H. (2018). An Inventory on Diversity and Distribution Pattern of Hymenopteran Insects in Gujarat, India. *IMPACT: International Journal of Research in Applied, Natural and Social Sciences* *6* (6), 19-32.
- Thakkar, B., Parmar, S., & Parikh, P. H. (2015). Study on Diversity of Orthoptera Fauna in South Gujarat, India. *International Journal of Pure and Applied Zoology*, *2*(4), 368-374.
- Thomsen, P. F., Kielgast, J. O. S., Iversen, L. L., Wiuf, C., Rasmussen, M., Gilbert, M. T. P., Orlando, L., & Willerslev, E. (2012). Monitoring endangered freshwater biodiversity using environmental DNA. *Molecular Ecology*, *21*(11), 2565–2573.
- Thomsen, P. F., Kielgast, J. O. S., Iversen, L. L., Wiuf, C., Rasmussen, M., Gilbert, M. T. P., Orlando, L., Willerslev, E., Chen, Y., Giles, K. L., Payton, M. E., Greenstone, M. H., Oberprieler, R. G., Oberprieler, S. K., McKenna, D. D., Sequeira, A. S., Marvaldi, A. E., Farrell, B. D., Sequeira, A. S., ... Gaikwad, S. M. (2009). Temporal lags and overlap in the diversification of weevils and flowering plants. *Proceedings of the National Academy of Sciences*, *106*(17), 7083–7088.
- Timpane-Padgham, B. L., Beechie, T., & Klinger, T. (2017). A systematic review of ecological attributes that confer resilience to climate change in environmental restoration. *PLOS ONE*, *12*(3), 1–23. <https://doi.org/10.1371/journal.pone.0173812>
- Tiple, A. D., & Koparde, P. (2015). *Odonata of Maharashtra , India with Notes on Species Distribution. I*, 1–10. <https://doi.org/10.1093/jisesa/iev028>
- Toda, S., & Murai, T. (2007). Phylogenetic analysis based on mitochondrial COI gene sequences in *Thrips tabaci* Lindeman (Thysanoptera: Thripidae) in relation to reproductive forms and geographic distribution. *Applied Entomology and Zoology*, *42*, 309–316. <https://doi.org/10.1303/aez.2007.309>
- Toffin, E., Gabriel, E., Louis, M., Deneubourg, J.-L., & Grégoire, J.-C. (2018).

- Colonization of weakened trees by mass-attacking bark beetles: no penalty for pioneers, scattered initial distributions and final regular patterns. *Royal Society Open Science*, 5(1), 170454. <https://doi.org/10.1098/rsos.170454>
- Torres, J. B., & Boyd, D. W. (2009). Zoophytophagy in predatory Hemiptera. *Brazilian Archives of Biology and Technology*, 52(5), 1199–1208.
- Triant, D. A., Cinel, S. D., & Kawahara, A. Y. (2018). Lepidoptera genomes: current knowledge, gaps and future directions. *Current Opinion in Insect Science*, 25, 99–105.
- Tsai, J., Lee, J. T., Wang, W., Zhang, J., Cho, H., Mamo, S., Bremer, R., Gillette, S., Kong, J., Haass, N. K., Sproesser, K., Li, L., Smalley, K. S. M., Fong, D., Zhu, Y.-L., Marimuthu, A., Nguyen, H., Lam, B., Liu, J., ... Bollag, G. (2008). Discovery of a selective inhibitor of oncogenic B-Raf kinase with potent antimelanoma activity. *Proceedings of the National Academy of Sciences*, 105(8), 3041 LP – 3046. <https://doi.org/10.1073/pnas.0711741105>
- Tscharntke, T., Clough, Y., Wanger, T. C., Jackson, L., Motzke, I., Perfecto, I., Vandermeer, J., & Whitbread, A. (2012). Global food security, biodiversity conservation and the future of agricultural intensification. *Biological Conservation*, 151(1), 53–59.
- Tscharntke, T., Klein, A., Kruess, A., & Steffan-dewenter, I. (2005). *Landscape perspectives on agricultural intensification and biodiversity – ecosystem service management*. 8, 857–874.
<https://doi.org/10.1111/j.1461-0248.2005.00782.x>
- Tscharntke, T., Klein, A. M., Kruess, A., Steffan-Dewenter, I., & Thies, C. (2005). Landscape perspectives on agricultural intensification and biodiversity – ecosystem service management. *Ecology Letters*, 8(8), 857–874.
<https://doi.org/10.1111/j.1461-0248.2005.00782.x>
- Ujagir, R., & Byrne, O. M. (2009). Insect pests and their management. *The Lentil: Botany, Production and Uses*, May, 282–305.
<https://doi.org/10.1079/9781845934873.0282>
- Ul Ane, N., & Hussain, M. (2016). Diversity of insect pests in major rice growing areas of the world. *Journal of Entomology and Zoology Studies*, 4(1), 36–41.
- Usman, K. (2017). Grasshoppers of Taxa (Insecta, Orthoptra, Acrididae) at Ahmad Abad District Karak Khyber Pakhtunkhwa, Pakistan. *Journal of Applied*

Environmental and Biological Sciences, 7, 26–30.

Usmani, M. K., Khan, M. I., & Kumar, H. (2010). Studies on Acridoidea (Orthoptera) of Western Uttar Pradesh. *Biosystematica*, 4(1), 39–58.

https://www.academia.edu/11135549/Studies_on_Acridoidea_Orthoptera_of_Western_Uttar_Pradesh

Valentini, A., Pompanon, F., & Taberlet, P. (2009). DNA barcoding for ecologists. *Trends in Ecology & Evolution*, 24(2), 110–117.

Vallee, M. (2020). Sounding Data. In *Sounding Bodies Sounding Worlds Springer*. (111–144).

Vaishampayan, P. A., Dhotre, D. P., Gupta, R. P., Lalwani, P., Ghate, H., Patole, M. S., & Shouche, Y. S. (2007). Molecular evidence and phylogenetic affiliations of *Wolbachia* in cockroaches. *Molecular phylogenetics and evolution*, 44(3), 1346–1351.

Van Nieuwerkerken, E. J., Kaila, L., Kitching, I. J., Kristensen, N. P., Lees, D. C., Minet, J., Mitter, C., Mutanen, M., Regier, J. C., & Simonsen, T. J. (2011). Order Lepidoptera Linnaeus, 1758. In: Zhang, Z.-Q.(Ed.) *Animal biodiversity: an outline of higher-level classification and survey of taxonomic richness. Zootaxa*, 3148(1), 212–221.

Veeraragavan, S., Duraisamy, R., & Mani, S. (2018). Prevalence and seasonality of insect pests in medicinally important plant *Senna alata* L . under tropical climate in the Coromandel Coast of India. *Geology, Ecology, and Landscapes*, 9508, 1–11. <https://doi.org/10.1080/24749508.2018.1452476>

Vodá, R., Dapporto, L., Dincă, V., & Vila, R. (2015). Why do cryptic species tend not to co-occur? A case study on two cryptic pairs of butterflies. *PloS One*, 10(2), e0117802.

Vohra, P., & Khera, K. S. (2013). DNA barcoding: Current advances and future prospects-a review. *Asian Journal of Biological and Life Sciences*, 2(3).

Wang, M., Zhao, Y., & Ren, D. (2009). New fossil caddisfly from Middle Jurassic of Daohugou, Inner Mongolia, China (Trichoptera: Philopotamidae). *Progress in Natural Science*, 19(10), 1427–1431.

Ward, R. D., Zemlak, T. S., Innes, B. H., Last, P. R., & Hebert, P. D. N. (2005). DNA barcoding *Australia's fish species*. 9, 1847–1857.

<https://doi.org/10.1098/rstb.2005.1716>

Wei, S., Shi, M., Sharkey, M. J., van Achterberg, C., & Chen, X. (2010). Comparative

- mitogenomics of Braconidae (Insecta: Hymenoptera) and the phylogenetic utility of mitochondrial genomes with special reference to Holometabolous insects. *BMC Genomics*, 11(1), 1–16.
- Wetzel, W. C., Kharouba, H. M., Robinson, M., Holyoak, M., & Karban, R. (2016). Variability in plant nutrients reduces insect herbivore performance. *Nature*, 539, 425. <https://doi.org/10.1038/nature20140>
- Whipple, S. D., Brust, M. L., Farnsworth-Hoback, K. M., & Hoback, W. W. (2012). Rangeland grasshopper numbers and species composition in nebraska: A comparison of region and sampling location. *Journal of Orthoptera Research*, 21(2), 269–277. <https://doi.org/10.1665/034.021.0213>
- Whitfield, J. B., & Kjer, K. M. (2008). Ancient rapid radiations of insects: challenges for phylogenetic analysis. *Annu. Rev. Entomol.*, 53, 449–472.
- Wiegmann, B. M., & Richards, S. (2018). Genomes of Diptera. *Current Opinion in Insect Science*, 25, 116–124.
- Wiens, J., Chippindale, P., & Hillis, D. (2003). When are phylogenetic analyses misled by convergence? A case study in Texas cave salamanders. *Systematic Biology*, 52, 501–514.
- Willerslev, E., Hansen, A. J., & Poinar, H. N. (2004). Isolation of Nucleic Acids and Cultures from Fossil Ice and Permafrost. *Trends in Ecology & Evolution*, 19(3), 141–147.
- Wilson, A. J., Schutze, M., Elmoutie, D., & Clarke, A. R. (2012). Are insect frugivores always plant pests? The impact of fruit fly (Diptera: Tephritidae) larvae on host plant fitness. *Arthropod-Plant Interactions*, 6(4), 635–647. <https://doi.org/10.1007/s11829-012-9205-4>
- Wink, M. (2018). *Plant Secondary Metabolites Modulate Insect Behavior-Steps Toward Addiction ?* 9(4), 1–9. <https://doi.org/10.3389/fphys.2018.00364>
- Witt, A.B.R., Steenkamp, H.E., & Palmer, W. A. (2006). Initial screening of *Pseudomalegia* cf. *lefevrei* (Coleoptera: Chrysomelidae), a potential biological control agent for *Acacia nilotica* (L.) Willd. ex Del. ssp. *indica* (Benth.) Brenan (Mimosaceae) in Australia. *Afr. Entomol.*, 14, 384–386.
- Woodcock, B. A., Harrower, C., Redhead, J., Edwards, M., Vanbergen, A. J., Heard, M. S., Roy, D. B., & Pywell, R. F. (2014). *National patterns of functional diversity and redundancy in predatory ground beetles and bees associated with key UK*

- arable crops*. 142–151. <https://doi.org/10.1111/1365-2664.12171>
- Worner, S. P., & Gevrey, M. (2006). Modelling global insect pest species assemblages to determine risk of invasion. *Journal of Applied Ecology*, *43*(5), 858–867.
- Yadav, A. N., Kumar, V., Dhaliwal, H. S., Prasad, R., & Saxena, A. K. (2018a). Microbiome in crops: diversity, distribution, and potential role in crop improvement. In *Crop improvement through microbial biotechnology*, 305–332. Elsevier.
- Yadav, S., Stow, A. J., Harris, R. M. B., & Dudaniec, R. Y. (2018). Morphological Variation Tracks Environmental Gradients in an Agricultural Pest, *Phaulacridium vittatum* (Orthoptera: Acrididae). In *Journal of insect science (Online)* *18*(6). <https://doi.org/10.1093/jisesa/iey121>
- Yamada, A., Inoue, T., Noda, S., Hongoh, Y., & Ohkuma, M. (2007). Evolutionary trend of phylogenetic diversity of nitrogen fixation genes in the gut community of wood-feeding termites. *Molecular Ecology*, *16*(18), 3768–3777. <https://doi.org/10.1111/j.1365-294X.2007.03326.x>
- Yang, M., Zhang, Y., Qi, L., Mei, X., Liao, J., Ding, X., Deng, W., Fan, L., He, X., Vivanco, J. M., Li, C., Zhu, Y., & Zhu, S. (2014). Plant-plant-microbe mechanisms involved in soil-borne disease suppression on a maize and pepper intercropping system. *PLoS ONE*, *9*(12). <https://doi.org/10.1371/journal.pone.0115052>
- Zhang, H., Tian, W., Zhao, J., Jin, L., Yang, J., Liu, C., Yang, Y., Wu, S., Wu, K., & Cui, J. (2012). Diverse genetic basis of field-evolved resistance to Bt cotton in cotton bollworm from China. *Proceedings of the National Academy of Sciences*, *109*(26), 10275–10280.

