

CHAPTER 7

7.0 REFERENCES

- Abhilash, P. C., & Singh, N. (2009). Pesticide use and application: An Indian scenario. *Journal of Hazardous Materials*, *165*(1), 1–12.
- Ahmad, Munir, Sayyed, A. H., Saleem, M. A., & Ahmad, M. (2008). Evidence for field evolved resistance to newer insecticides in *Spodoptera litura* (Lepidoptera: Noctuidae) from Pakistan. *Crop Protection*, *27*(10), 1367–1372.
- Ahmad, Mushtaq, Iqbal Arif, M., & Ahmad, M. (2007). Occurrence of insecticide resistance in field populations of *Spodoptera litura* (Lepidoptera: Noctuidae) in Pakistan. *Crop Protection*, *26*(6), 809–817.
- Alfonso-Rubí, J., Ortego, F., Castañera, P., Carbonero, P., & Díaz, I. (2003). Transgenic expression of trypsin inhibitor CMe from barley in indica and japonica rice, confers resistance to the rice weevil *Sitophilus oryzae*. *Transgenic Research*, *12*(1), 23–31.
- Armes, N. J., Wightman, J. A., Jadhav, D. R., & Ranga Rao, G. V. (1997). Status of insecticide resistance in *Spodoptera litura* in Andhra Pradesh, India. *Pesticide Science*, *50*(3), 240–248.
- Attique, M. N. R., Khaliq, A., & Sayyed, A. H. (2006). Could resistance to insecticides in *Plutella xylostella* (Lep., Plutellidae) be overcome by insecticide mixtures? *Journal of Applied Entomology*, *130*(2), 122–127.
- Balakrishnan, N., Subbaratnam, G. V., & Madhumathi, T. (2002). Assessment of development of resistance in cotton whitefly *Gennadius* of Guntur strain. *Pesticide Research Journal*, *14*(2), 251–254.
- Bansode, P Bhatia, S. . (1976). Selection for Resistance to Malathion in Rice Weevil, *Sitophilus-Oryzae* (L). *Bulletin of Grain Technology*, *14*(2), 118–123.

- Bhadane, M., Kumar, N. N., & Acharya, M. F. (2016). Bioefficacy of Modern Insecticides Against Spodoptera Litura Fabricius on Castor. *International Journal of Agriculture Innovations and Research*, 4(4), 789–795.
- Bhardwaj, T., & Sharma, J. P. (2013). Impact of Pesticides Application in Agricultural Industry: An Indian Scenario. *International Journal of Agriculture and Food Science Technology*, 4(8), 2249–3050.
- Bhatia, S. K., Yadav, T. D., & Mookherjee, P. B. (1971). Malathion resistance in *Tribolium castaneum* (Herbst) in India. *Journal of Stored Products Research*, 7(3), 227–230.
- Bhatia, SK Pradhan, S. (1972). Studies on resistance to insecticides in *Tribolium castaneum* (Herbst)—V. Cross-resistance characteristics of a lindane-resistant strain. *Journal of Stored Products Research*, 8(2), 89–93.
- Bisset, J., Rodriguez, M., Soca, A., Pasteur, N., & Raymond, M. (1997). Cross-Resistance to Pyrethroid and Organophosphorus Insecticides in the Southern House Mosquito (Diptera: Culicidae) from Cuba. *Journal of Medical Entomology*, 34(2), 244–246.
- Cahill, M., Byrne, F. J., Gorman, K., Denholm, I., & Devonshire, A. L. (1995). Pyrethroid and organophosphate resistance in the tobacco whitefly *Bemisia tabaci* (Homoptera: Aleyrodidae). *Bulletin of Entomological Research*, 85(2), 181–187.
- Cedergreen, N., & Streibig, J. C. (2005). The toxicity of herbicides to non-target aquatic plants and algae: Assessment of predictive factors and hazard. *Pest Management Science*, 61(12), 1152–1160.
- Chawla, R. P., & Kalra, R. L. (1976). Studies on Insecticide Resistance In *Plutella Xylostell* Linn.(Diamond-Back Moth). *Indian Journal of Plant Protection*, 4(2), 170–180.
- Dhir, B. C., Mohapatra, H. K., & Senapati, B. (1992). Assessment of crop loss in groundnut due to tobacco caterpillar, *Spodoptera litura* (F.). *Indian Journal of Plant Protection*, 20(2), 215–217.
- Dhurua, S., & Gujar, G. T. (2011). Field-evolved resistance to Bt toxin Cry1Ac

- in the pink bollworm, *Pectinophora gossypiella* (Saunders) (Lepidoptera: Gelechiidae), from India. *Pest Management Science*, 67(8), 898–903.
- Forgash, A. (1984). History, Evolution, and Consequences of Insecticide Resistance. *Pesticide Biochemistry and Physiology*, 22(2), 178–186.
- Gunning, R. V., Easton, C. S., Greenup, L. R., & Edge, V. E. (1984). Pyrethroid Resistance in *Heliothis armiger* (Hübner) (Lepidoptera: Noctuidae) in Australia. *Journal of Economic Entomology*, 77(5), 1283–1287.
- Gupta, S., & Dikshit, A. K. (2010). Biopesticides: An ecofriendly approach for pest control. *Journal of Biopesticides*, 3(1), 186–188.
- Harrison, C. M. (1951). Inheritance of resistance to DDT in the housefly, *Musca domestica* L. [6]. *Nature*, Vol. 167, pp. 855–856.
- Kataria, R., & Kumar, D. (2012). Occurrence and Infestation Level of Sucking pests : Aphids on various host plants in Agricultural Fields of. *International Journal of Scientific and Research Publications*, 2(7), 1–6.
- Kaur, P and Kang, B. K. (2015). Baseline data for insecticide resistance monitoring in tobacco caterpillar , *Spodoptera litura* (Fabricius) (Lepidoptera : Noctuidae) on cole crops in Punjab , India Prabhjot Kaur. *International Journal of Scientific Research*, 4(4), 4–7.
- Kranthi, K. R., Jadhav, D. R., Kranthi, S., Wanjari, R. R., Ali, S. S., & Russell, D. A. (2002). Insecticide resistance in five major insect pests of cotton in India. *Crop Protection*, 21(6), 449–460.
- Kumar, B. A., Rao, B. N., & Sriramulu, M. (2000). Studies on the efficacy of certain insecticides and their mixtures against shoot and fruit borer, *Leucinodes orbonalis* Guen. on brinjal. *Indian Journal of Plant Protection*, 28.(1), 25–28.
- Li, Q., Sun, Z., Shi, Q., Wang, R., Xu, C., Wang, H., ... Zeng, R. (2019). RNA-Seq Analyses of Midgut and Fat Body Tissues Reveal the Molecular Mechanism Underlying *Spodoptera litura* Resistance to Tomatine. *Frontiers in Physiology*, 10(1), 1–12.
- Mazzarri, M. B., & Georghiou, G. P. (1995). Characterization of resistance to

- organophosphate, carbamate, and pyrethroid insecticides in field populations of *Aedes aegypti* from Venezuela. *Journal of the American Mosquito Control Association*, 11(3), 315–322.
- Mehrotra, K. (1989). Pesticide Resistance in Insect-Pests Indian Scenario. *Pesticide Research Journal*, 1(2), 95–103.
- Melander, A. L. (1914). Can insects become resistant to Sprays? *Journal of Economic Entomology*, 7(1), 167.
- Metcalf, R. L. (1980). Changing role of insecticides in crop protection. *Annual Review of Entomology*, 25(1), 219–256.
- Mukherjee, A. B., & Srivastava, V. S. (1970). Bioassay of the relative toxicity of some pesticides to the larvae of *Spodoptera litura* (Fabricius)(Noctuidae: Lepidoptera). *Indian Journal of Entomology*, 32(3)(3), 251–255.
- Nauen, R., & Denholm, I. (2005). Resistance of insect pests to neonicotinoid insecticides: Current status and future prospects. *Archives of Insect Biochemistry and Physiology*, 58(4), 200–215.
- Nukala, N. K., & Acharya, M. F. (2015). Comparative relative toxicity of some modern insecticides against *Spodoptera litura fabricius* on groundnut. *International Journal of Plant Protection*, 8(1), 148–151.
- Peshin, R., Kranthi, K. R., & Sharma, R. (2014). Pesticide use and experiences with integrated pest management programs and Bt cotton in India. In *Integrated Pest Management*. pp. 269-306 Springer, Dordrecht.
- Pradhan, S., Jotwani, M. G., & Sarup, P. (1963). Failure of BHC and DDT to control Singhara beetle, *Galerucella birmanica* Jacoby. *Indian Journal Entomology*, 34(1), 176–179.
- Rajindar, P., Sharma, M. I. D., & Krishnamurthy, B. S. (1952). Studies on the Development of Resistant Strains of House-Files and Mosquitoes. *Indian Journal of Malariology*, 6(3), 303–316.
- Ramakrishnan, N., Saxena, V. S., & Dhingra, S. (1984). Insecticide-resistance in the population of *Spodoptera litura* (F.) in Andhra Pradesh. *Pesticides*,

18(9), 23–27.

- Rehan, A., Saleem, M. A., & Freed, S. (2011). Baseline susceptibility and stability of insecticide resistance of *spodoptera litura* (F.) (Lepidoptera: Noctuidae) in the absence of selection pressure. *Pakistan Journal of Zoology*, 43(5), 973–978.
- Rupela, O., & Humayun, P. (2006). Comparing conventional and organic farming crop production systems: Inputs, minimal treatments and data needs. *Organic Farming*, 2(1), 3–17.
- Saleem, M., Sabri, M. A., Aslam, M. S., Hussain, D., Yadav, I. C., Devi, N. L., ... Jones, K. C. (2016). Evaluation of lethal response of biorational insecticides against *Spodoptera litura* (Lepidoptera : Noctuidae). *Science of the Total Environment*, 511(4), 123–137.
- Sharma, D. R., & Kalra, R. L. (1998). Phosphine resistance during different developmental stages of *Trogoderma granarium* Everts. *Pesticide Research Journal*, 10(1), 117–122.
- Shukla, R. M., & Srivastava, A. S. (1982). Studies on the resistance to insecticides in *Cadra cautella* Walker IV. Cross Resistance characteristics of the lindane resistant strain . *Bulletin of Grain Technology* 20(1), 160–163.
- Siddiqui, K. H., & Debjani, D. (2002). *Artificial diets-a tool for insect mass rearing*. New Delhi: Jyoti Publishers.
- Smallman, B. N. (1964). Perspectives on insect control. *Canadian Entomology*, 96(1), 167–171.
- Sparks, T. C., & Nauen, R. (2015). IRAC: Mode of action classification and insecticide resistance management. *Pesticide Biochemistry and Physiology*, 121(1), 122–128.
- Srinivasan Ramasamy. (2012). Integrating biopesticides in pest management strategies for tropical vegetable production. *Journal of Biopesticides*, 5(1), 36–45.
- Srivastava, B. K., & Joshi, H. C. (1965). Occurrence of resistance to BHC in

- Prodenia litura Fab.(Lepidoptera: Noctuidae). *Indian Journal of Entomology*, 27(1), 102–104.
- Srivastava, P. S., Singh, R., Tripathi, S., & Raghubanshi Singh, A. (2016). An urgent need for sustainable thinking in agriculture - An Indian scenario. *Ecological Indicators*, 67, 611–622.
- Tabashnik, B. E., Cushing, N. L., & Johnson, M. W. (1987). Diamondback Moth (Lepidoptera: Plutellidae) Resistance to Insecticides in Hawaii: Intra-Island Variation and Cross-Resistance. *Journal of Economic Entomology*, 80(6), 1091–1099.
- Tabashnik, B. E., Schwartz, J. M., Finson, N., & Johnson, M. W. (1990). Inheritance of Resistance to Bacillus thuringiensis in Diamondback Moth (Lepidoptera: Plutellidae). *Journal of Economic Entomology*, 85(4), 1046–1055.
- Tang, Z. H., Gong, K. Y., & You, Z. P. (1988). Present status and countermeasures of insecticide resistance in agricultural pests in China. *Pesticide Science*, 23(2), 189–198.
- Tong, H., Su, Q., Zhou, X., & Bai, L. (2013). Field resistance of Spodoptera litura (Lepidoptera: Noctuidae) to organophosphates, pyrethroids, carbamates and four newer chemistry insecticides in Hunan, China. *Journal of Pest Science*, 86(3), 599–609.
- Tukaram, A.H., Hosamani, A.C., Naveena, R., Santoshagowda, G. . (2014). Bioassay of Flubendiamide on Spodoptera litura (Fab) population collected from different host crops. *International Journal of Science, Environment and Technology*, 3(6), 2225–2230.
- Uematsu, S. (1992). Studies on the Cold-Hardiness and Overwintering of Spodoptera litura F. (Lepidoptera: Noctuidae). V. Possibility of Larval and Pupal Overwintering at the Southern Extremity of the Boso Peninsula. *Japanese Journal of Applied Entomology and Zoology*, 36(1), 37–43.
- Verma, A. N., & Sandhu, G. S. (1968). (1968). Chemical control of diamondback moth, Plutella maculipennis (Curtis). *Journal of Research*,

Punjab Agricultural University, 5(1), 420-423.

- Verma, A. N., Verma, N. D., & Singh, R. (1971). Chemical Control of *Prodenia Litura* Fb.(Lepidoptera: Noctuidae) On Cauliflower. *Indian Journal of Horticulture*, 28(3), 240–244.
- Wilson, A. G. (1974). Resistance of *Heliothis armigera* to insecticides in the Ord irrigation area, North Western Australia. *Journal of Economic Entomology*, 67(2), 256–258.
- Xianchun, L., Yinchang, W., Qiansong, Z., Ganjun, Y., Dunyang, Z., Yantao, Y., Shiyin, D. (1997). Insecticide resistance in field strains of *Pectinophora gossypiella* (Saunders) in China and effect of synergists on deltamethrin and parathion-methyl activity. *Pesticide Science*, 50(3), 183–186.
- Yadav, I. C., Devi, N. L., Syed, J. H., Cheng, Z., Li, J., Zhang, G., & Jones, K. C. (2015). Current status of persistent organic pesticides residues in air, water, and soil, and their possible effect on neighboring countries: A comprehensive review of India. *Science of the Total Environment*, 511, 123–137.