
Bibliography

- Abdel, O. (1971). The epidemiologic transition: a theory of the epidemiology of population change. *Milbank Memorial Fund Quarterly*, 49(4), 509-538.
- Acierno, L. J. (1994). *The history of cardiology*: CRC Press.
- Albrecht, U. (2012). Timing to perfection: the biology of central and peripheral circadian clocks. *Neuron*, 74(2), 246-260.
- Aliev, G., Smith, M.A., Turmaine, M., Neal, M.L., Zimina, T.V., Friedland, R.P., Perry, G., LaManna, J.C., Burnstock, G. (2001). Atherosclerotic lesions are associated with increased immunoreactivity for inducible nitric oxide synthase and endothelin-1 in thoracic aortic intimal cells of hyperlipidemic Watanabe rabbits. *Exp Mol Pathol* 71, 40-54.
- Almanzar, G., Ollinger, R., Leuenberger, J., Onestingel, E., Rantner, B., Zehm, S., Cardini, B., van der Zee, R., Grundtman, C., Wick, G., (2012). Autoreactive HSP60 epitope-specific T-cells in early human atherosclerotic lesions. *J Autoimmun* 39, 441-450.
- Altmann, S. W., Davis, H. R., Zhu, L. J., Yao, X., Hoos, L. M., Tetzloff, G., ... & Wang, L. (2004). Niemann-Pick C1 Like 1 protein is critical for intestinal cholesterol absorption. *Science*, 303(5661), 1201-1204.
- Amberger, A., Maczek, C., Jurgens, G., Michaelis, D., Schett, G., Trieb, K., Eberl, T., Jindal, S., Xu, Q., Wick, G. (1997). Co-expression of ICAM-1, VCAM-1, ELAM-1 and Hsp60 in human arterial and venous endothelial cells in response to cytokines and oxidized low-density lipoproteins. *Cell Stress Chaperones* 2, 94-103.
- Anderton, S. M., Van der Zee, R., Noordzij, A., & Van Eden, W. (1994). Differential mycobacterial 65-kDa heat shock protein T cell epitope recognition after adjuvant arthritis-inducing or protective immunization protocols. *The Journal of Immunology*, 152(7), 3656-3664.
- Andres-Manzano, M. J., Andres, V., & Dorado, B. (2015). Oil Red O and Hematoxylin and Eosin Staining for Quantification of Atherosclerosis Burden in Mouse Aorta and Aortic Root. *Methods Mol Biol*, 1339, 85-99. doi:10.1007/978-1-4939-2929-0_5

-
- Anea, C.B., Zhang, M., Stepp, D.W., Simkins, G.B., Reed, G., Fulton, D.J., Rudic, R.D., 2009. Vascular disease in mice with a dysfunctional circadian clock. *Circulation* 119, 1510-1517.
- Anitschkow, N. (1913). On experimental cholesterol steatosis and its significance in the origin of some pathological processes. *Zentbl Allg Path Anat*, 24, 1-9.
- Anitschkow, N. N. (1967). A history of experimentation on arterial atherosclerosis in animals. *Cowdry's arteriosclerosis: a survey of the problem*. Springfield, IL: Charles C Thomas, 21-44.
- Baigent, C., Blackwell, L., Collins, R., Emberson, J., Godwin, J., Peto, R., . . . Meade, T. (2009). Aspirin in the primary and secondary prevention of vascular disease: collaborative meta-analysis of individual participant data from randomised trials: Elsevier.
- Barazi, H. O., Zhou, L., Templeton, N. S., Krutzsch, H. C., & Roberts, D. D. (2002). Identification of heat shock protein 60 as a molecular mediator of $\alpha 3\beta 1$ integrin activation. *Cancer research*, 62(5), 1541-1548.
- Beckman, J. S., & Koppenol, W. H. (1996). Nitric oxide, superoxide, and peroxynitrite: the good, the bad, and ugly. *American Journal of Physiology-Cell Physiology*, 271(5), C1424-C1437.
- Bennett, M. R. (1999). Apoptosis of vascular smooth muscle cells in vascular remodelling and atherosclerotic plaque rupture. *Cardiovascular research*, 41(2), 361-368.
- Bjornheden, T., & Bondjers, G. (1987). Oxygen consumption in aortic tissue from rabbits with diet-induced atherosclerosis. *Arteriosclerosis*, 7(3), 238-247. doi:10.1161/01.atv.7.3.238
- Borges, L. F., Taboga, S. R., & Gutierrez, P. S. (2005). Simultaneous observation of collagen and elastin in normal and pathological tissues: analysis of Sirius-red-stained sections by fluorescence microscopy. *Cell Tissue Res*, 320(3), 551-552. doi:10.1007/s00441-005-1108-6

-
- Bots, S. H., Peters, S. A., & Woodward, M. (2017). Sex differences in coronary heart disease and stroke mortality: a global assessment of the effect of ageing between 1980 and 2010. *BMJ global health*, 2(2).
- Bruetsch, W. L. (1959). The earliest record of sudden death possibly due to atherosclerotic coronary occlusion. *Circulation*, 20, 438-441. doi:10.1161/01.cir.20.3.438
- Businaro, R., Profumo, E., Tagliani, A., Buttari, B., Leone, S., D'Amati, G., . . . Rigano, R. (2009). Heat-shock protein 90: a novel autoantigen in human carotid atherosclerosis. *Atherosclerosis*, 207(1), 74-83. doi:10.1016/j.atherosclerosis.2009.04.026
- Cai, G.J., Miao, C.Y., Xie, H.H., Lu, L.H., Su, D.F., 2005. Arterial baroreflex dysfunction promotes atherosclerosis in rats. *Atherosclerosis* 183, 41-47.
- Cappello, F., Conway de Macario, E., Marasà, L., Zummo, G., Macario, A.J., 2008. Hsp60 expression, new locations, functions, and perspectives for cancer diagnosis and therapy. *Cancer biology & therapy* 7, 801-809.
- Chaiwatanasirikul, K., & Sala, A. (2011). The tumour-suppressive function of CLU is explained by its localisation and interaction with HSP60. *Cell death & disease*, 2(10), e219-e219.
- Chandra, D., Choy, G., & Tang, D. G. (2007). Cytosolic accumulation of Hsp60 during apoptosis with or without apparent mitochondrial release evidence that its pro-apoptotic or pro-survival functions involve differential interactions with caspase-3. *Journal of Biological Chemistry*, 282(43), 31289-31301.
- Charlier, P., & Huynh, I. (2010). Assessment of atherosclerosis in Egyptian mummies. *JAMA*, 303(12), 1149-1150.
- Chávez-Sánchez, L., Madrid-Miller, A., Chávez-Rueda, K., Legorreta-Haquet, M., Tesoro-Cruz, E., & Blanco-Favela, F. (2010). Activation of TLR2 and TLR4 by minimally modified low-density lipoprotein in human macrophages and monocytes triggers the inflammatory response. *Human immunology*, 71(8), 737-744.
- Chen, C., Khismatullin, D.B. (2015). Oxidized low-density lipoprotein contributes to atherogenesis via co-activation of macrophages and mast cells. *PLoS One* 10, e0123088.

- Chen, J.-y., Ye, Z.-x., Wang, X.-f., Chang, J., Yang, M.-w., Zhong, H.-h., Hong, F.-f., Yang, S.-l. (2018). Nitric oxide bioavailability dysfunction involves in atherosclerosis. *Biomedicine & Pharmacotherapy* 97, 423-428.
- Chisolm, G. (1993). Oxidized lipoproteins and leukocyte-endothelial interactions: growing evidence for multiple mechanisms. *Laboratory investigation*, 68(4), 369-371.
- Chistiakov, D. A., Bobryshev, Y. V., & Orekhov, A. N. (2016). Macrophage-mediated cholesterol handling in atherosclerosis. *Journal of cellular and molecular medicine*, 20(1), 17-28.
- Choi, B., Choi, M., Park, C., Lee, E.K., Kang, D.H., Lee, D.J., Yeom, J.Y., Jung, Y., Kim, J., Lee, S., Kang, S.W. (2015). Cytosolic Hsp60 orchestrates the survival and inflammatory responses of vascular smooth muscle cells in injured aortic vessels. *Cardiovasc Res*, 106, 498-508.
- Chun, J. N., Choi, B., Lee, K. W., Lee, D. J., Kang, D. H., Lee, J. Y., . . . Kim, H. S. (2010). Cytosolic Hsp60 is involved in the NF- κ B-dependent survival of cancer cells via IKK regulation. *PloS one*, 5(3).
- Clinton, S., Underwood, R., Hayes, L., Sherman, M., Kufe, D., Libby, P. (1992). Macrophage colony-stimulating factor gene expression in vascular cells and in experimental and human atherosclerosis. *The American journal of pathology*, 140, 301.
- Cohen JC, Boerwinkle E, Mosley TH, Jr., Hobbs HH. (2006) Sequence variations in PCSK9, low LDL, and protection against coronary heart disease. *N Engl J Med*, 354(12):1264-72.
- Cohen-Sfady, M., Nussbaum, G., Pevsner-Fischer, M., Mor, F., Carmi, P., Zanin-Zhorov, A., Lider, O., Cohen, I.R. (2005). Heat shock protein 60 activates B cells via the TLR4-MyD88 pathway. *J Immunol*, 175, 3594-3602.
- Cohen-Sfady, M., Nussbaum, G., Pevsner-Fischer, M., Mor, F., Carmi, P., Zanin-Zhorov, A., . . . Cohen, I. R. (2005). Heat shock protein 60 activates B cells via the TLR4-MyD88 pathway. *J Immunol*, 175(6), 3594-3602. doi:10.4049/jimmunol.175.6.3594
- Collins, R. G., Velji, R., Guevara, N. V., Hicks, M. J., Chan, L., & Beaudet, A. L. (2000). P-selectin or intercellular adhesion molecule (ICAM)-1 deficiency substantially

- protects against atherosclerosis in apolipoprotein E-deficient mice. *The Journal of experimental medicine*, 191(1), 189-194.
- Corydon, T. J., Hansen, J., Bross, P., & Jensen, T. G. (2005). Down-regulation of Hsp60 expression by RNAi impairs folding of medium-chain acyl-CoA dehydrogenase wild-type and disease-associated proteins. *Molecular genetics and metabolism*, 85(4), 260-270.
- Craig, E. A., Gambill, B. D., & Nelson, R. J. (1993). Heat shock proteins: molecular chaperones of protein biogenesis. *Microbiology and Molecular Biology Reviews*, 57(2), 402-414.
- Crowe, A. R., & Yue, W. (2019). Semi-quantitative Determination of Protein Expression using Immunohistochemistry Staining and Analysis: An Integrated Protocol. *Bio Protoc*, 9(24). doi:10.21769/BioProtoc.3465
- Cybulsky, M. I., & Gimbrone, M. A. (1991). Endothelial expression of a mononuclear leukocyte adhesion molecule during atherogenesis. *Science*, 251(4995), 788-791.
- Daugherty, A., Dunn, J. L., Rateri, D. L., & Heinecke, J. W. (1994). Myeloperoxidase, a catalyst for lipoprotein oxidation, is expressed in human atherosclerotic lesions. *The Journal of clinical investigation*, 94(1), 437-444.
- David, A. R., Kershaw, A., & Heagerty, A. (2010). Atherosclerosis and diet in ancient Egypt. *The Lancet*, 375(9716), 718-719.
- Davies, J. T., Delfino, S. F., Feinberg, C. E., Johnson, M. F., Nappi, V. L., Olinger, J. T., . . . Swanson, H. I. (2016). Current and Emerging Uses of Statins in Clinical Therapeutics: A Review. *Lipid Insights*, 9, 13-29. doi:10.4137/LPI.S37450
- Davies, M. J., Richardson, P. D., Woolf, N., Katz, D. R., & Mann, J. (1993). Risk of thrombosis in human atherosclerotic plaques: role of extracellular lipid, macrophage, and smooth muscle cell content. *Heart*, 69(5), 377-381.
- de Villiers, W.J., Smart, E.J. (1999). Macrophage scavenger receptors and foam cell formation. *J Leukoc Biol*, 66, 740-746.

- Deniset, J. F., Hedley, T. E., Dibrov, E., & Pierce, G. N. (2012). Chlamydomphila pneumoniae infection induces alterations in vascular contractile responses. *The American journal of pathology*, *180*(3), 1264-1272.
- Deniset, J. F., Hedley, T. E., Hlaváčková, M., Chahine, M. N., Dibrov, E., O'Hara, K., . . . Fandrich, R. (2018). Heat shock protein 60 involvement in vascular smooth muscle cell proliferation. *Cellular signalling*, *47*, 44-51.
- DePaola, N., Gimbrone Jr, M. A., Davies, P. F., & Dewey Jr, C. F. (1992). Vascular endothelium responds to fluid shear stress gradients. *Arteriosclerosis and thrombosis: a journal of vascular biology*, *12*(11), 1254-1257.
- Dong, Z. M., Chapman, S. M., Brown, A. A., Frenette, P. S., Hynes, R. O., & Wagner, D. D. (1998). The combined role of P- and E-selectins in atherosclerosis. *The Journal of clinical investigation*, *102*(1), 145-152.
- Dubaquié, Y., Looser, R., & Rospert, S. (1997). Significance of chaperonin 10-mediated inhibition of ATP hydrolysis by chaperonin 60. *Proceedings of the National Academy of Sciences*, *94*(17), 9011-9016.
- DuBroff, R., & de Lorgeril, M. (2015). Cholesterol confusion and statin controversy. *World J Cardiol*, *7*(7), 404-409. doi:10.4330/wjc.v7.i7.404
- Duewell, P., Kono, H., Rayner, K. J., Sirois, C. M., Vladimer, G., Bauernfeind, F. G., . . . Schnurr, M. (2010). NLRP3 inflammasomes are required for atherogenesis and activated by cholesterol crystals. *Nature*, *464*(7293), 1357-1361.
- Duff, G. L., McMillan, G., & Ritchie, A. (1957). The morphology of early atherosclerotic lesions of the aorta demonstrated by the surface technique in rabbits fed cholesterol: together with a description of the anatomy of the intima of the rabbit's aorta and the "spontaneous" lesions which occur in it. *The American journal of pathology*, *33*(5), 845.
- Eiserich, J. P., Hristova, M., Cross, C. E., Jones, A. D., Freeman, B. A., Halliwell, B., & Van Der Vliet, A. (1998). Formation of nitric oxide-derived inflammatory oxidants by myeloperoxidase in neutrophils. *Nature*, *391*(6665), 393-397.

- Esterbauer, H., Striegl, G., Puhl, H., & Rotheneder, M. (1989). Continuous monitoring of in vitro oxidation of human low density lipoprotein. *Free radical research communications*, 6(1), 67-75.
- Fernandez-Friera, L., Fuster, V., Lopez-Melgar, B., Oliva, B., Garcia-Ruiz, J.M., Mendiguren, J., Bueno, H., Pocock, S., Ibanez, B., Fernandez-Ortiz, A., Sanz, J., 2017. Normal LDL-Cholesterol Levels Are Associated With Subclinical Atherosclerosis in the Absence of Risk Factors. *J Am Coll Cardiol* 70, 2979-2991.
- Figueiro, M. G. (2017). Disruption of circadian rhythms by light during day and night. *Current sleep medicine reports*, 3(2), 76-84.
- Fotis, L., Agrogiannis, G., Vlachos, I. S., Pantopoulou, A., Margoni, A., Kostaki, M., . . . Perrea, D. (2012). Intercellular adhesion molecule (ICAM)-1 and vascular cell adhesion molecule (VCAM)-1 at the early stages of atherosclerosis in a rat model. *In Vivo*, 26(2), 243-250.
- Frostegard, J., Kjellman, B., Gidlund, M., Andersson, B., Jindal, S., Kiessling, R. (1996). Induction of heat shock protein in monocytic cells by oxidized low density lipoprotein. *Atherosclerosis*, 121, 93-103.
- Genin, M., Clement, F., Fattaccioli, A., Raes, M., & Michiels, C. (2015). M1 and M2 macrophages derived from THP-1 cells differentially modulate the response of cancer cells to etoposide. *BMC Cancer*, 15, 577. doi:10.1186/s12885-015-1546-9
- George, J., Afek, A., Gilburd, B., Shoenfeld, Y., & Harats, D. (2001). Cellular and humoral immune responses to heat shock protein 65 are both involved in promoting fatty-streak formation in LDL-receptor deficient mice. *Journal of the American College of Cardiology*, 38(3), 900-905.
- Ghio, M., Fabbi, P., Contini, P., Fedele, M., Brunelli, C., Indiveri, F., & Barsotti, A. (2013). OxLDL-and HSP-60 antigen-specific CD8+ T lymphocytes are detectable in the peripheral blood of patients suffering from coronary artery disease. *Clinical and experimental medicine*, 13(4), 251-255.
- Ghosh, J. C., Dohi, T., Kang, B. H., & Altieri, D. C. (2008). Hsp60 regulation of tumor cell apoptosis. *Journal of Biological Chemistry*, 283(8), 5188-5194.

- Gimbrone, M. A., Jr., & Garcia-Cardena, G. (2016). Endothelial Cell Dysfunction and the Pathobiology of Atherosclerosis. *Circ Res*, *118*(4), 620-636. doi:10.1161/CIRCRESAHA.115.306301
- Glass, C. K., & Witztum, J. L. (2001). Atherosclerosis: the road ahead. *Cell*, *104*(4), 503-516.
- Godo, S., Shimokawa, H., 2017. Endothelial functions. *Arteriosclerosis, thrombosis, and vascular biology* *37*, e108-e114.
- Gould, A. L., Rossouw, J. E., Santanello, N. C., Heyse, J. F., & Furberg, C. D. (1998). Cholesterol reduction yields clinical benefit: impact of statin trials. *Circulation*, *97*(10), 946-952. doi:10.1161/01.cir.97.10.946
- Gown, A. M., Tsukada, T., & Ross, R. (1986). Human atherosclerosis. II. Immunocytochemical analysis of the cellular composition of human atherosclerotic lesions. *The American journal of pathology*, *125*(1), 191.
- Green, L. C., Wagner, D. A., Glogowski, J., Skipper, P. L., Wishnok, J. S., & Tannenbaum, S. R. (1982). Analysis of nitrate, nitrite, and [¹⁵N] nitrate in biological fluids. *Analytical biochemistry*, *126*(1), 131-138.
- Grundtman, C., & Wick, G. (2011). The autoimmune concept of atherosclerosis. *Current opinion in lipidology*, *22*(5), 327.
- Grundtman, C., Kreutmayer, S. B., Almanzar, G., Wick, M. C., & Wick, G. (2011). Heat shock protein 60 and immune inflammatory responses in atherosclerosis. *Arteriosclerosis, thrombosis, and vascular biology*, *31*(5), 960-968.
- Gupta, S., & Knowlton, A. A. (2007). HSP60 trafficking in adult cardiac myocytes: role of the exosomal pathway. *American Journal of Physiology-Heart and Circulatory Physiology*, *292*(6), H3052-H3056.
- Guyton, J., & Klemp, K. (1992). Early extracellular and cellular lipid deposits in aorta of cholesterol-fed rabbits. *The American journal of pathology*, *141*(4), 925.

-
- Han, J., Hajjar, D.P., Febbraio, M., Nicholson, A.C. (1997). Native and modified low density lipoproteins increase the functional expression of the macrophage class B scavenger receptor, CD36. *Journal of Biological Chemistry*, 272, 21654-21659.
- Hansen, J.J., Bross, P., Westergaard, M., Nielsen, M., Eiberg, H., Børglum, A.D., Mogensen, J., Kristiansen, K., Bolund, L., Gregersen, N. (2003). Genomic structure of the human mitochondrial chaperonin genes: HSP60 and HSP10 are localised head to head on chromosome 2 separated by a bidirectional promoter. *Human genetics* 112, 71-77.
- Hansson, G. K. (1997). Cell-mediated immunity in atherosclerosis. *Current opinion in lipidology*, 8(5), 301-311.
- Hartl, F.U., Bracher, A., Hayer-Hartl, M., 2011. Molecular chaperones in protein folding and proteostasis. *Nature* 475, 324-332.
- Hatsukami, T. S., Ross, R., Polissar, N. L., & Yuan, C. (2000). Visualization of fibrous cap thickness and rupture in human atherosclerotic carotid plaque in vivo with high-resolution magnetic resonance imaging. *Circulation*, 102(9), 959-964.
- Heinecke, J., Rosen, H., & Chait, A. (1984). Iron and copper promote modification of low density lipoprotein by human arterial smooth muscle cells in culture. *The Journal of clinical investigation*, 74(5), 1890-1894.
- Hermansson, J., Boggild, H., Hallqvist, J., Karlsson, B., Knutsson, A., Nilsson, T., Reuterwall, C., Gillander Gadin, K., 2019. Interaction between Shift Work and Established Coronary Risk Factors. *Int J Occup Environ Med* 10, 57-65.
- Heron, M. P. (2019). Deaths: leading causes for 2017.
- Hochleitner, B. W., Hochleitner, E. O., Obrist, P., Eberl, T., Amberger, A., Xu, Q., . . . Wick, G. (2000). Fluid shear stress induces heat shock protein 60 expression in endothelial cells in vitro and in vivo. *Arterioscler Thromb Vasc Biol*, 20(3), 617-623. doi:10.1161/01.atv.20.3.617
- Hogg, N., Kalyanaraman, B., Joseph, J., Struck, A., & Parthasarathy, S. (1993). Inhibition of low-density lipoprotein oxidation by nitric oxide Potential role in atherogenesis. *FEBS letters*, 334(2), 170-174.

- Huang, H., Koelle, P., Fendler, M., Schröttle, A., Czihal, M., Hoffmann, U., Conrad, M., Kuhlencordt, P. (2014). Induction of inducible nitric oxide synthase (iNOS) expression by oxLDL inhibits macrophage derived foam cell migration. *Atherosclerosis*, 235(1), 213-222.
- Hurt, E., Bondjers, G., & Camejo, G. (1990). Interaction of LDL with human arterial proteoglycans stimulates its uptake by human monocyte-derived macrophages. *Journal of lipid research*, 31(3), 443-454.
- Iiyama, K., Hajra, L., Iiyama, M., Li, H., DiChiara, M., Medoff, B. D., & Cybulsky, M. I. (1999). Patterns of vascular cell adhesion molecule-1 and intercellular adhesion molecule-1 expression in rabbit and mouse atherosclerotic lesions and at sites predisposed to lesion formation. *Circ Res*, 85(2), 199-207. doi:10.1161/01.res.85.2.199
- Indian Council of Medical Research, P. H. F. o. I., and Institute of Health Metrics and Evaluation,. (2017). Global Burden of Diseases India Compare | Viz Hub. Retrieved from <https://vizhub.healthdata.org/gbd-compare/india>
- Iorga, A., Cunningham, C. M., Moazeni, S., Ruffenach, G., Umar, S., & Eghbali, M. (2017). The protective role of estrogen and estrogen receptors in cardiovascular disease and the controversial use of estrogen therapy. *Biology of sex differences*, 8(1), 1-16.
- Jadeja, R.N., Thounaojam, M.C., Jain, M., Devkar, R.V., Ramachandran, A.V., 2012. Clerodendron glandulosum.Coleb leaf extract attenuates in vitro macrophage differentiation and expression of VCAM-1 and P-selectin in thoracic aorta of atherogenic diet fed rats. *Immunopharmacol Immunotoxicol* 34, 443-453.
- Jakic, B., Buszko, M., Cappellano, G., & Wick, G. (2017). Elevated sodium leads to the increased expression of HSP60 and induces apoptosis in HUVECs. *PLoS One*, 12(6), e0179383. doi:10.1371/journal.pone.0179383
- Jankowiak, S., Backe, E., Liebers, F., Schulz, A., Hegewald, J., Garthus-Niegel, S., Nubling, M., Blankenberg, S., Pfeiffer, N., Lackner, K.J., Beutel, M., Blettner, M., Munzel, T., Wild, P.S., Seidler, A., Letzel, S., Latza, U., 2016. Current and cumulative night shift work and subclinical atherosclerosis: results of the Gutenberg Health Study. *Int Arch Occup Environ Health* 89, 1169-1182.

- Karlsson, B., Knutsson, A., Lindahl, B., 2001. Is there an association between shift work and having a metabolic syndrome? Results from a population based study of 27,485 people. *Occup Environ Med* 58, 747-752.
- Kelm, M. (1999). Nitric oxide metabolism and breakdown. *Biochimica et Biophysica Acta (BBA)-Bioenergetics*, 1411(2-3), 273-289.
- Kirby, M., Hackett, G., & Ramachandran, S. (2019). Testosterone and the Heart. *European Cardiology Review*, 14(2), 103.
- Kettner, N.M., Mayo, S.A., Hua, J., Lee, C., Moore, D.D., Fu, L. (2015). Circadian Dysfunction Induces Leptin Resistance in Mice. *Cell Metab*, 22, 448-459.
- Khovidhunkit, W., Moser, A. H., Shigenaga, J. K., Grunfeld, C., & Feingold, K. R. (2003). Endotoxin down-regulates ABCG5 and ABCG8 in mouse liver and ABCA1 and ABCG1 in J774 murine macrophages differential role of LXR. *Journal of lipid research*, 44(9), 1728-1736.
- Kinoshita, M., Fujita, M., Usui, S., Maeda, Y., Kudo, M., Hirota, D., Suda, T., Taki, M., Okazaki, M., Teramoto, T. (2004). Scavenger receptor type BI potentiates reverse cholesterol transport system by removing cholesterol ester from HDL. *Atherosclerosis*, 173, 197-202.
- Kleindienst, R., Xu, Q., Willeit, J., Waldenberger, F. R., Weimann, S., & Wick, G. (1993). Immunology of atherosclerosis. Demonstration of heat shock protein 60 expression and T lymphocytes bearing alpha/beta or gamma/delta receptor in human atherosclerotic lesions. *Am J Pathol*, 142(6), 1927-1937.
- Kleinridders, A., Lauritzen, H.P., Ussar, S., Christensen, J.H., Mori, M.A., Bross, P., Kahn, C.R., 2013. Leptin regulation of Hsp60 impacts hypothalamic insulin signaling. *The Journal of clinical investigation* 123, 4667-4680.
- Knoflach, M., Bernhard, D., & Wick, G. (2005). Anti-HSP60 immunity is already associated with atherosclerosis early in life. *Ann N Y Acad Sci*, 1051, 323-331. doi:10.1196/annals.1361.074

- Knoflach, M., Kiechl, S., Kind, M., Said, M., Sief, R., Gisinger, M., . . . Willeit, J. (2003). Cardiovascular risk factors and atherosclerosis in young males: ARMY study (Atherosclerosis Risk-Factors in Male Youngsters). *Circulation*, *108*(9), 1064-1069.
- Knoflach, M., Kiechl, S., Mayrl, B., Kind, M., Gaston, J., Van der Zee, R., . . . Wick, G. (2007). T-cell reactivity against HSP60 relates to early but not advanced atherosclerosis. *Atherosclerosis*, *195*(2), 333-338.
- Knoflach, M., Kiechl, S., Penz, D., Zangerle, A., Schmidauer, C., Rossmann, A., . . . Bernhard, D. (2009). Cardiovascular risk factors and atherosclerosis in young women: atherosclerosis risk factors in female youngsters (ARFY study). *Stroke*, *40*(4), 1063-1069.
- Knutsson, A., Hammar, N., Karlsson, B., 2004. Shift workers' mortality scrutinized. *Chronobiol Int* *21*, 1049-1053.
- Kol, A., Lichtman, A. H., Finberg, R. W., Libby, P., & Kurt-Jones, E. A. (2000). Cutting edge: heat shock protein (HSP) 60 activates the innate immune response: CD14 is an essential receptor for HSP60 activation of mononuclear cells. *J Immunol*, *164*(1), 13-17. doi:10.4049/jimmunol.164.1.13
- Kozarsky, K. F., Donahee, M. H., Rigotti, A., Iqbal, S. N., Edelman, E. R., & Krieger, M. (1997). Overexpression of the HDL receptor SR-BI alters plasma HDL and bile cholesterol levels. *Nature*, *387*(6631), 414-417.
- Kreutmayer, S. B., Messner, B., Knoflach, M., Henderson, B., Niederegger, H., Bock, G., . . . Bernhard, D. (2011). Dynamics of heat shock protein 60 in endothelial cells exposed to cigarette smoke extract. *J Mol Cell Cardiol*, *51*(5), 777-780. doi:10.1016/j.yjmcc.2011.07.003
- Kreutmayer, S., Csordas, A., Kern, J., Maass, V., Almanzar, G., Offterdinger, M., . . . Wick, G. (2013). Chlamydia pneumoniae infection acts as an endothelial stressor with the potential to initiate the earliest heat shock protein 60-dependent inflammatory stage of atherosclerosis. *Cell Stress and Chaperones*, *18*(3), 259-268.

-
- Kruth, H. S. (2011). Receptor-independent fluid-phase pinocytosis mechanisms for induction of foam cell formation with native LDL particles. *Current opinion in lipidology*, 22(5), 386.
- Kunjathoor, V. V., Febbraio, M., Podrez, E. A., Moore, K. J., Andersson, L., Koehn, S., Rhee, J.S., Silverstein, R., Hoff, H.F., Freeman, M. W. (2002). Scavenger receptors class AI/II and CD36 are the principal receptors responsible for the uptake of modified low density lipoprotein leading to lipid loading in macrophages. *Journal of Biological Chemistry*, 277(51), 49982-49988.
- Kzhyshkowska, J., Neyen, C., & Gordon, S. (2012). Role of macrophage scavenger receptors in atherosclerosis. *Immunobiology*, 217(5), 492-502.
- Labropoulos, N., Zarge, J., Mansour, M. A., Kang, S. S., & Baker, W. H. (1998). Compensatory arterial enlargement is a common pathobiologic response in early atherosclerosis. *The American journal of surgery*, 176(2), 140-143.
- Laggner, R. P. P. (2012). Lipoprotein structure and dynamics: Low density lipoprotein viewed as a highly dynamic and flexible nanoparticle. *Lipoproteins: Role in Health and Diseases*, 1.
- Lang, P., Hasselwander, S., Li, H., & Xia, N. (2019). Effects of different diets used in diet-induced obesity models on insulin resistance and vascular dysfunction in C57BL/6 mice. *Sci Rep*, 9(1), 19556. doi:10.1038/s41598-019-55987-x
- Lara-Guzmán, O.J., Gil-Izquierdo, Á., Medina, S., Osorio, E., Álvarez-Quintero, R., Zuluaga, N., Oger, C., Galano, J.-M., Durand, T., Muñoz-Durango, K., 2018. Oxidized LDL triggers changes in oxidative stress and inflammatory biomarkers in human macrophages. *Redox biology* 15, 1-11.
- Lee, R. T., & Libby, P. (1997). The unstable atheroma. *Arteriosclerosis, thrombosis, and vascular biology*, 17(10), 1859-1867.
- Ley, K., Laudanna, C., Cybulsky, M. I., & Nourshargh, S. (2007). Getting to the site of inflammation: the leukocyte adhesion cascade updated. *Nature Reviews Immunology*, 7(9), 678-689.

- Li, M., Qian, M., Kyler, K., & Xu, J. (2018). Endothelial-Vascular Smooth Muscle Cells Interactions in Atherosclerosis. *Front Cardiovasc Med*, 5, 151. doi:10.3389/fcvm.2018.00151
- Li, Z., Song, Y., Xing, R., Yu, H., Zhang, Y., Li, Z., & Gao, W. (2013). Heat shock protein 70 acts as a potential biomarker for early diagnosis of heart failure. *PLoS One*, 8(7).
- Liao, J.K., 2013. Linking endothelial dysfunction with endothelial cell activation. *J Clin Invest* 123, 540-541.
- Lin, S.-J., Hong, C.-Y., Chang, M.-S., Chiang, B. N., & Chien, S. (1992). Long-term nicotine exposure increases aortic endothelial cell death and enhances transendothelial macromolecular transport in rats. *Arteriosclerosis and thrombosis: a journal of vascular biology*, 12(11), 1305-1312.
- Lin, S.-J., Jan, K.-M., Weinbaum, S., & Chien, S. (1989). Transendothelial transport of low density lipoprotein in association with cell mitosis in rat aorta. *Arteriosclerosis: An Official Journal of the American Heart Association, Inc.*, 9(2), 230-236.
- Liu, X., Tang, Y., Cui, Y., Zhang, H., Zhang, D., 2016. Autophagy is associated with cell fate in the process of macrophage-derived foam cells formation and progress. *J Biomed Sci* 23, 57.
- Mackenbach, J. P. (1994). The epidemiologic transition theory. *Journal of Epidemiology and Community Health*, 48(4), 329.
- MacKenzie, J.A., Payne, R.M., 2007. Mitochondrial protein import and human health and disease. *Biochim Biophys Acta* 1772, 509-523.
- Madrigal-Matute, J., López-Franco, O., Blanco-Colio, L. M., Muñoz-García, B., Ramos-Mozo, P., Ortega, L., . . . Martín-Ventura, J. L. (2010). Heat shock protein 90 inhibitors attenuate inflammatory responses in atherosclerosis. *Cardiovascular research*, 86(2), 330-337.
- Malo-Ranta, U., Ylä-Herttuala, S., Metsä-Ketelä, T., Jaakkola, O., Moilanen, E., Vuorinen, P., & Nikkari, T. (1994). Nitric oxide donor GEA 3162 inhibits endothelial cell-mediated oxidation of low density lipoprotein. *FEBS letters*, 337(2), 179-183.

-
- Mandal, K., Foteinos, G., Jahangiri, M., & Xu, Q. (2005). Role of antiheat shock protein 60 autoantibodies in atherosclerosis. *Lupus*, *14*(9), 742-746.
- Martinez, F.O., Sica, A., Mantovani, A., Locati, M., 2008. Macrophage activation and polarization. *Front Biosci* *13*, 453-461.
- Martinus, R. D., & Goldsbury, J. (2018). Endothelial TNF-alpha induction by Hsp60 secreted from THP-1 monocytes exposed to hyperglycaemic conditions. *Cell Stress Chaperones*, *23*(4), 519-525. doi:10.1007/s12192-017-0858-x
- Matsuura, E., Kobayashi, K., Matsunami, Y., Shen, L., Quan, N., Makarova, M., Suchkov, S.V., Ayada, K., Oguma, K., Lopez, L.R. (2009). Autoimmunity, infectious immunity, and atherosclerosis. *Journal of clinical immunology*, *29*, 714-721.
- Mayerl, C., Lukasser, M., Sedivy, R., Niederegger, H., Seiler, R., & Wick, G. (2006). Atherosclerosis research from past to present—on the track of two pathologists with opposing views, Carl von Rokitansky and Rudolf Virchow. *Virchows Archiv*, *449*(1), 96-103.
- Mayr, M., Metzler, B., Kiechl, S., Willeit, J., Schett, G., Xu, Q., & Wick, G. (1999). Endothelial cytotoxicity mediated by serum antibodies to heat shock proteins of *Escherichia coli* and *Chlamydia pneumoniae*: immune reactions to heat shock proteins as a possible link between infection and atherosclerosis. *Circulation*, *99*(12), 1560-1566.
- McMillan, G. C. (1995). Historical review of research on atherosclerosis. *Adv Exp Med Biol*, *369*, 1-6. doi:10.1007/978-1-4615-1957-7_1
- Mehlen, P., Schulze-Osthoff, K., & Arrigo, A.-P. (1996). Small stress proteins as novel regulators of apoptosis heat shock protein 27 blocks Fas/APO-1-and staurosporine-induced cell death. *Journal of Biological Chemistry*, *271*(28), 16510-16514.
- Metzler, B., Schett, G., Kleindienst, R., van der Zee, R., Ottenhoff, T., Hajeer, A., . . . Wick, G. (1997). Epitope Specificity of Anti-Heat Shock Protein 65/60 Serum Antibodies in Atherosclerosis. *Arteriosclerosis, thrombosis, and vascular biology*, *17*(3), 536-541.

- Millonig, G., Niederegger, H., Rabl, W., Hochleitner, B., Hofer, D., Romani, N., & Wick, G. (2001). Network of vascular-associated dendritic cells in intima of healthy young individuals. *Arteriosclerosis, thrombosis, and vascular biology*, 21(4), 503-508.
- Mills, C.D., Kincaid, K., Alt, J.M., Heilman, M.J., Hill, A.M., 2000. M-1/M-2 macrophages and the Th1/Th2 paradigm. *J Immunol* 164, 6166-6173.
- Moore, K. J., Sheedy, F. J., & Fisher, E. A. (2013). Macrophages in atherosclerosis: a dynamic balance. *Nat Rev Immunol*, 13(10), 709-721. doi:10.1038/nri3520
- Moore, K.J., Freeman, M.W. (2006). Scavenger receptors in atherosclerosis: beyond lipid uptake. *Arterioscler Thromb Vasc Biol*, 26, 1702-1711.
- Mudau, M., Genis, A., Lochner, A., & Strijdom, H. (2012). Endothelial dysfunction: the early predictor of atherosclerosis. *Cardiovasc J Afr*, 23(4), 222-231. doi:10.5830/CVJA-2011-068
- Muller, J.E., Stone, P.H., Turi, Z.G., Rutherford, J.D., Czeisler, C.A., Parker, C., Poole, W.K., Passamani, E., Roberts, R., Robertson, T., et al. (1985). Circadian variation in the frequency of onset of acute myocardial infarction. *N Engl J Med*, 313, 1315-1322.
- Mundi, S., Massaro, M., Scoditti, E., Carluccio, M.A., van Hinsbergh, V.W., Iruela-Arispe, M.L., De Caterina, R. (2018). Endothelial permeability, LDL deposition, and cardiovascular risk factors—a review. *Cardiovascular research*, 114, 35-52.
- Napoli, C., D'Armiento, F. P., Mancini, F. P., Postiglione, A., Witztum, J. L., Palumbo, G., & Palinski, W. (1997). Fatty streak formation occurs in human fetal aortas and is greatly enhanced by maternal hypercholesterolemia. Intimal accumulation of low density lipoprotein and its oxidation precede monocyte recruitment into early atherosclerotic lesions. *The Journal of clinical investigation*, 100(11), 2680-2690.
- National Health Portal India. (2019, Nov 5, 2019, Nov 5). Non-communicable diseases. Retrieved from <https://www.nhp.gov.in/healthyliving/ncd2019>
- Navab, M., Berliner, J. A., Watson, A. D., Hama, S. Y., Territo, M. C., Lusis, A. J., . . . Demer, L. L. (1996). The yin and yang of oxidation in the development of the fatty streak: a review based on the 1994 George Lyman Duff Memorial Lecture. *Arteriosclerosis, thrombosis, and vascular biology*, 16(7), 831-842.

-
- Nicholls SJ, Hazen SL. Myeloperoxidase, modified lipoproteins, and atherogenesis. *J Lipid Res.* 2009;50 Suppl:S346-51.
- Nielsen, L., Nordestgaard, B., Stender, S., & Kjeldsen, K. (1992). Aortic permeability to LDL as a predictor of aortic cholesterol accumulation in cholesterol-fed rabbits. *Arteriosclerosis and thrombosis: a journal of vascular biology*, 12(12), 1402-1409.
- Nisemblat, S., Yaniv, O., Parnas, A., Frolov, F., & Azem, A. (2015). Crystal structure of the human mitochondrial chaperonin symmetrical football complex. *Proceedings of the National Academy of Sciences*, 112(19), 6044-6049.
- Nordestgaard, B. G., & Nielsen, L. B. (1994). Atherosclerosis and arterial influx of lipoproteins. *Current opinion in lipidology*, 5(4), 252-257.
- O'Leary, D. H., & Polak, J. F. (2002). Intima-media thickness: a tool for atherosclerosis imaging and event prediction. *The American journal of cardiology*, 90(10), L18-L21.
- Oh, J., Riek, A.E., Weng, S., Petty, M., Kim, D., Colonna, M., Cella, M., Bernal-Mizrachi, C. (2012). Endoplasmic reticulum stress controls M2 macrophage differentiation and foam cell formation. *J Biol Chem*, 287, 11629-11641.
- Ohashi, K., Burkart, V., Flohé, S., Kolb, H. (2000). Cutting edge: heat shock protein 60 is a putative endogenous ligand of the toll-like receptor-4 complex. *J Immunol*, 164, 558-561.
- Olvera-Sanchez, S., Espinosa-Garcia, M., Monreal, J., Flores-Herrera, O., & Martinez, F. (2011). Mitochondrial heat shock protein participates in placental steroidogenesis. *Placenta*, 32(3), 222-229.
- Osterloh, A., Veit, A., Gessner, A., Fleischer, B., Breloer, M. (2008). Hsp60-mediated T cell stimulation is independent of TLR4 and IL-12. *Int Immunol* 20, 433-443.
- Ovchinnikova, O., Robertson, A.-K. L., Wågsäter, D., Folco, E. J., Hyry, M., Myllyharju, J., . . . Hansson, G. K. (2009). T-cell activation leads to reduced collagen maturation in atherosclerotic plaques of Apoe^{-/-} mice. *The American journal of pathology*, 174(2), 693-700.

-
- Packard, R. R., Maganto-García, E., Gotsman, I., Tabas, I., Libby, P., & Lichtman, A. H. (2008). CD11c+ dendritic cells maintain antigen processing, presentation capabilities, and CD4+ T-cell priming efficacy under hypercholesterolemic conditions associated with atherosclerosis. *Circulation research*, *103*(9), 965-973.
- Park JG, Xu X, Cho S, Lee AH. (2016). Loss of Transcription Factor CREBH Accelerates Diet-Induced Atherosclerosis in Ldlr-/- Mice. *Arterioscler Thromb Vasc Biol*, *36*(9):1772-81.
- Park, E. K., Jung, H. S., Yang, H. I., Yoo, M. C., Kim, C., & Kim, K. S. (2007). Optimized THP-1 differentiation is required for the detection of responses to weak stimuli. *Inflamm Res*, *56*(1), 45-50. doi:10.1007/s00011-007-6115-5
- Park, Y.M., Febbraio, M., Silverstein, R.L. (2009). CD36 modulates migration of mouse and human macrophages in response to oxidized LDL and may contribute to macrophage trapping in the arterial intima. *The Journal of clinical investigation*, *119*, 136-145.
- Parker, F. (1960). An electron microscopic study of experimental atherosclerosis. *The American journal of pathology*, *36*(1), 19.
- Parker, F., & Odland, G. (1966a). A correlative histochemical, biochemical and electron microscopic study of experimental atherosclerosis in the rabbit aorta with special reference to the myo-intimal cell. *The American journal of pathology*, *48*(2), 197.
- Parker, F., & Odland, G. (1966b). A light microscopic, histochemical and electron microscopic study of experimental atherosclerosis in rabbit coronary artery and a comparison with rabbit aorta atherosclerosis. *The American journal of pathology*, *48*(3), 451.
- Parthasarathy, S., & Steinberg, D. (1992). Cell-induced oxidation of LDL. *Current Opinion in Lipidology*, *3*(5), 313-317.
- Patel, D., Desai, S., Gajaria, T., Devkar, R., Ramachandran, A.V. (2013). Coriandrum sativum L. seed extract mitigates lipotoxicity in RAW 264.7 cells and prevents atherogenic changes in rats. *EXCLI J* *12*, 313-334.

- Pellegrino, M. W., Nargund, A. M., & Haynes, C. M. (2013). Signaling the mitochondrial unfolded protein response. *Biochim Biophys Acta*, 1833(2), 410-416. doi:10.1016/j.bbamcr.2012.02.019
- Pello, O.M., Silvestre, C., De Pizzol, M., Andres, V. (2011). A glimpse on the phenomenon of macrophage polarization during atherosclerosis. *Immunobiology*, 216, 1172-1176.
- Pirkkala, L., Nykanen, P., Sistonen, L. (2001). Roles of the heat shock transcription factors in regulation of the heat shock response and beyond. *The FASEB Journal* 15, 1118-1131.
- Prabhakaran, D., Jeemon, P., & Roy, A. (2016). Cardiovascular Diseases in India: Current Epidemiology and Future Directions. *Circulation*, 133(16), 1605-1620. doi:10.1161/CIRCULATIONAHA.114.008729
- Qiu, J., Gao, H.-Q., Liang, Y., Yu, H., & Zhou, R.-H. (2008). Comparative proteomics analysis reveals role of heat shock protein 60 in digoxin-induced toxicity in human endothelial cells. *Biochimica et Biophysica Acta (BBA)-Proteins and Proteomics*, 1784(11), 1857-1864.
- Quintana, F.J., Cohen, I.R. (2011). The HSP60 immune system network. *Trends Immunol*, 32, 89-95.
- Radi, R., Beckman, J. S., Bush, K. M., & Freeman, B. A. (1991). Peroxynitrite-induced membrane lipid peroxidation: the cytotoxic potential of superoxide and nitric oxide. *Archives of biochemistry and biophysics*, 288(2), 481-487.
- Rafieian-Kopaei, M., Setorki, M., Douidi, M., Baradaran, A., & Nasri, H. (2014). Atherosclerosis: process, indicators, risk factors and new hopes. *Int J Prev Med*, 5(8), 927-946.
- Rajavashisth, T., Andalibi, A., Territo, M., Berliner, J., Navab, M., Fogelman, A., Lusis, A. (1990). Induction of endothelial cell expression of granulocyte and macrophage colony-stimulating factors by modified low-density lipoproteins. *Nature*, 344, 254-257.
- Rayner, K., Chen, Y.-X., McNulty, M., Simard, T., Zhao, X., Wells, D. J., . . . O'Brien, E. R. (2008). Extracellular release of the atheroprotective heat shock protein 27 is

- mediated by estrogen and competitively inhibits acLDL binding to scavenger receptor-A. *Circulation research*, 103(2), 133-141.
- Ridker, P. M., Danielson, E., Fonseca, F. A., Genest, J., Gotto Jr, A. M., Kastelein, J. J., . . . MacFadyen, J. G. (2008). Rosuvastatin to prevent vascular events in men and women with elevated C-reactive protein. *New England journal of medicine*, 359(21), 2195-2207.
- Ridker, P.M., Danielson, E., Fonseca, F.A., Genest, J., Gotto, A.M., Jr., Kastelein, J.J., Koenig, W., Libby, P., Lorenzatti, A.J., MacFadyen, J.G., Nordestgaard, B.G., Shepherd, J., Willerson, J.T., Glynn, R.J., Group, J.S., 2008. Rosuvastatin to prevent vascular events in men and women with elevated C-reactive protein. *N Engl J Med* 359, 2195-2207.
- Rios, F.J., Koga, M.M., Pecenin, M., Ferracini, M., Gidlund, M., Jancar, S., 2013. Oxidized LDL induces alternative macrophage phenotype through activation of CD36 and PAFR. *Mediators of inflammation* 2013.
- Rose, N. R., & Witebsky, E. (1956). Studies on organ specificity: V. Changes in the thyroid glands of rabbits following active immunization with rabbit thyroid extracts. *The Journal of Immunology*, 76(6), 417-427.
- Ross, R. (1993). The pathogenesis of atherosclerosis: a perspective for the 1990s. *Nature*, 362(6423), 801-809.
- Ross, R. (1999). Atherosclerosis—an inflammatory disease. *New England journal of medicine*, 340(2), 115-126.
- Ross, R., Glomset, J., & Harker, L. (1977). Response to injury and atherogenesis. *The American journal of pathology*, 86(3), 675.
- Santana, A. B., de Souza Oliveira, T. C., Bianconi, B. L., Barauna, V. G., Santos, E. W., Alves, T. P., Silva, J.C., Fiorino, P., Borelli, P., Irigoyen, M.C., Krieger, J.E., Lacchini, S. (2014). Effect of high-fat diet upon inflammatory markers and aortic stiffening in mice. *Biomed Res Int*, 2014, 914102. doi:10.1155/2014/914102
- Sawada, H., & Daugherty, A. (2018). Quantification of Elastin Fragmentation in the Ascending Aorta. Retrieved from <http://cvrc.med.uky.edu/sites/default/files/Elastin>

_Break_Counting_UK.pdf

Scheer, F.A., Hilton, M.F., Mantzoros, C.S., Shea, S.A., 2009. Adverse metabolic and cardiovascular consequences of circadian misalignment. *Proc Natl Acad Sci U S A* 106, 4453-4458.

Schett, G., Xu, Q., Amberger, A., Van der Zee, R., Recheis, H., Willeit, J., & Wick, G. (1995). Autoantibodies against heat shock protein 60 mediate endothelial cytotoxicity. *The Journal of clinical investigation*, 96(6), 2569-2577.

Schilperoort, M., van den Berg, R., Bosmans, L.A., van Os, B.W., Dolle, M.E.T., Smits, N.A.M., Guichelaar, T., van Baarle, D., Koemans, L., Berbee, J.F.P., Deboer, T., Meijer, J.H., de Vries, M.R., Vreeken, D., van Gils, J.M., Willems van Dijk, K., van Kerkhof, L.W.M., Lutgens, E., Biermasz, N.R., Rensen, P.C.N., Kooijman, S. (2020). Disruption of circadian rhythm by alternating light-dark cycles aggravates atherosclerosis development in APOE*3-Leiden.CETP mice. *J Pineal Res*, 68, e12614.

Schwenke, D. C., & Carew, T. E. (1989a). Initiation of atherosclerotic lesions in cholesterol-fed rabbits. I. Focal increases in arterial LDL concentration precede development of fatty streak lesions. *Arteriosclerosis: An Official Journal of the American Heart Association, Inc.*, 9(6), 895-907.

Schwenke, D. C., & Carew, T. E. (1989b). Initiation of atherosclerotic lesions in cholesterol-fed rabbits. II. Selective retention of LDL vs. selective increases in LDL permeability in susceptible sites of arteries. *Arteriosclerosis: An Official Journal of the American Heart Association, Inc.*, 9(6), 908-918.

Schwenke, D. C., & St Clair, R. (1993). Influx, efflux, and accumulation of LDL in normal arterial areas and atherosclerotic lesions of white Carneau pigeons with naturally occurring and cholesterol-aggravated aortic atherosclerosis. *Arteriosclerosis and thrombosis: a journal of vascular biology*, 13(9), 1368-1381.

Seitz, C. S., Kleindienst, R., Xu, Q., & Wick, G. (1996). Coexpression of heat-shock protein 60 and intercellular-adhesion molecule-1 is related to increased adhesion of

- monocytes and T cells to aortic endothelium of rats in response to endotoxin. *Lab Invest*, 74(1), 241-252.
- Shan, Y.-X., Liu, T.-J., Su, H.-F., Samsamshariat, A., Mestril, R., & Wang, P. H. (2003). Hsp10 and Hsp60 modulate Bcl-2 family and mitochondria apoptosis signaling induced by doxorubicin in cardiac muscle cells. *Journal of molecular and cellular cardiology*, 35(9), 1135-1143.
- Shanahan, C. M., & Weissberg, P. L. (1998). Smooth muscle cell heterogeneity: patterns of gene expression in vascular smooth muscle cells in vitro and in vivo. *Arteriosclerosis, thrombosis, and vascular biology*, 18(3), 333-338.
- Shashkin, P., Dragulev, B., Ley, K., 2005. Macrophage differentiation to foam cells. *Current pharmaceutical design* 11, 3061-3072.
- Sheedy, F. J., Grebe, A., Rayner, K. J., Kalantari, P., Ramkhelawon, B., Carpenter, S. B., . . . Golenbock, D. T. (2013). CD36 coordinates NLRP3 inflammasome activation by facilitating intracellular nucleation of soluble ligands into particulate ligands in sterile inflammation. *Nature immunology*, 14(8), 812.
- Shen, W. J., Azhar, S., & Kraemer, F. B. (2018). SR-B1: A Unique Multifunctional Receptor for Cholesterol Influx and Efflux. *Annu Rev Physiol*, 80, 95-116. doi:10.1146/annurev-physiol-021317-121550
- Singh, R. B., Mengi, S. A., Xu, Y. J., Arneja, A. S., & Dhalla, N. S. (2002). Pathogenesis of atherosclerosis: A multifactorial process. *Exp Clin Cardiol*, 7(1), 40-53.
- Sitia, S., Tomasoni, L., Atzeni, F., Ambrosio, G., Cordiano, C., Catapano, A., . . . Turiel, M. (2010). From endothelial dysfunction to atherosclerosis. *Autoimmun Rev*, 9(12), 830-834. doi:10.1016/j.autrev.2010.07.016
- Smiley, S. T., Reers, M., Mottola-Hartshorn, C., Lin, M., Chen, A., Smith, T. W., . . . Chen, L. B. (1991). Intracellular heterogeneity in mitochondrial membrane potentials revealed by a J-aggregate-forming lipophilic cation JC-1. *Proceedings of the National Academy of Sciences*, 88(9), 3671-3675.
- Sniderman, A., Shapiro, S., Marpole, D., Skinner, B., Teng, B., Kwiterovich, P.O., Jr., 1980. Association of coronary atherosclerosis with hyperapobetalipoproteinemia

- [increased protein but normal cholesterol levels in human plasma low density (beta) lipoproteins]. *Proc Natl Acad Sci U S A* 77, 604-608.
- Soltys, B.J., Gupta, R.S., 1996. Immunoelectron microscopic localization of the 60-kDa heat shock chaperonin protein (Hsp60) in mammalian cells. *Exp Cell Res* 222, 16-27.
- Somanath, P.R., Podrez, E.A., Chen, J., Ma, Y., Marchant, K., Antoch, M., Byzova, T.V., 2011. Deficiency in core circadian protein Bmal1 is associated with a prothrombotic and vascular phenotype. *J Cell Physiol* 226, 132-140.
- Spence, J. D., & Pilote, L. (2015). Importance of sex and gender in atherosclerosis and cardiovascular disease. *Atherosclerosis*, 241(1), 208-210.
- Stemme, S., Faber, B., Holm, J., Wiklund, O., Witztum, J. L., & Hansson, G. K. (1995). T lymphocytes from human atherosclerotic plaques recognize oxidized low density lipoprotein. *Proceedings of the National Academy of Sciences*, 92(9), 3893-3897.
- Stewart, C. R., Stuart, L. M., Wilkinson, K., Van Gils, J. M., Deng, J., Halle, A., . . . Frazier, W. A. (2010). CD36 ligands promote sterile inflammation through assembly of a Toll-like receptor 4 and 6 heterodimer. *Nature immunology*, 11(2), 155.
- Stoger, J.L., Gijbels, M.J., van der Velden, S., Manca, M., van der Loos, C.M., Biessen, E.A., Daemen, M.J., Lutgens, E., de Winther, M.P. (2012). Distribution of macrophage polarization markers in human atherosclerosis. *Atherosclerosis*, 225, 461-468.
- Tacke, F., Alvarez, D., Kaplan, T. J., Jakubzick, C., Spanbroek, R., Llodra, J., . . . Van Rooijen, N. (2007). Monocyte subsets differentially employ CCR2, CCR5, and CX3CR1 to accumulate within atherosclerotic plaques. *The Journal of clinical investigation*, 117(1), 185-194.
- Takei, A., Huang, Y., Lopes-Virella, M.F. (2001). Expression of adhesion molecules by human endothelial cells exposed to oxidized low density lipoprotein. Influences of degree of oxidation and location of oxidized LDL. *Atherosclerosis*, 154, 79-86.
- Takizawa, S., Endo, T., Wanjia, X., Tanaka, S., Takahashi, M., & Kobayashi, T. (2009). HSP 10 is a new autoantigen in both autoimmune pancreatitis and fulminant type 1 diabetes. *Biochemical and Biophysical Research Communications*, 386(1), 192-196.

- Thounaojam, M.C., Jadeja, R.N., Salunke, S.P., Devkar, R.V., Ramachandran, A.V. (2012). Sida rhomboidea.Roxb aqueous extract down-regulates in vivo expression of vascular cell adhesion molecules in atherogenic rats and inhibits in vitro macrophage differentiation and foam cell formation. *Immunopharmacol Immunotoxicol*, 34, 832-843.
- Tsai, Y.-P., Yang, M.-H., Huang, C.-H., Chang, S.-Y., Chen, P.-M., Liu, C.-J., . . . Wu, K.-J. (2009). Interaction between HSP60 and β -catenin promotes metastasis. *Carcinogenesis*, 30(6), 1049-1057.
- Upadhyay, K. K., Jadeja, R. N., Thadani, J. M., Joshi, A., Vohra, A., Mevada, V., . . . Devkar, R. V. (2018). Carbon monoxide releasing molecule A-1 attenuates acetaminophen-mediated hepatotoxicity and improves survival of mice by induction of Nrf2 and related genes. *Toxicology and applied pharmacology*, 360, 99-108.
- Vabulas, R. M., Ahmad-Nejad, P., da Costa, C., Miethke, T., Kirschning, C. J., Hacker, H., & Wagner, H. (2001). Endocytosed HSP60s use toll-like receptor 2 (TLR2) and TLR4 to activate the toll/interleukin-1 receptor signaling pathway in innate immune cells. *J Biol Chem*, 276(33), 31332-31339. doi:10.1074/jbc.M103217200
- Vabulas, R.M., Ahmad-Nejad, P., da Costa, C., Miethke, T., Kirschning, C.J., Hacker, H., Wagner, H. (2001). Endocytosed HSP60s use toll-like receptor 2 (TLR2) and TLR4 to activate the toll/interleukin-1 receptor signaling pathway in innate immune cells. *J Biol Chem*, 276, 31332-31339.
- Valente, A.J., Irimpen, A.M., Siebenlist, U., Chandrasekar, B. (2014). OxLDL induces endothelial dysfunction and death via TRAF3IP2: inhibition by HDL3 and AMPK activators. *Free Radical Biology and Medicine*, 70, 117-128.
- Van Eden, W., Wick, G., Albani, S., & Cohen, I. (2007). Stress, heat shock proteins, and autoimmunity: how immune responses to heat shock proteins are to be used for the control of chronic inflammatory diseases. *Annals of the New York Academy of Sciences*, 1113(1), 217-237.

- Van Tits, L., Stienstra, R., Van Lent, P., Netea, M., Joosten, L., Stalenhoef, A. (2011). Oxidized LDL enhances pro-inflammatory responses of alternatively activated M2 macrophages: a crucial role for Krüppel-like factor 2. *Atherosclerosis*, 214, 345-349.
- van Varik, B. J., Rennenberg, R. J., Reutelingsperger, C. P., Kroon, A. A., de Leeuw, P. W., & Schurgers, L. J. (2012). Mechanisms of arterial remodeling: lessons from genetic diseases. *Front Genet*, 3, 290. doi:10.3389/fgene.2012.00290
- Vasile, E., Simionescu, M., & Simionescu, N. (1983). Visualization of the binding, endocytosis, and transcytosis of low-density lipoprotein in the arterial endothelium in situ. *The Journal of cell biology*, 96(6), 1677-1689.
- Virchow, R. (1856). Der ateromatose prozess der arterien. *Wien Med Wochenschr*, 6(825), 143-152.
- Vogel, B., Siebert, H., Hofmann, U., & Frantz, S. (2015). Determination of collagen content within picrosirius red stained paraffin-embedded tissue sections using fluorescence microscopy. *MethodsX*, 2, 124-134. doi:10.1016/j.mex.2015.02.007
- Vosko, A. M., Colwell, C. S., & Avidan, A. Y. (2010). Jet lag syndrome: circadian organization, pathophysiology, and management strategies. *Nature and science of sleep*, 2, 187.
- Wagner, K.-H., & Brath, H. (2012). A global view on the development of non communicable diseases. *Preventive medicine*, 54, S38-S41.
- Wick, G., Jakic, B., Buszko, M., Wick, M. C., & Grundtman, C. (2014). The role of heat shock proteins in atherosclerosis. *Nature Reviews Cardiology*, 11(9), 516.
- Wick, G., Kleindienst, R., Dietrich, H., & Xu, Q. (1992). Is atherosclerosis an autoimmune disease? *Trends in Food Science & Technology*, 3, 114-119.
- Wick, M. C., Mayerl, C., Backovic, A., Van der Zee, R., Jaschke, W., Dietrich, H., & Wick, G. (2008). In vivo imaging of the effect of LPS on arterial endothelial cells: molecular imaging of heat shock protein 60 expression. *Cell Stress and Chaperones*, 13(3), 275.

-
- Willeit, J., & Kiechl, S. (1993). Prevalence and risk factors of asymptomatic extracranial carotid artery atherosclerosis. A population-based study. *Arteriosclerosis and thrombosis: a journal of vascular biology*, 13(5), 661-668.
- Willich, S.N., 1990. Epidemiologic studies demonstrating increased morning incidence of sudden cardiac death. *Am J Cardiol* 66, 15G-17G.
- Windaus, A. t. (1910). Über den Gehalt normaler und atheromatöser Aorten an Cholesterin und Cholesterinestern. *Hoppe-Seyler's Zeitschrift für physiologische Chemie*, 67(2), 174-176.
- Witztum, J. (1989). Beyond cholesterol: modifications of low density lipoprotein that increase its atherogenicity. *N Engl J Med*, 320, 915-924.
- World Health Organization. (2017, May 17). Cardiovascular diseases (CVDs). Retrieved from [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds))
- World Health Organization. (2018, June 1). Non-communicable diseases. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases>
- Wu, H.-J., Hao, J., Wang, S.-Q., Jin, B.-L., & Chen, X.-B. (2012). Protective effects of ligustrazine on TNF- α -induced endothelial dysfunction. *European journal of pharmacology*, 674(2-3), 365-369.
- Xanthoudakis, S., Roy, S., Rasper, D., Hennessey, T., Aubin, Y., Cassady, R., . . . Nicholson, D. W. (1999). Hsp60 accelerates the maturation of pro-caspase-3 by upstream activator proteases during apoptosis. *The EMBO journal*, 18(8), 2049-2056.
- Xu, H., Jiang, J., Chen, W., Li, W., Chen, Z. (2019). Vascular Macrophages in Atherosclerosis. *J Immunol Res* 2019, 4354786.
- Xu, Q. B., Oberhuber, G., Gruschwitz, M., & Wick, G. (1990). Immunology of atherosclerosis: cellular composition and major histocompatibility complex class II antigen expression in aortic intima, fatty streaks, and atherosclerotic plaques in young and aged human specimens. *Clin Immunol Immunopathol*, 56(3), 344-359. doi:10.1016/0090-1229(90)90155-j

- Xu, Q., Dietrich, H., Steiner, H. J., Gown, A. M., Schoel, B., Mikuz, G., . . . Wick, G. (1992). Induction of arteriosclerosis in normocholesterolemic rabbits by immunization with heat shock protein 65. *Arteriosclerosis and thrombosis: a journal of vascular biology*, *12*(7), 789-799.
- Xu, Q., Kleindienst, R., Schett, G., Waitz, W., Jindal, S., Gupta, R. S., . . . Wick, G. (1996). Regression of arteriosclerotic lesions induced by immunization with heat shock protein 65-containing material in normocholesterolemic, but not hypercholesterolemic, rabbits. *Atherosclerosis*, *123*(1), 145-155.
- Xu, Q., Kleindienst, R., Waitz, W., Dietrich, H., & Wick, G. (1993). Increased expression of heat shock protein 65 coincides with a population of infiltrating T lymphocytes in atherosclerotic lesions of rabbits specifically responding to heat shock protein 65. *J Clin Invest*, *91*(6), 2693-2702. doi:10.1172/JCI116508
- Xu, Q., Schett, G., Perschinka, H., Mayr, M., Egger, G., Oberhollenzer, F., . . . Wick, G. (2000). Serum soluble heat shock protein 60 is elevated in subjects with atherosclerosis in a general population. *Circulation*, *102*(1), 14-20.
- Xu, Q., Schett, G., Seitz, C. S., Hu, Y., Gupta, R. S., & Wick, G. (1994). Surface staining and cytotoxic activity of heat-shock protein 60 antibody in stressed aortic endothelial cells. *Circulation research*, *75*(6), 1078-1085.
- Yanaka, M., Honma, T., Sato, K., Shinohara, N., Ito, J., Tanaka, Y., . . . Ikeda, I. (2011). Increased monocytic adhesion by senescence in human umbilical vein endothelial cells. *Biosci Biotechnol Biochem*, *75*(6), 1098-1103. doi:10.1271/bbb.100909
- Yang, X., Coriolan, D., Schultz, K., Golenbock, D.T., Beasley, D. (2005). Toll-like receptor 2 mediates persistent chemokine release by Chlamydia pneumoniae-infected vascular smooth muscle cells. *Arterioscler Thromb Vasc Biol* *25*, 2308-2314.
- Ylä-Herttuala, S., Palinski, W., Rosenfeld, M., Parthasarathy, S., Carew, T., Butler, S., . . . Steinberg, D. (1989). Evidence for the presence of oxidatively modified low density lipoprotein in atherosclerotic lesions of rabbit and man. *The Journal of clinical investigation*, *84*(4), 1086-1095.

- Yoshida, H., & Kisugi, R. (2010). Mechanisms of LDL oxidation. *Clinica Chimica Acta*, 411(23-24), 1875-1882.
- Yvan-Charvet, L., Wang, N., & Tall, A. R. (2010). Role of HDL, ABCA1, and ABCG1 transporters in cholesterol efflux and immune responses. *Arteriosclerosis, thrombosis, and vascular biology*, 30(2), 139-143.
- Zand, T., Majno, G., Nunnari, J. J., Hoffman, A. H., Savelonis, B. J., MacWilliams, B., & Joris, I. (1991). Lipid deposition and intimal stress and strain. A study in rats with aortic stenosis. *The American journal of pathology*, 139(1), 101.
- Zhang, H., Yang, Y., & Steinbrecher, U. P. (1993). Structural requirements for the binding of modified proteins to the scavenger receptor of macrophages. *Journal of Biological Chemistry*, 268(8), 5535-5542.
- Zhang, W., Yancey, P.G., Su, Y.R., Babaev, V.R., Zhang, Y., Fazio, S., Linton, M.F., 2003. Inactivation of macrophage scavenger receptor class B type I promotes atherosclerotic lesion development in apolipoprotein E-deficient mice. *Circulation* 108, 2258-2263.
- Zhang, X., He, M. a., Cheng, L., Chen, Y., Zhou, L., Zeng, H., . . . Wu, T. (2008). Elevated heat shock protein 60 levels are associated with higher risk of coronary heart disease in Chinese. *Circulation*, 118(25), 2687.
- Zhao, Y., Yuan, Z., Liu, Y., Xue, J., Tian, Y., Liu, W., ... & Chen, T. (2010). Activation of cannabinoid CB2 receptor ameliorates atherosclerosis associated with suppression of adhesion molecules. *Journal of cardiovascular pharmacology*, 55(3), 292-298.
- Zhao, Y., Zhang, C., Wei, X., Li, P., Cui, Y., Qin, Y., . . . Gao, Y. (2015). Heat shock protein 60 stimulates the migration of vascular smooth muscle cells via Toll-like receptor 4 and ERK MAPK activation. *Sci Rep*, 5, 15352. doi:10.1038/srep15352
- Zhu, H., Takahashi, Y., Xu, W., Kawajiri, H., Murakami, T., Yamamoto, M., . . . Yoshimoto, T. (2003). Low density lipoprotein receptor-related protein-mediated membrane translocation of 12/15-lipoxygenase is required for oxidation of low density lipoprotein by macrophages. *Journal of Biological Chemistry*, 278(15), 13350-13355.