

**BIBLIOGRAPHY**

- Acharya U. R., Mishra M., Mishra I., Tripathy R.R. (2004). Potential role of vitamins in chromium induced spermatogenesis in Swiss mice. *Environmental toxicology and pharmacology*, 15: 53-59.
- Acharya U., Mishra M., Tripathy R. R. and Mishra I. (2006). Testicular dysfunction and antioxidative defense system of Swiss mice after chromic acid exposure. *Reproductive toxicology*, 22 (1): 87-91.
- Agarwal A. and Prabakaran S.A. (2005). Mechanism, measurement, and prevention of oxidative stress in male reproductive physiology. *Indian Journal of Experimental Biology*, 43: 963-974.
- Agnes V. F. and Akbarsha M. A. (2001). Pale vacuolated epithelial cells in epididymis of aflatoxin- treated mice. *Reproduction*, 122 (4): 629-641.
- Allanson M. and Deanesly R. (1962). Observations on cadmium damage and repair in rat testis and effects on the pituitary gonadotrophs. *J. Endocrin*, 24: 453-462.
- Alsberg C. L. and Schwartze E. W. (1919). Pharmacological action of Cd. *Pharmacology*, 13: 504-510.
- Amara S., Abdelmelek H., Garrel C., Guiraud P., Douki T., Ravanat J-L., Favier A., Sakly M. and Rhouma K. B. (2006). Influence of static magnetic field on cadmium toxicity: Study of oxidative stress and DNA damage in rat tissues. *Journal of Trace Elements in Medicine and Biology*, 20 (4): 263-269.
- Amara S., Abdelmelek H., Garrel C., Guiraud P., Douki T., ravanat J-L., Favier A., sakly M., and Ben Rhouma K. (2008). Preventive effect of Zinc against Cadmium-induced Oxidative stress in the rat tesits. *J. of reproduction and Development*, 54(2): 129-134.
- Anderson O., Nielsen J.B. and Svendsen P. (1988). Oral cadmium chloride intoxication in mice: Effects of dose on tissue damage, intestinal absorption and relative organ distribution. *Toxicology*, 48:225-236
- Anderson R.A. (1997). Nutritional factors influencing the glucose/ insulin system- Chromium. *J. Am. Coll. Nutr*, 16: 404-10.

- Andreeva N. I., Asnina V. V. and Libeerman S. S. (1999). Melatonin: pharmacological properties and clinical application. *Pharmaceutical Chemistry Journal*, 33 (8): 49-52.
- Anon (1990). Monograph on the evaluation of carcinogenic risk to humans. In: Chromium, nickel and welding. Lyon: IARC. 49-234.
- Antolin I., Rodriguez C., Sainz R. M. Mayo J. C., Aria H., Kotter M., Rodriguez-Colungo M. J., Toliva D. and Menendez-Pelacz A. (1996). Neurohormone melatonin prevents damage: Effect on gene expression for antioxidative enzymes. *FASEB J.*, 10: 882-890.
- Aoki A. and Hoffer A. P. (1978). Reexamination of the lesions in rat testis caused by cadmium. *Biol Reprod.*, 18: 579-91.
- Aruldas M. M., Subramanian S., Sekar P., Vengatesh G., Chndrahasan G., Govindarajulu P. and Akbarsha M. A. (2005). Chronic chromium exposure-induced changes in testicular histoarchitecture are associated with oxidative stress: study in a non-human primate (*Macaca radiata Geoffroy*). *Human Reproduction*, 20(10): 2801-2813.
- Aruldas M.M., Hasan G.C. and Govindarajulu P. (2000). Effect of chromium exposure on sperm maturation and male fertility. Final Technical Report to Council of Scientific and Industrial Research, Government of India, New Delhi.
- Aruldas M.M., Subramanian S., Sekhar P., Chandra Hasan G., Govindarajulu P. and Akbarsha M.A. (2004). Microcanalization in the epididymis to overcome ductal obstruction caused by chronic exposure to chromium- a study in the mature bonnet monkey (*Macaca radiata Geoffroy*). *Reproduction*, 128: 127-137.
- ATSDR (2000). Agency for toxic substances and disease registry. Toxicological profile for chromium. U.S. Department of health and human services, public health service, ATSDR. Atlanta, Georgia, USA: U. S. Government printing office, 122-152.
- Axelrod J. (1974). The pineal gland: a neurochemical transducer. *Science*, 184: 1341-1348.
- Aziz N., Said T., Paasch U. and Agarwal A. (2007). The relationship between human sperm apoptosis, morphology and the sperm deformity index. *Hum. Reprod.*, 22(5): 1413-1419.

- Bagchi D., Stohs S. J., Downs B.W., Bagchi M. and Preuss H.G. (2002). Cytotoxicity and oxidative mechanisms of different forms of chromium. *Toxicology*, 180: 5-22
- Bagchi D., Vuchetich P. J., Bagchi M., Hassoum E. A., Tran M. X., Trang T. and Stohs S. J. (1997). Induction of oxidative stress by chronic administration of sodium dichromate (Cadmium II) to rats. *Free Radical Biol Med*, 22: 471-478.
- Bal W. and Kasprzak K. S. (2002). Induction of oxidative DNA damage by carcinogenic metals. *Toxicol Lett*, 127(1-3): 55-62.
- Barceloux D.G. (1999). Chromium. *J Toxicol Clin Toxicol*, 37 (2): 173-94.
- Bauche F., Fouchard M., Jgou B. (1994). Antioxidant system in rat testicular cells. *FEBS Lett*, 349: 392-396.
- Beauchamp C. and Fridovich I. (1970). A mechanism for the production of ethylene from methional. The generation of the hydroxyl radical by xanthine oxidase. *The Journal of Biological Chemistry*, 245(18): 4641-4646.
- Benge J. A. and Aust S. D. (1978). *Methods Enzymol*. 52: 302-310.
- Benoff S., Auburn K., Marmar J. L. and Hurley I. R. (2008). Link between low-dose environmentally relevant cadmium exposures and astheno zoosprmia in a rat model. *Fertility and Sterility*, 89(1): 73-79.
- Bindu M. P. and Annamalai P. T (2004). Combined effect of alcohol and cigarette smoke on lipid peroxidation and antioxidant status in rats. *Indian J. Biochem. Biophys.*, 41: 40-4
- Biswas N. M., Gupta R. S., Chattopadhyay A., Choudhury G. R. and Sarkar M. (2001). Effect of atenolol on cadmium-induced testicular toxicity in male rats. *Reproductive Toxicology*, 15: 699-704.
- Bittman E. L., Kaynard A. H., Olster D. H., Robinson J. E., Yellow S. M. and Karsch F. J. (1985). Pineal melatonin mediates photoperiodic control of pulsatile luteinizing hormone secretion in the ewe. *Neuroendo-crinology*, 40: 409-418.
- Brigelius-Flohe R. (1999). Tissue-specific functions of individual glutathione peroxidases. *Free Radic Biol Med*, 27: 951-65.
- Brozoska M. M., Kaminski M., Supernak-Bobkod D., Z wierz K. and Moniuszko-Jakoniuk J. (2003). Changes in the structure and function of kidney of rats chronically exposed to cadmium. I. Biochemical and Histopathological studies. *Arch. Toxicol.*, 77: 344-52.

- Bubenik G. A. (2002). Gastrointestinal melatonin: localization, function, and clinical relevance. *Dig. Dis. Sci.*, 47: 2336-2348.
- Cardinali D. P. and Pevet P. (1998). Basic aspects of melatonin action. *Sleep. Med. Rev.*, 2: 175-190.
- Cardinali D. P. and Rosner J. M. (1971). Metabolism of serotonin by the rat retina 'in vitro'. *J Neurochem.*, 18: 1769-1770.
- Cardinali D.P., Golombek D.A., Rosenstein R.E., Cutrera R.A. and Isquifinoa A.I. (1997). Melatonin site and mechanism of action: single or multiple? *J Pineal Research*, 23(1): 32-9.
- Carlberg C. (2000). Gene regulation by melatonin. *Ann N. Y. Acad Sci.*, 917: 387-396.
- Carpenter D. O., Arcaro K. F., Bush B., Niemi W. D., Pang S. K. and Vakharia D. D. (1998). Human health and chemical mixture: an overview. *Environ Health Perspect.*, 106(6): 1263-1270.
- Carpenter D., Shen Y., Nguyen T., Lininger L. L. (2002). Understanding the human health effects of chemical mixture. *Environ Health Perspect*, 110 (suppl 1): 25-42.
- Catflisch C. R. (1994). Effect of orally administered cadmium on in-situ pH, P-CO<sub>2</sub>, and bicarbonate concentration in rat testis in epididymis. *J. Toxicol. Environ Health.*, 42: 423-30.
- Cha C.W. (1987). A study on the effect of garlic to the heavy metal poisoning of rat. *J Korean Med Sci*, 2:213-224.
- Champier J., Claustrat B., Besancon R., Eymin C., Killer C., Jouvet A., Chamba G. and Fevre-Montange M. (1997). Evidence for tryptophan hydroxylase and hydroxyindol-o-methyl-transerease mRNAs in human blood platelets. *Life Sci.*, 60: 2191-2197.
- Chandra A.K., Chatterjee A., Ghosh A., Sarkar M. and Chaube S.K. (2007). Chromium induced testicular impairment of in relation to adrenocortical activities in adult albino rats. *Reproductive Toxicology*, 24: 388-396.
- Chen F., Ye J. P., X. Y. Rojanasakul Y. and Shi X. L. (1997). One- Electron Reduction of Chromium(VI) by  $\alpha$ -Lipoic Acid and Related Hydroxyl Radical Generation, D G Hydroxylation and Nuclear Transcription Factor-  $\kappa$  B Activation. *Arch. Biochem. Biophys.*, 338: 165-172.

- Chen H. and Zirkin B. R. (1999). Long-term suppression of leydig cells steroidogenesis prevents leydig cell aging. *Proc. Nat. Acad. Sci. U S A.*, 96: 14877-14881.
- Cheng J., Fu J-L., Zhou Z-C. (2003). The inhibitory effects of manganese on steroidogenesis in rat primary Leydig cells by disrupting steroidogenic acute regulatory (StAR) protein expression. *Toxicology*, 187: 139-148.
- Chung N. P. Y. and Cheng C. Y. (2007). Is cadmium chloride-induced inter-sertoli tight junction permeability barrier disruption a suitable in vitro model to study the events of junction disassembly during spermatogenesis in the rat testis. *Endocrinology*, 142(5): 1878-1888.
- Claustrat B., Brun J. and Chazot G. (2005). The basic physiology and pathophysiology of melatonin. *Sleep. Med. Rev.*, 9: 11-24.
- Cocuzza M., Sikka S.C., Athayde K.S. and Agarwal A. (2007). Clinical relevance of oxidative stress and sperm chromatin damage in male infertility: an evidence based analysis. *International Braz J Urol*, 33(5): 603-621.
- Codd R., Dillon C.T., Levina A. and Lay P. A. (2001). Studies on the genotoxicity of chromium: from the test tube to the cell. *Coordination. Chemistry. Reviews.*, 216: 537-582.
- Conti A., Conconi S., Hertens E., Skwarlo-Sonta K., Markowska M. and maestroni J. M. (2000). Evidence for melatonin synthesis in mouse and human bone marrow cells. *J. Pineal. Res.*, 28: 193-202.
- Costa M., Simmons-Hansen J., Bedrossian C.W., Bonura J., Caprioli R.M. (1981). Phagocytosis, cellular distribution, and carcinogenic activity of particulate nickel compounds in tissue culture. *Cancer Res.*, 41(7): 2868-76.
- Curran G. L. (1954). Effect of certain transition group elements on hepatic synthesis of cholesterol in the rat. *J Biol Chem.* 210(2): 765-70.
- Dally H, Hartwig A. (1997). Induction and repair inhibition of oxidative DNA damage by nickel(II) and cadmium(II) in mammalian cells. *Carcinogenesis*, 18(5):1021-6
- Danielsson B. R. G., Dencker L., Lindgren A. and Tjalve H. (1984). Accumulation of toxic metals in male reproductive organs. *Ardch. Toxicol.*, 7: 177-80.
- Danielsson G.R.G., Hassoun E. and Dencker L. (1982). Embryo toxicity of chromium: Distribution in pregnant mice and effects on embryonic cells in vitro. *Archives of Toxicology*, 51: 233-245.

- Das K. K. and Buchner V. (2007). Effect of Nickel Exposure on Peripheral Tissues: Role of Oxidative Stress in Toxicity Possible Protection by Ascorbic Acid. *Reviews on Environmental Health*, 22(2): 133-149.
- Das K. K. and Dasgupta S. (2002). Effect of Nickel Sulphate on Testicular Steroidogenesis in Rats during Protein Restriction. *Environmental Health Perspectives*, 110(9): 923-926.
- Das K.K. and Dasgupta S. (1997). Alteration of testicular biochemistry during protein restriction in nickel treated rats. *Biol Traca Elem Res*. 60(3): 243-249.
- DeFlora S., Bagnasco M., Serra D. and Zanicchi P. (1990). Genotoxicity of chromium compounds: a review. *Mutation Research*, 238: 99-172.
- Del P. K., Charreau E. H. and Pignataro O. P. (1996). Nitric oxide inhibits leydig cell steroidogenesis. *Endocrinology*, 137: 5337-5343.
- Dixon R. L. (1986). Toxic responses of the reproductive system. Casarett and Doull's *Toxicology*, Klaassen CD. 3<sup>rd</sup> edn. New York, Macmillan Publishing Company, 433-477.
- Doreswamy K., Rajeshkumar T., Shrilatha B., Das J. R. and Muralidhara (2001). Nickel-induced oxidative damage in rat testis: evidences related to DNA damage and apoptosis. In: Proceedings of the first international conference on natural antioxidants and free radicals and human health and radiation biology. Mumbai, India: Society of Free Radical Research: 174.
- Doreswamy K., Shrilatha B., Rajeshkumar T. and Muralidhra. (2004). Nickel-Induced Oxidative Stress in Testis of Mice: Evidence of DNA Damage and Genotoxic Effects. *Journal of Andrology*, 25(6): 996-1003.
- Draper and Timbrel (1996). Urinary creatine as a potential marker of testicular damage: Effect of vasectomy. *Reprod. Toxicol*, 10: 79-85.
- Dubocovich M. L., Cardinali D. P., Delagrang P., Krause D. N., Strosberg D., Sugden D. and Yocca F. D. (2000). Melatonin receptors. In *The IUPHAR Compendium of Receptor Characterization and Classification*, 2<sup>nd</sup> edn. (IUPHAR, ed.): 271-277. IUPHAR Media, London.
- Ernst E. (1990). Testicular toxicity following short-term exposure to tri-hexavalent chromium: an experimental study in the rat. *Toxicol Lett.*, 51: 269-275.
- Feron V. J., Cassee F. R., Groten J. P., Van Vliet P. W. and van Zorge J. A. (2002). International issues on human health effects of exposure to chemical mixtures. *Environ. Health Perspect.*, 110: (6) 893-9.

- Fujii J., Iuchi Y., Matsuki S. and Ishii T. (2003). Cooperative function of antioxidant and redox systems against oxidative stress in male reproductive tissues. *Asian J. Androl.*, 5: 231-242.
- Galán A, García-Bermejo L, Troyano A, Vilaboa NE, Fernández C, de Blas E, Aller P. (2001). The role of intracellular oxidation in death induction (apoptosis and necrosis) in human promonocytic cells treated with stress inducers (cadmium, heat, X-rays). *Eur. J. Cell Biol.*, 80(4): 312-20.
- Gupta A., Gupta A., Murthy R. C. and Chandra S. V. (1993). Neurochemical changes in developing rat brain after pre- and postnatal cadmium exposure. *Bull. Environ. Contam. toxicol.*, 51: 12 – 17.
- Gupta A. D., Dhundasi S. A. and Das K. K. (2007). Effect of l-ascorbic acid on antioxidant defence system in testes of albino rats exposed to nickel sulfate. *J Basic Clin. Physiol. Pharmacol.*, 18(4): 255-66.
- Gutteridge J.M. and Halliwell B. (2000). Free radicals and antioxidants in the year 2000: a historical look to the future. *Ann. NY. Acad. Sci.*, 899:136-47.
- Hanukoglu I., Rapoport R., Weiner L. and Sklan D. (1993). Electron leakage from mitochondrial NADPH-adrenodoxin reductase adrenodoxin reductase-adrenodoxin P450 scc (cholesterol side chain cleavage) system. *Arch. Biochem. Biophys.*, 305: 489-98.
- Hardeland R., Rieter R. J., Poeggeler B. and Tan D. X. (1993). The significance of the metabolism of the neurohormone melatonin: Antioxidative protection and formation of bioactive substances. *Neurosci, Biobehav. Rev.*, 17: 347-357.
- Hew K-W., Ericson W. A. and Welsh M. J. (1993). A single low Cadmium dose causes failure of spermiation in the rat. *Toxicology and Applied Pharmacology*, 121: 15-21.
- Hoey M. J. (1966). The effects of metallic salts on the histology and functioning of the rat testis. *J. Reprod. Fertil*, 12: 467-471.
- IARC (1993). Beryllium, Cadmium, Mercury, and Exposures in the Glass Manufacturing Industry. IARC, Lyon monogr. 58. International Agency for Cancer Research, Lyon.
- Irvine R.S. (1996). Glutathione as a treatment for male infertility. *Rev Reprod*, 1: 6-12.

- Iscan M., Coban T. and Eke B. C. (1994). Differential combined effect of cadmium and nickel on hepatic and renal glutathione-s-transferases of the guinea pig, *Environ. Health Perspect.*, 102(9): 60-72.
- Iscna M., Coban T. and Eke B. C. (1992). Combined effect of cadmium and nickel on rat hepatic monooxygenases: possible stimulation of certain cytochrome p-450 isoenzyme. *Toxicol lett.*, 62 (2-3):191-199.
- Jackson F. L., Heindel J. J., Preslock J. P. and Berkowitz A. S. (1982). Alterations in hypothalamic content of luteinizing hormone-releasing hormone associated with pineal mediated testicular regression in the golden hamster. *Biol. Reprod.*, 31: 436-445.
- Jamall I.S., Naik M, Sprowls J. J. and Trombetta LD. (1989). A comparison of the effects of dietary cadmium on heart and kidney antioxidant enzymes: evidence for the greater vulnerability of the heart to cadmium toxicity. *J. Appl. Toxicol.*, (5): 339-45.
- Johnson A. D., Gomes W. R. and De Van M. (1970). Early actions of cadmium in the rat and domestic fowl testis. I. Testis and temperature changes caused by cadmium and zinc. *J. Reprod. Fertil.*, 21: 383-393.
- Joshi S., Hasan S. K., Chandra R., Husain M. M. and Srivastava R. C. (2004). Scavenging action of zinc and green tea polyphenol on cisplatin and nickel induce nitric oxide generation and lipid peroxidation in rats. *Biomed. Environ. Sci.*, 17(4): 402-9.
- Kakela R., Kakela A. and Hyvarinen. (1999). Effect of nickel chloride on reproduction of the rat and possible antagonistic role of selenium. *Comparative Biochemistry and Physiology, Part C* 123: 27-37.
- Kara H., Cevik, A., Konarv, Dayangac A. and Yilmaz M (2007). Protective effects of antioxidants against Cadmium-induced oxidative damage in rat testis. *Biol. Trace Elem. Res.*, 120: 205-211.
- Karbownik M., Lewinski A., Reiter R. J. (2001). Anticarcinogenic actions of melatonin which involve antioxidative process: comparison with other antioxidants. *The international journal of biochemistry and cell biology*, 33: 735-753.
- Kasprzak K. S. (2002). Oxidative DNA and Protein damage in metal induced toxicity and carcinogenesis. *Free Rad. Biol. Med.*, 32: 958-967.

- Kellogg E. W. (III). And Fridovich I. (1975). Superoxide, hydrogen peroxide and singlet oxygen in lipid peroxidation by a xanthine oxidase system. *The Journal of Biological Chemistry*, 250(22): 8812-8817.
- Kelly, C. T., Vargas V. M. F., Zimiani K. and Cecchini R. (2004). Oxidative stress damage in the liver of fish and rats receiving an intraperitoneal injection of hexavalent chromium as evaluated by chemiluminescence. *Environmental Toxicology and Pharmacology*, 17: 149-157.
- Kim C. Y., Lee M. J., Lee S. M., Lee W. C. and Kim J. S. (1998). Effect of melatonin on cadmium-induced hepatotoxicity in male Sprague-Dawley rats. *Thoku J. Exp. Med.*, 186: 205-213.
- Kostic T., Andric S, Kovacevic R. and Maric D. (1998). The involvement of nitric oxide synthase in stress-impaired testicular steroidogenesis. *Eur. J. Pharmacol.*, 346: 267-273.
- Kumar T.R. and Muralidhara. (2007). Induction of oxidative stress by organic hydroperoxides in testis and epididymal sperm of rats In Vivo. *J. of Andrology*, 28(1): 77-85.
- Kusakabe T, Nakajima K, Suzuki K, Nakazato K, Takada H, Satoh T, Oikawa M, Kobayashi K, Koyama H, Arakawa K, Nagamine T. (2007). The changes of heavy metal and metallothionein distribution in testis induced by cadmium exposure. *Biometals*.
- Lafuente A., Marquez N., Perez-Lorezo M., Pazo D. and Esquinfino A. L. (2001). Cadmium effects on hypothalamic pituitary testicular axis in male rats. *Exp. Biol. Med.*, 226(6): 605-611.
- Lane, Todd W., Saito, Mak A.; George, Graham N.; Pickering, Ingrid J.; Prince, Roger C.; Morel, François M. M. (2005). "A cadmium enzyme from a marine diatom". *Nature* 435 (42).
- Laskey J. W. and Phelps P. V. (1991). Effects of cadmium and other metal cations on other metal cations on in vitro Leyding cells testosterone production. *Toxicol. Appl. Pharmacol.*, 108: 296-306.
- Lerner A. B., Case J. D. and Heinzelman (1959). Structure of melatonin. *J. Am. Chem. Soc.*, 81: 6084-6085.
- Li H., Chen Q., Li S., Yao W., Li L., Shi X., Wang L., Castranova V., Vallyathan V., Ernst E and Chen C. (2001). Effect of Cr (VI) exposure on sperm quality: human and animal studies. *Ann Occup Hyg.*, 45: 505-11.

- Liu C., Fukuhara C., Wessel J. H III., Iuvone P. M. and Tosini G. (2004). Localization of Aa-nat mRNA in the rat retina by fluorescence in situ hybridization and laser capture microdissection. *Cell Tissue Res.*, 315: 197-201.
- Liu J., Qian S. Y., Guo Q., Jiang J., Waalkes M. P., Mason R. P. and Kadiiska M. B. (2008). Cadmium generates reactive oxygen and carbon-centered radical species in rats: Insights from in vivo spin-trapping studies. *Free Radical Biology and Medicine*, 45: 475-481.
- Liu K.J. and Shi X.L. (2001). In vivo reduction of chromium (VI) and its related free radical generation. *Mol. Cell. Biochem.*, 222:41-47.
- Lucesoli F. and Fraga C.G. (1995). Oxidative damage to lipids and DNA concurrent with decrease of antioxidants in rat testis after acute iron intoxication. *Arch. Biochem. Biophys.*, 316: 567-571.
- Luo L., Chen H., Trush M.A., Show M.D., Anway M.D. and Zirkin B.R. (2006). Aging and the Brown Norway rat Leydig cell antioxidant defense system. *J. Androl.*, 27:240-247.
- Macchi m. M. and Bruce J. N. (2004). Human pineal physiology and functional significance of melatonin. *Front Neuroendocrinol.*, 25: 177-195.
- Machemer L. and Lorke D. (1981). Embryotoxic effect of cadmium on rats upon oral administration. *Toxicol. Appl. Pharmacol.*, 58:438-443.
- Manna P., Sinha M. and Sil C. P. (2008). Cadmium induced testicular pathophysiology: prophylactic role of taurine. *Reproductive toxicology*, 1-10.
- Maritim A. C., Sanders R. A. and Watkins III J. B. (2003). Diabetes, Oxidative stress and Antioxidants: A Review. *J. Biochem. Molecular Toxicology.*,17: 24-38.
- Masaoka T, Akahori F, Arai S, Nomiyama K, Nomiyama H, Kobayashi K, Nomura Y, Suzuki T. (1994). A nine-year chronic toxicity study of cadmium ingestion in monkeys. I. Effects of dietary cadmium on the general health of monkeys. *Vet. Hum. Toxicol.*, 36(3): 189-94.
- Massanyi P., Lukac N., Zemanova J., Makarevich A. V., Chrenek P., Cigankova V., Flesarova S., Toman R., Forgacs Z. S., Somosy Z. and Lazor P. (2007). Effect of Nickel Administration in vivo on the testicular structure in male mice. *Acta. Vet. Brno.*, 76: 223-229.
- May J. M., Qu. Zhi-Chao. and Li. Xia (2001). Requirement for GSH in recycling of ascorbic acid in endothelial cells. *Biochemical Pharmacology*, 62: 873-881.

- Melchiorri D., Reiter R. J., Sewerynek E., Hara M., Chen L. D. and Nistico G. (1996). Paraquat toxicity and oxidative damage: Reduction by melatonin. *Biochem. Pharmacol.*, 51: 1095-1099.
- Middendorff R., Muller D., Paust H. J., Holstein A. F. and Davidoff M. S. (1997). New aspects of Leydig cells function. *Adv. Exp. Med. Biol.*, 424: 125-138.
- Monsefi M., Alaei S., Moradshahi A. and Rohani L. (2009). Short Communication. *Environmental Toxicology*, 1-9.
- Monsson E. (2005). Chemical Mixtures: Considering the Evolution of Toxicology and Chemical Assessment. *Environmental Health Perspectives*, 113(4): 383-390.
- Moore R. Y. (1997). Circadian rhythms: basic neurobiology and clinical applications. *Annu. Rev. Med.*, 48: 253-266.
- Murthy R.C., Saxena D.K., Lal B. and Chandra S.V. (1989). Chronic cadmium-ethanol administration alters metal distribution and some biochemicals in rat brain. *Biochem Int.* 19(1):135-43.
- Ng T. B. and Liu W. K. (1990). Toxic effect of heavy metals on cells isolated from the rat adrenal and testis. *In Vitro Cell Dev Biol*, 26: 24-28.
- Nielsen F.H., Shuler T.R., McLeod T.G. and Zimmerman T.J. (1984). Nickel influences iron metabolism through physiologic, pharmacologic and toxicologic mechanisms in the rat. *J. Nutr.*, 114: 1280-1288.
- Nobuyuki S., Shunji U., Yoshinori F. and Masayasu S. (1997). Protective effect of Deferoxamine on Chromium(VI)-induced DNA single-strand breaks, cytotoxicity, and lipid peroxidation in primary culture of Rat hepatocytes. *Arch. Toxicol.*, 71(6): 345-357.
- Noda Y., Mori A., Liburdy R. and Packer L. (1999). Melatonin and its precursors scavenge nitric oxide. *J. Pineal Res.*, 27: 159-63.
- Nordberg G. F. (1971). Effects of acute and chronic cadmium exposure on the testicles of mice. *Environ. Physiol.*, 1: 171-187.
- O'Brien T., Xu J. and Patiemo S.R. (2001) Effects of glutathione on chromium-induced DNA crosslinking and DNA polymerase arrest. *Mol. Cell Biochem.*, 222: 173-182.
- Obone E., Chakrabarti S. K., Bai C., Malick M. A., Lamontagne L. and Subramanian K. S. (1999). *Journal of Toxicology Environmental Health A.*, 57(6): 379-401.

- Ohta H., Nakakita M., Tanaka H., Seki Y. and Yoshikawa H. (1997). Induction of metallothionein-like cadmium-binding protein in the testis by oral cadmium administration in rats. *Ind. Health*, 35: 96-103.
- Oldereid N. B., Thomassen Y., Attramadal A., Olaisen B. and Purvis K. (1993). Concentration of Lead, Cadmium and Zinc in the tissues of reproductive organs of men. *J. Reprod. Fertil.*, 99: 421-425.
- Oteiza P. I., Adonaylo V. N. and Keen C. L. (1999). Cadmium induced testes oxidative damage in rats can be influence by dietary zinc intake. *Toxicology*, 10 (137): 13-22.
- Pablos M. I., Agapito Mt., Gutierrez R., Recio J. M., Reiter R. J., Barlow-Walden L. R., Acuna-Castroviejo D. and Menendez-Pelaez A. (1995). Melatonin stimulates the activity of theh detoxifying enzyme glutathione peroxidase in several tissues of chicks. *J. Pineal Res.*, 19: 111-115.
- Pablos M. I., Guerrero J. M., Ortiz G. G., Agapito M. T. and Reiter R. J. (1997). Both melatonin and a putative nuclear melatonin receptor agonist CGP 52608 stimulate glutathione peroxidase and glutathione reductase activities in mouse brain in vivo. *Neuroendocrinol. Lett.*, 18: 49-58.
- Pandey R., Kumar R., Singh S. P., Saxena D. K. and Srivastava S. P. (1999). Male reproductive effect of nickel sulphate in mice. *BioMetals*, 12: 339-346.
- Pandi-Perumal S. R., V. Srinivasan, G J Maestroni, D. P. Cardinali, B. Poeggeler and R. Hardeland. (2006). Melatonin Nature's most versatile biological signal? *FEBS Journal*, 273: 2813-2832.
- Papp A., Pecze L., Szabo A. and Vezer T. (2006). Effects on the central and peripheral nervous activity in rats elicited by acute administration of lead, mercury and manganese, and their combinations. *J. Appl. Toxicol.*, 26 (4): 374-380.
- Passia D., Hilscher B., Abel J., Haider, S. G., Hilscher, W. and Redi, C. (1985). Metallothionein synthesis in liver and kidney and enzymhistochemical change in the testis induced by cadmium treatment. *Acta Histochem Suppl.* 31: 159-165.
- Pereira M. L., Santos T. M., Neves R. P. D., Costa F. G., and de Jesus O. P., (2002) Chromium(V) involvement in the toxicity pathway of testicular damage. *Asian J Androl* 4,153-155.

- Pereira M.D.L., Neves R.P.D., Oliveira H., Santos T.M. and Jesus J.P.D. (2005). Effect of Cr(V) on reproductive organ morphology and sperm parameters: An experimental study in mice. *Environmental Health*, 4: 9-14.
- Petering H.G., Choudhury H. and Stemmer K.L. (1979). Some effects of oral ingestion of cadmium on zinc, copper and iron metabolism. *Environ Health Perspect*, 28:97-106.
- Pieri C., Marra M., Moroni F., Recchioni R. and Marcheselli F. (1994). Melatonin, a paroxyl radical scavenger more efficient than vitamin E. *Life Sci.*, 55: 271-276.
- Pieri C., Moroni F., Marra M., Marcheselli F. and Ricchioni R. (1995). Melatonin as an efficient antioxidant. *Arch. Gerontol. Geriatr.*, 20: 159-165.
- Pierrefiche G. and Laborit H. (1995). Oxygen radicals, melatonin and aging. *Exp. Gerontol.*, 30: 213-227.
- Pozo D., Reiter R. J., Calvo J. R. and Guerrero J. M. (1994). Physiologically concentrations of melatonin inhibit nitric oxide synthase in rat cerebellum. *Life Sci.*, 55: 455-460.
- Pozo D., Reiter R. J., Calvo J. R. and Guerrero J. M. (1997). Inhibition of cerebellum nitric oxide synthase and cyclic GMP production by melatonin via complex formation with calmodulin. *J. Cell. Biochem*, 65: 430-442.
- Prigge E. (1978a). Early signs of oral and inhalative cadmium uptake in rats. *Arch Toxicol*, 40:231-247.
- Qi. W., Reiter R. J., Tan D-X, Manchester L. C., Siu A. W. and Garcia J. J. (2000). Increased levels of oxidatively damaged DNA induced by chromium (III) H<sub>2</sub>O<sub>2</sub>: nouprotection by melatonin and related molecules. *J. Pineal Res.*, 29: 54-61.
- Racker E. Glutathione reductase from bakers' yeast and beef liver\* (1955). The *Journal of Biological chemistry*. 855-865.
- Rajeshkumar T., Doreswamy K., Shrilatha B., Muralidhara. (2002). Oxidative stress associated DNA damage in testis of mice: induction of abnormal sperms and effects on fertility. *Mutat Res.*, 513: 103-111.
- Rajeswary S., Kumaran B., Ilangovan R., Yuvaraj S., Sridhar M., Venkataraman P., Srinivasan N., Aruldas M. M. (2007). Modulation of antioxidant defense system by the environmental fungicide carbendazim in Leyding cells of rats. *Reproductive toxicology*, 1-10.

- Rao C.P. and Kaiwar S. P. (1993) Reduction of Potassium chromate by D- Fructose, D- Galactose, D- mannose, D- Glucose and L- Sorbose. *Carbohydr. Res.*, 244 (1): 15-25.
- Rao, M. V. and Gangadharan B. (2008). Antioxidative potential of melatonin against mercury induced intoxication in spermatozoa in vitro. *Toxicology in Vitro*, 22: 935-942.
- Ray G. and Husain S.A. (2002).Oxidants, antioxidants and carcinogenesis. *Indian Journal of Experimental Biology*. 40(11):1213–1232.
- Refsvik T., Andreassen T. (1995 ). Surface binding and uptake of nickel(II) in human epithelial kidney cells: modulation by ionomycin, nicardipine and metals. *Carcinogenesis*, (5):1107-12.
- Reiter R. J., Tan D-X., Osuna C. and Gitto E (2000). Actions of Melatonin in the Reduction of Oxidative Stress. *J. Biomed Sci.*, 7: 444-458.
- Rengarajan S. and Balasubramanian K. (2007). Corticosterone has direct inhibitory effect on the expression of peptide hormone receptors, 11 $\beta$ -HSD and glucose oxidation in cultured adult rat Leydig cells. *Molecular and Cellular Endocrinology*, 279: 52-62.
- Robards, k. and Worsfold, P. (1991). Cadmium: Toxicology and analysis. A Reviw. *Analyst*, 116: 549-568.
- Salnikow K. and Costa M. (2000). Epigenetic mechanisms of nickel carcinogenesis. *J Environ Toxicol Oncol.*, 19(3): 307-18.
- Santambrogio P., Biasoitto G., Sanvito F., Olivieri S., Arosio P. and Levi S. (2007). Mitochondrial ferritin expression in adult mouse tissues. *J. of Histochemistry and Cytochemistry*, 55(11): 1129-1137.
- Saxena D.K., Murthy R.C., Singh C. and Chandra S.V. (1989). Zinc protects testicular injury induced by concurrent exposure to cadmium and lead in rats. *Res. Commun. Chem. Pathol. Pharmacol.*, 64(2):317-29.
- Schroeder H.A., Balassa J.J. and Vinton W.H., Jr. (1965). Chromium, cadmium, and lead in rats: Effects on life span ,tumors, and tissue levels. *N. Nutr.*, 86:51-66.
- Seed J., Brown R. P., Olin S. S. and Foran J. A. (1998). Chemical mixtures: current risk assessment methodologies and future directions. *Regul. Toxicol. Pharmacol.* 22(1): 76-94.

- Sener G., Toklu H., Kapucu, Ercan F., Erkanli G., Kacmaz A., Tilki M. and Yegen B. C. (2005). Melatonin protects against oxidative organ injury in a rat model of sepsis. *Surg. Today*, 35 (1): 52-59.
- Sengupta R., Kim J., Gomes C., Sungdug OH., Park J., Im W-B., Seong J. Y., Ahn R. S., Kwon H-B and Soh J. (2004). Effect of toxicology Ascorbic Acid Supplementation on testicular steroidogenesis and cell death in cadmium treated mel rats *Molecular and Cellular Endocrinology*, 221(1-2): 57-66.
- Sharma S. (1996). *Environmental Impact Assessment along the Effluent Chanel from Baroda to Jambusar and its confluence with Mahi estuary at the Gulf of Cambay with special reference to heavy metals*. Ph. D Thesis. Submitted to The M. S. University of Baroda.
- Shimada H., Shiao Y. H., Shibata M. and Waalkes M. P. (1998). Cadmium suppresses apoptosis induced by chromium. *J. Toxicol. Environ. Health A.*, 54(2): 159-68.
- Shiraishi Y. and Yoshida T.H. (1972). Chromosomal abnormalities in cultured leucocyte cells from Itai-Itai disease patients. *Proc. Japan Acad.*, 48:248-251.
- Shrilatha B. and Muralidhara. (2007) Early oxidative stress in testis and epididymal sperm in streptozotocin-induced diabetic mice; its progression and genotoxic consequences. *Reprod. Toxicol.*, 23 (4) 578-87.
- Sidhu M., Sharma M., Bhatia M., Awasthi Y.C. and Nath R. (1993). Effect of chronic cadmium exposure on glutathione S-transferase and glutathione peroxidase activities in rhesus monkey: the role of selenium. *Toxicology*, 83(1-3): 203-13.
- Sipowicz M.A., Anderson L.M., Utermahlen W.E. Jr, Issaq J.H. and Kasprzak K.S. (1997). Uptake and tissue distribution of chromium(III) in mice after a single intraperitoneal or subcutaneous administration. *Toxicol Lett.*, 93: 9-14.
- Sivasankaran R., Bassouvalingam K., Ramachandran I., Sambandam Y., Muthusami S., Prabhu V., Narasimhan S. M. M. Aruldas. (2007). Modulation of antioxidant defense system by the environmental fungicide carbendazim in Leydig cells of rats. *Reproductive Toxicology*, 1-10.
- Slominski A., Wortsman J. and Tobin D. J. (2005). The cutaneous serotonergic / melatonergic system: securing a place under the sun. *FASEB J.*, 19: 176-194.
- Sonmez M., Yuce A. and Turk G. (2006). The protective effects of melatonin and vitamin E on antioxidant enzyme activities and epididymal sperm characteristics of homocysteine treated male rats. *Reproductive Toxicology*, 23: 226-231.

- Srivastava S. K., Hasan S. K. and Srivastava R. C. (1990). Toxicokinetics of nickel in glutathione depleted rats. *Chemosphere*, 21(8): 925-930.
- Stacey N. H., Wong K. L. and Klaassen C. D. (1983). Protective effects of chromium on the toxicity of cadmium *in vivo*. *Toxicology* 28(1-2): 147-53.
- Stearns D.M. and Wetterhahn K.E. (1997). Intermediates produced in the reaction of chromium(VI) with dehydroascorbate cause single-strand breaks in plasmid DNA. *Chem Res Toxicol.*, 10(3): 271-278.
- Stohs J.S., Bagchi D., Hassoun E. and Bagchi M. (2001). Oxidative mechanism in the toxicity of chromium and cadmium ions. *J. Environ. Pathol. Toxicol. Oncol.*, 20(2): 77-88.
- Stohs, S. J. and Bagchi, D. (1995). Oxidative mechanisms in the toxicity of meta-ions. *Free. Rad. Biol. Med.*, 18: 321-336.
- Sugden K. D., Geer R. D. and Rogers S.J. (1992). Oxygen radical-mediated DNA damage by redox-active Cr(III) complexes. *Biochemistry*, 31 (46): 11626-11631.
- Sutherland J.E., Zhitkovich A., Kluz T. and Costa M. (2000). Rats retain chromium in testis following chronic ingestion of drinking water containing hexavalent chromium. *Biol Trace Elem. Res.*, 74: 41-53.
- Tan D. X., Reiter R. J., Manchester L. C., Yan M. T., El-Sawi M., Sainz R. M., Mayo J. C., Kohen R., Allegra M. and Hardeland R. (2002). Chemical and Physical and potential mechanisms: melatonin as a broad spectrum antioxidant and free radical scavenger. *Curr Top Chem.*, 2: 181-197
- Tan D.-X., Chen L.-D., Poeggeler B., Manchester L. C. and Reitter R. J. (1993) Melatonin: A potent, endogenous hydroxyl radical scavenger. *Endocrine J.*, 1: 57-60
- Tan, D. X., Hardeland R., Manchester L. C., Poeggler B., Lopez-Burillo S., Mayo J. C., Sainz R. M. and Reiter R. J. (2003). Mechanistic and comparative studies of melatonin and classic antioxidants with the ABTS cation radical. *Journal of Pineal Research*, 34: 249-259.
- Tanaka I, Ishimatsu S, Matsuno K, et al. (1985). Biological half time of deposited nickel oxide aerosol in rat lung by inhalation. *Biol Trace Element Res*, 8: 203-210.
- Teaf C.M., Harbison R. D. and Bishop B. (1985). Germ cell mutagenesis and GSH depression in reproductive tissue of the F-344 rat induced by ethyl methane sulfonate. *Mutat Res.*, 144: 93-8.

- Thyagaraju B.M. and Muralidhara. (2008). Vulnerability of prepubertal mice testis to iron induced oxidative dysfunctions In Vivo and functional implications. *International Journal of Fertility and Sterility*, 1(4): 145-154.
- Tijimes, M., Pedraza R. and Valladares L. (1996). Melatonin in the rat testis: Evidence for local synthesis. *Steroids*, 61: 65-68.
- Tosini G. and Menaker M. (1998). The clock in the mouse retina: melatonin synthesis and photoreceptor degeneration. *Brain Res.*, 789: 221-228.
- Tremellen K. (2008). Oxidative stress and male infertility-a clinical perspective. *Human reproduction update*, 1-16.
- Tsia P.L. and Hu M.K. (2003). Free radical scavenging and antioxidative activity of melatonin derivatives. *J Pharm Pharmacol.*, 55(12):1655-60.
- Turner T. and Lysiak J. (2008). Oxidative Stress: A Common Factor in Testicular Dysfunction. *Journal of Andrology*, 29(5): 488-498.
- Valenti S., Guido R., Giusti M. and Giordano G. (1995). In Vitro Acute and Prolonged Effects of Melatonin on Purified Rat Leydig Cell Steroidogenesis and Adenosine 3',5'-Monophosphate Production. *Endocrinology*, 136(12): 5357-5362.
- Valenti S., Thellung S., Florio T., Giusti M., Schettini G. and Giordano G. (1999). A novel mechanism for the melatonin inhibition of testosterone secretion by rat Leydig cells: reduction of GnRH-induced increase in cytosolic Ca<sup>2+</sup>. *J. of Molecular Endocrinology*, 23: 299-306.
- Valko M., Morris H. and Cronin M. T. D. (2005). Metals, Toxicity and Oxidative Stress. *Current Medicinal Chemistry*, 12: 1161-1208.
- Valko M., Rhodes, C. J., Moncol J., Lzakovic M. and Mazur M. (2006). Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chemico-Biological interactions.*, 160: 1-40.
- Venugopal N. B. R. K., Ramesh T. V. D. D., Reddy D. S. and Reddy S. L. N. (1997). Effect of Cadmium on Antioxidant Enzyme Activities and Lipid Peroxidation in a Freshwater Field Crab, *Barytelphusa guerini*. *Bull. Environ. contam. toxicol.*, 59: 132 – 138.
- Vernet P., Aitken R.J. and Drevet J.R. (2004). Antioxidant strategies in the epididymis. *Molecular and Cellular Endocrinology*, 216: 31-39.
- Vincent J. B. (2000). Quest for the molecular mechanism of chromium action and its relationship to diabetes. *Nutr Rev.* 58(3 Pt 1):67-72.

- Waalkes M.P. and Rehm S. (1992). Carcinogenicity of oral cadmium in the male wistar (WF/NCr) rat: Effect of chronic dietary zinc deficiency. *Fund. Appl. Toxicol.*, 19: 512-520.
- Wasowicz W., Gromadzińska J., Rydzyński K. (2001). Blood concentration of essential trace elements and heavy metals in workers exposed to lead and cadmium. *Int. J. Occup. Med. Environ. Health*, 14(3): 223-9.
- Wellejus A., Poulsen H.E. and Loft S. (2000). Iron-induced oxidative DNA damage in rat sperm cells in vivo and in vitro. *Free Radic Res.*, 32: 75-83.
- WHO (1999). Laboratory manual for the examination of human semen and sperm-cervical mucus interaction. 4<sup>th</sup> ed. New York: Cambridge University Press.
- WHO, (1998). Nickel Guidelines for Drinking Water Quality. 2<sup>nd</sup> ed., addendum, Health Criteria and Other Supporting Information, Geneva: World Health Organization, 2: 48-61.
- Wilson R.H., De Eds. F. and Cox A.J. (1941). Effects of continued cadmium feeding. *J. Pharmacol. Exp. Therap.*, 71: 222-235.
- Wisenberg I., Missbach M., Kahlen J. P. Schrader M. and Carlberg C. (1995). Transcriptional activation of the nuclear receptor RZR alpha by the pineal gland hormone melatonin and identification of CGP 52608 as a synthetic ligand. *Nucleic Acids Res.*, 23: 327-333.
- Xu B., Jin Y., Feng Z., Xu Z. and Matsushita T. (1993). Lipid peroxidation induced by maternal cadmium exposure in mouse pups. *Bull Environ Contam Toxicol.*, 51(5): 772-9.
- Xu G. and Jiang X-Z. (1996). Male reproductive toxicity of cadmium. *J. Chin Public Health*, 15: 17-18
- Yang H. S., Han D., K., Kim J. R. and Sim J. C. (2006). Effects of  $\alpha$ -tocopherol on Cadmium-Induced toxicity in Rat testis and spermatogenesis. *J. Korean Med Sci.*, 21: 445-51.
- Yang J-M., Arnush M., Chen Q-Y., Wu X-B., Pang B and Jiang X-Z. (2003). Cadmium-induced damage to primary cultures of rat leydig cells. *Reproductive toxicology*, 17:553-560.
- Yoganathan, T., Eskild, W. and Hansson, V. (1989). Investigation of detoxification capacity of rat testicular germ cells and Sertoli cells. *Free. Radic. Biol. Med.*, 7: 355-359.

- Yokoi K., Uthus E. O. and Nielsen F. H. (2003). Nickel Deficiency diminishes sperm quantity and movement in rats. *Biological Trace Element Research*, 93: 141-153.
- Zhang Y. L., Zhao Y. C., Wang J. X., Zhu H. D., Liu Q. F., fan Y. g., Wang N. F., Zhao J. H., Liu A. P. and Fan T. Q. (2004). Effect of environmental exposure to cadmium on pregnancy outcome and fetal growth: A study on healthy pregnant women in China. *J. Environ Sci. Health A Tox Hazard Subst Environ Eng* 39: 2507-2515.
- Zhou T., Zhou G., Song W., Eguchi N., Lu W., Lundin E., Jin T. and Nordberg G. (1999). Cadmium-induced apoptosis and changes in expression of p53-, c-jun and MT-I genes in testes and ventral prostate of rats. *Toxicology*, 142: 1-13.