BIBLIOGRAPHY

Arendt J. (1995). *Melatonin and the mammalian pineal gland.* Champman and Hall, London 331.

Ariens K. J. (1980). Evolution of pineal concepts IN: *The pineal organ physiol Biochronometry- Endocrinology, C.* A. Okasche and Pevet P (eds) Elsevier, Asterdam, 3-23.

Attanasio A., Rager K. and Gupta D. (1986). Ontogeny of circadian rhythmicity for melatonin, serotonin and N-acetylserotonin in humans. *J Pineal Res,* 3:251-256.

Barker D. J. P. (1994). *"Mothers, babies and diseases in later life"* BMJ publishing group, London.

Bartness J. J., Powers J. B., Hasings M. H., Bittman E. L. and Goldman B. D. (1993). The timed infusion paradigms: What has it taught us about the melatonin signal, its reception, and the photoperiodic control of seasonal responses. *J Pineal Res,*15: 161-190.

Bartsch C. and Bartsch H. (1999). Melatonin in cancer patients and tumour bearing animals. *Adv Exp Med Biol,* 467:247-264.

Baxter J. D. and Rousseau G. G. (1979). Glucocorticoid hormone action: an overview. In *Glucocorticoid hormone action.* (eds). Baxter J. D., Rousseau G. G. Springer, Verlag Berlin, 1-24.

Benediktson R., Lindsay R. S., Noble J., Seckl Jr. and Edwards C. R. W. (1993). Glucocortocoid exposure *in utero:* new model for adult hypertension. *Lancet,* 341: 339-341.

Binkly S. A. (1983). Circadian rhythms of pineal functions in the rat. *Endocrinology,* 4:255-269.

Blair G. P.and Light R. W., (1984). Treatment of chronic obstructive pulmonary disease with corticosteroids. Comparison of daily vs alternate-day therapy. *Chest*,86:524-528.

Blanco-Rodriguez J. (1998). A matter of death and life: The significance of germ cell death during spermatogenesis. *Int J Androl,* 21: 236-248.

Bronson F.H. (1989) *Mammalian Reproductive biology.* The University press, Chicago press, Chicago.

Burton P. J. and Waddell B. J. (1999). Dual function of 11β-hydroxy-steroid dehydrogenase in placenta: modulating placental glucocorticoid passage and local steroid action. *Biol Reprod,* 60:234-240.

Cardinali D. P. (1981). *Melatonin - A mammalian pineal hormone. Endocrinol review,* 2:327-346.

Chatterton R. T., Vogelsong K. M., Lu Y. C. and Hudgens, G.A. (1997) Hormonal responses to psychological stress in men preparing for skydiving. *J Clin Endocrinol Metab,* 82: 2503-2509.

Claypool L. E., Wood R.I., Yellon S. M. and Foster D. L. (1989). The ontogeny of melatonin secretion in the lamb. *Endocrinology,* 124:2135-2143.

Collu R., Gibb W., Bichet D. G.and Ducharme J. R. (1984) Role of arginine-vasopressin (AVP) in stress-induced inhibition of testicular steroidogenesis in normal and in AVP- deficient rats.

Cooke P. S., Hess R. A., Porcelli J. and Meisami E.(1991). Increased sperm production in adult rats after transient neonatal hypothyroidism. *Endocrinology,* 129: 244-248.

Cooke P. S., Porcelli J. and Hess R. A. 1992. Induction of increased testis growth and sperm production in adult rats by neonatal administration of goitrogen propyl thio-uracyl (PTU): *The critical period. Biol Reprod,* 46: 146-154.

Cooke P. S., Zhao YI. D. and Bunick D. (1994). Tri-iodothyronine inhibits proliferation and stimulates differentiation of cultured neonatal Sertoli cells: Possible mechanism for increased adult testis weight and sperm production induced by neonatal goitrogen treatment. *Biol Reprod,* 51:1000-1005.

Cox G. (1995). Glucocorticoid treatment inhibits apoptosis in human neutrophils. Separation of survival and activation outcomes. *J of Immunol,* 154:4719-25.

D'Agostino A.and Stefanini M. (1990). An intercellular adhesion protein of rat testis: isolation and preliminary characterization. *Mol Reprod Dev,* 25:172-176.

D'Agostino A., Monaco L., Stetamini M. and Geremia R., (1984) Study of the interaction between germ cells and Sertoli cells *in vitro. Exp Cell Res,* 150:430-435.

Daikoku S. and Koide I. (1998). Spatiotemporal appearance of developing LHRH neurons in the rat brain. *J Comp Neurol,* 393:34-47.

Debeljuk L. (1969). Effect of melatonin on the gonadotrophic function of the male rat under constant illumination. *Endocrinology,* 84:937.

deRooij D. G. and Janssen, J. M. (1987). Regulation of the density of spermatogonia in the seminiferous epithelium of the Chinese hamster: I Undifferentiated spermatogonia. *Anatomica Rec,* 217:124-130.

Diaz E., Castrillon P., Esquifino A.and Diaz B. (2000). Effect of prenatal melatonin on the gonadotrophin and prolactin response to the feedback effect of testosterone in male offspring . *J Steroid Biochem Mol Biol,* 72:61-69.

Diaz E.,Fernandez C.,Castrillon P.O.,Esquitino Al.,Marin B.and Diaz Lopez B.(1999)Effect of exogenous melatonin on neuroendocrine-reproductive function of middle aged female rats. *J Reprod Fertil,* 117:331-337

Dubocovich M.L.(1995) melatonin receptor: Are there multiple subtypes? *Trends pharmacol Sci,* 16:50-56.

Foster D. L., Ebling F. J. P., Claypool L. E. and Wood R. I. (1989). *Photoperiodic timing of puberty in sheep.* In: S. M. Reppert (Ed). Development of circadian rhythmicity and photoperiodism in mammals, Perinatology Press, Ithaca NY, 101-153.

deFranca L. R., Hess R. A, Paul S., Cooke. and Russell L. D. (1995). Neonatal hypothyroidism causes delayed Sertoli cell maturation in rats treated with PTU delayed (full): Evidences that the Sertoli cells controls testes growth. *Anatomic Rec,* 242:57-69.

George J. C. (1999). Muscle, metabolism and melatonin In : *Melatonin in the promotion of health.,* R. R. Watson (Ed.), CRC press. U.S.A.

Goldman B., Hall V., Hollister C., Reppert S., Roy Choudhury P., Yellon S. and Tamarkin L. (1981). Diurnal changes in the pineal melatonin content in four rodent species : relationship to photoperiodism. *Biol Reprod,* 24:778.

Goldman B., Hall V., Hollister C., Roychoubhary P., Tamarkin L.and Westrom W. (1976). Effects of melatonin on the reproductive system of intact and pinealectomized male hamsters maintained under various photoperiods. *Endocrinol,* 104:82-88.

Gonzalo J. A., Gonzalez-Gracia A., Martinez C. and Kruemer G. (1993). Glucocorticoid-mediated control of the activation and clonal deletion of peripheral T cells *in vivo. J Exp Med,* 177: 1239-1246.

Greenwood F. C., Hunter W. M. and Glower J. S. (1963) *Biochem J,* 89: 114-123.

Handa R. J., Burgess L. H., Kerr J. E. and O'Keefe J. A. (1994). Gonadal steroid hormone receptors and sex differences in the hypothalamo-pituitary-adrenal axis, *Hormonal behaviour,* 28:464-476.

Hardeland R., Poeggeler B., Balzer I. and Behrmann G. (1993). A hypothesis on the evolutionary origins of photoperiodism based on circadian rhythmicity of melatonin in phylogenetically distant organisms. In: *Chronobiology and Chronomedicine* (Eds) Gutenbrunner C.,Hildebrandt G., and Moog R., Peter lang, Verlag. 113.

Hardy M. P. (1998). "Leydig cells". In: *Encycl Reprod, Vol. 2* 1021-33, Academic Press, New York.

Harriba P-0 Nippon. (1997) 55: 2979-2984.

Harvey P. W. and Chevins P. F. (1987). Deleterious effects of adrenocorticotrophic hormone administration during late pregnancy upon offspring: somatic, neurological and sexual development in mice. *Teratology,* 35: 229-238.

Hassan A. H., vonRosenstiel P., Patchev V. K., Holsboer F. and Almeida O. F. (1996). Exacerbation of apoptosis in the dentate gyrus of the aged rat by dexamethasone and the protective role of corticosterone. *Exp Neurol,* 140:43-52.

Henry C., Kabbaj M., Simon H., Le Moal M.and Maccari S. (1994). Prenatal stress increases the hypothalamo-pituitary-adrenal axis response in young and adult rats. *J neuroendocrinol,* 6:341-345.

Herbert J. (1981). The pineal gland and photoperiodic control of ferret's reproductive cycle, In: *Biological clocks in seasonal reproduction* , Follet B. K. , Follet D. E. (Eds), Wright, Bristol, 261-276.

Hess R. A., Cooke P. S., Bunick O. and Kirby J. D. (1993). Adult testicular enlargment induced by neonatal hypothyroidism is accompanied by increased Sertoli cell and germ cell number. *Endocrinol,* 132: 2607-2613.

Hoffman K. (1981). Photoperiodism in vertebrates, In: *Handbook of Behavioural Neurobiology.* Aschoff J. (Ed.) 449-473.

Hoffman R. A. and Reiter R. J. (1965). Pineal gland: Influence on gonads of male hamsters. *Science,* 148:1609-1611.

Horton T. M., Stachecki S. A. and Stetson M. H. (1990). Maternal transfer of photoperiodic information in Siberian hamsters IV. Peripubertal reproductive development in the absence of maternal photoperiodic signal during gestation. *Biol Reprod,* 42:441-449.

Huckins C. (1978). The morphology and kinetics of spermatogonial degeneration in normal adult rat: An analysis using a simplified classification of the germinal epithelium. *Anatomica rec,* 190:905-926.

John T. M., Viswanathan M., George J. C. and Scanes C. G. (1990). Influence of chronic melatonin implantation on circulating levels of catecholamines, growth hormone, thyroid hormones, glucose, and free fatty acids in the pegion. *G Comp Endocrinol,*79:226.

Karsch F. J., Bittman E. L., Foster D. L.,Goodman R. L., Legan S. J. and Robinson J. E. (1984). Neuroendocrine basis of seasonal reproduction. *Rec Progress in Hormone Res,* 40:185-232.

Kerr J. B., Maddocks S. and Sharpe R.M.(1992). Testosterone and FSH have independent, synergistic and stage-dependent effects upon spermatogenesis in the rat testis. *Cell Tissue Res,* 268:179-189.

Kerr J.B., Millar M., Maddocks S. and Sharpe R.M. (1993a) Stage dependent changes in spematogenesis and Sertoli cells in relation to the onset of

spermatogenic failure following withdrawal of testosterone. *Anat Rec,*235:547-559.

Kerr J. B. Savage G.N. Millar M. and Sharpe R.M.(1993). Response of the seminiferous epithelium of the rat testis to withdrawal of androgen: evidence for direct effect upon intercellular spaces associated with Sertoli cell junctional complexes. *Cell Tissue Res,* 274:153-161.

Kilen S. M., Szabo M., Strasser G. A., McAndrews J. M., Ringstrom S. J. and Schwartz N. B. (1996). Corticosterone selectively increases follicle-stimulating hormone ß-subunit messenger ribonucleic acid in primary anterior pituitary cell culture without affecting its half-life. *Endocrinol,* 137:3802-3807.

King J. A. and Edwards E. (1999). Early stress and genetic influences on hypothalamic-pituitary-adrenal axis functioning in adulthood. *Hormonal behaviour,* 36:79-85.

Kinson G. A. and Robinson S. (1970). Gonadal function of immature male rats subjected to light restriction, melatonin administration and removal of the pineal gland. *J Endocrinol,* 47:391.

Kinson G.A. and Peat F. (1971) The influences of illumination, melatonin and pinealectomy on testicular function in the rat. *Life Sci,* 10:259.

Klein D. C. (1972). Evidence for the placenta transfer of H-acetyl-melatonin. *Nat New Biol,* 237:117-118.

Koehl M., Darnuadery M., Dulluc J., Van Reeth O., LeMoal M. and Maccari S. (1999). Prenatal stress alters circadian activity of hypothalamo-pituitary-adrenal axis and hippocampal corticosteroid receptors in adult rats of both gender. *J Neurobiol,* 40:302-315.

Korenbrot C. C., Huhtaniemi I.T. and Weiner R. I. (1977). Preputial separation as an external sign of pubertal development in the male rat. *Biol Reprod,*17:298-303.

Krause D. N., and Dubocovich M. L. (1990). Regulatory sites in the melatonin system of mammals. *Trends in Neurosci,* 13:464-470.

Kumar V. M. and Rao A. M. (1976). *J Karnatak University Sci,* 21:270

Kunderling I., Dellantoni M., Spagnesi M. and Froschni F. (1979). Investigations on seasonal rhythms and the effect of melatonin in the alpine hare (*Lepus timidus*). *Prog Brain Res,* 52:417.

Kvetnoy I. M. (1999). Extrapineal melatonin: location and role within diffuse neuroendocrine system. *Histochem J,* 31:1-12.

Lagu S. K. (2001) *Effect of neonatal alterations in thyroid status with or without melatonin on growth of male reproductive system of rats exposed to short photoperiod.* Ph. D Thesis. Submitted to The M. S. University of Baroda.

Lampa J., Hoogerbrugge J. W., Baarends W. M., Stanton P. G., Perryman K. J., Grootegoed J. A. and Robertson D. M.(1999) Follicle stimulating hormone and testosterone stimulation of immature and mature Sertoli cells in vitro: inhibin and N-cadherin levels and round spermatid binding. *J Androl,* 20: 399-406.

Lang. U., Rivest R. W., Schalaepfer I. V.,Bradtke J. C., Aubert M. L. and Sizonenko P. C. (1984). Diurnal rhythm of melatonin action sexual maturation of male rats. *Neuroendocrinol,* 38:261-268.

Lang U., Aubert M. L., Conne B. S. and Bardtke J. C. (1983). Influence of exogenous melatonin on melatonin secretion and the neuroendocrine reproductive axis of intact male rats during sexual maturation. *Endocrinol,* 112:1578-1584.

Levitt N. S., Lindsay R. S., Holmes M. C. and Seckl J. R. (1996). Dexamethesone in the last week of pregnancy attenuates hippocampal glucocorticoid receptor gene expression and elevates blood pressure in the adult offspring of the rat. *Neuroendocrinol,* 64: 412-418.

Lewy A. J., Teesuo M., Markey S. P., Goodwin F. K. and Kopin I. J. (1980). Pinealectomy abolishes plasma melatonin in the rat. *J Clin Endocrinol Metab,* 50:204-205.

Lindsay R. S., Lindsay R. M., Edwards C. R. and Seckl J. R. (1996a). Inhibition of 11ß-hydroxy-steroid dehydrogenase in pregnant rats and the programming of blood pressure in the offspring. *Hypertension,* 27:1200-1204.

Lindsay R. S., Lindsay R. M., Waddell B. J. and Seckl J. R. (1996b). Prenatal glucocorticoid exposure leads to offspring hyperglycaemia in the rat: studies with the 11ß-hydroxy-steroid dehydrogenase inhibitor carbenoxolone. *Diabetologia,* 39:1299-1305.

Longnecker D. E. and Gallo D. H. (1971). The inhibition of PMSG- induced ovulation in immature rats by melatonin. *Proc Soc Exp Biol Med,* 137:623

Lopez C. A., Gonazalez-Quijano M. I., Tresgurres and Ariznaravveta C. (1990). *J Endocrinol,* 124:241-246.

Lynch G. R. and Epstein Al (1976). Melatonin induced changes in gonads, pelage and thermogenic characters in the white-footed mouse (*Peromucus leucopus*). *Comp Biochem Physiol,* 530:67.

MacAdams M. R., White R. H. and Chips B. E. (1986). Reproduction of serum testosterone levels during chronic glucocorticoids therapy. *Ann Internal Med,* 104(5):648-651.

Malpaux B., Thiery J. C. and Chemineau P. (1999). Melatonin and the seasonal control of reproduction. *Reprod Nutrition Develop,* 39:355-366.

Mann D. R. (1994). Acute immobilisation stress disrupts testicular steroidogenesis in adult male rats by inhibiting the activities of 17alpha-hydroxylase and 17-20-lyase without affecting the binding of LH/hCG receptors. *J Androl,* 15:302-308.

Margolis D. and Lynch G. R. (1981). Effect of daily melatonin injections on female reproduction in the white-footed mouse: *Peromyscus leucopus. Gen Comp Endo,* 44:530-37.

Maric D., Kostic T., and Kovacevic R. (1996). Effects of acute and chronic immobilisation stress on rat Leydig cell steroidogenesis. *J steroid Biochem Mol Biol* 58: 351-355.

Martin J. E. and Sattler C. (1979). Developmental loss of the acute inhibitory effect of melatonin on the in vitro pituitary LH and FSH responses to LHRH *Endocrinol,* 105:1007.

Martin J. E., Mckellar S. and Kelin D. (1980). Melatonin inhibition of the in vivo pituitary response to luteinizing hormone-releasing hormone in the neonatal rat. *Neuroendocrinol,* 31:13.

Mas M., Aranda A., Suarezwood.,Wood I. S., Gonzalez M. C. and Oaknin S. (1979). Effects of Melatonin administration on the reproductive system of male rat. *Prog Brain Res,* 52:377-81.

Mckenna T. J., Lorber D., Lacroix A. and Rabin D. (1979). Testicular activity in Cushing's syndrome. *Acta Endocrinol,* 91(3):501-510.

McKeown B. A., John T. M. and George J. C. (1975). Diurnal variation in effects of melatonin on plasma growth hormone and glucose in the pigeon. *Endocrinol Exp,* 9:263.

Maeda T., Nishida J. and Nakanishi Y.(1999) Expression pattern, subcelllular localization and structure-function relationship of rat Tpx-1, a spermatogenic cell adhesion molecule responsible for association with Sertoli cells. *Dev Growth Differ,* 41: 715-722.

Meaney M. J., Viau V., Bhatnagar S., Betito K, Iny L., O'Donnell D. and Mitchell J. B. (1991). Cellular mechanisms underlying the development and expression of individual differences in the hypothalamic-pituitary-adrenal stress response. *J Steroid Biochem Mol Biol,*39:265-274.

Meisami E., Najafi A. and Pimiras P. S. (1992). Enhancement of spermatogenesis in testes of rats recovering from early hypothyroidism: a quantitative study. *Cell Tissue Res,* 275:503-511.

Messmer U. K., Winkel G., Briner V. A. and Pfeilschifter J. (1999). Glucocorticoids potentially blocks tumour necrosis factor-alpha and lipopolysaccharide-induced apoptotic cell death in bovine glomerular endothelial cells upstream of caspase 3 activation. *Br J Pharmacol,* 127: 1633-1640.

Michael A. E., Pester L. A., Curtis P., Shaw R. W., Edwards, C. R. and Cooke B. A. (1993). Direct inhibition of ovarian steroidogenesis by cortisol and the modulatory role of 11ß-hydroxy-steroid dehydrogenase. *Clin Endocrinol, (Oxf)* 38: 641-646.

Mckinnell C. and Sharpe R.M., (1995). Testosterone and spermatogenesis: evidence that androgens regulate cellular secretory mechanisms in stage VI-VIII seminiferous tubules from adult rats. *J Androl,* Nov-Dec;16(6):499-509 .

Miline R. (1980).The role of the pineal gland in stress. *J neural Transm,* 47:191-220.

Monder C., Miroff, Y., Marandici, A., and Hardy, M. P. (1994a). 11ß-hydroxy-steroid dehydrogenase alleviates glucocorticoid-mediated inhibition of steroidogenesis in rat Leydig cells. *Endocrinol,* 134: 1199-1204.

Monder C., Sakai R. R., Miroff Y., Blanchard D. C. and Blanchard R. J. (1994b). Reciprocal changes in plasma corticosterone and testosterone in stressed male rats maintained in a visible burrow system: evidence for a mediating role of testicular 11 beta-hydroxysteroid dehydrogenase. *Endocrinol,* 134(3):1193-1198.

Morgan P. J., Barrett P., Howell H. E. and Helliwell R (1994). Melatonin receptors: localisation, molecular pharmacology and physiological significance. *Neurochem Int,* 24:101-146.

Motta M., Fraschini F. and Martini L. (1967). Endocrine effects of pineal gland and of melatonin. *Proc soc expl bio med,* 126-431.

Nowak R, Young I. R. and McMillen I. C. (1990). Emergence of the diurnal rhythm in plasma melatonin concentrations in new born lambs delivered to intact or pinealectomized ewes. *J endocrinol,* 125: 97-102.

Orr T. E. and Mann D.R.(1990) Role of glucocorticoids in the stress-induced suppression of testicular steroidogenesis in adult male rats. *Horm Behav* 24:324-341.

Orr T. E., Taylor M. F., Bhattacharyya A. K., Collins D. C. and Mann D. R. (1994). Acute immobilisation stress disrupts testicular steroidogenesis in adult male rats by inhibiting the activities of 17 alpha-hydroxylase and 17, 20-lyase without affecting the binding of LH/hCG receptors. *J Androl,* 15: 302-308.

Ozturk G., Cockun S., Erbas D. and Hasanoglu E. (2000). The effect of melatonin on liver superoxide dismuase activity, serum nitrate and thyroid hormone levels. *Jpn J Physilo,* 50:149-153.

Palmero S., deMarchis M.,Gallo G.and Fugassa E.(1989).Thyroid hormone affects the development of Sertoli cell function in the rat.*J Endocrinol,* 123:105-111.

Panno M. L., Beraldi E., Pezzi V., Salerno M., De Luca G., Le Pera M., Sisci D., Prati M., Palmero S., Bolla E., Fugassa E. and Ando S. (1994). Influence

of thyroid hormone on androgen metabolism in peripubertal rat Sertoli cells. *J Endocrinol*,140: 43-50.

Partoneen T.(1999).Melatonin-dependent infertility.*Med hypotheses,* 52:269-270.

Partonen T. (1999). Short note: melatonin-dependent infertility. *Med hypotheses,* 52:487-488.

Patel M. M. and Ramachandran A.V. (1992). Time of administration of melatonin and the effects on organ weights and metabolic physiology in preweanling rat neonates. *J Reprod Biol Com Endocrinol,* 4:63-70.

Pevet P., Masson-Pevet M., Vivien-Roels B. and Bonn B., (1986). Photoperiod, Temperature, Melatonin, 5-Methoxytryptomine and seasonal reproduction, some data on The Golden Hamster In: *Advances in Pineal Research* I. Reiter R. J., R. J., Karasek N., (eds) John Libbey.

Pierpaoli W., Bulian D., Dall'Ara A., Marchetti B., Gallo F., Morale M.C., Tirolo C. and Testa N. (1997). Circadian melatonin and young-to-old. Pineal grafting postpones ageing and maintains juvenile conditions of reproductive function in mice and rats. *Exp Gerontol*,32:587-602.

Poeggeler B., Reiter R. J., Tan D. X., Chen L-D and Manchester L.C. (1993). Melatonin, hydroxyl radial-mediated oxidative damage and ageing: a hypothesis. *J Pineal Res,* 14:151.

Poland R. E., Weichsel M. E. and Rubin R. T. (1981). Neonatal dexamethasone administration. 1. Temporary delay of development of the circadian serum corticosterone rhythm in rats. *Endocrinol,* 108:1049-1054.

Politch J. A. and Herrenkohl L. R. (1984). Effects of prenatal stress on reproduction in male and female mice. *Physiol Behav,* 32:95-99.

Pratt S.A. Scully N.F. and Shur B.D., (1993). Cell surface beta 1,4 galactosyltransferase on primary spermatocytes facilitates their initial adhesion to Sertoli cells in vitro. *Biol Reprod* Sep, 49 (3):470-82

Raghavendra V. and Kulkarni S. K. (2000). Melatonin reversal of DOI-induced hypophagia in rats; possible mechanism by suppressing 5-HT (2A). Receptor-mediated activation of HPA axis. *Brain Res,* 860:112-118.

Reagan L.P. and McEwen B.S. (1997). Controversies surrounding glucocorticoid-mediated cell death in the hippocampus. *J Chem Neuroanant,* 13:149-167.

Reiter R.J. (1980). The pineal and its hormone in the control of reproduction in mammals. *Endocrine Reviews,*1:109-131.

Reiter R. J. (1991). Pineal melatonin: cell biology of its synthesis and of its physiological interactions. *Endocrine Rev,* 12:51-180.

Reiter R. J. and Sorrentino Jr.S. (1971). Inhibition of luteininzing hormone release and ovulation in PMS-treated rats by peripherally administered melatonin. *Contraception,* 4:385.

Reiter R. J., Blask D. E., Johnson L. Y., Rudeen P. K., Vaughan M. K. and Waring P.J. (1976). Melatonin inhibition of reproduction in the male hamster: its dependency on time of day, of administration and of an intact and sympathetically innervated pineal gland. *Neuro endocrinol,* 22:107-116.

Reiter R. J. (1993) The melatonin rhythm: Both a clock and a calendar, *Experentia,* 49:654

Reppert S.M.,Weaver D.R. and Godson C.(1996) Melatonin receptors step into the light: Cloning and classification of subtypes. *Trends in Pharmacol Science,* 17:100-102.

Reppert S.M. and Klein D.L.(1978) Transport of material [^{3}M]-Melatonin to suckling rats and the fate of [^{3}M]-Melatonin in the neonatal rat. *Endocrinol,* 102:582-586.

Rust C.C. and Meyer R.D.(1969) Hair colour, moult and testis size in male short tailed weasel treated with melatonin. *Science,* 165:921-922

Saarela S. and Reiter R.J.(1994) Function of melatonin in thermoregulatory processes, *Life science,* 54:295

Saniz R.M.,Reiter R.J.,Mayo J.C.,Cabrera J.,Tan D.X., Qi W. and Garcia J.J.(2000) Changes in lipid per oxidation during pregnancy and after delivery in rats : effect of pinealectomy. J *reprod fertil,* 119:143-149.

Shaw D. and Goldman B.D.(1995)Gender differences in influence of prenatal photoperiods on postnatal pineal melatonin rhythms and serum prolactin and

follicle-stimulating hormone in the Siberian hamster (*Phodopus sungorus*) *Endocrinol,* 36: 4237-4246.

Shiu S. Y., Li L, Siu S. W., X I S. C., Fong S. W. and Pang S. F. (2000) Biological basis and possible physiological implications of melatonin's receptor-medicated signalling in the rat epididymis. *Biol Signals Recept,* 9:172-187.

Simorangkir D.R., DeKresser D.M. and Coreford N.G. (1995) Increased number of Sertoli and germ cells in adult rat testis induced by synergistic action of transient neonatal hypothyroidism and neonatal hemiastration. *J Reprod Fertil,* 104: 207-213.

Smith, J.T. and Waddell, B.J. (2000). Increased foetal glucocorticoid exposure delays puberty onset in postnatal life. *Endocrinol,* 141: 2422-2428.

Stefulji J., Hortner M., Gosh M., Schauestein K., Rinner I., Wolfler A., Semmler J. and Lienmann P.M. (2001). Gene expression of the key enzymes of melatonin synthesis in extrapineal tissues of the rat. *J Pineal Res,* 30:247-247.

Strother W. N., Norman A. B. and Lehman M. N. (1998) D1-dopamine receptor binding and tyrosine hydroxylase -immunreactivity in the foetal and neonatal hamster suprachiasmatic nucleus. *Dev. Brain Res,* 106:37-144.

Suchecki D. and Tufik S.,(1997). Long term effects of maternal deprivation on the corticosterone response to stress in rats.*Am J Physiol,* 273:R1332-1338.

Tamarkin L., Westrom W.K., Hamill A.I. and Goldman B.D. (1978). Effect of melatonin on the reproductive systems of male and female Syrian_hamsters : A diurnal rhythm in sensitivity melatonin. *Endocrinol,* 99:1534-41.

Tamarkin L, Reppert S.M.,orloff D.J., Klein D.C.,Yellon S.M. and Goldman B.D.(1980). Ontogeny of the pineal melatonin rhythm in the Syrian (*Mesocrietus auratus*) and Siberian (*Phodopus sungorus*) hamsters and in the rat. *Endocrinol,* 107: 1061-1064.

Tijmes M., Pedraza R. and Valladares L.(1996) Melatonin in the rat testes: evidence for local synthesis . *Steroids,* 61:65-68.

Turek F. W., Desjardins C. and Memakar, M.(1976) Differential effects of melatonin on the testes of photoperiodic and non-photoperiodic rodents. *Biol Reprod.* 15:94-97.

Underwood H. and Goldman B.D.,(1987) Vertebrate circadian and photoperiodic systems: role of the pineal gland and melatonin. *J Biol Rythms,* 2:279-315.

Valenti S., Guido R., Giusti M. and Giulio G. (1995).In vitro acute and prolonged effects of melatonin on purified rat Leydig cell steroidogenesis and adenosine 3',5'-monophosphate production. *Endocrinol,* Vol.136, No.12. 5357-5362.

Valenti S., Thellung S., Florio T., Giusti M., Schettini G. and Giordano G. (1999). A novel mechanism for melatonin inhibition of testosterone secretion by rat Leydig cell; reduction of GnRH-induced increase in cytosolic Ca^{+2}

Valenti S., Giusti M., Guido R. and Giordano G. (1997). Melatonin receptors are present in adult rat Leydig cells and are coupled through a purtussis toxin-sensitive G-protein. *Eu J Endocrinol.*

Valladares L.E., Moraga P., Vera H. and Ronco A.M.(1992). Leydig cell melatonin- binding sites in the immature rat. *9th Int Con Endocrinol,* Nice, France. 447.

Valle L. B. S., Oliveira-Filho R. M., Romaldini J. H. and Lara P. F. (1985). Pituitary-testicular axis abnormalities in immature male hypothyroid rats. *J Steroid Biochem,*23: 253-257.

Van Haaster L. H., DeJong F. H., Docter R. and de Rooji. D. G. (1992) The effect of hypothyroidism on Sertoli cell and hormone levels during testicular development of rat. *Endocrinol,* 131:154-157.

Van Haaster L.H., De Jong F.H., Docter R. and deRooji D.G. (1993). High neo-natal triiodothyronine levels reduce the period of Sertoli cell proliferation and accelerate tubular lumen formation in the testis and increase serum inhibin levels. *Endocrinol,* 133:755-760.

Vanecek J.(1999) Inhibitory effect of melatonin on GnRH-induced LH release . *Rev of reprod,* 4:67-72.

Vanecek J.(1991) Mechanism of melatonin action. *Physiol Res,* 40:11

Vaughan M. K., Vaughan G. M., Blask D. E. and Reiter R. J. (1976) Influence of melatonin, constant, light or blinding on reproductive system of gerbils. *Experientia,* 32: 1341.

Velazquez E., Esquitino Al., Zueco J.A.,Ruiz Albusac J.M. and Blazquez E.(1992). Evidence that circadian variation of circulating melatonin levels in fetal and suckling rats are dependent on material melatonin transfer. *Neuroendo,* 55: 321-326.

Vera H., Tijmes M., Ronco A.M. and Valladares L.E.(1993) Melatonin binding sites in interstitial cells from immature rat testes. *Biol Res,* 26:337-340.

Vera H., Tijmes M., Ronco A.M. and Valladares L.E.(1997) Melatonin and testicular function : characterization of binding sites for 2(^{125}I)-iodomelatonin in immature rat testes. *Steriods,* 62:226-229.

Vivien- Roels B., (1985) Interaction between photoperiod, temperature, pineal and seasonal reproduction in non-mammalian vertebrates. In: The Pineal Gland; Current status of pineal research. Mess B, Ruzsas C. S., Tima L.and Pevet P (eds) Elsevier, Amsterdam, The Netherlands.

Vriend J., Sheppard M. S. and Borer K. T.(1990). Melatonin increases serum growth hormone and insulin like growth factor 1 (IGF-1) levels in male Syrian Hamsters via hypothalamic neurotransmitters. *Growth, development and ageing,* 54:165

Waddell B. J., Hisheh S., Dharmarajan, A. M. and Burton P. J. (2000). Apoptosis in rat placenta is zone dependent and stimulated by glucocorticoids. *Biol Reprod,* 63:1913-1917.

Weaver D. R (2000). Roles of melatonin in development. In: *Melatonin after four decades,* (ed) James Olcese. Kluwer Academic/Plenum publishers, New York.

Weisenberg I., Missbackh M., Kahlen J. P., Schrader M. and Carlberg C (1995). Transcriptional activation of the nuclear receptor RZR alpha by the pineal gland hormone melatonin and identification of CGP 52608 as a synthetic ligand. *Nucleic Acid Res,* 11;23(3):327-33.

Wilson M. E. and Gordan T. P. (1989). Short day melatonin patterns advances puberty in seasonally breeding rhesus monkeys(*Macaca mulatta*). *J Reprod Fertil,* 86:435-444.

Wing T.Y. and Christensen A.K. (1982). Morphometric studies on rat seminiferous tubules. *Am.J.Anat,* 165(1): 13-25

Wurtman R. J., Axelrod J., Chu E. W. and Fischer J. E. (1963). Melatonin a pineal substance : effect on the rat ovary. *Science,* 141: 277-278.

Yellon S. M. and Foster D.L., (1986) Melatonin rhythms time photoperiod-induced puberty in the female lamb. *Endocrinol,* 119:44-49.

Yellon S. M. and Longo L. D. (1987). Melatonin rhythms in foetal and material circulation during pregnancy in sheep. *Am J Physiol,* 252:E 799-802.

Yellon S. M. and Longo L. D. (1988). Effect of melatonin pinealectomy and reverse photoperiod on the circadian rhythm in the sheep and foetus during the last trimester of pregnancy. *Biol Reprod,* 39:1093-1099.

Young K. A., Zirkin B. R. and Nelson R. J. (1999). Short photoperiods evoke testicular apoptosis in white-footed mice (*Peromyscus leucopus*). 140:3133-3139.

Zemdegs I. Z., McMillen I. C., Walker D.W., Thorburn G. D. and Nowak R. (1988). Diurnal rhythm in plasma melatonin concentrations in the foetal sheep and pregnant ewe during late gestation. *Endocrinol,* 123:284-289.