

BIBLIOGRAPHY

- Abe, M., Kramer, S.P. and Seligman, A.M. 1964. The histochemical demonstration of pancreatic-like lipase and comparison with the distribution of esterase. J. Histochem. Cytochem., 12: 364.
- Albert, A. The mammalian testis. In : Sex and internal secretions, Vol. I, 1961, Ed. W. C. Young, The Williams & Wilkins Co., Baltimore.
- Allen, B.M. 1904. The embryonic development of the ovary and testis of mammals. Am. J. Anat., 3: 89.
- Allen, J.M. and Slater, J.J. 1957. A chemical and histochemical study of alkaline phosphatase and aliesterase in the epididymis of normal and castrate mice. Anat. Rec., 129: 255.
- Allen, J.M. and Slater, J.J. 1958. A chemical and histochemical study of acid phosphatase in the epididymis of normal, castrate, and hormone replaced castrate mice. Anat. Rec., 130: 731.
- Allen, J.M. and Slater, J.J. 1959. A chemical and histochemical study of enzymes dephosphorylating adenosine phosphate esters in the epididymis of normal, castrated and testosterone propionate treated castrated mice. Am. J. Anat., 105: 117.
- Allen, J.M. and Slater, J.J. 1961. A cytochemical analysis of the lactic dehydrogenase-diphosphopyridine nucleotide-diaphorase system in the epididymis of the mouse.

- J. Histochem. Cytochem., 9: 221.
- Annison, E.F., Scott, T.W. and Waites, G.M.H. 1962. Oxidation of (1-¹⁴C)-acetate to D-(U-¹⁴C)-glucose by testis and epididymis of the ram in vivo. Biochem. J., 84: 129.
- Annison, E.F., Scott, T.W. and Waites, G.M.H. 1963. The role of glucose and acetate in the oxidative metabolism of the testis and epididymis of the ram. Biochem. J., 88: 482.
- Arey, L.B. 1954. Developmental anatomy. W.B. Saunders Company.
- Baillie, A.H. 1961. Observations on the growth and histochemistry of the Leydig tissue in the post-natal pre-pubertal mouse testis. J. Anat., 95: 358.
- Baillie, A.H. 1962. Histochemical differentiation of the basement membrane of the mouse seminiferous tubule. Quart. J. micr. Sci., 103: 385.
- Baker, J.R. 1960. Cytological technique. London, Methuen & Co. Ltd.
- Bennett, T.P. and Frieden, E. 1962. Metamorphosis and biochemical adaptation in Amphibia. In: Comparative biochemistry. Ed. Florin, M. and Mason, H.S. Vol. IV, Academic Press Inc., New York.
- Bieri, J.G. and Prival, E.L. 1965. Lipid composition of testes from various species. Comp. Biochem. Physiol., 15: 275.
- Bing, R.J. 1956. The metabolism of heart. In: Harvey Lectures. Academic Press Inc., New York.
- Bishop, D.W. 1961. Biology of spermatozoa. In: Sex and interhal secretions. Vol. II, Ed. W.C.Young. The Williams and Wilkins Co., Baltimore.

- Crevier, M. 1958. A histochemical and biochemical study of the polysaccharidic substances of the developing nervous system of the rat in relation with the appearance of cholinesterase activity. Canad. J. Biochem. Physiol., 36: 275.
- Dawson, R.M.C. and Rowlands, I.W. 1959. Glycerolphosphorylcholine in the male reproductive organs of rats and guinea pigs. Quart. J. Exper. Physiol., 44: 26.
- Dawson, R.M.C. and Scott, T.W. 1964. Phospholipid composition of epididymal spermatozoa prepared by density gradient centrifugation. Nature, 202: 292.
- Eapen, J. 1960. The effect of alcohol-acetic, formalin, Zenker's fluid and gelatin on the activity of lipase. Stain Techn., 35: 227.
- Endahl, B.R. and Kochakian, C.D. 1961. Inhibition of DPNH(NADH₂) oxidase activity of tissues by steroid hormones. Biochim. Biophys. Acta, 54: 15
- Farris, E.J. 1954. The care and breeding of laboratory animals. John Wiley & Sons, Inc., New York.
- Feegans, W.M., Cavazos, L.F. and Ewald, A.T. 1961. A morphological and histochemical study of estrogen induced lesions in the hamster male reproductive system. Am. J. Anat., 108: 31.
- George, J.C. and Bhakthan, N.M.G. 1960. A study on the fibre diameter and certain enzyme concentrations in the flight muscles of some butterflies. J. Exp. Biol., 37: 308.

- George, J.C. and Bhakthan, N.M.G. 1963. In vitro lipase activity and the oxidation of butyrate by the honey-bee flight muscle. J. Ins. Physiol., 9: 311.
- George, J.C. and Iype, P.T. 1959. A study of the lipase activity in the developing chick heart. J. Exp. Zool., 41: 291.
- George, J.C. and Iype, P.T. 1960. Improved histochemical demonstration of lipase activity. Stain Techn., 35: 151.
- George, J.C. and Iype, P.T. 1963. Lipase activity of pigeon heart muscle particulate fractions and its metabolic significance. Am J. Physiol., 204: 165.
- George, J.C. and Jyoti, D. 1953. On the reduction of fat in the liver and the flight muscle of Coluba^m livia during flight. J. Univ. Bombay, 21: 72.
- George, J.C. and Jyoti, D. 1955. The lipid content and its reduction in the muscle and liver during long and sustained muscular activity. J. Anim. Morph. Physiol., 2: 37.
- George, J.C. and Jyoti, D. 1957. Studies on the structure and physiology of the flight muscles of birds. 2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity. J. Anim. Morph. Physiol., 4: 119.
- George, J.C. and Scaria, K.S. 1956. On the occurrence of lipase in the skeletal muscles of vertebrates and its possible significance in sustained muscular activity. J. Anim. Morph. Physiol., 3: 91.

- George, J.C. and Scaria, K.S. 1957. Lipase activity in the vertebrate heart muscle and its relation to basal metabolism. J. Anim. Morph. Physiol., 4: 107.
- George, J.C. and Scaria, K.S. 1959. The pigeon breast muscle lipase. J. Anim. Morph. Physiol., 6: 55.
- George, J.C. and Susheela, A.K. 1961. A histophysiological study of the rat diaphragm. Biol. Bull., 121: 471.
- George, J.C. and Talesara, C.L. 1960. Studies on the structure and physiology of the flight muscles of birds. 9. A quantitative study of the distribution pattern of succinic dehydrogenase in the pectoralis major muscle of the pigeon. Biol. Bull., 118: 262.
- George, J.C. and Talesara, C.L. 1961. A quantitative study of the distribution pattern of certain oxidizing enzymes and a lipase in the red and white fibres of the pigeon breast muscle. J. Cell. and Comp. Physiol., 58: 253.
- George, J.C. and Talesara, C.L. 1961. The succinic dehydrogenase levels of the pectoralis muscle of a few representative types of birds and a bat in relation to fibre diameter, muscle weight and body weight. Comp. Biochem. Physiol., 3: 237.
- George, J.C. and Talesara, C.L. 1962. Lipase activity of the particulate fractions of the pigeon breast muscle and its significance in the metabolism of the muscle. J. Cell. and Comp. Physiol., 60: 33.
- George, J.C. and Vallyathan, N.V. 1964. Lipase and succinic dehydrogenase activity of the particulate fractions of the breast muscle homogenate of the migratory

- starling *Sturnus roseus* in the pre-migratory and post-migratory periods. J. Cell. and Comp. Physiol., 63: 381.
- George, J.C. and Vallyathan, N.V. 1964. Effect of exercise on free fatty acid levels in the pigeon. J. Appl. Physiol., 19: 619.
- George, J.C. and Vallyathan, N.V. 1964. Capacity for fatty acid oxidation by the breast muscle of the starling (*Sturnus roseus*) in the pre- and post-migratory periods. Canad. J. Physiol. & Pharmacol., 42: 447.
- Gilbert, S.G., Bentinck, R.C. and Eisenberg, E. 1951. The influence of steroids on cerebral metabolism. Ann. N.Y. Acad. Sci., 54: 575.
- Glover, T.D. 1962. The response of rabbit spermatozoa to artificial cryptorchidism and ligation of the epididymis. J. Endocrinol., 23: 317.
- Gohary El M. , Cavazos, L.F. and Manning, J.P. 1962. Effects of testosterone on histochemical reactions of epithelium of hamster ductus epididymis and seminal vesicle. Anat. Rec., 144: 229.
- Greep, R.C. 1961. Physiology of the anterior hypophysis in relation to reproduction. In: Sex and internal secretions. Vol.I, Ed. W.C.Young. The Williams & Wilkins Co., Baltimore.
- Hall, P.F., Nishizawa, E.E. and Eik-Nes, K.B. 1963. Synthesis of fatty acids by testicular tissue in vitro.

- Canad. J. Biochem. Physiol., 41: 1267.
- Hammond, J. and Asdell, S.A. 1926. The vitality of the spermatozoa in the male and female reproductive tracts. J. Exp. Biol., 4: 155.
- Hancock, R.L., Zelis, R.F., Shaw, M. and Williams-Ashman, H.G. 1962. Incorporation of ribonucleoside triphosphates into ribonucleic acid by nuclei of the prostate gland. Biochim. Biophys. Acta, 55: 257.
- Harrison, R.G. 1949-50. The comparative anatomy of the blood supply of the mammalian testis. Proc. Zool. Soc. Lond., 119: 325.
- Hartree, E.F. and Mann, T. 1959. Plasmalogen in ram semen, and its role in sperm metabolism. Biochem. J., 71: 423.
- Hartree, E.F. and Mann, T. 1960. Phospholipids in mammalian semen. J. Reprod. Fertil., 1: 23.
- Kincl, F.A., Maqueo, M. and Pi, F.A. 1964. Recovery of gonadal function in male rats treated neonatally with 17- β -oestradiol bezoate. Acta Endocri., 47: 200.
- Kochakian, C.D. 1951. Recent studies on the in vivo and in vitro effects of hormones on enzymes. Ann. N.Y. Acad. Sci., 54: 534.
- Kochakian, C.D. 1964. ^fEffect of castration and testosterone on protein biosynthesis in guinea pig tissue preparations. Acta Endocri., 46: 1.
- Lacy, D. 1960. Light and electron microscopy and its use in the study of factors influencing spermatogenesis in the rat. J. Roy. Microscop. Soc., 79: 209.

- Langdon, R.G. 1957. The biosynthesis of fatty acids in rat liver. J. Biol. Chem., 226: 615.
- Lardy, H.A. and Phillips, P.H. 1941. Phospholipids as a source of energy for motility of bull spermatozoa. Am. J. Physiol., 134: 542.
- Lardy, H.A. and Phillips, P.H. 1941. The interrelation of oxidative and glycolytic processes as sources of energy for bull spermatozoa. Am. J. Physiol., 133: 602.
- Lardy, H.A., Hansen, R.G. and Phillips, P.H. 1945. The metabolism of bovine epididymal spermatozoa. Arch. Biochem., 6: 41.
- Laron, Z. and Kowadlo, A. 1963. Fat-mobilizing effect of testosterone. Metabolism, 12: 588.
- Laron, Z. and Kowadlo, A. 1964. Further evidence for fat mobilizing effect of androgens. Acta Endocri., 45: 427.
- Lasley, J.F. and Bogart, R. 1944. A comparative study of epididymal and ejaculated spermatozoa of the boar. J. Anim. Sci., 3: 360.
- Leblond, C.P. and Clermont, Y. 1952. Definition of the stages of the cycle of the seminiferous epithelium in the rat. Ann. N.Y. Acad. Sci., 55: 548.
- Leeson, C.R. 1963. Observations on the fine structure of rat interstitial tissue. Acta Anat., 52: 34.
- Levy, H.R. 1961. Fatty acid synthesis and glucose-6-phosphate dehydrogenase in rat mammary glands. Proc. V International Congr. Biochem., Vol. VII, Ed. G. Popjak, Pergamon Press, New York, 1963.

- Liao, S. and Williams-Ashman, H.G. 1962. An effect of testosterone on amino acid incorporation by prostatic ribonucleo-protein particles. Proc. Natl. Acad. Sci., 48: 1956.
- Lofts, B. 1960. Cyclical changes in the distribution of the testis lipids of a seasonal mammal (Talpa europaea). Quart. J. micr. Sci., 101: 199.
- Lofts, B. 1964. Seasonal changes in the functional activity of the interstitial and spermatogenetic tissues of the green frog, Rana esculenta. Gen. Comp. Endocrinol., 4: 550.
- Lofts, B. and Boswell, C. 1960. Cyclical changes in the distribution of the testis lipids in the common frog, Rana temporaria. Nature, 187: 708.
- Lofts, B. and Boswell, C. 1961. Seasonal changes in the distribution of testis lipids of the Caspian terrapin, Clammys caspica. Proc. Zool. Soc., 136: 581.
- Lofts, B. and Marshall, A.J. 1957. Cyclical changes in the distribution of the testis lipids of a teleost fish, Esox lucius. Quart. J. micr. Sci., 98: 79.
- Long, M.E. and Engle, E.T. 1952. Cytochemistry of human testis. Ann. N.Y. Acad. Sci., 55: 619.
- Lynn, W.S. Jr., and Brown, R.H. 1958. The conversion of progesterone to androgens by testis. J. Biol. Chem., 232: 1015.
- Maneely, R.B. 1958. The effect of bilateral gonadectomy on the histology and histochemistry of the surviving epididymis in rats. Acta Anat., 32: 361.

- Mann, T. 1954. The biochemistry of semen. Methuen & Co. Ltd., London.
- Marin-Padilla, M. 1964. The mesonephric-testicular connection in man and some mammals. Anat. Rec., 148: 1.
- Maqueo, M. and Kincl, F.A. 1964. Testicular histomorphology of young rats treated with oestradiol-17 β benzoate. Acta Endocri., 46: 26.
- Marshall, A.J. 1951. The refractory period of testis rhythm in birds and its possible bearing on breeding and migration. Wilson Bull., 63: 238.
- Marshall, A.J. and Lofts, B. 1956. The Leydig-cell homologue in certain teleost fishes. Nature, 177: 704.
- Marshall, A.J. and Woolf, F.M. 1957. Seasonal lipid changes in the sexual elements of a male snake, Vipera berus. Quart. J. micr. Sci., 98: 89.
- Martan, J. and Risley, P.L. 1963. Holocrine secretory cells of the rat epididymis. Anat. Rec., 146: 173.
- Martan, J. and Risley, P.L. 1963. The epididymis of mated and unmated rats. J. Morphol., 113: 1.
- Martin, H.F. and Peers, F.G. 1953. Oat lipase. Biochem. J., 55: 523.
- Mason, K.E. and Shaver, S.L. 1952. Some functions of the caput epididymis. Ann. N.Y. Acad. Sci., 55: 585.
- Maximow, A.A. and Bloom, W. 1961. A textbook of histology. W.B.Saunders Company, Philadelphia.
- McAlpine, R. J. 1951. Alkaline glycerophosphatase in the developing endocrine pancreas of the albino rat. Anat. Rec., 109: 189.

- McAlpine, R.J. 1955. Alkaline glycerophosphatase in the developing thyroid, parathyroid, and thymus of the albino rat. Am. J. Anat., 96: 191.
- McKerns, K.W. 1962. Inhibition of triphosphopyridine nucleotide specific dehydrogenases in adrenal by thyroid-hormone analogues. Biochim. Biophys. Acta, 62: 402.
- McKerns, K.W. 1963. Hormonal regulation of dehydrogenase enzymes of the anterior pituitary. Biochim. Biophys. Acta., 73: 507.
- Melampy, R.M. and Cavazos, L.F. 1954. Comparative study of lipids in vertebrate testes. Proc. Soc. Exp. Biol., 87: 297.
- Metzler, C.J. and Humm, D.G. 1951. The determination of cholinesterase activity in whole brains of developing rats. Science, 113: 382.
- Miller, M.R. 1959. The endocrine basis for reproductive adaptations in reptiles. In: Comparative endocrinology. Ed. A.Gorbman, John Wiley & Sons, Inc., New York.
- Montagna, W. 1952. Some cytochemical observations on human testes and epididymides. Ann. N.Y. Acad. Sci., 55: 629.
- Moog, F. 1946. The physiological significance of the phosphomonoesterases. Biol. Revs., 21: 41.
- Moog, F. 1962. Developmental adaptations of alkaline phosphatases in the small intestine. Fed. Proc., 21: 51.
- Morton, R.K. 1955. Transphosphorylation by phosphatases. In: Methods in enzymology. Ed. S.P.Colowick and N.O.Kaplan. Acad. Press, Inc., New York.

- Mukherji, D.P. and Bhattacharya, P. 1948-49. Study of spermatozoa from different levels of the male reproductive tracts of the sheep, goat and buffalo. Proc. Zool. Soc. Bengal, 1:149.
- Nachlas, M.M., Margulies, S.I. and Seligman, A.M. 1960. A colorimetric method for the estimation of succinic-dehydrogenase activity. J. Biol. Chem., 235: 499.
- Naidoo, D. 1962. The activity of 5'-nucleotidase determined histochemically in the developing rat brain. J. Histochem. Cytochem., 10: 421.
- Nicander, L. 1954. Glycogen secretion in the epididymis. Nature, 174: 700.
- Nicander, L. 1957. On the regional histology and cytochemistry of the ductus epididymis in rabbits. Acta Morphol. Neerlando-Scand. 1: 99.
- Niemi, M. and Ikonen, M. 1961. Steroid 3 β -ol-dehydrogenase activity in foetal Leydig's cells. Nature, 189: 592.
- Niemi, M. and Ikonen, M. 1962. Cytochemistry of oxidative enzyme systems in the Leydig cells of the rat testis and their functional significance. Endocrinol., 70: 167.
- Niemi, M., Härkönen, M. and Kokko, A. 1962. Localization and identification of testicular esterases in the rat. J. Histochem. Cytochem., 10: 186.
- Oslund, R.M. 1928. Seasonal modifications in testis of vertebrates. Quart. Rev. Biol., 3: 254.
- Pearse, A.G.E. 1960. Histochemistry - Theoretical and applied. J. & A. Churchill, Ltd., London.

- Perey, B., Clermont, Y. and Leblond, C.P. 1961. The wave of seminiferous epithelium in the rat. Am. J. Anat., 108: 47.
- Posalaky, Z., Gyevai, A. and Bukulya, B. ~~III~~ Contributions to the mechanism of spermatogenesis, on the basis of studies of the acid-fast staining, succinic dehydrogenase activity and histochemical examination of lipids. Acta Morph. Acad. Sci. Hungaricae, 10: 137.
- Prankerd, T.A.J. 1956. The activity of enzymes in metabolism and transport in the red cell. In: Intnl. Rev. Cytol., Vol. V. Ed. G.H.Bourne and J.F.Danielli. Acad. Press, Inc., New York.
- Price, D. and Williams-Ashman, H.G. 1961. The accessory reproductive glands of mammals. In: Sex and internal secretions, Vol. I. Ed. W.C.Young. The Williams and Wilkins Co., Baltimore.
- Reid, B.L. and Cleland, K.W. 1957. The structure and function of the epididymis. I. The histology of the rat epididymis. Aust. J. Zool., 5: 223.
- Rogers, K.T. 1960. Study on ckick brain of biochemical differentiation related to morphological differentiation and onset of function. III. Histochemical localization of alkaline phosphatase. J. Exp. Zool., 145: 49.
- Rogers, K.T. 1963. Studies on the chick brain differentiation. IV. Comparative biochemical alakline phosphatase studies on an altricial bird brain, and chick kidney and intestine. J. Exp. Zool., 153: 15

- Rogers, K.T. 1963. Studies on chick brain differentiation. V. Comparative histochemical alkaline phosphatase studies on chick retina, and black bird, mouse, rabbit, cat, and human brains. J. Exp. Zool., 153: 21.
- Rogers, K.T., Vries de L., Kepler, J.A., Kepler, C.R. and Speidel, R.E. 1960. Studies on chick brain of biochemical differentiation related to morphological differentiation and onset of function. II. Alkaline phosphatase and cholinesterase levels, and onset of function. J. Exp. Zool., 144: 89.
- Roosen-Runge, E.C. 1962. The process of spermatogenesis in mammals. Biol. Revs., 37: 343.
- Romer, A.S. 1950. The vertebrate body. W.B.Saunders Company.
- Rosenbaum, J.L. and Lindeman, V.F. 1958. Phosphatase activity in relation to growth of the testes. Anat. Rec., 132: 497.
- Rosenberg, Th. and Wilbrandt, W. 1952. Enzymatic processes in cell membrane penetration. In: Intl. Rev. Cytol., Vol. I. Ed. G.H.Bourne and J.F.Danielli. Academic Press, Inc., New York.
- Rothschild Lord, 1951. Sea-urchin spermatozoa. Biol. Revs., 26: 1.
- Rothschild, Lord and Cleland, K.W. 1952. The physiology and endogenous substrate in sea-urchin sperms. J. Exp. Biol., 29: 66.
- Salisbury, G.W. 1956. The function of the epididymis of the bull. I. A theory for the activation of spermatozoan motility. Tijdschr. Diergeneesk., 81: 616.

- Scheib, D. 1959. Sur la detection des lipides figures dans les gonades de l'embryon de poulet.
Ann. D'histochimie, 4: 33.
- Schor, N.A., Cara, J. and Perez, A. 1963. Hormonal dependence of oxidative enzymes in the testis of the rat.
Nature, 198: 1310.
- Scott, T.W., Dawson, R.M.C. and Rowlands, I.W. 1963. Phospholipid interrelationships in rat epididymal tissue and spermatozoa. Biochem. J., 87: 507.
- Scott, T.W., White, I.G. and Annison, E.F. 1961. Fatty acids in semen. Biochem. J., 78: 740.
- Scott, T.W., White, I.G. and Annison, E.F. 1962. Oxidation of short chain fatty acids (C₁ - C₈) by ram, bull, dog and fowl spermatozoa. Biochem. J., 83: 392.
- Scott, T.W., White, I.G. and Annison, E.F. 1962. Glucose and acetate metabolism by ram, bull, dog and fowl spermatozoa. Biochem. J., 83: 398.
- Scott, T.W., Wales, R.G., Wallace, J.C. and White, I.G. 1963. Composition of ram epididymal and testicular fluid and the biosynthesis of glycerylphosphorylcholine by the rabbit epididymis. J. Reprod. Fertil., 6: 49.
- Scott, W.W. and Lynch, K.M. Jr. 1952. The Sertoli cell.
In: Studies on testis and ovary, eggs and sperm.
Ed. E.T.Engle.
- Shimizu, N. and Okada, M. 1957. Histochemical distribution of phosphorylase in rodent brain from new born to adults.
J. Histochem. Cytochem., 5: 459.

- Steinberger, E. and Wagner, C. 1961. Observations on the endogenous respiration of rat testicular tissue.
Endocrinol., 69: 305.
- Stoppani, A.O.M., Brignone, J.A., Brignone De, C.C. and Badano, B.N. 1962. Inhibition by steroid hormones of quinone reduction by heart-muscle preparations.
Biochim. Biophys. Acta, 58: 622.
- Stoppani, A.O.M., Brignone, J.A., Brignone De, C.C. and Badano, B.N. 1962. The action of steroid hormones on the DPNH-oxidase and succinoxidase systems.
Perspectives in biology. Ed. C.F.Cori, V.G.Foglia, L.F.Leloir and S.Ochoa. Elsevier Publishing Co., London.
- Strittmatter, C.F. 1962. Site of steroid hormone inhibition in the respiratory enzyme chain. J. Cell. Comp. Physiol., 60: 23.
- Terner, C. 1962. Oxidative and biosynthetic reactions in spermatozoa. A.A.A.S.Symposium on Spermatozoan Motility. Ed. D.W.Bishop.
- Terner, C. and Korsh, G. 1962. The biosynthesis of C¹⁴-labeled lipids by isolated bull spermatozoa.
Biochemistry, 1: 367.
- Tice, L.W. and Barnett, R.J. 1963. The fine structural localization of some testicular phosphatases.
Anat. Rec., 147: 43.
- Turpeinen, P., Turpeinen, O. and Talanti, S. 1962. Effect of local heat in vivo on hyaluronidase, succinic dehydrogenase and phosphatases of the rat testis.



Endocrinol., 70: 731.

Vallyathan, N.V. 1963. On the lipid content and the lipase activity in the breast muscle of Sturnus roseus (Linnaeus). Pavo, 1: 106.

Van Oordt, P.G.W.J. and Lofts B. 1963. The effects of high temperature on gonadotrophin secretion in the male common frog (Rana temporaria) during autumn. J. Endocrinol., 27: 137.

Vilar, O., Perez del Cerro, M.I. and Mancini, R.E. 1962. The Sertoli cell as a "bridge-cell" between basal membrane and germinal cells. Exp. Cell Res., 27: 158.

Villee, C.A. 1961. Some problems of the metabolism and mechanism of action of steroid sex hormones. In: Sex and internal secretion. Vol. I. Ed. W.C.Young. The Williams and Wilkins Co., Baltimore.

Von Ebner, V. 1888. As cited by E.C. Roosen-Runge, 1962. The process of spermatogenesis in mammals, Biol. Revs., 37: 343.

Walker, D.G. and Seligman, A.M. 1961. Formalin fixation in the cytochemical demonstration of succinic dehydrogenase of mitochondria. J. Biochem. Biophys. Cytol., 9: 415.

Wallach, D.P. and Ko, H. 1964. Some properties of an alkaline phosphatase from rat adipose tissue. Canad. J. Biochem., 42: 1445.

Wallach, D.P., Ko, H. and Marshall, N.B. 1962. Purification and properties of a Tween-hydrolyzing enzyme from rat adipose tissue. Biochim. Biophys. Acta, 59: 690.

- Walter, H.E. and Sayles, L.P. Biology of the vertebrates.
1949. The Macmillan Company, New York.
- White, I.G. and Wales, R.G. 1961. Comparison of epididymal
and ejaculated semen of the ram. J. Reprod. Fertil.,
2: 225.
- Weis-Fogh, T. 1952. Fat combustion and metabolic rate of
flying desert locusts (Schistocerca gregaria).
Phil. Trans., 273 B : 1.
- Wise, E.M. Jr. and Ball, E.G. 1964. Malic enzyme and lipogenesis.
Proc. Natl. Acad. Sci., 52: 1255.
- Wiedersheim, R. Elements of the comparative anatomy of vertebrates.
1897. Macmillan and Company, Ltd., New York.
- Williams-Ashmen, H.G., Liao, S., Hancock, R.L., Jur^kowitz, L. and
Silverman, D.A. 1964. Testic^lular hormones and the
synthesis of ribonucleic acids and proteins in the
prostate gland. Recent Progress in Hormone Research.
20: 247.
- Wolfe, H.J. and Cohen, R.B. 1964. Glucose-6-phosphate dehydro-
genase activity in the human fetal and prepubertal
testis. A histochemical study.
J. Clin. Endocrinol. Metabolism, 24: 616.
- Yielding, K.L., Tomkins, G.M., Munday, J.S. and Cowley, I.J.
1960. The effect of steroids on electron transport.
J. Biol. Chem., 235: 3413.
- Young, W.C. 1929. As cited by Young and Simeone, 1930.
- Young, W.C. and Simeone, F.A. 1930. Development and fate of
spermatozoa in the epididymis and vas deferens in the
guinea pig. Proc. Soc. Exp. Biol., 27: 838.