

BIBLIOGRAPHY

- BARKA, T. (1962). Cellular localization of acid phosphatase activity. J. Histochem. Cytochem. 10:2.
- BEAK, F. and BAXTER, J.S. (1960). Some observations on the diaphragmatic blood supply. The J. of Anatomy. 94:224-229.
- BECKETT, E.B. and BOURNE, G.H. (1958). Acid and alkaline phosphatases in normal and diseased human muscle. Acta. Anat. 35:326-343.
- BENIDICT, F.G. (1938). Cernegie Institution of Washington, Publ. No. 503.
- BOKDAWALA, F.D. and GEORGE, J.C. (1965). Acid and neutral ATPase in skeletal muscle. J. Anim. Morphol. Physiol. 12:2 210-219.
- CHANDRA-BOSE, D.A. and GEORGE, J.C. (1965). Studies on the structure and physiology of the flight muscles of birds. 13. Characterization of avian pectoralis. Pavo 3:1, 14-22.
- CHINYOY, N.J. and GEORGE, J.C. (1964). Cholinesterases in the pectoral muscle of some vertebrates. J. Physiol. 177: 346-354.

- CHINNOY, N.J. and GEORGE, J.C. (1966). Cholinesterases in the embryonic and postembryonic pigeon pectoralis muscle. Pavo 4:1 & 2, 65-71.
- CLARK, S.L. Jr. (1961). The localization of alkaline phosphatase in tissues of mice, using electron microscope. Am. J. Anat., 109:57-83.
- COUPLAND, R.E. and HOLMES, R.L. (1957). The use of cholinesterase technique for the demonstration of peripheral nerve endings. Quart. J. Micr. Sci. 98:327-330.
- CROSSFILL, M.L. and WIDDICOMBE, J.G. (1961). J. Physiol. 158:1. As cited by Gauthier, G.F. and Padykula, H.A. (1966). Cytological studies of fibre types in skeletal muscle. J. Cell. Biol. 28:2,333-354.
- CUAJUNCO, F. (1942). Development of the human motor end plate. Contr. Embryol. Carneg. Instn. 30:129-152.
- DEMPSEY, E.W., WISLOCKI, G.B. and SINGER, M. (1946). Some observations on the chemical cytology of striated muscle. Anat. Rec., 96:221-247.
- DUBOWITZ, V. and PEARSE, A.G.E. (1960). A comparative histochemical study of oxidative enzyme and phosphorylase activity in skeletal muscle. Histochemie, 2:105-117.

- FEDOROVA, G.P. (1964). Effect of muscular activity of varying duration on the oxidised and reduced nicotinamide adenine dinucleotide (NAD and NADH) in the muscles, liver and blood. Ukr. Biokhim. Zh. 36:1, 119-125.
- GAUTHIER, G.F. and PADYKULA, H.A. (1966). Cytological studies of fibres types in skeletal muscle. J. Cell. Biol. 28:2, 333-354.
- GEORGE, J.C. and IYPE, P. T. (1960a). Improved histochemical demonstration of lipase activity. Stain Tech. 35:151-152.
- GEORGE, J.C., MADHAVAN NAIR and SCARIA, K.S. (1958). Studies on the structure and physiology of the flight muscles of birds. 3. Alkaline phosphatase activity in the pigeon breast muscle. Curr. Sci. 27:172-173.
- GEORGE, J.C. and PISHAWIKAR, S.D. (1961). Acid phosphatase activity in the pigeon breast muscle. Naturwissenschaften, 48: 104-105.
- GEORGE, J.C. and SUSHEELA, A.K. (1961). A histophysiological study of rat diaphragm. Biol. Bull. 121:471-480.
- GEORGE, J.C. and TALESARA, C.L. (1961a). Histochemical observations on the succinic dehydrogenase and cytochrome oxidase activity in the pigeon breast muscle. Quart. J. Micr. Sci. 102:131-141.

- GEREBTZOFF, M.A., PHILIPPOT, E. and DALIEMAGNE, M.J. (1954).
Recherches histochimiques sur les acetylcholine et
choline esterases. 2. Activite enzymatique dans less
muscles lents et rapides des mammiferes et des oiseaux.
Acta Anat. 20:234-257.
- GESELL, R. and ATKINSON, A.K. (1943). A comparison of the motor
intigration in the mouse, rat, rabbit, dog and horse.
Am. J. Physiol. 139:745-755.
- GLICK, D. (1949). Techniques of histo and cytochemistry.
Interscience Publishers, Chicago University Press.
- GREENSTEIN, J.P. (1942). Distribution of acid and alkaline
phosphatase in tumors, normal and tissues and the
tissues of tumor bearing rats and mice. J. Natl.
Cancer Inst. 2:511-524.
- GURR, E. (1956). A Practical Manual of Medical and Biological
staining techniques. London: Leonard Hill (Bokks) Ltd.
- HÄGGQVIST, G. (1960). Cholinesterases and innervation of
skeletal muscles. Acta Anat. Scand. 48:63-70.
- HÄGGQVIST, G. (1962). Cholinesterases in skeletal muscles.
Anat. Anz. 111:250-267.
- HEREID, C.F. (1963). Metabolism of the Maxican free-tailed
bat. J. Cell. Comp. Physiol. 61:201-207.

- HOOKER, D. (1936). Early foetal activity in mammals.
Yale J. Biol. Med. 8:579-602.
- KHAN, M.A. and GEORGE, J.C. (1967). Histochemical demonstration of mitochondrial localization of acid and alkaline phosphatases in skeletal muscle. J. Anim. Morphol. Physiol. 14:1,98-102.
- KIVALO, E., RINNE, U.K. and MAKELA, S. (1958). Acetylcholinesterase, acid, phosphatase and succinic dehydrogenase in the hypothalamic magnocellular nuclei after serotonin administration. Experientia 14:408.
- KLINAR, B. and ŽUPANČIĆ, A.D. (1962). Cholinesterases in white and red skeletal muscles. Arch. Int. Pharmacodyn. CXXXVI. 47-53.
- KREBS, H.A. (1950). Body size and tissue respiration. Biochem. et Biophys. Acta. 58:354-356.
- KOELLE, G.B. and FRIEDENWALD, J.S. (1949). A histochemical method for localizing cholinesterase activity. Proc. Soc. Exp. Biol. Med. 70:617-622.
- KRÜGER, P. (1952). Tetanus and tonus der quergestreiften skelettmuskula der Wirbeltiere und des menschen. Geest and Portig, Leipzig. As cited by Gerebtzoff, M.A. in cholinesterases (1959), Pergamon Press, New York.

- KRÜGER, P. (1958). Dtsch. Z. Nervenheilk. 178:29, as cited by KLINAR, B. and ŽUPANČIĆ, A.O. (1962). Cholinesterases in white and red mammalian skeletal muscle. Arch. Int. Pharmacodyn. 136:47-53.
- KRÜGER, P. (1960). Acta Anat. 40:186, as cited by KLINAR, B. and ŽUPANČIĆ, A.O. (1962). Cholinesterases in white and red mammalian skeletal muscle. Arch. Int. Pharmacodyn. 136:47-53.
- KUN, E. and ABOOD, L. (1949). Colorimetric estimation of succinic dehydrogenase by Triphenyl-Tetrazolium chloride. Science 109:144-146.
- KUPFER, C. and KOELLE, G.B. (1951). A histochemical study of cholinesterase during formation of motor end plate of the albino rat. J. Exp. Zool., 116:397-413.
- LIEBSON, R. (1939). Bull. Biol. Med. Exp. URSS. 7:522, as cited by Varga et al. 1957. Changes in the acetylcholine-sensitivity and cholinesterase activity of skeletal muscles in the course of ontogenesis. Acta physiol. Acad. Sci. Hung., 11:243-251.
- MACKAY, D.G., ADAMS, E.C., HERTIG, A.T. and BANGIZER, S. (1955). Histochemical horizon in human embryos. I. Five millimeter embryo-Streeterhorizon XIII. Anat. Rec. 122:125-152.

- MOOG, F. (1946). The physiological significance of phospho-
monoesterases. Biol. Rev. 21:41-59.
- NENE, R.V. and GEROGÉ, J.C. (1965). Histochemical demon-
stration of glucose-6-phosphate dehydrogenase in
muscle. J. Anim. Morphol. Physiol. 12:1, 90-99.
- NENE, R.V. (1966). A histophysiological study of certain
striated muscles with special reference to those
of the avian wing. Ph.D. Thesis submitted to the M.S.
University of Baroda.
- NACHMANSOHN, D. (1939). Cholinesterase dans le système
nerveux central. Bull. Soc. Chim. Biol. 21:761-796,
as cited by KUPFER, C. and KOELLE, G.B. (1951). J.
of Experimental Zoology. 116:397-413.
- NACHMANSOHN, D. (1940b). Cholinesterase in the brain and
the spinal cord of the sheep embryos. J. Neurophysiol.
3:396-402.
- NACHMIAS, V.T. and PADYKULA, H.A. (1958). A histochemical
study of normal and denervated red and white muscles
of the rat. J. Biophys. Biochem. Cytol. 4:47-54.
- NEWMAN, W., FEIGIN, I., WOLF, A. and KABAT, E.A. (1950).
Histochemical studies on tissue enzymes. IV. Distri-
bution of some enzyme systems which liberate phosphate
at pH 9.2 as determined with various substrates and

- inhibitors, demonstration of three groups of enzymes.
Am. J. Path. 26: 2, 57.
- NOVA, M., HUBAC, M., NOVOMESKA, Z. and ZOHORSKY, J. (1962).
Ventilation and oxygen consumption and utilization
in lungs by adolescents during physical exertion.
Pracovni Lekar, 14:379-382.
- OGATA, T. (1958). Acta Med. Okayama. 12:216, as cited by
GAUTHIER, G.F. and PADYKULA, H.A. (1966). Cytological
studies of fibre types in skeletal muscle. J. Cell.
Biol. 28: 2, 333-354.
- OGATA, T. and MORI, M. (1963). A histochemical study of
hydrolytic enzymes in muscle fibres of various
animals. J. Histochem. Cytochem. 11:645-652.
- PADYKULA, H.A. and GAUTHIER, G.F. (1963). Cytological
studies of adenosine triphosphatase in skeletal
muscle fibres. J. Cell. Biol. 18:87-107.
- PEARSE, A.G.E. (1954). Histochemistry, Theoretical and
Applied. J. and A. Churchill Ltd., London.
- PORTER, K.R. and PALADE, G.E. (1957). J. Biophysic and
Biochem. Cytol. 3:269.
- ROGERS, K.T. (1963). Studies on chick brain differentiation.
V. Comparative histochemical Alkaline Phosphatase
studies in chick retina, and Blackbird, Mouse, Rabbit,
Cat and Human brains. J. Exp. Zool. V.153, no.1, 21-36.

- ROMANUL, F.C.A. and BANNISTER, R.G. (1962). Localized area of high alkaline phosphatase activity in the terminal arterial tree. J. Cell Biol. 15:73-84.
- ROSSI, F. PEALE, E. and PESSETTE (1954). Extratis C.R.Ass. Anat. 74:1.
- RUDOLPH, G. (1959). Zbl. Allg. Path. 100:88.
- SCIFTER, S., DAYTON, S., NOVIC, B. and MUNTWYLER, B. (1950). The estimation of glycogen with anthrone reagent. Arch. Biochem. 25:191-200.
- SHAH R.V. and CHAKKO, T.V. (1967). The histochemical demonstration of alkaline phosphatase in the normal (non-amputated) and regenerating tail of the common house lizard, Hamidactylus flaviviridis. J. Anim. Morph. Physiol., 14:69-88.
- SMITH, C.A. (1963). The First Breath. Scientific American. 209:4.
- SMITH, J.C., FOLDES, V.M. and FOLDES, F.F. (1963). Distribution of cholinesterases in the normal human muscle. Canadian J. of Biochem. & Physiol. 41:173-1720.
- SUSHEELA, A.K. (1963). Studies on the cellular organization and metabolic adaptation in mammalian diaphragm. Ph.D. Thesis submitted to the M.S. University of Baroda.

- SUSHEELA, A.K. and GEORGE, J.C. (1963). Respiratory quotient of the rat diaphragm. Canadian J. of Biochem. and Physiol. 41:2221-2223.
- STUBBS, S. St. G. and BLANCHAER, M.C. (1965). Glycogen phosphorylase and glycogen synthetase activity in red and white skeletal muscle of the guinea pig. Can. J. Biochem. 43:463.
- VALLYATHAN, N.V. and GEORGE, J.C. (1965). Histochemical demonstration of acid and alkaline phosphatase activity in the red and white fibres of the pigeon pectoralis. J. Anim. Morphol. Physiol. 12: 1;100-103.
- VERATTI, E. (1962). Translation published in J. Biophys. and Biochem. Cytol. 10: Suppl.1, 1961.
- WOLF, A., KABAT, E.A. and NEWMAN, W. (1943). Histochemical studies on tissue enzymes. III. A study of the distribution of acid phosphatase with special reference to the nervous system. Am. J. Path. 19:423-440.
- ZENKER, W. and ANZENBACHER, H. (1964). On the different forms of myo-neural junctions in twotypes of muscle fibres from the external ocular muscle of Rhesus monkey. J. Cell. and Comp. Physiol. 63:273-286.
- ZEUTHEN, E. (1955). Ann. Rev. Physiol. 17:459.

- DAVIS, J. and MORRIS, B. (1953). Australian J. Exptl. Biol. Med. Sci. 31: 201., as cited by RAHN, H.(1955) Respiration. Ann. Rev. Physiol. 17: 107-128.
- GEREBTZOFF, M. A.(1959) Cholinesterases. A histochemical contribution to the solution of some functional problems. Pergamon Press, London.
- JOHNSTON, T. B. and WHILLIS, J.(1949). Gray's anatomy Descriptive and Applied. Longmans, Green and Co., London. 567-568.
- JONES, D. S., BEARGIE, R. J. and PAULY, J. E. (1953). Anat. Rec. 117: as cited by RAHN, H.(1955). Respiration. Ann. Rev. Physiol. 17: 107-128.
- KHERA, K. S. and LAHAM, Q. N.(1965). Cholinesterases and end-plates in developing Duck skeletal muscle. J. Histochem. Cytochem. 13:7., 559-565.
- VARGA, E., KOVER, A., KOVACS, R. and HETENYI, E.(1957). Changes in the acetylcholine sensitivity and cholinesterase activity of skeletal muscles in the course of ontogenesis. Acta Physiol. Acad. Sci. Hung., 11: 243 -251.
- WADE, O. L.(1954). J. Physiol.(Lond.). 124: 193. as cited by RAHN, H.(1955). Respiration. Ann. Rev. Physiol. 17: 107-128.