BIBLIOGRAPHY

Abramowitz, A.A., Hisaw, F.L. and Papandra, D.N. 1944. The occurrence of a diabetogenic factor in the eye-stalks of crustaceans. Biol. Bull., 86 : 1

Adiyodi, R.G. and Adiyodi, K.G. 1968. Ovary- inhibiting effect of extract of crab eye-stalk on female American Cockroaches. Gen. and Comp. Endocrinol.,10:14.

Allan, J.M. and Stater, J.J. 1957. A chemical and histochemical study of alkaline phosphotase and aliesterase in the epididymis of normal and castrate mice. Anat. Rec., 129:255.

Allan, J.M. and Slater, J.J. 1958. A chemical and histochemical study of acid phosphatase in the epididymis of normal, castrate and hormone replaced castrate mice. Anat. Rec., 130:731.

Ambadkar, P.M. 1965. A histophysiological study on the testis and epididymis of some vertebrates. A Ph.D. Thesis submitted to M.S. University of Baroda, Baroda,India.

Andrew, W. 1959. From food vacuoles to the complex tube digestive structure in the invertebrates. In: Text book of comparative histology. Ed. Andrew, W. Oxford University Press, New York.

Anoli, L.J. and Major, C.W. 1966. Radio iodine utilization in a nemertean, Lineus ruber. American Zoologist.,6:202.

Antheunnisse, L.J. and Lever, J. 1956. Iodine I^{131} accumulation in some invertebrates. Konikl. Ned. Akad. Wetensachap. Proc. Ser. C., 59:562.

Aronssohn, F. 1911. Sur la composition minerale de l'abeille. C. R. Acad. Sci. Paris., 152:1183.

Baker, J.R. 1946. Histochemical recognition of lipines. Quart. J. Micr. Sci., 87:447.

Baker, J.R. 1956. As cited by Pearse, 1960.

Baldwin, E. 1953. Dynamic aspects of Biochemistry. Cambridge University Press, Cambridge.

Ball, E.G. and Meyerhof, B. 1940. On the occurrence of iron porphyrine compounds and succinic dehydrogenase in marine organisms possessing the copper blood pigment, haemocyanin. J. Biol. Chem., 134:483.

Barka, T. 1963. Fat absorbtion and acid phosphatase activity in the intestinal epithelium of mice. J. Am. Med. Ass., 183:761.

Brrington, E.J.W. 1958. The localization of organically bound iodine in the endostyle of Amphioxus. Jour. Mar. Biol. Ass., United Kingdom. 37:117.

Barrington, E.J.W. and Franchi, L.L. 1956. Some cytological characteristics of thyroidal function in the endostyle of the Ammocoete larva. Quart. J. Micr. Sci.,97:393.

Baud, C. 1949. Bull. Histol. Tech. Micr. 26:12.
As cited by Chevremont and Firket (1953).

Baud, C. and Fulleringer, A. 1948. Cytochemical studies on the enzyme of the nuclear membrane. Compt. rend., 227:645.

Benjamin, W.H. Jr. and Hobbs, H. Jr. 1958. Observations on the testis of the crayfish Cambarus monatanus acuminatus Faxon. Trans. Amer. Microsco. Soc., 77(4):435.

Berg, O., Gorbman, A. and Kobayashi, H. 1959. The thyroid hormones in invertebrates and lower vertebrates. In: Comparative Endocrinology. Ed. A. Gorbman, John Wiely and Sons, Inc. New York.

Bergmann, W. 1949. Comparative biochemical studies on the lipids of marine invertebrates with special reference to sterols. J. Marine Research. (Sears Foundation). 8:137.

Bliss, D.E. 1951. Metabolic effects of sinus gland or eye-stalk removal in the land crab Gecarcinus lateralis. Anat. Record, 111:502.

Bliss, D.E. and Welsh, J.H. 1952. The neurosecretory system of brachyuran crustacea. Biol. Bull., 103:157.

Bliss, D.E. and Durand, J.B. and Welsh, J.R. Neurosecretory systems in decapod crustacea. Z. Zellforsch. U. Mikroskop. Anat., 39:520.

Bourne, G. 1954. Some chemical and biochemical aspects of Golgi apparatus. J. R. micr. Soc., 74:180.

Brown, G.G. 1966. Ultrastructural studies on sperm morphology and sperm-egg interaction in the decapod Callinectes sapidus. J. Ultrastructural Res., 14:425.

Burstone, M.S. 1958. Histochemical comparison of Naphthol-AS-phosphates for the demonstration of phosphatases. J. Nat. Cancer. Inst., 20:601.

Burstone, M.S. 1961. Histochemical demonstration of phosphatases in frozen sections with naphthol AS-phosphates. J. Histochem. Cytochem., 9:146.

Burstone, M.S. 1962. Enzyme histochemistry and its applications in the study of neoplasms. PP.164. Academic Press, New York.

Cain, A.J. 1947~~b~~. The use of nile blue in the examination of lipoids. Quart. J.micr. Sci., 88:383.

Callan, H.G. 1940. The effects of castration by parasites and X-rays of the secondary sex characters of Prawns (Leander spp). J. Exp. Biol., 17:168.

Cameron, A.J. 1915. Contribution to the chemistry of iodine. II. The distribution of iodine in plant and animal tissues. J. Biol. Chem., 23:1.

Carlisle, D.B. 1953. Studies on Lysmata seticaudata Risso (Crustacea, Decapoda) IV. On the site of origin of the molt-accelerating principle. Experimental evidence. Publ. Staz. Zool. Napoli.,24:285.

Carlisle,D.B. 1954. On the hormonal inhibition of moulting in decapod crustacea. J. Marine.Biol.Assoc. U.K. 33:61.

Carlisle, D.B. and Butler, C.G. 1956. The 'Queen-substance' of honeybees and the ovary inhibiting hormone of crustaceans. Nature, 177:276.

Caubel, 1898. Recherche et dosage de I' iode dans les tissues des invertebres. Bull. Mus. Hist. Natur. Paris. 202-203.

Charniaux, H. 1952. Castration chirurgicale chez un Crustacé Amphipode (Orchestia gammarelle) et déterminisme des caracteres sexuels secondaries. Premiers resultats. Compt. rend., 234:2570.

Charniaux, H. 1953a. Etude du determinisme des caractéres sexuels secondaries par castration chirurgicale et implantation d'ovaire chez un crustacé Amphipode (Orchestia gammarelle). Comp. rend., 236:141.

Charniaux, H. 1953b. Existence chez un crustacé Amphipode de l' action hormonale des ovaries sur-un caractére sexuel secondaire. XIV. Int. Zool. Congr. Copenhagen.

Charniaux-Cotton, H. 1953. Phénomènes d' intersexualité chez un crustacé Amphipode (Orchestia gammarelle, Pallas). 72 nd. Congr. Assoc. Franc. advance. Sci. Luxembourg. pp. 447-449.

Charniaux-Cotton, H. 1954. Implantation des gonads de sexe opposé a mâles et des femelles chez un crustacé Amphipode (Orchestia gemmarella). C. R. Acad. Sci. Paris. 238:953.

Charniaux-Cotton, H. 1960. Sex determination. In: The Physiology of Crustacea. Vol. I. Ed. T.H.Waterman. pp. 411-448. Academic Press, New York & London.

Chevremont, M. and Firket, H. 1953. Alkaline phosphatases of the nucleus. Int. Rev. Cytol., 2:261.

Chou, J.T.Y. 1957. The fixation of adipose fat by potassium dichromate. Quart. J. Micr. Sci., 98:431.

Cronin, L.E. 1947. Anatomy and histology of the male reproductive system of Callinectes sapidus (Rathbun). J. Morph., 81:209.

Cuenot, L. 1893. Etudes physiologiques sur les crustaces Decapodes. Arch. de Biol., 13.

Demeusy, N. 1953. Effects de l'ablation des pédoncules oculaires sur le développement de l'appareil génital mâle des Carcinus meanus. Pennant. Compat. rend., 236:974.

Demeusy, N. and Veillet, A. 1952. Déclenchement de la ponte chez le crabe Carcinus meanus Pennant Par l'ablation des pédoncules oculaires. Compt. rend. 234:1224.

Dempsey, E.W. 1954. In: Histology. Ed. R.O. Greep. Churchil Ltd., London.

de Nicola, M. 1949. Alkaline phosphatase and the cycle of nucleic acids in the gonads of some isopod crustaceans. Quart. J. Micr. Sci., 90:391.

Deshmukh, R. and Rangnekar, P.V. 1965. Some observations on the neurosecretory system of the marine crab "Scylla serrata" (Forskal). J. Biol. Sci., 8:16.

Desnuelle, P. 1951. Enzymatic hydrolysis of triglycerides. Bull. Soc. Chim. Biol., 33:909.

Desnuelle, P. 1961. In: The enzymes of lipid metabolism. Pergamon Press, London. pp. 308.

Desnuelle, P., Naudet, M., and Rouzier, J. 1948. Formation of partial glycerides during hydrolysis of triglycerides by pancreatic lipase. Arch.Sci. Physiol., 2:71.

Desnuelle, P., Naudet, M. and Constantin, M.J. 1951. A new type of lipolysis in vitro - A lipolysis generator of glycerol. Biochim et Biophys. Acta., 7:251.

Donavan, B.T. and Vander Werfften Bosch, J.J. 1956a. Oestrus in winter following hypothalamic lesions, in ferret. J. Physiol., 132:57.

Donavan, B.T. and Harris, G.W. 1956b. Adrenergic agents and the release of gonadotropic hormone in the rabbit. J. Physiol., 132:577.

Drach, P. 1939. Mue et cycle d'intermue chez les crustacés Decapodes. Ann. Inst. Oceanog. Paris, 19:303.

Drechsel 1896. Beitrage zur chemie einiger Seethire II Uber das Achsenskelett der Gorgonia cavolini. Ztschr. F. Biol., 33:85.

Eggert, B. 1938. Morphologies Und Histophysiologie der Normalen Schilddrüse Leipzig. Barth.

Enami, M. 1951β. The sources and activities of two chromatophorotropic hormones in crabs of the genus Sesarma. II. Histology of incretory elements. Biol. Bull., 101:241.

Englemann, F. 1957. Die stenerung der ovarfunktion bie der ovoviviparen schabe Leucophaea maderae (Fabr). Jour. Ins. Physiol., 1:257.

Fawcett, D.W. 1952. A comparison of the histological organization and cytochemical reactions of brown and white adipose tissue. J. Morph., 90:363.

Fiore, J.V. and Nord, F.F. 1949. Lipase determination with the aid of polyvinyl alcohol. Arch. Biochem.,23:473.

Fisher, E.R. 1953. Arch. path., 56:275.

Folin, O. and Malmros, H. 1929. Micro method for glucose in 0.1 ml. of blood. J. Biol. Chem., 83:115.

Fontaine, M., Gorbman, A., Leloup, J. and Olivereau, M. 1952. La glande thyroide de la lamproie marine (Petromyzon marinus marinus) lors de sa montée reproductrice. Ann. d' endocrinol., 13:55.

Ford, D.H. and Gross, J. 1958. Metabolism of I^{131} labelled thyroid hormones in the hypophysis and brain of the rabbit. Endocrinology, 62:416.

Frentz, R. and Veillet, A. 1953. Teneur en lipides et déterminisme des caractéres sexuels externes chez le crabe Carcinus meanus Pennant parasite par le

Rhizocephale Sacculina carcini Thompson. Compt. rend. 236:2168.

Friedlaender, M. and Fraser, M. 1952. Cytochemical reactions of ram spermatozoa. Exp. Cell. Res.,3:462.

Fruton, J.S. and Simmonds, S. 1953. General biochemistry. John Wiley, New York.

Gedroye, M.A. 1923. Badania doswiadezalne nad metamorfosaowadow. Arch. Tow. Nauk.

George, C.J. and George, J.C. 1944. A note on crustacean liver oil. J. Univ. Bombay, Sect. B., 13:17.

George, J.C. and Desai, B.N. 1954. On the liver fat in Pila globosa, Swainson. J. Anim. Morphol. Physiol., 1:1

George, J.C. and Patel, B.S. 1956. The seasonal variation in the fat content of the liver and gonads in a marine and fresh water decapod. J. Anim. Morphol. Physiol., 3:49.

George, J.C. and Scarria, K.S. 1956. On the occurrence of lipase in the skeletal muscles of vertebrates and its possible significance in sustained muscular activity. J. Anim. Morphol. Physiol., 3:91.

George, J.C. and Jyoti, D. 1957. Studies on the structure and physiology of the flight muscle of birds. 2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity. J. Anim. Morphol. Physiol., 4:119.

George, J.C. and Eapen, J. 1958. Histochemical demonstration of certain enzymes in the adipose tissue of the fowl (Gallus domesticus) and Rosy Pastor (Pastor roseus). J. Anim. Morphol. Physiol., 5:102.

George, J.C., Madhavan Nair, S. and Scaria, K.S. 1958. Studies on the structure and physiology of the flight muscles of birds. 3. Alkaline phosphatase activity in the Pigeon breast muscle. Curr. Sci., 27:172.

George, J.C. and Eapen, J. 1959. Further histochemical observation on the adipose tissue of the Pigeon. J. Anim. Morphol. Physiol., 6:30.

George, J.C. and Ambadkar, P.M. 1963. Histochemical demonstration of lipids and lipase activity in rat testis. J. Histochem. Cytochem., 11:420.

George, J.C. and Naik, D.V. 1964. Cyclic changes in the thyroid of the migratory starling Sturnus roseus (Linnaeus).Pavo, 2:37.

George, J.C. and Naik, D.V. 1965. The hypothalamo-hypophysial neurosecretory system of the migratory starling Sturnus roseus (Linnaeus). J. Anim. Morphol. Physiol., 12:42.

Giard, 1886. De l'influence des certains parasites Rhizocephales sur les caractéres sexuels exterieurs de leur hôte. Comp. rend., 103:84.

Goldsmith, E.D. 1949. Phylogeny of the thyroid: descriptive and experimental. Ann. New York, Acad. Sci.,50:283.

Gomori, G. 1950. Aldehyde fuchsin: a new stain for elastic tissue. Am. J. Clin. Pathol., 20:665.

Gomori, G. 1953. Microscopic histochemistry: Principles and Practice. The University of Chicago Press, Chicago, Illinois.

Gorbman, A. 1941. Identity of iodine storing tissue in an ascidian. Science, 94:192.

Gorbman, A. 1955. Some aspects of the comparative biochemistry of iodine utilization and evolution of thyroid function. Physiol. Revs., 35:336.

Gorbman, A., Clements, M. and O'Brien, R. 1954. Utilization of radioiodine by invertebrates in the special study of several annelids and molluscs. J. Exp. Zool., 127:75.

Gross, J. and Leblond, E.P. 1950. Metabolism of the thyroid hormone in the rat as shown by physiological doses of labelled thyroxine. J. Biol. Chem., 164:489.

Gutman, A.B. and Gutman, E.B. 1939. Acid phosphatase levels in prepubertal Rhesus prostrate tissue after testosterone propionate. Proc. Soc. Exp. Biol., 41:227.

Halmi, N.S. 1952. Differentiation of two types of basophils in the adenohypophysis of the rat and mouse. Stain. Tech., 27:61.

Hanstrom, B. 1939. Hormones in Invertebrates. Clarendon Press, Oxford.

Hanstrom, B. 1949. Bull. Biol. France et Belg. Suppl., 33:98. As cited by Scharrer, B(1955).

Harris, R.J.C. 1961. Protein Biosynthesis. Academic Press. New York.

Hasler, A.D. 1935. Some digestive enzymes of Daphnia. Biol. Bull., 68:207.

Hasler, A.D. 1937. Further studies on the digestive enzymes of (A) Daphnia and Polyphemus; (B) Diaptomus and Calanus. Biol. Bull., 72:290.

Hawk, P.B., Oser, B.L. and Summerson, W.H. 1954. Practical Physiological Chemistry. McGraw-Hill Book Co.,Inc. New York.

Hecther, O. 1958. Conversion of cholesterol to steroid hormones. In: Cholesterol. Ed. Cook, R.P. Academic Press. N.Y.

Hild, W. 1951. Arch. Pathol. Anat. U. Physiol., 319:526. As citeu by Welsh (1955).

Hirsch, G.C. and Jacobs, W. 1929. Der Arbeitsrhythmus der Mitteldarmdrüse Von Astacus leptodactylus. i. Zeitschr. F. Vergl. Physiol., 8:102.

Hirsch, G.C. and Jacobs, W. 1930. Der Arbeitsrhythmus der Mitteldarmdrüse Von Astacus leptodactylus. ii. ibid., 12:524.

Hochachka, P.W., Teal, J.M. and Telford, M. 1962. Pathways of carbohydrate metabolism in lobster hepatopancreas. Can. J. Biochem. Physiol., 40:1043.

Hodge, M.H. and Chapman, G.B. 1958. Some observations on the fine structure of the sinus gland of a land crab, Gecarcinus lateralis. J. Biophys. Biochem. Cytol., 4:571.

Hoppe-Seyler 1877.
As cited by Vonk, H.J. (1960).

Hu, A.S.L. 1958. Glucose metabolism in the crab, Hemigrapsus nudus. Arch. Biochem. Biophys., 75:387.

Huxley, T.H. 1880. "The cray fish". London, Kegan Paul and Co.

Iwakura, C. 1951. Pubbl. Tokyo Gukugei Univ., 2:33.
As cited by Scharrer, B. (1955).

Iype, P.T. 1961. Observation on certain properties of the liver lipase in the developing chick. J. Anim. Morphol. Physiol., 8:145.

Jacobs, W. 1928. Utersuchungen Über die Cytologie der Sekretbildung in der Mitteldarmdrüse von Astacus leptodactylus. Zeitschr. F. Zellforsch. U. Mikr. Anat., 8:1.

John, T.M. and George, J.C. 1966. Certain histological and histochemical changes in the testis of migratory Wagtails towards migration. Pavo, 4:1.

Knowles, F.G.W. and Callan, H.G. 1940. A change in the chromatophore pattern of crustacea at sexual maturity. J. Exp. Biol., 17:262.

Knowles, F.G.W. and Carlisle, D.B. 1956. Endocrine control in the crustacea. Biol. Rev., 31:396.

Kruger, P. and Graetz, E. 1928. Die Fermente des Flusskrebs magensaftes. Zool. Jahrb. Abt. Allgem. Zool. Physiol. Tiere., 45:463.

Kurup, N.G. 1963. Crustacean hormones. J. Anim. Morphol. Physiol., 10:113.

Leblond, C.P., Glegg, R.E. and Eidinger, D. 1957 Presence of carbohydrates with free 1,2-glycol groups in sites stained by the periodic acid Schiff's technique. J. Histochem. Cytochem., 5:445.

Lillie, R.D. and Burtner, H.J. 1953. The ferric ferricyanide reduction test in histochemistry. J. Histochem. Cytochem., 1:87.

Limpel, L.E. and Casida, J.E. 1957. Iodine metabolism in insects. I. In vivo metabolism of radioiodine. J. Exp. Zool., 135:19.

Lofts, B. 1962. Cyclical changes in the interstitial and spermatogenic tissue of migratory Waders "wintering" in Africa. Proc. Zool. Soc. Lond., 138:405.

Lofts, B. 1964. Seasonal changes in the functional activity of the interstitial and spermatogenic tissues of the green frog, Rana esculinta. Gen. Comp. Endocrinol., 4:550.

Lohmann, K. 1935. Uber die Aufspaltung der Adenylpyrophosphorsaure and Argininphosphorsaure in Krebs musculature. Biochem. Z., 282:109.

Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Spectrophotometric and turbidimetric methods for measuring protein. II. Protein estimation with the Folin-Ciocalteu reagent. J. Biol. Chem.,193:265.

Mann, T. 1945. Studies on the metabolism of semen. I. General aspects. Occurrence and distribution of cytochrome, certain enzymes and co-enzymes. Biochem. J., 39:451.

Mann, T. and Passons, U. 1947. Effect of testicular hormone on the formation of seminal fructose. Nature, Lond., 160:294.

Maqsood, M. 1964. Role of thyroid in the maturity and sterility in males. J. Fertility and sterility, 5:382.

Marine, D. 1913. Metamorphosis of the endostyle (thyroid gland) of Ammocoetus branchialis (larval land- locked Petromyzon marinus or Petromyzon dorsatus). J. Exp. Med., 17:379

Matsumoto, F. 1951. Zool. Mag. Tokyo, 60:13.
As cited by Scharrer Scharrer (1954).

Matsumoto, F. 1954... Neurosecretion in the thoracic ganglion of the crab Eriocheir japonicus. Biol. Bull.,106:60.

Mc Alpine, R.J. 1955. Alkaline glycerophosphatase in the developing thyroid, parathyroid and thymus of the albino rat. Am. J. Anat., 96:191.

Merkel, F.W. 1958... Untersuchunger uber die Ursachen des Vogelgug Triebes. Natur. U. Volk., 70:167.

Meyerhof, O. and Lohman, K. 1928. Uber die naturalichen Guanadinophodphorasauren (phosphagene) in der quergestreiften Muskulatur. I. Das physiologische Verhalten der phosphagene. Biochem. Z., 196:23.

Moog, F. 1946. The physiological significance of the phosphomonoesterases. Biol. Revs., 21:41.

Moog, F. 1962. Developmental adaptations of alkaline phosphatase in the small intestine. Fed. Proc., 21:51.

Moog, F. and Wenger, E.L. 1952. The occurrence of a neutral mucopolysaccharide at sites of high alkaline phosphatase activity. Amer. Jour. Anat., 90:339.

Moses, M.J. 1960. A light and electron microscope study of spermiogenesis in decapod crustacea. Anat. Rec., 136:342.

Moses, M.J. 1961. Spermiogenesis in the crayfish, (Procambarus clarkii). II. Description stage. J. Biophys. Biochem. Cytol., 10:301.

Myant, N.B. 1964. The thyroid and lipid metabolism. In Medicinal Chemistry, II. Lipid Pharmacology. pp. 299-320. Ed. Paoletti, R. Academic Press. New York.

Naik, D.V. 1963. Seasonal variations in the metabolites of the liver of the Rosy pastor, Sturnus roseus (Linnaeus). Pavo, 1:44.

Nath, V. 1956. Cytology of spermatogenesis. Internat. Rev. Cytol., 5:395.

Nayar, K.K. and Parameswaran, R. 1955. Succinic dehydrogenase in the neurosecretory cells of the thoracic ganglion of the crab, Current. Sci., 24:341.

Neiland, K.A. and Scheer, B.T. 1953. The hormonal regulation of metabolism in crustaceans. V. The influence of fasting and sinus gland removal on the body composition of Hemigrapsus nudus. Phys. Comp. et Oecol., 3:321.

Niemi, M. and Kormano, M. 1964. Nucleoside diphosphatase activity of germ cells during the cycle of the seminiferous epithelium in rat testis. Exptl. Cell. Res., 35 (1):197.

Niemi, M. and Kormano, M. 1965. Cyclical changes in and significance of lipids and acid phosphatase activity in the seminiferous tubules of rat testis. Anat. Rec., 151:159.

Nirmal, H.B. 1964. Neurosecretory cells in freshwater crab, Paratelphusa jacquemontii (Rathbun). J. Biol. Sci., 7:15.

Parameswaran, R. 1955. Neurosecretory cells in Paratelphusa hydrodromous (Herbst). Curr. Sci., 24:23.

Parameswaran, R. 1956. Neurosecretory cells in Paratelphusa hydrodromous (Herbst). Quart. J.Micr. Sci., 97:75.

Passano, L.M. 1951. The X-organ sinus gland neurosecretory system in crabs. Anat. Rec., 111:502.

Passano, L.M. 1953. Neurosecretory control of molting in crabs by the X-organ sinus gland complex. Physiol. Compt. et Oecol., 3:155.

Passano, L.M. 1960a. Molting and its control. In: The physiology of crustacea. Vol. I. Ed. Waterman, T.H. pp. 473-537. Academic Press. N.Y.

Pearse, A.G.E. 1960. Histochemistry - Theoretical and Applied. Churchill, Ltd., London.

Pickford, G.E. 1953. Bull. Bingham. Oceano. Coll., 14:5. As cited by Barrington, E.J.W. and Franchi, L.L. 1956.

Popper, H. and Schaffner, F. 1957. Liver structure and function. The Blackiston Division. McGraw-Hill Book Company, New York.

Potter, D.D. 1954. Histology of the neurosecretory system of the blue crab Callinectes sapidus. Anat. Rec.,120:716.

Rampino, L.D. and Nord, F.F. 1941. J. Am. Chem. Soc., 63:2745. As cited by Fiore, J.V. and Nord, F.F. 1949.

Rangnekar, P.V., Sabnis, P.B. and Nirmal, H.B. 1961. The Occurrence of a hypoglycemic factor in the eye-stalks of a freshwater crab, Paratelphusa jacquemontii (Rathbun). J. Anim. Morph. Physiol., 8:137.

Reddy, A.R. 1938. The cytology of digestion and absorption of the crab Paratelphusa (Oziothelphusa) hydrodromous (Herbst). Proc. Indian Acad. Sci., B6:170.

Reddy, A.R. 1939. The cytology of digestion and absorption of the crab Paratelphusa (Oziothelphusa) hydrodromous (Herbst). Proc. Indian Acad. Sci., 8:171.

Reinhard, E.G. 1950. An analysis of the effects of sacculinid parasite on the external morphology of Callinectes sapidus (Rathbun). Biol. Bull., 98:277.

Renaud, L. 1949. Le cycle des réserves organiques chez les crustacés decapodes. Ann. Inst. Oceanog., 24:259.

Roche, J. 1952. Biochemie comparee des scleroproteins iodees des Anthozoaires et des spongiaires. Experientia., 8:45.

Roche, J. and Yagi, Y. 1952. Sur la fixation de l'iode radio actif par les algues et sur les constituents iodes Laminaires. Compt. rend. Soc. Biol., 146:642.

Roche, J. and Michel, R. 1956. In: Recent progress in hormone research. Vol. 12, Ed. Pincus, G. Academic Press, N.Y.

Roche, J., Michel, R., Lafon, M. and Sadhu, D.P. 1949. Sur la formation de la thyroxine et des ses precurseurs dans les iodo proteins et les iodopeptones. II. Biochemica et Biophysica Acta., 3:648.

Roche, J., Fontaine, M. and Leloup, J. 1963. In: Comparative Biochemistry. Ed. Florkin, M. and Mason, H.S. Vol. V., Academic Press, Inc. New York.

Rosenbaum, J.L. and Lindeman, V.F. 1958. Phosphatase activity in relation to growth of the testis. Anat. Rec., 132:497.

Scharrer, B. 1952. Neurosecretion. XI. The effects on nerve section on the intercerbralis-cardiacum-allatum system

of the insect Leucophaea maderae. Biol. Bull.,102:261.

Scharrer, B. 1955. Hormones in invertebrates. In: The Hormones. Ed. Pincus, G. and Thimann, K.V. Vol. III. pp. 57-83. Academic Press. New York.

Scharrer, E. and Scharrer, B. 1954. Hormones produced by the neurosecretory cells. In: Recent Progress in Hormone Research. Vol. 10. pp. 183-240. Ed. Pincus, G. Academic Press, New York.

Schmidt, A.J. 1962a. The basement membrane of the epidermis of the adult Newt, Diemictylus viridescens: the collagen nature of the fibres of the adepidermal reticulam. Acta. Anat., 50:170.

Schmidt, A.J. 1963. Localization of acid phosphatase in the limb tissue of adult Newt, Diemictylus viridescens. J. Exp. Zool., 152:91.

Seifter, S., Dayton, S., Novice, B. and Muntwyler, E. 1950. The estimation of the glycogen the anthrone reagent. Arch. Biochem., 25:191.

Shah, R.V. and Chakko, T.V. 1966. Histochemical localization of acid phosphatase in the adult normal and regenerating tail of Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 13:169.

Sinclair, R.G. 1940. The exclusion of elaidic acid from the phospholipids of the testis and its uptake by other organs of the rat. J. Biol. Chem., 134:89.

Slipka, J. 1952. Prijem isotopu iodu I^{131} pokozhkou larvy, Tipula maxima poda. Biol. Listy., 32:316.

Smith, G. 1913. Studies in the experimental analysis of sex. The effect of Sacculina on the storage of fat and glycogen and on the formation of pigments by its host. Quart. J. Micr. Sci., 59:267.

Spaulding, J.F. 1942. The nature and formation of the spermatophore and sperm plug in Carcinus meanus. Quart. Jour. micr. Sci., 83(3/4):399.

Stephens, G.J. 1952. Mechanisms regulating the reproductive cycle in the cray fish, Cambarus. I. The female cycle. Physiol. Zool., 25:70.

Stephenson, J. 1915. On some Indian Oligochaeta, mainly from Southern India and Ceylon. Mem. Ind. Mus., 6:35.

Sumner, J. and Somers, G. 1953. In: Chemistry and Methods of enzymes. Chapter 2. pp. 90-92. Academic Press, New York.

Swan, E. 1950. Calcarious tube secreting glands of the serpulid polychaetes. J. Morph., 86: 285.

Takewaki, K. and Nakamura, N. 1944. The effects of gonadectomy on the sex characters of Armadillium vulgare, an isopod crustacea. J. Fac. Sci. Imp. Univ. Tokyo, Sec. IV. 6:369.

Tata, J.R., Rall, J.E. and Rawson, R.W. 1957. Metabolism of L-thyroxine and L-3,5,3-triiodothyronine by brain tissue preparations. Endocrinology, 60:83.

Tice, L.W. and Barrnet, R.J. 1963. The fine structural localization of some testicular phosphatases. Anat. Rec., 147:43.

Tong, W. and Chaikoff, I.L. 1954. Metabolism of I^{131} by the marine alga, Nereocystis luetkeana. J. Biol. Chem. 215:473.

Tucker, B.W. 1930. On the effects of an epicaridan parasite Gyge branchialis, on Upogebia littoralis. Quart. J. Micr. Sci., 74:1.

Van weel, P.B. 1955. Process of secretion, restitution and resorption in gland of mid-gut (glandula media intestini) of Atya spinipes Newport (Decapoda-Brachyura). Physiol. Zool., 28:40.

Veillet, A. 1945. Recherches sur le parasitisme des crabes et des galathies par les Rhizocéphales et lis Épicarides. Ann. Inst. Océanog. (Paris), 22:194.

Verne, J. 1924. Note histochimique sur le métabolisme die glycogene pendant la chez les crustacés. C. R. Soc. Biol. Paris, 90:186.

Vinogradov, A.P. 1935. Chemical composition of marine organisms. Trav. du Lab. Biol. l'Acad. Sci. de I. U.S.S.R. 3:

Von Dehn, M. 1931. Untersuchungen über die Verdauung bei Daphnien. Z. Vergleich. Physiol., 13:334.

Vonk, H.J. 1960. Digestion and metabolism. In: The Physiology of Crustacea. Vol. I. pp. 291-316. Ed. T.H. Waterman. Academic Press. New York.

Vonk, H.J. 1964. Comparative biochemistry of digestive mechanisms. In: Comparative Biochemistry. Vol.VI. pp.377:389.

Ed. M. Florkin and H.S. Mason. Academic Press. New York.

Wachstein, M. 1945. Arch. Path. (Lab.Med.), 40:57. As cited by Chevremont and Firket, 1953.

Wallach, D.P. and Ko, H. 1964. Some properties of an alkaline phosphatase from rat adipose tissue. Canad. J. Biochem., 42:1445.

Wallach, D.P., Ko, H. and Marshall, N.B. 1962. Purification and properties of a Tween-hydrolysing enzyme from rat adipose tissue. Biochim. Biophys. Acta., 59:690.

Waterman, A.J. and Gorbman, A. 1963. Thyroid tissue and some of its properties in the Hagfish, Myxine glutinosa. Gen. Comp. Endocrinol., 3:58.

Weis-Fogh, T. 1952. Fat metabolism and metabolic rate of flying locusts (Schistocera gregaria; Forskal). Phil. Trans. Roy. Soc. London, 237:640.

Welsh, J.H. 1955. Neurohormones. In: The Hormones. Vol. III. Ed. Pincus, G. and Thimann, K.V. pp. 97-144. Academic Press. N.Y.

Wheeler, B.M. 1947. The iodine metabolism of Drosophila gibberosa, studied by means of radioiodine I^{131}. Proc. Nat. Acad. Sci., 33:298.

Wheeler, B.M. 1950. Halogen metabolism of Drosophila gibberosa. I. Iodine metabolism studied by means of I^{131}. J. Exp. Zool., 115:83.

Yonge, C.M. 1924. The mechanism of feeding, digestion and assimilation in Nephrops norvegicus. Brit. J. Exptl. Biol., 1:343.

Yasuzumi, G. 1960. Spermatogenesis in animals as revealed by electron microscopy. VII. Spermatid differentiation in the crab, Eriocheir japonicus. J. Biophys. Biochem. Cytol. 7:73.