BIBLIOGRAPHY

ANDRES, S. R., CADER, G. AND ZIERLER, K. L. 1956. The quantitative minor role of carbohydrates in the oxidative metabolism by skeletal muscle in intact man in the basal state. Measurement of oxygen and glucose uptake and carbon dioxide and lactate production in the fore-arm. J.Clin.Invest. 35: 671.

ARSON, S. M. AND VOLK, B. W. 1957. Serum aldolase activity in neuromuscular disorders. 2. Experimental application. Proc. Soc. Exp. Biol. Med. 94: 360.

BAKER, N., TUBIS, M. AND BLAND, W. H. 1958. Metabolic and nutritional studies in mice with hereditary myopathy. (Dystrophia muscularis). Am. J. Physiol. 193: 525.

BALOGH, Jr. K. 1964. Dihydro lipoic dehydrogenase activity. A step in formation of acyl-coenzyme A, demonstated histochemically. J.Histochem. Cytochem. 12; 404.

BASS, A. AND HUDLICKA, O. 1961. Metabolism of the denervated muscle. V.Reaction and adaptation to load. Proc. 5th nat. Congr. Czechoslovak. Physiol. Soc., 242.

BECKETT, E. B. AND BOURNE, G. H. 1957. Some histophysiological observations on the human dystrophic muscle. Science, 126: 357.

BECKETT, E. B. AND BOURNE, G. H. 1957. Histochemistry of normal and abnormal human muscle. Proc. Roy. Soc. Med. 50: 308.

BECKETT, E. B. AND BOURNE, G. H. 1957. Cholinesterase in normal and abnormal human skeletal muscle. J. Neurol. and Neurosurg. Psychiat. 20: 191.

BOCEK, R. M. AND BEATTY, C. H. 1966. Glycogen synthetase and phosphorylase in red and white muscle of rat and rhesus monkey. J. Histochem. Cytochem. 14: 549.

BOKDAWALA, F. D. AND GEORGE, J. C. 1964. Histochemical demonstration of muscle lipase. J. Histochem. Cytochem. 12: 768.

BOKDAWALA, F. D. 1965. Histophysiological studies on vertebrate red and white skeletal muscles. Ph. D. Thesis, submitted to the M. S. University of Baroda, Baroda.

BOURNE, G. H. AND GOLARZ, M. N. 1959. Human muscular dystrophy as an aberration of connective tissue. Nature, 183: 1741.

BRIZIN, M. AND MAJCEN-TKACEV, Z. 1963. Cholinesterase in denervated end plates and muscle fibres. J. Cell. Biol. 19. 349.

BURSTONE, M. S. 1958. Histochemical comparison of Naphthol AS-phosphates for the demonstration of phosphatases. J. Nat. Cancer. Inst. 20: 601.

CAHILL, G. F. Jr., ASHMORE, J., ZOTTU, S. AND HASTINGS, A. B. 1957. Studies on carbohydrate metabolism in rat liver slices. 9. Ionic and hormonal effects on phosphorylase and glycogen. J. Biol. Chem. 224: 237.

CHINOY, N. J. 1965. Studies on some aspects of the structure and physiology of the vertebrate skeletal muscle. Ph. D. Thesis, submitted to the M. S. University of Baroda, Baroda.

CHINOY, N. J. AND GEORGE, J. C. 1965. Cholinesterase in the pectoral muscle of some vertebrates. J. Physiol. 177: 346.

COERS, C. 1955. Les variations structurelles normales et pathologiques de la jonction neuromusculaire. Acta. neurlo. psychiat. belg. 55. 741.

CORI, C. F.; CORI, G. T. AND GREEN , A. A. 1943. Crystalline muscle phosphorylase. 3. Kinetics. J. Biol. Chem. 151: 39.

COUPLAND, R. E. AND HOLMES, R. L. 1957. The use of cholinesterase technique for the demonstration of peripheral nerve structures. Quart. J. micro. Sci. 98: 327.

DIXON, M. 1943. Manometric methods. Cambridge University Press, England.

DRAHOTA, Z. 1958. Influence of denervation on potassium shifts in the rat muscle. Sbornik. praci knof. O nervove rizini metabolismu a akitivnim transportu iontu. Prague. 133.

DRAHOTA, Z. 1960. Changes in the potassium content of various muscles immediately after denervation. Physiol. Bohemoslov. 9: 1.

DRAHOTA, Z. 1960. Electrolytes in denervated and reinnervated muscle. Proc. Soc. Exptl. Biol. Med. 103: 849.

DREYFUS, J. C., SCHAPIRA, G., SCHAPIRA, F. AND DEMOS, J. 1955. Enzyme studies on human myopathies. Congr. intern. biochim. Resumes. Communs. 3. Congr., Brussels.

DRUMMOND, G. I. AND BLACK, E. C. 1960. Comparitive Physiology: Fuel of muscle metabolism. Ann. Rev. Physiol. 22. 169.

DUBOWITZ, V. AND PEARSE, A. G. E. 1960. A comparitive study of oxidative enzyme and phosphorylase activity in skeletal muscle. Histochemie. 2. 105.

ERANKO, O. AND PALKAMA, A. 1961. Improved localization of phosphorylase by the use of polyvinyl pyrrolidone and high substrate concentration, J. Histochem. Cytochem. 9: 585.

FENN, W. O. 1938. Factors affecting the loss of potassium from stimulated muscle. Am. J. Physiol. 124: 213.

FENNELL, R. A. AND WEST, W. T. 1963. Oxidative and hydrolytic enzymes of homozygous dystrophic and heterozygous muscle of the house mouse. J. Histochem. Cytochem. 11: 374.

FISHER, E. AND RAMSEY, V. W. 1946. Changes in the protein content and some physicochemical properties of the protein during muscular atrophies of various types. Am. J. Physiol. 145: 571.

FISKE, C. H. AND SUBBAROW, V. 1925. The colorimetric determination of phosphorus. J. Biol. Chem. 66: 375.

FRITZ, I. B., DAVIS, D. G. , HOLTROP, R. H. AND DUNDEE, H. 1958. Fatty acid oxidation by skeletal muscle during rest and activity. Am. J. Physiol. 194: 379.

GEORGE, J. C. 1964. Muscle lipase. J. Anim. Morphol. Physiol. 11.: C. J. George Felicitation number. 233.

GEORGE, J. C. AND AMBADKAR, P. M. 1963. Histochemical

demonstration of lipids and lipase activity in rat testis. J. Histochem. Cytochem. 11.: 420.

GEORGE, J.C. AND BERGER, A. J. 1965. Avian myology. Academic Press. N. Y.

GEORGE, J. C. AND JYOTI, D. 1955. The lipid content and its reduction in the muscle and liver during long and sustained muscular activity. J. Anim. Morphol. Physiol. 2: 38.

GEORGE, J. C. AND JYOTI, D. 1957. Studies on the structure and physiology of the flight muscles of birds. 2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activty. J. Anim. Morphol. Physiol. 4: 119.

GEORGE, J. C. AND NAIK, R. M. 1958. The relative distribution and chemical nature of the fuel store in the two types of fibres in the pectoralis major muscle of the pigeon. Nature, 181: 709.

GEORGE, J. C. AND NAIK, R. M. 1959. Studies on the structure and physiology of the flight muscles of birds. 7. The structure of the pectoralis muscle of the pigeon in disuse atrophy. J. Anim. Morphol. Physiol. 6: 95.

GEORGE, J. C. AND TALESARA, C. L. 1960. Studies on the structure and physiology of the flight muscles of birds. 9. A quantitative study of the distribution pattern of succinic dehydrogenase in the pectoralis major muscle of the pigeon. Biol. Bull. 118: 262.

GEORGE, J. C. AND TALESARA, C. L. 1961. A quantitative study of the distribution pattern of certain oxidising enzymes and a lipase in the red and white fibres of the pigeon breast muscle. J. Cell. and Comp. Physiol. 59: 253.

GEORGE, J. C. AND TALESARA, C. L. 1961. Histochemical observations on the succinic dehydrogenase and cytochrome oxidase activity in pigeon breast muscle. Quart. J. micr. Sci. 102: 131.

GEORGE, J. C. AND TALESARA, C. L. 1962. Histochemical demonstration of certain DPN-linked dehydrogenases and of aldolase in the red and white fibres of the pigeon breast muscle. Quart. J. micr. Sci. 103: 41.

GEORGE, J.C AND TALESARA, C. L. 1962. Lipase activity of the particulate fractions of the pigeon breast muscle and its significance in the metabolism of the muscle. J. Cell. and Comp. Physiol. 60: 33.

GEORGE, J. C AND VALLYATHAN, N. V. AND SCARIA, K. S. 1958. Lipase activity in the insect flight muscle. Experientia, 14: 250.

GEORGE, J. C. AND VALLYATHAN, N. V. 1962. Effect of disuse atrophy on pectoralis muscle and blood in the pigeon. Am. J. Physiol, 202: 268.

GEORGE, J.C. AND VALLYATHAN, N. V. 1964. Capacity for fatty acid oxidation by the breast muscle of the starling Sturnus roseus in the pre- and post- migratory periods. Canadian J. Physiol. and Pharmacol. 42: 447.

GEORGE, J. C. AND VALLYATHAN, N. V. 1964. Effect of exercise on free fatty acid levels in the pigeon. J. Appl. Physiol. 19: 619.

GEREBTZOFF, M. A. 1959. Cholinesterases. A histochemical contrioution to the solution of some functional problems. International series of monographs on pure and applied biology. Vol. 3. Pergamon Press. London.

GEREBTZOFF, M.A. AND VANDERS MISSION. 1956. Etude de la relation spatiale entre acetylcholinesterase it recepteur de l'acetyl choline. Ann. d'Histochimie.1 : 221.

GINSBORG, B. L. AND MACKAY, B. 1960. A histochemical demonstration of two types of motor innervation in the avian skeletal muscle. Histochemistry of cholinesterase. Symposium. Basel. Bible. anat. 2: 174.

GOLARZ, M. N. AND BOURNE, G. H. 1963. In Muscular Dystrophy in Man and Animals. Edited by Bourne, G. H. and Golarz, M. N. Karger, Basel.

GOMORI, G. 1952. Microscopic Histochemistry, Principles and practice. University of Chicago Press. Illinois.

GORNALL, A. G., BARDAWILL, C. S. AND DAVID, M. M. 1949. Determination of serum proteins by means of biuret reaction. J. Biol. Chem. 177: 751.

GOULD, A. AND COLEMAN, D. L. 1961. Accumulation of acetoacetate in muscle homogenate from dystrophic mice. Biochem. Biophys. Acta. 47: 422.

GREEN, D. E. 1951. The cyclophorase complex of enzymes. Biol. Rev. 26: 410.

GREEN , D. E. 1955. Oxidation and sythesis of fatty acids in soluble enzyme system of animal tissues. Clin. Chem. 1: 53.

GURR, E. 1956. A Practical Manual of Medical and Biological Staining Techniques. London. Leonard Hill(Books) LTD.

HAWK, P. B., OSER, B. L. AND SUMMERSON, W. H. 1954. Practical Physiological Chemistry . New York. McGraw-Hill.

HELANDER, E. 1960. Muscular atrophy and lipomorphosis induced by immobilizing plaster casts. Acta. Morphol Neurol-Scand. 3: 92.

HINES, H. M. AND KNOWLTON, G. C. 1935. The role of nervous system in the regulation of the glycogen metabolism of skeletal muscle. Am. J. Physiol. 111: 243.

HINES, H. M. AND KNOWLTON, G. C. 1937. Electrolytes and water changes in muscle during atrophy. Am. J. Physiol. 104: 719.

HORVATH, B., BERG, L., CUMMINGS, D. J. AND SHY, G. M. 1955. Muscular dystrophy. Cation concentrations in the residual muscle. J. Appl. Physiol. 8: 22.

HULS, H. N. AND LEONARD, S. L. 1961. Phosphorylase activity in denervated skeletal muscle. Proc. Soc. Exp. Biol. Med. 108: 224.

HUMOLLER, F. L., GRISWOLD, B. AND McINTYRE, A. 1951. Effect of neurotomy on succinic dehydrogenase activity of muscle. Am. J. Physiol. 164: 742.

HUMOLLER, F. L., HATCH, D. AND McINTYRE, A. R. 1951. Effect of neurotomy on hexokinase and phosphorylase activities of muscle. Am. J. Physiol. 167: 656.

HUMOLLER, F. L., HATCH, D. AND McINTYRE, A. R. 1952. Effect neurotomy on lipid content of striated muscle. Amer. J. Physiol. 169: 654.

JOSEPH, M. M. 1967. Histophysiological studies on the red and white muscles of a migratory (Hilsa ilisha) and a non migratory (Hilsa toli) fish. Ph.D. Thesis, submitted to the M. S. University of Baroda, Baroda.

KACHMAR, J. F. AND BOYER, P. D. 1951. Mechanism of potassium activation of phosphate transfer. Fed. Proc. 10: 204.

KAYE, L. AND MOMMAERTS, W. H. F. M. 1960. The role of calcium ions in the acceleration of resting muscle glycolysis by extra cellular potassium. J. Gen. Physiol. 44: 405.

KLINAR, B. AND ZUPANCIC, A. O. 1962. Cholinesterases in the white and red mammalian skeletal muscle. Arch. int. Pharmacodyn. 136: 47.

KNOX, W.E., NOYCE, B.N. AND AUERBACH, V. H. 1948. Studies on cyclophorase system 3. Obligatory sparking of fatty acid oxidation. J. Biol. Chem. 176: 117.

KOELLE, G. B. AND FRIEDENWALD, J. B. 1949. A histochemical method for localizing cholinesterase activity. Proc. Soc. exp. Biol. Med., N.Y., 70: 617.

KRUGER, P. AND GUNTHER, P. G. 1958. Innervation und Pharmacologisches Vertratten des M. Gastrocnemius und M. Pectoralis major. des Vogel. Acta anat. 33: 325.

KRUGER, P. 1960. Acta.anat. 40: 186. as cited by Klinar, B. AND ZUPANCIC, A. O. 1962. Cholinesterases in white and red mammalian skeletal muscle. Arch. int. Pharmacodyn. 136: 47.

KUN, E. AND ABOOD, L. G. 1949. Colorimetric estimation of succinic dehydrogenase by triphenyl tetrazolium chloride. Science, 109: 144

LARDY, H. 1951. The influence of inorganic ions of phosphorylation reactions, in phosphorus metabolism. Vol. 1. ed. McElroy, W. D. and BenbyGlass. Baltimore, The John Hopkins Press. 477.

LAZERE, B. THOMSON, J. D. AND HINES, H. M. 1943. Studies on glycogen metabolism of atrophic and degenerated muscle. Am. J. Physiol. 138: 357.

LEONARD, S. L. 1957. Phosphorylase and glycogen levels in skeletal muscle of mice with hereditary myopathy. Proc. Soc. Exp. Biol. Med. 96: 720.

LUSK, G. 1928. The science of nutrition. Ed. 4. W. B. Saunders Co. Phildelphia. 1928.

MARTIN, H. F. AND PEERS, F. G. 1953. Oat lipase. Biochem. J. 55: 523.

MATSUI, T? AND KURIAKI, K. 1959. Effect of denervation and coainization on activity of creatine synthesizing enzyme and phosphorylase in skeletal muscle. Am. J. Physiol. 196: 464.

McCAMAN, M. W. 1963. Enzyme studies of skeletal muscle in mice with hereditary muscular dystrophy. Am. J. Physiol. 205: 897.

MERKEL, F. W. 1958. Untersuchungen uber tages- und jahresperiodische Ander ungen in Energiehaushalt gekafigter Zugvogel. Z. Vergl. Physiol. 41: 154.

NACHMANSOHN, D. 1940. Action of ions on cholinesterase. Nature, 145: 513.

NACHMIAS, V. T. AND PADUANULA, H. A. 1958. A histochemical study of normal and denervated red and white muscles of rat. J. Biophys. Biochem. Cytol. 4: 47.

NEPTUNE, E. M. Jr., SUDDUTH, H. C. , BRIGANCE, W. H. AND BROWN, J. D. 1963. Lipid glyceride synthesis by rat skeletal muscle. Am. J. Physiol., 204: 933.

PEARSE, A. G. E. 1960. Histochemistry - Theoritical and Applied, J. A. Churchill, LTD, London.

PISHAWIKAR, S. D. 1961. A study on the phosphatases, phosphatases and certain inorganic ions in the pectoralis muscle of some birds with special reference to that of the pigeon . Ph. D. Thesis, submitted to the M. S. University of Baroda, Baroda.

ROMANUL, F. C. A. AND HOGAN, E. L. 1965. Enzymatic changes in denervated muscle. 1. Histochemical studies. Arch. Neurol. 13: 263.

ROSSI, F., ZATTI, M. AND GREENBAUM, A. L. 1963. Evidence for the existence of the hexose monophosphate pathway for glucose metabolism in the normal and denervated muscle of rats. Biochem. J. 87: 43.

SASKI, M. AND TAKEUCHI, T. 1963. Histochemical and electron microscopic observations of glycogen synthesized from glucose-1-phosphate by phosphorylase and branching enzyme in human muscle. J. Histochem. Cytochem. 11: 342.

SCHMIDT, C. G. AND SCHLIEF, H. 1956. The cytochrome system of ascites tumors. Naturwissen. Schaften., 42: 105.

SEIFTER, S., DAYTON, S., NOVIC, B. AND MUNTWYLER, V. 1950. The estimation of glycogen with anthrone reagent. Archives. Biochem. 25: 191.

SHY, G. M., CUMMINGS, D. J., BERG, L. AND HORVATH, B. 1955. Muscular dystrophy. Potassium exchange in residual muscle. J. Appl. Physiol. 8: 33.

SIBRIK, I. D. AND O'DOHERTY, D. S. 1963. Oxidative enzymes in muscular dystrophy. Neurol. 13: 554.

SIPERSTEIN, M. D. 1958. Glycolytic path ways; their relation to the synthesis of cholestrol and fatty acids. Diabetes. 7: 181.

SMITH, B. 1965. Changes in the enzyme histochemistry of skeletal muscle during experimental denervation and reinnervation. J. Neurol. Neurosurg. Psychiat. 28: 99.

STETTEN, D. Jr. AND STETTEN, M. R. 1960. Glycogen metabolism. Physiol. Rev. 40: 505.

SASAKI, M. AND TAKEUCHI, T. 1963. Histochemical and electron microscopic observations of synthesized from glucose-1-phosphate by phosphorylase and branching enzyme in human muscle. J. Histochem. Cytochem. 11: 342.

TAKEUCHI, T. AND GLENNAR, G. C. 1960. Histochemical demonstration of a pathway for polysaccharide synthesis from uridine diphosphoglucode. J. Histochem. Ctochem. 8: 227.

UMBREIT, W. W., BURRIS, R. H. AND STAUFFER, J. F. 1957. Manometric techniques. Burgess Publishig Co., Minneapolis.

VALLYATHAN, N. V. AND GEORGE, J. C. 1963. Phosphorylase 'a' in bird and bat breast muscles. J. Anim. Morphol. Physiol. 10: 15.

VALLYATHAN, N. V. 1963. Studies on certain metabolic adaptations in the avian pectoralis and blood. Ph. D. Thesis, submitted to the M. S. University of Baroda, Baroda.

VALLYATHAN, N. V. AND GEORGE, J. C. 1964. Effect of exercise on phosphorylase and succinic dehydrogenase levels in pigeon breast muscle. J. Anim. Morph. Physiol. 11: C. J. George Felicitation Number. 186.

VARGA, E., KÖVÉR, A., KÖVÁCS, R. AND HETENYI, E. 1957. Changes in the acetylcholine-sensitivity and cholinesterase activity of skeletal muscles in the course of ontogenesis. Acta. Physiol. Acad. Sci. Hung. 11: 243.

VILLAR-PALASI, C. AND LARNER, J. 1960. Levels of the enzymes of glycogen cycle in rat tissues. Arch. Biochem. Biophys. 86: 270.

WACHSTEIN, M. AND MEISEL, E. 1957. Histochemistry of hepatic phosphatase at physiologic pH with special reference to the demonstration of bile canaliculi. Amer. J. Clin. Path. 27: 13.

WEIN HOUSE, S., MILLINGTON, R. H. AND FRIEDMAN, B. 1949. The effect of carbohydrates on the oxidation of fatty acids by liver slices. J. Biol. Chem. 181: 489.

WEIN HOUSE, S., MILLINGTON, R. H. AND VOLK , M. E. 1950. Oxidation of isotopic palmitic acid in animal tissues. J. Biol. Chem. 185: 191.

WILLIAMS, J. D., ANSELL, B. M., REIFFEL, L. AND KARK, R. M. 1957. Electrolytes levels in the normal dystrophic muscle determined neutron activation. Lancet, 273: 464.

WILLS, E. D. 1965. Lipases. Advances in lipid research. Vol. 3. Academic Press, New York, 197.

ZATTI, M., ROSSI, F. AND TARTARINI, A. 1962. Increased G-6-P dehydrogenase activity in pathological regressive process of skeletal muscle. The Italian. J. Biochem. 11: 418.