BIBLIOGRAPHY

Adolf, E. F. 1949. Quantitative relations in the physiological constitutions of mammals. Science, 109, 579.

Allen, R. J. L. and Bourne, J. H. 1943. As cited by Pearse.

Ammon, R. and Jaarma, M. 1950. The Enzymes, Vol. 1, Ed. J. B. Sumner and K. Myrback. Academic Press. Inc., New York.

Barnett, R. J. and Palade, G. E. 1957. Histochemical demonstrtion of the sites of activity of dehydrogenase systems with the electron microscope. J. Biophys. Biochem. Cytol., 3, 577.

Bennett, H. S. and Porter, K. R. 1953. An electron microscope study of sectioned breast muscle of the domestic fowl. Am. J. Anat., 93, 61.

Bertalanffy, L. V. and Prozynski, W. J. 1951. Tissue respiration and body size. Science, 113, 599.

Bing, R. J. 1956. The metabolism of the heart. In: Harvey Lectures. Academic Press, New York.

Black, M. M. and Kleiner, I. S. 1949. The use of triphenyl tetrazolium chloride for the study of respiration of tissue slices. Science, 110, 660.

Black, M. M., Opler, S. R. and Speer, F. D. 1950. Observations on the reduction of triphenyl tetrazolium chloride by normal and malignant human tissues. Amer. J. Path., 26,1097.

Borei, H. G. and Bjoorklund, V. 1953. Oxidation through the cytochrome system of substituted phenylenediamine. Biochem. J., 54, 357.

Borgstrom, B. 1953. As cited by Kennedy, E. P., In : Annual Review of Biochemistry. 1957.

Borgstrom, B. 1954. As cited by Kennedy, E. P., In : Annual Review of Biochemistry. 1957.

Brodie, A. F. and Gots, J. S. 1951. Effects of an isolated dehydrogenase enzyme and flavoprotein on the reduction of triphenyl tetrazolium chloride. Science, 114, 40.

Burstone, M. S. 1959. New histochemical techniques for the demonstration of tissue oxidase (cytochrome oxidase). J. Histochem. Cytochem., 7, 112.

Cascarano, M. S. and Zweifach, B. W. 1955. Comparative histochemical and quantitative study of adrenal and kidney tissue by tetrazolium technique. J. Histochem. Cytochem., 5, 369.

Chance, B. and Sacktor, B. 1958. Respiratory metabolism of insect flight muscle. II. Kinetics of respiratory enzymes in flight muscle sarcosomes. Arch. Biochem. Biophys.,76,509.

Chappell, J.B. and Perry, S. V. 1953. The respiratory and adenosinetriphosphatase activities of skeletal muscle mitochondria. Biochem. J., 55, 586.

Charnick, S. S., Masoro, E. J.and Chaikoff, I. L. 1950. As cited by Deuel, In; Lipids, Vol. 3, p. 196, 1957.

Cooper, W. G. 1955. Succinic dehydrogenase activity in the prenatal and post-natal rat heart. Anat. Rec., 1, 103.

Crawford, D. T. and Nachlas, M. M. 1958. Evaluation of indophenol derivatives as reagents for demonstrating cytochrome oxidase in tissue sections. J. Histochem. Cytochem.,6,438.

Denny-Brown, D. 1929. The histological features of striped muscle in relation to its functional activity. Proc. Roy. Soc. London, Ser. B., 104, 371.

Deuel, H. J. Jr. 1957. III. The lipids. Interscience Publishers Inc., New York.

Dinella, R. R., Meng, H. C. and Park, C. R. 1960. Properties of intestinal lipase. J. Biol. Chem., 235, 3076.

Drummond, G. I. and Black, E. C. 1960. In : Annual Review of Physiology, Vol. 22, p. 179.

Dubowitz, V. and Pearse, A. G. E. 1960. Reciprocal relationship of phosphorylase and oxidative enzymes in skeletal muscle. Nature, 185, 701.

Du Buy, H. G. and Shewacre, J. 1959. Enzymes catalyzing sequential reactions in mouse brain and liver supernatant fractions. I. Differential use of Janus Green B and phenazine methosulfate. J. Histochem. Cytochem., 7, 361.

Dunkley, W. L. and Smith, L. M. 1951. As cited by Martin and Peers, 1953.

Edwards, G. A. et al. 1956. Comparative cytology of striated muscle with special reference to the role of the endoplasmic reticulum. J. Biophysic. Biochem. Cytol., 2, No. 4, Supplement, 143.

Farber, E. and Bueding, E. 1956. Histochemical localization of specific oxidative enzymes. V. The dissociation of succinic dehydrogenase from carriers by lipase and the specific histochemical localization of the dehydrogenase with phenazine methosulfate and tetrazolium salts. J. Histochem. Cytochem., 4, 357.

Farber, E. and Louviere, C. D. 1956. Histochemical localization of specific oxidative enzymes. IV. Soluble oxidation reduction dyes as aids in the histochemical demonstration of oxidative enzymes with tetrazolium. Ibid., 4, 347.

Farber, E., Sternberg, W. H. and Dunlap, C. E. 1956a. Histochemical localization of specific oxidative enzymes. I. tetrazolium stains for diphosphopyridine nucleotide diaphorase and triphosphopyridine nucleotide diaphorase. Ibid., 4, 254.

Farber, E., Sternberg, W.H. and Dunlap, C. E. 1956b. Histochemical localization of specific oxidative enzymes. III. Evaluation studies of tetrazolium staining methods for diphosphopyridine nucleotide diaphorase, triphosphopyridine nucleotide diaphorase and the succinic dehydrogenase system. Ibid., 4, 284.

Fried, G. H. and Tipton, S. R. 1953. Comparison of respiratory enzyme levels in tissues of mammals of different sizes. Proc. Soc. Exptl. Biol. Med., 76, 527.

George, J. C. and Bhakthan, N. M. G., 1960a. A study on the fibre diameter and certain enzyme concentrations in the flight muscles of some butterflies. J. Exp. Biol., 37, 308.

George, J. C. and Bhakthan, N. M. G. 1960b. The fibre diameter and certain enzyme concentrations in the flight muscles of some moths. J. Anim. Morph. Physiol., 7, 141.

George, J. C. and Iype, P. T. 1960. Improved histochemical demonstration of lipase activity. Stain Tech., 35, 151.

George, J. C. and Jyoti, D. 1953. On the reduction of fat in the liver and in the flight muscle (pectoralis major) of Columba livia during flight. J. Univ. Bombay, 21, 5.

George, J. C. and Jyoti, D. 1955a. Histological features of the breast and leg muscle of bird and bat and their physiological and evolutionary significance. J. Anim. Morph. Physiol., 2, 1.

George, J. C. and Jyoti, D. 1955b. The lipid content and its reduction in the muscle and liver during long and sustained muscular activity. Ibid., 2, 1.

George, J. C. and Jyoti, D. 1957. Studies on the structure and physiology of the flight muscles of birds. 2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity. Ibid., 4, 2.

George, J. C. and Naik, R. M. 1957a. Studies on the structure and physiology of the flight muscles of birds. I. The variations in the structure of the pectoralis major muscle of few representative types and their significance in the respective modes of flight. Ibid., 4, 23.

George, J. C. and Naik, R. M. 1957b. Studies on the structure and physiology of the flight muscles of birds. 2. The occurrence of two types of fibres in the pectoralis major muscle of the bat (Hipposideros speoris), their relative distribution, nature of the fuel store and mitochondrial content. Ibid., 4, 96.

George, J. C. and Naik, R. M. 1958a. The relative distribution and the chemical nature of the fuel store in the two types of fibres in the pectoralis major muscle of the pigeon.

Nature, 181, 709.

George, J. C. and Naik, R. M. 1958b. Relative distribution of mitochondria in the two types of fibres of the pectoralis major muscle of the pigeon. Ibid., 181, 782.

George, J. C. and Naik, R. M. 1959a. Studies on the structure and physiology of the flight muscles of birds. 4. Observations on the fibre architecture of the pectoralis major muscle of the pigeon. Biol. Bull., 116, 239.

George, J. C. and Naik, R. M. 1959b. Studies on the structure and physiology of the flight muscles of birds. 5. Some histological and cytochemical observations on the structure of the pectoralis. J. Anim. Morph. Physiol., 6, 16.

George, J. C. and Naik, R. M. 1959c. Studies on the structure and physiology of the flight muscles of birds. 6. Variation in the diameter of the fibres of the pectoralis major and its relation to the muscle size and mode of flight. Ibid., 6, 90.

George, J. C. and Naik, R. M. 1960. Intramuscular fat store in the pectoralis of birds. Auk, 77, 217.

George, J. C., ~~and~~ Nair, S. M. and Scaria, K. S. 1958. Studies on the structure and physiology of the flight muscles of birds. 3. Alkaline phosphatase activity in the pigeon breast muscle. Current Science, 27, 172.

George, J. C. and Pishawikar, S. D. 1959. Studies on the structure and physiology of the flight muscles of birds. 8. Adenosinetriphosphatase and sulphydryl groups in the pigeon breast muscle . J. Anim. Morph. Physiol., 4, 103.

George, J. C. and Scaria, K. S. 1956. On the occurrence of lipase in the skeletal muscles of vertebrates and its possible significance in the sustained muscular activity. Ibid., 3, 91.

George, J. C. and Scaria, K. S. 1957. Lipase activity in the vertebrate heart muscle and its relation to basal metabolism. Ibid., 4, 107.

George, J. C. and Scaria, K. S. 1958a. Histochemical demonstration of lipase activity in the pectoralis major muscle of the pigeon. Nature, 181, 783.

George, J. C. and Scaria, K. S. 1958b. Histochemistry of muscle lipase. J. Anim. Morph. Physiol., 5, 43.

George, J. C. and Scaria, K. S. 1958c. A histochemical study of dehydrogenase activity in the pectoralis of the pigeon and certain other vertebrate skeletal muscles. Quart. J. micr. Sci., 99, 469.

George, J. C. and Scaria, K. S. 1959. Pigeon breast muscle lipase. J. Anim. Morph. Physiol., 6, 55.

George, J. C., Susheela, A. K. and Scaria, K. S. 1958a. Studies on the structure and physiology of the flight muscles of bats. 3. Alkaline phosphatase and succinic dehydrogenase activity in the breast muscle-a histochemical study. Ibid., 5, 110.

George, J. C., Susheela, A. K. and Scaria, K. S. 1958b. A quantitative and histochemical study of lipase activity in the pectoralis major muscle of the bat. Naturwissenschaften, 45, 93.

George, J. C., Vallyathan, N. V. and Scaria, K. S. 1958. Lipase activity in insect flight muscle. Experientia, 14, 250.

Geyer, R. P., Matthews, L. W. and Stare, F. J. 1950. Metabolism of emulsified trilaurin ($-C^{14}OO-$) and octanoic acid ($-C^{14}OO-$) by rat tissue slices. J. Biol. Chem., 180, 1037.

Goddard, J. W. and Seligman, A. M. 1952. Intracellular topography of succinic dehydrogenase in the thyroid of the albino rat. Anat. Rec., 112, 543.

Goddard, J. W. and Seligman, A. M. 1953. Histochemical demonstration of succinic dehydrogenase in rat hepatoma. Cancer, 6, 385.

Goldman, D. S. et al. 1950. The oxidation of palmitic acid $-1-C^{14}$ by extrahepatic tissues of the dog. J. Biol. Chem., 184, 719.

Gomori, G. 1953. Microscopic histochemistry, principles and practice. Chicago (University Press).

Gray, P. 1954. The microtomist's formulary and guide. New York (Blakston).

Green, D. E. 1954. Fatty acid oxidation in soluble systems of animal tissues. Biol. Rev., 29, 330.

Green, D. E. 1955. Oxidation and synthesis of fatty acids in soluble enzyme systems of animal tissues. Clin. Chem., 1, 53.

Green, D. E. 1960. The synthesis of fat. Scientific American, 202:2, 46.

Harman, J. W. 1950. Studies on mitochondria. I. The association of cyclophorase with mitochondria. J. Exp. Cell. Res., 1, 382.

Harman, J. W. 1955. Relation of mitochondria to enzymic processes in muscle. Am. J. physic. Med., 34, 68.

Harman, J. W. and Osborne, U. R., 1953. The relationship between cytochondria and myofibrils in pigeon skeletal muscle. J. exp. Med., 98, 81.

Hawk, P. B., Oser, B. L. and Summerson, W. H., 1954. Practical Physiological Chemistry, Mc Graw-Hill Company INC.,New York.

Hogeboom, G. H., Schneider, W. C. and Palade, G. E. 1948. Cytochemical studies of mammalian tissues. I. Isolation of intact mitochondria from rat liver, some biochemical properties of mitochondria and submicroscopic particulate material. J. Biol. Chem., 172, 619.

Hunter, A. S. and Hunter, F. R. 1957. A comparative study of erythrocyte metabolism. J. Cell. Comp. Physiol., 49, 479.

Jedeikin, L. A. and Weinhouse, S. 1954. Studies of the incorporation of palmitate -1-C^{14} into tissue lipids in vitro . Arch. Biochem. and Biophys., 50. 134.

Judah, J. D. and Rees, K. R. 1953. The activation of fatty acid oxidation by kidney and liver mitochondria. Biochem. J., 55, 664.

Katchman, B. J. and Shooter, E. M. 1955. Dependence of pigeon breast succinoxidase activity on cytochrome c concentration. Biochem. Biophys. Acta, 18, 63.

Kennedy, E. P. 1957. Metabolism of lipids. In: Annual review of biochemistry. Vol. 26, 119-148.

Kennedy, E. P. and Lehninger, A. L. 1948. Intracellular structure and fatty acid oxidase system of rat liver. J. Biol.

Chem., 172, 847.

Kennedy, E. P. and Lehninger, A. L. 1949. Oxidation of fatty acids and tricarboxylic acid cycle intermediates by isolated rat liver mitochondria. J. Biol. Chem., 179, 957.

Kennedy, E. P. and Lehninger, A. L. 1952. In 'Phosphorus Metabolism' (Mc Elroy and Glass, eds.), Vol. 2, p. 253.

King, J. R. and Farner, D. S. 1956. Bioenergetic basis of light induced fat deposition in the white crowned sparrow. Proc. Soc. Exp. Biol. and Med., 93, 354.

Kitiyakara, A. and Harman, J. W. 1953. The cytological distribution in pigeon skeletal muscle of enzymes acting on phosphorylated nucleotides. J. exp. Med., 97, 553.

Kleinzeller, A. 1948. In 'Advances in Enzymology'. Ed. F. F. Nord, Vol. 8, p. 317. Interscience Publishers Inc.,New York.

Knox et al. 1948. Studies on the cyclophorase system. III. Obligatory sparking of fatty acid oxidation. J. Biol. Chem., 176, 117.

Krebs, H. A. 1950. Body size and tissue respiration. Biochem. et. Biophys. Acta, 4, 249.

Kun, E. and Abood, L. G. 1949. Colorimetric estimation of succinic dehydrogenase by triphenyl tetrazolium chloride. Science, 109, 144.

Kunkel, H. O. and Campbell Jr., J. E. 1952. Tissue cytochrome oxidase activity and body weight. J. Biol. Chem.,198,229.

Kunkel, H. O. et al. 1956. Cytochrome oxidase activity and body weight in rats and in three species of large animals. Amer. J. Physiol., 186, 203.

Langdon, R. G. 1957. The biosynthesis of fatty acids in rat liver. J. Biol. Chem., 226, 615.

Lardy, H. A. and Wellman, H. 1952. Oxidative phosphorylation : Role of inorganic phosphate and acceptor systems in control of metabolic rate. J. Biol. Chem., 195, 215.

Lawrie, R. A. 1952. Biochemical differences between red and white muscle. Nature, 170, 122.

Lawrie, R. A. 1953a. The activity of the cytochrome system in muscle and its relation to myoglobin. Biochem. J.,55,298.

Lawrie, R. A. 1953b. A relation of energy rich phosphate in muscle to myoglobin and to cytochrome oxidase activity. Ibid., 55, 305.

Lehninger, A. L. 1946. The oxidation of higher fatty acids in heart muscle suspensions. J. Biol. Chem., 165, 131.

Lynn, W. S. and Perryman, N. C. 1960. Purification and properties of adipose tissue lipase. Ibid., 235, 1912.

Mann, P. J. G. and Quastel, J. H. 1941. Nicotinamide, cozymase and tissue metabolism. Biochem. J., 35, 502.

Martin, H. F. and Peers, F. G. 1953. Oat lipase. Ibid., 55,523.

Maruyama, K. and Moriwaki, K. 1958. Respiratory enzyme systems and muscular function in honey bee thoracic muscle. Enzymologia, 19, 211.

Mattson, F. H. and Beck, L. W. 1955. The digestion in vitro of triglycerides by pancreatic lipase. J. Biol. Chem.,214,115.

Mc Greal, R. D. and Farner, D. S. 1956. Premigratory fat deposition in the Gambel white-crowned sparrow. Some morphologic and chemical observations. Northwest Sci., 30, 12.

Mehler, A. H. 1957. Introduction to Enzymology. p. 145, Academic Press INC. Publishers, New York.

Moog, F. 1943. Cytochrome oxidase in early chick embryos. J. Cell. Comp. Physiol., 22, 223.

Nachlas, M. M., Crawford, D. T., Goldstein, T. P. and Seligman, A. M. 1958. The histochemical demonstration of cytochrome oxidase with a new reagent for the Nadi Reaction. J. Histochem. Cytochem., 6, 445.

Nachlas, M. M., Tsou, K. C., De Souza, E., Cheng, C. S. and Seligman, A. M. 1957. Cytochemical demonstration of succinic dehydrogenase by the use of a new-p-nitrophenyl substituted ditetrazole. Ibid., 5, 420.

Nachmias, V. T. and Padykula, H. A. 1958. A histochemical study of normal and denervated red and white muscles of the rat. J. Biophys. Biochem. Cytol., 4, 47.

Nair, K. K. 1952. The chemical composition of the pectoral muscles of some Indian birds and its bearing on their flight. J. Univ. Bombay, 21:3, 90.

Needham, D. M. 1926. Red and white muscle. Physiol. Rev,,6,1.

Novikoff, A. B. and Masek, B. 1958. Survival of lactic dehydrogenase and DPNH diaphorase activities after formol calcium fixation. J. Histochem. Cytochem., 6, 217.

Odum, E. P. and Connell, C. E. 1956. Lipid levels in migrating birds. Science, 123, 892.

Odum, E. P. and Perkinson, J. D.(Jr.). 1951. Relation of lipid metabolism to migration in birds: Seasonal variations in body lipids of the migrating white throated sparrow. Physiol. Zool., 24, 216.

Ogata, T. 1960. The differences in some labile constituents and some enzymatic activities between the red and the white muscle. J. Biochemistry., 47, 726.

Padykula, H. A. 1952. The localization of succinic dehydrogenase in tissue sections of the rat. Amer. J. Anat.,91,107.

Padykula, H. A. 1958. A histochemical and quantitative study of enzymes of the rat's placenta. J. Anat., 92, 118.

Paul, M. H. and Sperling, E. 1952. Cyclophorase activity and mitochondrial density in striated muscles. Proc. Soc. Expt. Biol. Med., 79, 352.

Pearse, A. G. E. 1960. Histochemistry theoritical and applied. London (Churchill).

Pearson, B. 1958. Improvement in the histochemical localization of succinic dehydrogenase by the use of nitro-neotetrazolium chloride. J. Histochem. Cytochem., 6, 112.

Perry, S. V. and Zydowo, M. 1959. The nature of the extra protein fraction from myofibrils of the striated muscle. Biochem. J., 71, 220.

Potter, V. R. 1946. The assay of animal tissues for respiratory enzymes. V. The malic dehydrogenase system. J. Biol. Chem., 165, 311.

Rosa, C. G. and Velardo, J. T. 1954. Histochemical demonstratration of succinic dehydrogenase activity in tissue sections by a modified technique. J. Histochem.Cytochem.,2,110.

Rutenburg, A. M., Wolman, M. and Seligman, A. M. 1953. Comparative distribution of succinic dehydrogenase in six mammals and modification in the histochemical technique. Ibid.,1,66.

Sacktor, B. and Cochran, D. G. 1957. DPN-specific α-glycerophosphate dehydrogenase in insect flight muscle. Biochim. Biophys. Acta, 25, 649.

Sacktor, B. and Cochran, D. G. 1958. The respiratory metabolism of insect flight muscle. I. Manometric studies of oxidation and concomitant phosphorylation with sarcosomes. Arch. Biochem. Biophys., 74, 266.

Scarpelli, D. G. and Pearse, A. G. E. 1958. Cytochemical localization of succinic dehydrogenase in mitochondria. Anat. Rec., 132, 133.

Schneider, W. C. 1948. Intracellular distribution of enzymes. III. The oxidation of octanoic acid by rat liver fractions. J. Biol. Chem., 176, 259.

Schneider, W. C. 1959. Mitochondrial Metabolism. In: Advances in Enzymology. Vol. 21, p. 1-73.

Schneider, W. C. and Hogeboom, G. H. 1956. Biochemistry of Cellular Particles. In: Annual Review of Biochemistry. Vol. 25, p. 201-224.

Schneider, W. C. and Potter, V. R. 1943. The assay of animal tissues for respiratory enzymes. II. Succinic dehydrogenase and cytochrome oxidase. J. Biol. Chem., 149, 217.

Schneider, W. C. and Potter, V. R. 1949. Intracellular distribution of enzymes. IV. The distribution of oxalacetic oxidase activity in rat liver and kidney fractions. Ibid., 177, 893.

Sedar, A. W. and Rosa, C. G. 1958. Cytochemical demonstration of succinic dehydrogenase with the electron microscope

using nitroblue tetrazolium (NBT) as an indicator dye. Anat. Rec., 130, 371.

Seligman, A. M. and Rutenburg, A. M. 1951. The histochemical demonstration of succinic dehydrogenase. Science, 113, 337.

Shelton, E. and Schneider, W. C. 1952. On the usefulness of tetrazolium salts as histochemical indicators of dehydrogenase activity. Anat. Rec., 112, 61.

Showacre, J. and Du Buy, H. G. 1959. Enzymes catalyzing sequential reactions in mouse brain and liver supernatant fractions. II. The use of phenazine methosulfate. J. Histochem. Cyotochem., 7, 370.

Stein, Y. and Shapiro, B. 1957. The synthesis of neutral glycerides by fractions of rat liver homogenates, Biochim. Biophys. Acta, 24, 197.

Stein, Y., Teitz, A. and Shapiro, B. 1957. Glyceride synthesis by rat liver mitochondria. Ibid., 26, 286.

Sternberg, W. H., Farber, E. and Dunlap, C. E. 1956. Histochemical localization of specific oxidative enzymes. II. Localization of diphosphopyridine nucleotide diaphorase and the succinic dehydrogenase system in the kidney. J. Histochem. Cytochem., 4, 266.

Straub, F. B. 1940. Crystalline lactic dehydrogenase from heart muscle. Biochem. J., 34, 483.

Straub, F. B. 1941. On the reoxidation of diaphorase flavoprotein. Enzymologia, 9, 148.

Straus, F. H. et al. 1948. Demonstration of reducing systems in neoplasms and living mammalian tissues by TTC. Science, 108, 113.

Sumner, J. B. and Somers G. F. 1953. Chemistry and methods of enzymes. Academic Press, New York.

Tiegs, O. W. 1955. The flight muscles of insects.-Their anatomy and histology with some observations on the structure of striated muscle in general. Phil. Trans., 238, 221.

Tietz, A. and Shapiro, B. 1956. As cited by Kennedy, 1957.

Tonzetich, J. and Kare, M. R. 1960. Adenosinetriphosphatase in red and white muscle. Arch. Biochem. Biophys., 86, 195.

Tsao, M. U. 1960. Heterogenity of tissue dehydrogenases. Ibid., 90, 234.

Vestling, C. S. and Augusta, A. K. 1950. Lactic dehydrogenase of liver and its relation to thyroid activity in the rat. J. Biol. Chem., 183, 63.

Weinhouse, S., Millington, R. H. and Volk, M.E. 1950. Oxidation of isotopic palmitic acid in animal tissues. Ibid., 185, 191.

Weinreb, S. and Harman, J. W. 1955. Phase and electron microscopic studies of the interrelationship of cytochondria and myofibrils in pigeon breast muscle. J.exp.Med., 101, 529.

Weis-Fogh, T. 1952. Fat combustion and metabolic rate of flying locust (Schistocerca gregaria). Phil. Trans. Roy. Soc. London, B. 237, 1-36.

Wertheimer, E. and Bon-Tor, V. 1952. Fat utilization by muscle. Biochem. J., 50, 573.

Whitehead, R. G. and Weidmann, S. M. 1959. Oxidative enzyme systems in ossifying cartilage. Ibid., 72, 667.

Zimmermann, H. and Pearse, A. G. E. 1959. Limitations in the histochemical demonstration of pyridine nucleotide-linked dehydrogenases, 'Nothing dehydrogenase'. J. Histochem. Cytochem., 7, 271.