REFERENCES

Abalaka, M.E., Daniyan, S.Y., Oyeleke, S.B. and Adeyemo, S.O. 2012. The Antibacterial Evaluation of Moringa Oleifera Leaf Extracts on Selected Bacterial Pathogens. *Journal of Microbiology Research*, **2**(2): 1-4.

Aguwa. C.N. and Nwankwo, S.O. 1988. Preliminary studies on the root extract of Naulea latifolia S. for antiulcer properties. *Nig. J. Pharmaceutical Sci*., **4**(1): 16-23.

Akatsu, T., Tamura, T., Takahashi, N., Udagawa, N., Tanaka, S., Sasaki, T., Yamaguchi, A., Nagata, N. and Suda, T. 1992. Preparation and characterization of a mouse osteoclast-like multinucleated cell population. *J Bone Miner Res.*, **7**(11):1297-1306.

Akune ,T. 2004. The role of insulin receptor substrates in bone metabolism. Clin Calcium. Feb; 14(2):289-92.

Alam, M.R. et al, Chin, A.J. 2006. Effects of Safflower Seed Oil in Osteoporosis Induced-Ovariectomized Rats, The American Journal of Chinese Medicine. *An International Journal of Comparative Medicine East and West,* **34(**04): 55-59.

Alatalo, S.L., Halleen, J.M., Hentunen, T.A., Monkkonen, J. and Vaananen, H.K. 2000. Rapid screening method for osteoclast differentiation *in vitro* that measures tartrate-resistant acid phosphatase 5b activity secreted into the culture medium. *Clin Chem.,* **46**:1751–1754.

Al-Awwadi, N., Azay, J., Poucheret, P., Cassanas, G., Krosniak, M., Auger, G., Gasc, F., Rouanet, G.C. and Teissedre, P.L. 2004. Antidiabetic activity of red wine polyphenolic extract, ethanol, or both in streptozotocintreated rats. *J. Agric. Food Chem*., **52**:1008-1016.

Albrand, G., Munoz, F., Sornay-Rendu, E., DuBoeuf, F., & Delmas, P. D. (2003). Independent predictors of all osteoporosis-related fractures in healthy postmenopausal women: The OFELY study. *Bone*, **32**(1): 78-85.

Albright, J. and Skinner, H. 1987 Bone: structural organization and remodeling dynamics. In: Albright J, Brand R (eds) The scientific basis of orthopaedics, 2nd edn. Appleton and Lange, East Norwalk, pp 161–198.

Ali, G.H., El-Taweel, G.E., Ali, M.A., 2004. The cytotoxicity and antimicrobial efficiency of *Moringaoleifera*seeds extracts. *International Journal of Environmental Studies* **61**: 699–708.

Alikhani M, Alikhani Z, Boyd C, et al. Advanced glycation end products stimulate osteoblast apoptosis via the MAP kinase and cytosolic apoptotic pathways. Bone. 2007;40:345-353.

Alikhani, M., Maclellan, C.M., Raptis, M., Vora, S., Trackman, P.C. and Graves, D.T. 2007. Advanced glycation end products induce apoptosis in fibroblasts through activation of ROS. MAP kinases, and the FOXO1 transcription factor. *Am. J. Physiol. Cell Physiol.,* **292**: C850–856.

Aloia JF, Cohn SH, Vaswani A, et al. Risk factors for postmenopausal osteoporosis. Am J Med 1985;78:95.

Aloia, J.F., Cohn, S.H., Vaswani, A., *et al.* 1985. Risk factors for postmenopausal osteoporosis. *Am J Med.,***78**: 95.

Amaglo, N.K., Bennett, R.N., Lo Curto, R.B., Rosa, E.A.S., Lo Turco, V., Giuffrid, A., Lo Curto. A., Crea, F. and Timpo, G.M. 2010. Profiling selected phytochemicals and nutrients in different tissues of the multipurpose tree *Moringa oleifera* L., grown in Ghana. *Food Chem.,* **122**: 1047-1054.

Amory, J.K., Watts, N.B., Easley, K.A., *et al.* 2004. Exogenous testosterone or testosterone with finasteride increases bone mineral density in older men with low serum testosterone. *J Clin Endocrinol Metab.,* **89**: 503–510.

Anderson, J.J., Anthony, M.S., Cline, J.M., Washburn, S.A. and Garner, S.C. 1999. Health potential of soy isoflavones for menopausal women. *Public Health Nutr*., **2**(4):489–504.

Andersson B, Johannsson G, Holm G, Bengtsson BA, Sashegyi A, Pavo I, Mason T, Anderson PW: Raloxifene does not affect insulin sensitivity or glycemic control in postmenopausal women with type 2 diabetes mellitus: a randomized clinical trial. J Clin Endocrinol Metab 87:122–128, 2002.

Aney, J.S., Tambe, R., Kulkarni, M.,Bhise, K., 2009.Pharmacological And Pharmaceutical Potential of*Moringaoleifera*.A Review. *Journal of Pharmacy Research* **2**: 1424-1426.

Anjorin, T.S., Ikokoh, P. and Okolo, S. 2010. Mineral composition of *Moringa oleifera* leaves, pods and seeds from two regions in Abuja, Nigeria. *Int. J. Agric Biol*., **12**: 431-434.

Anwar, F., Sajid, L., Muhammad, A. and Anwarul, H.G. 2007. *Moringa oleifera*: A Food plant with Multiple Medicinal Uses. *Phytother. Res.,* **21**: 17-25.

Arlot, M., Meunier, P. J., Boivin, G., Haddock, L., Tamayo, J., Correa-Rotter, R., Jasqui, S., Donley, D. W., Dalsky, G.P., Martin, J.S. and Eriksen, E.F. 2005. Differential effects of teriparatide and alendronate on bone remodeling in postmenopausal women assessed by histomorphometric parameters. *J. Bome Miner. Res.,* **20**(7): 1244-1253.

Aslam, M., Anwar, F., Nadeem, R., Rashid, U., Kazi, T.G. and Nadeem, M. 2005. Mineral compostion of *Moringa oleifera* leaves and pods from different regions of Punjab, Pakistan, *Asian J. Plant Sci.,* **4**: 417-421.

Asres, K. 1995. The major constituents of the acetone fraction of Ethiopian Moringa stenopetala leaves. *Mansoura Journal of Pharmacological Science,* **11**(1): 55-64.

Atawodi, S. E., Atawodi, J.C., Idakwo, G.A., Pfundstein, B., Haubner, R., Wurtele, G., Bartsch, H. and Owen, R.W. 2010. Evaluation of the polyphenol content and antioxidant properties of methanol extracts of the leaves, stem, and root barks of *Moringa oleifera* Lam. *J. Med. Food,* **13**: 710–716.

Aubin, J.E. 1998. Bone stem cells. *J Cell Biochem Suppl.,* **30**:73–82.

Babu, S.C. 2000. Rural nutrition interventions with indigenous plant foods: a case study of vitamin deficiency in Malawi. International Food Policy Research Institute, Washington, DC. Biotechnology. *Agronomy Soc. Environ.,* **4**(3): 169-179.

Bain, S., Ramamurthy, N.S., Impeduglia, T., Scolman, S., Golub, L.M. and Rubin, C. 1997. Tetracycline prevents cancellous bone loss and maintains near-normal rates of bone formation in streptozotocin diabetic rats. *Bone*, **21**: 147-153.

Bajpai, M., Pande, A., Tewari, S.K. and Prakash, D. 2005. Phenolic contents and antioxidant activity of some food and medicinal plants. *International Journal of Food Sciences and Nutrition,* **56**(4), 287-291.

Balaban, D. 2009 Thor Johnson, Robert A. Harris, Stephanie French, Angel Aponte and Robert S. Proteomic changes associated with diabetes in the BB-DP rat *Am J Physiol Endocrinol Metab.,* **296**: E422-E432..

Baldereschi, M., Di Carlo, A., Lepore, V., *et al.* 1998. Estrogen-replacement therapy and Alzheimer's disease in the Italian Longitudinal Study on Aging. *Neurology*. **50**: 996-1002.

Baron, J., Winer, K.K., Yanovski, J.A., Cunningham, A.W., Laue, L., Zimmerman, D., and Cutler, G.B., Jr. 1996. Mutations in the Ca+2 sensing receptor gene cause autosomal dominant and sporadic hypoparathyroidism. *Human Mol. Genet.,* **5**: 601-606.

Baron, J.A., Farahmand, B.Y., Weiderpass, E., *et al.* 2001.Cigarette smoking, alcohol consumption, and risk of hip fracture in women. *Archives of Internal Medicine* **161**(7): 983–988.

Barrett-Connor, E., Siris, E.S., Wehren, L.E., *et al.* 2005. Osteoporosis and fracture risk of women of different ethnic groups. *Journal of Bone and Mineral Research,* **20**:185-194.

Baskic, D., Popovic, S., Ristic, P. and Arseniijevic, N.N. 2006. Analysis of cycloheximide-induced apoptosis in human leukocytes: Flourescence microscopy using annexin V/propidium iodide versus acridin orange/ethidium bromide. *Cell biology international,* **30**: 924-932.

Bauer, D.C., Browner, W.S., Cauley, J.A., et al. 1993. Factors associated with appendicular bone mass in older women. *Ann Intern Med.,* **118**: 657–665.

Beardsworth, L.J., Eyr, D.R. and Dickson, I.R. 1990. Changes with age in the urinary excretion of Lysyland hydroxylysylpyridinoline, two new markers of bone collagen turnover. *J Bone Miner Res.,* **5**:671.

Beeler, M.F. and Catrou, P.G. 1983. Disorders of calcium metabolism. In: Interpretations in Clinical Chemistry: A Textbook Approach to Chemical Pathology. Chicago. *American Society of Clinical Pathologist*, 34-44.

Bell, N.H., Shary, J., Stevens, J., *et al.* 1991. Demonstration that bone mass is greater in black than in white children. *J Bone Miner Res.,* **6**: 719.

Bennett, R.N., Mellon, F.A., Foidl, N., Pratt, J.H., Dupont, M.S., Perkins, L. and Kroon, P.A. 2003. Profiling glucosinolates and phenolics in vegetative and reproductive tissue of the multi-purpose trees *Moringa oleifera* L. (horseradish tree) and *Moringa stenopetala* L. *J. Agric. Food Chem.,* **51**: 3546-3553.

Berger, M.R., Habs, M., Jahn, S.A. and Schmahl, S. 1984. Toxicological assessment of seeds from Moringa oleifera and Moringa stenopetala, two highly efficient primary coagulants for domestic water treatment of tropical raw waters. *East African Medical Journal* **61**: 712-716.

Bharali, R., Tabassum, J. and Azad, M.R.H. 2003. Chemomodulatory effect of Moringa oleifera, Lam, on hepatic carcinogen metabolizing enzymes, anti-oxidant parameters and skin papillomagenesis in mice. *Asia Pacific J Cancer Prev*., **4**:131-139.

Bismar, H., Diel, I., Ziegler, R. and Pfeilschifter, J. 1995. Increased cytokine secretion by human bone marrow cells after menopause or discontinuation of estrogen replacement. *J Clin Endocrinol Metab.,* **80**: 3351–3355.

Biswas, P.S.K., Chowdhury, A., Das, J., Roy, A. and Hosen, S.M.Z. 2012. Pharmacological Potentials of *Moringa oleifera* Lam.: A REVIEW. *IJPSR,* **3(2)**: 305-310.

Blair, H.C., Teitelbaum, S.L., Ghiselli, R. and Gluck, S. 1989. Osteoclastic bone resorption by a polarized vacuolar proton pump. *Science,* **245**(4920): 855-857.

Block, G., Patterson, B., Subar, A. 1992. Fruit, vegetables, and cancer prevention: a review of the epidemiological evidence. *Nutr Cancer,* 18, 1-29.

Botolin, S. and McCabe, L.R. 2007. Bone loss and increased bone adiposity in spontaneous and pharmacologically induced diabetic mice. *Endocrinology,* **148**: 198-205.

Bouillon, R. 1991. Diabetic bone disease. *Calcif Tissue Int.,* **49**:155–160..

Boyle, J.P., Honeycutt, A.A., Narayan, K.M., Hoerger, T.J., Geiss, L.S., Chen, H., Thompson, T.J., 2001. Projection of diabetes burden through 2050: impact of changing demography and disease prevalence in the US. Diabetes Care **24**:1936-1940.

Boyle, W.J., Simonet, W.S., Lacey, D.L. 2003. Osteoclast differentiation and activation. *Nature*, **423**: 337–342.

Brown, E.M. 1991. Extracellular Ca2 sensing, regulation of parathyroid cell function, and role of Ca2 and other ions as extracellular (first) messengers. *Physiol Rev.,* **71**: 371–411.

Brunelli, D., Tavecchio, M., Falcioni, C., *et al.* 2010. The isothiocyanate from glucomoringin inhibits NF-kB and reduces myeloma growth in nude mice in vivo. *Biochem Pharmacol*, **79**, 1141-1148.

Buckley, L.M., *et al.* 1996. Calcium and vitamin D3 supplementation prevents bone loss in the spine secondary to low-dose corticosteroids in patients with rheumatoid arthritis. *Ann Intern Med.,* **125**: 961-968.

Burali, S.C., Kangralkar, V., Sravani, O. Patil, S.L. 2010. The beneficial effect of ethanolic extract of moringa oleifera on osteoporosis. *International journal of pharmaceutical applications,* **1**(1): 50-58.

Burmeister, B., Domaschke, H. et al., 2003. Co culture of osteoclast and osteoblast on resorbable mineralized collagen scaffolds: Establishment of an in vitro model of bone remodeling. *European cells and materias,* **5**(2): 18-19.

Bushnell, C.D. and Goldstein, L.B. 2004. Risk of ischemic stroke with tamoxifen treatment for breast cancer: a meta-analysis. *Neurology*, **63**: 1230–1233.

Caceres, A., Cabrera, O., Morales, O., Mollinedo, P. and Mendia, P. 1991. Pharmacological properties of Moringa oleifera. 1: Preliminary screening for antimicrobial activity. *Journal of Ethnopharmacology*, **33**: 213-216.

Caceres, A., Saravia, A., Rizzo, S., Zabala, L., Leon, E.D. and Nave, F. 1992. Pharmacologic properties of Moringa oleifera, Z screening for antispasmodic, anti-inflammatory and diuretic activity. *J Ethnopharmacology* , **36**(3): 233-237.

Canalis, E. 1993. Insulin like growth factors and the local regulation of bone formation. *Bone (NY),* **14**: 273-276.

Canalis, E. 1997. Insulin-like growth factors and osteoporosis. *Bone*, **21**: 215–216.

Cauley, J.A., Norton, L., Lippman, M.E., *et al.* 2001. Continued breast cancer risk reduction in postmenopausal women treated with raloxifene: 4-year results from the MORE trial. *Breast Cancer Rest Treatment,* **65**: 124–34.

Cauley, J.A., Seeley, D.G., Ensrud, K., *et. al*. 1995. Estrogen replacement and fracture protection in older women, *Ann Intern Med*., **122**: 9-16.

Cavolina, J.M., Evans, G.L., Zhang, M., Westerlind, K.C. and Turner, R. T. 1997. The effects of orbital spaceflight on bone histomorphometry and messenger ribonucleic acid levels for bone matrix proteins and skeletal signaling peptides in ovariectomized growing rats. *Endocrinology* **138**: 1567-1576.

Chailurkit, L.O., Ongphiphadhanakul, B., Piaseu, N., Saetung, S., Rajatanavin, R. 2001. Biochemical markets of bone turnover and response of BMD to intervention in early postmenopausal women: An experience in a clinical laboratory. *Clin Chem.,* **47**: 1083-1088.

Chapuy, M.C., Arlot, M.E., Duboeuf, F., *et al.* 1992. Vitamin D3 and calcium to prevent hip fractures in elderly women. *N Engl J Med.* **327**: 1637–1642.

Charles, P., Hasling, C., Risteli, L., et al. 1992. Assessment of bone formation by biochemical markers in metabolic bone disease: separation between osteoblastic activity at the cell and tissue level. *Calcif Tissue Int*., **51**:406.

Charles. H.C., Stuart. S., Kim. A., Genant. H., Gimona. A., Harris. S., Kiel.D., LeBoff. M., Maricic. M., Paul. M. Caje. M., Peacock. M., Peter .R., Watts. N., Baylink. D.2000. A randomized trial of nasal spray salmon calcitonin in postmenopausal women with established osteoporosis: the prevent recurrence of osteoporotic fractures study.*The American Journal of Medicine,* **109**: 276-276.

Cheenpracha, S., Park, E.J., Yoshida, W.Y., Barit, C., Wall, M., Pezzuto, J.M. and Chang, L.C. 2010. Potential anti-inflammatory phenolic glycosides from the medicinal plant *Moringa oleifera* fruits. *Bioorg Med Chem.,***18**(17): 6598-6602.

Chen, T.C., Chimeh, F., Lu, Z., Mathieu, J., Person, K.S., Zhang, A., Kohn, N., Martinello, S., Berkowitz, R. and Holick, M.F. 2007. Factors that influence cutaneous synthesis and dietary sources of vitamin D. *Arch Biochem Biophys.,* **460**: 213-217.

Chitravadivu, C., Manian, S. and Kalachelvi, K. 2009. Qualitative analysis of Selected Medicinal Plants, Tamilnadu, India. *Middle East J. Sci. Res*., **4**: 144-146.

Choi, E.M., Suh, K.S., Kim, Y.S., Choue, R.W. and Koo, S.J. 2001. Soybean ethanol extarc increases the function of osteoblastic MC3T3-E1 cells. *Phytochemistry,* **56**: 733-739.

Christensen, J, and Svendsen, O. 1999. Bone mineral in pre- and postmenopausal women with insulin-dependent and non-insulin dependent diabetes mellitus. Osteoporos Int 10:307–311, 1999

Christensen, J., and Svendsen, O. 1999. Bone mineral in pre- and postmenopausal women with insulin-dependent and non-insulin dependent diabetes mellitus. *Osteoporos Int.,* **10**: 307–311.

Ciulei, 1964. Practical Manuals on the Industrial Utilization of Medicinal And Aromatic Plants, Romania, University of Bucharest. *Clinical Endocrinology and Metabolism,* **86**: 5217-5221.

Coe, L.M., Irwin, R., Lippner, D., McCabe, L.R. 2011. The bone marrow microenvironment contributes to type I diabetes induced osteoblast death. *J Cell Physiol.,* **226**: 477-483.

Colditz, G.A., Hankinson, S.E., Hunter, D.J., Willett, W.C., Manson, J.E., Stampfer, M.J., Hennekens, C., Rosner, B. and Speizer, F.E. 1995 The use of estrogens and progestins and the risk of breast cancer in postmenopausal women. *New England Journal of Medicine* **332**: 1589–1593.

Coppin J. (2008). A Study of the Nutritional and Medicinal Values of Moringa oleifera Leaves from sub-Saharan Africa: Ghana, Rwanda, Senegal and Zambia. M.Sc. Thesis, Rutgers University-Graduate School-New Brunswick, New Brunswick.

Cummings, S.R., Duong, T., Kenyon, E., Cauley, J.A., Whitehead, M. and Krueger, K.A. 2002. Serum estradiol level and risk of breast cancer during treatment with raloxifene. *Jama,* **287**: 216-220.

Cummings, S.R., Nevitt, M.C., Browner, W.S., *et al*. 1995. Risk factors for hip fracture in white women. *N Engl J Med.,* **332**: 767–73.

Czerwinski, E., Badurski, J.E., Marcinowska-Suchowierska, E., Osieleniec, J. 2009. Current understanding of osteoporosis according to the position of the World Health Organization (WHO) and International Osteoporosis Foundation. *Ortop Traumatol Rehabil*., **9**(4): 337-56

D'Souza, J. and Kulkarni, A.R. 1993. Comparative studies on nutritive values of tender foliage of seedlings and mature plants of *Moringa oleifera* Lam. *Journal of Economic and Taxonomic Botany* **17**(2): 479-485.

Dahot, M.U. and Memon, A.R. 1985. Nutritive significance of oil extracted from Moringa oleifera seeds. *Journal of Pharmacy of the University of Karachi,* **3**(2): 75-80.

Daisy, P., Jasmine, R., Ignacimuthu, S., Murugan, E. 2009. A novel steroid from *Elephantopus scaber* L. an ethnomedicinal plant with antidiabetic activity. *Phytomedicine,* **16**: 252-257.

Daly J. A. and Gerhard, E. 1972. Direct Method for Determining Inorganic Phosphatein Serum with the "CentrifiChem". *Clinical chemistry,* **18**(3): 263- 265.

Dangi, S.Y., Jolly, C.I. and Narayanan, S. 2002. Antihypertensive activity of the total alkaloids from the leaves of *Moringia oleifera*, *Pharm Biol.,* **40**(2): 144-148.

Daniel, M. 1991. Method. In: Plant Chemistry and Economic Botany. Kalyani publishers New Delhi. 63-64.

Daniell, H.W. 1976. Osteoporosis of the slender smoker: vertebral compression fractures and loss of metacarpal cortex in relation to postmenopausal cigarette smoking and lack of obesity. *Arch Intern Med* .,**136**: 298.

Das. S. and Kanodia. L.2012. Effect of ethanolic extract of leaves of *Moringa olifera* lam. On acetic acid induced colitis in albino rats.*Asian Journal of Pharmaceutical and Clinical Research,* **5(3)**:110-14.

Dawei, G., Quingwang, L., Ying, L., Zhihua, L. and Zhiwei, L. et al. 2007. Antidiabetic potential of oleanolic acid from Ligustrum lucidum. *Ait. Can. J. Physiol. Pharmacol.,* **85**: 1076-1083.

Deborah Grady, MD, MPH; David Herrington, MD, MHS; Vera Bittner, MD; Roger Blumenthal, MD; Michael Davidson, MD; Mark Hlatky, MD; Judith Hsia, MD; Stephen Hulley, MD, MPH; Alan Herd, MD; Steven Khan, MD; L. Kristin Newby, MD; David Waters, MD; Eric Vittinghoff, PhD; Nanette Wenger, MD; 2002. for the HERS Research Group *JAMA,* **288**(1): 49-57.

Deka, D.K. and Lohan, L.C. 1993. Anasgesic and anti-inflammatory effects of Cissus quadrangularis – A prelimnary study. *Indian Vet J.,* **70**: 779-780.

Delaissé, J.M., Eeckhout, Y. and Vaes, G. 1986. Inhibition of bone resorption in culture by (+)-catechin. *Biochem Pharmacol*., **35**(18): 3091–3094.

Delaveau, P., et al. 1980. Oils of Moringa oleifera and Moringa drouhardii. *Plantes Médicinales et Phytothérapie,* **14**(10): 29-33.

Devmurari, V.P., Ghodasara, T.J. and Jivani, N.P. 2010. Antibacterial Activity and Phytochemical Study of Ethanolic Extract of Triumfetta rhomboidea Jacq. *International Journal of PharmTech Research,* **2**(2): 1182-1186.

Dhar, B. and Gupta, O.P. 1982. Nutritional value of Shigru (Moringa oleifera Lam.). *B.M.E.B.R*., **3**(2-4): 280-288.

Dieye, A.M., Sarr, A., Diop, S.N., Ndiaye, M., Sy, G.Y., Diarra, M., Rajraji Gaffary, I., Ndiaye Sy.A., Faye, B. 2008. Medicinal plants and the treatment of diabetes in Senegal: survey with patients. *Fundam. Clin. Pharmacol*., **22**: 211–216.

Dongaonkar, D., Mehta, R. and Kolhapure, S.A. 2005. Evaluation of the Efficacy and Safety of Reosto in Postmenopausal Osteoporosis: A Prospective, Randomized, Placebo-Controlled, Double Blind, Phase III Clinical Trial. *Obst. & Gynae. Today,* **10**(7): 362-367.

Dontas, I., Halabalaki, M., Moutsatsou, P., Mitakou, S., Papoutsi, Z., Khaldi, L., Galanos, A. & Lyritis, G.P. 2006. Protective effect of plant extract from Onobrychis ebenoides on ovariectomy induced bone loss in rats. *Maturitas.,* **53**: 234-242.

Ducy, P., Schinke, T. and Karsenty, G. 2000. The osteoblast: a sophisticated fibroblast under central surveillance. *Science,* **289**:1501–1504.

Eastell, R., Boyle, I.T., Compston, J. *et al*. 1998. Management of male osteoporosis: report of the UK Consensus Group. *QJM*, **91**(2): 71-92.

Eitan, R., Kushnir, M., Lithwick-Yanai, G., David, M.B., Hoshen, M., Glezerman, M., Hod, M., Sabah, G., Rosenwald, S. and Levavi, H. 2009. Tumor microRNA expression patterns associated with resistance to platinum based chemotherapy and survival in ovarian cancer patients. *Gynecol Oncol.,* **114**: 253-259.

Eriksen EF, Charles P, Melsen F, et al. Serum markers of type I collagen formation and degradation in metabolic bone disease: correlation to bone histomorphometry. *J Bone Miner Res*., 1993. **8**:127.

Eriksen, E.F., Charles, P., Melsen, F., et al. 1993. Serum markers of type I collagen formation and degradation in metabolic bone disease: correlation to bone histomorphometry. *J Bone Miner Res,***8**:127.

Eriksen, E.F., Charles, P., Melsen, F., *et al.*1993. Serum markers of type I collagen formation and degradation in metabolic bone disease: correlation to bone histomorphometry. *J Bone Miner Res.,* **8**:127.

Ezeamuzie, I.C.,Ambakederemo,A.W.,Shode, F.O.,Ekwebelm,S.C., 1996.Anti-inflammatory effects of *Moringaoleifera*root extract. *International Journal of Pharmacognosy,* **34**: 207-212.

Fahey, J.W. 2005. *Moringa oleifera*: A review of the Medical evidence for its nutritional, Therapeutic and prophylactic properties. Part 1. *Trees for Life Journal* **1**: 5.

Faizi, S., Siddiqqui, B.S., Saleem, R., Siddiqui, S., Aftab K, Gilani AU. Fully acetylated carbamate and hypotensive thiocarbamate glycosides from *Moringa oleifera. Phytochemistry,* **38**(4):957-963.

Farley, J.R., Chesnut, C.H. 3rd, Baylink, D.J. 1981. Improved method for quantitative determination in serum of alkaline phosphatase of skeletal origin. *Clin Chem.,* **27**: 2002–2007

Farrell, A. P. 1984. A review of cardiac performance in the teleost heart: intrinsic and humoral regulation. *Can. J. Zool*., **62:** S23-S36.

Feik, S.A., Thomas, C.D.L. and Clement, J.G. 1997. Age-related changes in cortical porosity of the midshaft of the human femur. *J. Anat.,* **191**: 407–416.

Fernandez, T., Harmony, T., Fernández-Bouzas, A., Diaz-Comas, L., Prado-Alcala, R.A., Valdes-Sosa, P., Otero, G., Bosch, J., Galan, L., Santiago-Rodriguez, Aubert, E. & Garcia-Martinez, F. 2007. Changes in EEG current sources induced by neurofeedback in learning disabled children. An exploratory study. *Applied Psychophysiology and Biofeedback,* **32**(3-4): 169-183.

Ferrari, S.L., Traianedes, K., Thorne M., Lafage-Proust, M.H., Genever, P., Cecchini. M.G., Behar, V., Bisello, A., Chorev, M., Rosenblatt, M., Suva, L.J. 2000. A role for N-cadherin in the development of the differentiated osteoblastic phenotype. *J Bone Miner Res* **15**:198–208.

Ferreira, P.M.P., Farias, D.F., Oliveira, J.T. and Carvalho, A. 2008., Moringa oleifera: bioactive compunds and nutritional potential. *Revista de Nutrição, Campinas*, **21**(4): 431-437.

Ferron, J., Wei, T., Yoshizawa, A., Del F., Ronald A. and DePinho, P. 2010. Insulin Signaling in Osteoblasts Integrates Bone Remodeling and Energy Metabolism Mathieu Anna Teti, Patricia Ducy, and Gerard Karsenty

Forsen, L., Meyer, H.E., Midthjell, K., Edna, T.H. 1999. Diabetes mellitus and the incidence of hip fracture: results from the Nord-Trondelag Health Survey. *Diabetologia*, **42**:920–925.

Forsen, L., Meyer, H.E., Midthjell, K. and Edna, T.H. 1999. Diabetes mellitus and the incidence of hip fracture: Results from the Nord-Trondelag Health Survey. *Diabetologia,* **42**: 920–925.

Francis, G., Makkar, H.P.S and Becker, K. 2005. Products from little researched plants as aquaculture feed ingredients.

Francis, J.A., Jayaprakasam, B., Olson, L.K., Nair, M. 2004. Insulin secretagogues from Moringa oleifera wit. cyclooxygenase enzyme and lipid peroxidetion inhibiting activities. *Helv Chim Acta*, **87**: 317-26.

Freiberger, C.E., Vanderjagt, D.J., et al. 1998. Nutrient content of the edible leaves of seven wild plants from Niger. *Plant Foods for Human Nutrition,* **53**(1): 57-69.

Fuglie, L.J. 1999. The Miracle Tree: Moringa oleifera: Natural Nutrition for the Tropics. Church World Service, Dakar. 68 pp.; revised in 2001 and published as The Miracle Tree: *The Multiple Attributes of Moringa,* 172 pp.

Fuglie, L.J. 2000. New Uses of Moringa Studied in Nicaragua. ECHO Development Notes 68.

Fujikawa, Y., Quinn, J.M.W., Sabokbar, A., McGee, J.O.D. and Athanasou, N.A. 1996. The human osteoclast precursor circulates in the monocyte fracture. *Endocrinology,* **137**: 4058–4060.

Gaby, A. 1994. Preventing and Reversing Osteoporosis. Prima Publishing.

Gaby, A.R. and Wright, J.V. 1990. Nutrients and Osteoporosis. *J Nutr Med.,* **1**: 63-70.

Galeotti, F. Barile, E., Curir, P.O., Dolci, M. and Lanzotti, V. 2008 Flavonoids from carnation (*Dianthus caryophyllus*) and their antifungal activity. *Phytochemistry Letters* 1 44–48.

Gallagher, J. and Christopher, M.D. 2007. Effect of early menopause on bone mineral density and fractures *Menopause*:

Gallagher, J.C. 2007 Effect of early menopause on bone mineral density and fractures. *Menopause,* **14**: 3.

Gamst, O. and Try, K. 1980. Determination of serum-phosphate without deproteinization by ultraviolet spectrophotometry of the phosphomolybdic acid complex. *Scand J Clin Lab Invest.,* **40**(5): 483-486.

Garnero, P., Borel, O., Byrjalsen, I., Ferreras, M., Drake, F.H., McQueney, M.S., et al., 1998. The collagenolytic activity of cathepsin K is unique among mammalian proteinases. *J. Biol. Chem.,* **273**: 32347-32352

Gassenschmidt, U., Jany, K.D., Tauscher, B. and Niebergall, H. 1995. Isolation and characterization of a flocculating protein from *Moringa oleifera* Lam. *Biochimica Biophysica Acta*, **1243**: 477-481.

Gaur. R.D., Bhatt. K.C. and Tiwari. J.K. 1992. An ethanobotanical study of Uttarpradesh Himalaya in relation to veterinary medicines, *J Indian Bot Soc.,* **72**: 139-144.

Gebauer. G.P., Lin, S.S., Beam, H.A., Vieira, P., Parsons, J.R. 2002. Low-intensity pulsed ultrasound increases the fracture callus strength in diabetic BB Wistar rats but does not affect cellular proliferation. *J Orthop Res*., **20**: 587-592.

George, N., Bowers, Jr. and Robert, B. 1975. McComb: Standardization of Methods for the estimation of enzyme activity in biological fluids. *Clinical Chemistry,* **21**: 1988-1995.

George. B.O.2003. Urinary and anthropometrical indices of bone density in healthy Nigerian adults. *Journal of Applied Sciences & Environmental Management,* **7**(1): 19–23.

Ghasi, S., Nwobodo, E. and Ofili, J.O. 2000 Hypocholesterolemic effects of crude extract of leaf of Moringa oleifera Lam in high fat diet fed wistar rats. *Journal of Ethnopharmacology,* **69**(1): 21-25.

Gilani, A.H.,Aftab, K., Suria, K., 1994.Pharmacological studies on hypotensive and spasmodic activities of pure compounds from *Moringaoleifera*. *Phytotherapy Research*, **8**: 87-91.

Gilsanz, V., Roe, T.F., Mora, S., et al. 1991. Changes in vertebral bone density in black girls and white girls during childhood and puberty. *N Engl J Med* ., **325**:1597.

Gilsanz, V., Roe, T.F., Mora, S., *et al.* 1991. Changes in vertebral bone density in black girls and white girls during childhood and puberty. *N Engl J Med.,* **325**: 1597.

Girija,V., Sharada, D. and Pushpamma, P. 1982. Bioavailability of thiamin, riboflavin and niacin from commonly consumed green leafy vegetables in the rural areas of Andra Pradesh in India, *Int J Vitamin Nutr Res.,* **52**(1): 9-13.

Giudiceandrea, F., Iacona, A., Cervelli, G., Grimaldi, M., Maggiulli, G., Cococcetta, N. and Cervelli, V. 1998. Mechanisms of bone resorption: analysis of proinflammatory cytokines in peritoneal macrophages from titanium implant - an experimental design. *J Craniofac Surg.,* **9**: 254-259.

Glass, A.G., Lacey, J.V., Jr. Carreon, J.D. and Hoover, R.N. 2007. Breast cancer incidence, 1980–2006: combined roles of menopausal hormone therapy, screening mammography, and estrogen receptor status. *J Natl Cancer Inst.*, **99**: 1152–1161.

Gooch, H., Hale, J., Fujioka, H., Balian, G., Hurwitz, S.R. 2000. Alterations of cartilage and collagen expression during fracture healing in experimental diabetes. *Connect Tissue Res.,* **41**: 81–91.

Goodman, W.G. and Hori, M.T. 1984. Diminished bone formation in experimental diabetes. Relationship to osteoid maturation and mineralization. *Diabetes,* **33**:825–831.

Gopalakrishnan , V., J. Arunakaran, M. Aruldhas, and N. Srinivasan. Effects of streptozotocin-induced diabetes mellitus on some bone turnover markers in the vertebrae of ovary-intact and ovariectomized adult rats. *Biochem. Cell Biol*. **84**: 728–736

Gopalakrishnan, V., Vignesh, R.C., Arunakaran, J., Aruldhas, M.M. and Srinivasan, N. 2006. Effects of glucose and its modulation by insulin and estradiol on BMSC differentiation into osteoblastic lineages. *Biochem Cell Biol.*, **84**: 93–101.

Gowrishankar, R., Kumar, M., Menon, V., Divi, S.M., Saravanan, M., Magudapathy, P., Panigrahi, B.K., Nair, K.G. and Venkataramaniah, K. 2010. Trace element studies on Tinospora cordifolia (Menispermaceae), Ocimum sanctum (Limiaceae), Moringa oleifera

(Moringaceae) and Phyllanthus niruri (Euphorbiaceae) using PIXE. *Biol Trace Elem. Res.,* **133**: 357-363.

Grant, G., More, L.J., *et al.* 1995. Nutritional and haemagglutination properties of several tropical seeds. *Journal of Agricultural Science,* **124**(3): 437-445.

Grassi, C. And Corsi , S. 2009. *Moringa oleifera*: a multi-function plant. *Sci-Tec* - Vol. 1, 2009.

Grassi, D., Lippi, C., Necozione, S., Desideri, G., Ferri, C. 2005. Short-term administration of dark chocolate is followed by a significant increase in insulin sensitivity and a decrease in blood pressure in healthy persons. *Am. J. Clin. Nutr*., **81**: 611-614.

Gregorio, F., Cristallini, S., Santeusanio, F., Filipponi, P. and Fumelli, P. 1994. Osteopenia associated with non-insulin-dependent diabetes mellitus: what are the causes? *Diabetes Res Clin Pract.,* **23**:43–54.

Guevara, A.P., Vargas,C., Sakurai,H., Fujiwara, Y.Hashimoto,K.,Maoka,T.,Kozuka, Ito,Tokuda, H., Nishino, H., 1999.An anti-tumour promoter from *Moringaoleifera*lam. *Mutation Research,* **440**: 181-188.

Gupta. A., Gautam. M.K., Singh, R.K., Kumar, M.V., Rao, C.V., Goel, R.K., Anupurba, S. 2010. Immunomodulatory effect of *Moringa oleifera* Lam. extract on cyclophosphamide induced toxicity in mice. *Indian J. Exp. Biol*., **48**: 1157–1160.

Ha. H., Ho. J., Shin. S., Kim. H., Koo. S., Kim. IH., Kim. C. 2003. Effects of Eucommiae Cortex on osteoblast-like cell proliferation and osteoclast inhibition. *Archives Pharmacal Research*, **26**(11): 929-36.

Hadjidakis, D.J., Raptis, A.E,, Sfakianakis, M., Mylonakis ,A., Raptis, S.A. 2006. Bone mineral density of both genders in type 1 diabetes according to bone composition. *J Diabetes Complications ,* **20**:302–307.

Hadjidakis, D.J., Raptis, A.E., Sfakianakis, M., Mylonakis, A. and Raptis, S.A. 2006. Bone mineral density of both genders in type 1 diabetes according to bone composition. *J Diabetes Complications,* **20**: 302–307.

Halleen, .J, Hentunen, T.A., Hellman, J. and Vaananen, H.K. 1996. Tartrate-resistant acid phosphatase from human bone: purification and development of an immunoassay. *J Bone Miner Res.,* **11**(10): 1444-1452.

Halleen, J.M., Raisanen, S.R., Alatalo, S.L., *et al.* 2003. Potential function for the ROS-generating activity of TRACP. *J Bone Miner.,* **18**: 1908-1911.

Han, X., Kawai, T. & Taubman, M. A. 2007. Interference with immune cell mediated bone resorption in periodontal disease. *Periodontology* (in press).

Hayward, M., Fiedler-Nagy, C. 1987. Mechanisms of bone loss: rheumatoid arthritis, periodontal disease and osteoporosis. *Agents and Actions,* **22**: 251–254.

Heckbert, S.R., Weiss, N.S., Koepsell, T.D., Lemaitre, R.N., Smith, N.L., Siscovick, D.S., Lin, D. and Psaty, B.M. 1997. Duration of estrogen replacement therapy in relation to the risk of incident myocardial infarction in postmenopausal women. *Arch Intern Med.,* **157**: 1330–1336.

Heo, S.J., Kim, S.E., Wei, J., Hyun, Y.T., Yun, H.S., Kim, D.H., Shin, J.W. and Shin, J.W. 2009. In vitro and animal study of novel nano-hydroxyapatite/poly (epsilon-caprolactone) composite scaffolds fabricated by layer manufacturing process. *Tissue Engng A.,***15**: 977–989.

Herskind, A.M., Christensen, K., Norgaard-Andersen, K., Andersen, J.F. 1992. Diabetes mellitus and healing of closed fractures. *Diabetes Metab.,* **18**: 63–64.

Hertog, M.G.L., Hollman, P.C.H., Katan, M.B. and Kromhout, D. 1993. Intake of potentially anticarcinogenic flavonoids and their determinants in adults in the Netherlands. *Nutrition and Cancer,* **20**: 21-29.

Hertog, M.G.L., Kromhout, D., Aravanis, C., Blacburn, H., Buzina, R., Fridanza, F., Giampaoli, S., Jansen, A., Menotti, A., Nedeljkovic, S., Pekkarinen, M., Simic, B.S., Toshima, H., Feskens, E.J.M., Hollman, P.C.H., Kattan, M.B. 1995. Flavonoid intake and long-term risk of coronary heart disease and cancer in the seven counties study. *Arch Intern Med*., **155**: 381-386

Hodzic, Z. , Pasalic, H., Memisevic, A. Srabovic, M., Saletovic, M. and Poljakovic, M. 2009. The Influence of Total Phenols Content on Antioxidant Capacity in the Whole Grain Extracts. *European Journal of Scientific Research* ISSN 1450-216X Vol.28 No.3 , pp.471-477.

Hofbauer, L.C. and Heufelder, A.E. 2000. The Role of Receptor Activator of Nuclear Factor-kB Ligand and Osteoprotegerin in the Pathogenesis and Treatment of Metabolic Bone Diseases. The *Journal of Clinical Endocrinology & Metabolism*, **85**(7): 2355-2363.

Hofbauer, L.C., Khosla, S., Dunstan, C.R., Lacey, D.L., Boyle, W.J. and Riggs, B.L. 2000. The roles of osteoprotegerin and osteoprotegerin ligand in the paracrine regulation of bone resorption. *J Bone Miner Res.,* **15**: 2–12.

Hongbing, H.E., Rongkun, L., Tesfahun, D., Cataldo, L., Louis, C., Gerstenfeld, and Dana, T.G. Diabetes Causes Decreased Osteoclastogenesis, Reduced Bone Formation, and Enhanced Apoptosis of Osteoblastic Cells in Bacteria Stimulated Bone Loss *Endocrinology,* **145**(1): 447–452.

Horcajada-Molteni, M., Chanteranne, B., Lebecque, P., Davicco, M.J., Coxam, V., Young, A., Barlet, J.P. 2001. Amylin and bone metabolism in streptozotocininduced diabetic rats. *J Bone Miner Res.,* **16**: 958–965.

Hsu, H., Lacey, D.L., Dunstan, C.R., Solovyev, I., Colombero, A., Timms, E., Tan., H.L., Elliott, G., Kelley, M.J., Sarosi, I., Wang, L., Xia, X.Z., Elliott, R., Chiu, L., Black, T., Scully, S., Capparelli, C., Morony, S., Shimamoto, G., Bass, M.B., Boyle, W.J. 1999. Tumor necrosis factor receptor family member RANK mediates osteoclast differentiation and activation induced by osteoprotegerin ligand. *Proc Natl Acad Sci*., **96**: 3540-5.

Hsu, R. 2006. *Moringa oleifera* medicinal and Economic uses. International course on Economic botany, National Herbarium, Leiden, The Netherlands.

Hubert, W., Vesper, Laurence, M. D., Eastell, R., Garnero, Kleerekoper, M., Robins, S.P., Srivastava, A.K., Warnick, G.R., Watts,N.B., and Myers, G.L. 2002. Assessment and Recommendations on Factors Contributing to Preanalytical Variability of Urinary Pyridinoline and Deoxypyridinoline. *Clinical Chemistry*, **48**: 2220–2235.

Hukkeri, V.I.,Nagathan,C.V.,Karadi, R.V. and Patil, S.V. 2006. Antipyretic and wound healing activities of *moringaoleifera*lam in rats. *Indian Journal of Pharmaceutical Sciences*, **68**:124-126.

Hurwitz, M.C. 1993. Cytokines and estrogen in bone: anti-osteoporotic effects. *Science*, **260**: 623.

Ikeda, T., Manabe, H., Iwata, K. Clinical significance of alendronate in postmenopausal type 2 diabetes mellitus. Diabetes Metab. 2004;30:355-358.

Inzerillo, A., Epstein S 2004. Osteoporosis and diabetes mellitus. Rev Endocr Metab Disord 5:261–268, 2004.

Inzerillo, A.M. and Epstein, S. 2004. Osteoporosis and diabetes mellitus. Rev. *Endocr. Metab. Disord.* **5**: 261–268.

Irie, A., Takami, M., Kubo, H., Sekino-Suzuki, N., Kasahara, K. and Sanai, Y. 2007. Heparin enhances osteoclastic bone resorption by inhibiting osteoprotegerin activity. *Bone,* **41**: 165-174.

Irshad Ahmed, Loknath Kumar, K.P., Vijay Kumar. 2002. Efficacy of OST-6, a polyherbal formulation in the management of osteoporosis in postmenopausal women. *Orthopaedics Today*., **4**: 241-244.

Irving, J. T. 1973. Theories of mineralization of bone. *Clinical Orthopaedics and Related Research*, **97**: 225–236.

Ivers, R.Q., Cumming, R.G., Mitchell, P. and Peduto, A.J. 2001. Diabetes and risk of fracture: the Blue Mountains Eye Study. *Diabetes Care* **24**: 1198–2003.

Ivers, R.Q., Cumming, R.G., Mitchell, P., Peduto, A.J. 2001Diabetes and risk of fracture: the *Blue Mountains Eye Study. Diabetes Care* 24:1198–2003

Jadeja. R.N., Thounaojam, M.C., Patel, D.K., Devkar, R.V., Ramachandran, A,V. 2010. Pomegranate (Punica granatum L.) juice supplementation attenuates isoproterenol-induced cardiac necrosis in rats. *Cardiovascular Toxicology*., **10**: 174-180.

Jaiswal, J. K., Chakrabarti, S., Andrews, N. W., and Simon, S. M. (2004). Synaptotagmin VII restricts fusion pore expansion during lysosomal exocytosis. *PLoS. Biol*. **2**: E233.

Janckila, A.J., Takahashi, K., Sun, S.Z. and Yam, L.T. 2001. Naphthol-ASBI phosphate as a preferred substrate for tartrate-resistant acid phosphatase isoform 5b. *J Bone Miner Res.,* **16**: 788-793.

Jang, H.D., Lin, Y.Y. and Yang, S.S. 2005. Effect of culture media and conditions on polyunsaturated fatty acids production by Mortirella alpine. *Bioresour Technol.,* **96**: 1633-1644.

Jenkins, D.J.A., Kendall, C.W.C., Vidgen, E., Augustin, L.S.A., Erv, M.V.A., Geelen, T., Parker, D., Faulkner, V., Vuksan, R.G., Josse, L.A., Leiter, L. and Connelly, P.W. 2001. High protein diet in hyperlipidemia: Effect of wheat gluten on serum lipids, uric acid and renal function. *Am. J. Clin. Nutr.,* **74**: 57-63.

Jensen, J, Christiansen, C. and Rodbro, P. 1985. Cigarette smoking, serum estrogens, and bone loss during hormone-replacement therapy early after menopause. *N Engl J Med* **313**: 973.

Jensen, J., Christiansen, C., Rodbro, P. 1985. Cigarette smoking, serum estrogens, and bone loss during hormone-replacement therapy early after menopause. *N Engl J Med*., **313**:973.

Johnson, B.C. 2005. Clinical perspectives on the health effects of Moringa oleifera: A promising adjunct for balanced nutrition and better health. *KOS Health Publications August,* 1-5.

Jowsey, J. 1977. Metabolic diseases of bone. Saunders, Philadelphia

Kanis, P. 1992. Epidemiology of Osteoprosis *Bone,***1**: S7 – S15.

Kar. A., Choudhary, B.K., Bandyopadhyay, N.G. 2003. Comparative evaluation of hypoglycemic activity of some Indian medicinal plants in alloxan diabetic rats Journal of *Ethenopharmacol*, **84**(1): 105-108.

Kasolo, J.N., Bimenya, G.S., Ojok, L., Ochieng, J. and OgwaOkeng, J.W. 2010. Phytochemicals And Uses Of Moringa Oleifera Leaves In Ugandan Rural Communities. *J. Med. Plants Res.,* **4**: 753-757.

Kassem. M., Risteli. L., Mosekilde. L., Melsen. F., Eriksen. E.F.1991. Formation of osteoblast-like cells from human mononuclear bone marrow cultures. *APMIS,* **99**(3): 269–74.

Kawaguchi, H., Kurokawa, T., Hanada, K., Hiyama, Y., Tamura, M., Ogata, E., et al. 1994. Stimulation of fracture repair by recombinant human basic fibroblast growth factor in normal and streptozotocin-diabetic rats. *Endocrinology,* **135**: 774–781.

Kawamoto, K., Yoshida, Y., Tamaki, H., Torii, S., Shinotsuka, C., Yamashina, S. and Nakayama, K. 2002. GBF1, a guanine nucleotide exchange factor for ADP-ribosylation factors, is localized to the cis-Golgi and involved in membrane association of the COPI coat. *Traffic.,* **3**: 483–495.

Kawas, C., Resnick, S., Morrison, A., *et al*. 1997. A prospective study of estrogen replacement therapy and the risk of developing Alzheimer's disease: The Baltimore Longitudinal Study of Aging. *Neurology,* **48**: 1517–1521.

Kelly, P.J., Pocock, N.A., Sambrook, P.N. and John A. Eisman, J.A. 1989. Age and Menopause-Related Changes in Indices of Bone Turnover *JCEM,* **69**: 1160-1165.

Kemink, S.A., Hermus, A.R., Swinkels, L.M., Lutterman, J.A. and Smals, A.G. 2000. Osteopenia in insulin- dependent diabetes mellitus; prevalence and aspects of pathophysiology. J *Endocrinol Invest.,* **23**: 295–303.

Kemink, S.A., Hermus, A.R., Swinkels, L.M., Lutterman, J.A., Smals, A.G. 2000. Osteopenia in insulin- dependent diabetes mellitus; prevalence and aspects of pathophysiology. *J Endocrinol Invest.,* **23**: 295–303.

Kerschnitzki, M., Wagermaier, W., Liu, Y., Roschger, P., Duda, G.N. and Fratzl, P. 2010. Poorly Ordered Bone as an Endogenous Scaffold for the Deposition of Highly Oriented Lamellar Tissue in Rapidly Growing Ovine Bone. *Cells Tissues Organs,* **19**.

Khalafalla, M.M., Abdellatef, E,, Dafalla, H.M., Nassrallah, A.A., Aboul-Enein, K.M., Lightfoot, D.A., El-Deeb, F.E. and El-Shemy, H.A. 2010. Active principle from Moringa oleifera Lam Leaves effective against two leukemias and a hepatocarcinoma. *Afr. J. Biotechnol.,* **9**(49): 8467-8471.

Khare, C.P. 2007. Indian Medicinal Plants An Illustrated Dictionary. *ISBN: Springer-Verlag Berlin/Heidelberg.,* 425-426.

Kim, J.H., Bae, Y.C. and Park, B.W. 2002. Bone protective effect of safflower seeds in ovariectomized rats. *Calcified tissue International*, **71**: 88-94.

Kim, J.S., Jobin, C. 2005. The flavonoid luteolin prevents lipopolysaccharide-induced NF-κB signaling and gene expression by blocking IκB kinase activity in intestinal epithelial cells and bone-marrow derived dendritic cells. *Immunology*. **115**: 375–387.

Kim, S.H., Choung, S.Y.2010. Antihyperglycemic and antihyperlipidemic actions of Cinnamomi Cassiae (Cinnamon bark) extract in C57BL/Ks db/db mice. *Arch Pharm Res,* **33**: 325-333

Kima, H.H., Kima, J.H., Kwaka, H.B., Huangb, H., Hana, S.H., Haa, H., Leea, S.W., Wooa, E.R., Leea, Z.H., 2004. Inhibition of osteoclast differentiation and bone resorption by tanshinone IIA isolated from Salvia miltiorrhiza Bunge. *Biochemical Pharmacology,* **67**(9), 1647–1656.

Kirtikar, K.R. and Basu, B.D. 1975. Indian Medicianl plants (M/s Bishen Singh, Mahendra Pal Singh, New Cannaught place, Dehra Dun) 2nd Edn, Reprint, **1**: 676-683.

Kodangala, C., Saha, S. and Kodangala, P. 2010. Phytochemical studies of aerial parts of the plant *Leucas lavandulaefolia . Scholars Research Library Der Pharma Chemica.,* **2**(5): 434-437.

Kraenzlin, M.E., Lau, K.H., Liang, L., Freeman, T.K., Singer, F.R., Stepan, J. and Baylink, D.J. 1990. Development of an immunoassay for human serum osteoclastic tartrate-resistant acid phosphatase. *J Chin Endocrinol Metab.,* **71**: 442-451.

Krakauer, J.C., McKenna, M.J., Rao, D.S. and Whitehouse, F.W. 1997. Bone mineral density in diabetes. *Diabetes Care,* **20**: 1339–1340.

Kulhari, A., Sheorayan, S., Kalia, S., Chaudhury, A. and Kalia, R.K. 2012. Problems, progress and future prospects of improvement of Commiphora wightii (Arn.) Bhandari, an endangered herbal magic, through modern biotechnological tools: A review. *Genet Resour Crop Evol.,* **59**: 1223–1254.

Kumar, N.A., and Pari, L. 2003. Antioxidant action of Moringa oleifera Lam. (drumstick) against antitubercular drugs induced lipid peroxidation in rats. *Journal of Medicinal Food* **6**(3): 255-259.

Kung. M.S., Rao L.G., Muzzafar. S.A., Wylie. J.N., Wong. M.M., McBroom. R. 1995. Age-dependent expression of osteoblastic phenotypic markers in normal human osteoblasts cultured long term in the presence of dexamethasone. *Osteoporosis International,* **5**(5): 335-43.

Kurmi, S., Yadav, P. and Dwivedi, P. 2011. Phytochemical screening of leaves of Moringa olifera Lam. (Munga)-A traditional medicine. *International Journal of drug discovery and herbal research (IJDDHR),* **1**(3): 164-167.

Kushida, K., Takahashi, M., Kawana, K., *et al.* 1995. Comparison of markers for bone formation and resorption in premenopausal and postmenopausal subjects, and osteoporosis patients. *J Clin Endocrinol Metab.,* **80**: 2447–55.

LaCroix, A., Guralnik, J.M., Berkman, L., Wallace, R.B. and Satterfield, S. 1993. Maintaining mobility in later life II Smoking, alcohol consumption, physical activity and body mass index. *American Journal of Epidemiology,* **137**: 858-869.

Lafferty, F.W., MD, Fiske, M.E., MD, 1994. Postmenopausal estrogen replacement: A long-term cohort study. *The American Journal of Medicine,* **97**(1), 66–77.

Lai, K. A, Shen WJ, Yang CY, Shao CJ, Hsu JT, Lin R.M. 2005. The use of alendronate to prevent early collapse of the femoral head in patients with nontraumatic osteonecrosis: A randomized clinical study. *J Bone Joint Surg Am*.; 87:2155–9.

Lalas, S. and Tsaknis, J. 2002. Extraction & identification of natural antioxidant from the seeds of *Moringaoleifera*tree of Malavi. *Journal of the American Oil Chemists' Society* **79**: 677-683.

Laron, Z., B. Klinger, and A. Silbergeld. 1999. Patients with Laron syndrome have osteopenia/osteoporosis. *J. Bone Miner. Res.* **14**:156–157.

Laron, Z., Klinger, B. and Silbergeld. A. 1999. Patients with Laron syndrome have osteopenia/osteoporosis. *J. Bone Miner. Res.,* **14**: 156–157.

Lecanda, F., Towler, D.A., Ziambaras, K., Cheng, S.L., Koval, M., Steinberg, T.H. and Civitelli, R. 1998. Gap junctional communication modulates gene expression in osteoblastic cells. *Mol Biol Cell*, **9**: 2249–2258.

Lee, J.C., Krochak, R., Blouin, A., Kanterakis, S., Chatterjee, C., Arguiri, E., Vachani, A., Solomides, C.C., Cengel, K.A. and Christofidou-Solomidou, M. 2009. Dietary flaxseed prevents radiation-induced oxidative lung damage, inflammation and fibrosis in a mouse model of thoracic radiation injury. *Cancer Biol. Ther.,* **8**: 47-53.

Lee, S.K. and Lorenzo, J.A. 1999. Parathyroid hormone stimulates TRANCE and inhibits osteoprotegerin messenger ribonucleic acid expression in murine bone marrow cultures: correlation with osteoclast-like cell formation. *Endocrinology*, **140**: 3552–3561

Lee, S.S. 2007. Osteoporosis. *Rheum Dis Clin N Am* **33**: 149–176.

Lee, S.U., Shin, Min, H.K., Kim, Y.k., Emodin and S.H. 2008. Accelerates osteoblast differentiation though phosphatidylinostol 3 kinase activation and bone morphogenetic protein 2 gene expression. *Int. J. Immunopharmcol.,* **8**: 741-747.

Leelavinothan, P. and Pidaran, M. 2007. Antihyperlipidemic effect of curcumin and tetrahydrocurcumin in experimental type 2 diabetic rats. *Renal Failure,* **29**(7): 881-889.

Leuck, M. and Kunz, H. 1998. Synthesis of active principles from the leaves of *Moringa oleifera* using S-pwnt-4-enyl thioglucosides, *Carbodydr Res.,* **32**(1-2): 33-34.

Leung, K.S., Qin, L., Fu, L.L.K., *et al.* 2002. Bone to Bone repair is superior to bone to tendon healing in patella-patellar tendon complex—An experimental study in rabbits. *J Clin Biomech*., **17**(8): 594–602.

Levin, M., Boisseau, V., Avioli, L. 1976. Effects of diabetes mellitus on bone mass in juvenile and adult-onset diabetes. *N Engl J Med.,* **294**: 241–245.

Lian, J.B., Stein, G.S., Stein, J.L., Wijnen,A.J. 1999.Regulated expression of the bone specific osteocalcin gene by vitamins and hormones, *Vitam. Horm.,* **55**: 443–509.

Liu, E.Y., Wactawski-Wende, J., Donahue, R.P., Dmochowski, J., Hovey ,K.M., Quattrin, T. 2003. Does low bone mineral density start in post-teenage years in women with type 1 diabetes? *Diabetes Care* **26**:2365–2369.

Liu, Z., Zang, H. and Ou-Yang, Y. 1995. Biological study of growth pattern of new born rat calvaria osteoblastic cells *in vitro*. *Acta Anatomic Sin.,* **26**: 157-159.

Locatto, M.E., Abranzon, H., Caferra, D., Fernandez, M., Alloatti, R. and Puche, R.C. 1993. Growth and development of bone mass in untreated alloxan diabetic rats: Effects of collagen glycosylation and parthyroid activity o bone turnover. *Bone Miner.,* **23**: 129-144.

Lowenstam, H.A. and Weiner, S. 1985. Transformation of amorphous calcium phosphate to crystalline dahllite in the radular teeth of chitons. *Science Wash*., **227**: 51-53.

Lowry, O.H., Rosenbrough, N.J., Farr, A.L. and Randall, R. J. 1951. Protein measurement with the Folin Phenol Reagent. *J. Biol Chem.,* **193**: 265-275.

Lukert, B.P., Raisz, L.G. 1990. Glucocorticoid-induced osteoporosis: pathogenesis and management. *Ann Intern Med*., **112**:352–64.

Lukert, B.P.and Raisz, L.G. 1990. Glucocorticoid-induced osteoporosis: pathogenesis and management. *Ann Intern Med.,***112**: 352–364.

Lu-Ping, Q., Qiao-Yan, Z., Ye-Ping, T., Han-Chen, Z., Mao, H. and Bao-Kang, H. 2003. Total coumarins from fruits of Cnidiummonnieri inhibit formation and differentiation of multinucleated osteoclasts of rats. *Acta Pharmacologica Sinica,* **24**: 181-186.

Lu-Ping, Q., Qiao-Yan, Z., Ye-Ping, T., Han-Chen, Z., Mao, H., Bao-Kang, H. 2003. Total coumarins from fruits of *Cnidium monnieri* inhibit formation and differentiation of multinucleated osteoclasts of rats. *Acta Pharmacol Sin.,* **24**(2): 181 -186.

Luqman, S., Srivastava, S., Kumar, R., Maurya, A.K. and Chanda, D. 2012. Experimental Assessment of Moringa oleifera Leaf and Fruit for Its Antistress, Antioxidant, and Scavenging Potential Using *In Vitro* and *In Vivo* Assays. Evidence-Based Complementary and Alternative Medicine Volume Article ID 519084, 12 pages.

Ma. P., Gu, B., Ma, J., E. L,, Wu. X., Cao, J., Liu, H. 2010. Glimepiride induces proliferation and differentiation of rat osteoblasts via the PI3-kinase/Akt pathway. Metabolism; **59**: 359-366.

Macey. L.R., Kana, S.M., Jingushi, S., Terek, R.M., Borretos, J., Bolander, M.E. 1989. Defects of early fracture-healing in experimental diabetes. *J Bone Joint Surg [Am]*., **71**: 722–733.

Mahmood, A., Ahmad, M., Jabeen, A., Zafar, M. and Nadeem S. 2005. Pharmacognostic Studies of Some Indigenous Medicinal Plants of Pakistan. *Ethnobotanical Leaflets* **9**: 1.

Makkar, H.P.S. and Becker, K. 1996. Nutritional value and antinutritional components of whole and ethanol extracted *Moringa oleifera* leaves. *Animal Feed Science and Technology,* **63**(1-4): 211-228.

Makkar, H.P.S. and Becker, K. 1999. Plant toxins and detoxification methods to improve feed quality of tropical seeds - Review. *Asian-Australian Journal of Animal Science,* **3**: 467-480.

Makonnen, E., Hunde, A. and Damecha, G. 1997. Hypoglycaemic effect of Moringa stenopetala aqueous extracts in rabbits. *Phytotherapy Research,* **11**: 147 – 148.

Manduca. P., Sanguineti. C., Pistone. M., Boccignone. E., Sanguineti. F., Santolini. F. 1993. Differential expression of alkaline phosphatase in clones of human osteoblast-like cells. *Journal of Bone and Mineral Research*, **8**(3): 291-300.

Manguro, L.O. and Lemmen, P. 2007. Phenolics of Moringa oleifera leaves, *Nat. Prod. Res.,* **21**: 56-68.

Manjari, M.,Piyush, M., Agarwal, A.C., 2007.Pharmacognostical and phytochemical investigation of anti-diabetic activity of *Moringaoleifera lam* leaf. *The Indian Pharmacist* **6**:70-72.

Manolagas, S.C., Kousteni, S. and Jilka, R.L. 2002. Sex Steroids and Bone. *Recent Progress in Hormone Research,* **57**: 385-409.

Maran, A., Gorny, G., Oursler, M.J., Zhang, M., Shogren, K.L., Yaszemski, M.J., Turner, R.T. 2006. 2-methoxyestradiol inhibits differentiation and is cytotoxic to osteoclasts. *J Cell Biochem.,* **99**: 425–434.

Marcus, R., Kosek, J., Pfefferbaum, A., et al. 1983. Age-related loss of trabecular bone in premenopausal women. A biopsy study. Calcif Tissue Int 1983 **35**:406.

Marcus, R., Kosek, J., Pfefferbaum, A., *et al*. 1983. Age-related loss of trabecular bone in premenopausal women. A biopsy study. *Calcif Tissue Int.,***35**: 406.

Matsuyama. T., Lau. K., Wergedal. J.E.1990. Monolayer cultures of normal human bone cells contain multiple subpopulations of alkaline phosphatase positive cells.*Calcified Tissue International,* **47**(5): 276-83.

Matthew, T., Matthew, Z., Taji, S.A. and Zachariah, S. 2001 A review of Viricidal Ayurvedic Herbs of India for Poultry Diseases. *Journal of American Holistic Veterinary Medicine Association*, **20**(1): 17 – 20.

McCabe, L.R. 2007. Understanding the pathology and mechanisms of type I diabetic bone loss. *J Cell Biochem*., **102**: 1343-1357.

McCann, J.T., Li, D. & Xia, Y. 2005. Electrospinning of nanofibers with core-sheath, hollow, or porous structures. *Journal of Materials Chemistry*. **15**(7): 735-738.

Meghji, S., Hill, P.A., Harris, M., 1997. Methods in bone biology. Chapter IV. 106 – 126. Chapmann and Hall.

Mehta, B. 2008.Anti-asthmatic activity of *Moringaoleifera lam*: A clinical study. *Indian Journal of pharmacology*, **40**: 28-31.

Mehta, K., Balaraman, R., Amin, A.H., Bafna, P.A., Gulati, O.D. 2003. Effect of fruits of *Moringa oleifera* on the lipid profile of normal and hypercholesterolaemic rabbits. J. *Ethnopharmacol.*, **86**: 191–195.

Mei, J., Yeung, S.S.C. and Kung, A.W.C. 2001. High dietary phytoestrogen intake is associated with higher bone mineral density in postmenopausal but not premenopausal women. *Journal of*

Mekonnen, Y. and Drager, B. 2003. Glucosinolates in Moringa stenopetala. *Planta Med.,* **69**: 380-382.

Melton LJ, Riggs BL. Further characterization of the heterogeneity of the osteoporotic syndromes. In: Kleerekoper M, Krane SM, editors. Clinical disorders of bone and mineral metabolism. New York: Mary Ann Liebert; 1989.

Melton, I.I.I.L.J. and B.L. Riggs, 1989. Further Characterization of the Heterogeneity of the Osteoporotic Syndromes. In: Clinical Disorders of Bone and Mineral Metabolism, Kleeekoper, M. and S.M. Krane (Eds.). *Mary Annual Lieberty*, New York, pp: 145.

Melton, L.J., Wahner, H.W., Richelson, L.S., *et al.* 1986.Osteoporosis and the risk of hip fracture. *Am J Epidemiol.,* **124**:154.

Miller, A. L. 1996 Alternative Medicine Review (Jul); 1 (2): 103–111.

Mitra, S.K., Rangesh, P.R., Venkataranganna, M.V. et al. 2000. Bone mineralization by OST-6 (OsteoCare), a herbomineral preparation, in experimentally induced rickets in rats. *Phytomedicine,* **4**: 265-272.

Mittal, M., Mittal, P., Agarwal, A.C. 2007. Pharmacognostical and phytochemical investigation of antidiabetic activity of Moringa oleifera lam leaf. *Ind. Pharm*. **6**: 70-72.

Miyakoshi, N., Richman, C., Quin, X.Z., Baylink, D.J. and Mohan, S. 1999. Effects of recombinant insulin-like growth factor-binding protein-4 on bone formation parameters in mice. *Endocrinology,* **140**: 5719-5728.

Miyamoto, T., Uhneda, O,. Arai, F., Iwamoto, K., Okada, S., Ta-kagi, K., Anderson, D.M., and Suda, T. 2001. Bifurcation of osteoclasts and dendritic cells from common progenitors. *Blood,* **98**: 2544-2554.

Modak, M., Dixit, P., Londhe, J., Ghaskadbi, S., Paul, A., Devasagayam, T. 2007. Indian herbs and herbal drugs used for the treatment of diabetes. *J Clin Biochem Nutr*. **40**(3): 163-173.

Mohan, M., Kaul, N., Punekar, A., Girnar, R., Junnare, P. and Patil, L. 2005. Nootropic activity of *Moringa oleifera* leaves. *J Nat Remedies,* **5**: 59-62.

Moharram, F.A., Marzouk, M.S., El-Toumy, S.A., Ahmed, A.A., Aboutabl, E.A. 2003. Polyphenols of Melaleuca quinquenervia leaves - pharmacological studies of grandinin. *Phytother. Res*. **17**: 767-773.

Mosekilde, L., Neck-Nielson, H., Sorensen, O.H. Nielsen, S.P., Charles, P., Vestergaard, P., Hermann, A.P., Gram, J., Hansen, T.B., Abrahamsen, B., Ebbesen, E.B., Stilgren, L., Jensen, L.B., Brot, C., Hansen, B., Tofteng, C.L., Eiken, P., and Kolthoff, N. 2000. Hormonal replacement therapy reduces forearm fracture incidence in recent postmenopausal women – results of the Danish osteoporosis prevention study. *Maturitas.* **36**: 181-193.

Mossa, J.S. 1985. A study on the drude antidiabetic drugs used in Arabian folk medicine. *International Journal of Crude Drug Research* **23**(3): 137-145.

Moyad, M. 2002. Complementary medicine for prostatic diseases: a primer for clinicians. *Urology*, **59**: 1-62.

Muhlbauer, R.C., Lozano, A., Palacio, S., Reinli, A. and Felix, R. 2003. Common herbs, essential oils, and monoterpenes potently modulate bone metabolism. *Bone,* **32**(4): 372-80.

Mundy, G. 1989. Local factors in bone remodeling. *Rec Prog Horm Res* **45**: 507– 531.

Munoz-Torres M, Jodar E, Escobar-Jimenez F, et al. Bone mineral density measured by dual X-ray absorptiometry in Spanish patients with insulin-dependent diabetes mellitus. Calcif Tissue Int. 1996;58:316-319.

Murakami,A.,Kitazono,Y.,Jiwajinda,S.,Koshimizu, K.,Oshigashi, H.A., 1998.Thiocarbonate from the leaves of *Moringaoleifera*holds a strict structural requirement for inhibition of tumor-promoter-induced Epstein-Barr virus activation. *Planta Medica,* **64**: 319-323.

Murrills, R.J., Dempster, D.W., Arnett, A.R., 1998. Isolation and culture of osteoclasts and osteoclast resorption assays.Chapter 3.Methods in bone biology, Chapmann and Hall. 64–105.

Nagant, D.C. 1983. The pathogenesis and treatment of involutional osteoporosis. In: Dixon AStJ, Russell RGG, Stamp TCB, editors. Osteoporosis, a multi-disciplinary problem. Royal Society of Medicine International Congress and Symposium Series No. 55. London: Academic Press.

Nakagawa, H., Wachi, M., Woo, J.T., Kato, M., Kasai, S., Takahashi, F., *et al*. 2002. Fenton reaction is primarily involved in a mechanism of (−)-epigallocatechin-3-gallate to induce osteoclastic cell death. *Biochem Biophys Res Commun*., **292**(1): 94–101.

Nakasato, Y.R., Janckila, A.J., Halleen, J.M., Vaananen, H.K., Walton, S.P. and Yam, L.T. 1999. Clinical significance of immunoassays for type-5 tartrate-resistant acid phosphatase. *Clin Chem.,* **45**(12): 2150-7.

Nakav, S., Chaimovitz, C. and Sufaro, Y. 2008. Antiinflamatory preconditioning by agonist of adenosine receptor. Plos One.

Napolean, P., Anitha, J. and Emilin, R.R. 2009. Isolation, analysis and identification of phytochemicals of antimicrobial activity of *Moringa oleifera* Lam. *Current Biotica*. **3**(1): 33 – 37.

National Research Council, 2006. "*Moringa*", *Lost Crops of Africa*, Vol. 2. Vegetables Lost Crop of Africa, 2 National Academics Press.

Nawawi, A., Nakamura, N., Meselhy, M.R., Hattori, M., Kurokawa, M., Shiraki, K., Kashiwaba, N., Ono, M., 2001. In vivo antiviral activity of Stephania cepharantha against herpes simplex virus type-1. *Phytotherapy Research* **15**: 497–500.

Ndong, M., Uehara, M, Katsumatsa, S. and Suzuki, K. 2007. Effects of Oral Administration of Moringa oleifera Lam on Glucose Tolerance in Goto-Kakizaki and Wistar Rats. *J Clin Biochem Nutr.*, **40**(3): 229–233.

Nelson, H.D., Humphrey, L.L., Nygren, P., Teutsch, S.M. and Allan, J.D. 2002. Postmenopausal hormone replacement therapy: scientific review. *JAMA,* **288**: 872-881.

Nicholas, G.C., Moseley, J.M., Sexton, P.M., Martin, T.J., 1987. Chicken osteoclasts do not possess calcitonin receptors. *Journal of Bone and Mineral Research* **2**: 53-59.

Nickon, F., Saud, Z.A., Rehman, M.H. and Haq, M.E. 2003. In-vitro antimicrobial activity of the compound isolated from chloroform extract of *M.oleifera* Lam. *Pak J Biol Sci.,* **22**: 1888-1890.

Nicodemus K, Folsom A: Type 1 and type 2 diabetes and incident hip fractures in postmenopausal women. Diabetes Care 24:1192–1197, 2001.

Nicodemus, K. and Folsom, A. 2001. Type 1 and type 2 diabetes and incident hip fractures in postmenopausal women. *Diabetes Care*, **24**:1192–1197.

Nicolas, V., Prewett, A., Bettica, P., Mohan, S., Finkelman, R.D., Baylink, D.J. and Farley, J.R. 1994. Age-related decreases in insulin-like growth factor-I and transforming growth factor-β in femoral cortical bone from both men and women: implications for bone loss with aging. J. *Clin. Endocrinol. Metab.,* **78**:1011–1016.

North American Menopause Society, 2010.Management of osteoporosis in postmenopausal women: position statement of the North American Menopause Society, *Menopause*, **17(1):** 25-54.

Nozaka, K., Miyakoshi, N., Kasukawa, Y., Maekawa, S., Noguchi, H., Shimada, Y. 2008. Intermittent administration of human parathyroid hormone enhances bone formation and union at the site of cancellous bone osteotomy in normal and ovariectomized rats. *Bone,* **42**(1): 90–97.

Oakenfull, D. and Sidhu, G. S. 1989. Saponins. Pages 97-143 in Cheeke, P. R., ed. Toxicants of plant origin. Vol. II. Glycosides. CRC Press, Inc., Boca Raton, Fla., USA. 277 pp.

Oduro, I., Ellis, W.O. and Owusu, D. 2008. Nutritional potential of two leafy vegetables: *Moringa oleifera* and *Ipomoea batatas* leaves. *Sci. Res. Essays,* **3**(2): 057-060.

Ogata N, and Kawaguchi H. 2008. Involvement of insulin and IGF-1 signaling molecules in bone metabolism. Clin Calcium. 2008 May;18(5):614-22.

Ogata, N. and Kawaguchi, H. 2008. Involvement of insulin and IGF-1 signaling molecules in bone metabolism. *Clin Calcium*. **18**(5): 614-22.

Oliveira, J.T.A., Silveira, *et al.* 1999. Compositional and nutritional attributes of seeds from the multiple purpose tree Moringa oleifera Lamarck. *Journal of the Science of Food and Agriculture,* **79**(6): 815-820.

Olsen, A. 1987. Low technology water purification by bentonite clay and Moringa oleifera seed flocculation as performed in Sudanese villages. Effects on Schistosoma mansoni cercariae. *Water Research* **21**(5): 517-522.

Orwa, C., Mutua, A., Kindt, R. , Jamnadass, R. and Simons ,A. 2009. Agroforestree Database:a tree reference and selection guide version 4.0.

Oursler, M.J., Osdoby, P.C., Anderson, F., Li, L., Webber, D., 1994. Isolation of Avian osteoclasts; improved techniques to preferentially purify viable cells. *Journal of bone and mineral research*, **6**: 375-385.

Owusu-Ansah, M., Achel, D.G., Adaboro, R.M., Asarel, D.K. and Amoatey, H.M. 2011. Total Phenolic Content and Antioxidant Activity in Leaf Samples of Twelve Accessions of Moringa oleifera Lam. *Journal of Chemical and Analytical Science,* **2**(10): 1226-1230.

Paganga, G., Miller, N., Rice-Evans, C.A. 1999. The polyphenolic contents of fruits and vegetables and their antioxidant activities. What does a serving constitute? *Free Radical Res*., **30**: 153-162.

Pal, S.K., Mukherjee, P.K. and Saha, B.P. 1995. Studies on the anti-nuclear activity of Moringa oleifera leaf meal extract on gastric ulcer models in rats. *Phytotherapy Research,* **9**: 463 - 465.

Panda, S. and Kar, A., 2007. Antidiabetic and antioxidative effects of Annona squamosa leaves are possibly mediated throughquercetin-3-Oglucoside. *Biofactors,* **31**: 201-210.

Panigrahi, K., Delmas, P.D., Singer, F., *et al.* 1994.Characteristics of a two-site immunoradiometric assay for human skeletal alkaline phosphatase in serum. Clin Chem, **40**:822–828.

Pap, T., Claus, A., Ohtsu, S., Hummel, K.M., Schwartz, P., Drynda1, S., Pap, G., Machner, A., Stein, B., George, M., Gay, R.E., Neumann,W., Gay, S. and Aicher, W.K. 2003. Osteoclast-independent bone resorption by fibroblast-like cells. *Arthritis Res Ther*., **5**: R163-R173.

Parfitt , A.M. 1982. The coupling of bone formation to bone resorption: a critical analysis of the concept and of its relevance to the pathogenesis of osteoporosis. *Metab Bone Dis Relat Res.,* **4**: 1–6.

Parfitt AM. The coupling of bone formation: a critical analysis of the concept and of its relevance to the pathogenesis of osteoporosis. Metab Bone Dis Relat Res 1982;4:1.

Parfitt, A.M., Simon, L., Villanueva, A.R., *et al.* 1987. Procollagen type I carboxy-terminal extension peptide in serum as a marker of collagen synthesis in bone. Correlation with iliac

bone formation rates and comparison with total alkaline phosphate. *J Bone Miner Res.,***2**: 427.

Pari, L., Karamac, M., Kosinska, A., Rybarczyk, A., Amarowicz, R. 2007. Antioxidant activity of the crude extracts of drumstick tree (Moringa oleifera Lam.) and sweet broom weed (Scoparia dulcis L.) leaves. *Pol. J. Food Nutr. Sci*., **57**: 203-208.

Parikh, P., Suresh, B. and Rangrez, A. 2009. Osteoprotective effect of Litsea glutinosa in ovariectomized wistar rats. *Electronic Journal of Pharmacology & Therapy,* **2**: 81-86.

Parikh,P.H. and Rangrez, A.Y. 2012. Extraction and Phytochemical Evaluation of *Litsea Glutinosa* Bark Methanolic Extract. *Journal of Applied Pharmaceutical Science*, **02** (05):71-78.

Park, J.A., Ha, S.K., Kang, T.H., Oh, M. S. and Lee, M. H. and Lee, S. Y. 2008. Protective effect of apigenin on ovariectomy induced bone loss in rats, *Life Sciences,* **82**: 1217-1223.

Penolazzi1, L., Vecchiatini, R., Bignardi, S., Lambertini, E., Torreggiani, E., Alessandro Canella, A., Franceschetti, T., Calura, G., Vesce, F. and Piva, R. 2009. Influence of obstetric factors on osteogenic potential of umbilical cord-derived mesenchymal stem cells. *Reproductive Biology and Endocrinology,* **7**: 106

Persson, I.,Weiderpass, E., Bergkvist, L., Bergstrom, R., Schairer, C.1999. Risks of breast and endometrial cancer after estrogen and estrogen-progestin replacement. *Cancer Causes Control,* **10**(4): 253-260.

Piepkorn, B., Kann, P., Forst, T. *et al*. 1997. Bone mineral density and bone metabolism in diabetes mellitus. *Hormone and Metabolic Research* **29**: 584–91.

Piepkorn, B., P. Kann, T. Forst, J. Andreas, A. Pfutzner, and J. Beyer. 1997. Bone mineral density and bone metabolism in diabetes mellitus. Horm. Metab. Res. 29:584–591.

Pivonka, P., Buenzli, P.R. and Dunstan, C.R. 2012. A Systems Approach to Understanding Bone Cell Interactions in Health and Disease Biochemistry, Genetics and Molecular Biology » "Cell Interaction", book edited by Sivakumar Gowder, Published: October 10.

Pivonka, P., Zimak, J., Smith, D., Gardiner, B., Dunstan, C., Sims, N., JohnMartin, T. and Mundy, G. 2008. Model structure and control of bone remodeling: A theoretical study, *Bone,* **43**(2): 249–263.

Potu, B.K., Rao, M.S., Nampurath, G.K., Chamallamudi, M.R., Prasad, K., Nayak, S.R., Dharmavarapu, P.K., Kedage, V. and Bhat, K.M. 2009. Evidence-based assessment of antiosteoporotic activity of petroleum-ether extract of *Cissus quadrangularis* Linn. on ovariectomy-induced osteoporosis. *Ups J. Med. Sci.,* **114**(3): 140-148.

Poulsen, R.C., Moughan, P.J. and Kruger, M.C. 2007. Mini-Review: Long chain polyunsaturated fatty acids and the regulation of bone metabolism. *Experimental Biology and Medicine,* **232**: 1275-1288.

Pramanik, A. and Islam, S.S. 1998. Chemical investigation of aqueous extract of the mature and premature flowers of *Moringa oleifera* (Sajina) and structureal studied os fa polysaccharide isaolated from its premature flowers, *Indian J Chem.,* **37B**: 676-682.

Prasad, G.C., Udupa, K.N. 1972. Pathways and site of action of phytogenic steroids from Cissus quadrangularis. *Journal of Research in Indian Medicine*, **7**: 29

Price, *et al.* 1987. K.R. Price, I.T. Johnson, G.R. Fenwick The chemistry and biological significance of saponins in foods and feedingstuffs CRC Crit. Rev. *Food Sci. Nutr.,* **26**:27–135

Prince RL, Smith M, Dick IM, et al. Prevention of postmenopausal osteoporosis. A comparative study of exercise, calcium supplementation, and hormone-replacement therapy. N Engl J Med 1991;325:1189–95.

Prince, R., Smith, M., Dick, I., Price, R., Webb, P., Henderson, N. and Harris, M. 1999. Prevention of postmenopausal osteoporosis: A comparative study of exercise, calcium supplementation, and hormone-replacement therapy. *New Engl J Med.,* **325**: 1189–1195.

Prince, R.L., Smith, M., Dick, I.M., *et al.* 1991. Prevention of postmenopausal osteoporosis. A comparative study of exercise, calcium supplementation, and hormone-replacement therapy. *N Engl J Med*., **325**: 1189–1195.

Putnam, S.E., Scutt, A. M., Bicknell, K., Priestley, C.M. and Williamson, E. M. 2007. Natural products as alternative treatments for metabolic bone disorders and for maintenance of bone health. *Phytotherapy Research*., **21**(2): 99–112.

Qin, L. et al. 2003. Gene expression profiles and transcription factors involved in parathyroid hormone signaling in osteoblasts revealed by microarray and bioinformatics. *J. Biol. Chem.,* **278**: 19723–19731

Ram, J., 1994. *Moringa: A Highly Nutritious Vegetable Tree*. Tropical Rural and Island/Atoll Development, Experimental Station (TRIADES), Technical Bulletin No. 2.

Ramachandran, C., Peter, K.V. and Gopalakrishnan, P.K. 1980. Drumstick (*Moringa oleifera*): A multipurpose Indian Vegetable. *Economic Botany,* **34**(3): 276-283.

Rangrez, A., Suresh, B. and Parikh, P. 2009. A new technique for studying osteoporosis in Rat Bone: Comparison with Histology and Scanning Electron Microscopy. *Journal of Bionano Frontier* **3**(1): 74-76.

Rangrez, A., Suresh, B. and Parikh, P. 2010. New Technique for studying osteoporosis in rat bone: comparison with histology and scanning electron microscopy, *Bionano Frontier,* **3**(1): 74-76.

Rangrez, A., Suresh, B. and Parikh, P.H. 2011. Osteoprotective effect three anti inflammatory plants in ovariectomized wistar rats *Pharmacologyonline,* **1**: 675-684.

Rao, L.G. and Murray, T.M. 2000. Studies of human osteoblasts in vitro: estrogen actions and interactions with other hormones at different stages of differentiation. *Drug Dev Res*, **49**:174– 186.

Rao, L.G. and Murray, T.M. 2000.Studies of human osteoblasts in vitro: Estrogen actions and interactions with other hormones at different stages of differentiation. *Drug Dev. Res.,* **49(3):** 174-186.

Rau, S.W., Dubal, D.B., Bottner, M., Gerhold, L.M. and Wise, P.M. 2003. Estradiol attenuates programmed cell death after stroke-like injury. *Journal of Neuroscience*, **23**: 11420-11426.

Reddy, K. and Kulkarni, K.S. 2002. The Efficacy of OST-6, A Polyherbal Formulation in the Management of Primary Osteoporosis : A Pilot Study, *Orthopaedics Today* (IV), **3**: 195-199

Reddy, N.S. and Bhatt, G. 2001. Contents of minerals in green leafy vegetables cultivated in soil fortified with different chemical fertilizers*. Plant Foods for Human Nutrition,* **56**: 1-6.

Reed, B.Y., J.E. Zerwekh, K. Sakhaee, N.A. Breslau, F. Gottschalk, and C.Y. Pak. 1995. Serum IGF-I is low and correlated with osteoblastic surface in idiopathic osteoporosis. J. Bone Miner. Res. 10:1218–1224.

Reed, B.Y., Zerwekh, J.E., Sakhaee, K., Breslau, N.A., Gottschalk, F. and Pak, C.Y. 1995. Serum IGF-I is low and correlated with osteoblastic surface in idiopathic osteoporosis. *J. Bone Miner. Res.*, **10**: 1218–1224.

Reyes Sanchez, N., Sporndly, E., Ledin, I. 2006. Effects of feeding different levels of foliage from Moringa Oleifera to creole dairy cows on intake, digestibility, milk production and composition. *Livest. Sci.,* **101**(1-3): 24-31.

Rho, J.Y., Kuhn-Spearing, L. and Zioupos, P. 1998. Mechanical properties and the hierarchical structure of bone. *Medical Engineering & Physics,* **20**: 92–102.

Richard, J., David, W. and Timothy, R. 1997. Isolation and culture of osteoclasts and osteoclast resorption assays. In: *Methods in bone biology* (Eds. T.R. Arnett and B. Henderson) London: 64-105.

Rico, H. and Villa, L.F. 1993. Serum tartrate-resistant acid phosphatase (TRAP) as a biochemical marker of bone remodeling. *Calcif Tissue Int.,* **52**:149.

Rico, H., Relea, P., Crespo, R., Rivilla, M., Villa, L.F., Arribas, I. and Usabiaga, J. 1995. Biochemical markers of nutrition in Type-I and Type-II Osteoporosis. *The Journal of Bone and Bone and Joint Surgery*. **77**: 148-151.

Riggs, B.L. and Melton, L.J. 1992. The prevention and treatment of osteoporosis. *N Engl J Med* **327**: 620–627.

Riggs, B.L. and Melton, L.J. 1992. The Prevention and Treatment of Osteoporosis. *New England Journal of Medicine* **327**: 620-627.

Robey. P.M. and Termine. J.D.1985. Human bone cells in vitro, *Calcified Tissue International,* **37**(5): 453-60.

Rodan, S.B., Imai, Y., Thiede, M.A., Wesolowski, G., Thomson, D., Barshvit, Z. *et al.,*1987.Characterization of a human osteosarcoma cell line SaOS 2 with osteoblastic properties. *Cancer Res.,* **47**: 49-66.

Roger Martin Djoumessi Zebaze Æ Ego Seeman, 2003. Epidemiology of hip and wrist fractures in Cameroon, Africa. *Osteoporos Int.,* **14**: 301–305.

Ronderos, M., Jacobs, D.R., Himes, J.H. and Pihlstrom, B.L. 2000. Associations of periodontal disease with femoral bone mineral density and estrogen replacement therapy:cross-sectional evaluation of US adults from NHANES III. *J Clin Periodontol.,* **27**: 778–786.

Rosen, C.J. 1994. Growth hormone, insulin-like growth factors, and the senescent skeleton: Ponce de Leon’s fountain revisited? J. Cell. Biochem. 56:348–356.

Rosen, C.J. 1994. Growth hormone, insulin-like growth factors, and the senescent skeleton: Ponce de Leon's fountain revisited? *J. Cell. Biochem.,* **56**: 348–356.

Rosen, C.J., H.P. Dimai, D. Vereault, L.R. Donahue, W.G. Beamer, J. Farley, S. Linkhart, T. Linkhart, S. Mohan, and D.J. Baylink. 1997. Circulating and skeletal insulin-like growth factor-I (IGF-I) concentrations in two inbred strains of mice with different bone mineral densities. Bone. 21:217–223.

Ross, P.D. 1996. Osteoporosis: frequency, consequences, and risk factors. *Arch Intern Med*. **156**: 1399 –1411.

Rossouw, J.E,, Anderson, G.L., Prentice, R.L., *et al.* 2002. Risks and benefits of estrogen plus progestin in healthy postmenopausal women:principal results from the Women’s Health Initiative randomized controlled trial. *JAMA,* **288**: 321–33.

Roveri, E.A., Chap, G., Grappiolo, I., Puche, R.C.2000. Effects of depot medroxyprogesterone acetate on the calcium metabolism of adult ovariectomized rats. *Medicine,* **60**: 482-486.

Russell-Aulet, M., Wang, J., Thornton, J.C., *et al.* 1993. Bone mineral density and mass in a crosssectional study of White and Asian women. *J Bone Miner Res.,* **8**: 575–582.

Sabolinski, M.L., Alvarez, O., Auletta, M., Mulder, G. and Parenteau, N.L. 1996. Cultured skin as a 'smart material' for healing wounds: experience in venous ulcers. *Biomaterials*, **17**: 311–320.

Sadat-Ali, M. *et al.* 2009. Osteoporosis-related vertebral fractures in postmenopausal women: prevalence in a Saudi Arabian sample. *EMHJ*, **15**: 1420-1425.

Sahu, V.K., Irchhaiya, R., Shashi, A. and Gurjar, H. 2010. Phytochemical investigation and chromatographic evaluation of the ethanolic extract of whole plant extract of Dendrophthoe falcata (l.f.) ettingsh. *Int. Jr. Pharma Sci and Research*., **1**(1): 39-45.

Saleem, R. 1995. Study of Chemical Constituents of Moringa Oleifera Lam. Ph.D. thesis, University of Karachi, Karachi.

Samuel, C.S., Lin, F., Hossain, M.A., Zhao, C., Ferraro, T. Bathgate, R.A., Tregear, G. W. and Wade J.D. 2007. Improved chemical synthesis and demonstration of the relaxin receptor binding affinity ad biological activity of mouse relaxin. *Biochemistry*, **46**: 5374-5381.

Santana RB, Xu L, Chase HB, et al. A role for advanced glycation end products in diminished bone healing in type I diabetes. Diabetes. 2003;52:1502-1510.

Saravanan, B., Maiti, S.K., Singh, G.R., Hoque, M. and Kumar. 2002. Evaluation of herb, Cissus quadrangularis in accelerating healing process of femur fracture in dog, *J Vet Med Series A*.

Scane, A.C., Francis, R.M., Sutcliffe, A.M., *et al*. 1999. Case-control study of the pathogenesis and sequelae of symptomatic vertebral fractures in men. *Osteoporosis Int.,***9**: 91–97.

Schwartz AV, Sellmeyer DE, Ensrud KE, Cauley JA, Tabor HK, Schreiner PJ, Jamal SA, Black DM, Cummings SR: Older women with diabetes have an increased risk of fractures: a prospective study. J Clin Endocrinol Metab 86:32–38, 1997

Schwartz, A.V., Sellmeyer, D.E., Ensrud, K.E., Cauley, J.A., Tabor, H.K., Schreiner, P.J., Jamal, S.A., Black, D.M. and Cummings, S.R. 1997. Older women with diabetes have an increased risk of fractures: a prospective study. *J Clin Endocrinol Metab.,* **86**: 32–38.

Seeman E, Melton LJ, O'FallonWM,et al. Risk factors for spinal osteoporosis in men. Am J Med 1983;75:977.

Seeman, E., Melton, L.J., O'Fallon, W.M., *et al.* 1983. Risk factors for spinal osteoporosis in men. *Am J Med.,***75**: 977.

Selvakumar, D. and Natarajan, P. 2008. Hepatoprotective activity of *Moringaoleifera lam* leaves in carbon tetra chloride induced hepatotoxicity in albino rats. *Pharmacognosy Magazine,* **4**: 97-98.

Sena, L.P., Vanderjagt, D.J., Rivera, C., Tsin, A.T., Muhamadu, I., Mahamadou, O., Millson, M., Pastuszyn, A. and Glew, R.H. 1998. Analysis of nutritional components of eight famine foods of the Republic of Niger. *Plant Foods and Human Nutrition,* **52**: 17-30.

Serdula, M.K., Byers, M.A.H., Simoes, E., Mendlein, J.M. 1996. Coates RJ. The association between fruit and vegetable intake and chronic disease risk factors. *Epidemiology,* 7: 161-165.

Shah, A. and Kolhapure, S.A. 2004. Evaluation of efficacy and safety of Reosto in senile osteoporosis: A randomized, double-blind placebo-controlled clinical trial. *Indian Journal of Clinical Practice,* (3): 25-36.

Shaker, S. M., Mohamed, G.F., Saleh, H.A.A. and Seif, A.A.M. 2005. Histological study on the effect of calcium supplementation in prophylaxis and treatment of osteoporosis in ovariectomized rats. *The Egyptian Journal of Histology,* **28**(2): 191–198.

Sharma, A., Trivedi, N.R., Zimmerman, M.A., Tuveson, D.A., Smith, C.D., Robertson, G.P., 2005. Mutant V599EB-Raf regulates growth and vascular development of malignant melanoma tumors. *Cancer Res.,* **65**: 2412–2421.

Sharma,V.D., Srivastava, R.N. 2003. An experience with Reosto in managing osteoporosis: A short communication. *Orthopaedics Today,* V, (2): 93-95.

Shetty K. 2001. Biosynthesis of rosmarinic acid and applications in medicine. *J Herbs Species and medicinal Plant,* **8**: 161-181.

Shetty, K. 1997. Biotechnology to harness the benefits of dietary phenolics; Focus on Lamiaceae. *Asia Pac J Clin Nut.* **6**:162-171.

Shetty, K., 1999. Phytochemicals: Biotechnology of phenolic phytochemicals for food preservatives and functional food applications. In: Francis FJ, eds. Wiley Encyclopedia of Food Science and Technology, 2nd Edition. New York Wiley Publishers, 1901-1909.

Shetty, K., Labbe, R.L. 1998. Food-borne pathogens, health and role dietary phytochemicals. *Asia Pac J Clin Nutr*., **7**: 270-276.

Shevde. N.K., Bendixen. A.C, Dienger. K.M. and Pike, J.W. 2000. Estrogens suppress RANK ligand-induced osteoclast differentiation via a stromal cell independent mechanism involving c-Jun repression. *Proc Natl Acad Sci*., **97**: 7829-7834.

Shilbayeh, S. 2003. Prevalence of osteoporosis and its reproductive health risk factors among Jordanian women: A cross-sectional study. *Osteoporosis International*, **14**(11): 929-940.

Shirwaikar, A., Khan, S. and Malini, S. 2003. Antiosteoporotic effect of ethanol extract of *Cissus quadrangularis* Linn. on ovariectomized rat. *J. Ethnopharmacol*., **89**(2-3): 245-250.

Shivaswamy, V., Mack, L., Larsen, J. 2011. Diabetes, Bone Density, and Fractures. *J Diabetes Metab*., S1-004.

Shreesh, M.N., Sujata, J.S. and Kumari, D.S.A. 2009. Moringa oleifera leaf extract prevents isoproterenol-induced myocardial damage in rats: Evidence for an antioxidant, antiperoxidative, and cardioprotective intervention, *Journal of Medicinal Food*, **12**(1): 47-55.

Siddhuraja, P. and Becker, K. 2003. Antioxidant properties of various solvent extracts of total phenolic constituents from thouree different agro climatic origins of drumstick tree (*Moringaoleifera*lam) leaves. *Journal of Agricultural and Food Chemistry*, **51**: 2144-2155.

Singh, L.M. and Udupa, K.N. 1962. Studies on "*Cissus Quadrangularis*" in fracture by using phosphorus 32. III. *Indian J. Med. Sci.,* **16**: 926-931.

Soicher, M.A., Wang, X.Z., Roger, R. and Fyhrie, D.P. 2010. Damage Initiation Sites in Osteoporotic and Normal Human Cancellous Bone. *Bone*, **48**: 663-666.

Sommerfeldt, D.W. and Rubin, C.T. 2001. Biology of bone and how it orchestrates the form and function of the skeleton. *Eur Spine J.,* **10**: S86–S95

Spencer H, Rubio N, Rubio E, et al. Chronic alcoholism: frequently overlooked cause of osteoporosis in men. Am J Med 1986;80:393.

Spencer, H., Rubio, N., Rubio, E., *et al.* 1986.Chronic alcoholism: frequently overlooked cause of osteoporosis in men. *Am J Med.,* **80**: 393.

Sreelatha, S. and Padma, P.R. 2009. Antioxidant activity and total phenolic content of Moringa oleifera leaves in two stages of maturity. *Plant Foods Hum. Nutr.* **64**: 303–311.

Sreenivasan, J. 2000. The Drumstick Tree: A Natural Multi-Vitamin. *E Magazine*, **11**: 3.

Stampfer, M.J. and Colditz, G.A. 1990. Estrogen replacement therapy and coronary heart disease: a quantitative assessment of the epidemiologic evidence. *Prev. Med.,* **20:** 47–63.

Stavros, C.M. and Jilka, R.L. 1995.Bone marrow, cytokines, and bone remodeling: emerging insights into the pathophysiology of osteoporosis. *N Engl J Med.,* **332**: 305–311.

Steinberg, K.K., Thacker, S.B., Smith, S.J., Zack, M.M., Flanders, W.D. and Berkelman, R.L. 1991. A meta-analysis of the effect of estrogen replacement therapy on the risk of breast cancer. *JAMA,* **265**: 1985–1990.

Stoeve, S., Denev, S., Dutton, M. and Nkosi, B. 2009.Cytotoxic effect of some mycotoxins and their combinations on human peripheral blood mononuclear cells as measured by MTT assay. *The open toxicology journal,* **2**: 1-8.

Suda, T., Takahashi, N., Udagawa, N., Jimi, E., Gillespie, M. T. and Martin, T. J. 1999. Modulation of osteoclast differention and function by the new members of the tumor necrosis factor receptor and ligand families. *Endocr. Rev,.* **20**: 345-357.

Sutar, N.G., Bonde, C.G., Patil, V.V., Narkhede, S.B.,Patil, A.P. and Kakade, R.T. 2008. Analgesic activity of seeds of *Moringaolifera*lams. *International Journal of Green Pharmacy* **2**:108-110.

Tahiliani, P. and Kar, A. 2000. Role of *Moringa oleifera* leaf extract in the regulation of thyroid hormone status in adult male and female rats. *Pharmacol. Res.*, **41**: 319-323.

Tan, M.J., J.M. Ye, N. Turner, C., Hohnen-Behrens, C.Q., Ke, C.P., Tang, T., Chen, H.C., Weiss, E.R., Gesing, Rowland, A., D.E. James and Y. Ye. 2008. Antidiabetic activities of triterpenoids isolated from bitter melon associated with activation of the AMPK pathway. *Chemistry & Biology*, **15**: 263-273.

Tang, C., Yang, R., Chin, M. et al. 2008. Enhancement of bone morphogenic protein 2 expression and bone formation by Cumarine deteirvative via p38 and ERk dependant pathway in osteoblasts. *European Journal of Phamachology,* **576**: 40-49.

Tanizawa, T., Yamaguchi, A., Uchiyama, Y., Miyaura, C., Ikeda, T., Ejiri, S., Nagai, Y., Yamatoh, H., Sato, M.M. and Nakamura, T. 2000. Reduction in Bone Formation and Elevated Bone Resorption in Ovariectomized Rats With Special Reference to Acute Inflammation. *Bone* **26**(1): 43–53.

Taylor AK, Lueken SA, Libanati C, et al. Biochemical markers of bone turnover for the clinical assessment of bone metabolism. Clin Rheum Dis 1994;20:589.

Taylor, A.K., Lueken, S.A., Libanati, C., *et al.*1994. Biochemical markers of bone turnover for the clinical assessment of bone metabolism. *Clin Rheum Dis.,***20**: 589.

Teitelbaum, S.L. 2000. Bone resorption by osteoclasts. *Science*, **289**: 1504–1508.

Thangakumaran, S., Sudarsan, S., Arun, K.V., Talwar, A., James, J.R. 2009. Osteoblast response (initial adhesion and alkaline phosphatase activity) following exposure to a barrier membrane/ enamel matrix derivative combination. *Indian J Dent Res.,* **20**(1): 7-12.

The North American Menopause Society: Effects of menopause and estrogen replacement therapy or hormone replacement therapy in women with diabetes mellitus (Consensus Opinion).Menopause 7:87–95, 2000.

The North American Menopause Society: Effects of menopause and estrogen replacement therapy or hormone replacement therapy in women with diabetes mellitus (Consensus Opinion).Menopause 7:87–95, 2000.

Thomas, D. M., Hards, D. K., Rogers, S. D., Ng, K.W. and Best, J.D. 1997. . Insulin receptor expression in bone. *Endocrinol. Metab. Clin. North. Am.,* **4**: 5-17.

Thomas, D.M., D.K. Hards, S.D. Rogers, K.W. Ng, and J.D. Best. 1997. Insulin and bone, clinical and scientific view. Endocrinol. Metab. 4:5–17.

Thomas, D.M., N. Udagawa, D.K. Hards, J.M. Quinn, J.M. Moseley, D.M. Findlay, and J.D. Best. 1998. Insulin receptor expression in primary and cultured osteoclast-like cells. Bone. 23:181–186.

Thrailkill KM, Lumpkin CK Jr, Bunn RC, Kemp SF, Fowlkes JL: Is insulin an anabolic agent in bone? Dissecting the diabetic bone for clues. Am J Physiol Endocrinol Metab 289:E735–E745, 2005.

Thrailkill, K.M., Lumpkin, C.K. Jr., Bunn, R.C., Kemp, S.F. and Fowlkes, J.L. 2005. Is insulin an anabolic agent in bone? Dissecting the diabetic bone for clues. *Am J Physiol Endocrinol Metab*., **289**: E735–E745.

Tokuda, H., Takai, S., Hanai, Y., Matsushima-Nishiwaki, R., Hosoi, T., Harada, A., *et al.* 2007. (−)-Epigallocatechin gallate suppresses endothelin-1-induced interleukin-6 synthesis in osteoblasts: inhibition of p44/p42 MAP kinase activation. *FEBS Lett*., **581**(7):1311–6.

Torgerson, D.J. and Bell-Syer, S.E. 2001. Hormone replacement therapy and prevention of non-vertebral fractures: a metaanalysis of randomized trials. *JAMA*, **285**: 2891–2897.

Tremollieres, F.A., Pouilles, J.M. and Ribot, C. 1993. Vertebral postmenopausal bone loss is reduced in overweight women: a longitudinal study in 155 early postmenopausal women. *J Clin Endocrimol Metab.,* **77**(3): 683-686.

Tsaknis, J., Lalas, S., Gergis, V., Douroglou, V. and Spiliotis, V. 1999. Characterization of Moringa oleifera variety Mbololo seed oil of Kenya. *Journal of Agricultural and Food Chemistry,* **47**: 4495-4499.

Tuominen, J., Impivaara, O., Puukka, P., Ronnenmaa, T. 1999. Bone mineral density in patients with type 1 and type 2 diabetes. *Diabetes Care,* **22**:1196–1200.

Turner, R.T., Hart, D.M.and Spelsberg, T.C. 1994. Skeletal effects of estrogen. *Endocrine Reviews,* **16**: 275-300.

Udupa KN, Prasad G (1964a). Biomechanical and Calcium-45 Studies on the Effect of *Cissus Quadrangularis* in Fracture Repair. Indian J. Med. Res., 52: 480-487.

Uebelhart, D., Gineyts, E., Chapuy, M.-C., *et al*. 1990. Urinary excretion of pyridinium crosslinks: a new marker of bone resorption in metabolic bone disease. *Bone Miner.,***8**: 87.

Vaananen, H., Zhao, H., Mulari, M. and Halleen, J. 2000. The cell biology of osteoclast function. *J Cell Sci.,* **113**: 377-381.

Vali. B., Rao. L.G., El-Sohemy. A.2007. Epigallocatechin-3-gallate increases the formation of mineralized bone nodules by human osteoblast-like cells. *Journal of Nutritional Biochemistry*, **18**(5): 341 – 347.

Verdcourt, B. 1985. A synopsis of the Moringaceae. *Kew Bull.,* **40**: 1-23.

Verhaeghe, J., Thomsen, J.S., van Bree, R., van Herck, E., Bouillon, R. and Mosekilde, L. 2000. Effects of exercise and disuse on bone remodeling, bone mass, and biomechanical competence in spontaneously diabetic female rats. *Bone,* **27**: 249–256.

Verma, A.R., Vijayakumar, M., Mathela, C. S. and Rao, C.V. 2009. *In vitro* and *in vivo* antioxidant properties of different fractions of Moringa oleifera leaves. *Food Chem. Toxicol*., **47**: 2196–2201.

Vijayalakshmi, S.K., Fahad Jameel, M.C., Prabhath, K.G., Udupa, A.L. and Rathnakar, U.P. 2010. Antiurolithiatic activity of aqueous extract of moringa oleifera (Lam.) Pod in rats. *Pharmacologyonline* **3**: 716-721.

Vinoth, B., Manivasagaperumal, R. And Balamurugan, S. Phytochemical analysis and antibacterial activity of *Moringa oleifera* lam. *International Journal of Research in Biological Sciences* 2012; 2(3): 98-102

Vogel, V.G., Costantino, J.P., Wickerham, D.L., Cronin, W.M., Cecchini, R.S., Atkins, J.N., *et al.* 2006. Effects of tamoxifen vs raloxifene on the risk of developing invasive breast cancer and other disease outcomes: The NSABP Study of Tamoxifen and Raloxifene (STAR) P-2 Trial. *JAMA,* **295**(23): 2727–2741.

Vogt, M.T., Cauley ,J.A., Kuller, L.H., Nevitt, M.C. 1997. Bone mineral density and blood flow to the lower extremities. *J Bone Miner Res* **12**:283–289.

Vogt, M.T., Cauley, J.A., Kuller, L.H., *et al.* 1997. Bone mineral density and blood fl ow to the lower extremities: the study of osteoporotic fractures. *J Bone Miner Res.*, **12**: 283–289.

Wada, N., Ishii, S., Ikeda, T., Enomoto, K. and Kitajima, M. 1999. Serum tartrate-resistant acid phosphatase as a potential marker of bone metastasis from breast cancer. *Anticancer Res*., **19**: 4515-4521.

Wafaa, I., Rasheed, Fatma, S., Oraby and Jihan, S. 2009. Hussein Therapeutic Efficacy of Garlic Oil with 1,25 Dihydroxy Vit D and Calcium in Osteoporotic Ovariectomized Rats. *Australian Journal of Basic and Applied Sciences*, **3**(2): 977-981.

Walker, D.G. 1972. Enzymatic and electron microscopic analysis of isolated osteoclasts. *Calcif Tissue Res.,* **9**:296–309

Walsh, M.C., Kim, N., Kadono, Y., Rho, J., Lee, S.Y., Lorenzo, J. and Choi, Y. 2006. Osteoimmunology : Interplay between the immune system and bone metabolism. *Annual Review of Immunology*, **24**: 33-63.

Watts, N.B. 1999. Clinical utility of biochemical markers of bone remodeling. *Clin Chem.,* **45**:1359–1368.

Weil, A. 2005.The Best Nutrients for Stronger Bones. *Self Healing,* 4-5.

Weiner, S. and Wagner, H.D. 1998. The material bone: structure-mechanical function relations. Annual Review of Materials Science, 28: 271-298.

Weiss PH, Klein L. The quantitative relationship of urinary peptide hydroxyproline excretion to collagen degradation. J Clin Invest 1969;48:1.

Weitzmann, M.N., Cenci, S., Haug, J., Brown, C., DiPersio, J., Pacifici, R. 2000. B lymphocytes inhibit human osteoclastogenesis by secretion of TGFbeta. *J Cell Biochem.,* **78**:318-24.

WHO 1994. Assessment of fracture risk and its application to screening for postmenopausal osteoporosis. Report of a WHO Study Group. *World Health Organization technical report series,* **843**: 1–129.

Whyte MP, Bergfeld MA, Murphy WA, et al. Postmenopausal osteoporosis: a heterogeneous disorder as assessed by histomorphometric analysis of iliac crest bone from untreated patients. Am J Med 1982;72:193.

Wise, G.E., Yao, S., Zhang, Q. and Ren, Y. 2002. Inhibition of osteoclastogenesis by the secretion of osteoprotegerin in vitro by rat dental follicle cells and its implications for tooth eruption. *Arch Oral Biol.* **47**(3): 247-254.

Wober, J., Wange, I. and Vollmer, G. 2002. Stimulation of alkaline phaophatase activity in Ishikawa cells induced by various phytoestrogens and synthetic estrogens. *The Journal of Steroid Biochemistry and Molecular Biology,* **83**: 227-233.

Woessner. J.F.1976.Determination of hydroxyproline in connective tissues.*The methodology of connective tissues research,* **235**: 45

Wong. M.M., Rao L.G., Ly H., Hamilton. L., Sturtridge. W., McBroom. R. 1990. Long term effects of physiological concentrations of dexamethasone on human bone-derived cells. *Journal of Bone and Mineral Research,* **5**(8): 803-13.

World Health Organization. 1994. Assessment of Fracture Risk and its Application to Screening for Postmenopausal Osteoporosis: Report of a WHO Study Group. Geneva,World Health Org.

World Health Organization: Assessment of Fracture Risk and its Application to Screening for Postmenopausal Osteoporosis: Report of a WHO Study Group. Geneva,World Health Org., 1994 (Tech. Rep. Ser., no. 843).

World Health Organization: Assessment of Fracture Risk and its Application to Screening for Postmenopausal Osteoporosis: Report of a WHO Study Group. Geneva,World Health Org., 1994 (Tech. Rep. Ser., no. 843).

Xiao, X.L., HARA, I. and Matsumiya, T. 2002. Effects of osthole on postmenopausal osteoporosis using overactomized rats; comparison to the effects of Estradiol. *Biol. Pharm. Bull*., **25**(6): 738—742.

Xie, F., Wu, C.F., Lai, W.P., Yang, X.J., Cheung, P.Y., Yao, X.S., Leung, P.C., Wong, M.S. 2005. The osteoprotective effect of Herba epimedii (HEP) extract *in vivo* and in vitro. *Evid. Based Complement. Alternat. Med.,* **2**: 353-361.

Xie, F.,Wu, H., Lai, W., Yang, X., Cheung, P., Yao, X., Leung, P. and Wong, M. 2005.The osteoprotectiveeffect of Herbaepimedii (HEP) extract *in vivo* and *in vitro*. *eCAMAdvance Access*, **21**:1-9.

Xie, M.H., Aggarwal, S., Ho, W.H., Foster, J., Zhang, Z., Stinson, J., Wood, W.I., Goddard, A.D., and Gurney, A.L. 2000. Interleukin (IL)-22, a novel human cytokine that signals through the interferon eceptor-related proteins CRF2-4 and IL-22R. *J. Biol. Chem.,* **275**: 31335–31339.

Yamagishi S, Nakamura K, Inoue H. 2005. Possible participation of advanced glycation end products in the pathogenesis of osteoporosis in diabetic patients. Med Hypotheses.; **65**: 1013-1015.

Yamagishi, S., Nakamura, K. and Matsui, T. 2006. Advanced glycation end products (AGEs) and their receptor (RAGE) system in diabetic retinopathy. *Curr Drug Discov Technol.,* **3**: 83-88.

Yun, J.H., Kim, C.S., Cho, K.S., Chai, J.K., Kim, C.K. and Choi, S.H. 2007. (−)-Epigallocatechin gallate induces apoptosis, via caspase activation, in osteoclasts differentiated from RAW 264.7 cells. *J Periodontal Res*., **42**(3): 212–218.

Zambonin, Z.A., Feti, A., Primerare, M.V., 1982. Isolated osteoclast in primary culture: first observation on structure and survival in media. *Anatomy and Embryology* **165**: 405-413.

Zhang, M., Xuan, S., Bouxsein, M.L., von Stechow, D., Akeno, N., Faugere, M.C., Malluche, H., Zhao, G., Rosen, C.J., Efstratiadis, A. and Clemens, T.L. 2002. Osteoblast-specific knockout of the insulin-like growth factor (IGF) receptor gene reveals an essential role of IGF signaling in bone matrix mineralization. *J Biol Chem.,* **277**: 44005-44012.

Zhang, Y., Lai, W.P., Leung, P.C., Wu, C.F., Yao, X.S. and Wong, M.S. 2006. Effects of Fructus Ligustri Lucidi extract on bone turnover and calcium balance in ovariectomized rats. *Biol. Pharm. Bull.*, **29**: 291-296.

Zhang, Z., Liu, X., Zhang, X., Liu, J., Hao, Y., Yang, X., Wang, Y. 2011. Comparative evaluation of the antioxidant effects of the natural vitamin C analog 2-O-β-D-glucopyranosyl-L-ascorbic acid isolated from Goji berry fruit. *Archives of Pharmacal Research*. **34**(5): 801-810.

Zhang,D.W., Cheng.Y., Wang. N.L., Zhang. J.C., Yang. M.S. and sYao. X.S. 2008. Effects of total flavonoids and flavonol glycosides from Epimedium koreanum Nakai on the proliferation and differentiation of primary osteoblasts. *Phytomedicine* **15**(1-2): 55–61.