Ahmed, M. S., Sharif, A. S. M., & Latifa, G. A. (2008). Age, growth and mortality of hilsa shad, *Tenualosa ilisha* in the River Meghna, Bangladesh. *Asian J. Biol. Sci*, *1*, 69-76.

Ahmed, S., Mostafa, G., Saiful, B. R., Arafat, Y., & Ali, S. (2002). Some aspects of population dynamics of hilsa shad *Tenualosa ilisha* in the River Meghna of Bangladesh. *Fisheries science*, *68*(sup1), 318-321.

Alam, M. A. (2014). Nutrient content and amino acid profile of Hilsa (*Tenualosa ilisha*) flesh and roe as influenced by spatial variation. PhD. Thesis submitted to Bangladesh Agricultural University.

Alam, M. S. (2012, September). Hilsa fisheries management in Bangladesh: A paradigm in natural resources conservation. In *Hilsa: Status of fishery and potential for aquaculture, proceedings of the regional workshop held in Dhaka* (pp. 16-17).

Al-Baz, A. (2001). The biology of Tenualosa ilisha in Kuwait and the status of the fishery. In *Proceedings of the International Terubok Conference, Sarawak, Malaysia. Sarawak Development Institute, Kuching, Sarawak, Malaysia* (pp. 18-24).

Amin, M. N., Begum, A., & Mondal, M. K. (2011). Trace element concentrations present in five species of freshwater fish of Bangladesh. *Bangladesh journal of scientific and industrial research*, *46*(1), 27-32.

Amin, S. M. N., Rahman, M. A., Haldar, G. C., Mazid, M. A., & Milton, D. A. (2008). Catch per unit effort, exploitation level and production of hilsa shad in Bangladesh waters. *Asian Fisheries Science*, *21*(2), 175-187.

Amin, S. N., Arshad, A., Haldar, G. C., Shohaimi, S., & Ara, R. (2005). Estimation of size frequency distribution, sex ratio and length-weight relationship of Hilsa (Tenualosa ilisha) in the Bangladesh water. *Research Journal of Agriculture and Biological Sciences*, *1*(1), 61-66.

Amin, S. N., Rahman, M. A., Haldar, G. C., Mazid, M. A., & Milton, D. (2002). Population dynamics and stock assessment of Hilsa shad, Tenualosa ilisha in Bangladesh. *Asian Fisheries Science*, *15*(2), 123-128.

Avise, J. C. (1995). Mitochondrial DNA polymorphism and a connection between genetics and demography of relevance to conservation. *Conservation Biology*, *9*(3), 686-690.

Avise, J. C., Lansman, R. A., & Shade, R. O. (1979). The use of restriction endonucleases to measure mitochondrial DNA sequence relatedness in natural populations. I. Population structure and evolution in the genus Peromyscus. *Genetics*, *92*(1), 279-295.

Bala, B. K., Arshad, F. M., Alias, E. F., Sidique, S. F., Noh, K. M., Rowshon, M. K., & Islam, M. M. (2014). Sustainable exploitation of hilsa fish (*Tenualosa ilisha*) population in Bangladesh: Modeling and policy implications. *Ecological Modelling*, *283*, 19-30.

Balian, E. V., Segers, H., Martens, K., &Lévéque, C. (2008). The freshwater animal diversity assessment: an overview of the results. In *Freshwater Animal Diversity Assessment* (pp. 627-637). Springe

Bapat, S. V., & Bal, D. V. (1950). The food of some young clupeids. *Proceedings: Plant Sciences*, *32*(1), 39-58.

Bartlett, M. H., Adra, C. N., Park, J., Chapman, V. M., & McBurney, M. W. (1991). DNA methylation of two X chromosome genes in female somatic and embryonal carcinoma cells. *Somatic cell and molecular genetics*, *17*(1), 35-47.

Behera, B. K., Singh, N. S., Paria, P., Sahoo, A. K., Panda, D., Meena, D. K., ... & Sharma, A. P. (2015). Population genetic structure of Indian shad, *Tenualosa ilisha* Inferred from variation in mitochondrial DNA sequences. *Journal of Environmental Biology*, *36*(5).

Berry, F. H. (1964). Review and emendation of: family Clupeidae.

Bhakta, D., Meetei, W. A., Vaisakh, G., Kamble, S., Das, S. K., & Das, B. K. (2018). Finfish Diversity of Narmada Estuary in Gujarat of India. In *Proceedings of the Zoological Society* (pp. 1-6). Springer India.

Bhaumik, U. (2013). Decadal studies on Hilsa and its fishery in India-a review. *J. Interacad*, *17*(2), 377-405.

Bhaumik, U. (2017). Fisheries of Indian Shad (*Tenualosa ilisha*) in the Hooghly–Bhagirathi stretch of the Ganga River system. *Aquatic Ecosystem Health & Management*, *20*(1-2), 130-139.

Bhaumik, U., Mukhopadhyay, M. K., Shrivastava, N. P., & Sharma, A. P. (2012). The largest recorded Hilsa (*Tenualosa ilisha*) in India from Tapti estuary, Gujarat. *Fishing Chimes*, *31*(12), 57-58.

Bhaumik, U., Mukhopadhyay, M. K., Shrivastava, N. P., Mukherji, C. N., Mitra, A., Haldar, T. K., ... & Roshith, C. M. (2013). Distribution pattern of Hilsa in the Tapti estuary of West coast of India. *Environ. and Ecol*, *31*(3), 59-63.

Bhaumik, U., Mukhopadhyay, M. K., Shrivastava, N. P., Sharma, A. P., & Singh, S. N. (2017). A case study of the Narmada River system in India with particular reference to the impact of dams on its ecology and fisheries. *Aquatic Ecosystem Health & Management*, *20*(1-2), 151-159.

Bhaumik, U., Naskar, M., & Sharma, A. P. (2011). Size distribution, length-weight relationship and sex ratio of the Hilsa (Tenualosa ilisha) in the Hooghly estuarine system. *J. Inland Fish. Soc. India*, *43*(2), 1-5.

Bhuiyan, A. L. (1964). *Fishes of dacca* (No. 13). Asiatic Society of Pakistan.

Blaber, S. J. (1997). *Fish and fisheries in tropical estuaries* (Vol. 22). Springer.

Blaxter, J. H. S., & Holliday, F. G. T. (1963). The behaviour and physiology of herring and other clupeids. In *Advances in marine biology* (Vol. 1, pp. 261-394). Academic Press.

Blaxter, M. L. (2004). The promise of a DNA taxonomy. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, *359*(1444), 669-679.

Brahmane, M. P., Das, M. K., Sinha, M. R., Sugunan, V. V., Mukherjee, A., Singh, S. N., ... & Hajra, A. (2006). Use of RAPD fingerprinting for delineating populations of hilsa shad Tenualosa ilisha (Hamilton, 1822). *Genet. Mol. Res*, *5*(4), 643-652.

Cerrato, R. M. (1990). Interpretable statistical tests for growth comparisons using parameters in the von Bertalanffy equation. *Canadian Journal of Fisheries and Aquatic Sciences*, *47*(7), 1416-1426.

Chacko, P. I., & Ganapati, S. V. (1949). On the bionomics of Hilsa ilisha (Ham.) in the Godavari river. *Journal of the Madras University*, *18*, 16-22.

Costanza, R., Fisher, B., Mulder, K., Liu, S., & Christopher, T. (2007). Biodiversity and ecosystem services: A multi-scale empirical study of the relationship between species richness and net primary production. *Ecological economics*, *61*(2), 478-491.

Cushing, D. H. (1975). *Marine ecology and fisheries*. CUP Archive.

Daily, G. (Ed.). (1997). *Nature's services: societal dependence on natural ecosystems*. Island Press.

Das, I., Hazra, S., Das, S., Giri, S., Maity, S., & Ghosh, S. (2019). Present status of the sustainable fishing limits for Hilsa Shad in the northern Bay of Bengal, India. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, *89*(2), 525-532.

Day, F. (1888). The fishes of India; being a natural history of the fishes known to inhabit the seas and fresh waters of India, Burma and Ceylon. Supplement.

DE, D. K. (1986). Studies on the food and feeding habit of *Hilsa Ilisha* Hamilton of the Hooghly estuarine system and some aspects of its biology.

De, D. K., & Datta, N. C. (1990). Studies on certain aspects of the morpho-histology of Indian shad hilsa, *Tenualosa ilisha* (Hamilton) in relation to food and feeding habits. *Indian Journal of Fisheries*, *37*(2), 189-198.

Díaz, S., Fargione, J., Chapin III, F. S., &Tilman, D. (2006). Biodiversity loss threatens human well-being. *PLoS biology*, *4*(8), e277.

Dutta, S., Maity, S., Chanda, A., & Hazra, S. (2012). Population structure, mortality rate and exploitation rate of Hilsa Shad (Tenualosa ilisha) in West Bengal Coast of Northern Bay of Bengal, India. *World Journal of Fish and Marine Sciences*, *4*(1), 54-59.

Ehrlich, P. R. (1991). Biodiversity studies: science and policy. *Science*, *253*(5021), 758-762.

Faruque, M. H., & Ahsan, D. A. (2014). Socio-Economic Status of the Hilsa (*Tenualosa ilisha*) Fishermen of Padma River, Bangladesh. *World Applied Sciences Journal*, *32*(5), 857-864.

Fischer, W., & Bianchi, G. (1984). *FAO species identification sheets for fishery purposes: Western Indian Ocean (Fishing Area 51). v. 1: Introductory material. Bony fishes, families: Acanthuridae to Clupeidae.-v. 2: Bony fishes, families: Congiopodidae to Lophotidae.-v. 3:... families: Lutjanidae to Scaridae.-v. 4:... families: Scatophagidae to Trichiuridae.-v. 5: Bony fishes, families: Triglidae to Zeidae. Chimaeras. Sharks. Lobsters. Shrimps and prawns. Sea turtles. v. 6: Alphabetical index of scientific names and vernacular names*.

Flura, M. Z., Rahman, B. S., Rahman, M. A., Ashraful, M., Alam, M., & Pramanik, M. H. (2015). Length-weight relationship and GSI of hilsa, *Tenualosa ilisha* (hamilton, 1822) fishes in Meghna river, Bangladesh. *International Journal of Natural and Social Sci*, *2*(3), 82-88.

Folmer, O., Black, M., Hoeh, W., Lutz, R., Vrijenhoek, R. (1994). DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I

from diverse metazoan invertebrates. Molecular Marine Biology and Biotechnology 3, 294-299.

Froese, R. (2006). Cube law, condition factor and weight–length relationships: history, meta-analysis and recommendations. *Journal of applied ichthyology*, *22*(4), 241-253.

Froese, R., & Binohlan, C. (2000). Empirical relationships to estimate asymptotic length, length at first maturity and length at maximum yield per recruit in fishes, with a simple method to evaluate length frequency data. *Journal of fish biology*, *56*(4), 758-773.

Froese, R., & Pauly, D. (2011). FishBase. 2011. *World wideweb electronic publication*.

Fulton, T. W. (1904). The rate of growth of fishes. *Twenty-second Annual Report*, 141-241.

Gonçalves, E. J., Almada, V. C., Oliveira, R. F., & Santos, A. J. (1996). Female mimicry as a mating tactic in males of the blenniid fish Salaria pavo. *Journal of the Marine Biological Association of the United Kingdom*, *76*(2), 529-538.

Gopalakrishnan, V. (1969). Observation on the present status of Hilsa fisheries in the Hooghly-Matla estuarine system (West Bengal, India). In *Proceedings of Indian science congress* (Vol. 56, No. 3, pp. 539-540).

Gulland, J. A. (1983). Fish stock assessment: a manual of basic methods.

Hajibabaei, M., Janzen, D. H., Burns, J. M., Hallwachs, W., & Hebert, P. D. (2006). DNA barcodes distinguish species of tropical

Lepidoptera. *Proceedings of the National Academy of Sciences*, *103*(4), 968-971.

Haldar, G. C., & Amin, S. N. (2005). Population dynamics of male and female hilsa, Tenualosa ilisha of Bangladesh.

Haldar, G. C., Ahmed, K. K., Alamgir, M., Akhter, J. N., & Rahman, M. K. (2002). Fish and Fisheries of Kaptai Reservoir, Bangladesh. *Management and ecology of lake and reservoir fisheries*, 144-160.

Halder, D. D. (1970). Observations on the food of young Hilsa ilisha (Ham.) of the Hooghly estuarine system. *Journal of the Bombay Natural Historical Society*, *67*(3), 578-583.

Hanner, R., Floyd, R., Bernard, A., Collette, B. B., & Shivji, M. (2011). DNA barcoding of billfishes. *Mitochondrial dna*, *22*(sup1), 27-36.

Haroon, Y. (1998). Hilsa shad: Fish for the teeming millions, new management alternatives needed for the hilsa young. *Shad Journal*, *3*(7).

Hasan, K. M. M., Ahmed, Z. F., Wahab, M. A., & Mohammed, E. Y. (2016). *Food and feeding ecology of hilsa (Tenualosa ilisha) in Bangladesh's Meghna River basin*. International Institute for Environment and Development.

Hebert, P. D., Ratnasingham, S., & De Waard, J. R. (2003). Barcoding animal life: cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, *270*(suppl_1), S96-S99.

Hebert, P. D., Stoeckle, M. Y., Zemlak, T. S., & Francis, C. M. (2004). Identification of birds through DNA barcodes. *PLoS biology*, *2*(10), e312.

Hiddink, J. G., MacKenzie, B. R., Rijnsdorp, A., Dulvy, N. K., Nielsen, E. E., Bekkevold, D., ... &Ojaveer, H. (2008). Importance of fish biodiversity for the management of fisheries and ecosystems. *Fisheries Research*, *90*(1), 6-8.

Hogg, I. D., & Hebert, P. D. (2004). Biological identification of springtails (Hexapoda: Collembola) from the Canadian Arctic, using mitochondrial DNA barcodes. *canadian Journal of Zoology*, *82*(5), 749-754.

Hooper, D. U., Chapin Iii, F. S., Ewel, J. J., Hector, A., Inchausti, P., Lavorel, S., ... & Wardle, D. A. (2005). Effects of biodiversity on ecosystem functioning: a consensus of current knowledge. *Ecological monographs*, *75*(1), 3-35.

Hora, S. L. (1938). A preliminary note on the spawning grounds and bionomics of the so-called Indian shad, Hilsa ilisha (Ham.), in the River Ganges. *Rec. Indian Mus*, *40*(2), 147-158.

Hora, S. L. (1954). Proverbs and popular sayings concerning the Hilsa fish current in Bengal.—. *Journal of the Asiatic Society of Bengal*, *20*(1).

Hora, S. L., & Nair, K. K. (1940). Further observations on the bionomics and fishery of the Indian Shad, Hilsailisha (Ham.) in Bengal waters. *Rec. Indian Mus*, *42*(1), 35-50.

Hora, S. L., & Nair, K. K. (1940). Further observations on the bionomics and fishery of the Indian shad, Hilsa ilisha (Ham.) in Bengal waters. *Records of the Indian Museum*, *42*(1), 35-50.

Hossain, M. A., Almatar, S. M., Al-Abdul-Elah, K. M. and Yaseen, S. B. 2012. Proximate composition and fatty acid profiles of some popular cultured and wild fishes in Kuwait, J. Appl. Aquacult., 24: 199–209.

Hossain, M. S., Sharifuzzaman, S. M., Chowdhury, S. R., & Sarker, S. (2016). Habitats across the life cycle of hilsa shad (*Tenualosa ilisha*) in aquatic ecosystem of Bangladesh. *Fisheries Management and Ecology*, *23*(6), 450-462.

Hussain, M. G., & Mazid, M. A. (2001). *Genetic improvement and conservation of carp species in Bangladesh*. Mymensingh: Bangladesh Fisheries Research Institute.

Islam, B. N., & Talbot, G. B. (1968). Fluvial migration, spawning, and fecundity of Indus river hilsa, *Hilsa ilisha*. *Transactions of the American Fisheries Society*, *97*(4), 350-355.

Islam, M. M., Mohammed, E. Y., & Ali, L. (2016). Economic incentives for sustainable Hilsa fishing in Bangladesh: An analysis of the legal and institutional framework. *Marine policy*, *68*, 8-22.

Ivanova, N. V., Borisenko, A. V., & Hebert, P. D. (2009). Express barcodes: racing from specimen to identification. *Molecular Ecology Resources*, *9*, 35-41.

Jayaram, K. C. (1999). The freshwater fishes of the Indian region.

Jenkins, J. T. (1938). Spawning of hilsa. *Current Science*, *7*(5), 251-252.

Jhingran, V. G., & Natarajan, A. V. (1966). Final report on the fisheries of the Chilkalake, 1957-65. *Bulletin of the Central Inland Fisheries Research Institute*, (8), 12.

Jones, S., & Menon, P. M. G. (1951, March). Observations on the life-history of the Indian shad, *Hilsa ilisha* (Hamilton). In *Proceedings of the Indian Academy of Sciences-Section B* (Vol. 33, No. 3, pp. 101-124). Springer India.

Jones, S., & Sujansingani, K. H. (1951). Hilsa fishery of Chilka lake. *J. Bombay nat. hist. soc. Bombay*, *50*, 264-280p.

Karna, S. K., Guru, B. C., & Panda, S. (2014). Food and feeding habits of *Tenualosa ilisha* (Hamilton, 1822) from India's largest brackish water lagoon. *Fisheries*, *3*(12).

Kim, K. C., & Byrne, L. B. (2006). Biodiversity loss and the taxonomic bottleneck: emerging biodiversity science. *Ecological Research*, *21*(6), 794-810.

Kimura, M. (1980). A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of molecular evolution*, *16*(2), 111-120.

Koutrakis, E. T., & Tsikliras, A. C. (2003). Length–weight relationships of fishes from three northern Aegean estuarine systems (Greece). *Journal of Applied Ichthyology*, *19*(4), 258-260.

Kulkarni, C. V. (1950). Breeding habits, eggs and early life history of Indian shad, Hilsailisha (Ham.) in the Narbada River. In *Proc. Nat. Inst. Sci. India*(Vol. 16, No. 3, pp. 169-176).

Kulkarni, C. V. (1951). Hilsa fisheries in the Narbada River. *Bombay nat. Hist. Soc*, *49*(4), 615-23.

Lal, K. K., Kumar, D., Srivastava, S. K., Mukherjee, A., Mohindra, V., Prakash, S., & Ponniah, A. G. (2004). Genetic variation in Hilsa shad (*Tenualosa ilisha*) population in River Ganges. *Indian J. Fish*, *51*(1), 33-42.

Le Cren, E. D. (1951). The length-weight relationship and seasonal cycle in gonad weight and condition in the perch (Perca fluviatilis). *The Journal of Animal Ecology*, 201-219.

Lee, J. S., Miya, M., Lee, Y. S., Kim, C. G., Park, E. H., Aoki, Y., & Nishida, M. (2001). The complete DNA sequence of the mitochondrial genome of the self-fertilizing fish Rivulus marmoratus (Cyprinodontiformes, Rivulidae) and the first description of duplication of a control region in fish. Gene, 280(1), 1-7.

Longhurst, A. &Pauly, D. (1987). Ecology of Tropical Oceans. San Diego: Academic Press.

Mazid, M. A., & Islam, S. (1991). Hilsa fishery development and management. *A report published by Fisheries Research Institute, Mymensingh, Bangladesh*.

Mazumder, S. K., & Alam, M. (2009). High levels of genetic variability and differentiation in Hilsa shad, Tenualosa ilisha (Clupeidae, Clupeiformes) populations revealed by PCR-RFLP analysis of the mitochondrial DNA D-loop region. *Genetics and molecular biology*, *32*(1), 190-196.

Miah, M. S. (2015). Climatic and anthropogenic factors changing spawning pattern and production zone of Hilsa fishery in the Bay of Bengal. *Weather and Climate Extremes*, *7*, 109-115.

Miah, M. S., Haldar, G. C., & Rahman, M. A. (1997). Estimation of growth and mortality parameters of Hilsa, Tenualosa ilisha (Ham.) Population in the Meghna river of Bangladesh. *Indian J. Fish*, *44*(2), 133-139.

Milton, D. A. (2010). Status of Hilsa (Tenualosa ilisha) management in the Bay of Bengal: An assessment of population risk and data gaps for more effective regional management.

Milton, D. A., & Chenery, S. R. (2001). Can otolith chemistry detect the population structure of the shad Hilsa *Tenualosa ilisha*? Comparison with the results of genetic and morphological studies. *Marine Ecology Progress Series*,*222*, 239-251.

Mohamad Kasim, H., & Khan, M. Z. (1986). A preliminary account of the gillnet fishery off Veraval during 1979-82. *Indian Journal of Fisheries*, *33*(2), 155-162.

Mohamed, A. R. M., & Qasim, A. M. (2014). Stock assessment and management of Hilsa shad (*Tenualosa ilisha*) in Iraqi marine waters, northwest Arabian Gulf. *Int. J. Fish. Aquat. Stud*, *1*(5), 1-7.

Mohamed, A. R. M., Ahmed, S. M., & Al-Okailee, M. T. (2012). Variations in occurrence, abundance and diet of Hilsa, *Tenualosa ilisha* larvae in the north of Shatt Al-Arab River, Basrah, Iraq. *Basrah J. Agri. Sci*, *25*.

Mohanty, B. P., Ganguly, S., & Mahanty, A. (2012). Micronutrient profile of the Indian shad, Tenualosa ilisha (Hamilton, 1822), Hilsa from the river Ganga, India. *Natl Acad Sci Lett*, *35*, 1-10.

Mohanty, N., & Nayak, L. (2017). Studies on length-weight relationship and condition factor of Hilsa ilisha from Chilika Lake, Odisha. *International J of Fish and Aquatic Studies*, *5*(3), 35-38.

Moses, S. T. (1942). The Fisheries of Gujarat Coast. *Journ. Guj. Res. Soc.*, 4, 61 – 82.

Motwani, M.P., Jhingran, V.G., and Karamchandani, S.J. (1957). On the breeding of the Indian Shad, *Hilsa ilisha* (Hamilton), in fresh water. *Sci. & Cult.*, 23, 47-48.

Mukherjee, D. P., & Bhupander, K. (2012). Assessment of arsenic, cadmium and mercury level in commonly consumed coastal fishes from Bay of Bengal, India. *Food Science and Quality Management*, *2*, 19-30.

Narejo, N. T., Lashari, P. K., & Jafri, S. I. H. (2008). Morphometric and meristic differences between two types of Palla, Tenualosa ilisha (Hamilton) from river Indus, Pakistan. *Pakistan Journal of Zoology*, *40*(1).

Naskar, M., Chandra, G., & Sahu, S. K. (2015). Hilsa fisheries on the west coast of India. *Hilsa Fisheries and Conservation, Society of Fish technologists (India), Cochin*, 45-52.

Nath, A. K., & Banerjee, B. (2012). Comparative evaluation of body composition of Hilsa, Tenualosailisha(Hamilton, 1822) in different size groups

with special reference to fatty acid, in Hooghly estuarine system, West Bengal, India. *Indian Journal of Fisheries*, *59*(2), 141-146.

Nelson, G. J. (1967). Gill arches of teleostean fishes of the family Clupeidae. *Copeia*, 389-399.

Nomura, H. (1962). Length-weight tables of some fish species from southern Brazil. *Contribucoes Avulsas do Instituto Oceanográfico Oceanografía Biológica. 2. 1-4*, *1*, 4.

Panhwar, S. K., & Liu, Q. (2013). Population statistics of the migratory Hilsa shad, *Tenualosa ilisha*, in Sindh, Pakistan. *Journal of Applied Ichthyology*, *29*(5), 1091-1096.

Panhwar, S. K., & Liu, Q. (2013). Population statistics of the migratory hilsa shad, *Tenualosa ilisha*, in S indh, P akistan. *Journal of Applied Ichthyology*, *29*(5), 1091-1096.

Panhwar, S. K., Liu, Q., & Siddiqui, G. (2013). Growth, mortality and stock assessment of kelee shad, *Hilsa kelee* (Fam: Clupeidae) in the coastal waters of Pakistan. *Journal of ichthyology*, *53*(5), 365-371.

Pauly, D. (1996). One hundred million tonnes of fish, and fisheries research. *Fisheries research*, *25*(1), 25-38.

Pauly, D., Christensen, V., Dalsgaard, J., Froese, R., & Torres, F. (1998). Fishing down marine food webs. *Science*, *279*(5352), 860-863.

Petrakis, G., & Stergiou, K. I. (1995). Weight-length relationships for 33 fish species in Greek waters. *Fisheries research*, *21*(3-4), 465-469.

Petrakis, G., & Stergiou, K. I. (1995). Weight-length relationships for 33 fish species in Greek waters. *Fisheries research*, *21*(3-4), 465-469.

Pillay, S. R. (1964). Maturation and Spawning of the Hilsa, *hilsa ilisha* (hamilton), of the Saurashtra Coast. *Proc. Nat. Inst. Sci. India Sec. B*, *30*(1), 8-14.

Pillay, S. R., & Rosa, H. (1963). Synopsis of biological data on Hilsa, Hilsa ilisha (Ham.) 1822. *FAO Fisheries Synopsis*, *25*, 61.

Pillay, T. V. R. (1958). Biology of the Hilsa, *Hilsa ilisha* (Ham.) of the river Hooghly. *Indian J. Fish*, *5*(2), 201-57.

Pillay, T. V. R. (1958). Biology of the Hilsa, Hilsa ilisha (Hamilton) of the river Hooghly. *Indian Journal of Fisheries*, *5*(2), 201-257.

Quddus, M. M. A. (1982). *Two types of Hilsa ilisha and their population biology from Bangladesh waters* (Doctoral dissertation, Ph. D. Thesis. University of Tokyo, Japan).

Rahman, M. J., & Cowx, I. G. (2008). Population dynamics of Hilsa shad (Tenualosa ilisha, Clupeidae) in Bangladesh waters. *Asian Fisheries Science*, *21*, 85-100.

Rahman, M., & Naevdal, G. (2000). Population genetic studies of Hilsa shad, *Tenualosa ilisha* (Hamilton), in Bangladesh waters: evidence for the existence of separate gene pools. *Fisheries Management and Ecology*, *7*(5), 401-411.

Raj, B. S. (1917). On the habits of the Hilsa (*Clupea ilisha*) and its artificial propagation in the Coleroon. J. Asiat. Soc. Beng.,13, 184.

Raja, B. T. A. (1985). A review of the biology and fisheries of Hilsa ilisha in the Upper Bay of Bengal. Bay of Bengal Program. *Marine Fisheries Management*.

Rajyalakshmi, T. (1973). Population characteristics of the Godavary Hilsa over the years 1963-1967. *Indian Journal of Fisheries*, *20*(1), 78-94.

Rao, B. M., Murthy, L. N., Mathew, S., Asha, K. K., Sankar, T. V., & Prasad, M. M. (2012). Changes in the nutritional profile of Godavari Hilsa shad, *Tenualosa ilisha* (Hamilton, 1822) during its anadromous migration from Bay of Bengal to the River Godavari.

Rao, B. M., Murthy, L. N., Mathew, S., Asha, K. K., Sankar, T. V., & Prasad, M. M. (2012). Changes in the nutritional profile of Godavari hilsa shad, *Tenualosa ilisha* (Hamilton, 1822) during its anadromous migration from Bay of Bengal to the River Godavari.

Remigio, E. A., & Hebert, P. D. (2003). Testing the utility of partial COI sequences for phylogenetic estimates of gastropod relationships. *Molecular Phylogenetics and Evolution*, *29*(3), 641-647.

Reuben, S., Dan, S. S., Somaraju, M. V., Philipose, V., & Sathianandan, T. V. (1992). The resources of Hilsa shad, *Hilsa ilisha* (Hamilton), along the northeast coast of India. *Indian Journal of Fisheries*, *39*(3&4), 169-181.

Revenga, C., & Mock, G. (2000). Freshwater biodiversity in crisis. *Pilot Analysis of Global Ecosystems: Freshwater Systems and World resources 1998*, *99*.

Ricker, W. E. (1973). Linear regressions in fishery research. *Journal of the fisheries board of Canada*, *30*(3), 409-434.

Ricker, W. E. (1975). *Computation and interpretation of biological statistics of fish populations* (Vol. 191, pp. 1-382). Ottawa: Department of the Environment, Fisheries and Marine Service.

Roomiani, L., & Jamili, S. (2011). Population dynamics and stock assessment of Hilsa shad, *Tenualosa ilisha* in Iran (Khuzestan Province). *Journal of Fisheries and Aquatic Science*, *6*(2), 151.

Roomiani, L., Sotudeh, A. M., & Hakimi Mofrad, R. (2014). Reproductive biology of Hilsa shad (Tenualosa ilisha) in coastal Waters of the Northwest of Persian Gulf. *Iranian Journal of Fisheries Sciences*, *13*(1), 201-215.

Royce, W. F. (1996). *Introduction to the Practice of Fishery Science, Revised Edition: Revised Edition*. Elsevier.

Saila, S. B., Recksieck, C. W., & Prager, M. H. (1988). Basic fisheries science programs. *A compendium of microcomputer programs and manual of operation*.

Salini, J. P., Milton, D. A., Rahman, M. J., & Hussain, M. G. (2004). Allozyme and morphological variation throughout the geographic range of the tropical shad, Hilsa *Tenualosa ilisha*. *Fisheries Research*, *66*(1), 53-69.

Sarkar, Sudipta, Das, S. K., & Bhakta, Dibakar. (2017). Length weight relationship and relative condition factor of Indian shad, Tenualosa ilisha from Hooghly estuary system, West Bengal. *Journal of Inland Fisheries Society of India*, *49*(1), 22-26.

Savolainen, V., Cowan, R. S., Vogler, A. P., Roderick, G. K., & Lane, R. (2005). Towards writing the encyclopaedia of life: an introduction to DNA barcoding. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *360*(1462), 1805-1811.

Shafi M., Quddus M. M. A. and Islam M. N. (1977) Studies on the weight, sex-ratio and fecundity of *Hilsa ilisha* (Hamilton - Buchanan) of the river Meghna. J. Asiat. Soc. Bangladesh, Sci. 2: 52-58.

Shamim, M. A. H., Ahmed, M. K., & Abdullah, A. T. M. (2011). Proximate composition of different portion of Hilsa, Tenualosa ilisha from two regions of the Bay of Bengal in Bangladesh. *Dhaka University Journal of Biological Sciences*, *20*(2), 109-115.

Shamim, M. A. H., Ahmed, M. K., & Abdullah, A. T. M. (2011). Proximate composition of different portion of hilsa, Tenualosa ilisha from two regions of the Bay of Bengal in Bangladesh. *Dhaka University Journal of Biological Sciences*, *20*(2), 109-115.

Shul'man, G. E. (1974). Life cycles offish. In *Physiology and Biochemistry* (p. 258). John Wiley & Sons New York.

Sikorski, Z. F., Kolakowska, A. and Sun Pan, B. 1990. The nutritive composition of the major groups of marine food organisms. In: Sikorski, Z. E. (Ed.), Seafood: resources, nutritional composition and preservation. CRC Press. Inc. Florida, p. 30–52.

Sinha, M. (1994). Fish genetic resources of the North eastern Region of India. *J Inland Fish Soc India*, *26*(1), 1.

Stockle, M. Y., & Hebert, P. D. (2008). Barcode of Life. *Scientific American*, *299*(4), 82-88.

Swarup, K. (1959). Seasonal variations in the ovary of Hilsa ilisha (Ham.) found at Allahabad. *Proceedings of the National Academy of Science, India*, *29*, 127-131.

Tautz, D., Arctander, P., Minelli, A., Thomas, R. H., & Vogler, A. P. (2002). DNA points the way ahead in taxonomy. *Nature*, *418*(6897), 479.

Walter, W. G. (1961). Standard methods for the examination of water and wastewater.

Ward, J. F. (1994). The complexity of DNA damage: relevance to biological consequences. *International journal of radiation biology*, *66*(5), 427-432.

Ward, R. D., Hanner, R., & Hebert, P. D. (2009). The campaign to DNA barcode all fishes, FISH-BOL. *Journal of fish biology*, *74*(2), 329-356.

Ward, R. D., Zemlak, T. S., Innes, B. H., Last, P. R., & Hebert, P. D. (2005). DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *360*(1462), 1847-1857.

Waterman, J.J. (2000): Composition and Quality of Fish, Edinburgh, Torry Research Station.

Whitehead, P. J. P. (1972). A synopsis of the clupeoid fishes of India. *J. Mar. Biol. Assn. India*, *14*, 160-256.

Whitehead, P. J. P. (1985). King Herring: his place amongst the clupeoids.*Canadian Journal of Fisheries and Aquatic Sciences*, *42*(S1), s3-s20.

Wootton, R. J. (1991). *Fish ecology*. Springer Science & Business Media.

Zetzsche, H., Klenk, H. P., Raubach, M. J., Knebelsberger, T., & Gemeinholzer, B. (2008). Comparison of methods and protocols for routine DNA extraction in the DNA Bank Network. *Gradstein R, Klatt S, Normann F, Weigelt P Willmann R, Wilson R, 354*.