Bibliography

Abraham, J. A., & Klagsbrun, M. (1988). Modulation of wound repair by members of the fibroblast growth factor family. In: *The Molecular and Cellular Biology of Wound Repair*, (pp. 195-248). Springer, US.

Abrahao, A. C., Castilho, R. M., Squarize, C. H., Molinolo, A. A., Santos-Pinto Jr, D. dos, & Gutkind, J. S. (2010). A role for COX2-derived PGE_2 and PGE_2-receptor subtypes in head and neck squamous carcinoma cell proliferation. *Oral Oncology*, **48**(2): 1-6.

Agata, K., Saito, Y., & Nakajima, E. (2007). Unifying principles of regeneration I: Epimorphosis versus morphallaxis. *Development Growth and Differentiation*, **49**(2): 73-78.

Agata, K., Soejima, Y., Kato, K., Kobayashi, C., Umesono, Y., & Watanabe, K. (1998). Structure of the planarian central nervous system (CNS) revealed by neuronal cell markers. *Zoological Science*, **15**(3): 433-440.

Agrawal, N. G., Porras, A. G., Matthews, C. Z., Rose, M. J., Woolf, E. J., Musser, B. J., ... & Schwartz, J. I. (2003). Single and multiple dose pharmacokinetics of etoricoxib, a selective inhibitor of cyclooxygenase-2, in man. *The Journal of Clinical Pharmacology*, **43**(3): 268-276.

Agrawal, N. G., Porras, A. G., Matthews, C. Z., Woolf, E. J., Miller, J. L., Mukhopadhyay, S., ... & Gottesdiener, K. M. (2001). Dose proportionality of oral etoricoxib, a highly selective cyclooxygenase2 inhibitor, in healthy volunteers. *The Journal of Clinical Pharmacology*, **41**(10): 1106-1110.

Ahn, B., Han, B. S., Kim, D. J., & Ohshima, H. (1999). Immunohistochemical localization of inducible nitric oxide synthase and 3-nitrotyrosine in rat liver tumors induced by N-nitrosodiethylamine. *Carcinogenesis*, **20**(7): 1337-1344.

Aktan, F. (2004).iNOS-mediated nitric oxide production and its regulation. *Life Sciences*, **75**(6): 639-653.

Albrightson, C. R., Baenziger, N. L., & Needleman, P. (1984). A mononuclear cell factor is a potent agonist of prostaglandin biosynthesis in cultured human fibroblasts and smooth muscle and endothelial cells. *Advances in prostaglandin, thromboxane, and leukotriene research*, **15:** 213-216.

Alderton, W. K., Cooper, C. E., & Knowles, R. G. (2001). Nitric oxide synthases: structure, function and inhibition. *Biochemical Journal*, **357**(3): 593-615.

Alibardi, L. (2009). *Morphological and Cellular aspects of Tail and Limb Regeneration in Lizards: A Model system with implications for Tissue Regeneration in Mammals* (Vol. 207). Springer Science & Business Media.

Alibardi, L. (2014). Histochemical, biochemical and cell biological aspects of tail regeneration in lizard, an amniote model for studies on tissue regeneration. *Progress in Histochemistry and Cytochemistry*, **48**(4): 143-244.

Amin, A. R., Vyas, P., Atrur, M., Leszczynska-pizlak, J., Patelt, I. R., Weissmann, G., & Abramson, S. B. (1995). The mode of action of aspirin-like drugs: Effect on inducible nitric oxide synthase. *Proceedings of the National Academy of Sciences*, **92:** 7926-7930.

Anderson, R. M., Bosch, J. A., Goll, M. G., Hesselson, D., Dong, P. D. S., Shin, D., ...& Stainier, D. Y. (2009). Loss of Dnmt1 catalytic activity reveals multiple roles for DNA methylation during pancreas development and regeneration. *Developmental biology*, **334**(1): 213-223.

Andersson, O., Adams, B. A., Yoo, D., Ellis, G. C., Gut, P., Anderson, R. M., ...& Stainier, D. Y. (2012). Adenosine signaling promotes regeneration of pancreatic β cells in vivo. *Cell metabolism*, **15**(6): 885-894.

Anusree, P., Saradamba, A., Tailor, N., Desai, I., & Suresh, B. (2011). Caudal fin regeneration is regulated by COX-2 induced PGE_2 in teleost fish, *Poecilia latipinna*. *Journal of Cell and Tissue Research*, **11**(2): 2795–2801.

Appleby, S. B., Ristimäki, A., Neilson, K., Narko, K., & Hla, T. (1994). Structure of the human cyclo-oxygenase-2 gene. *Biochemical Journal*, **302**(3): 723-727.

Appukuttan, J., Surapureddi, S., Reddanna, P., & Menon, V. (1993). Prostaglandin Metabolism during Cell Aggregation in the Regenerating Vertebrate Appendage. *Development Growth and Differentiation*, **35**(6): 665-670.

Ardi, V. C., Van den Steen, P. E., Opdenakker, G., Schweighofer, B., Deryugina, E. I., & Quigley, J. P. (2009). Neutrophil MMP-9 proenzyme, unencumbered by TIMP-1, undergoes efficient activation in vivo and catalytically induces angiogenesis via a basic fibroblast growth factor (FGF-2)/FGFR-2 pathway. *Journal of Biological Chemistry*, **284**(38): 25854–25866.

Arnold, E. N. (1984). Evolutionary aspects of tail shedding in lizards and their relatives. *Journal of Natural History*, **18**(1): 127-169.

Ashcroft, G. S., Yang, X., Glick, A. B., Weinstein, M., Letterio, J. J., Mizel, D. E., ...& Roberts, A. B. (1999). Mice lacking Smad3 show accelerated wound healing and an impaired local inflammatory response. *Nature cell biology*, **1**(5): 260-266.

Badiavas, E. V., & Falanga, V. (2003).Treatment of chronic wounds with bone marrow–derived cells. *Archives of Dermatology*, **139**(4): 510-516.

Bai, S., Thummel, R., Godwin, A. R., Nagase, H., Itoh, Y., Li, L., ...& Sarras, M. P. (2005). Matrix metalloproteinase expression and function during fin regeneration in zebrafish: analysis of MT1-MMP, MMP2 and TIMP2. *Matrix biology*, **24**(4): 247-260.

Bailey, J. M., Muza, B., Hla, T., & Salata, K. (1985). Restoration of prostacyclin synthase in vascular smooth muscle cells after aspirin treatment: regulation by epidermal growth factor. *Journal of lipid research*, **26**(1): 54-61.

Balkwill, F., & Mantovani, A. (2001). Inflammation and cancer: back to Virchow? *The Lancet*, **357**(9255): 539-545.

Balkwill, F., Charles, K. A., & Mantovani, A. (2005). Smoldering and polarized inflammation in the initiation and promotion of malignant disease. *Cancer Cell*, **7**(3): 211-217.

Barrett, A. J., Woessner, J. F., & Rawlings, N. D. (Eds.).(2012). *Handbook of Proteolytic Enzymes*, (Vol. 1). Elsevier.

Barrientos, S., Stojadinovic, O., Golinko, M. S., Brem, H., & Tomic-Canic, M. (2008). Growth factors and cytokines in wound healing. *Wound Repair and Regeneration*, 16(5): 585-601.

Baudouin, J. E., & Tachon, P. (1996). Constitutive nitric oxide synthase is present in normal human keratinocytes. *Journal of Investigative Dermatology*, **106**(3): 428-431.

Beckman, J. S. (1996). Oxidative damage and tyrosine nitration from peroxynitrite. *Chemical Research in Toxicology*, **9**(5): 836-844.

Bellairs, A., & Bryant, S. V. (1985).Autotomy and Regeneration in Reptiles. In: C. Gans, F. Billet, & P. Maderson (Eds.), *Biology of the Reptilia*, (pp. 302–410). Wiley, New York.

Bennett, A., Tacca, M. D., Stamford, I. F., & Zebro, T. (1977).Prostaglandins from tumours of human large bowel. *British Journal of Cancer*, **35**(6): 881.

Bergers, G., Brekken, R., McMahon, G., Vu, T. H., Itoh, T., Tamaki, K., ...& Hanahan, D. (2000). Matrix metalloproteinase-9 triggers the angiogenic switch during carcinogenesis. *Nature cell biology*, *2*(10), 737-744.

Bernardo, J., & Agosta, S. J. (2005).Evolutionary implications of hierarchical impacts of nonlethal injury on reproduction, including maternal effects. *Biological Journal of the Linnean Society*, **86**(3): 309-331.

Bertaux, B., Hornebeck, W., Eisen, A. Z., & Dubertret, L. (1991). Growth stimulation of human keratinocytes by tissue inhibitor of metalloproteinases. *Journal of Investigative Dermatology*, **97**(4): 679-685.

Bielefeld, K. A., Amini-Nik, S., & Alman, B. A. (2013). Cutaneous wound healing: recruiting developmental pathways for regeneration. *Cellular and Molecular Life Sciences*, **70**(12): 2059–2081.

Bielefeld, K. A., Amini-Nik, S., Whetstone, H., Poon, R., Youn, A., Wang, J., & Alman, B. A. (2011). Fibronectin and β-catenin act in a regulatory loop in dermal fibroblasts to modulate cutaneous healing. *Journal of Biological Chemistry*, **286**(31): 27687-27697.

Biernacka, A., Dobaczewski, M., & Frangogiannis, N. G. (2011).TGF-β signaling in fibrosis. *Growth factors*, **29**(5): 196-202.

Billingham, R. E., & Russell, P. S. (1956). Incomplete wound contracture and the phenomenon of hair neogenesis in rabbits' skin. *Nature*, **177**(4513): 791-792.

Birch, R. E., & Polmar, S. H. (1982). Pharmacological modification of immunoregulatory T lymphocytes. I. Effect of adenosine, H1 and H2 histamine agonists upon T lymphocyte regulation of B lymphocyte differentiation in vitro. *Clinical and experimental immunology*, **48**(1): 218.

Böckelmann, P. K., & Bechara, I. J. (2009). The regeneration of the tail fin actinotrichia of carp (Cyprinus carpio, Linnaeus, 1758) under the action of naproxen. *Brazialian journal of biology*, **69**(4): 1165–1172.

Bogdan, C. (2001). Nitric oxide and the immune response. *Nature immunology*, **2**(10): 907-916.

Bombardieri, S., Cattani, P., Ciabattoni, G., Munno, O., Pasero, G., Patrono, C., ...& Pugliese, F. (1981). The synovial prostaglandin system in chronic inflammatory arthritis: differential effects of steroidal and nonsteroidal anti-inflammatory drugs. *British Journal of Pharmacology*, **73**(4): 893-901.

Bos, C. L., Richel, D. J., Ritsema, T., Peppelenbosch, M. P., & Versteeg, H. H. (2004).Prostanoids and prostanoid receptors in signal transduction. *The International Journal of Biochemistry & Cell Biology*, **36:** 1187-1205.

Bottcher, R. T., & Niehrs, C. (2005).Fibroblast growth factor signaling during early vertebrate development. *Endocrine Reviews*, **26**(1): 63-77.

Brautigam, L., Nefflen, J. U., & Geisslinger, G. (2003).Determination of etoricoxib in human plasma by liquid chromatography – tandem mass spectrometry with electrospray ionisation. *Journal of Chromatography B*, **788**: 309–315.

Brazaitis, P. (1981). Maxillary regeneration in a Marsh Crocodile, *Crocodylus palustris*. *Journal of Herpetology*, **15:** 360-362.

Breedis, C. (1954). Regeneration of hair follicles and sebaceous glands from the epithelium of scars in the rabbit. *Cancer Research*, **14**(8): 575-579.

Brenneis, C., Coste, O., Altenrath, K., Angioni, C., Schmidt, H., Schuh, C. D., ...& Rubin, B. (2011). Anti-inflammatory role of microsomal prostaglandin E synthase-1 in a model of neuroinflammation. *Journal of Biological Chemistry*, 286(3): 2331-2342.

Brignull, H. R., Raible, D. W., & Stone, J. S. (2009). Feathers and fins: non-mammalian models for hair cell regeneration. *Brain Research*, **1277:** 12-23.

Brockes, J. P. (1997). Amphibian limb regeneration: rebuilding a complex structure. *Science*, **276**(5309): 81-87.

Brodie, M. J., Hensby, C. N., Parke, A., & Gordon, D. (1980). Is prostacyclin the major pro-inflammatory prostanoid in joint fluid? *Life Sciences*, **27**(7): 603-608.

Broughton, G. II, Janis, J. E. & Attinger, C. E. 2006. The basic science of wound healing. *Plastic and Reconstructive Surgery*,. **117:** 12S-34S.

Bruch-Gerharz, D., Fehsel, K., Suschek, C., Michel, G., Ruzicka, T., & Kolb-Bachofen, V. (1996). A proinflammatory activity of interleukin 8 in human skin: expression of the inducible nitric oxide synthase in psoriatic lesions and cultured keratinocytes. *Journal of Experimental Medicine*, **184**(5): 2007-2012.

Bryant, S. (1970). Regeneration in amphibians and reptiles. *Endeavor*, **29:** 12-17.

Bryant, S. V., Endo, T., & Gardiner, D. M. (2002).Vertebrate limb regeneration and the origin of limb stem cells. *International Journal of Developmental Biology*, **46**(7): 887-896.

Buch, P. R., Sarkate, P., Uggini, G. K., Desai, I., & Balakrishnan, S. (2017). Inhibition of Cyclooxygenase-2 Alters Wnt/β-Catenin Signaling in the Regenerating Tail of Lizard Hemidactylus flaviviridis. *Tissue Engineering and Regenerative Medicine*, **14**(2): 171-178.

Bulut, G., Fallen, S., Beauchamp, E. M., Drebing, L. E., Sun, J., Berry, D. L., ...& Üren, A. (2011). Beta-catenin accelerates human papilloma virus type-16 mediated cervical carcinogenesis in transgenic mice. *PLoS One*, **6**(11): e27243.

Burke, J. E., & Dennis, E. a. (2009). Phospholipase A_2 structure/function, mechanism, and signaling. *Journal of Lipid Research*, **50***:*237-242.

Buttery, L. D. K., Springall, D. R., Andrade, S. P., Riveros-Moreno, V., Hart, I., Piper, P. J., & Polak, J. M. (1993). Induction of nitric oxide synthase in the neo-vasculature of experimental tumours in mice. *The Journal of Pathology*, **171**(4): 311-319.

Campbell, L. J., & Crews, C. M. (2008). Wound epidermis formation and function in urodele amphibian limb regeneration. *Cellular and Molecular Life Sciences*, **65:** 73-79.

Caniggia, I., Mostachfi, H., Winter, J., Gassmann, M., Lye, S. J., Kuliszewski, M., & Post, M. (2000). Hypoxia-inducible factor-1 mediates the biological effects of oxygen on human trophoblast differentiation through TGFβ 3. *The Journal of clinical investigation*, **105**(5): 577-587.

Cannata, S. M., Bagni, C., Bernardini, S., Christen, B., & Filoni, S. (2001). Nerve-Independence of Limb Regeneration in Larval *Xenopus laevis* is Correlated to the Level of fgf-2 mRNA Expression in Limb Tissues. *Developmental Biology*, **446:** 436-446.

Cao, C., Matsumura, K., Yamagata, K., & Watanabe, Y. (1998). Cyclooxygenase-2 is induced in brain blood vessels during fever evoked by peripheral or central administration of tumor necrosis factor. *Molecular Brain Research*, **56**(1): 45-56.

Carlson, M. R., Bryant, S. V., & Gardiner, D. M. (1998). Expression of Msx-2 during development, regeneration, and wound healing in axolotl limbs. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, **282**(6): 715-723.

Caubit, X., Nicolas, S., & Le Parco, Y. (1997a). Possible Roles for Wnt Genes in Growth and Axial Patterning during Regeneration of the Tail in Urodele Amphibians. *Developmental Dynamics*, **210:** 1-10.

Caubit, X., Nicolas, S., Shi, D.L., & Le Parco, Y. (1997b). Reactivation and Graded Axial Expression Pattern of Wnt-10a Gene during Early Regeneration Stages of Adult Tail in Amphibian Urodele *Pleurodeles waltl*. *Developmental Dynamics*, **208:** 139-148.

Cawthorn, W. P., Bree, A. J., Yao, Y., Du, B., Hemati, N., Martinez-Santibañez, G., & Macdougald, O. A. (2012). Wnt6, Wnt10a and Wnt10b inhibit adipogenesis and stimulate osteoblastogenesis through a β-catenin-dependent mechanism. *Bone*, **50**(2): 477-489.

Cebria, F., Nakazawa, M., Mineta, K., Ikeo, K., Gojobori, T., & Agata, K. (2002). Dissecting planarian central nervous system regeneration by the expression of neural-specific genes. *Development Growth and Differentiation*, **44**(2): 135-146.

Chalkley, D. T. (1954). A quantitative histological analysis of forelimb regeneration in *Triturus viridescens*. *Journal of Morphology*, **94**(1): 21-70.

Chapple, D. G., & Swain, R. (2002). Distribution of energy reserves in a viviparous skink: Does tail autotomy involve the loss of lipid stores? *Australian Ecology*, **27**(5): 565-572.

Chapple, D. G., McCoull, C. J., & Swain, R. (2002). Changes in reproductive investment following caudal autotomy in viviparous skinks (*Niveoscincus metallicus*): lipid depletion or energetic diversion? *Journal of Herpetology*, **36**(3): 480-486.

Chen, S., Jin, B., & Li, Y. (2007).TNF-α regulates myogenesis and muscle regeneration by activating p38 MAPK. *American Journal of Cell Physiology*, **77030:** 1660-1671.

Chen, Y. K., & Lin, L. M. (2000). Immunohistochemical expression of inducible nitric oxide synthase in DMBA-induced hamster buccal pouch carcinogenesis. *Oral oncology*, **36** (2): 221-224.

Cheon, S. S., Cheah, A. Y., Turley, S., Nadesan, P., Poon, R., Clevers, H., & Alman, B. A. (2002). β-Catenin stabilization dysregulates mesenchymal cell proliferation, motility, and invasiveness and causes aggressive fibromatosis and hyperplastic cutaneous wounds. *Proceedings of the National Academy of Sciences*, **99**(10): 6973-6978.

Cheon, S., Poon, R., Yu, C., Khoury, M., Shenker, R., Fish, J., & Alman, B. A. (2005). Prolonged β-catenin stabilization and tcf-dependent transcriptional activation in hyperplastic cutaneous wounds. *Laboratory Investigation*, **85**(3): 416-425.

Chhatwal, V. J. S., Moochhala, S. M., Chan, S. T. F., & Ngoi, S. S. (1996). Nitric Oxide and Cancer. *Medical Hypotheses*, **46:** 21-24.

Chitnis, A. B., Dalle Nogare, D., & Matsuda, M. (2012).Building the posterior lateral line system in zebrafish. *Developmental Neurobiology*, **72**(3): 234-255.

Christen, B., & Slack, J. M. W. (1997). FGF-8 is associated with anteroposterior patterning and limb regeneration in *Xenopus*. *Developmental Biology*, **192**(2): 455-466.

Christensen, R. N., & Tassava, R. A. (2000). Apical epithelial cap morphology and fibronectin gene expression in regenerating axolotl limbs. *Developmental Dynamics*, **217**(2): 216-224.

Christensen, R. N., Weinstein, M., & Tassava, R. A. (2001). Fibroblast growth factors in regenerating limbs of *Ambystoma*: Cloning and semiquantitative RT-PCR expression studies. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, **290**(5): 529-540.

Christensen, R. N., Weinstein, M., & Tassava, R. A. (2002). Expression of fibroblast growth factors 4, 8, and 10 in limbs, flanks, and blastemas of *Ambystoma*. *Developmental Dynamics*, **223**(2): 193-203.

Cirino, G., Distrutti, E., & Wallace, J. L. (2006). Nitric oxide and inflammation. *Inflammation & Allergy Drug Targets*, **5:** 115-119.

Clancy, R., Varenika, B., Huang, W., Ballou, L., Attur, M., Amin, A. R., & Abramson, S. B. (2000). Nitric Oxide Synthase/COX Cross-Talk: Nitric Oxide Activates COX-1 But Inhibits COX-2-Derived Prostaglandin production. *Journal of Immunology*, **165**(3): 1582-1587.

Clark, R. A. F. (1996). Wound Repair: Overview and General Consideration- 17. *Becker, DL, McGonnell, I., Makarenkova, H., Patel, K., Tickle, In The Molecular and Cellular Biology of Wound Re- C., Lorimer, J., and Green, CR (1999). Roles for alpha*, *1*, 3-50.

Clause, A. R., & Capaldi, E. A. (2006). Caudal autotomy and regeneration in lizards. *Journal of Experimental Zoology Part A: Comparative Experimental Biology*, **305**(12): 965-973.

Clevers, H. (2006). Wnt/beta-catenin signaling in development and disease. *Cell*, **127**: 469–480.

Clevers, H., Clevers, H., Loh, K. M., & Nusse, R. (2014). An integral program for tissue renewal and regeneration : Wnt signaling and stem cell control. *Science*, **346**(6205): 1-7.

Cohn, M. J., Izpisúa-Belmonte, J. C., Abud, H., Heath, J. K., & Tickle, C. (1995). Fibroblast growth factors induce additional limb development from the flank of chick embryos. *Cell*, **80**(5): 739-746.

Collins, R. A., & Grounds, M. D. (2001). The Role of Tumor Necrosis Factor-alpha (TNF-α) in Skeletal Muscle Regeneration Studies in TNF-α (-/-) and TNF-α (-/-)/LT-α (-/-) Mice. *Journal of Histochemistry & Cytochemistry*, **49**(8): 989-1001.

Coussens, L. M., Zitvogel, L., & Palucka, A. K. (2013). Neutralizing Tumor-Promoting Chronic Inflammation: A Magic Bullet? *Science*, **339**(6117): 286-291.

Coutu, D. L., & Galipeau, J. (2011). Roles of FGF signaling in stem cell self-renewal, senescence and aging. *Aging*, **3**(10): 920-933.

Cvejic, A., Hall, C., Bak-Maier, M., Flores, M. V., Crosier, P., Redd, M. J., & Martin, P. (2008). Analysis of WASp function during the wound inflammatory response–live-imaging studies in zebrafish larvae. *Journal of Cell Science*, **121**(19): 3196-3206.

Dang, C. M., Beanes, S. R., Lee, H., Zhang, X., Soo, C., & Ting, K. (2003). Scarless Fetal Wounds Are Associated with an Increased Matrix Metalloproteinase–to–Tissue-Derived Inhibitor of Metalloproteinase Ratio. Plastic and reconstructive surgery, **111**(7): 2273-2285.

Dawn, B., & Bolli, R. (2002).Role of Nitric Oxide in myocardial preconditioning. *Annals of the New York Academy of Sciences*, **962**(1): 18-41.

Del Rio-Tsonis, K., Tsonis, P. A., Zarkadis, I. K., Tsagas, A. G., & Lambris, J. D. (1998). Expression of the third component of complement, C3, in regenerating limb blastema cells of urodeles. *The Journal of Immunology*, **161**(12): 6819-6824.

Dial, B. E., & Fitzpatrick, L. C. (1981). The energetic costs of tail autotomy to reproduction in the lizard *Coleonyx brevis* (Sauria: Gekkonidae). *Oecologia*, **51**(3): 310-317.

Dickinson, M. E., Krumlauf, R., & McMahon, A. P. (1994). Evidence for a mitogenic effect of Wnt-1 in the developing mammalian central nervous system. *Development*, **120**(6): 1453-1471.

Diep, C. Q., Ma, D., Deo, R. C., Holm, T. M., Naylor, R. W., Arora, N., ... & Zhu, H. (2011). Identification of adult nephron progenitors capable of kidney regeneration in zebrafish. *Nature*, **470**(7332): 95-100.

Dihlmann, S., Siermann, A., Von, M., & Doeberitz, K. (2001). The nonsteroidal anti-infammatory drugs aspirin and indomethacin attenuate β-catenin/TCF-4 signaling. *Oncogene*, **20:** 645-653.

Ding, V. M., Ling, L., Natarajan, S., Yap, M. G., Cool, S. M., & Choo, A. B. (2010). FGF-2 modulates Wnt signaling in undifferentiated hESC and iPS cells through activated PI3K/GSK3β signaling. *Journal of Cellular Physiology*, **225**(2): 417-428.

Dong, C. (2008). TH17 cells in development: an updated view of their molecular identity and genetic programming. *Nature Reviews Immunology*, **8**(5): 337-348.

Dong, Z., Staroselsky, A. H., Qi, X., Xie, K., & Fidler, I. J. (1994). Inverse correlation between expression of inducible nitric oxide synthase activity and production of metastasis in K-1735 murine melanoma cells. *Cancer Research*, **54**(3): 789-793.

Dudakov, J. A., Hanash, A. M., &Van den Brink, M. R. (2015). Interleukin-22: immunobiology and pathology. *Annual Review of Immunology*, **33:** 747-785.

Dudakov, J. A., Hanash, A. M., Jenq, R. R., Young, L. F., Ghosh, A., Singer, N. V., ...& Boyd, R. L. (2012). Interleukin-22 drives endogenous thymic regeneration in mice. *Science*, **336**(6077): 91-95.

Dudas, M., Wysocki, A., Gelpi, B., & Tuan, T. L. (2008). Memory encoded throughout our bodies: molecular and cellular basis of tissue regeneration. *Pediatric Research*, **63**(5): 502-512.

Duffin, R., Connor, R. A. O., Crittenden, S., Forster, T., Zheng, X., Smyth, D., … Rossi, A. G. (2016). Prostaglandin E 2 constrains systemic inflammation through an innate lymphoid cell – IL-22 axis. *Science*, **351**(6279): 1333-1338.

Duscher, D., Barrera, J., Wong, V. W., Maan, Z. N., Whittam, A. J., Januszyk, M., & Gurtner, G. C. (2016). Stem Cells in Wound Healing: The Future of Regenerative Medicine? A Mini-Review. *Gerontology*, **62**(2): 216-225.

Egeblad, M., & Werb, Z. (2002).New functions for the matrix metalloproteinases in cancer progression. *Nature Reviews Cancer*, **2**(3): 161-174.

Eming, S. A., Hammerschmidt, M., Krieg, T., & Roers, A. (2009). Interrelation of immunity and tissue repair or regeneration. *Seminars in Cell and Developmental Biology*, **20**(5): 517-527.

Endo, T., Bryant, S. V., & Gardiner, D. M. (2004). A stepwise model system for limb regeneration. *Developmental Biology*, **270**(1): 135-145.

Estrada, C. M., Park, C. D., Castilla, M., & Tassava, R. A. (1993). Monoclonal antibody WE6 identifies an antigen that is up-regulated in the wound epithelium of newts and frogs. *Progress in Clinical and Biological Research*, **383:** 271.

Evans, T. (2009). Fishing for a WNT-PGE_2 Link: β-Catenin Is Caught in the Stem Cell Network. *Cell Stem Cell*, *4*(4), 280–282.

Evett, G. E., Xie, W. L., Chipman, J. G., Robertson, D. L., & Simmons, D. L. (1993). Prostaglandin G/H Synthase Isoenzyme 2 Expression in Fibroblasts-Regulation by Dexamethasone, Mitogens, and Oncogenes. *Archives of Biochemistry and Biophysics*, **306**(1): 169-177.

Falanga, V., Iwamoto, S., Chartier, M., Yufit, T., Butmarc, J., Kouttab, N., ...& Carson, P. (2007). Autologous bone marrow–derived cultured mesenchymal stem cells delivered in a fibrin spray accelerate healing in murine and human cutaneous wounds. *Tissue Engineering*, **13**(6): 1299-1312.

Fallon, J. F., Lopez, A., Ros, M. A., Savage, M. P., Olwin, B. B., & Simandl, B. K. (1994). FGF-2: apical ectodermal ridge growth signal for chick limb development. *Science*, **264**(5155): 104-108.

Fan, X., Krieg, S., Hwang, J. Y., Dhal, S., Kuo, C. J., Lasley, B. L., … Nayak, N. R. (2012). Dynamic Regulation of Wnt7a Expression in the Primate Endometrium: Implications for Postmenstrual Regeneration and Secretory Transformation. *Endocrinology*, **153**(3): 1063-1069.

Feldman, P. L., Griffith, O. W., & Stuehr, D. J. (1993). The surprising life of Nitric Oxide. *Chemical and Engineering News*, **71**(51): 26-38.

Ferguson, M. W., & O'Kane, S. (2004). Scar–free healing: from embryonic mechanisms to adult therapeutic intervention. Philosophical Transactions of the Royal Society of London B: *Biological Sciences*, **359**(1445): 839-850.

Ferguson, M. W., Duncan, J., Bond, J., Bush, J., Durani, P., So, K., ...& Laverty, H. (2009). Prophylactic administration of avotermin for improvement of skin scarring: three double-blind, placebo-controlled, phase I/II studies. *The Lancet*, **373**(9671): 1264-1274.

Ferreira, S. H. (1972). Prostaglandins, aspirin-like drugs and analgesia. *Nature*, **240**(102): 200-203.

Ferretti, P., Zhang, F., Santos-Ruiz, L., & Clarke, J. D. W. (2001). FGF signalling and blastema growth during amphibian tail regeneration. *International Journal of Developmental Biology*, **45**(1): 127–128.

Ferris, D. R., Satoh, A., Mandefro, B., Cummings, G. M., Gardiner, D. M., & Rugg, E. L. (2010). Ex vivo generation of a functional and regenerative wound epithelium from axolotl (*Ambystoma mexicanum*) skin. *Development Growth and Differentiation*, **52**(8): 715-724.

Fevr, T., Robine, S., Louvard, D., & Huelsken, J. (2007). Wnt/β-catenin is essential for intestinal homeostasis and maintenance of intestinal stem cells. Molecular and cellular biology, **27**(21): 7551-7559.

Finetti, F., Solito, R., Morbidelli, L., Giachetti, A., Ziche, M., & Donnini, S. (2008). Prostaglandin E2 Regulates Angiogenesis via Activation of Fibroblast Growth Factor Receptor-1. *Journal of Biological Chemistry*, **283**(4): 2139-2146.

Finnson, K. W., Arany, P. R., & Philip, A. (2013). Transforming Growth Factor Beta Signaling in Cutaneous Wound Healing: Lessons Learned from Animal Studies. *Advances in Wound Care*, 2(5): 225-237.

Fior, J. (2014). Salamander regeneration as a model for developing novel regenerative and anticancer therapies. *Journal of Cancer*, **5**(8): 715-719.

Fitch, H. (2003). A comparative study of loss and regeneration of lizard tails. *Journal of Herpetology*, **37:** 395-399.

Flajnik, M., Miller, K., and Du Pasquier, L. (2003). Evolution of the Immune System.W. Paul (Ed.) In:*Fundamental Immunology*. Lippincott Williams & Wilkins, Philadelphia. pp. 510-570.

Fletcher, B. S., Kujubu, D. A., Perrin, D. M., & Herschman, H. R. (1992). Structure of the mitogen-inducible TIS10 gene and demonstration that the TIS10-encoded protein is a functional prostaglandin G/H synthase. *Journal of Biological Chemistry*, **267**(7): 4338-4344.

Folch, J., Lees, M., & Sloane Stanley, G. (1957). A simple method for the isolation and purification of total lipids from animal tissues. *Journal of Biological Chemistry*, **55**(5): 999-1033.

Fox, S. F.& Rostker, M. A. (1982). Social Cost of Tail Loss in *Uta stansburiand*. *Science*, **218**(4573): 692-693.

Frank, S., Pfeilschifter, J., Madlener, M., & Werner, S. (1998). Induction of inducible nitric oxide synthase and its corresponding tetrahydrobiopterin-cofactor-synthesizing enzyme GTP-cyclohydrolase I during cutaneous wound repair. *Journal of Investigative Dermatology*, **111**(6): 1058-1064.

Frank, S., Stallmeyer, B., Kämpfer, H., Kolb, N., & Pfeilschifter, J. (2000). Leptin enhances wound re-epithelialization and constitutes a direct function of leptin in skin repair. *The Journal of Clinical Investigation*, **106**(4): 501-509.

Fukazawa, T., Naora, Y., Kunieda, T., & Kubo, T. (2009). Suppression of the immune response potentiates tadpole tail regeneration during the refractory period, *2327*, 2323–2327.

Fukui, L., & Henry, J. J. (2011). FGF Signaling Is Required for Lens Regeneration in *Xenopus laevis*. *The Biological Bulletin*, **221:** 137-145.

Funk, C. D., Furci, L., FitzGerald, G. A., Grygorczyk, R., Rochette, C., Bayne, M. A., ...& Metters, K. M. (1993). Cloning and expression of a cDNA for the human prostaglandin E receptor EP1 subtype. *Journal of Biological Chemistry*, **268**(35): 26767-26772.

Galea, E., & Feinstein, D. L. (1999). Regulation of the expression of the inflammatory nitric oxide synthase (NOS2) by cyclic AMP. *FASEB*, **13:** 2125–2137.

Gardiner, D. M., Muneoka, K., & Bryant, S. V. (1986). The migration of dermal cells during blastema formation in axolotls. *Developmental Biology*, **118**(2): 488-493.

Gardner, J., & Ghorpade, A. (2003). Tissue inhibitor of metalloproteinase (TIMP)-1: the TIMPed balance of matrix metalloproteinases in the central nervous system. *Journal of Neuroscience Research*, **74**(6): 801-806.

Garg, R. K., Rennert, R. C., Duscher, D., Sorkin, M., Kosaraju, R., Auerbach, L. J., ...& Rajadas, J. (2014). Capillary Force Seeding of Hydrogels for Adipose Derived Stem Cell Delivery in Wounds. *Stem Cells Translational Medicine*, **3**(9): 1079-1089.

Gasson, J. C., Golde, D. W., Kaufman, S. E., Westbrook, C. A., Hewick, R. M., Kaufman, R. J., ... & Orr, E. C. (1985). Molecular characterization and expression of the gene encoding human erythroid-potentiating activity. *Nature*, **315**(6022): 768-771.

Gemberling, M., Bailey, T. J., Hyde, D. R., & Poss, K. D. (2013). The zebrafish as a model for complex tissue regeneration. *Trends in Genetics*, **29**(11): 611-620.

Ghersa, P., Hooft van Huijsduijnen, R., Whelan, J., Cambet, Y., Pescini, R., and DeLamarter, J. F. (1994) Inhibition of E-selectin gene transcription through a cAMP- dependent protein kinase pathway. *Journal of biological chemistry*, **269**: 29129–29137.

Giampaoli, S., Bucci, S., Ragghianti, M., Mancino, G., Zhang, F., Ferretti, P., … Zhang, F. (2003). Expression of FGF2 in the limb blastema of two Salamandridae correlates with their regenerative capability. *Proceedings of the Royal Society London B*, **270:** 2197-2205.

Gibran, N. S., Isik, F. F., Heimbach, D. M., & Gordon, D. (1994). Basic fibroblast growth factor in the early human burn wound. *Journal of Surgical Research*, *56*(3), 226-234.

Gilbert, E. A. B., Delorme, S. L., & Vickaryous, M. K. (2015). The regeneration blastema of lizards: an amniote model for the study of appendage replacement. *Regeneration*, **2**(2): 45-53.

Gilbert, S. F. (2014). *Developmental Biology* (10th Ed.). Sunderland, MA: Sinauer Associates.

Gilroy, D. W., Colville-Nash, P. R., Willis, D., Chivers, J., Paul-Clark, M. J., & Willoughby, D. A. (1999). Inducible cyclooxygenase may have anti-inflammatory properties. *Nature Medicine*, **5**(6): 698-701.

Gipson, I. K., Spurr-Michaud, S. J., & Tisdale, A. S. (1988). Hemidesmosomes and anchoring fibril collagen appear synchronously during development and wound healing. *Developmental Biology*, **126**(2): 253-262.

Globus, M., Vethamany-Globus, S., & Lee, Y. C. I. (1980). Effect of apical epidermal cap on mitotic cycle and cartilage differentiation in regeneration blastemata in the newt, Notophthalmus viridescens. *Developmental Biology*, **75**(2): 358-372.

Godwin, J. W., & Brockes, J. P. (2006). Regeneration, tissue injury and the immune response. *Journal of anatomy*, **209**(4): 423-432.

Godwin, J. W., Pinto, A. R., & Rosenthal, N. A. (2013). Macrophages are required for adult salamander limb regeneration. *Proceedings of the National Academy of Sciences*, **110**(23): 9415-9420.

Godwin, J., Kuraitis, D., & Rosenthal, N. (2014). Extracellular matrix considerations for scar-free repair and regeneration: Insights from regenerative diversity among vertebrates. *The International Journal of Biochemistry & Cell Biology*, **56C:** 47-55.

Goessling, W., North, T. E., Loewer, S., Lord, A. M., Lee, S., Stoick-cooper, C. L., … Zon, L. I. (2009). Genetic Interaction of PGE_2 and Wnt Signaling Regulates Developmental Specification of Stem Cells and Regeneration. *Cell*, **136**(6): 1136-1147.

Goldhamer, D. J., Tomlinson, B. L., & Tassava, R. A. (1989). A developmentally regulated wound epithelial antigen of the newt limb regenerate is also present in a variety of secretory/transport cell types. *Developmental Biology*, **135**(2): 392-404.

Grisham, M.B., Jourd'Heuil, D., Wink, D.A., 1999. Physiological chemistry of nitric oxide and its metabolites: implications in inflammation. *American Journal of Physiology*, **276** (2): G315–G321.

Grothe, C., Haastert, K., & Jungnickel, J. (2006). Physiological function and putative therapeutic impact of FGF-2 in peripheral nerve regeneration. *Brain Research Reviews*, **51:** 293-299.

Grow, M., Neff, A. W., Mescher, A. L., & King, M. W. (2006). Global analysis of gene expression in *Xenopus* hindlimbs during stage-dependent complete and incomplete regeneration. *Developmental Dynamics*, **235**(10): 2667-2685.

Gurley, K. A., Rink, J. C., & Alvarado, A. S. (2008). β-catenin defines head versus tail identity during planarian regeneration and homeostasis. *Science*, **319**(5861): 323-327.

Gurtner, G. C., Werner, S., Barrandon, Y., & Longaker, M. T. (2008). Wound repair and regeneration. *Nature*, **453**(7193): 314-321.

Haenold, R., Weih, F., Herrmann, K.-H., Schmidt, K.-F., Krempler, K., Engelmann, C., … Kretz, A. (2014). NF-κB controls axonal regeneration and degeneration through cell-specific balance of RelA and p50 in the adult CNS. *Journal of Cell Science*, **127**(14): 3052-3065.

Hamberg, M., & Samuelsson, B. (1973). Detection and isolation of an endoperoxide intermediate in prostaglandin biosynthesis. *Proceedings of the National Academy of Sciences*, **70**(3): 899-903.

Hamberg, M., Svensson, J., & Samuelsson, B. (1974).Prostaglandin endoperoxides.A new concept concerning the mode of action and release of prostaglandins. *Proceedings of the National Academy of Sciences*, **71**(10): 3824-3828.

Han, M. J., An, J. Y., & Kim, W. S. (2001). Expression patterns of Fgf-8 during development and limb regeneration of the axolotl. *Developmental Dynamics*, **220**(1): 40-48.

Han, M., Yang, X., Taylor, G., Burdsal, C. A., Anderson, R. A., & Muneoka, K. (2005). Limb regeneration in higher vertebrates: developing a roadmap. *The Anatomical Record Part B: The New Anatomist*, *287*(1), 14-24.

Harizi, H., & Gualde, N. (2006). Pivotal Role of PGE-$_2$ and IL-10 in the Cross-Regulation of Dendritic Cell-Derived Inflammatory Mediators. *Cellular and Molecular Immunology*, **3**(4): 271-277.

Harty, M., Neff, A. W., King, M. W., & Mescher, A. L. (2003). Regeneration or scarring: An immunologic perspective. *Developmental Dynamics*, **226**(2): 268-279.

Hata, S., Namae, M., & Nishina, H. (2007). Liver development and regeneration: from laboratory study to clinical therapy. *Development, Growth &Differentiation*, **49**(2): 163-170.

Hayakawa, T., Yamashita, K., Ohuchi, E., & Shinagawa, A. (1994). Cell growth-promoting activity of tissue inhibitor of metalloproteinases-2 (TIMP-2). *Journal of Cell Science*, **107**(9): 2373-2379.

Hayakawa, T., Yamashita, K., Tanzawa, K., Uchijima, E., & Iwata, K. (1992). Growth-promoting activity of tissue inhibitor of metalloproteinases-1 (TIMP-1) for a wide range of cells: A possible new growth factor in serum. *FEBS letters*, **298**(1): 29-32.

Hayashi, T., Asami, M., Higuchi, S., Shibata, N., & Agata, K. (2006). Isolation of planarian X-ray-sensitive stem cells by fluorescence-activated cell sorting. *Development Growth and Differentiation*, **48**(6): 371-380.

Hecker, M., Cattaruzza, M., & Wagner, A. H. (1999). Regulation of inducible nitric oxide synthase gene expression in vascular smooth muscle cells. *General Pharmacology: The Vascular System*, **32**(1): 9-16.

Heikinheimo, M., Lawshé, A., Shackleford, G. M., Wilson, D. B., & MacArthur, C. A. (1994). Fgf-8 expression in the post-gastrulation mouse suggests roles in the development of the face, limbs and central nervous system. *Mechanisms of Development*, **48**(2): 129-138.

Higgs, G. A., Vane, J. R., Hart, F. D., & Wojtulewski, J. A. (1974). Effects of anti-inflammatory drugs on prostaglandins in rheumatoid arthritis. *Prostaglandin synthetase inhibitors*, 165-173.

Hirata, A., Gardiner, D. M., & Satoh, A. (2010). Dermal fibroblasts contribute to multiple tissues in the accessory limb model. *Development, Growth & Differentiation*, **52**(4): 343-350.

Hirokawa, K., O'shaughnessy, K., Moore, K., Ramrakha, P., & Wilkins, M. R. (1994). Induction of nitric oxide synthase in cultured vascular smooth muscle cells: the role of cyclic AMP. *British Journal of Pharmacology*, **112**(2): 396-402.

Hocevar, B. A., Brown, T. L., & Howe, P. H. (1999). TGF-β induces fibronectin synthesis through ac-Jun N-terminal kinase-dependent, Smad4-independent pathway. *The EMBO Journal*, **18**(5), 1345-1356.

Hoggatt, J., Singh, P., Sampath, J., & Pelus, L. M. (2009). Prostaglandin E2 enhances hematopoietic stem cell homing, survival, and proliferation. *Blood*, **113:** 5444-5455.

Houck, K. A., Leung, D. W., Rowland, A. M., Winer, J., & Ferrara, N. (1992). Dual regulation of vascular endothelial growth factor bioavailability by genetic and proteolytic mechanisms. *Journal of Biological Chemistry*, **267**(36): 26031-26037.

Hsu, W. T., Lin, C. H., Chiang, B. L., Jui, H. Y., Wu, K. K. Y., & Lee, C. M. (2013). Prostaglandin E_2 potentiates mesenchymal stem cell–induced IL-10+ IFN-γ+ CD4+ regulatory T cells to control transplant arteriosclerosis. *The Journal of Immunology*, **190**(5): 2372-2380.

Hu, M. S. M., Rennert, R. C., McArdle, A., Chung, M. T., Walmsley, G. G., Longaker, M. T., & Lorenz, H. P. (2014). The role of stem cells during scarless skin wound healing. *Advances in Wound Care*, **3**(4): 304-314.

Hughes-Fulford, M., & Li, C.-F. (2011). The role of FGF-2 and BMP-2 in regulation of gene induction, cell proliferation and mineralization. *Journal of Orthopaedic Surgery and Research*, **6**(1):6-8.

Hutchins, E. D., Markov, G. J., Eckalbar, W. L., George, R. M., King, J. M., Tokuyama, M. A., ... & Siniard, A. L. (2014). Transcriptomic analysis of tail regeneration in the lizard Anolis carolinensis reveals activation of conserved vertebrate developmental and repair mechanisms. *PLoS One*, **9**(8): e105004.

Ichikawa, A., Sugimoto, Y., & Negishi, M. (1996). Molecular aspects of the structures and functions of the prostaglandin E receptors. *Journal of Lipid Mediators and Cell Signaling*, **14**(1-3): 83-87.

Ignarro, L. J. (1992). Haem-dependent activation of cytosolic guanylate cyclase by nitric oxide: a widespread signal transduction mechanism. *Biochemical Society Transactions*, **20**(2): 465-469.

Iimura, O., Kusano, E., Amemiya, M., Muto, S., Ikeda, U., Shimada, K., & Asano, Y. (1996). Dipyridamole enhances interleukin-1β-stimulated nitric oxide production by cultured rat vascular smooth muscle cells. *European Journal of Pharmacology*, **296**(3): 319-326.

Iimuro, Y., & Fujimoto, J. (2010). TLRs, NF-kB, JNK, and liver regeneration. *Gastroenterology Research and Practice*, **2010**(Il): doi: 10.1155/2010/598109.

Ito, A., Mukaiyama, A., Itoh, Y., Nagase, H., Thøgersen, I. B., Enghild, J. J., ...& Mori, Y. (1996). Degradation of interleukin 1β by matrix metalloproteinases. *Journal of Biological Chemistry*, **271**(25): 14657-14660.

Itoh, T., Tanioka, M., Yoshida, H., Yoshioka, T., Nishimoto, H., & Itohara, S. (1998). Reduced angiogenesis and tumor progression in gelatinase A-deficient mice. *Cancer Research*, **58**(5): 1048-1051.

Itoh, Y., & Seiki, M. (2006). MT1-MMP: A potent modifier of pericellular microenvironment. *Journal of Cellular Physiology*, **206**(1): 1-8.

Jana, S., Chatterjee, K., Ray, A. K., DasMahapatra, P., & Swarnakar, S. (2016). Regulation of Matrix Metalloproteinase-2 Activity by COX-2-PGE2-pAKT Axis Promotes Angiogenesis in Endometriosis. *PloS one*, **11**(10): e0163540.

Johnson, S. L., & Weston, J. A. (1995). Temperature-sensitive mutations that cause stage-specific defects in Zebrafish fin regeneration. *Genetics*, **141**(4): 1583-1595.

Juanes, F., & Smith, L. D. (1995). The ecological consequences of limb damage and loss in decapod crustaceans: a review and prospectus. *Journal of Experimental Marine Biology and Ecology*, **193**(1-2): 197-223.

Kalinski, P. (2012). Prostaglandin E Regulation of Immune Responses by Regulation of Immune Responses by Prostaglandin E_2. *Journal of Immunology*, **188:** 21-28.

Kapoor, M., Liu, S., Shi-Wen, X., Huh, K., McCann, M., Denton, C. P., ...& Leask, A. (2008). GSK-3β in mouse fibroblasts controls wound healing and fibrosis through an endothelin-1–dependent mechanism. *The Journal of clinical investigation*, **118**(10): 3279-3290.

Kato, T., Miyazaki, K., Shimizu-Nishikawa, K., Koshiba, K., Obara, M., Mishima, H. K., & Yoshizato, K. (2003). Unique expression patterns of matrix metalloproteinases in regenerating newt limbs. *Developmental Dynamics*, **226**(2): 366-376.

Katogi, R., Nakatani, Y., Shin-I, T., Kohara, Y., Inohaya, K., & Kudo, A. (2004). Large-scale analysis of the genes involved in fin regeneration and blastema formation in the medaka, Oryzias latipes. *Mechanisms of Development*, **121**(7–8): 861-872.

Katusic, Z. S. (1996). Superoxide anion and endothelial regulation of arterial tone. *Free Radical Biology and Medicine*, **20** (3): 443-448.

Kawakami, Y., Capdevila, J., Büscher, D., Itoh, T., Esteban, C. R., & Belmonte, J. C. I. (2001). WNT signals control FGF-dependent limb initiation and AER induction in the chick embryo. *Cell*, **104**(6): 891-900.

King, M. W., Neff, A. W., & Mescher, A. L. (2009). Proteomics analysis of regenerating amphibian limbs: Changes during the onset of regeneration. *International Journal of Developmental Biology*, **53**: 955-969.

King, R. S., & Newmark, P. A. (2012).The cell biology of regeneration. *Journal of Cell Biology*, **196**(5): 553-562.

Knudsen, P. J., Dinarello, C. A., & Strom, T. B. (1986). Prostaglandins posttranscriptionally inhibit monocyte expression of interleukin 1 activity by increasing intracellular cyclic adenosine monophosphate. *The Journal of Immunology*, **137** (10): 3189-3194.

Kobayashi, C., Watanabe, K., & Agata, K. (1999).The Process of Pharynx Regeneration in Planarians. *Developmental Biology*, **211**(1): 27-38.

Korinek, V., Barker, N., Moerer, P., van Donselaar, E., Huls, G., Peters, P. J., & Clevers, H. (1998). Depletion of epithelial stem-cell compartments in the small intestine of mice lacking Tcf-4. *Nature genetics*, **19**(4): 379-383.

Krischel, V., Bruch-Gerharz, D., Suschek, C., Kröncke, K. D., Ruzicka, T., & Kolb-Bachofen, V. (1998). Biphasic effect of exogenous nitric oxide on proliferation and differentiation in skin derived keratinocytes but not fibroblasts. *Journal of Investigative Dermatology*, **111**(2): 286-291.

Kujubu, D. A., Fletcher, B. S., Varnum, B. C., Lim, R. W., & Herschman, H. R. (1991). TIS10, a phorbol ester tumor promoter-inducible mRNA from Swiss 3T3 cells, encodes a novel prostaglandin synthase/cyclooxygenase homologue. *Journal of Biological Chemistry*, **266**(20): 12866-12872.

Kumar, A., & Pilo, B. (1994). Influence of catecholamine and acetylcholine neurotransmitters on tail regenerations in the gekkonid lizard, *Hemidactylus flaviviridis*. *Indian journal of experimental biology*, **32:** 767-771.

Kunkel, S. L., Spengler, M., May, M. A., Spengler, R., Larrick, J., & Remick, D. (1988). Prostaglandin E2 regulates macrophage-derived tumor necrosis factor gene expression. *Journal of Biological Chemistry*, **263** (11): 5380-5384.

Kunz, D., Mühl, H., Walker, G., & Pfeilschifter, J. (1994). Two distinct signaling pathways trigger the expression of inducible nitric oxide synthase in rat renal mesangial cells. *Proceedings of the National Academy of Sciences*, **91**(12): 5387-5391.

Kurumbail, R. G., Stevens, A. M., Gierse, J. K., & McDonald, J. J. (1996).Structural basis for selective inhibition of cyclooxygenase-2 by anti-inflammatory agents. *Nature*, **384**(6610): 644.

Kyriakides, T. R., Wulsin, D., Skokos, E. A., Fleckman, P., Pirrone, A., Shipley, J. M., ...& Bornstein, P. (2009). Mice that lack matrix metalloproteinase-9 display delayed wound healing associated with delayed reepithelization and disordered collagen fibrillogenesis. *Matrix Biology*, **28**(2): 65-73.

Labus, M. B., Stirk, C. M., Thompson, W. D., & Melvin, W. T. (1998). Expression of Wnt genes in early wound healing. *Wound Repair and Regeneration*, **6**(1): 58-64.

Lai, Y., Li, D., Li, C., Muehleisen, B., Radek, K. A., Park, H. J., … Gallo, R. L. (2012). The Antimicrobial Protein REG3A Regulates Keratinocyte Proliferation and Differentiation after Skin Injury. *Immunity*, **37**(1), 1-20.

Larson, B. J., Longaker, M. T., & Lorenz, H. P. (2010). Scarless fetal wound healing: a basic science review. *Plastic and Reconstructive Surgery*, **126**(4): 1172.

Lavery, D. L., Martin, J., Turnbull, Y. D., & Hoppler, S. (2008). Wnt6 signaling regulates heart muscle development during organogenesis. *Developmental Biology*, **323:** 177-188.

Leahy, K. M., Ornberg, R. L., Wang, Y., Leahy, K. M., Ornberg, R. L., Wang, Y., … Masferrer, J. L. (2002). Cyclooxygenase-2 Inhibition by Celecoxib Reduces Proliferation and Induces Apoptosis in Angiogenic Endothelial Cells in Vivo. *Cancer Research*, **62:** 625-631.

Leask, A., & Abraham, D. J. (2004). TGF-β signaling and the fibrotic response. *The FASEB Journal*, **18**(7): 816-827.

Lee, S. H., Soyoola, E., Chanmugam, P., Hart, S., Sun, W., Zhong, H., ...& Hwang, D. (1992). Selective expression of mitogen-inducible cyclooxygenase in macrophages stimulated with lipopolysaccharide. *Journal of Biological Chemistry*, **267**(36): 25934-25938.

Lelongt, B., Bengatta, S., Delauche, M., Lund, L. R., Werb, Z., & Ronco, P. M. (2001). Matrix Metalloproteinase 9 Protects Mice from Anti–Glomerular Basement Membrane Nephritis through Its Fibrinolytic Activity. *The Journal of Experimental Medicine*, **193**(7): 793-802.

Lengfeld, T., Watanabe, H., Simakov, O., Lindgens, D., Gee, L., Law, L., ... & Holstein, T. W. (2009). Multiple Wnts are involved in Hydra organizer formation and regeneration. *Developmental biology*, *330*(1), 186-199.

Leontovich, A. A., Zhang, J., Shimokawa, K. I., Nagase, H., & Sarras, M. P. (2000). A novel hydra matrix metalloproteinase (HMMP) functions in extracellular matrix degradation, morphogenesis and the maintenance of differentiated cells in the foot process. *Development*, **127**(4): 907-920.

Levenstein, M. E., Ludwig, T. E., Xu, R. H., Llanas, R. A., Van Den Heuvel Kramer, K., Manning, D., & Thomson, J. A. (2006). Basic fibroblast growth factor support of human embryonic stem cell self renewal. *Stem Cells*, **24**(3): 568-574.

Li, H., Chen, J., Huang, A., Stinson, J., Heldens, S., Foster, J., ...& Wood, W. I. (2000). Cloning and characterization of IL-17B and IL-17C, two new members of the IL-17 cytokine family. *Proceedings of the National Academy of Sciences*, **97**(2): 773-778.

Li, L., Kim, H. T., Nellore, A., Patssoukis, N., Petkova, V., McDonough, S., … Boussiotis, V. A. (2014). Prostaglandin E_2 promotes survival of naive UCB T cells via the Wnt/β-catenin pathway and alters immune reconstitution after UCBT. *Blood Cancer Journal*, **4**: e178. doi: 10.1038/bcj.2013.75.

Li, W., Yue, W., Zhang, L., Zhao, X., Ma, L., Yang, X., … Gu, M. (2011). COX-2 silencing inhibits proliferation in A549. *Chinese-German Journal of Clinical Oncology*, **10**(7): 423-427.

Li, Y., & Wingert, R. A. (2013). Regenerative medicine for the kidney: stem cell prospects & challenges. *Clinical and Translational Medicine*, **2**(1): 11.

Lin, R. Y., & Adzick, N. S. (1996). The role of the fetal fibroblast and transforming growth factor-beta in a model of human fetal wound repair. In *Seminars in pediatric surgery* (Vol. 5, No. 3, pp. 165-174).

Lindemans, C. A., Calafiore, M., Mertelsmann, A. M., Margaret, H., Connor, O., Dudakov, J. A., … Alan, M. (2015). Interleukin-22 Promotes Intestinal Stem Cell-Mediated Epithelial Regeneration. *Nature*, **528**(7583): 560-564.

Ling, J.-J., Sun, Y.-J., Zhu, D.-Y., Chen, Q., & Han, X. (2005). Potential Role of NO in Modulation of COX-2 Expression and PGE2 Production in Pancreatic β-cells. *Acta Biochimica et Biophysica Sinica*, **37**(2): 139-146.

Liou, J.Y., Ellent, D. P., Lee, S., Goldsby, J., Ko, B.S., Matijevic, N., … Wu, K. K. (2007). Cyclooxygenase-2-Derived Prostaglandin E_2 Protects Mouse Embryonic Stem Cells from Apoptosis. *Stem Cells*, **25:** 1096-1103.

Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods*, **25**(4): 402-408.

Logan, C. Y. & Nusse R. (2004). The Wnt signaling pathway in development and disease. *Annual Review of cell and Developmental Biology*,**20:** 781-810.

Love, N. R., Chen, Y., Ishibashi, S., Kritsiligkou, P., Lea, R., Koh, Y., ...& Amaya, E. (2013). Amputation-induced reactive oxygen species are required for successful *Xenopus* tadpole tail regeneration. *Nature Cell Biology*, **15**(2): 222-228.

Lu, P., Takai, K., Weaver, V. M., & Werb, Z. (2011). Extracellular matrix degradation and remodeling in development and disease. *Cold Spring Harbor perspectives in biology*, *3*(12), a005058.

Luparello, C., Avanzato, G., Carella, C., & PucciMinafra, I. (1999).Tissue inhibitor of metalloprotease (TIMP) 1 and proliferative behaviour of clonal breast cancer cells. *Breast Cancer Research and Treatment*, **54**(3): 235-244.

MacDonald, B. T., Tamai, K., & He, X. (2009). Wnt-β-Catenin signailng: components, mechanisms and diseases. *Developmental Biology*, **17**(1): 9-26.

Maginnis, T. L. (2006). The costs of autotomy and regeneration in animals: A review and framework for future research. *Behavioral Ecology*, **17**(5): 857-872.

Mahmood, R., Bresnick, J., Hornbruch, A., Mahony, C., Morton, N., Colquhoun, K., ...& Mason, I. (1995). A role for FGF-8 in the initiation and maintenance of vertebrate limb bud outgrowth. *Current Biology*, **5**(7): 797-806.

Maier, J. A., Hla, T., & Maciag, T. (1990). Cyclooxygenase is an immediate-early gene induced by interleukin-1 in human endothelial cells. *Journal of Biological Chemistry*, 265(19): 10805-10808.

Margadant, C., & Sonnenberg, A. (2010). Integrin–TGF-β crosstalk in fibrosis, cancer and wound healing. *EMBO Reports*, **11**(2): 97-105.

Marletta, M. A. (1994). Nitric oxide synthase: aspects concerning structure and catalysis. *Cell*, **78**(6): 927-930.

Martin, G. R. (1998). The roles of FGFs in the early development of vertebrate limbs. *Genes & Development*, **12**(11): 1571-1586.

Mastellos, D. C., DeAngelis, R. A., & Lambris, J. D. (2013). Complement-triggered pathways orchestrate regenerative responses throughout phylogenesis. In: *Seminars in Immunology*, **25(**1): 29-38. Academic Press.

Mathew, L. K., Sengupta, S., Kawakami, A., Andreasen, E. A., Löhr, C. V., Loynes, C. A., ... & Tanguay, R. L. (2007). Unraveling tissue regeneration pathways using chemical genetics. *Journal of Biological Chemistry*, **282**(48): 35202-35210.

McCallion, R. L., & Ferguson, M. W. J. (1988). Fetal wound healing and the development of antiscarring therapies for adult wound healing. In: *The Molecular and Cellular Biology of Wound Repair*, Springer, US. pp. 561-600.

McConnachie, S., & Whiting, M. J. (2003). Costs associated with tail autotomy in an ambush foraging lizard, *Cordylus melanotus melanotus*. *African Zoology*, **38**(1): 57-65.

McCusker, C., Bryant, S. V., & Gardiner, D. M. (2015). The axolotl limb blastema: cellular and molecular mechanisms driving blastema formation and limb regeneration in tetrapods. *Regeneration*, **2**(2): 54-71.

McLean, K. E., & Vickaryous, M. K. (2011). A novel amniote model of epimorphic regeneration: the leopard gecko, *Eublepharis macularius*. *BMC Developmental Biology*, **11**(1): 50.

Mercader, N. (2007). Early steps of paired fin development in zebrafish compared with tetrapod limb development. *Development, Growth & Differentiation*, **49**(6): 421-437.

Mercader, N., Fischer, S., & Neumann, C. J. (2006). Prdm1 acts downstream of a sequential RA, Wnt and Fgf signaling cascade during zebrafish forelimb induction. *Development*, **133**(15): 2805-2815.

Mescher, A. L. (1976). Effects on adult newt limb regeneration of partial and complete skin flaps over the amputation surface. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, **195**(1): 117-127.

Mescher, A. L., & Neff, A. W. (2005). Regenerative capacity and the developing immune system. *Regenerative Medicine*,**1:** 39-66.

Mescher, A. L., & Neff, A. W. (2006). Limb regeneration in amphibians: immunological considerations. *The Scientific World Journal*, **6(**1): 1-11.

Mescher, A. L., Neff, A. W., & King, M. W. (2013). Changes in the inflammatory response to injury and its resolution during the loss of regenerative capacity in developing Xenopus limbs. *PloS one*, **8**(11): e80477.

Mescher, A. L., Neff, A. W., & King, M. W. (2017). Inflammation and immunity in organ regeneration. *Developmental and Comparative Immunology*, **66:** 98-110.

Mescher, A. L., Wolf, W. L., Moseman, E. A., Hartman, B., Harrison, C., Nguyen, E., & Neff, A. W. (2007). Cells of cutaneous immunity in *Xenopus*: Studies during larval development and limb regeneration. *Developmental & Comparative Immunology*, **31**(4): 383-393.

Metcalfe, A. D., & Ferguson, M. W. (2007). Tissue engineering of replacement skin: the crossroads of biomaterials, wound healing, embryonic development, stem cells and regeneration. *Journal of the Royal Society Interface*, **4**(14): 413-437.

Miyazaki, K., Uchiyama, K., Imokawa, Y., & Yoshizato, K. (1996). Cloning and characterization of cDNAs for matrix metalloproteinases of regenerating newt limbs. *Proceedings of the National Academy of Sciences*, **93**(13): 6819-6824.

Mnich, S. J., Veenhuizen, A. W., Monahan, J. B., Sheehan, K. C., Lynch, K. R., Isakson, P. C., & Portanova, J. P. (1995). Characterization of a monoclonal antibody that neutralizes the activity of prostaglandin E_2. *The Journal of Immunology*, **155**(9): 4437-4444.

Moncada, S. R. M. J., Palmer, R. M. L., & Higgs, E. (1991). Nitric oxide: physiology, pathophysiology, and pharmacology. *Pharmacological Reviews*, **43**(2): 109-142.

Moncada, S., & Higgs, E. A. (1991). Endogenous nitric oxide: physiology, pathology and clinical relevance. *European Journal of Clinical Investigation*, **21**(4): 361-374.

Morgan, T. H. (1900). Regeneration in planarians. *Archiv Für Entwicklungsmechanik Der Organismen*, **10**(1): 58-119.

Moshage, H., Kok, B., Huizenga, J. R., & Jansen, P. L. M. (1995). Nitrite and nitrate determinations in plasma: A critical evaluation. *Clinical Chemistry*, **41**(6): 892-896.

Moss, J. B., Koustubhan, P., Greenman, M., Parsons, M. J., Walter, I., & Moss, L. G. (2009). Regeneration of the pancreas in adult zebrafish. *Diabetes*, **58**(8): 1844-1851.

Moustakas, A., & Heldin, C. H. (2009). The regulation of TGFβ signal transduction. *Development*, **136**(22): 3699-3714.

Mullen, L. M., Bryant, S. V., Torok, M. A., Blumberg, B., & Gardiner, D. M. (1996). Nerve dependency of regeneration: the role of Distal-less and FGF signaling in amphibian limb regeneration. *Development*, **122**(11): 3487-3497.

Muneoka, K., Fox, W. F., & Bryant, S. V. (1986). Cellular contribution from dermis and cartilage to the regenerating limb blastema in axolotls. *Developmental Biology*, **116**(1): 256-260.

Nacu, E., Glausch, M., Le, H. Q., Damanik, F. F. R., Schuez, M., Knapp, D., ...& Tanaka, E. M. (2013). Connective tissue cells, but not muscle cells, are involved in establishing the proximo-distal outcome of limb regeneration in the axolotl. *Development*, **140**(3): 513-518.

Nathan, C., & Xie, Q. W. (1994). Nitric oxide synthases: roles, tolls, and controls. *Cell*, **78**(6): 915-918.

Nemeth, J. A., & Goolsby, C. L. (1993).TIMP-2, a growth-stimulatory protein from SV40-transformed human fibroblasts. *Experimental Cell Research*, **207**(2): 376-382.

Neufeld, D. A., & Day, F. A. (1996). Perspective: a suggested role for basement membrane structures during newt limb regeneration. *The Anatomical Record*, **246**(2): 155-161.

Newby, A. C. (2005). Dual role of matrix metalloproteinases (matrixins) in intimal thickening and atherosclerotic plaque rupture. *Physiological Reviews*, **85**(1): 1-31.

Ng, J. K., Kawakami, Y., Büscher, D., Raya, Á., Itoh, T., Koth, C. M., ... & Belmonte, J. C. I. (2002). The limb identity gene Tbx5 promotes limb initiation by interacting with Wnt2b and Fgf10. *Development*, **129**(22): 5161-5170.

Nishigaki, N., Negishl, M., Sugimoto, Y., Namba, T., Narumiya, S., & Ichikawa, A. (1993).Characterization of the prostaglandin E receptor expressed on a cultured mast cell line, BNu-2c13. *Biochemical Pharmacology*, **46**(5): 863-869.

Niswander, L., & Martin, G. R. (1992). Fgf-4 expression during gastrulation, myogenesis, limb and tooth development in the mouse. *Development*, **114**(3): 755-768.

Niswander, L., Tickle, C., Vogel, A., Booth, I. & Martin, G.R. (1993). FGF-4 replaces the apical ectodermal ridge and directs outgrowth and patterning of the limb. *Cell*, **75**: 579–587.

Nomura, S., Yoshitomi, H., Takano, S., Shida, T., Kobayashi, S., Ohtsuka, M., … Miyazaki, M. (2008). FGF10/FGFR2 signal induces cell migration and invasion in pancreatic cancer. *British Journal of Cancer*, **99**(2): 305-313.

North, T. E., Goessling, W., Walkley, C. R., Lengerke, C., Kopani, K. R., Lord, A. M., ... & FitzGerald, G. A. (2007). Prostaglandin E2 regulates vertebrate haematopoietic stem cell homeostasis. *Nature*, **447**(7147): 1007-1011.

O'Banion, M. K. (1999). Cyclooxygenase-2: molecular biology, pharmacology, and neurobiology. *Critical Reviews in Neurobiology*, **13**(1).

Occleston, N. L., O'kane, S., Laverty, H. G., Cooper, M., Fairlamb, D., Mason, T., ...& Ferguson, M. W. (2011). Discovery and development of avotermin (recombinant human transforming growth factor beta-3: a new class of prophylactic therapeutic for the improvement of scarring. *Wound Repair and Regeneration*, **19**(s1): s38-48. doi: 10.1111/j.1524-475X.2011.00711.x.

Ogawa, K., Kobayashi, C., Hayashi, T., Orii, H., Watanabe, K., & Agata, K. (2002). Planarian fibroblast growth factor receptor homologs expressed in stem cells and cephalic ganglions. *Development Growth and Differentiation*, **44**(3): 191-204.

Ohtola, J., Myers, J., Akhtar-Zaidi, B., Zuzindlak, D., Sandesara, P., Yeh, K., ...& Atit, R. (2008). β-catenin has sequential roles in the survival and specification of ventral dermis. *Development*, **135**(13): 2321-2329.

Ohuchi, H., Nakagawa, T., Yamamoto, A., Araga, A., Ohata, T., Ishimaru, Y., ...& Itoh, N. (1997). The mesenchymal factor, FGF10, initiates and maintains the outgrowth of the chick limb bud through interaction with FGF8, an apical ectodermal factor. *Development Cambridge*, **124:** 2235-2244.

Okabe, Y., & Medzhitov, R. (2014). Tissue-specific signals control reversible program of localization and functional polarization of macrophages. *Cell*, **157**(4): 832-844.

Okuse, T., Chiba, T., Katsuumi, I., & Imai, K. (2005). Differential expression and localization of WNTs in an animal model of skin wound healing. *Wound Repair and Regeneration*, **13**(5): 491-497.

O'Neill, G. P., Mancini, J. A., Kargman, S., Yergey, J., Kwan, M. Y., Falgueyret, J. P., ...& Cromlish, W. (1994). Overexpression of human prostaglandin G/H synthase-1 and-2 by recombinant vaccinia virus: inhibition by nonsteroidal anti-inflammatory drugs and biosynthesis of 15-hydroxyeicosatetraenoic acid. *Molecular Pharmacology*, **45**(2): 245-254.

Otsuka, S., Aoyama, T., Furu, M., Ito, K., Jin, Y., Nasu, A., … Toguchida, J. (2009). PGE_2 signal via EP2 receptors evoked by a selective agonist enhances regeneration of injured articular cartilage. *Osteoarthritis and Cartilage*, **17**(4): 529-538.

Otto, A., Schmidt, C., Luke, G., Allen, S., Valasek, P., Muntoni, F., ...& Patel, K. (2008). Canonical Wnt signalling induces satellite-cell proliferation during adult skeletal muscle regeneration. *Journal of Cell Science*, **121**(17): 2939-2950.

Owens, P., Han, G., Li, A. G., & Wang, X. J. (2008). The role of Smads in skin development. *Journal of Investigative Dermatology*, **128**(4): 783-790.

Parks, W. C. 1999. Matrix metalloproteinases in repair. *Wound Repair Regen*. **7:** 423-432.

Pastar, I., Stojadinovic, O., Yin, N. C., Ramirez, H., Nusbaum, A. G., Sawaya, A., … Tomic-Canic, M. (2014). Epithelialization in Wound Healing: A Comprehensive Review. *Advances in Wound Care*, **3**(7): 445-464.

Penn, J. W., Grobbelaar, A. O., & Rolfe, K. J. (2012). The role of the TGF-β family in wound healing, burns and scarring: a review. *International journal of Burns and Trauma*, **2**(1): 18-28.

Petersen, C. P., & Reddien, P. W. (2008). Smed-βcatenin-1 is required for anteroposterior blastema polarity in planarian regeneration. *Science*, **319**(5861): 327-330.

Petrie, T. A., Strand, N. S., Tsung-Yang, C., Rabinowitz, J. S., & Moon, R. T. (2014). Macrophages modulate adult zebrafish tail fin regeneration. *Development*, **141:** 2581-2591.

Peunova, N., & Enikolopov, G. (1995). Nitric oxide triggers a switch to growth arrest during differentiation of neuronal cells. *Nature*, **375**(6526): 68.

Pillai, A. (2012), Role of fibroblast growth factor 2 in the initiation and progression of tail regeneration in northern house gecko *Hemidactylus flaviviridis*, A Ph.D. Thesis submitted to The Maharaja Sayajirao University of Baroda, Vadodara, Gujarat. (Pages?)

Pillai, A., Desai, I., & Balakrishnan, S. (2013). Pharmacological inhibition of FGFR1 signaling attenuates the progression of tail regeneration in the northern house gecko *Hemidactylus flaviviridis*. *International journal of life sciences biotechnology and pharma research*, **1**(4): 263-278.

Pilo, B., & Anoop Kumar, B. (1995). Effect of chemical adrenalectomy and corticosterone administration on tail regeneration in the gekkonid lizard, *Hemidactylus flaviviridis*. *Indian Journal of Experimental Biology*, **33:** 917-920.

Pilo, B., & Suresh, B. (1994). Effect of EGF on progress of tail regeneration in the gekkonid lizard, *Hemidactylus flaviviridis*. *Journal of animal morphology and physiology*, **41:** 61-66.

Pisharath, H., Rhee, J. M., Swanson, M. A., Leach, S. D., & Parsons, M. J. (2007). Targeted ablation of beta cells in the embryonic zebrafish pancreas using E. coli nitroreductase. *Mechanisms of Development*, **124**(3): 218-229.

Plescia, O. J., Smith, A. H., & Grinwich, K. (1975). Subversion of immune system by tumor cells and role of prostaglandins. *Proceedings of the National Academy of Sciences*, **72**(5): 1848-1851.

Poligone, B., & Baldwin, A. S. (2001). Positive and Negative Regulation of NF-B by COX-2. *Journal of Biology*, **276**(42): 38658–38664.

Portanova, J. P., Zhang, Y., Anderson, G. D., Hauser, S. D., Masferrer, J. L., Seibert, K., ... & Isakson, P. C. (1996). Selective neutralization of prostaglandin E_2 blocks inflammation, hyperalgesia, and interleukin 6 production in vivo. *Journal of Experimental Medicine*, **184**(3): 883-891.

Porter, R. L., Georger, M., Bromberg, O., Mcgrath, K. E., Frisch, B. J., Becker, M. W., & Calvi, L. M. (2013). Prostaglandin E_2 increases hematopoietic stem cell survival and accelerates hematopoietic recovery after radiation injury. *Stem Cells*, **31**(2): 372-383.

Poulin, M. L., Patrie, K. M., Botelho, M. J., Tassava, R. A., & Chiu, I. M. (1993).Heterogeneity in the expression of fibroblast growth factor receptors during limb regeneration in newts (*Notophthalmus viridescens*). *Development*, **119**(2): 353-361.

Powers, C. J., McLeskey, S. W., & Wellstein, A. (2000).Fibroblast growth factors, their receptors and signaling. *Endocrine-related Cancer*, **7**(3): 165-197.

Puolakkainen, P. A., Reed, M. J., Gombotz, W. R., Twardzik, D. R., Abrass, I. B., & Helene Sage, E. (1995). Acceleration of wound healing in aged rats by topical application of transforming growth factor-β1. *Wound Repair and Regeneration*, **3**(3): 330-339.

Quiñones, J. L., Rosa, R., Ruiz, D. L., & García-Arrarás, J. E. (2002).Extracellular matrix remodeling and metalloproteinase involvement during intestine regeneration in the sea cucumber *Holothuria glaberrima*. *Developmental Biology*, **250**(1): 181-197.

Radaeva, S., Sun, R., Pan, H. N., Hong, F., &Gao, B. (2004). Interleukin 22 (IL-22) plays a protective role in T cell-mediated murine hepatitis: IL-22 is a survival factor for hepatocytes via STAT3 activation. *Hepatology*, **39**(5): 1332-1342.

Raddassi, K., Petit, J. F., & Lemaire, G. (1993). LPS-induced activation of primed murine peritoneal macrophages is modulated by prostaglandins and cyclic nucleotides. *Cellular Immunology*, **149**(1): 50-64.

Rajaram, S., Murawala, H., Buch, P., Patel, S., & Balakrishnan, S. (2016). Inhibition of BMP signaling reduces MMP-2 and MMP-9 expression and obstructs wound healing in regenerating fin of teleost fish Poecilia latipinna. *Fish Physiology and Biochemistry*, **42**(2): 787–794.

Ramos-Solano, M., Meza-Canales, I. D., Torres-Reyes, L. A., Alvarez-Zavala, M., Alvarado-Ruíz, L., Rincon-Orozco, B., … Aguilar-Lemarroy, A. (2015). Expression of Wnt genes in cervical cancer-derived cells: Implication of Wnt7A in cell proliferation and migration. *Experimental Cell Research*, **335:** 39-50.

Rao, R., Graffeo, C. S., Gulati, R., Jamal, M., Narayan, S., Zambirinis, C., … Miiler, G. (2014). Interleukin 17-Producing γδT Cells Promote Hepatic Regeneration in Mice. *Gastroenterology*, **147**(2): 473-484.

Reichner, J. S., Meszaros, A. J., Louis, C. A., Henry, W. L., Mastrofrancesco, B., Martin, B. A., & Albina, J. E. (1999). Molecular and metabolic evidence for the restricted expression of inducible nitric oxide synthase in healing wounds. *The American Journal of Pathology*, **154**(4): 1097-1104.

Reimer, R., Heim, H. K., Sewing, K. F., Muallem, R., & Odes, H. S. (1992). Effects of EP-receptor subtype specific agonists and other prostanoids on adenylate cyclase activity of duodenal epithelial cells. *Prostaglandins*, **44**(5): 485-493.

Ren, X., Hu, B., & Colletti, L. M. (2010). IL-22 is involved in liver regeneration after hepatectomy. *American Journal of Physiology-Gastrointestinal and Liver Physiology*. 298 (1): G74-G80.

Ricciotti, E., & Fitzgerald, G. A. (2011). Prostaglandins and Inflammation. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **31:** 986-1000.

Ristimäki, A., Garfinkel, S., Wessendorf, J., Maciag, T., & Hla, T. (1994). Induction of cyclooxygenase-2 by interleukin-1 alpha. Evidence for post-transcriptional regulation. *Journal of Biological Chemistry*, **269**(16): 11769-11775.

Robert, J. & Ohta, Y. (2009). Comparative and developmental study of the immune system in *Xenopus*. *Developmental Dynamics*, **238**(6): 1249-1270.

Roberts, A. B., Sporn, M. B., Assoian, R. K., Smith, J. M., Roche, N. S., Wakefield, L. M., ... & Kehrl, J. H. (1986). Transforming growth factor type beta: rapid induction of fibrosis and angiogenesis in vivo and stimulation of collagen formation in vitro. *Proceedings of the National Academy of Sciences*, **83**(12): 4167-4171.

Rodrigues, A. D., Halpin, R. A., Geer, L. A., Cui, D., Woolf, E. J., Matthews, C. Z., … Agrawal, N. G. B. (2003). Absorption, metabolism, and excretion of etoricoxib, a potent and selective cyclooxygenase-2 inhibitor, in healthy male volunteers. *Drug Metabolism and Disposition*, **31**(2): 224-232.

Roméro-Graillet, C., Aberdam, E., Biagoli, N., Massabni, W., Ortonne, J. P., & Ballotti, R. (1996). Ultraviolet B radiation acts through the nitric oxide and cGMP signal transduction pathway to stimulate melanogenesis in human melanocytes. *Journal of Biological Chemistry*, **271**(45): 28052-28056.

Roy, S., & Lévesque, M. (2006). Limb Regeneration in Axolotl : Is It Superhealing ?6: 12-25.

Ruan, J., Xie, O. W., Hutchinson, N., Wolfe, G., Cho, H., & Nathan, C. (1996). Calmodulin (CaM)-binding region of mouse nitric oxide synthase-2 (residues 503-532) is necessary but not sufficient for CaM binding and nitric oxide production at trace calcium. *FASEB Journal* **10** (6): 2296-2296.

Ruben, L. N., & Frothingham, M. L. (1958). The importance of innervation and superficial wounding in urodele accessory limb formation. *Journal of Morphology*, **102**(1): 91-117.

Rustad, K. C., Wong, V. W., Sorkin, M., Glotzbach, J. P., Major, M. R., Rajadas, J., ...& Gurtner, G. C. (2012). Enhancement of mesenchymal stem cell angiogenic capacity and stemness by a biomimetic hydrogel scaffold. *Biomaterials*, **33**(1): 80-90.

Rutz, S., Eidenschenk, C., & Ouyang, W. (2013). IL-22, not simply a Th17 cytokine. *Immunological Reviews*, **252**(1), 116-132.

Salpeter, M. M., & Singer, M. (1960). Differentiation of the submicroscopic adepidermal membrane during limb regeneration in adult Triturus, including a note on the use of the term basement membrane. *The Anatomical Record*, **136**(1): 27-39.

Santosh, N., Windsor, L. J., Mahmoudi, B. S., Li, B., Zhang, W., Chernoff, E. A., ...& Song, F. (2011). Matrix metalloproteinase expression during blastema formation in regenerationcompetent versus regeneration deficient amphibian limbs. *Developmental Dynamics*, **240**(5): 1127-1141.

Santos-Ruiz, L., Santamaria, J. A., Ruiz-Sanchez, J., & Becerra, J. (2002). Cell Proliferation during Blastema Formation in the Regenerating Teleost Fin. *Developmental Dynamics*, **223:** 262-272.

Sato, M. (2006).Upregulation of the Wnt/β-catenin Pathway Induced by Transforming Growth Factor-β in Hypertrophic Scars and Keloids. *Acta Dermato-venereologica*, **86**(4): 300-307.

Satoh, A., Gardiner, D. M., Bryant, S. V., & Endo, T. (2007). Nerve-induced ectopic limb blastemas in the Axolotl are equivalent to amputation-induced blastemas. *Developmental Biology*, **312**(1): 231-244.

Savage, M. P., & Fallon, J. F. (1995). FGF-2 mRNA and its antisense message are expressed in a developmentally specific manner in the chick limb bud and mesonephros. *Developmental Dynamics*, **202**(4): 343-353.

Savage, M. P., Hart, C. E., Riley, B. B., Sasse, J., Olwin, B. B., & Fallon, J. F. (1993). Distribution of FGF-2 suggests it has a role in chick limb bud growth. *Developmental Dynamics*, **198**(3): 159-170.

Schäffer, M. R., Efron, P. A., Thornton, F. J., Klingel, K., Gross, S. S., & Barbul, A. (1997). Nitric oxide, an autocrine regulator of wound fibroblast synthetic function. *The Journal of Immunology*, **158**(5): 2375-2381.

Schäffer, M. R., Tantry, U., Gross, S. S., Wasserkrug, H. L., & Barbul, A. (1996). Nitric oxide regulates wound healing. *Journal of Surgical Research*, **63**(1): 237-240.

Schäffer, M. R., Tantry, U., Thornton, F. J., & Barbul, A. (1999). Inhibition of nitric oxide synthesis in wounds: pharmacology and effect on accumulation of collagen in wounds in mice. *The European Journal of Surgery*, **165**(3): 262-267.

Schaloske, R. H., & Dennis, E. A. (2006). The phospholipase A2 superfamily and its group numbering system. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, **1761**(11): 1246-1259.

Schmidt, A., 1968. *Cellular Biology of Vertebrate Regeneration and Repair*. University of Chicago Press, Chicago.

Schmidt, H.H. & Walter, U. (1994). NO at work. *Cell*, **78**(6): 919-925.

Schönbeck, U., Mach, F., & Libby, P. (1998). Generation of biologically active IL-1β by matrix metalloproteinases: a novel caspase-1-independent pathway of IL-1β processing. *The Journal of Immunology*, **161**(7): 3340-3346.

Schreier, T., Degen, E., & Baschong, W. (1993). Fibroblast migration and proliferation during in vitro wound healing. *Research in Experimental Medicine*, **193**(1): 195-205.

Seifert, A. W., Monaghan, J. R., Voss, S. R., & Maden, M. (2012). Skin regeneration in adult axolotls: a blueprint for scar-free healing in vertebrates. *PloS one*, **7**(4):e32875.

Seiki, M. (2003). Membrane-type 1 matrix metalloproteinase: a key enzyme for tumor invasion. *Cancer Letters*, **194**(1): 1-11.

Seo, D. W., Kim, S. H., Eom, S. H., Yoon, H. J., Cho, Y. R., Kim, P. H., … Stetler-Stevenson, W. G. (2008). TIMP-2 disrupts FGF-2-induced downstream signaling pathways. *Microvascular Research*, **76**(3): 145-151.

Shah, M., Foreman, D. M., & Ferguson, M. W. (1995). Neutralisation of TGF-beta 1 and TGF-beta 2 or exogenous addition of TGF-beta 3 to cutaneous rat wounds reduces scarring. *Journal of Cell Science*, **108**(3): 985-1002.

Shah, R. V., & Hiradhar, P. K. (1974).Levels of sodium, potassium and water in the normal and regenerating tail of the house lizard, *Hemidactylus flaviviridis*. *Journal animal morphology and physiology*, **21:** 26-34.

Sharma, P. (2008). *No Title*. Is it her Ph. D. Thesis?

Sharma, P., & Suresh, B. (2008). Influence of COX-2-Induced PGE on the Initiation and Progression of Tail Regeneration in Northern House Gecko, *Hemidactylus flaviviridis*. *Folia Biologica (Praha)*, **54:** 193-200.

Shibata, N., Umesono, Y., Orii, H., Sakurai, T., Watanabe, K., & Agata, K. (1999). Expression of vasa(vas)-related genes in germline cells and totipotent somatic stem cells of planarians. *Developmental Biology*, **206**(1): 73-87.

Shimizu, Y., Sakai, M., Umemura, Y., & Ueda, H. (1997). Immunohistochemical Localization of Nitric Oxide Synthase in Normal Human Skin: Expression of Endothelial-type and Inducible-type Nitric Oxide Synthase in Keratinocytes. *The Journal of Dermatology*, **24**(2): 80-87.

Shin, D., Weidinger, G., Moon, R. T., & Stainier, D. Y. (2012). Intrinsic and extrinsic modifiers of the regulative capacity of the developing liver. *Mechanisms of Development*, **128**(11): 525-535.

Shinohara, A., Yokoyama, Y., Wan, X., Takahashi, Y., Mori, Y., Takami, T., ...& Tamaya, T. (2001). Cytoplasmic/nuclear expression without mutation of exon 3 of the β-catenin gene is frequent in the development of the neoplasm of the uterine cervix. *Gynecologic oncology*, **82**(3): 450-455.

Shukla, A., Dubey, M. P., Srivastava, R., & Srivastava, B. S. (1998).Differential expression of proteins during healing of cutaneous wounds in experimental normal and chronic models. *Biochemical and Biophysical Research Communications*, **244**(2): 434-439.

Simmons, D. L., Botting, R. M., & Hla, T. (2004). Cyclooxygenase isozymes: the biology of prostaglandin synthesis and inhibition. *Pharmacological Reviews*, **56**(3): 387-437.

Simmons, D. L., Xie, W., Chipman, J. G., & Evett, G. E. (1991). Multiple cyclooxygenases: cloning of a mitogen-inducible form. In*: Prostaglandins, Leukotrienes, Lipoxins, and PAF*, Springer, USA, pp. 67-78.

Simon, A. M., Manigrasso, M. B., & Patrick O ’connor, J. (2002). Cyclooxygenase 2 Function is Essential for Bone Fracture Healing. *Journal of Bone and Mineral Research*, **17**(6): 963-976.

Simonian, P. L., Wehrmann, F., Roark, C. L., Born, W. K., O'Brien, R. L., & Fontenot, A. P. (2010). γδ T cells protect against lung fibrosis via IL-22. *Journal of Experimental Medicine*, **207**(10): 2239-2253.

Simpson, S. (1961). Induction of limb regeneration in the lizard *Lygosoma laterale* by augmentation of the nerve supply. *Proceedings of the Society for Experimental Biology and Medicine*, **107:** 108-111.

Simpson, S. (1983). Fasciculation and guidance of regenerating central axons by the ependyma. In: C. Kao, R. Bunge, & P. Reier (Eds.), *Spinal Cord Reconstruction*, Raven Press, New York, pp. 151-162.

Simpson, S. J. (1970). Studies on regeneration of the lizard’s tail.*American Zoologist*, **10:** 157-165.

Simpson, S., & Duffy, M. (1994). The lizard spinal cord: a model system for the study of spinal cord injury and repair. *Progress in Brain Research*, **103:** 229-241.

Singer, A. J., & Clark, R. A. (1999). Cutaneous wound healing. *New England Journal of Medicine*, **341**(10): 738-746.

Singer, M. (1974).Neurotrophic control of limb regeneration in the newt. *Annals of the New York Academy of Sciences*, **228**(1): 308-321.

Singer, M., & Salpeter, M. M. (1961). Regeneration in vertebrates: The role of the wound epithelium. In: *Growth in Living Systems*, pp. 277-311.

Sirsjö, A., Karlsson, M., Gidöf, A., Rollman, O., & Törmä, H. (1996). Increased expression of inducible nitric oxide synthase in psoriatic skin and cytokine-stimulated cultured keratinocytes. *British Journal of Dermatology*, **134**(4): 643-648.

Smith, J. M. S., & Lautt, W. W. (2005). The role of prostaglandins in triggering the liver regeneration cascade. *Nitric Oxide*, **13**(2): 111-117.

Smith, W. L., Lands, W.E. (1972). Oxygenation of polyunsaturated fatty acids during prostaglandin biosynthesis by sheep vesicular gland. *Biochemistry*, **11:**3276-3285.

Sonnenberg, G. F., & Artis, D. (2015).Innate lymphoid cells in the initiation, regulation and resolution of inflammation. *Nature Medicine*, **21**(7): 698-708.

Sonnenberg, G. F., Nair, M. G., Kirn, T. J., Zaph, C., Fouser, L. A., & Artis, D. (2010). Pathological versus protective functions of IL-22 in airway inflammation are regulated by IL-17A. *Journal of Experimental Medicine*, **207**(6): 1293-1305.

Soo, C., Beanes, S. R., Hu, F. Y., Zhang, X., Dang, C., Chang, G., ...& Lorenz, H. P. (2003). Ontogenetic transition in fetal wound transforming growth factor-β regulation correlates with collagen organization. *The American Journal of Pathology*, **163**(6): 2459-2476.

Soo, C., Hu, F. Y., Zhang, X., Wang, Y., Beanes, S. R., Lorenz, H. P., ... & Longaker, M. T. (2000). Differential expression of fibromodulin, a transforming growth factor-β modulator, in fetal skin development and scarless repair. *The American journal of pathology*, **157**(2): 423-433.

Stallmeyer, B., Kämpfer, H., Kolb, N., Pfeilschifter, J., & Frank, S. (1999). The function of nitric oxide in wound repair: inhibition of inducible nitric oxide-synthase severely impairs wound reepithelialization. *Journal of Investigative Dermatology*, 113(6): 1090-1098.

Sternlicht, M. D., & Werb, Z. (2001). How matrix metalloproteinases regulate cell behavior. *Annual Review of Cell and Developmental Biology*, **17**(1): 463-516.

Stevenson, T. J., Vinarsky, V., Atkinson, D. L., Keating, M. T., & Odelberg, S. J. (2006). Tissue Inhibitor of Metalloproteinase 1 regulates Matrix Metalloproteinase Activity during Newt Limb Regeneration. *Developmental Dynamics*, **235:** 606-616.

Stocum, D. L. (1985). Role of the skin in urodele limb regeneration. In: *Regulation of Vertebrate Limb Regeneration*, pp. 32-53.

Stocum, D. L. (1995). *Wound Repair, Regeneration and Artificial Tissues*. Springer, New York.

Stocum, D. L. (1999). Limb regeneration: re-entering the cell cycle. *Current Biology*, **9**(17): R644-R646.

Stocum, D. L., & Dearlove, G. E. (1972). Epidermal-mesodermal interaction during morphogenesis of the limb regeneration blastema in larval salamanders. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, **181**(1): 49-61.

Strongin, A. Y., Collier, I., Bannikov, G., Marmer, B. L., Grant, G. A., & Goldberg, G. I. (1995). Mechanism of cell surface activation of 72-kDa type IV collagenase isolation of the activated form of the membrane metalloprotease. *Journal of Biological Chemistry*, **270**(10): 5331-5338.

Sunderland, M. E. (2010). Regeneration: Thomas Hunt Morgan's Window into Development. *Journal of the History of Biology*, **43**(2): 325-361.

Suresh, B., Sharma, P., & Desai, I. (2009).Evidence of the involvement of prostaglandin E2 in different cellular activities during epimorphic regeneration. *Journal of Cell and Tissue Research*, **9**(2): 1883.

Suresh, B., Yadav, M., & Desaii, I. (2010).Influence of FGF-2 on the antioxidant status in tissues during various stages of tail regeneration in the Northern House Gecko, *Hemidactylus flaviviridis*. *Journal of Cell and Tissue Research*, **10**(1): 2091-2100.

Suzuki, H., Menegazzi, M., de Prati, A. C., Mariotto, S., & Armato, U. (1995). Nitric oxide in the liver: physiopathological roles. *Advances in neuroimmunology*, **5**(4): 379-410.

Suzuki, M., Yakushiji, N., Nakada, Y., Satoh, A., Ide, H., & Tamura, K. (2006).Limb regeneration in *Xenopus laevis* froglet. *Scientific world journal*, **12:** 26-37.

Swift, M. E., Kleinman, H. K., & DiPietro, L. A. (1999). Impaired wound repair and delayed angiogenesis in aged mice. *Laboratory investigation; a journal of technical methods and pathology*, *79*(12), 1479-1487.

Takenaka, H., Kishimoto, S., Tooyama, I., Kimura, H., & Yasuno, H. (1997). Protein expression of fibroblast growth factor receptor–1 in keratinocytes during wound healing in rat skin. *Journal of Investigative Dermatology*, **109**(1): 108-112.

Tassava, R. A., JohnsonWint, B., & Gross, J. (1986). Regenerate epithelium and skin glands of the adult newt react to the same monoclonal antibody. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, **239**(2): 229-240.

Tetsuka, T., Daphna-Iken, D., Srivastava, S. K., Baier, L. D., Dumaine, J., & Morrison, A. R. (1994). Cross-talk between cyclooxygenase and nitric oxide pathways: Prostaglandin E_2 negatively modulates induction of nitric oxide synthase by interleukin 1. *Pharmacology*, **91:** 12168-12172.

Thisse, B., & Thisse, C. (2005). Functions and regulations of fibroblast growth factor signaling during embryonic development. *Developmental Biology*, **287**(2): 390-402.

Thomsen, L. L., Lawton, F. G., Knowles, R. G., Beesley, J. E., Riveros-Moreno, V., & Moncada, S. (1994).Nitric oxide synthase activity in human gynecological cancer. *Cancer Research*, **54**(5): 1352-1354.

Thomson, J. A., Itskovitz-Eldor, J., Shapiro, S. S., Waknitz, M. A., Swiergiel, J. J., Marshall, V. S., & Jones, J. M. (1998). Embryonic stem cell lines derived from human blastocysts. S*cience*, **282**(5391): 1145-1147.

Thornton, C. S. (1954). The relation of epidermal innervation to limb regeneration in *Amblystoma* larvae. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, **127**(3): 577-601.

Thornton, C. S. (1968). Amphibian limb regeneration. *Advances in Morphogenesis*,**7:** 205.

Tseng, & Levin, M. (2008).Tail Regeneration in *Xenopus laevis* as a Model for understanding Tissue Repair, **87**(9): 806-816.

Tsonis, P. A. (1996). *Limb Regeneration* (Vol. 31).Cambridge University Press.

Tsujii, M., Kawano, S., & DuBois, R. N. (1997). Cyclooxygenase-2 expression in human colon cancer cells increases metastatic potential. *Proceedings of the National Academy of Sciences of the United States of America*, **94**(7), 3336-3340.

Tucker, O. N., Dannenberg, A. J., Yang, E. K., Zhang, F., Teng, L., Daly, J. M., … Fahey Iii, T. J. (1999). Pancreatic Cancer Cyclooxygenase-2 Expression Is Up-Regulated in Human Cyclooxygenase-2 Expression Is Up-Regulated in Human Pancreatic Cancer. *Cancer Res***59**(59): 987-990.

Tweedell, K. S. (2010). The Urodele Limb Regeneration Blastema: The Cell Potential. *The Scientific World Journal*, **10:** 954-971.

Ud-Din, S., Volk, S. W., & Bayat, A. (2014). Regenerative healing, scar-free healing and scar formation across the species: Current concepts and future perspectives. *Experimental Dermatology*, **23**(9): 615-619.

Umesono, Y., Watanabe, K., & Agata, K. (1997). A planarian orthopedia homolog is specifically expressed in the branch region of both the mature and regenerating brain. *Development, Growth &Differentiation*, **39**(6): 723-727.

Vallier, L., Alexander, M., & Pedersen, R. A. (2005). Activin/Nodal and FGF pathways cooperate to maintain pluripotency of human embryonic stem cells. *Journal of Cell Science*, **118**(19): 4495-4509.

van Es, J. H., Haegebarth, A., Kujala, P., Itzkovitz, S., Koo, B. K., Boj, S. F., ... & Clevers, H. (2012). A critical role for the Wnt effector Tcf4 in adult intestinal homeostatic self-renewal. *Molecular and cellular biology*, **32**(10): 1918-1927.

van Hinsbergh, V. W. M., & Koolwijk, P. (2008). Endothelial sprouting and angiogenesis : matrix metalloproteinases in the lead. *Cardiovascular Reseacrh*, **78:** 203-212.

Varga, J., Rosenbloom, J., & Jimenez, S. A. (1987). Transforming growth factor β (TGFβ) causes a persistent increase in steady-state amounts of type I and type III collagen and fibronectin mRNAs in normal human dermal fibroblasts. *Biochemical Journal*, **247**(3): 597-604.

Verrecchia, F., & Mauviel, A. (2002). Control of connective tissue gene expression by TGFβ: role of Smad proteins in fibrosis. *Current Rheumatology Reports*, **4**(2): 143-149.

Versteeg, H. H., Nijhuis, E., van den Brink, G. R., Evertzen, M., Pynaert, G. N., van Deventer, S. J., ... & Peppelenbosch, M. P. (2000). A new phosphospecific cell-based ELISA for p42/p44 mitogen-activated protein kinase (MAPK), p38 MAPK, protein kinase B and cAMP-response-element-binding protein. *Biochemical Journal*, **350**(3): 717-722.

Vinarsky, V., Atkinson, D. L., Stevenson, T. J., Keating, M. T., & Odelberg, S. J. (2005). Normal newt limb regeneration requires matrix metalloproteinase function. *Developmental Biology*, **279**(1): 86-98.

Virdis, A., Colucci, R., Fornai, M., Blandizzi, C., Duranti, E., Pinto, S., ... & Salvetti, A. (2005). Cyclooxygenase-2 inhibition improves vascular endothelial dysfunction in a rat model of endotoxic shock: role of inducible nitric-oxide synthase and oxidative stress. *Journal of Pharmacology and Experimental Therapeutics*, **312**(3): 945-953.

Visse, R., & Nagase, H. (2003). Matrix metalloproteinases and tissue inhibitors of metalloproteinases. *Circulation Research*, **92**(8): 827-839.

Vitt, L. (1983). Tail loss in lizards: the significance of foraging and predator escape modes. *Herpetologica*, **39:** 151-165.

Vogel, A., Rodriguez, C., & Izpisúa-Belmonte, J. C. (1996).Involvement of FGF-8 in initiation, outgrowth and patterning of the vertebrate limb. *Development-Cambridge*, **122:** 1737-1750.

von Euler, U. S. (1936). On the specific vaso-dilating and plain muscle stimulating substances from accessory genital glands in man and certain animals (prostaglandin and vesiglandin). *The Journal of Physiology*, **88**(2): 213.

von Knethen, A., Callsen, D., & Brü, B. (1999). NF-B and AP-1 Activation by Nitric Oxide Attenuated Apoptotic Cell Death in RAW 264.7 Macrophages. *Molecular Biology of the Cell*, **10:** 361-372.

Wang, R., Ghahary, A., Shen, Y. J., Scott, P. G., & Tredget, E. E. (1996). Human dermal fibroblasts produce nitric oxide and express both constitutive and inducible nitric oxide synthase isoforms. *Journal of Investigative Dermatology*, **106**(3): 419-427.

Wang, T., Yamashita, K., Iwata, K., & Hayakawa, T. (2002). Both tissue inhibitors of metalloproteinases-1 (TIMP-1) and TIMP-2 activate Ras but through different pathways. *Biochemical and Biophysical Research Communications*, **296**(1): 201-205.

Wang, X., He, H., Tang, W., Zhang, X. A., Hua, X., & Yan, J. (2012). Two origins of blastemal progenitors define blastemal regeneration of zebrafish lower jaw. *PloS one*, **7**(9): e45380.

Watabe, A., Sugimoto, Y., Honda, A., Irie, A., Namba, T., Negishi, M., ...& Ichikawa, A. (1993). Cloning and expression of cDNA for a mouse EP1 subtype of prostaglandin E receptor. *Journal of Biological Chemistry*, **268**(27): 20175-20178.

Wehner, D., Cizelsky, W., Vasudevaro, M. D., Ozhan, G., Haase, C., Birgit, K., … Weidinger, G. (2014). Article Wnt / b -Catenin Signaling Defines Organizing Centers that Orchestrate Growth and Differentiation of the Regenerating Zebrafish Caudal Fin. *Cell Reports*, **6:** 467-481.

Wei, S., Zhao, E., Kryczek, I., & Zou, W. (2012). Th17 cells have stem cell-like features and promote long-term immunity. *Oncoimmunology*, **1**(4): 516-519.

Werner, S. (1998). Keratinocyte growth factor: a unique player in epithelial repair processes. *Cytokine &Growth Factor Reviews*, **9**(2): 153-165.

Werner, S.& Grose, R. (2003). Regulation of wound healing by growth factors and cytokines. *Physiological Reviews*, **83**(3): 835-870.

Werner, S., Breeden, M., Hübner, G., Greenhalgh, D. G., & Longaker, M. T. (1994). Induction of keratinocyte growth factor expression is reduced and delayed during wound healing in the genetically diabetic mouse. *Journal of Investigative Dermatology*, **103**(4): 469-473.

Werner, S., Peters, K. G., Longaker, M. T., Fuller-Pace, F., Banda, M. J., & Williams, L. T. (1992). Large induction of keratinocyte growth factor expression in the dermis during wound healing. *Proceedings of the National Academy of Sciences*, **89**(15): 6896-6900.

Werner, S., Smola, H., Liao, X., Longaker, M. T., Krieg, T., Hofschneider, P. H., & Williams, L. T. (1994).The function of KGF in morphogenesis of epithelium and reepithelialization of wounds. *Science*, **266**(5186): 819-823.

Werner, Y. (1968). Regeneration frequencies in geckos of two ecological types (Reptilia: Gekkonidae). *Vie et Milieu*, 19: 199-222.

Wharton, K. & Derynck, R. (2009). TGF-β family signaling: novel insights in development and disease. *Development*, **136**: 3691.

Whitby, D. J., & Ferguson, M. W. (1991). Immunohistochemical localization of growth factors in fetal wound healing. *Developmental biology*, **147**(1): 207-215.

Whitehead, G. G., Makino, S., Lien, C., & Keating, M. T. (2005).FGF20 is Essential for Initiating Zebrafish Fin Regeneration. *Science*, **310:** 1957.

Wolk, K., Witte, E., Wallace, E., Döcke, W. D., Kunz, S., Asadullah, K., ...& Sabat, R. (2006). IL-22 regulates the expression of genes responsible for antimicrobial defense, cellular differentiation, and mobility in keratinocytes: a potential role in psoriasis. *European Journal of Immunology*, **36**(5): 1309-1323.

Wong, C. T., Ahmad, E., Li, H., & Crawford, D. A. (2014). Prostaglandin E_2 alters Wnt-dependent migration and proliferation in neuroectodermal stem cells: implications for autism spectrum disorders. *Cell Communication and Signaling*, 12: 1-18.

Wong, V. W., Gurtner, G. C., & Longaker, M. T. (2013). Wound healing: A paradigm for regeneration. *Mayo Clinic Proceedings*, **88**(9): 1022-1031.

Xia, Y. F., Liu, L. P., Zhong, C. P., & Geng, J. G. (2001). NF-κB activation for constitutive expression of VCAM-1 and ICAM-1 on B lymphocytes and plasma cells. *Biochemical and Biophysical Research Communications*, **289**(4): 851-856.

Xie, W. L., Chipman, J. G., Robertson, D. L., Erikson, R. L., & Simmons, D. L. (1991). Expression of a mitogen-responsive gene encoding prostaglandin synthase is regulated by mRNA splicing. *Proceedings of the National Academy of Sciences*, **88**(7): 2692-2696.

Xie, W., Robertson, D. L., & Simmons, D. L. (1992). Mitogen-inducible prostaglandin G/H synthase: A new target for nonsteroidal antiinflammatory drugs. *Drug Development Research*, **25**(4): 249-265.

Xu, C., Rosler, E., Jiang, J., Lebkowski, J. S., Gold, J. D., O'Sullivan, C., ...& Carpenter, M. K. (2005). Basic fibroblast growth factor supports undifferentiated human embryonic stem cell growth without conditioned medium. *Stem Cells*, **23**(3): 315-323.

Xu, X., Weinstein, M., Li, C., Naski, M., Cohen, R. I., Ornitz, D. M., ...& Deng, C. (1998). Fibroblast growth factor receptor 2 (FGFR2)-mediated reciprocal regulation loop between FGF8 and FGF10 is essential for limb induction. *Development*, **125**(4): 753-765.

Yadav, M., Anusree, P., Desai, I., & Suresh, B. (2012). Influence of extraneous FGF-2 and its antagonist anti-FGF-2 on the progress of tail regeneration in *Hemidactylus flaviviridis*. *Indian journal of fundamental and applied life sciences*, **2**(2): 164-172.

Yadav, M., Buch, P., Desai, I., & Balakrishnan, S. (2014). Exogenous administration of EGF augments nucleic acid biosynthesis and cell proliferation in the regenerating tail of wall lizard. *European Journal of Experimental Biology*, **4**(2), 113-123.

Yamada, Y., Kirillova, I., Peschon, J., & Fausto, N. (1997). Initiation of liver growth by tumor necrosis factor : Deficient liver regeneration in mice lacking type I tumor necrosis factor receptor. *Proceedings of the National Academy of Sciences*, **94**: 1441–1446.

Yamasaki, K., Edington, H. D., McClosky, C., Tzeng, E., Lizonova, A., Kovesdi, I., ...& Billiar, T. R. (1998). Reversal of impaired wound repair in iNOS-deficient mice by topical adenoviral-mediated iNOS gene transfer. *Journal of Clinical Investigation*, **101**(5): 967.

Yamashita, K., Suzuki, M., Iwata, H., Koike, T., Hamaguchi, M., Shinagawa, A., ...& Hayakawa, T. (1996). Tyrosine phosphorylation is crucial for growth signaling by tissue inhibitors of metalloproteinases (TIMP-1 and TIMP-2). *FEBS Letters*, **396**(1): 103-107.

Yang, E. V., & Byant, S. V. (1994). Developmental regulation of a matrix metalloproteinase during regeneration of axolotl appendages. *Developmental Biology*, **166**(2): 696-703.

Yang, E. V., Gardiner, D. M., Carlson, M. R., Nugas, C. A., & Bryant, S. V. (1999). Expression of Mmp9 and related matrix metalloproteinase genes during axolotl limb regeneration. *Developmental Dynamics*, **216**(1): 2-9.

Yang, Y. (2003). Wnts and wing: Wnt signaling in vertebrate limb development and musculoskeletal morphogenesis. *Birth Defects Research Part C: Embryo Today: Reviews*, **69**(4): 305-317.

Yokoyama, H. (2008). Initiation of limb regeneration : The critical steps for regenerative capacity. *Development Growth and Differentiation*, **50:** 13-22.

Yokoyama, H., Ogino, H., Stoick-Cooper, C. L., Grainger, R. M., & Moon, R. T. (2007). Wnt/β-catenin signaling has an essential role in the initiation of limb regeneration. *Developmental Biology*, **306**(1): 170-178.

Yokoyama, H., Yonei-Tamura, S., Endo, T., Belmonte, J. C. I., Tamura, K., & Ide, H. (2000). Mesenchyme with FGF-10 expression is responsible for regenerative capacity in *Xenopus* limb buds. *Developmental Biology*, **219**(1): 18-29.

You, Z., Duraine, G., Tien, J. Y. L., Lee, C., Moseley, T. A., & Reddi, A. H. (2005). Expression of interleukin-17B in mouse embryonic limb buds and regulation by BMP-7 and bFGF. *Biochemical and Biophysical Research Communications*, 326: 624-631.

Yu, Q., & Stamenkovic, I. (2000). Cell surface-localized matrix metalloproteinase-9 proteolytically activates TGF-β and promotes tumor invasion and angiogenesis. *Genes & Development*, **14**(2): 163-176.

Zenewicz, L. A., Yancopoulos, G. D., Valenzuela, D. M., Murphy, A. J., Karow, M., & Flavell, R. A. (2007). Interleukin-22 but not interleukin-17 provides protection to hepatocytes during acute liver inflammation. *Immunity*, **27**(4): 647-659.

Zenjari, C., Bollly-Marer, Y., Desbiens, X., Oudghir, M., Hondermarck, H., & Bollly, B. (1996). Experimental evidence for FGF-1 control of blastema cell proliferation during limb regeneration of the Amphibian *Pleurodeles waltl*. *International Journal of Developmental Biology*, **971**: 965-971.

Zhang, X., Ibrahimi, O. A., Olsen, S. K., Umemori, H., Mohammadi, M., & Ornitz, D. M. (2006). Receptor specificity of the fibroblast growth factor family: The complete mammalian FGF family. *Journal of Biological Chemistry*, **281**(23): 15694-15700.

Zheng, Y., Valdez, P. A., Danilenko, D. M., Hu, Y., Sa, S. M., Gong, Q., ...& Ouyang, W. (2008). Interleukin-22 mediates early host defense against attaching and effacing bacterial pathogens. *Nature Medicine*, **14**(3): 282-289.

Zhou, Z., Apte, S. S., Soininen, R., Cao, R., Baaklini, G. Y., Rauser, R. W., ...& Tryggvason, K. (2000). Impaired endochondral ossification and angiogenesis in mice deficient in membrane-type matrix metalloproteinase I. *Proceedings of the National Academy of Sciences*, **97**(8): 4052-4057.