BIBLIOGRAPHY

Abdel-Karim AE, Michael MI, Anton HJ, 1990. Mitotic activity in the blastema and stump tissues of regenerating hind limbs of *Xenopus laevis* larvae after amputation at ankle level. An autoradiographic study. *Folia Morphol (Praha)* 38:1-11.

Adams DS, Masi A, Levin M, 2007. H^+ pump-dependent changes in membrane voltage are an early mechanism necessary and sufficient to induce *Xenopus* tail regeneration. *Development* 134:1323-35.

Agata K, Saito Y, Nakajima E, 2007. Unifying principles of regeneration I: Epimorphosis versus morphallaxis. *Dev Growth Differ* 49:73-8.

Akimenko MA, Johnson SL, Westerfield M, Ekker M, 1995. Differential induction of four msx homeobox genes during fin development and regeneration in zebrafish. *Development* 121:347-57.

Akimenko MA, Mari-Beffa M, Becerra J, Geraudie J, 2003. Old questions, new tools, and some answers to the mystery of fin regeneration. *Dev Dyn* 226:190-201.

Akimenko MA, Smith A, 2007 Paired fin repair and regeneration. Fins into Limbs: Evolution, Development and Transformation. Feb 1:152-62.

Alberts B, Johnson A, Lewis J, Raff M, Roberts K, Walter P, 2008. Molecular Biology of the Cell, 5 ed. New York: Garland science.

Alibardi L, 2010. Morphological and cellular aspects of tail and limb regeneration in lizards. A model system with implications for tissue regeneration in mammals. *Adv Anat Embryol Cell Biol* 207: iii, v-x, 1-109.

Alnemri ES, Livingston DJ, Nicholson DW, Salvesen G, Thornberry NA, Wong WW, Yuan J, 1996. Human ICE/CED-3 protease nomenclature. *Cell*. 18;87(2):171.

Annasamudram S, 2012. Cellular and molecular mechanisms of epimorphic regeneration in teleost fish role of fibroblast growth factor 2. Vadodara: The Maharaja Sayajirao University of Baroda.

Athippozhy A, Lehrberg J, Monaghan JR, Gardiner DM, Voss SR, 2014. Characterization of transcriptional responses of dorsal root ganglia cultured in the presence and absence of blastema cells from regenerating salamander limbs. *Regeneration (Oxf)* 1:1-10.

Aubin JE, 2001. Regulation of osteoblast formation and function. *Rev Endocr Metab Disord* 2:81-94.

Avaron F, Hoffman L, Guay D, Akimenko MA, 2006. Characterization of two new zebrafish members of the hedgehog family: atypical expression of a zebrafish indian hedgehog gene in skeletal elements of both endochondral and dermal origins. *Dev Dyn* 235:478-89.

Azar DT, Hahn TW, Jain S, Yeh YC, Stetler-Stevensen WG, 1996. Matrix metalloproteinases are expressed during wound healing after excimer laser keratectomy. *Cornea* 15:18-24.

Azevedo AS, Grotek B, Jacinto A, Weidinger G, Saude L, 2011. The regenerative capacity of the zebrafish caudal fin is not affected by repeated amputations. *PLoS One* 6: e22820.

Bagri A, Cheng HJ, Yaron A, Pleasure SJ, Tessier-Lavigne M, 2003. Stereotyped pruning of long hippocampal axon branches triggered by retraction inducers of the semaphorin family. *Cell* 113:285-99.

Bai S, Thummel R, Godwin AR, Nagase H, Itoh Y, Li L, Evans R, McDermott J, Seiki M, Sarras MP, Jr., 2005. Matrix metalloproteinase expression and function during fin regeneration in zebrafish: analysis of MT1-MMP, MMP2 and TIMP2. *Matrix Biol* 24:247-60.

Baker EA, Leaper DJ, 2000. Proteinases, their inhibitors, and cytokine profiles in acute wound fluid. *Wound Repair Regen* 8:392-8.

Balemans W, Van Hul W, 2002. Extracellular regulation of BMP signaling in vertebrates: a cocktail of modulators. *Dev Biol* 250:231-50.

Bareyre FM, 2008. Neuronal repair and replacement in spinal cord injury. *J Neurol Sci* 265:63-72.

Bastida MF, Delgado MD, Wang B, Fallon JF, Fernandez-Teran M, Ros MA, 2004. Levels of Gli3 repressor correlate with Bmp4 expression and apoptosis during limb development. *Dev Dyn* 231:148-60.

Baur ST, Mai JJ, Dymecki SM, 2000. Combinatorial signaling through BMP receptor IB and GDF5: shaping of the distal mouse limb and the genetics of distal limb diversity. *Development* 127:605-19.

Bayliss PE, Bellavance KL, Whitehead GG, Abrams JM, Aegerter S, Robbins HS, Cowan DB, Keating MT, O'Reilly T, Wood JM, Roberts TM, Chan J, 2006. Chemical modulation of receptor signaling inhibits regenerative angiogenesis in adult zebrafish. *Nat Chem Biol* 2:265-73.

Becerra J, Junqueira LC, Bechara IJ, Montes GS, 1996. Regeneration of fin rays in teleosts: a histochemical, radioautographic, and ultrastructural study. *Arch Histol Cytol* 59:15-35.

Beck CW, Christen B, Slack JM, 2003. Molecular pathways needed for regeneration of spinal cord and muscle in a vertebrate. *Dev Cell* 5:429-39.

Beck CW, Christen B, Barker D, Slack JM, 2006. Temporal requirement for bone morphogenetic proteins in regeneration of the tail and limb of *Xenopus* tadpoles. *Mech Dev* 123:674-88.

Becker CG, Lieberoth BC, Morellini F, Feldner J, Becker T, Schachner M, 2004. L1.1 is involved in spinal cord regeneration in adult zebrafish. *J Neurosci* 24:7837-42.

Beederman M, Lamplot JD, Nan G, Wang J, Liu X, Yin L, Li R, Shui W, Zhang H, Kim SH, Zhang W, Zhang J, Kong Y, Denduluri S, Rogers MR, Pratt A, Haydon RC, Luu HH, Angeles J, Shi LL, He TC, 2013. BMP signaling in mesenchymal stem cell differentiation and bone formation. *J Biomed Sci Eng* 6:32-52.

Ben-Arie N, Bellen HJ, Armstrong DL, McCall AE, Gordadze PR, Guo Q, Matzuk MM, Zoghbi HY, 1997. Math1 is essential for genesis of cerebellar granule neurons. *Nature* 390:169-72.

Birkedal-Hansen H, Moore WG, Bodden MK, Windsor LJ, Birkedal-Hansen B, DeCarlo A, Engler JA, 1993. Matrix metalloproteinases: a review. *Crit Rev Oral Biol Med* 4:197-250.

Birnbaum KD, Sanchez Alvarado A, 2008. Slicing across kingdoms: regeneration in plants and animals. *Cell* 132:697-710.

Bleuming SA, He XC, Kodach LL, Hardwick JC, Koopman FA, Ten Kate FJ, van Deventer SJ, Hommes DW, Peppelenbosch MP, Offerhaus GJ, Li L, van den Brink GR, 2007. Bone morphogenetic protein signaling suppresses tumorigenesis at gastric epithelial transition zones in mice. *Cancer Res* 67:8149-55.

Bliss DE, Mantel LH, 2012. Integument, Pigments, and Hormonal Processes: Academic Press,Harcourt Brace jovanovich Publisher.

Blum N, Begemann G, 2012. Retinoic acid signaling controls the formation, proliferation and survival of the blastema during adult zebrafish fin regeneration. *Development* 139:107-16.

Boergermann JH, Kopf J, Yu PB, Knaus P, 2010. Dorsomorphin and LDN-193189 inhibit BMP-mediated Smad, p38 and Akt signalling in C2C12 cells. *Int. J. Biochem. Cell Biol*. Nov 30;42(11):1802-7.

Boskey AL, Paschalis EP, Binderman I, Doty SB, 2002. BMP-6 accelerates both chondrogenesis and mineral maturation in differentiating chick limb-bud mesenchymal cell cultures. *J Cell Biochem* 84:509-19.

Boyd NL, Dhara SK, Rekaya R, Godbey EA, Hasneen K, Rao RR, West FD, 3rd, Gerwe BA, Stice SL, 2007. BMP4 promotes formation of primitive vascular networks in human embryonic stem cell-derived embryoid bodies. *Exp Biol Med (Maywood)* 232:833-43.

Bradford MM, 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72:248-54.

Brockes JP, Kumar A, 2002. Plasticity and reprogramming of differentiated cells in amphibian regeneration. *Nat Rev Mol Cell Biol* 3:566-74.

Brockes JP, Kumar A, 2005. Appendage regeneration in adult vertebrates and implications for regenerative medicine. *Science* 310:1919-23.

Brockes JP, Kumar A, 2008. Comparative aspects of animal regeneration. Annu Rev *Cell Dev Biol* 24:525-49.

Bryant SV, Endo T, Gardiner DM, 2002. Vertebrate limb regeneration and the origin of limb stem cells. *Int J Dev Biol* 46:887-96.

Cadinouche MZ, Liversage RA, Muller W, Tsilfidis C, 1999. Molecular cloning of the *Notophthalmus viridescens* radical fringe cDNA and characterization of its expression during forelimb development and adult forelimb regeneration. *Dev Dyn* 214:259-68.

Calve S, Odelberg SJ, Simon HG, 2010. A transitional extracellular matrix instructs cell behavior during muscle regeneration. *Dev Biol* 344:259-71.

Campbell LJ, Crews CM, 2008. Wound epidermis formation and function in urodele amphibian limb regeneration. *Cell Mol Life Sci* 65:73-9.

Canalis E, Economides AN, Gazzerro E, 2003. Bone morphogenetic proteins, their antagonists, and the skeleton. *Endocr Rev* 24:218-35.

Carson FL, 1990. Histotechnology:A Self-Instructional Text, 1 ed. Chicago: ASCP Press.

Carlson MR, Bryant SV, Gardiner DM, 1998. Expression of Msx-2 during development, regeneration, and wound healing in axolotl limbs. *J Exp Zool* 282:715-23.

Chablais F, Jaźwińska A, 2010. IGF signaling between blastema and wound epidermis is required for fin regeneration. *Development*. Mar 15;137(6):871-9.

Chen G, Deng C, Li YP, 2012. TGF-beta and BMP signaling in osteoblast differentiation and bone formation. *Int J Biol Sci* 8:272-88.

Chen XD, 2010. Extracellular matrix provides an optimal niche for the maintenance and propagation of mesenchymal stem cells. *Birth Defects Res C Embryo Today* 90:45-54.

Chen JC, Yang ST, Lin CY, Hsu CJ, Tsai CH, Su JL, Tang CH, 2014. BMP-7 enhances cell migration and alphavbeta3 integrin expression via a c-Src-dependent pathway in human chondrosarcoma cells. *PLoS One* 9: e112636.

Cheng H, Jiang W, Phillips FM, Haydon RC, Peng Y, Zhou L, Luu HH, An N, Breyer B, Vanichakarn P, Szatkowski JP, Park JY, He TC, 2003. Osteogenic activity of the fourteen types of human bone morphogenetic proteins (BMPs). *J Bone Joint Surg Am* 85-A:1544-52.

Choi KY, Kim HJ, Lee MH, Kwon TG, Nah HD, Furuichi T, Komori T, Nam SH, Kim YJ, Kim HJ, Ryoo HM, 2005. Runx2 regulates FGF2-induced Bmp2 expression during cranial bone development. *Dev Dyn* 233:115-21.

Christensen RN, Weinstein M, Tassava RA, 2001. Fibroblast growth factors in regenerating limbs of *Ambystoma*: cloning and semi-quantitative RT-PCR expression studies. *J Exp Zool* 290:529-40.

Christensen RN, Weinstein M, Tassava RA, 2002. Expression of fibroblast growth factors 4, 8, and 10 in limbs, flanks, and blastemas of Ambystoma. *Dev Dyn* 223:193-203.

Christiaen L, Stolfi A, Levine M, 2010. BMP signaling coordinates gene expression and cell migration during precardiac mesoderm development. *Dev Biol* 340:179-87.

Coletti D, Teodori L, Lin Z, Beranudin JF, Adamo S, 2013. Restoration versus reconstruction: cellular mechanisms of skin, nerve and muscle regeneration compared. *Regen Med Res* 1:4.

Courtenay WR, Meffe GK, 1989. Small fishes in strange places: a review of introduced poeciliids. New Jersey: Englewood Cliffs,Prentice Hall.

Crotwell PL, Sommervold AR, Mabee PM, 2004. Expression of bmp2a and bmp2b in late-stage zebrafish median fin development. *Gene Expr Patterns* 5:291-6.

Cuny GD, Yu PB, Laha JK, Xing X, Liu JF, Lai CS, Deng DY, Sachidanandan C, Bloch KD, Peterson RT, 2008. Structure-activity relationship study of bone morphogenetic protein (BMP) signaling inhibitors. *Bioorg Med Chem Lett* 18:4388-92.

Daley WP, Yamada KM, 2013. ECM-modulated cellular dynamics as a driving force for tissue morphogenesis. *Curr Opin Genet Dev* 23:408-14.

Davidson ENB, Vitters EL, van Lent PL, van de Loo FA, van den Berg WB, van der Kraan PM, 2007. Elevated extracellular matrix production and degradation upon bone morphogenetic protein-2 (BMP-2) stimulation point toward a role for BMP-2 in cartilage repair and remodeling. *Arthritis Res Ther* 9: R102.

De Robertis EM, Kuroda H, 2004. Dorsal-ventral patterning and neural induction in *Xenopus* embryos. *Annu Rev Cell Dev Biol* 20:285-308.

Deng ZL, Sharff KA, Tang N, Song WX, Luo J, Luo X, Chen J, Bennett E, Reid R, Manning D, Xue A, Montag AG, Luu HH, Haydon RC, He TC, 2008. Regulation of osteogenic differentiation during skeletal development. *Front Biosci* 13:2001-21.

Dinsmore CE, 1998. Conceptual foundations of metamorphosis and regeneration: from historical links to common mechanisms. *Wound Repair Regen* 6:291-301.

Domen J, Weissman IL, 2000. Hematopoietic stem cells need two signals to prevent apoptosis; BCL-2 can provide one of these, Kitl/c-Kit signaling the other. *J Exp Med* 192:1707-18.

Domen J, Cheshier SH, Weissman IL, 2000. The role of apoptosis in the regulation of hematopoietic stem cells Overexpression of Bcl-2 increases both their number and repopulation potential. *J. Exp. Med*. Jan 17;191(2):253-64.

Dufourcq P, Vriz S, 2006. The chemokine SDF-1 regulates blastema formation during zebrafish fin regeneration. *Dev Genes Evol* 216:635-9.

Edwards CA, O'Brien WD, Jr., 1980. Modified assay for determination of hydroxyproline in a tissue hydrolyzate. *Clin Chim Acta* 104:161-7.

Egeblad M, Rasch MG, Weaver VM, 2010. Dynamic interplay between the collagen scaffold and tumor evolution. *Curr Opin Cell Biol* 22:697-706.

Elmore S, 2007. Apoptosis: a review of programmed cell death. *Toxicol Pathol* 35:495-516.

Erdem S, Mendell JR, Sahenk Z, 1998. Fate of Schwann cells in CMT1A and HNPP: evidence for apoptosis. *J Neuropathol Exp Neurol* 57:635-42.

Ferguson MW, O'Kane S, 2004. Scar-free healing: from embryonic mechanisms to adult therapeutic intervention. *Philos Trans R Soc Lond B Biol Sci* 359:839-50.

Fernandez-Resa P, Mira E, Quesada AR, 1995. Enhanced detection of casein zymography of matrix metalloproteinases. *Anal Biochem* 224:434-5.

Ferretti P, Geraudie J, 1995. Retinoic acid-induced cell death in the wound epidermis of regenerating zebrafish fins. *Dev Dyn* 202:271-83.

Festuccia C, Angelucci A, Gravina GL, Villanova I, Teti A, Albini A, Bologna M, 2000. Osteoblast-derived TGF-beta1 modulates matrix degrading protease expression and activity in prostate cancer cells. *Int J Cancer* 85:407-15.

Fiedler J, Roderer G, Gunther KP, Brenner RE, 2002. BMP-2, BMP-4, and PDGF-bb stimulate chemotactic migration of primary human mesenchymal progenitor cells. *J Cell Biochem* 87:305-12.

Fini ME, Cook JR, Mohan R, 1998. Proteolytic mechanisms in corneal ulceration and repair. *Arch Dermatol Res* 290 Suppl: S12-23.

Forget MA, Desrosiers RR, Beliveau R, 1999. Physiological roles of matrix metalloproteinases: implications for tumor growth and metastasis. *Can J Physiol Pharmacol* 77:465-80.

Gardiner DM, Endo T, Bryant SV, 2002. The molecular basis of amphibian limb regeneration: integrating the old with the new. *Semin Cell Dev Biol* 13:345-52.

Garg HG, 2000. Scarless Wound Healing. In. New York: Marcel Dekker.

Gauron C, Rampon C, Bouzaffour M, Ipendey E, Teillon J, Volovitch M, Vriz S, 2013. Sustained production of ROS triggers compensatory proliferation and is required for regeneration to proceed. *Sci Rep* 3:2084.

Gemberling M, Bailey TJ, Hyde DR, Poss KD, 2013. The zebrafish as a model for complex tissue regeneration. *Trends Genet* 29:611-20.

Geraudie J, Landis WJ, 1982. The fine structure of the developing pelvic fin dermal skeleton in the trout Salmo gairdneri. *Am J Anat* 163:141-56.

Geraudie J, Singer M, 1992. The fish fin regenerate. *Monogr Dev Biol* 23:62-72.

Gersbach CA, Byers BA, Pavlath GK, García AJ, 2004. Runx2/Cbfa1 stimulates transdifferentiation of primary skeletal myoblasts into a mineralizing osteoblastic phenotype. Exp cell res. 1;300(2):406-17.

Gilbert SF, 2000. Developmental Biology, 7 ed. Sunderland (MA): Sinauer Associates.

Ghosh A, Mahapatra BK, Datta NC, 2003. Ornamental fish farming-successful small scale aqua business in India. *AQUAC RES*.;8(3):14-6.

Goldshmit Y, Sztal TE, Jusuf PR, Hall TE, Nguyen-Chi M, Currie PD, 2012. Fgf-dependent glial cell bridges facilitate spinal cord regeneration in zebrafish. *J Neurosci* 32:7477-92.

Gordon KJ, Kirkbride KC, How T, Blobe GC, 2009. Bone morphogenetic proteins induce pancreatic cancer cell invasiveness through a Smad1-dependent mechanism that involves matrix metalloproteinase-2. *Carcinogenesis* 30:238-48.

Goss RJ, 1965. Kinetics of Compensatory Growth. *Q Rev Biol* 40:123-46.

Graff JM, 1997. Embryonic patterning: to BMP or not to BMP, that is the question. *Cell* 89:171-4.

Gross J, Dumsha B, 1958. Elastoidin: a twocomponent member of the collagen class. *Biochim Biophys Acta* 28:268-70.

Grounds MD, 2008. Complexity of extracellular matrix and skeletal muscle regeneration. In Skeletal muscle repair and regeneration (pp. 269-302). Springer Netherlands.

Guha U, Gomes WA, Kobayashi T, Pestell RG, Kessler JA, 2002. In vivo evidence that BMP signaling is necessary for apoptosis in the mouse limb. *Dev Biol* 249:108-20.

Guimond JC, Levesque M, Michaud PL, Berdugo J, Finnson K, Philip A, Roy S, 2010. BMP-2 functions independently of SHH signaling and triggers cell condensation and apoptosis in regenerating *axolotl* limbs. *BMC Dev Biol* 10:15.

Gulati AK, Zalewski AA, Reddi AH, 1983. An immunofluorescent study of the distribution of fibronectin and laminin during limb regeneration in the adult newt. *Dev Biol* 96:355-65.

Haas HJ, 1962. Studies on mechanisms of joint and bone formation in the skeleton rays of fish fins. *Dev Biol* 5:1-34.

Hakkinen L, Uitto VJ, Larjava H, 2000. Cell biology of gingival wound healing. *Periodontol* 2000 24:127-52.

Hall BK, Miyake T, 2000. All for one and one for all: condensations and the initiation of skeletal development. *Bioessays* 22:138-47

Hall BK, 2005. Bones and Cartilage: Developmental and evolutionary skeletal biology. CA: Elsevier Academic Press, San Diego.

Han S, Lee JH, Kim C, Nam D, Chung WS, Lee SG, Ahn KS, Cho SK, Cho M, Ahn KS, 2013. Capillarisin inhibits iNOS, COX-2 expression, and proinflammatory cytokines in LPS-induced RAW 264.7 macrophages via the suppression of ERK, JNK, and NF-κB activation. *Immunopharmacol Immunotoxicol*. 1;35(1):34-42.

Harada SI, Rodan GA, 2003. Control of osteoblast function and regulation of bone mass. Nature. 15;423(6937):349-55.

Hawkes SP, Li H, Taniguchi GT, 2001. Zymography and reverse zymography for detecting MMPs, and TIMPs. New Jersey: Humana Press, Totowa.

Hay ED, Fischman DA, 1961. Origin of the blastema in regenerating limbs of the newt Triturus viridescens. An autoradiographic study using tritiated thymidine to follow cell proliferation and migration. *Dev Biol* 3:26-59.

He TC, 2005. Distinct osteogenic activity of BMPs and their orthopaedic applications. *J Muscle Neurosci Interac* 5:363-366.

He BC, Chen L, Zuo GW, Zhang W, Bi Y, Huang J, Wang Y, Jiang W, Luo Q, Shi Q, Zhang BQ, Liu B, Lei X, Luo J, Luo X, Wagner ER, Kim SH, He CJ, Hu Y, Shen J, Zhou Q, Rastegar F, Deng ZL, Luu HH, He TC, Haydon RC, 2010. Synergistic antitumor effect of the activated PPARgamma and retinoid receptors on human osteosarcoma. *Clin Cancer Res* 16:2235-45.

Heussen C, Dowdle EB, 1980. Electrophoretic analysis of plasminogen activators in polyacrylamide gels containing sodium dodecyl sulfate and copolymerized substrates. *Anal Biochem* 102:196-202.

Hogan BL, 1996a. Bmps: multifunctional regulators of mammalian embryonic development. Harvey Lect 92:83-98.

Hogan BL, 1996b. Bone morphogenetic proteins in development. *Curr Opin Genet Dev* 6:432-8.

Hogan BL, 1996c. Bone morphogenetic proteins: multifunctional regulators of vertebrate development. *Genes Dev* 10:1580-94.

Holleville N, Mate OS, Bontoux S, Bollerot, Monsoro-Burq A, 2007. Dlx5 drives Runx2 expression and osteogenic differentiation in developing cranial suture mesenchyme. *Dev. Biol*; 304:860-74.

Honig LS, Rosenberg RN, 2000. Apoptosis and neurologic disease. *Am J Med* 108:317-30.

Huang CC, Lawson ND, Weinstein BM, Johnson SL, 2003. reg6 is required for branching morphogenesis during blood vessel regeneration in zebrafish caudal fins. *Dev Biol* 264:263-74.

Hwang JS, Kobayashi C, Agata K, Ikeo K, Gojobori T, 2004. Detection of apoptosis during planarian regeneration by the expression of apoptosis-related genes and TUNEL assay. *Gene* 333:15-25.

Hynes RO, 2009. The extracellular matrix: not just pretty fibrils. *Science* 326:1216-9.

Hynes RO, 2014. Stretching the boundaries of extracellular matrix research. *Nat Rev Mol Cell Biol* 15:761-3.

Inai K, Norris RA, Hoffman S, Markwald RR, Sugi Y, 2008. BMP-2 induces cell migration and periostin expression during atrioventricular valvulogenesis. *Dev Biol* 315:383-96.

James TN, 1994. Normal and abnormal consequences of apoptosis in the human heart. From postnatal morphogenesis to paroxysmal arrhythmias. *Circulation* 90:556-73.

Johnson SL, Weston JA, 1995. Temperature-sensitive mutations that cause stage-specific defects in Zebrafish fin regeneration. *Genetics* 141:1583-95.

Johnston MV, 2004. Clinical disorders of brain plasticity. *Brain Dev* 26:73-80.

Juliano RL, Haskill S, 1993. Signal transduction from the extracellular matrix. *J Cell Biol* 120:577-85.

Kaiser S, Schirmacher P, Philipp A, Protschka M, Moll I, Nicol K, Blessing M, 1998. Induction of bone morphogenetic protein-6 in skin wounds. Delayed reepitheliazation and scar formation in BMP-6 overexpressing transgenic mice. *J Invest Dermatol* 111:1145-52.

Kamiya N, Kobayashi T, Mochida Y, Yu PB, Yamauchi M, Kronenberg HM, Mishina Y, 2010. Wnt inhibitors Dkk1 and Sost are downstream targets of BMP signaling through the type IA receptor (BMPRIA) in osteoblasts. *J Bone Miner Res* 25:200-10.

Kang Q, Sun MH, Cheng H, Peng Y, Montag AG, Deyrup AT, Jiang W, Luu HH, Luo J, Szatkowski JP, Vanichakarn P, Park JY, Li Y, Haydon RC, He TC, 2004. Characterization of the distinct orthotopic bone-forming activity of 14 BMPs using recombinant adenovirus-mediated gene delivery. *Gene Ther* 11:1312-20.

Kang Q, Song WX, Luo Q, Tang N, Luo J, Luo X, Chen J, Bi Y, He BC, Park JK, Jiang W, Tang Y, Huang J, Su Y, Zhu GH, He Y, Yin H, Hu Z, Wang Y, Chen L, Zuo GW, Pan X, Shen J, Vokes T, Reid RR, Haydon RC, Luu HH, He TC, 2009. A comprehensive analysis of the dual roles of BMPs in regulating adipogenic and osteogenic differentiation of mesenchymal progenitor cells. *Stem Cells Dev* 18:545-59.

Karsenty G, 1999. The genetic transformation of bone biology. *Genes Dev* 13:3037-51.

Kato T, Miyazaki K, Shimizu-Nishikawa K, Koshiba K, Obara M, Mishima HK, Yoshizato K, 2003. Unique expression patterns of matrix metalloproteinases in regenerating newt limbs. *Dev Dyn* 226:366-76.

Kawakami Y, Rodriguez Esteban C, Raya M, Kawakami H, Marti M, Dubova I, Izpisua Belmonte JC, 2006. Wnt/beta-catenin signaling regulates vertebrate limb regeneration. *Genes Dev* 20:3232-7.

Kherif S, Lafuma C, Dehaupas M, Lachkar S, Fournier JG, Verdiere-Sahuque M, Fardeau M, Alameddine HS, 1999. Expression of matrix metalloproteinases 2 and 9 in regenerating skeletal muscle: a study in experimentally injured and mdx muscles. *Dev Biol* 205:158-70.

Kim SH, Turnbull J, Guimond S, 2011. Extracellular matrix and cell signalling: the dynamic cooperation of integrin, proteoglycan and growth factor receptor. *J Endocrinol* 209:139-51.

King JA, Marker PC, Seung KJ, Kingsley DM, 1994. BMP5 and the molecular, skeletal, and soft-tissue alterations in short ear mice. *Dev biol*. 30;166(1):112-22.

Knopf F, Hammond C, Chekuru A, Kurth T, Hans S, Weber CW, Mahatma G, Fisher S, Brand M, Schulte-Merker S, Weidinger G, 2011. Bone regenerates via dedifferentiation of osteoblasts in the zebrafish fin. *Dev Cell* 20:713-24.

Lacroix P, 1945. Recent investigation on the growth of bone. *Nature* 156.

Laemmli UK, 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227:680-5.

Laforest L, Brown CW, Poleo G, Geraudie J, Tada M, Ekker M, Akimenko MA, 1998. Involvement of the sonic hedgehog, patched 1 and bmp2 genes in patterning of the zebrafish dermal fin rays. *Development* 125:4175-84.

Langenfeld EM, Langenfeld J, 2004. Bone morphogenetic protein-2 stimulates angiogenesis in developing tumors. *Mol Cancer Res* 2:141-9.

Lee Y, Grill S, Sanchez A, Murphy-Ryan M, Poss KD, 2005. Fgf signaling instructs position-dependent growth rate during zebrafish fin regeneration. *Development* 132:5173-83.

Lee Y, Nachtrab G, Klinsawat PW, Hami D, Poss KD, 2010. Ras controls melanocyte expansion during zebrafish fin stripe regeneration. *Dis Model Mech* 3:496-503.

Lehrberg J, Gardiner DM, 2015. Regulation of Axolotl (Ambystoma mexicanum) limb blastema cell proliferation by nerves and BMP2 in organotypic slice culture. *PloS one*. 29;10(4):e0123186.

Lian JB, Stein GS, Stein JL, van Wijnen AJ, 1998. Transcriptional control of osteoblast differentiation. *Biochem Soc Trans* 26:14-21.

Lian JB, Stein GS, Javed A, van Wijnen AJ, Stein JL, Montecino M, Hassan MQ, Gaur T, Lengner CJ, Young DW, 2006. Networks and hubs for the transcriptional control of osteoblastogenesis. *Rev Endocr Metab Disord* 7:1-16.

Lien CL, Schebesta M, Makino S, Weber GJ, Keating MT, 2006. Gene expression analysis of zebrafish heart regeneration. *PLoS Biol* 4: e260.

Lin GL, Hankenson KD, 2011. Integration of BMP, Wnt, and notch signaling pathways in osteoblast differentiation. *J Cell Biochem* 112:3491-501.

Livak KJ, Schmittgen TD, 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. Methods 25:402-8.

Lovine MK, 2007. Conserved mechanisms regulate outgrowth in zebrafish fins. *Nat Chem Biol* 3:613-8.

Luo Q, Kang Q, Si W, Jiang W, Park JK, Peng Y, Li X, Luu HH, Luo J, Montag AG, Haydon RC, He TC, 2004. Connective tissue growth factor (CTGF) is regulated by Wnt and bone morphogenetic proteins signaling in osteoblast differentiation of mesenchymal stem cells. *J Biol Chem* 279:55958-68.

Luu HH, Song WX, Luo X, Manning D, Luo J, Deng ZL, Sharff KA, Montag AG, Haydon RC, He TC, 2007. Distinct roles of bone morphogenetic proteins in osteogenic differentiation of mesenchymal stem cells. *J Orthop Res* 25:665-77.

Maden M, 1977. The regeneration of positional information in the amphibian limb. *J theor biol*. 21;69(4):735-53.

Makanae A, Hirata A, Honjo Y, Mitogawa K, Satoh A, 2013. Nerve independent limb induction in axolotls. *Dev Biol* 381:213-26.

Makanae A, Mitogawa K, Satoh A, 2014. Co-operative Bmp- and Fgf-signaling inputs convert skin wound healing to limb formation in urodele amphibians. *Dev Biol* 396:57-66.

Mallat M, Marin-Teva JL, Cheret C, 2005. Phagocytosis in the developing CNS: more than clearing the corpses. *Curr Opin Neurobiol* 15:101-7.

Marcellini S, Henriquez JP, Bertin A, 2012. Control of osteogenesis by the canonical Wnt and BMP pathways in vivo: cooperation and antagonism between the canonical Wnt and BMP pathways as cells differentiate from osteochondroprogenitors to osteoblasts and osteocytes. *Bioessays* 34:953-62.

Mari-Beffa M, Carmona MC, Becerra J, 1989. Elastoidin turn-over during tail fin regeneration in teleosts. A morphometric and radioautographic study. *Anat Embryol (Berl)* 180:465-70.

Mari-Beffa M, Mateos I, Palmqvist P, Becerra J, 1996. Cell to cell interactions during teleosts fin regeneration. *Int J Dev Biol Suppl* 1:179S-180S.

Mari-Beffa M, Santamaría JA, Ruiz-Sánchez J, Santos-Ruiz L, Becerra J, 2003. Extracellular matrix in fin regeneration in teleosts. *Braz. J. morphol. Sci*. 2003;20(2):61-5.

Massague J, 2000. How cells read TGF-beta signals. *Nat Rev Mol Cell Biol* 1:169-78.

Matthews SJ, 2005. Biological activity of bone morphogenetic proteins (BMP's). *Injury* 36 Suppl 3: S34-7.

McCormack N, Molloy EL, O'Dea S, 2013. Bone morphogenetic proteins enhance an epithelial-mesenchymal transition in normal airway epithelial cells during restitution of a disrupted epithelium. *Respir Res* 14:36.

Meffe GK, Snelson FF, 1989. An ecological overview of poecilid fishes. New jersey: Englewood Cliff, Prentice Hall.

Mercer SE, Odelberg SJ, Simon HG, 2013. A dynamic spatiotemporal extracellular matrix facilitates epicardial-mediated vertebrate heart regeneration. *Dev Biol* 382:457-69.

Milan M, 2007. Sculpting a fly leg: BMP boundaries and cell death. *Nat Cell Biol* 9:17-8.

Minina E, Wenzel HM, Kreschel C, Karp S, Gaffield W, McMahon AP, Vortkamp A, 2001. BMP and Ihh/PTHrP signaling interact to coordinate chondrocyte proliferation and differentiation. *Development* 128:4523-34.

Miyazaki K, Uchiyama K, Imokawa Y, Yoshizato K, 1996. Cloning and characterization of cDNAs for matrix metalloproteinases of regenerating newt limbs. *Proc Natl Acad Sci U S A* 93:6819-24.

Miyazono K, Kamiya Y, Morikawa M, 2010. Bone morphogenetic protein receptors and signal transduction. *J Biochem* 147:35-51.

Montes GS, Becerra J, Toledo OM, Gordilho MA, Junqueira LC, 1982. Fine structure and histochemistry of the tail fin ray in teleosts. *Histochemistry* 75:363-76.

Morgan TH, 1901. Regeneration. New York: MacMillan.

Moser M, Patterson C, 2005. Bone morphogenetic proteins and vascular differentiation: BMPing up vasculogenesis. *Thromb Haemost* 94:713-8.

Mullen LM, Bryant SV, Torok MA, Blumberg B, Gardiner DM, 1996. Nerve dependency of regeneration: the role of Distal-less and FGF signaling in amphibian limb regeneration. *Development* 122:3487-97.

Nagase H, Woessner JF, Jr., 1999. Matrix metalloproteinases. *J Biol Chem* 274:21491-4.

Nagase H, Visse R, Murphy G, 2006. Structure and function of matrix metalloproteinases and TIMPs. *Cardiovasc Res* 69:562-73.

Nakatani Y, Kawakami A, Kudo A, 2007. Cellular and molecular processes of regeneration, with special emphasis on fish fins. *Dev Growth Differ* 49:145-54.

Nechiporuk A, Keating MT, 2002. A proliferation gradient between proximal and msxb-expressing distal blastema directs zebrafish fin regeneration. *Development* 129:2607-17.

Nye HL, Cameron JA, Chernoff EA, Stocum DL, 2003. Regeneration of the urodele limb: a review. *Dev Dyn* 226:280-94.

Okada TS, 1996. A brief history of regeneration research—For admiring Professor Niazi's discovery of the effect of vitamin A on regeneration. *J. Biosci*.1;21(3):261-71.

Oliver GW, Leferson JD, Stetler-Stevenson WG, Kleiner DE, 1997. Quantitative reverse zymography: analysis of picogram amounts of metalloproteinase inhibitors using gelatinase A and B reverse zymograms. *Anal Biochem* 244:161-6.

Olsen BR, Reginato AM, Wang W, 2000. Bone development. *Annu Rev Cell Dev Biol* 16:191-220.

Opferman JT, Iwasaki H, Ong CC, Suh H, Mizuno S, Akashi K, Korsmeyer SJ, 2005. Obligate role of anti-apoptotic MCL-1 in the survival of hematopoietic stem cells. *Science* 307:1101-4.

Otto TC, Bowers RR, Lane MD, 2007. BMP-4 treatment of C3H10T1/2 stem cells blocks expression of MMP-3 and MMP-13. *Biochem Biophys Res Commun* 353:1097-104.

Oumi N, Taniguchi KA, Kanai AM, Yasunaga M, Nakanishi T, Sato K, 2012. A crucial role of bone morphogenetic protein signaling in the wound healing response in acute liver injury induced by carbon tetrachloride. *Int J Hepatol* 2012:476820.

Overall CM, Wrana JL, Sodek J, 1991. Induction of formative and resorptive cellular phenotypes in human gingival fibroblasts by TGF-beta 1 and concanavalin A: regulation of matrix metalloproteinases and TIMP. *J Periodontal Res* 26:279-82.

Page-McCaw A, Ewald AJ, Werb Z, 2007. Matrix metalloproteinases and the regulation of tissue remodelling. *Nat Rev Mol Cell Biol* 8:221-33.

Parenti LR, Rauchenberger M, 1989. Systematic overview of the poeciliines. Prentice Hall NJ: Englewood Cliffs.

Peng Y, Kang Q, Cheng H, Li X, Sun MH, Jiang W, Luu HH, Park JY, Haydon RC, He TC, 2003. Transcriptional characterization of bone morphogenetic proteins (BMPs)-mediated osteogenic signaling. *J Cell Biochem* 90:1149-65.

Peng Y, Kang Q, Luo Q, Jiang W, Si W, Liu BA, Luu HH, Park JK, Li X, Luo J, Montag AG, Haydon RC, He TC, 2004. Inhibitor of DNA binding/differentiation helix-loop-helix proteins mediate bone morphogenetic protein-induced osteoblast differentiation of mesenchymal stem cells. *J Biol Chem* 279:32941-9.

Petrovicky I, 1988. Aquarium fish of the world. London: The Hamlyn Publishing Group Limited.

Pillai A, 2012. Role of fibroblast growth factor 2 (fgf2) in the initiation and progression of tail regeneration in northern house gecko *Hemidactylus flaviviridis*. Vadodara: The maharaja Sayajirao University of Baroda.

Poleo G, Brown CW, Laforest L, Akimenko MA, 2001. Cell proliferation and movement during early fin regeneration in zebrafish. *Dev Dyn* 221:380-90.

Poss KD, Shen J, Keating MT, 2000a. Induction of lef1 during zebrafish fin regeneration. *Dev Dyn* 219:282-6.

Poss KD, Shen J, Nechiporuk A, McMahon G, Thisse B, Thisse C, Keating MT, 2000b. Roles for Fgf signaling during zebrafish fin regeneration. *Dev Biol* 222:347-58.

Poss KD, Wilson LG, Keating MT, 2002. Heart regeneration in zebrafish. *Science* 298:2188-90.

Poss KD, Keating MT, Nechiporuk A, 2003. Tales of regeneration in zebrafish. *Dev Dyn* 226:202-10.

Poss KD, 2010. Advances in understanding tissue regenerative capacity and mechanisms in animals. *Nat. Rev. Genet*. 1;11(10):710-22.

Qin Z, Kidd AR, 3rd, Thomas JL, Poss KD, Hyde DR, Raymond PA, Thummel R, 2011. FGF signaling regulates rod photoreceptor cell maintenance and regeneration in zebrafish. *Exp Eye Res* 93:726-34.

Quint E, Smith A, Avaron F, Laforest L, Miles J, Gaffield W, Akimenko MA, 2002. Bone patterning is altered in the regenerating zebrafish caudal fin after ectopic expression of sonic hedgehog and bmp2b or exposure to cyclopamine. *Proc Natl Acad Sci* U S A 99:8713-8.

Rajaram S, Murawala H, Buch P, Patel S, Balakrishnan S, 2015. Inhibition of BMP signaling reduces MMP-2 and MMP-9 expression and obstructs wound healing in regenerating fin of teleost fish *Poecilia latipinna*. *Fish Physiol Biochem*.

Ramchandran, A., 2002. Manual on breeding, farming and management of ornamental fishes. School of Industrial Fisheries, Cochin, India.

Rao N, Jhamb D, Milner DJ, Li B, Song F, Wang M, Voss SR, Palakal M, King MW, Saranjami B, Nye HL, Cameron JA, Stocum DL, 2009. Proteomic analysis of blastema formation in regenerating *axolotl* limbs. *BMC Biol* 7:83.

Raya A, Consiglio A, Kawakami Y, Rodriguez-Esteban C, Izpisua-Belmonte JC, 2004. The zebrafish as a model of heart regeneration. *Cloning Stem Cells* 6:345-51.

Reddi AH, 1997. Bone morphogenetic proteins: an unconventional approach to isolation of first mammalian morphogens. *Cytokine Growth Factor Rev* 8:11-20.

Reddi AH, Reddi A, 2009. Bone morphogenetic proteins (BMPs): from morphogens to metabologens. *Cytokine Growth Factor Rev* 20:341-2.

Reddien PW, Bermange AL, Kicza AM, Sanchez Alvarado A, 2007. BMP signaling regulates the dorsal planarian midline and is needed for asymmetric regeneration. *Development* 134:4043-51.

Reilly GC, Engler AJ, 2010. Intrinsic extracellular matrix properties regulate stem cell differentiation. *J Biomech* 43:55-62.

Reimer MM, Sorensen I, Kuscha V, Frank RE, Liu C, Becker CG, Becker T, 2008. Motor neuron regeneration in adult zebrafish. *J Neurosci* 28:8510-6.

Rickard DJ, Sullivan TA, Shenker BJ, Leboy PS, Kazhdan I, 1994. Induction of rapid osteoblast differentiation in rat bone marrow stromal cell cultures by dexamethasone and BMP-2. *Dev Biol* 161:218-28.

Rieger S, Zhao H, Martin P, Abe K, Lisse TS, 2014. The role of nuclear hormone receptors in cutaneous wound repair. *Cell Biochem Funct* 33:1-13.

Ryder JA, 1885. On certain features of the development of the salmon. In: Proceedings of The United States National Museum; 156-162.

Ryoo HD, Bergmann A, 2012. The role of apoptosis-induced proliferation for regeneration and cancer. *Cold Spring Harb Perspect Biol* 4: a008797.

Salo T, Lyons JG, Rahemtulla F, Birkedal-Hansen H, Larjava H, 1991. Transforming growth factor-beta 1 up-regulates type IV collagenase expression in cultured human keratinocytes. *J Biol Chem* 266:11436-41.

Santamaria JA, Mari-Beffa M, Becerra J, 1992. Interactions of the lepidotrichial matrix components during tail fin regeneration in teleosts. *Differentiation* 49:143-50.

Santamaria JA, Mari-Beffa M, Santos-Ruiz L, Becerra J, 1996. Incorporation of bromodeoxyuridine in regenerating fin tissue of the goldfish *Carassius auratus*. *J Exp Zool* 275:300-7.

Santosh N, Windsor LJ, Mahmoudi BS, Li B, Zhang W, Chernoff EA, Rao N, Stocum DL, Song F, 2011. Matrix metalloproteinase expression during blastema formation in regeneration-competent versus regeneration-deficient amphibian limbs. *Dev Dyn* 240:1127-41.

Santos-Ruiz L, Santamaria JA, Ruiz-Sanchez J, Becerra J, 2002. Cell proliferation during blastema formation in the regenerating teleost fin. *Dev Dyn* 223:262-72.

Satoh A, Suzuki M, Amano T, Tamura K, Ide H, 2005. Joint development in *Xenopus laevis* and induction of segmentations in regenerating froglet limb (spike). *Dev Dyn* 233:1444-53.

Satoh A, Graham GM, Bryant SV, Gardiner DM, 2008. Neurotrophic regulation of epidermal dedifferentiation during wound healing and limb regeneration in the axolotl (Ambystoma mexicanum). *Dev Biol* 319:321-35.

Satoh A, Hirata A, Makanae A, 2012. Collagen reconstitution is inversely correlated with induction of limb regeneration in *Ambystoma mexicanum*. *Zoolog Sci* 29:191-7.

Saunders JW, Jr., 1966. Death in embryonic systems. *Science* 154:604-12.

Schebesta M, Lien CL, Engel FB, Keating MT, 2006. Transcriptional profiling of caudal fin regeneration in zebrafish. *ScientificWorldJournal* 6 Suppl 1:38-54.

Schnabel K, Wu CC, Kurth T, Weidinger G, 2011. Regeneration of cryoinjury induced necrotic heart lesions in zebrafish is associated with epicardial activation and cardiomyocyte proliferation. *PloS one.* 12;6(4):e18503.

Schwartz JD, Monea S, Marcus SG, Patel S, Eng K, Galloway AC, Mignatti P, Shamamian P, 1998. Soluble factor(s) released from neutrophils activates endothelial cell matrix metalloproteinase-2. *J Surg Res* 76:79-85.

Senn N, 1889. Senn on the Healing of Aseptic Bone Cavities by Implantation of Antiseptic Decalcified Bone. *Ann Surg* 10:352-68.

Serrano AL, Muñoz-Cánoves P, 2010. Regulation and dysregulation of fibrosis in skeletal muscle. *Exp Cell Res*. 1;316(18):3050-8.

Sharma P, Anusree P, Desai I, Suresh B, 2011. Role of COX-2 induced PGE2 in epimorphosis: regulation of stage specific expression of proteins. *J Cell Tissue Research* 11:2925-2936.

Shon SK, Kim A, Kim JY, Kim KI, Yang Y, Lim JS, 2009. Bone morphogenetic protein-4 induced by NDRG2 expression inhibits MMP-9 activity in breast cancer cells. *Biochem Biophys Res Commun* 385:198-203.

Shukunami C, Ohta Y, Sakuda M, Hiraki Y, 1998. Sequential progression of the differentiation program by bone morphogenetic protein-2 in chondrogenic cell line ATDC5. *Exp Cell Res* 241:1-11.

Singh SP, Holdway JE, Poss KD, 2012. Regeneration of amputated zebrafish fin rays from de novo osteoblasts. *Dev Cell* 22:879-86.

Slack JMW, Rosenthal N, Harvey R, 2007. Heart development and regeneration. US: Academic Press.

Smith AR, Crawley AM, 1977. The pattern of cell division during growth of the blastema of regenerating newt forelimbs. *JEEM*. 1;37(1):33-48.

Smith WC, Harland RM. 1992. Expression cloning of noggin, a new dorsalizing factor localized to the Spemann organizer in *Xenopus* embryos. *Cell*. 4;70(5):829-40.

Smith A, Avaron F, Guay D, Padhi BK, Akimenko MA, 2006. Inhibition of BMP signaling during zebrafish fin regeneration disrupts fin growth and scleroblasts differentiation and function. *Dev Biol* 299:438-54.

Smith DM, Cooper GM, Mooney MP, Marra KG, Losee JE, 2008. Bone morphogenetic protein 2 therapy for craniofacial surgery. *J Craniofac Surg* 19:1244-59.

Song F, Wisithphrom K, Zhou J, Windsor LJ, 2006. Matrix metalloproteinase dependent and independent collagen degradation. *Front Biosci* 11:3100-20.

Sousa S, Afonso N, Bensimon-Brito A, Fonseca M, Simoes M, Leon J, Roehl H, Cancela ML, Jacinto A, 2011. Differentiated skeletal cells contribute to blastema formation during zebrafish fin regeneration. *Development* 138:3897-905.

Stelnicki EJ, Longaker MT, Holmes D, Vanderwall K, Harrison MR, Largman C, Hoffman WY, 1998. Bone morphogenetic protein-2 induces scar formation and skin maturation in the second trimester foetus. *Plast Reconstr Surg* 101:12-9.

Sternlicht MD, Werb Z, 2001. How matrix metalloproteinases regulate cell behaviour. *Annu Rev Cell Dev Biol* 17:463-516.

Stetler-Stevenson WG, Liotta LA, Kleiner DE, Jr., 1993. Extracellular matrix 6: role of matrix metalloproteinases in tumor invasion and metastasis. *FASEB* J 7:1434-41.

Stewart S, Stankunas K, 2012. Limited dedifferentiation provides replacement tissue during zebrafish fin regeneration. *Dev Biol* 365:339-49.

Stewart S, Gomez AW, Armstrong BE, Henner A, Stankunas K, 2014. Sequential and opposing activities of Wnt and BMP coordinate zebrafish bone regeneration. *Cell Rep* 6:482-98.

Stocum DL, 1995a. Wound repair in adult skin. Austin: R.G. Landes Co.

Stocum DL, 1995b. Wound Repair, Regeneration and Artificial Tissues. Austin: R.G. Landes Co.

Stoick-Cooper CL, Moon RT, Weidinger G, 2007a. Advances in signaling in vertebrate regeneration as a prelude to regenerative medicine. *Genes Dev* 21:1292-315.

Stoick-Cooper CL, Weidinger G, Riehle KJ, Hubbert C, Major MB, Fausto N, Moon RT, 2007b. Distinct Wnt signaling pathways have opposing roles in appendage regeneration. *Development* 134:479-89.

Sugimoto H, LeBleu VS, Bosukonda D, Keck P, Taduri G, Bechtel W, Okada H, Carlson W, Jr., Bey P, Rusckowski M, Tampe B, Tampe D, Kanasaki K, Zeisberg M, Kalluri R, 2012. Activin-like kinase 3 is important for kidney regeneration and reversal of fibrosis. *Nat Med* 18:396-404.

Tal TL, Franzosa JA, Tanguay RL, 2010. Molecular signaling networks that choreograph epimorphic fin regeneration in zebrafish - a mini-review. *Gerontology* 56:231-40.

Tassava RA, Nace JD, Wei Y, 1996. Extracellular matrix protein turnover during salamander limb regeneration. *Wound Repair Regen* 4:75-81.

Thesleff I, 2003. Epithelial-mesenchymal signalling regulating tooth morphogenesis. J *Cell Sci* 116:1647-8.

Thies RS, Bauduy M, Ashton BA, Kurtzberg L, Wozney JM, Rosen V, 1992. Recombinant human bone morphogenetic protein-2 induces osteoblastic differentiation in W-20-17 stromal cells. *Endocrinology* 130:1318-24.

Thompson EW, Yu M, Bueno J, Jin L, Maiti SN, Palao-Marco FL, Pulyaeva H, Tamborlane JW, Tirgari R, Wapnir I, et al., 1994. Collagen induced MMP-2 activation in human breast cancer. *Breast Cancer Res Treat* 31:357-70.

Thorimbert V, Konig D, Marro J, Ruggiero F, Jazwinska A, 2015. Bone morphogenetic protein signaling promotes morphogenesis of blood vessels, wound epidermis, and actinotrichia during fin regeneration in zebrafish. *FASEB* J 29:4299-312.

Thornberry NA, Lazebnik Y, 1998. Caspases: enemies within. *Science* 281:1312-6.

Tjäderhane L, Salo T, Larjava H, Larmas M, Overall CM, 1998. A novel organ culture method to study the function of human odontoblasts in vitro: gelatinase expression by odontoblasts is differentially regulated by TGF-beta1. *J Dent Res* 77:1486-96.

Tolg C, McCarthy JB, Yazdani A, Turley EA, 2014. Hyaluronan and RHAMM in wound repair and the "cancerization" of stromal tissues. *Biomed Res Int* 2014:103923.

Tomlinson BL, Globus M, Vethamany-Globus S, 1982. Studies of mitosis in excised limb regenerates of the newt, Notophthalmus viridescens. *J Exp Zool*. 10;223(2):115-22.

Toole BP, Gross J, 1971. The extracellular matrix of the regenerating newt limb: synthesis and removal of hyaluronate prior to differentiation. *Dev Biol* 25:57-77.

Tseng AS, Adams DS, Qiu D, Koustubhan P, Levin M, 2007. Apoptosis is required during early stages of tail regeneration in Xenopus laevis. *Dev Biol* 301:62-9.

Tsonis PA, 1996. Limb Regeneration. Cambridge, UK: Cambridge Univ. Press.

Tsonis PA, Del Rio-Tsonis K, Wallace JL, Burns JC, Hofmann MC, Millan JL, Washabaugh CH, 1996. Can insights into urodele limb regeneration be achieved with cell cultures and retroviruses? *Int J Dev Biol* 40:813-6.

Tsonis PA, 2008. Stem cells and blastema cells. *Curr Stem Cell Res Ther* 3:53-4.

Tsuji K, Bandyopadhyay A, Harfe BD, Cox K, Kakar S, Gerstenfeld L, Einhorn T, Tabin CJ, Rosen V, 2006. BMP2 activity, although dispensable for bone formation, is required for the initiation of fracture healing. *Nat Genet* 38:1424-9.

Tu S, Johnson SL, 2011. Fate restriction in the growing and regenerating zebrafish fin. *Dev Cell* 20:725-32.

Urist MR, 1965. Bone: formation by autoinduction. *Science* 150:893-9.

Valenzuela DM, Economides AN, Rojas E, Lamb TM, Nunez L, Jones P, Lp NY, Espinosa RI, Brannan CI, Gilbert DJ, 1995. Identification of mammalian noggin and its expression in the adult nervous system. *J neurosci*. 1;15(9):6077-84

Velnar T, Bailey T, Smrkolj V, 2009. The wound healing process: an overview of the cellular and molecular mechanisms. *J Int Med Res*. 1;37(5):1528-42.

Vinarsky V, Atkinson DL, Stevenson TJ, Keating MT, Odelberg SJ, 2005. Normal newt limb regeneration requires matrix metalloproteinase function. *Dev Biol* 279:86-98.

Visse R, Nagase H, 2003. Matrix metalloproteinases and tissue inhibitors of metalloproteinases: structure, function, and biochemistry. *Circ Res* 92:827-39.

Wallace H, Maden M, 1976. The cell cycle during amphibian limb regeneration. *J Cell Sci*. 1;20(3):539-47.

Wan M, Cao X, 2005. BMP signaling in skeletal development. *Biochem Biophys Res Commun* 328:651-7.

Wang W, Pan H, Murray K, Jefferson BS, Li Y, 2009. Matrix metalloproteinase-1 promotes muscle cell migration and differentiation. *Am J Pathol* 174:541-9.

Wang C, Hu F, Guo S, Mi D, Shen W, Zhang J, Qiao Y, Zhu T, Yang S, 2011. BMP-6 inhibits MMP-9 expression by regulating heme oxygenase-1 in MCF-7 breast cancer cells. *J Cancer Res Clin Oncol* 137:985-95.

Wankell M, Munz B, Hubner G, Hans W, Wolf E, Goppelt A, Werner S, 2001. Impaired wound healing in transgenic mice overexpressing the activin antagonist follistatin in the epidermis. *Embo J* 20:5361-72.

Wehner D, Cizelsky W, Vasudevaro MD, Ozhan G, Haase C, Kagermeier-Schenk B, Roder A, Dorsky RI, Moro E, Argenton F, Kuhl M, Weidinger G, 2014. Wnt/beta-catenin signaling defines organizing centers that orchestrate growth and differentiation of the regenerating zebrafish caudal fin. *Cell Rep* 6:467-81.

Werb Z, Alexander CM, Adler RR, 1992. Expression and function of matrix metalloproteinases in development. Matrix Suppl 1:337-43.

Werner S, Grose R, 2003. Regulation of wound healing by growth factors and cytokines. *Physiol Rev* 83:835-70.

White JA, Boffa MB, Jones B, Petkovich M, 1994. A zebrafish retinoic acid receptor expressed in the regenerating caudal fin. *Development* 120:1861-72.

Whitehead GG, Makino S, Lien CL, Keating MT, 2005. fgf20 is essential for initiating zebrafish fin regeneration. *Science* 310:1957-60.

Widmaier EP, Raff H, Strang KT, 2006. Vander's Human Physiology: The Mechanisms of Body Function 10 ed. Boston: Mass: McGraw-Hill Companies.

Woessner JF, Jr., 1995. Quantification of matrix metalloproteinases in tissue samples. *Methods Enzymol* 248:510-28.

Wozney JM, Rosen V, Celeste AJ, Mitsock LM, Whitters MJ, Kriz RW, Hewick RM, Wang EA, 1988. Novel regulators of bone formation: molecular clones and activities. *Science* 242:1528-34.

Wozney JM, 1989. Bone morphogenetic proteins. *Prog Growth Factor Res* 1:267-80.

Wozney JM. 1992 The bone morphogenetic protein family and osteogenesis. *Mol Reprod Dev*. Jun 1;32(2):160-7.

Wozney JM, 1998. The bone morphogenetic protein family: multifunctional cellular regulators in the embryo and adult. *Eur J Oral Sci* 106 Suppl 1:160-6.

Wozney JM, 2002. Overview of bone morphogenetic proteins. *Spine* (Phila Pa 1976) 27: S2-8.

Wu G, Liu Y, Iizuka T, Hunziker EB, 2010. The effect of a slow mode of BMP-2 delivery on the inflammatory response provoked by bone-defect-filling polymeric scaffolds. *Biomaterials*. 31;31(29):7485-93.

Wynn TA, 2008. Cellular and molecular mechanisms of fibrosis. *J Pathol* 214:199-210.

Yamaguchi A, Katagiri T, Ikeda T, Wozney JM, Rosen V, Wang EA, Kahn AJ, Suda T, Yoshiki S, 1991. Recombinant human bone morphogenetic protein-2 stimulates osteoblastic maturation and inhibits myogenic differentiation in vitro. *J Cell Biol* 113:681-7.

Yamaguchi A, Komori T, Suda T, 2000. Regulation of osteoblast differentiation mediated by bone morphogenetic proteins, hedgehogs, and Cbfa1. *Endocr Rev* 21:393-411.

Yamamoto Y, Oelgeschlager M, 2004. Regulation of bone morphogenetic proteins in early embryonic development. *Naturwissenschaften* 91:519-34.

Yamane T, Dylla SJ, Muijtjens M, Weissman IL, 2005. Enforced Bcl-2 expression overrides serum and feeder cell requirements for mouse embryonic stem cell self-renewal. *Proc Natl Acad Sci U S A* 102:3312-7.

Yamashita H, Ten Dijke P, Heldin CH, Miyazono K, 1996. Bone morphogenetic protein receptors. Bone 19:569-74.

Yang EV, Bryant SV, 1994. Developmental regulation of a matrix metalloproteinase during regeneration of *axolotl* appendages. *Dev Biol* 166:696-703.

Yang EV, Gardiner DM, Carlson MR, Nugas CA, Bryant SV, 1999. Expression of Mmp-9 and related matrix metalloproteinase genes during *axolotl* limb regeneration. *Dev Dyn* 216:2-9.

Yannas IV, 2005. Facts and theories of induced organ regeneration. *Adv Biochem Eng Biotechnol* 93:1-38.

Yannas IV, 2013. Emerging rules for inducing organ regeneration. Biomaterials 34:321-30.

Ye HQ, Azar DT, 1998. Expression of gelatinases A and B, and TIMPs 1 and 2 during corneal wound healing. *Invest Ophthalmol Vis Sci* 39:913-21.

Yi SE, Daluiski A, Pederson R, Rosen V, Lyons KM, 2000. The type I BMP receptor BMPRIB is required for chondrogenesis in the mouse limb. *Development* 127:621-30.

Yin VP, Lepilina A, Smith A, Poss KD, 2012. Regulation of zebrafish heart regeneration by miR-133. *Dev Biol* 365:319-27.

Yokouchi Y, Sakiyama J, Kameda T, Iba H, Suzuki A, Ueno N, Kuroiwa A, 1996. BMP-2/-4 mediate programmed cell death in chicken limb buds. Development 122:3725-34.

Yokoyama H, 2008. Initiation of limb regeneration: the critical steps for regenerative capacity. *Dev Growth Differ* 50:13-22.

Yoshinari N, Ishida T, Kudo A, Kawakami A, 2009. Gene expression and functional analysis of zebrafish larval fin fold regeneration. *Dev biol*. 1;325(1):71-81.

Yong VW, Krekoski CA, Forsyth PA, Bell R, Edwards DR, 1998. Matrix metalloproteinases and diseases of the CNS. *Trends Neurosci* 21:75-80.

Yoon BS, Lyons KM, 2004. Multiple functions of BMPs in chondrogenesis. *J Cell Biochem* 93:93-103.

You HJ, Han SK, 2014. Cell therapy for wound healing. *J Korean Med Sci* 29:311-9.

Young HE, Bailey CF, Markwald RR, Dalley BK, 1985. Histological analysis of limb regeneration in postmetamorphic adult *Ambystoma*. *Anat Rec* 212:183-94.

Yu L, Han M, Yan M, Lee EC, Lee J, Muneoka K, 2010. BMP signaling induces digit regeneration in neonatal mice. *Development* 137:551-9.

Zaleske DJ, 1985. Development of the upper limb. *Hand Clin* 1:383-90.

Zeisberg M, Kalluri R, 2013. Cellular mechanisms of tissue fibrosis. 1. Common and organ-specific mechanisms associated with tissue fibrosis. *Am J Physiol Cell Physiol* 304:C216-25.

Zhao GQ, 2003. Consequences of knocking out BMP signaling in the mouse. *Genesis* 35:43-56.

Zhu W, Pao GM, Satoh A, Cummings G, Monaghan JR, Harkins TT, Bryant SV, Randal Voss S, Gardiner DM, Hunter T, 2012. Activation of germline-specific genes is required for limb regeneration in the Mexican *axolotl*. *Dev Biol* 370:42-51.

Zou H, Niswander L, 1996. Requirement for BMP signaling in interdigital apoptosis and scale formation. *Science* 272:738-41.

Zwijsen A, Verschueren K, Huylebroeck D, 2003. New intracellular components of bone morphogenetic protein/Smad signaling cascades. *FEBS Lett* 546:133-9.