

CONTENTS

CHAPTER	PAGE
INTRODUCTION	1
1. Section: I. Haematopoiesis and Regeneration: Changes in the cellular elements of blood and haemoglobin during tail regeneration in the Scincid lizard, <u>Mabuva carinata</u> .	16
Section:II. Haematopoiesis and wound healing: Changes in the cellular elements of blood and haemoglobin during tail wound healing in the Agamid lizard, <u>Calotes versicolor</u> .	44
2. Section: I. Haematopoiesis and Regeneration: Haematopoietic changes in liver, spleen and bone marrow during tail regeneration in the Scincid lizard, <u>Mabuva carinata</u> .	65
Section:II. Haematopoiesis and wound healing: Haematopoietic changes in liver, spleen and bone marrow during tail wound healing in the Agamid lizard, <u>Calotes versicolor</u> .	104
3. Section: I. The effect of tail regeneration on hepatic glycogen content and blood glucose level, in the Scincid lizard, <u>Mabuva carinata</u> .	127

	Section:II. The effect of tail amputation and wound healing on hepatic glycogen content and blood glucose level, in the Agamid lizard, <u>Calotes versicolor.</u>	142
4.	Section: I. Tail regeneration and lipid metabolism: Changes in the content of total hepatic lipids, glycerides and, total blood lipids in the Scincid lizard, <u>Mabuva carinata.</u>	150
	Section:II. Tail wound healing and lipid metabolism: Changes in the content of total hepatic lipids, glycerides and, total blood lipids in the Agamid lizard, <u>Calotes versicolor.</u>	162
5.	Section: I. Tail regeneration and lipid metabolism: Changes in the content of total hepatic cholesterol, phospholipids, and blood cholesterol in the Scincid lizard, <u>Mabuva carinata.</u>	172
	Section:II. Tail wound healing and lipid metabolism: Changes in the content of total hepatic cholesterol, phospholipids, and blood cholesterol in the Agamid lizard, <u>Calotes versicolor.</u>	185

6. Section: I. Changes in the visceral fat bodies associated with haematopoiesis and lipid metabolism, in relation to tail regeneration in the Scincid lizard, Mabuva carinata: A histomorphological analysis. 197
- Section:II. A histomorphological analysis of the visceral fat bodies in relation to tail wound healing in the Agamid lizard, Calotes versicolor. 218
7. Section: I. Effect of tail regeneration on the total nucleic acids, protein and water contents in the Scincid lizard, Mabuva carinata. 229
- Section:II. Effect of tail wound healing on the total hepatic nucleic acid, protein and water contents in the Agamid lizard, Calotes versicolor. 242
8. Section: I. Vitamin 'C' in regeneration: A quantitative evaluation of the changes in the hepatic and renal ascorbic acid contents during tail regeneration in the Scincid lizard, Mabuva carinata. 252

Section:II. Vitamin 'C' in wound healing: A	261
quantitative evaluation of the changes in the caudal, hepatic and renal ascorbic acid contents during tail wound healing in the Agamid lizard, <u>Calotes versicolor</u> .	
9. Histoenzymology of regenerating lacertilian tail: I. ATP phosphohydrolase (ATPase; E.C. 3.4.1.4.) activity during regeneration in the Scincid lizard, <u>Mabuva carinata</u> .	273
10. Histoenzymology of the regenerating lacertilian tail: 2. Glutamate dehydrogenase (GDH; E.C. 1.4.1.2.) activity during regeneration in the Scincid lizard, <u>Mabuva carinata</u> .	287
11. Histoenzymology of the regenerating lacertilian tail: 3. ATP: D-Hexose phosphotransferase (Hexo and Glucokinases; E.C. 2.7.1.1. and E.C. 2.7.1.2.) activity during regeneration in the Scincid lizard, <u>Mabuva carinata</u> .	301
SUMMARY	315

General considerations with a comparative 334
evaluation thereof - Vis a vis - the
involvement of systemic factors, in
regeneration as opposed to wound healing
in lizards.

BIBLIOGRAPHY 365
