

LIST OF FIGURES

| Figure no. | TITLE | Page no. |
|-------------------|---|-----------------|
| 2.1 | Prevalence of Obesity | 14 |
| 2.2 | Dual burden of malnutrition | 15 |
| 2.3 | Obesity Amongst Adults | 18 |
| 2.4 | National Health and Family Survey -4 | 20 |
| 2.5 | Hierarchy of Different Terminologies Coined For Obesity | 22 |
| 2.6 | Sequence of variables for modifying risk factors for chronic degenerative diseases | 26 |
| 2.7 | Serving Size and Calorie Content of a Standard Drink | 49 |
| 2.8 | Hunger and satiety: overview of mechanisms and specific targets. | 55 |
| 2.9 | Regulation of Food Intake via Gut Brain Axis | 58 |
| 2.10 | Peripheral Signals Regulating Hunger and Appetite Signals via ARC | 59 |
| 2.11 | Functions of GLP-1 | 63 |
| 2.12 | Obesity and Leptin resistance | 68 |
| 2.13 | Leptin and Body fat | 69 |
| 2.14 | Mechanisms Linking the Gut Microbiome, Bile acids, Glucose | 76 |
| 2.15 | All Possible Mechanisms Regulating Gut Microbiota and Obesity Considering Central Role of Dysbiosis | 78 |
| 4.1 | Inclusion – Exclusion criteria for selection of Non-obese and Obese bank employees | 105 |
| 4.2 | Experimental design for comparison between non-obese and obese bank employees | 107 |
| 4.3a | Bristol Stool chart – with reasoning | 111 |
| 4.3b | Bristol Stool chart | 112 |
| 4.4 | Formula to Calculate Level of Total Physical Activity | 113 |
| 4.5 | Preparation of working standard, serial dilution and concentrations of standards | 124 |
| 4.6 | Well Map – Luminex | 125 |
| 4.7A | Standard Curves for Six Gut Satiogenic Hormones | 130 |
| 4.7B | Standard Curves for Six Gut Satiogenic Hormones | 131 |
| 4.7C | Standard Curves for Six Gut Satiogenic Hormones | 132 |
| 4.8 | MILLIPLEX Analyst Detail Report | 133 |
| 4.9 | Serial Dilution technique | 136 |

| | | |
|-------------|--|-----|
| 4.10 | Intervention Phase – III CONSORT - Double Blind Placebo Control Trial | 139 |
| 4.11 | Primary and Secondary Outcomes with Time-point of data collection and follow-up plan | 141 |
| 4.12 | Format of Compliance Card given to Obese Bank Employees | 142 |
| 4.13 | Experimental Design of Phase IV of the Study | 145 |
| 5.1 | Percentage of male and female bank employees screened | 161 |
| 5.2 | Percent gender and age wise classification of screened bank employees [N=650] | 162 |
| 5.3 | Percent presence of screened bank employees according to Asia pacific BMI classification for Indians [N=650] | 164 |
| 5.4 | Gender wise risk of co-morbidities in screened bank employees | 165 |
| 5.5. | Percentage of male and female employees with abdominal obesity according to waist circumference | 169 |
| 5.6 | Percentage of male and female employees with abdominal obesity according to waist stature ratio [WSR] | 170 |
| 5.7 | Percentage of male and female bank employees with central obesity | 171 |
| 5.8 | Percentage of male and female bank employees according to body fat distribution | 172 |
| 5.9 | Presence of hypertension in bank employees subjected to screening [N=650] | 174 |
| 5.10 | Distribution of non-obese and obese bank employees according to their level of physical activity | 192 |
| 5.11 | Personal medical history of young bank employees | 194 |
| 5.12 | Percent consumption of habitual products by non-obese [N=150] and obese [N=150] bank employees | 196 |
| 5.13 | Percent presence of depression in non-obese and obese bank employees | 199 |
| 5.14 | Percent difference of macronutrient and fiber intake by male bank employees as compared to RDA | 205 |
| 5.15 | Percent difference of macronutrient and fiber intake by female bank employees as compared to RDA | 205 |
| 5.16 | Weight-loss in obese bank employees according to days of compliance | 253 |
| 5.17 | Organoleptic attributes of steamed <i>Dudhi muthiya</i> at varying levels of FOS addition | 276 |
| 5.18 | Organoleptic attributes of shallow fried <i>Vegetable Cheela</i> at varying levels of FOS addition | 280 |
| 5.19 | Organoleptic attributes of shallow fried <i>Handwa</i> at varying levels of FOS addition | 284 |
| 5.20 | Organoleptic attributes of deep fried <i>Vegetable Samosa</i> at varying levels of FOS addition | 286 |