CHAPTER 8

REFERENCES

1. Abdulamir A. S., Yoke T. S., Nordin N. & Abu Bakar F. (2010). Detection and quantification of probiotic bacteria using optimized DNA extraction, traditional and real-time PCR methods in complex microbial communities. Afr. J. Biotechnol, 9(10),1481-1492.
2. Abed TA. (2013). Evaluation of methods for the extraction and purification of DNA of cultured Lactobacillus colony isolated from dairy products. IJAMBR, 1(1), 20-25.
3. Abubakr, M. A. S., Hassan, Z., Imdakim, M. M. A., and Sharifah, N. R. S. (2012). Antioxidant activity of lactic acid bacteria (LAB) fermented skim milk as determined by 1,1-diphenyl-2-picrylhydrazyl (DPPH) and ferrous chelating activity (FCA). Afr. J. Microbiol. Res. 6, 6358–6364
4. Achi O K (2005). The potential of upgrading traditional fermented foods through Biotechnology. Afr J Biotech, 4, 375-380
5. Adebiyi JA, Obadina AO, Adebo OA and Kayitesi E. (2017). Fermented and malted millet products in Africa: Expedition from traditional/ethnic foods to industrial value-added products. Critical Reviews in Food Science and Nutrition., 18, 1-52
6. Adinsi L, Akissoe NH, Dalode-Vieira G, Anihouvi V, et al. (2015). Sensory evaluation and consumer acceptability of a beverage made from malted and fermented cereal: case of gowe from Benin. Food Science & Nutrition, 3(1), 1–9
7. Adzitey, F., Huda, N., & Ali, G. R. (2013). Molecular techniques for detecting and typing of bacteria, advantages and application to foodborne pathogens isolated from ducks. 3 Biotech, 3(2), 97-107.
8. Agarwal, K. N. and Bhasin, S. K. (2002). Feasibility studies to control acute diarrhoea in children by feeding fermented milk preparations Actimel and Indian Dahi. Eur. J. Clin. Nutr., 56,56-9.
9. Ahmad M, Mohid-u-din S and Qadir M. (2018). A survey study of nutritional awareness among students. International Journal of Physiology, Nutrition and Physical Education, 3(1), 1796-1797
10. Aidoo, K. E., M. J. Nout, and P. K. Sarkar. (2006). Occurrence and function of yeasts in Asian indigenous fermented foods. FEMS Yeast Res, 6, 30-39
11. Alminger, M. and Eklund-Jonsson, C. (2008) Whole-grain cereal products based on a high-fibre barley or oat genotype lower post-prandial glucose and insulin responses in healthy humans. Eur J Nutr 47, 294

12. Altay F, Karbancıoglu-Güler F, Daskaya-Dikmen C, et al. (2013) A review on traditional Turkish fermented non-alcoholic beverages: microbiota, fermentation process and quality characteristics. Int J Food Microbiol 167, 44–56.
13. Aneja, R.P., Mathur, B.N., Chandan, R.C., and Banerjee, A.K. (2002). Technology of Indian milk products: handbook on process technology modernization for professionals, entrepreneurs and scientists. A DairyIndia Publication, Delhi, India.
14. Angelov A, Gotcheva V, Kuncheva R, Hristozova T. (2006). Development of a new oat-based probiotic drink. Int J Food Microbiol, 112(1),75-80
15. Antara NS, Dibia IN, Aryanta WR. (2009). Characterization of lactic acid bacteria isolated from horse milk of Bima, Agritech 29 (1), 1–9.
16. Antony M and Bhatti RK. (2015). Junk food consumption and knowledge about its ill effects among teenagers: a descriptive study. IJSR.,4(6),1133–1136.
17. Arabbi PR. (2001). Alimentos Funcionais: Aspectos Gerais. Nutrire, 21(6), 87-102.
18. Arora M and Baldi A. (2015). Regulatory categories of probiotics across the globe: A review representing existing and recommended categorization. Indian Journal of Medical Microbiology, 33, 2-10
19. Arslanoglu S, Moro GE, Boehm G. (2007). Early supplementation of prebiotic oligosaccharides protects formula-fed infants against infections during the first 6 months of life. J Nutr, 137, 2420-2424.
20. Arul V. (2011). Lactobacillus plantarum AS1 binds to cultured
21. Asadullah A, Khair-un-nisa, Tarar OM, Ali SA, Jamil K, Begum A. (2010). Study to evaluate the impact of heat treatment on water soluble vitamins in milk.J Pak Med Assoc.,60(11),909-12.
22. Aschemann W and Hamm U. (2010). Do consumers prefer foods with nutrition and health claims? Results of a purchase simulation Journal of Marketing Communications, 16 (1–2), 47-58
23. Asemi Z, Zare Z, Shakeri H, Sabihi SS, Esmaillzadeh A. (2013). Effect of multispecies probiotic supplements on metabolic profiles, hsCRP, and oxidative stress in patients with type 2 diabetes. Annals of Nutrition & Metabolism, 63(1-2), 1-9.
24. Ashkani, S., Rafii, M. Y., Shabanimofrad, M., Miah, G., Sahebi, M., Azizi, P., Tanweer, F. A., Akhtar, M. S., Nasehi, A. (2015). Molecular Breeding Strategy and Challenges Towards Improvement of Blast Disease Resistance in Rice Crop. Frontiers in plant science, 6, 886.
25. Associated Chambers of Commerce and Industry of India (ASSOCHAM). [Cited: 28th Dec 21:20 hrs]. Aavailable at: http://www.assocham.org/.

26. Associated Chambers of Commerce and Industry of India (ASSOCHAM). [Cited: 28th Dec 21:20 hrs]. Aavailable at: http://www.assocham.org/.
27. Assudani A, Sheth M, Jain N et al. (2013). Feasibility and Acceptability of Adding Fructooligosaccharide at Varying Levels in Dudhi muthiya and Vegetable chilla. Inventi Rapid Nutraceuticals, (4),1-6.
28. Axelsson, L., Rud, I., Naterstad, K., Blom, H., Renckens, B., Boekhorst, J., et al. (2012). Genome sequence of the naturally plasmid-free Lactobacillus plantarum strain NC8 (CCUG 61730). J. Bacteriol. 194, 2391–2392
29. Aydoğdu H, Yıldrırm S¸ , Halkman AK, et al. (2014) A study on production and quality criteria of hardaliye; a traditional drink from Thrace region of Turkey. GIDA 39, 139–145.
30. Azam, Mohsin M, Ijaz M, Tulain H et al. (2017). Lactic acid bacteria in traditional fermented Asian foods. Pakistan Journal of Pharmaceutical Sciences.,30, 1803-1814.
31. Azzurra A and Paola P. (2009). Consumers' behaviours and attitudes toward healthy food products: The case of Organic and Functional foods. European Association of Agricultural Economists, 113, 1-14
32. Babalola, O. O. (2014). Cyanide content of commercial gari from different areas of Ekiti State, Nigeria. World J. Nutri. Health 2, 58–60.
33. Babu US, Sommers K, Harrison LM, Balan KV. (2012). Effects of fructooligosaccharide-inulin on Salmonella-killing and inflammatory gene expression in chicken macrophages, Vet immunopathology, 149(1-2), 92-6.
34. Badis, A., Guetarni, D., Moussa-Boudjemaa, B., Henni, D. E., Tornadijo, M. E., and Kihal, M. (2004). Identification of cultivable lactic acid bacteria isolated from Algerian raw goat's milk and evaluation of their technological properties. Food Microbiol, 21, 343–349
35. Bagchi, T. (2014). Traditional food & modern lifestyle: Impact of probiotics. The Indian Journal of Medical Research, 140(3), 333–335.
36. Baschali A, Tsakalidou E, Kyriacou A, Karavasiloglou N, Leda Matalas A. (2017). Traditional low-alcoholic and non-alcoholic fermented beverages consumed in European countries: a neglected food group. Nutrition Research Reviews, 1-24
37. Bedi M and Paul R. (2013). An Analysis of Indian Consumers' Attitude towards Health drinks. International Journal on Customer Relations, 1(2), 16-24
38. Beerepoot MA, Riet G, Nys S, Wal WM, et al. (2012). Lactobacilli vs antibiotics to prevent urinary tract infections: a randomized, double-blind, noninferiority trial in postmenopausal women. Arch Intern Med,172(9),704-12

39. Begum PS, Madhvi J, Rajagopal S, Viswanath B. (2017). Probiotics as Functional Foods: Potential Effects on Human Health and its Impact on Neurological Diseases, 7(2), 23-33
40. Benchimol, E.I. and Mack, D.R. (2004). Probiotics in relapsing and chronic diarrhea. J Pediatr Hematol Oncol, 26, 515– 517
41. Berger, K., Falck, P., Linninge, C., Nilsson, U., Axling, U., Grey, C., Stalbrand, H., Nordberg Karlsson, E. et al. (2014). Cereal byproducts have prebiotic potential in mice fed a high-fat diet. J Agric Food Chem, 62, 8169–8178
42. Bernardeau, M., Guguen, M., and Vernoux, J. P. (2006). Beneficial lactobacilli in food and feed: long-term use, biodiversity and proposals for specific and realistic safety assessments. FEMS Microbiol. Rev, 30, 487–513.
43. Bernstein, A.M., Titgemeier, B., Kirkpatrick, K., Golubic, M. and Roizen, M.F. (2013). Major cereal grain fibers and psyllium in relation to cardiovascular health. Nutrients 5, 1471–1487
44. Bettler J, Euler R. (2006). An evaluation of the growth of term infants fed formula supplemented with fructo-oligosaccharides. International J Probiotics 1: 19-26.
45. Blandino A, Al-Aseeri M, Pandiella S, et al. (2003). Cereal based fermented foods and beverages. Food Res Int 36, 527–543.
46. Blaut M. (2002). Relationship of prebiotics and food to intestinal microflora. European J Nutr 41, S11-S16.
47. Boehm G, Lidestri M, Casetta P. (2002). Supplementation of a bovine milk formula with an oligosaccharide mixture increases counts of faecal bifidobacteria in preterm infants. Arch Dis Child Fetal Neonatal Ed, 86, 178-181.
48. Boehm G, Stahl B. (2007). Oligosaccharides from milk of Nutr, 137, 847-849.
49. Bohm A, Kaiser I, Trebstein A, Henle T. (2005). Heat-induced degradation of inulin. European Food Research and Technology, 220, 466-471.
50. Bohm A, Kleessen B, Henle T. (2006). Effect of dry heated inulin on selected intestinal bacteria. European Food Research and Technology, 222, 737-740.
51. Bokulich, N. A., Ohta, M., Lee, M., & Mills, D. A. (2014). Indigenous bacteria and fungi drive traditional kimoto sake fermentations. Applied and environmental microbiology, 80(17), 5522-9.
52. Boluda K and Kapilla V. (2017). Consumer attitudes in the election of functional foods. Spanish Journal of Marketing – ESIC, 21(1), 65-79
53. Borges VC. (1997). Oligassacarideos x Fibras Alimentares,"Revista Brasileira de Nutricao Clinica, 12(2), 161- 164.

54. Borgstrom G. (1968). Principles of food science. In: Food Microbiology and Biochemistry, Vol 2, Macmillan, New York, 9-15.

55. Bosscher D, Loo-Van J and Franck A. (2006). Inulin and Oligofructose as Prebiotics in the Prevention of Intestinal Infections and Diseases, Nutrition Research Reviews, 19(2), 216-226.

56. Bourdichon F, Casaregola S, Farrokh C, Frisvad JC, Gerds ML, Hammesf WP, Harnett J, Huys G, Laulund S, Ouwehand A, Powell IB, Prajapati JB, Seto Y, Schure ET, Van Boven A, Vankerckhoven V, Zgoda A, Tuijtelaars S and Hansen EB (2012). Food fermentations: microorganisms with technological beneficial use, Int J Food Microbiol, 154, 87-97.

57. Bourdichon, F., Casaregola, S., Farrokh, C., Frisvad, J. C., Gerds, M. L., Hammes, W. P., et al. (2012). Food fermentations: microorganisms with technological beneficial use. Int. J. Food Microbiol, 154, 87–97.

58. Bournet FR, Brouns F, Tashiro Y, Duvillier V. (2002). Nutral aspects of shortchain fructooligosaccharides: Natural occurrence chemistry physiology and health implications. Digestive and liver disease, 34, 111-120.

59. Brussels. (2003). European Commission Scientific Committee on Food Report of the Scientific Committee on Food on the Revision of Essential Requirements of Infant Formulae and on Formulae Brussels Belgium: European Commission, Belgium.

60. Bulut C., Gunes H., Okuklu B., Harsa S., Kilic S., Sevgi Coban H., Fazil Yenidunya A. (2005). Homofermentative lactic acid bacteria of a traditional cheese, Comlek peyniri from Cappadocia region. J. Dairy Res,72, 19–24.

61. Campbell-Platt G. (1994). Fermented foods - a world perspective. Food Research International, 27, 253-257.

62. Campeotto, F.; Suau, A.; Kapel, N.; Magne, F.; Viallon, V.; Ferraris, L.; Waligora-Dupriet, A.J.; Soulaines, P.; Leroux, B.; Kalach, N.; et al. (2011). A fermented formula in pre-term infants: Clinical tolerance, gut microbiota, down-regulation of faecal calprotectin and up-regulation of faecal secretory IgA. Br. J. Nutr, 105, 1843–1851.

63. Caplice E and Fitzgerald G F. (1999). Food fermentations: Role of microorganisms in food preservation. Int J Food Microbiol, 50, 131-149.

64. Cardarelli HR, Saad SMI, Gibson GR, Vulevic J. (2007). Functional petit-suisse cheese: Measure of the prebiotic effect. Food microbiology, 13, 200-207.

65. Cárdenas, N., Calzada, J., Peirotén, A., Jiménez, E., Escudero, R., Rodríguez, J. M., Medina, M.,Fernández, L. (2014). Development of a potential probiotic fresh cheese using two

Lactobacillus salivarius strains isolated from human milk. BioMed research international, 2014, 801918.

66. Castro, J. M., Tornadijo, M. E., Fresno, J. M., & Sandoval, H. (2015). Biocheese: a food probiotic carrier. BioMed research international, 2015, 723056.
67. Census of India, 2011 (available at: http://censusindia.gov.in/, assessed on 15th March 2017)
68. Chakrabarty J, Sharma GD and Tamang JP. (2014). Traditional technology and product characterization of some lesser-known ethnic fermented foods and beverages of north Cachar hills district of Assam. Indian J Tradit Know, 13, 706-15.
69. Chang, C. T., Wang, P. M., Hung, Y. F., and Chung, Y. C. (2012). Purification and biochemical properties of a fibrinolytic enzyme from Bacillus subtilis – fermented red bean. Food Chem. 133, 1611–1617
70. Charalampopoulos D, Wang R, Pandiella SS, Webb C (2002) Application of cereals and cereal components in functional foods: A review. International J of Food Microbiology, 79, 131-141.
71. Charalampopoulos, D. and Pandiella, S.S. (2010). Survival of human derived Lactobacillus plantarum in fermented cereal extracts during refrigerated storage. LWT-Food Sci Techno 43, 431–435.
72. Charalampopoulos, D., Wang, R., Pandiella, S. S., & Webb, C. (2002). Application of cereals and cereal components in functional foods: a review. International Journal of Food Microbiology, 79, 131-141.
73. Chavan, J. K., & Kadam, S. S. (1989). Critical reviews in food science and nutrition. Food Science, 28, 348–400.
74. Chavan, R. S., Chavan, S. R., Khedkar, C. D., Jana, A. H. (2011). UHT Milk Processing and Effect of Plasmin Activity on Shelf Life: A Review. Comprehensive Reviews in Food Science and Food Safety, (10), 251–268
75. Chawla A, Chawla N, Pant Y, Hindustan Studies & Services Ltd., et al. (2009). Milk and Dairy Products in India – Production, Consumption and Exports. http://www.hindustanstudies.com/files/dairysept09report.pdf (assessed on 10th Oct 2018)
76. Chen C.C., Shih Y.C., Chiou P.W.S. Yu B. (2010). Evaluating Nutritional Quality of Single Stage- and Two Stage-fermented Soybean Meal. Asian-Aust. J. Anim. Sci, 23(5), 598 – 606
77. Chen, Y., Wang, Z., Chen, X., Liu, Y., Zhang, H., and Sun, T. (2010). Identification of angiotensin I-converting enzyme inhibitory peptides from koumiss, a traditional fermented mare's milk. J. Dairy Sci, 93, 884–892.

78. Chettri, R., and Tamang, J. P. (2014). Functional properties of tungrymbai and bekang, naturally fermented soybean foods of North East India. Int. J. Fer. Foods 3, 87–103
79. Chilton SN, Burton JP and Reid G. (2015). Inclusion of Fermented Foods in Food Guides around the World. Nutrients, 7, 390-404.
80. Chow, J. (2002). Probiotics and prebiotics: A brief overview. Journal of Renal Nutrition, 12, 76–86
81. Collado MC, Surono IS, Meriluoto J, et al. (2007). Potential probiotic characteristics of Lactobacillus and Enterococcusstrainsisolated from traditional dadih fermented milk against pathogen intestinal colonization,J. Food Prot, 70(3), 700–705.
82. Connolly, M.L., Tuohy, K.M. and Lovegrove, J.A. (2012). Wholegrain oat-based cereals have prebiotic potential and low glycaemic index. Br J Nutr, 108, 2198–2206
83. Conway V, Gauthier SF, and Pouliot Y. (2014).Buttermilk: Much more than a source of milk phospholipids, Animal Frontiers, 4(2), 44–51
84. Correia C, Nunes A, Guedes S et al. (2010). Screening of lactic acid bacteria potentially useful for sorghum fermentation. Journal of Cereal Science, 52, 9 -15
85. Costa GP and Waitzberg DL. (1997). Efeitos Beneficos dos Frutooligossacarideos na Saude Humana," Revista Brasileira de Medicina, 1(7), 6-7.
86. Costa HS, Albuquerque TG, Sanches-Silva A, et al. (2013). New nutritional composition data on selected traditional foods consumed in Black Sea Area countries. J Sci Food Agric, 93, 3524–3534.
87. Coundray C, Demigne C and Rayssiguier Y. (2003). Effects of Dietary Fiber on Magnesium Absorption in Animals and Humans," The Journal of Nutrition, 133(1), 1- 4
88. Cruz AG, Cavalcanti RN, Guerreiro LMR, Sant'Ana AS, Nogueira LC, et al. (2013). Developing a prebiotic yogurt: Rheological physico-chemical and microbiological aspects and adequacy of survival analysis methodology of Food Engineering, 114, 323-330.
89. Cvetković D, Markov S, Djurić M, et al. (2008). Specific interfacial area as a key variable in scaling-up kombucha fermentation. J Food Eng, 85, 387–392.
90. Dajanta, K., Janpum, P., and Leksing, W. (2013). Antioxidant capacities, total phenolics and flavonoids in black and yellow soybeans fermented by Bacillus subtilis: a comparative study of Thai fermented soybeans (thua nao). Int. Food Res. J, 20, 3125–3132
91. Damen B, Pollet A, Dornez E, Broekaert WF, Haesendonck IV, et al. (2012). Xylanase mediated in situ production of arabinoxylan oligosaccharides with prebiotic potential in whole meal breads and breads enriched with arabinoxylan rich materials. Food Chemistry, 131, 111-118.

92. Damen, B., Verspreet, J., Pollet, A., Broekaert, W.F., Delcour, J.A. and Courtin, C.M. (2011) Prebiotic effects and intestinal fermentation of cereal arabinoxylans and arabinoxylan oligosaccharides in rats depend strongly on their structural properties and joint presence. Mol Nutr Food Res, 55, 1862–1874
93. Das A, Raychaudhuri U and Chakraborty R. (2012). Cereal based functional food of Indian subcontinent: a review. J Food Sci Technol, 49, 665-72.
94. Das, A. J. and Deka, S. C. (2012). Fermented foods and beverages of the North-East India. International Food Research Journal, 19(2), 377-392
95. Das, A. J. and Deka, S. C. (2012). Fermented foods and beverages of the North-East India. International Food Research Journal, 19(2), 377-392
96. Datta N. (2018). UHT Treatment of Milk and Dairy Products. Advances in Dairy Research, 6,1-1
97. Datta, N., Elliott, A.J., Perkins, M.L., & Deeth, H.C. (2012). Ultrahigh-temperature (UHT) treatment of milk: comparison of direct and indirect modes of heating. Australian Journal of Dairy Technology, 57(3), 211-257.
98. Dave KK and Paliwal R. (2016). A Study on Consumer Perception on Malted Health Food Drinks in Udaipur City. IJARS International Journal of Management and Corporate Affairs, 2(5), 1-26
99. De Leenheer L. (1996). Production and use of inulin: Industrial reality with a promising future. In Carbohydrates as organic raw materials , vol. III, ed. H. Van Bekkun, H. Röper, and H. Vorgen. Weinheim: Wiley-VCH
100. De Mejia, E. G., and Dia, V. P. (2010). The role of nutraceutical proteins and peptides in apoptosis, angiogenesis, and metastasis of cancer cells. Cancer Metast, 29, 511–528
101. De Mejia, E. G., and Dia, V. P. (2010). The role of nutraceutical proteins and peptides in apoptosis, angiogenesis, and metastasis of cancer cells. Cancer Metast, 29, 511–528.
102. De Vrese, M.; Winkler, P.; Rautenberg, P.; Harder, T.; Noah, C.; Laue, C.; Ott, S.; Hampe, J.; Schreiber, S.; Heller, K.; et al. (2006). Probiotic bacteria reduced duration and severity but not the incidence of common cold episodes in a double blind, randomized, controlled trial. Vaccine, 24, 6670–6674.
103. Deaton, A. and Jean, D. (2009). Food and Nutrition in India: Facts and Interpretations February 14, EPW Economic & Political Weekly, X liv, (7), 42-65.
104. Debon J, Prudencio ES, Petrus JCC. (2010). Rheological and physico-chemical characterization of prebiotic microfiltered fermented milk. J Food Engineering, 99, 128-135.

105. Debon J, Prudencio ES, Petrus JCC, Fritzen-Freire CB, Muller CMO, et al. (2012). Storage stability of prebiotic fermented milk obtained from permeate resulting of the microfiltration process. Food Science and Technology, 47, 96-102.
106. Deeth H. (2018). The challenges of UHT milk processing: heat treatment , raw material quality and handling.
107. Dehghan P, Gargari B.P, Abadi M. A. J. and Aliasgharzadeh A. (2014). Inulin controls inflammation and metabolic endotoxemia in women with type 2 diabetes mellitus: a randomized controlled clinical trial. International Journal of Food Sciences and Nutrition, 65(1), 117-23.
108. Derrien M, van Hylckama Vlieg JET. (2015). Fate, activity, and impact of ingested bacteria within the human gut microbiota. Trends Microbiol, 23,354-366.
109. Dewan S., Tamang J. P. (2007). Dominant lactic acid bacteria and their technological properties isolated from the Himalayan ethnic fermented milk products. Antonie van Leeuwenhoek, 92,343–352
110. Directorate of Economics and Statistics Government of Gujarat, 2011 (Assessed on 19th April 2017)
111. Dixon S. (2006). Prebiotics and probiotics: What are they and why should I eat them? University of Michigan Comprehensive Cancer Center, USA.
112. Dlamini, A. M., Mamba, R., & Silaula, S. M. (2009). Attributes and consumer acceptance of yoghurt flavoured with non-cultivated indigenous Swazi fruits. African Journal of Food, Agriculture, Nutrition and Development, 9(1), 636-651.
113. Dlusskaya E, Jänsch A, Schwab C, et al. (2008) Microbial and chemical analysis of a kvass fermentation. Eur Food Res Technol 227, 261–266.
114. do Espirito Santo, A. P., Silva, R. C., Soares, F. A., Anjos, D., Gioielli, L. A., & Oliveira, M. N. (2010). Açai pulp addition improves fatty acid profile and probiotic viability in yoghurt. International Dairy Journal, 20(6), 415-422.
115. Do Nascimento, I.R., R.M. Jesus, W.N.L. Santos, A.S. Souza, W.D. Fragoso and P.S. dos Reis. (2010). Determination of the mineral composition of fresh bovine milk from the milk-producing areas located in the State of Sergipe in Brazil and evaluation employing exploratory analysis. Microchem. J., 96, 37-41.
116. Donovan S. (2006). Role of human milk components in gastrointestinal development: current knowledge and future needs. J Paediatrics, 149, 49-61.
117. Dowd K and Burke KJ. (2013). The influence of ethical values and food choice motivations on intentions to purchase sustainably sourced foods. Appetite, 69, 137–44.

118. Duncan, S.H. and Flint, H.J. (2013). Probiotics and prebiotics and health in ageing populations. Maturitas 75, 44–50.
119. Durojaiye AFA, Falade KO, Akingbala JO. (2010). Chemical composition and storage properties of fura from pearl millet (pennisetum americanum). J Food Process Preserv, 34,820–30.
120. Enujiugha V and Badejo A. (2017). Probiotic Potentials of Cereal-based Beverages. Critical reviews in food science and nutrition, 57 (4), 790-804
121. Fanaro S, Boehm G, Garssen J.(2005).Galacto-oligosaccharides and longchain fructo-oligosaccharides as prebiotics in infant formulas:A review. Acta Paediatrica Supplement,94,22-26.
122. Federation of Indian Chambers of Commerce and Industry (FICCI). [Cited: 27th December 2015, 16:45 hrs]. Available at: http://ficci.in/
123. Fijan S.(2014).Microorganisms with Claimed Probiotic Properties: An Overview of Recent Literature. International Journal of Environmental Research and Public Health, 11(5), 4745-4767.
124. Flamm G, Glinsmann W, Kritchevsky D, Prosky L and Roberfroid MB. (2001). Inulin and Oligofructose as Dietary Fiber: A Review of the Evidence, Critical Reviews in Food Sci ence and Nutrition, 41(5), 353-362.
125. Food and Agriculture Organization of the United Nations (FAO). (2007). authors Report on Functional Foods, Food Quality and Standards Service (AGNS) (accessed on 25 February2016).Availableonline: http://www.fao.org/ag/agn/agns/files/Functional_Foods_Report_Nov2007.pdf
126. Food and Agriculture Organization of the United Nations/World Health Organization FAO/WHO Health and Nutritional Properties of Probiotics in Food including Powder Milk with Live Lactic Acid Bacteria. 2001. [(accessed on 20 January 2018)]. Available online: http://www.who.int/foodsafety/publications/fs_management/en/probiotics.pdf.
127. Forchielli ML, Walker WA. (2005). The role of gut-associated lymphoid tissues and mucosal defence. British J Nutr, 93, 41-48.
128. Franck A. (2002). Technological functionality of inulin and oligofructose. British of Nutr, 87, 287-291.
129. Franz C.M.; Huch, M.; Mathara, J.M.; Abriouel, H.; Benomar, N.; Reid, G.; Galvez, A.; Holzapfel, W.H. (2014). African fermented foods and probiotics. Int. J. Food Microbiol, 190, 84–96.
130. Fuller R. (1989). Probiotics in man and animals. Journal of Applied Bacteriology, 66, 365-378.
131. Fuller R. (1991). Probiotics in human medicine. Gut, 32, 439-442.

132. Gahruie H, Eskandari MH, Mesbahi G and Hanifpour MA. (2015). Scientific and technical aspects of yogurt fortification: A review. Food Science and Human Wellness 4,1–8
133. Galdeano CM, Perdigón G. (2006). The probiotic bacterium Lactobacillus casei induces activation of the gut mucosal immune system through innate immunity. Clin Vaccine Immunol, 13,219-26
134. Gardiner, G.; Heinemann, C.; Baroja, M.L.; Bruce, A.W.; Beuerman, D.; Madrenas, J.; Reid, G. (2002). Oral administration of the probiotic combination Lactobacillus rhamnosus GR-1 and L. fermentum RC-14 for human intestinal applications. Int. Dairy J, 12, 191–196.
135. Gawai KM, Shah RK. (2016). Formulation, Sensory and Microbial Aspects of Functional Fermented Dairy Product –Synbiotic Dahi. International Journal of Food Fermentation,5(1),27-38.
136. Gebreselassie N, Roger B, Fekadu A, Fetien A, Judith. (2016). Chemical composition of naturally fermented buttermilk. International Journal of Dairy Technology, 69, 200-208
137. Ghosh K, Maity C, Adak A, Halder SK, Jana A, Das A, Parua S, Das Mohapatra PK, Pati BR and Mondal KC. (2014). Ethnic preparation of Haria, a rice-based fermented beverage, in the province of lateritic West Bengal, India. Ethnobot Res App, 12,39-49.
138. Gibson GR (2008) J. of Clinical Gastroenterology, 42, 75-79
139. Gibson GR, and Roberfroid MB. (1995). Dietary Modulation of the Human Colonic Microbiota-introducing the Concept of Prebiotics. The Journal of Nutrition, 125(6), 1401- 1412
140. Gibson GR, Willis CL and Van Loo J. (1994). Non-digestible Oligosaccharides and Bifidobacteria Implications for Health," International Sugar Journal, 96(1150), 381-387.
141. Giraffa G (2004). Studying the dynamics of microbial populations during food fermentation. FEMS Microbiol Rev, 28, 251-260.
142. Govindrao HP. (2012). A study on consumption pattern and consumer preferences for fermented fucntional dairy foods in metropolitan maharashtra. http://krishikosh.egranth.ac.in/bitstream/1/5810032627/1/M-2795.pdf
143. Granqvist N and Ritvala T. (2016). Beyond prototypes: Drivers of market categorization in functional foods and nanotechnology. Journal of Management Studies, 53(2), 210-237.
144. Guergoletto KB, Magnani M, Martin JS, Andrade CGTJ, Garcia S. (2010). Survival of Lactobacillus casei (LC-1) adhered to prebiotic vegetal fibers. Innovative Food Science and Emerging Technologies, 11, 415-421.

145. Guillemard, E.; Tondu, F.; Lacoin, F.; Schrezenmeir, J. (2010). Consumption of a fermented dairy product containing the probiotic Lactobacillus casei DN-114001 reduces the duration of respiratory infections in the elderly in a randomised controlled trial. Br. J. Nut, 103, 58–68.
146. Gupta A and Tiwari SK.(2014).Probiotic potential of Lactobacillus plantarum LD1 isolated from batter of dosa, a south Indian fermented food. Probiotics Antimicrob Proteins, 6,73-81.
147. Gupta N and Sheth M. (2011). Acceptability trials of fructooligosaccharides (FOS) added soup and beverages. Asian journal of homescience, 6(2),131-136.
148. Gutiérrez-Correa, Marcel & Villena, Gretty. (2010). Characteristics and Techniques of Fermentation Systems, 183-227.
149. Güven S & Aksoy M. (2009). Some modifications in hardaliye production. II. Traditional Foods Symposium Abstract Book, Van, Turkey, 675–678.
150. Haghshenas B, Nami Y, Almasi A, Abdullah N, et al. (2017). Isolation and characterization of probiotics from dairies. Iran. J. Microbiol, 9(4), 234-243
151. Haq I, Khaskheli M, Kiani FA, Talpur AR, et al. (2013). Effect of Heat Treatments on Physico-Chemical Characteristics of Skimmed Milk. J. Agric. Food. Tech., 3(12)5-13
152. Hassan AA, Aly MM and El-Hadidie ST. (2012). Production of Cereal-Based Probiotic Beverages. World Applied Sciences Journal, 19 (10), 1367-1380
153. Hauly MCO, and Moscatto JA, "Inulin and Oligofructosis: A Review about Functional Properties, Prebiotic Effects and Importance for Food Industry," Semina: Ciencias Exatas e Tecnologicas, Vol. 23, No. 1, 2002, pp 105-118.
154. Heenan, C.N., Adams, M.C., Hosken, R.W. and Fleet, G.H. (2004) Survival and sensory acceptability of probiotic microorganisms in a nonfermented frozen vegetarian dessert. Lebensm Wiss Technol 37, 461–466
155. Herrera-Ponce, A., Nevarez-Morillon, G., Ortega-R ıvas, E., Perez-Vega, S. and Salmeron, I. (2014). Fermentation adaptability of three probiotic Lactobacillus strains to oat, germinated oat and malted oat substrates. Lett Appl Microbiol 59, 449–456.
156. Higashikawa, F.; Noda, M.; Awaya, T.; Nomura, K.; Oku, H.; Sugiyama, M. (2010). Improvement of constipation and liver function by plant-derived lactic acid bacteria: A double-blind, randomized trial. Nutrition, 26, 367–374.
157. Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., et al. (2014). Expert consensus document: the international scientific association for probiotics and prebiotics consensus statement on the scope and appropriate use of the term probiotic. Nat. Rev. Gastroenterol. Hepatol. 11, 506–514

158. Holzapfel, W. H., and Wood, B. J. B. (2014). Lactic Acid Bacteria: Biodiversity and Taxonomy. (New York, NY: Wiley-Blackwell), 632

159. Huebner J, Wehling RL, Hutkins RW (2007) Functional activity of commercial prebiotics. International Dairy, 17, 770-775.

160. Huebner J, Wehling RL, Parkhurst A, Hutkins RW. (2008). Effect of processing conditions on the prebiotics activity of commercial prebiotics. International Dairy, 18, 287–293.

161. Huezo MER, Duran-Lugo R, Prado-Barragan LA, Cruz-Sosa F, Lobato-Calleros C, et al. (2007). Pre-selection of protective colloids for enhanced viability of Bifidobacterium bifidum following spray-drying and storage and evaluation of aguamiel as thermoprotective prebiotic. Food Research International, 40, 1299-1306.

162. Hussain, Abdul & Patil, Girdhari & Yadav, Vidhu & Singh, Ashish Kumar. (2016). Ingredient formulation effects on physico-chemical, sensory, textural properties and probiotic count of Aloe vera probiotic dahi. Lebensmittel-Wissenschaft und-Technologie, 65, 371-380.

163. Hussain, I. (2011). Effect of UHT processing and storage conditions on physico-chemical characteristics of buffalo skim milk. J. chem. Soc. Pak, 33 (6),783

164. Ilango S and Antony U. (2014). Assessment of the microbiological quality of koozh, a fermented millet beverage. African journal of microbiology research, 8(15),308-312

165. Ispirli H and Dertli E. (2018). Isolation and identification of exopolysaccharide producer lactic acid bacteria from Turkish yogurt. J Food Process Preserv, 42 (1), 1-8

166. Iyer, B. K., Singhal, R.S. and Ananthanarayan, L.(2013).Characterization and in vitro probiotic evaluation of lactic acid bacteria isolated from idli batter. Food Sc. Technol.,50:1114-21.

167. Jadoun Y.S.,Sankhala G, Bhadauria P, Jaisridhar P. (2011). A study of consumer's acceptability of Bajra lassi. Journal of Dairying Foods & Home Science, 30 (3),182-184.

168. Jain N and Sheth M. (2014). FOS intake improves atherogenic profile and body weight in young obese adults of Urban Vadodara. World Journal of Pharmaceutical Research, 4(1), 1094-09.

169. Jones ML, Martoni CJ, Parent M, Prakash S. (2012). Cholesterol-lowering Efficacy of a Microencapsulated Bile Salt Hydrolase-active Lactobacillus reuteri NCIMB 30242 Yoghurt Formulation in Hypercholesterolaemic Adults. British Journal of Nutrition,107(10),1505-13

170. Joshi VK and Pandey A (1999). Biotechnology: Food Fermentation. In: Biotechnology: Food Fermentation, Microbiology, Biochemistry and Technology, eds V K Joshi and A Pandey, Vol 1, Educational Publishers and Distributors, New Delhi, pp 1-24.

171. Junaid M, Javed I, Abdullah M, Gulzar M, et al. (2013). Flavored probiotic (Acidophilus) buffalo milk: Development and quality assessment. The Journal of Animal & Plant Sciences, 23(5), 1342-1346

172. Jungersen, M., Wind, A., Johansen, E., Christensen, J. E., Stuer-Lauridsen, B., & Eskesen, D. (2014). The Science behind the Probiotic Strain Bifidobacterium animalis subsp. lactis BB-12(®). Microorganisms, 2(2), 92-110.

173. Kabak B & Dobson AD. (2011). An introduction to the traditional fermented foods and beverages of Turkey. Crit Rev Food Sci Nutr 51, 248–260.

174. Kadakal C, Duman T, Ekanci R. (2017). Thermal degradation kinetics of ascorbic acid, thiamine and riboflavin in rosehip (Rosa canina L) nectar. Food Science and Technology. Ciência e Tecnologia de Alimentos.

175. Kanekar, P. and Joshi, N. (1993). Lactobacillus fermentum, Leuconostoc mesenteroides and Hansenula silvicola contributing to acetoin and folic acid during dhokla fermentation. Indian J Microbiol, 33,111-7.

176. Kannan D, Chelliah R, Rajamanickam EV, Venkatraman RS and Antony U. (2015). Fermented batter characteristics in relation with the sensory properties of idli. Croatian Journal of Food Technology, Biotechnology and Nutrition 10 (1-2), 37-43

177. Kanwar, S. S., Gupta, M. K., Katoch, C., Kumar, R. and Kanwar, P. (2007). Traditional fermented foods of Lahaul and Spiti area of Himachal Pradesh. Indian J. Trad. Knowl., 6,42-45

178. Kato-kataoka A, Nishida K, Takada M, Kawai M, Kikuchi-hayakawa H, Suda K, Ishikawa H, Gondo Y, Shimizu K, Matsuki T et al. (2016). Fermented milk containing Lactobacillus casei strain Shirota preserves the diversity of the gut microbiota and relieves abdominal dysfunction in medical students exposed to academic stress. Appl Environ Microbiol, 82,3649-3658

179. Kaur N and Gupta AK. (2002). Applications of Inulin and Oligofructose in Health and Nutrition," Journal of Bioscience, 27(7), 703-714.

180. Kechagia M, Basoulis D, Konstantopoulou S et al. (2013). Health benefits of probiotics- a review. ISRN Nutrition; Article ID 481651

181. Kedia, G., Vazquez, J.A. and Pandiella, S.S. (2008) Evaluation of the fermentability of oat fractions obtained by debranning using lactic acid bacteria. J Appl Microbiol 105, 1227–1237.

182. Kedia, G., Wang, R., Patel, H. and Pandiella, S.S. (2007) Use of mixed cultures for the fermentation of cereal-based substrates with potential probiotic properties. Process Biochem 42, 65–70.

183. Khalesi S, Sun J, Buys N, Jayasinghe R. (2014). Effect of probiotics on blood pressure: a systematic review and meta-analysis of randomized, controlled trials. Hypertension, 64 (4), 897–903.
184. Khalil I and Anwar N. (2016). Isolation, Identification and Characterization of Lactic Acid Bacteria from Milk and Yoghurts. Research & Reviews: Journal of Food and Dairy Technology, 4(3), 17-26
185. Khatkar, B.S. & Chaudhary, Nisha & Dangi, Priya. (2016). Production and Consumption of Grains: India. Encyclopedia of Food Grains, 1(1), 367-373
186. Khetarpaul, N. and Chauhan, B.M. (1992). Effect of germination and fermentation by yeasts and lactobacilli on starch and protein digestibility (In vitro) of pearl millet. J. Food Sci, 55,883-884.
187. Khongrangjem T, Dsouza SM, Prabhu P, Daange VB et al. (2017). A study to assess the knowledge and practice of fast food consumption among Pre-University students in Udupi Taluk, Karnataka, India. Clinical Epidemiology and Global Health, 26, 1-4
188. Kohajdová Z and Karovičová J. (2007). Fermentation of cereals for specific purpose. Journal of Food and Nutrition Research, 46, 51-57
189. Koirala R, Ricci G, Taverniti V, Ferrario C, Malla R, et al. (2014). Isolation and molecular characterization of lactobacilli from traditional fermented Dahi produced at different altitudes in Nepal. Dairy Science Technology, EDP sciences/Springer, 94 (4),97-408.
190. Kolida S, Gibson GR. (2007). Prebiotic capacity of inulin-type fructans. The J of Nutr, 137, 2503-2506.
191. Kolmeder CA, Saloja¨rvi J, Ritari J, De Been M, Raes J, Falony G, Vieira-Silva S, Kekkonen RA, Corthals GL, Palva A et al.: Faecal metaproteomic analysis reveals a personalized and stable functional microbiome and limited effects of a probiotic intervention in adults. PLOS ONE 2016 http://dx.doi.org/ 10.1371/journal.pone.0153294. 57.
192. Kotb, E. (2012). Springer briefs microbiol," in Fibrinolytic Bacterial Enzymes with Thrombolytic Activity (Berlin: Springer).
193. Kotler P, Keller KL. (2011). Marketing Management. 14th Edition. Pearson Education.
194. Kourkoutas, Y., Bosnea, L., Taboukos, S., Baras, C., Lambrou, D., & Kanellaki, M. (2006). Probiotic cheese production using Lactobacillus casei cells immobilized on fruit pieces. Journal of dairy science, 89(5), 1439-1451.
195. Krasaekoopt W and Kitsawad K. (2010). Sensory Characteristics and Consumer Acceptance of Fruit Juice Containing Probioitcs Beads in Thailand. AU J.T, 14(1), 33-38

196. Krastanov A and Denkova Z. (2012). Development of New Products: Probiotics and Probiotic Foods, 81-120.
197. Krishnamoorthy S, Kunjithapatham S, Manickam L. (2013). Traditional Indian breakfast (Idli and Dosa) with enhanced nutritional content using millets. Nutrition & Dietetics, 70, 241–246
198. Kumar KS, Sastry N , Polaki H and Mishra V. (2015). Colon Cancer Prevention through Probiotics: An Overview. J Cancer Sci Ther, 7(2), 81-92
199. Kumar M, Kumar R, Poovai PD, Kalaichelvan PT. (2012). Probiotics and multitude of health benefits. J Res Bio,2,102-13
200. Kumar M, Nagpal R, Kumar R, Hemalatha R, Verma V, et al. (2012). Cholesterol-lowering probiotics as potential biotherapeutics for metabolic diseases. Experimental Diabetes Research, 9(2), 9-17
201. Kumar S, Kanmani R, Yuvaraj P, Paari N, et al. (2013). Traditional Indian fermented foods: a rich source of lactic acid bacteria. International journal of food sciences and nutrition, 64(4), 415-428.
202. Kumari S, Guleria P, Dangi N. (2015). Cereal Based Beverages and Fermented Foods: A Review. International Journal of Enhanced Research in Science, Technology & Engineering, 4(10),134-145.
203. Kumari S, Kulshrestha K, Prasad J, et al. (2018). Study the Consumption Pattern of Milk and Milk Products along with Animal Foods in Kumaon Region of Uttarakhand, India. Int.J.Curr.Microbiol.App.Sci, 7(4), 250-254
204. Kunnumakkara A B. (2014). Anticancer Properties of Fruits and Vegetables: A Scientific Review. World Scientific
205. Kwon HS, Yang EH, Yeon SW, Kang BH. (2004). Rapid identification of probiotic Lactobacillus species by multiplex PCR using species-specific primers based on the region extending from 16S rRNA through 23S rRNA. FEMS Microbiology Letters, 239, 267–275
206. L'Homme C, Arbelot M, Puigserver A, Biagini A. (2003). Kinetics of hydrolysis of fructooligosaccharides in mineral-buffered aqueous solutions: Influence of Ph and temperature. J Agric Food Chem, 51, 224-228.
207. Lafarge V, Ogier JC, Girard V, Maladen V, Leveau JY, Gruss A. and Delacroix B. (2004). A.: Raw Cow Milk Bacterial Population Shifts Attributable to Refrigeration. Applied Environment Microbiology, 70, 5644-5650.
208. Landstrom E. et al. (2007). British J Nutr, 98,1058-1069.
209. Lee NR. (2002). Color as a tool for e-branding. MA Design Futures

210. Leite AM, Miguel MA, Peixoto RS, Ruas-Madiedo P, et al. (2015). Probiotic potential of selected lactic acid bacteria strains isolated from Brazilian kefir grains. Journal of Dairy Science, 98(6), 3622-32
211. Leroy F, and De Vuyst L. (2004). Lactic acid bacteria as functional starter cultures for the food fermentation industry. Trends in Food Science & Technology, 15(2), 67–78
212. Lima PM. (2003). FOS em Nutricao Enteral, Revista Qualidadeem Alimentacao - Nutricao, 4(15), 26-27.
213. Liptáková D, Matejčeková Z and Valík L. (2016). Lactic Acid Bacteria and Fermentation of Cereals and Pseudocereals. Fermentation Processes. Angela Faustino Jozala, Intech. Available from: https://www.intechopen.com/books/fermentation-processes/lactic-acid-bacteria-and-fermentation-of-cereals-and-pseudocereals
214. Liu JJ, Ding WT, Zhang GC and Wang JY. (2011). Improving ethanol fermentation performance of Saccharomyces cerevisiae in very high-gravity fermentation through chemical mutagenesis and meiotic recombination. Appl Microbial Biotechnol, 91, 1239-1246.
215. Liu SN, Han Y, Zhou ZJ. (2012). Lactic acid bacteria in traditional fermented Chinese foods. Food Res. Int, 44, 643–651
216. Liu CF and Pan TM. (2010). In vitro effects of lactic acid bacteria on cancer cell viability and antioxidant activity. J. Food Drug Anal, 18, 77–86.
217. Lollo, PC, Cruz AZ, Morato PN, Moura CS, Carvalho-Silva LB, et al. (2012). Probiotic cheese attenuates exercise-induced immune suppression in Wistar rats. J. Dairy Sci, 95,3549–3558
218. Losada MA, and Olleros T. (2002). Towards a Healthier Diet for the Colon: The Influence of Fructooligosaccharides and Lactobacilli on Intestinal Health,Nutrition Research, 22(1), 71-84.
219. Luckow T, Sheehan V, Delahunty C and Fitzgerald G. (2005) Determining the odor and flavor characteristics of probiotic, health-promoting ingredients and the effects of repeated exposure on consumer acceptance. J Food Sci, 70, S53–S59.
220. Luckow T, Sheehan V, Fitzgerald G and Delahunty C. (2006) Exposure, health information and flavour -masking strategies for improving the sensory quality of probiotic juice, Appetite, 47, 315–323.
221. Macfarlane S, Macfarlane GT and Cummings JH. (2006). Review Article: Prebiotics in the Gastrointestinal Tract, Alimentary Pharmacology and Therapies, 24(5), 701-714.
222. Mach T. (2006). Clinical usefulness of probiotics against chronic inflammatory bowel diseases. Journal of Physiology and Pharmacology, 57, 23–33.

223. Magala M, Kohajdová Z, Karovičová J, Greifová M, Hojerová J. (2015). Application of lactic acid bacteria for production of fermented beverages based on rice flour. Czech J. Food Sci, 33, 458–463.
224. Mahendra A and Sheth M. (2013). Feasibility and acceptability of fructooligosaccharide substituted popular Indian foods, Nutrition and Food Science, 43(3),204-212
225. Mahgoub SA. (2018). Fermented Food in Egypt: A Sustainable Bio-preservation to Improve the Safety of Food. In: Negm A.M., Abu-hashim M. (eds) Sustainability of Agricultural Environment in Egypt: Part I. The Handbook of Environmental Chemistry, vol 76. Springer,
226. Makino S, Ikegami S, Kume A, Horiuchi H, Sasaki H, Orii N. (2010). Reducing the risk of infection in the elderly by dietary intake of yoghurt fermented with Lactobacillus delbrueckii ssp. bulgaricus OLL1073R-1, Br. J. Nutr, 104, 998–1006.
227. Mali PY and Inamdar VH. (2010). Impact of consumer preferences on icecream consumption pattern in Pune city a critical analysis with specific reference to Amul. Naralkar Institute of Career Development and Research.
228. Manning TS and Gibson GR. (2004). Prebiotics, Best Practice and Research Clinical Gastroenterology, 18(2), 287-298.
229. Mantzouridou F, Karousioti A, Kiosseoglou V. (2013). Formulation optimization of a potentially prebiotic low-in-oil oat-based salad dressing to improve Lactobacillus paracasei subsp paracasei survival and physicochemical characteristics. Food Science and Technology, 53, 560-568.
230. Manuals of food quality control Microbial analysis. (1967). FAO, 14(4), Rev 1
231. Manzi P, Di Costanzo MG and Mattera M. (2013). Updating Nutritional Data and Evaluation of Technological Parameters of Italian Milk, Foods, 2, 254-273
232. Markowiak P and Slizewska K. (2017). Effects of Probiotics, Prebiotics, and Synbiotics on Human Health. Nutrients, 9(1021), 1-30
233. Marsh AJ, Hill C, Ross RP, et al. (2014). Fermented beverages with health-promoting potential: past and future perspectives. Trends Food Sci Technol, 38, 113–124.
234. Marshall E and Mejia D. (2011). Fermentation and sustainable livelihoods. In Traditional Fermented Food and Beverages for Improved Livelihoods, 1st ed, 15–27
235. Martínez Gil, Ana & Garde-Cerdan, Teresa & Lorenzo, Cándida & Félix Lara, José & Pardo, Francisco & Rosario Salinas, M. (2012). Volatile Compounds Formation in Alcoholic Fermentation from Grapes Collected at 2 Maturation Stages: Influence of Nitrogen Compounds and Grape Variety. Journal of food science, 77, 71-79.

236. Masakuni T, Yukihiro T, Takeshi T, Yasuhito T. (2014). The Principles of Starch Gelatinization and Retrogradation. Food and Nutrition Sciences, 5, 280-291
237. Matsuki T, Watanabe K and Tanaka R. (2003). Genus- and Species-Specific PCR Primers for the Detection and Identification of Bifidobacteria. Curr. Issues Intest. Microbiol, 4, 61-69
238. Meira SM, Daroit DJ and Helfer VE. (2012). Bioactive peptides in water soluble extract of ovine cheese from southern Brazil and Uruguay. Food Res. Int, 48, 322–329
239. Merenstein DJ, D'Amico F, Palese C, Hahn A, Sparenborg J, et al. (2015). Short-term, daily intake of yogurt containing Bifidobacterium animalis ssp. lactis Bf-6 (LMG 24384) does not affect colonic transit time in women, Br J Nutr, 111, 279–286
240. Michida H, Tamalampudi S, Pandiella SS, Webb C, Fukuda H and Kondo A. (2006) Effect of cereal extracts and cereal fiber on viability of Lactobacillus plantarumunder gastrointestinal tract conditions. Biochem Eng J, 28, 73–78.
241. Mine Y, Wong AH and Jiang B. (2005). Fibrinolytic enzymes in Asian traditional fermented foods. Food Res. Int, 38, 243–250
242. Miremadi F and Shah NP. (2012) Applications of inulin and probiotics in health and nutrition. Int Food Res J, 19, 1337–1350
243. Modha H and Pal D. (2011). Optimization of Rabadi-like fermented milk beverage using pearl millet. J Food Sci Technol, 48(2),190–196
244. Modi VA. (2015). Study on customer preferences and perceptual mapping of ice cream industry in ahmedabad city. International journal of marketing, financial services & management research, 4 (2), 118-126
245. Mohammadi R, Mortazavian AM, Khosrokhavar R & da Cruz AG. (2011). Probiotic ice cream: viability of probiotic bacteria and sensory properties. Annals of Microbiology, 61(3), 411-424.
246. Moktan B, Saha J and Sarkar PK. (2008). Antioxidant activities of soybean as affected by Bacillus-fermentation to Kinema. Food Res. Int, 4, 586–593.
247. Montriwong A, Kaewphuak S, Rodtong S and Roytrakul S. (2012). Novel fibrinolytic enzymes from Virgibacillus halodenitrificans SK1-3-7 isolated from fish sauce fermentation. Process. Biochem, 47, 2379–2387
248. Morais EC, Cruz AG, Faria JAF, Bolini HMA. (2014). Prebiotic gluten-free bread: Sensory profiling and drivers of liking. Food Science and Technology, 55, 248- 254.
249. Moresch EC, Matos JR, Almeida-Muradian LB. (2009). Thermal analysis of vitamin PP Niacin and niacinamide. J Therm Anal Calorim, 98,161–164

250. Moro G, Minoli I, Mosca M. (2002). Dosagerelated bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. J Pediatric Gastroenterol Nutr, 34, 291-295.
251. Moroti C, Souza Magri LF, de Rezende Costa M, Cavallini DC, Sivieri, K. (2012). Effect of the consumption of a new symbiotic shake on glycemia and cholesterol levels in elderly people with type 2 diabetes mellitus. Lipids Health Dis, 11, 29.
252. Moshfegh AJ, Friday JE, Goldman JP, Ahuja JKC. (1999). Presence of inulin and oligofructose in the diets of Americans. J Nutr, 129, 1407-1411.
253. Moslehishad M, Ehsani MR and Salami M. (2013). The comparative assessment of ACE-inhibitory and antioxidant activities of peptide fractions obtained from fermented camel and bovine milk by Lactobacillus rhamnosus PTCC1637, Int. Dairy Res, 29, 82–87
254. Mostert JF and Jooste PJ. (2002). Quality Control in the Dairy Industry, In: Dairy Microbiology Handbook, The microbiology of Milk and Milk Products. Robinson, R. K., ed. third edition, Wiley Inter science, New York, 655-725.
255. Mugocha PT, Taylor JRN and BH Bester. (2000). Fermentation of a composite finger millet-dairy beverage. World Journal of Microbiology & Biotechnology, 16, 341-344
256. Mukherjee SK, Albury MN, Pederson CS, Vanveen AG and Steinkraus KH. (1965). Role of Leuconostoc mesenteroides in leavening the batter of idli, a fermented food of India. Appl. Microbiol., 13,227-31.
257. Mussatto SI and Mancilha IM. (2007). Non-digestible Oligosac charides: A Review, Carbohydrate Polimers, 68(3), 587-597
258. Nagai T and Tamang JP. (2010). Fermented soybeans and non-soybeans legume foods. Fermented foods and beverages of the world, 191-224
259. Nagaraj N, Basavaraj G, Parthasarathy Rao P and Bantilan MCS. (2012). Future outlook and options for target crops: The sorghum and pearl millet economy of India. Policy Brief No. 15. RP Markets, institutions and Policy (MIP), ICRISAT, Patancheru-502324, Andhra Pradesh India.
260. Naidoo K, Gordon M, Fagbemi AO, Thomas AG, Akobeng AK; Gordon; Fagbemi; Thomas; Akobeng (2011). Probiotics for maintenance of remission in ulcerative colitis. Cochrane Database Syst Rev, 12, CD007443
261. Narva M, Nevala R, Poussa T, Korpela, R. (2004). The effect of Lactobacillus helveticus fermented milk on acute changes in calcium metabolism in postmenopausal women. Eur. J. Nutr., 43, 61–68.
262. NCBE - National Centre for Biotechnology Education (2002) Fermented Soft Drinks, 1st ed., pp. 24–25. Reading: University of Reading.

263. Nehal N. (2013). Knowledge of Traditional Fermented Food Products Harbored by the Tribal Folks of the Indian Himalayan Belt. International Journal of Agriculture and Food Science Technology, 4,401-41
264. Nelson AL. (2002). High-fibre ingredients Minnesota: Eagan Press.
265. Nestlé India Limited Annual Report. (2017). (available at: https://www.nestle.in/investors/stockandfinancials/documents/annual_report/nestle-india-annual-report-2017.pdf) (assessed on 11th Nov 2018)
266. Nguyen NK, Dong NT, Nguyen HT, et al. (2015) Lactic acid bacteria: promising supplements for enhancing the biological activities of kombucha. Springerplus, 4, 91.
267. Nie YF, Hu J and Yan XH. (2015). Cross-talk between bile acids and intestinal microbiota in host metabolism and health. Journal of Zhejiang University. Science. B, 16(6), 436-46.
268. Nout MJ, Sarkar P and Beuchat LR. (2007). Indigenous fermented foods food microbiology. Fundam Front, 817-835.
269. Nurrahman AM, Suparmo M and Soesatyo HNE. (2013). The role of black soybean tempe in increasing antioxidant enzyme activity and human lymphocyte proliferation in vivo. Int. J. Curr. Microbiol. Appl Sci, 2, 316–327.
270. Nwachukwu E, Achi O and O Ijeoma I. (2018). Lactic acid bacteria in fermentation of cereals for the production of indigenous Nigerian foods. African Journal of Food Science and Technology, 1(2), 021-026
271. Nyambane B, Thari WM., Wangoh J and Njage PM. (2014). Lactic acid bacteria and yeasts involved in the fermentation of amabere amaruranu, a Kenyan fermented milk. Food Sci Nutr, 2, 692-699.
272. Oberman H (1985). Fermented milks. In: Microbiology of Fermented Foods, eds B J B Wood, vol I, Elsevier Applied Science Publishers, London, pp 167-195.
273. Ohashi Y, Nakai S, Tsukamoto T, Masumori N, Akaza H, et al. (2002). Habitual intake of lactic acid bacteria and risk reduction of bladder cancer. Urol. Int, 68, 273–280.
274. Ooi LG and Liong MT. (2010). Cholesterol Lowering Effects of Probiotics and Prebiotics: A Review of in Vivo and in Vitro Findings Int. J. Mol. Sci,11(6),2499-22
275. Ouwehand AC, Derrien M, de Vos W, Tiihonen K and Rautonen N. (2005). Prebiotics and Other Microbial Substrates for Gut Functionality, Current Opinion in Biotechnology, 16(2), 212-217.
276. Ouwehand, AC, Salminen S and Isolauri E. (2002). Probiotics: an overview of beneficial effects. Antonie Van Leeuwen, 82, 279–289

277. Ozen AE, Pons A, Tur JA. (2012). Worldwide consumption of functional foods: a systematic review. Nutr Rev, 70,472-81.
278. Özen A E, del Mar Bibiloni M, Pons A and Tur JA. (2014).Consumption of functional foods in Europe; A systematic review.Nutricion Hospitalaria, 29, 470---478.
279. Ozer BH and Kirmaci HA. (2010). Functional milks and dairy beverages. International Journal of Dairy Technology, 63(1), 1-15
280. Palanisamy BD, Rajendran V, Sathyaseelan S, Bhat R. and Venkatesan BP. (2012). Enhancement of nutritional value of finger millet-based food (Indian dosa) by co-fermentation with horse gram flour. Int J Food Sci Nutr, 63,5-15.
281. Panesar P. (2011). Fermented Dairy Products: Starter Cultures and Potential Nutritional Benefits. Food and Nutrition Sciences, 2, 47-51
282. Panesar PS, Kaur G, Panesar R and Bera MB. (2009). Synbiotics: Potential Dietary Supplements in Functional Foods, FST Bulletin, Food Science Central, IFIS Publishing, UK.
283. Papadimitriou CG, Vafopoulou-Mastrojiannaki A, Silva SV, Gomes AM, Malcata FX, and Alichanidis E. (2007). Identification of peptides in traditional and probiotic sheep milk yoghurt with angiotensin I-converting enzyme (ACE)-inhibitory activity. Food Chem, 105, 647–656
284. Pardhi PS, Desale RJ, Mule PR, Ghule BK, et al. (2014). Studies on finger millet lassi. Asian J. Dairy & Food Res, 33 (4), 255-258
285. Park JM, Shin JH, Gu JG, Yoon SJ, Song JC, et al. (2011). Effect of antioxidant activity in kimchi during a short-term and over-ripening fermentation period. J. Biosci. Bioeng, 112, 356–359.
286. Park SY, Kim JR., Cha MK, Lee SW, Lim HT, et al. (2011). Antiobesity and lipid-lowering effects of Bifidobacterium spp. in high fat diet-induced obese rats. Lipids in health and disease, 10, 116.
287. Parnami S. and Sheth M. (2011). Indian fermented milk (dahi) fortified with Probiotic bacteria and inulin improve serum lipid, blood glucose levels and Gut microflora. Journal of The Indian Academy of Geriatrics, 7(1), 12-21
288. Parveen S and Hafiz F (2003). Fermented cereals from indigenous raw materials. Pak JNutr, 2, 22,9-29.
289. Parvez S, Malik KA, Kang AH, Kim HY. (2006). Probiotics and their fermented food products are beneficial for health. J App Microbiol, 100, 1171-85
290. Passos LML and Park YK. (2003). Fructooligosaccharides: Implications in Human Health Being and Use in Foods, Ciencia Rural, 33(2), 385-390.
291. Patel HM, Wang R, Chandrashekar O, Pandiella SS and Webb C. (2004) Proliferation of Lactobacillus plantarum in solid-state fermentation of oats. Biotechnol Prog, 20, 110–116

292. Patidar, S and Prajapati, J. (1998). Standardisation and evaluation of lassi prepared using Lactobacillus acidophilus and Streptococcus thermophilus. J. Food Sci. Technol., 35,428-31.
293. Patil D. (2012). Coloring consumer`s psychology using different shades the role of perception of colors by consumers in consumer decision making process: a micro study of select departmental stores in Mumbai city, India. Journal of Business and Retail Management Research, 7(1), 60-73
294. Paulová L, Patáková P and Brányik T. (2013). Advanced Fermentation Processes, 89-105.
295. Peguet NJ, Dezutter-Dambuyant C, Buetler T, Leclaire J, Smola H, et al. (2008). Supplementation with oral probiotic bacteria protects human cutaneous immune homeostasis after UV exposure-double blind, randomized, placebo controlled clinical trial. Eur. J. Dermatol, 18, 504–511.
296. Pepsi Co Annual Report. (2017). (available at : https://www.pepsico.com/docs/album/investor/pepsico-inc-2017-annual-report.pdf) (assessed on 11th Nov 2018)
297. Pereira DIA and Gibson GR. (2002). Effects of Consumption of Probiotics and Prebiotics on Serum Lipid Levels in Humans," Critical Reviews in Biochemistry and Molecular Biology, 37(4), 259-281.
298. Perna A, Intaglietta I, Simonetti A and Gambacorta E. (2013). Effect of genetic type and casein halotype on antioxidant activity of yogurts during storage. J. Dairy Sci, 96, 1–7
299. Pestana JM, Gennari A, Monteiro BW, Lehn DL, et al. (2015). Effects of Pasteurization and Ultra-High Temperature Processes on Proximate Composition and Fatty Acid Profile in Bovine Milk. American Journal of Food Technology, 10 (6), 265-272
300. Petrus RR, Freire MT, Setogute LC and Higajo VM. (2011). Effect of pasteurization temperature and aseptic filling on the shelf-life of milk. Alim. Nutr. Araraquara, 22 (4), 531-538.
301. Phelan M and Kerins D. (2011). The potential role of milk derived peptides in cardiovascular diseases. Food Funct, 2, 153–167
302. Phuapaiboon P, Leenanon B and Levin RE. (2013). Effect of Lactococcus lactis immobilized within pineapple and yam bean segments, and jerusalem artichoke powder on its viability and quality of yogurt. Food and Bioprocess Technology, 6(10), 2751-2762.
303. Ping SP, Shih SC, Rong CT and King WQ. (2012). Effect of isoflavone aglycone content and antioxidation activity in natto by various cultures of Bacillus subtilis during the fermentation period. J. Nutri. Food Sci, 2,153-59
304. Poranki K. (2016). Dynamic Consumer Influences on Soft Drinks Market in India. Dynamic Consumer Influences on Soft Drinks Market in India, 5, 120-126.

305. Practical Manual Environmental Microbiology. (2009). National Dairy Research Institute (NDRI), Karnal.

306. Prado FC, Parada JL, Pandey A, et al. (2008). Trends in non-dairy probiotic beverages. Food Res Int 41, 111–123.

307. Prajapati JB & Nair BM. (2008). The history of fermented foods. In Handbook of Fermented Functional Foods, 2nd ed., 1–24

308. Pravst, I. (2012). Functional Foods in Europe: A Focus on Health Claims, Scientific, Health and Social Aspects of the Food Industry.

309. Priyanka BV and Mallika KJ. (2013). Dietic practice of curd – demographic survey. Ayurpharm Int J Ayur Alli Sci, 2(12), 364 – 371

310. Pushpangadan P, Dan VM, Ijinu T and George V. (2012). Food, nutrition and beverage. Indian J. Trad. Knowl, 11,26-34.

311. Qian B, Xing M, Cui L, Deng Y, Xu Y, Huang M, et al. (2011). Antioxidant, antihypertensive, and immunomodulatory activities of peptide fraction from fermented skim milk with Lactobacillus delbrueckii ssp bulgaricus LB340. J. Dairy Res, 78, 72–79.

312. Quiros A, Hernandez-Ledesma B, Ramos M, Amigo L and Recio I. (2005). Angiotensin-converting enzyme inhibitory activity of peptides derived from caprine kefir. J. Dairy Sci, 88, 3480–3487.

313. Raghuramulu N, Madhavan NK, Kalyanasundaram S. A. (2003). Manual of Laboratory Techniques.Hyderabad, India: National Institute of Nutrition. Indian Council of Medical Research, 56–58.

314. Raghuwanshi S, Misra S, Sharma R and Bisen P. (2015). Indian perspective for probiotics: A review. Indian J. Dairy Sci, 68(3), 195-205

315. Ramakrishnan C. (1980). Studies on Indian fermented foods. Baroda J. Nutr., 6, 1-57.

316. Ramakrishnan CV. (1977). The use of fermented foods in India. In: Symposium on Indigenous Fermented Foods, Bangkok, Thailand.

317. Ramakrishnan, CV.(1979). Studies on Indian fermented foods. Baroda Journal of Nutrition 6,1–7

318. Ramesh M et al. (2004). Beverage concentrate based on fructooligosaccharides. Indian Patent Office, Gov. of India, 457/DEL. Rolfe, R. D. (2000). The role of probiotic cultures in the control of gastrointestinal health. J. Nutr, 130, 396S–402S

319. Ranadheera CS, Vidanarachchi JK, Rocha RS, Cruz AG. (2017). Probiotic Delivery through Fermentation: Dairy vs. Non-Dairy Beverages. Fermentation, 67(3), 1-17

320. Ranasinghe JGS, Silva SSP, Herath N. (2013). Changes of Serum Lipids and Proteins during Probiotics Feeding and Its Exposure. International Journal of Scientific and Research Publications, 3(1)
321. Rangana S. (2010). Handbook of analysis and quality control of fruit and vegetable products. 11th Ed, McGraw Hill Publishing Co. Ltd, New Delhi.
322. Rathore S, Salmeron I. and Pandiella SS. (2012) Production of potentially probiotic beverages using single and mixed cereal substrates fermented with lactic acid bacteria cultures. Food Microbiol, 30, 239–244.
323. Rathore S, Salmeron I. and Pandiella SS. (2012) Production of potentially probiotic beverages using single and mixed cereal substrates fermented with lactic acid bacteria cultures. Food Microbiol, 30, 239–244.
324. Rawat A, Kumari A, Kumar S, Kumar R and Gehlot R. (2018). Traditional Fermented Products of India. Int.J.Curr.Microbiol.App.Sci, 7(4), 1873-1883
325. Ray M, Ghosh K, Singh S, Monda KC. (2016). Folk to functional: An explorative overview of rice-based fermented foods and beverages in India. J Ethn Foods, 3, 5-18
326. Ray R, El Sheikha, Aly and Kumar Sasi. (2014). Oriental Fermented Functional (Probiotic) Foods.
327. Rabie MA, Elsaidy S, el-Badawy AA, Siliha H, Malcata FX. (2011). Biogenic amine contents in selected Egyptian fermented foods as determined by ion-exchange chromatography. J. Food Prot, 74, 681–685
328. Reid G. (2015). The growth potential for dairy probiotics. International Dairy Journal, (49),16-22
329. Renuka B et al. (2009). Fructooligosaccharide fortification of selected fruit juice beverages: Effect on the quality characteristics .LWT-Food Science and Technology, 42(5), 1033-1031.
330. Rhee SJ, Lee JE, Lee CH. (2011). Importance of lactic acid bacteria in Asian fermented foods. Microb. Cell Fact.
331. Riaz Asif M, Ali M Rashida. (2009). Stability of Vitamins during Extrusion. Critical reviews in food science and nutrition, 49, 361-8.
332. Rijkers GT, De Vos WM, Brummer RJ, Morelli L, Corthier G, Marteau P; De Vos; Brummer; Morelli; Corthier; Marteau. (2011). Health benefits and health claims of probiotics: Bridging science and marketing. British Journal of Nutrition, 106 (9),1291–6.
333. Ritchie LE, Burke KF, Garcia-Mazcorro JF, Steiner JM and Suchodolski JS. (2010). Characterization of fecal microbiota in cats using universal 16S rRNA gene and group-specific primers for Lactobacillus and Bifidobacterium spp. Vet. Microbiol, 144,140–146

334. Ritota M, Di Costanzo MG, Mattera M.and Manzi P. (2017). New Trends for the Evaluation of Heat Treatments of Milk. Journal of analytical methods in chemistry, 1864832.
335. Roberfroid MB. (1993). Dietary Fiber, Inulin, and Oligofructose: A Review Comparing Their Physiological Effects. Critical Reviews in Food Science and Nutrition, 33(2), 103-148.
336. Rodrigues D, Rocha-Santos TAP, Gomes AM, Goodfellow BJ, Freitas AC. (2012). Lipolysis in probiotic and synbiotic cheese: The influence of probiotic bacteria prebiotic compounds and ripening time on free fatty acid profiles. Food Chemistry, 131, 1414-1421.
337. Romero-Luna, Hernandez H, Dávila-Ortiz H, Gloria. (2017). Traditional fermented beverages from Mexico as a potential probiotic source. Annals of Microbiology, 67, 1-10.
338. Roy B, Kala CP, Farooquee NA and Majila BS. (2004). Indigenous Fermented food and beverages: a potential for economic development of the high altitude societies in Uttaranchal. Journal of Human Ecology, 15 (1), 45 – 49
339. Rozada-Sanchez R., Sattur AP, Thomas K and Pandiella SS. (2008). Evaluation of Bifidobacterium spp. for the production of a potentially probiotic malt- based beverage. Process Biochem 43, 848–854.
340. Ruggeri S, Straniero R, Pacifico S, Aguzzi A, Virgili F. (2008). French marine bark extract Pycnogenol as a possible enrichment ingredient for yogurt. Journal of Dairy Science, 91(12),4484-4491
341. Sabat AJ, Zanten E, Akkerboom V, Wisselink G, et al. (2017). Targeted next-generation sequencing of the 16S-23S rRNA region for culture-independent bacterial identification - increased discrimination of closely related species. Scientific Reports, (7),1-12
342. Sabeena FKH, Baron CP, Nielsen NS and Jacobsen C. (2010). Antioxidant activity of yoghurt peptides: part 1-in vitro assays and evaluation in ω-3 enriched milk. Food Chem, 123, 1081–1089
343. Sadeghi M, Madadlou A, Khosrowshahi A and Mohammadifar M. (2012). Acid-induced gelation behavior of casein/whey protein solutions assessed by oscillatory rheology. Journal of food science and technology, 51(9), 2113-9.
344. Saikali J, Picard V, Freitas M and Holt P. (2004). Fermented milks, probiotic cultures, and colon cancer. Nutr Cancer, 49, 14–24
345. Sambrook J. and Russell D. (2001). Molecular cloning: A laboratory Manual, 3rd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York
346. Sanders ME. (2000). Considerations for use of probiotic bacteria to modulate human health. The Journal of Nutrition, 130,384S–390

347. Sanders ME. (2000). Considerations for use of probiotic bacteria to modulate human health. The Journal of Nutrition, 130(2), 384S-390S.
348. Sandhu, Punia K, Kaur S, Maninder. (2017). Fermentation of Cereals: A Tool to Enhance Bioactive Compounds, 157-170.
349. Şanlier N, GÖkcen BB and Sezgin AC. (2017). Health benefits of fermented foods. Critical reviews in food science and nutrition, 1-22.
350. Sanni AI. (1993). The need for process optimisation of African fermented foods and beverages. International Journal of Food Microbiology,18, 85-95.
351. Sarkar P, Dhumal C, Panigrahi SS and Choudhary R. (2015). Traditional and ayurvedic foods of Indian origin. Journal of Ethnic Foods, 2(3), 97-109.
352. Sathe G and Mandal S. (2016). Fermented products of India and its implication: A review. Asian J. Dairy & Food Res, 35 (1), 1-9
353. Satija A, Agrawal S, Bowen L, Khandpur N, et al. (2013). Association between Milk and Milk Product Consumption and Anthropometric Measures in Adult Men and Women in India: A Cross-Sectional Study. PLoS ONE, 8(4), 607-39
354. Satish Kumar R, Kanmani P, Yuvaraj N, Paari KA, Pattukumar V and Arul V. (2013). Traditional Indian fermented foods: a rich source of lactic acid bacteria. Int J Food Sci Nutr, 64, 415-28.
355. Satish Kumar R, Raghu VD, Kanmani P, Yuvaraj N, Paari KA, Pattukumar V, Arul V. (2010). Isolation, Characterization andIdentification of a Potential probiont from South Indianfermented foods (Kallappam,Koozh and Mor Kuzhambu) andits use as Biopreservative. Probiotics Antimicrob Prot, 2,145–151.
356. Savitri and Bhalla TC. (2007). Traditional foods and beverages of Himachal Pradesh. Indian J. Trad. Knowl, 6,17–24.
357. Schaafsma G. (2008). Lactose and lactose derivatives as bioactive ingredients in human. Nutr. International Dairy, 18, 458-465.
358. Schmelzle H, Wirth S, Skopnik H. (2003). Randomized double-blind study of the Neutral efficiency and bifidogenicity of a new infant formula containing partially hydrolyzed protein a high beta-palmitic acid level and non-digestible oligosaccharides. J Pediatric Gastroenterol Nutr, 36, 343-351.
359. Scholtens PA, Alles MS, Bindels JG, Linde EG, Tolboom JJ, et al. (2006). Bifidogenic effects of solid weaning foods with added prebiotic oligosaccharides: a randomised controlled clinical trial. J Pediatric Gastroenterol Nutr, 42, 553-559.

360. Schreck BA, Gregory PJ, Jalloh MA, Risoldi CZ, et al. (2017). Probiotics for the Treatment of Infantile Colic: A Systematic Review. J Pharm Pract., 30(3),366-374
361. Sekar S and Mariappam S. (2007). Usage of traditional fermented products by Indian rural folks and IPR. Indian Journal of Traditional Knowledge, 6(1), 111-120
362. Sendra E, Fayos P, Lario Y, Fernandez-Lopez J, Sayas-Barbera E and Perez-Alvarez J. (2008). Incorporation of citrus fibers in fermented milk containing probiotic bacteria. Food Microbiology, 25, 13-21.
363. Sethi S, Tyagi SK and Anurag RK. (2016) Plant-based milk alternatives an emerging segment of functional beverages: a review. J Food Sci Technol, 53, 3408–3423.
364. Sghir A, Chow JM and Mackie RI. (1998). Continuous culture selection of bifidobacteria and lactobacilli from human faecal samples using fructooligosaccharide as selective substrate. Applied Microbiology, 85, 769-777.
365. Shah N. (2007). Functional cultures and health benefits. International Dairy Journal, 17, 1262–1277
366. Shah NP. (2001). Functional foods, probiotics and prebiotics. Food Technolog, 55,46-53.
367. Shah NP. (2015). Functional properties of fermented milks, in Health Benefits of Fermented Foods, ed. J. P. Tamang (New York, NY: CRC Press), 261–274.
368. Shahani KM. and Ayebo A.D. (1980). Role of dietary lactobacilli in gastrointestinal microecology. Proceedings of the VI International Symposium on Intestinal Microecology. Am J Clin Nutr, 33, 2448–2457
369. Shamal S, Bijuna C. Mohan. (2017). Consumer behaviour in fortified food choice decisions in India, Nutrition & Food Science, 47(2),229-239
370. Sharafedtinov KK, Plotnikova OA, Alexeeva RI, Sentsova TB, et al. (2013). Hypocaloric diet supplemented with probiotic cheese improves body mass index and blood pressure indices of obese hypertensive patients—A randomized double-blind placebo-controlled pilot study. Nutr. J, 12, 138.
371. Sharma R. and Lal D. (1997). Effect of dahi preparation on some water-soluble vitamins. Indian J. Dairy Sci, 50,318-20.
372. Shepherd R. (2007). Factors influencing food preferences and choice. In: Shepherd (ed.), Handbook of the Psychophysiology of Human Eating. pp. 3–24. John Wiley and Sons Ltd, Chichester, UK

373. Shepherd R and Sparks P. (2011). Modelling food choice. In: H. J. H. MacFie & 650 D. M. Thomson (Eds.). Measurement of Food Preferences, pp 202-223. Blackie Academic & Professional, London
374. Sheth M and Asudani A. (2014). Newer strategy to combat obesity amongst the bank employees of Urban Vadodara- Insights into its mechanism. World Journal of Pharmacy and Pharmaceutical Sciences, 4(2), 658-72.
375. Sheth M, Thakuria A, Chand V and Nath MP. (2015). Fructooligosaccharide (FOS)- a smart strategy to modulate inflammatory marker and lipid profile in non insulin dependent diabetes mellitus (NIDDM) subjects residing in Assam, India- a randomized control trial. World Journal of Pharmaceutical Research, 4(5), 2673-78.
376. Shi T, Nishiyama K, Nakamata K, et al., (2012). Isolation of potential probiotic Lactobacillusrhamnosusstrainsfrom traditional fermented mare milk produced in Sumbawa Island of Indonesia, Biosci. Biotechnol. Biochem, 76 (10),1897–1903
377. Shida Kan and Nomoto Koji. (2013). Probiotics as efficient immunopotentiators: Translational role in cancer prevention. Indian J Med Res, 138 , 808-814
378. Shin DH and Jeong D. (2015). Korean traditional fermented soybean products: Jang. J. Ethnic Foods. 2, 2–7
379. Shori AB. (2016). Influence of food matrix on the viability of probiotic bacteria: a review based on dairy and non-dairy beverages. Food Biosci, 13, 1–8.
380. Siddique F, Riffat S, Arshad M, Farooq U, et al. (2017). Effect of storage temperature on the physiochemical properties of Ultra High Temperature (UHT) milk. International Journal of Food and Allied Sciences, 2(2), 52-57
381. Siddique F, Anjum NH and Jamil A. (2010). Effect of different UHT processing temperatures on ash and lactose content of milk during storage at different temperatures. Int.J. Agric. Biol, 12, 439–442
382. Silva LP and Nornberg JL. (2003). Prebioticos na Nutricao de nao Ruminantes. Ciencia Rural, 33(5), 983- 990.
383. Singh A, Yadav N, Sharma S. (2012). Effect of fermentation on physicochemical properties & in vitro starch and protein digestibility of selected cereals. International Journal of Agriculture and Food Science, 2(3), 66-70
384. Singh VP, Sharma J, Babu S, Rizwanulla ,Singla A (2013). Role of probiotics in health and diseases: A review. J Pak Med Assoc, 63,253-257

385. Singh TA, Devi KR, Ahmed G and Jeyaram K. (2014). Microbial and endogenous origin of fibrinolytic activity in traditional fermented foods of Northeast India. Food Res. Int, 55, 356–362
386. Singhi SC and Kumar S. (2016). Probiotics in critically ill children. F1000Research, 5, F1000 Faculty Rev-407
387. Sloan AE. (2003). What, when, and where Americans eat. Food Technology, 57(8), 48-66.
388. Soni S and Dey G. (2014). Perspectives on global fermented foods. British Food Journal,116, 1767-1787.
389. Soni S, Sandhu D and Vilkhu K. (1985). Studies on dosa and indigenous Indian fermented food: Some biochemical changes accompanying fermentation. Food Microbiol, 2,175-81
390. Sõukand R, Pieroni A, Biró M, et al. (2015) An ethnobotanical perspective on traditional fermented plant foods and beverages in Eastern Europe. J Ethnopharmacol, 170, 284–296.
391. Spiegel JE, Rose R, Karabell P, Frankos VH and Schmitt DF. (1994). Safety and Benefits of Fructooligosaccharides as Food Ingredients. Food Technology, 48(1), 85- 89.
392. Stamatoski B, Ilievska M, Babunovska H, Sekulovski N, Panov S. (2016). Optimized genotyping method for identification of bacterial contaminants in pharmaceutical industry. Acta Pharm, 66,289-295
393. Standage T. (2005) Beer in Mesopotamia and Egypt. In A History of the World in Six Glasses, 1st ed., pp. 8–41.
394. State, district and talukawise salient features of population statistics (2001 and 2011) Gujarat. (Assessed on 19th April 2017)
395. Steinkraus K. (1995). Handbook of Indigenous Fermented Foods. 2nd ed. CRC Press: Boca Raton
396. Sudheendra VK, Madhavi TV, Gopikrishna G and Shah RK. (2018). Study of microbial changes in probiotic and synbiotic lassi during storage. The Pharma Innovation Journal, 7(2), 94-97
397. Sugihara T F (1985). Microbiology of bread making. In: Microbiology of Fermented Foods, eds B J B Wood, Elsevier Applied Science Publishers, UK, pp 249- 261.
398. Surono IS, Koestomo FP, Novitasari N, Zakaria FR. (2011). Novel probiotic Enterococcus faecium IS-27526 supplementation increased total salivary sIgA level and bodyweight of pre-school children: A pilot study. Anaerobe, 17, 496–500.
399. Surpam TB, Borkar PA, Rokade HN and Kalmegh VB. (2014). Standardization of Process for Preparation of Ready-To-Eat Ambil from Sorghum. Journal of Ready to Eat Foods, 1(1), 22-26.
400. Swain MR, Anandharaj M, Ray RC and Parveen Rani R. (2014). Fermented Fruits and Vegetables of Asia: A Potential Source of Probiotics. Biotechnology Research International, 250424.

401. Swetaa A, Gayathri R, Vishnu V. (2018). Awareness on balanced diet and eating practices among college students - A survey. Drug Invention Today, 10(8), 1408-1410
402. Tadesse S. (2012). Probiotics, Prebiotics and Synbiotics as Functional Food Ingredients: Production, Health Benefits and Safety. Journal of Biologically Active Products from Nature, 2(3), 124–134.
403. Tadeusz G, Marek S, Dorota N, Jacek D and Bartlomiej F. (2005). The quality of low processed dairy products. Biotechnology Animal Husbandry, 21, 255-257
404. Tamang JP & Kailasapathy K (2010) Tea, coffee and cacao. In Fermented Foods and Beverages of the World, 1st ed., pp. 357–358
405. Tamang JP, Kailasapathy K. (2010). Fermented foods and beverages of the World. KCRC Press, Taylor Francis Group, 448.
406. Tamang B and Tamang JP. (2009). Traditional knowledge of biopreservation of perishable vegetable bamboo shoots in Northeast India as food resources. Indian J. Trad. Knowl., 8:89-95.
407. Tamang JP, Tamang B, Schillinger U, Franz CM, Gores M and Holzapfel WH. (2005). Identification of predominant lactic acid bacteria isolated from traditional fermented vegetable products of the Eastern Himalayas. Int. J. Food Microbiol, 105,47-356.
408. Tamang JP, Tamang B, Schillinger U, Guigas C and Holzapfel WH. (2009). Functional properties of lactic acid bacteria isolated from ethnic fermented vegetables of the Himalayas. Int. J. Food Microbiol, 135, 28–33
409. Tamang JP, Watanabe K and Holzapfel WH. (2016). Review: Diversity of microorganisms in global fermented foods and beverages. Front. Microbiol, 7,377
410. Tamime AY and Robinson RK. (1999). Yoghurt Science and Technology (2nd Ed.). CRC Press, Boca Raton, FL.
411. Tarrega A, Rocafull A, Costell E. (2010). Effect of blends of short and long-chain inulin on the rheological and sensory properties of prebiotic low-fat custards. Food Science and Technology,43, 556-562.
412. Tarrega A, Torres JD, Costell E. (2011). Influence of the chain-length distribution of inulin on the rheology and microstructure of prebiotic dairy desserts. J Food Engineering, 104, 356-363.
413. Tejaswini B and Nagaraja GN. (2013). Consumer preference for functional food in Bangalore City. University of Agricultural Sciences,. http://krishikosh.egranth.ac.in/bitstream/1/83264/1/Report.pdf (Assessed on 10th Oct 2018)
414. Teramoto Y, Yoshida S and Ueda S. (2014). Characteristics of a rice beer (zutho) and a yeast isolated from the fermented product in Nagaland, India. World J Microbiol Biotechnol,18,813-6.

415. Thapa N and Tamang JP. (2015). Functionality and therapeutic values of fermented foods. Health Benefits of Fermented Foods, ed. J. P. Tamang (New York: CRC Press), 111–168.
416. The Euromonitor Report (2014). [Cited: 27th December 2015, 16:45 hrs] Available at: http://www.euromonitor.com/in
417. Thirunavukarasu C and Arul V. 2012. Lactobacillus plantarum AS1 isolated from south Indian fermented food Kallappam. Appl Biochem Biotechnol, 166(3), 620-31
418. Thomson M. (2012). Ten most popular beverages around the world, available at: www.mrtop10.com/ 10_most_popular_beverages_around_the_world-3295 (accessed 03 January 2016)
419. Thrall PH, Bever JD and Burdon JJ. (2010). Evolutionary change in agriculture: the past, present and future. Evolutionary applications, 3(5-6), 405-8.
420. Thumrongchote D. (2014). Effect of thai fruits on sensory properties of fruit yogurt and survival of yogurt starter culture added with probiotic strains in fruit yogurt. Research Journal of Pharmaceutical, Biological and Chemical Sciences, 5(3), 283- 290.
421. Tokunaga T, Oku T and Hosya N. (1989). Utilization and Excretion of a New Sweetener Fructooligosaccharide (Neosugar) in Rats. The Journal of Nutrition, 119(4), 553-559
422. Tomoda S. (1993). Occupational Safety and Health in the Food and Drink Industries. Sectoral Activities Programme Working Paper. Geneva: ILO.
423. Torres-Llanez M, Vallejo-Cordoba B, Díaz-Cinco M, Mazorra-Manzano M, González-Córdova A. (2006). Characterization of the natural microflora of artisanal Mexican Fresco cheese. Food Control, 17, 683–690.
424. Tseng A and Zhao Y. (2013). Wine grape pomace as antioxidant dietary fibre for enhancing nutritional value and improving storability of yogurt and salad dressing. Food Chemistry, 138(1), 356-365.
425. Tshikhudo P, Nnzeru R, Ntushelo K and Mudau F. (2013). Bacterial species identification getting easier. African Journal of Biotechnology, 12(41), 5975-5982
426. Tuohy KM, Kolida S, Lustenberger AM, Gibson GR. (2001). The prebiotic effects of biscuits containing partially hydrolysed guar gum and fructooligosaccharides – a human volunteer study. Br J Nutr, 86(3), 341-8.
427. Tuohy KM, Rouzaud GCM, Bruck WM and Gibson GR. (2005). Modulation of the Human Gut Microflora towards Improved Health Using Prebiotics - Assessment of Efficacy. Current Pharmaceutical Design, 11(1), 75-90.

428. Vandeputte GE, Delcour JA. (2004). From sucrose to starch granule to physical behaviour: a focus on rice starch. Carbohyd Polym, 58,245–66.
429. Varankovich NV, Nickerson MT and Korber DR. (2015). Probioticbased strategies for therapeutic and prophylactic use against multiple gastrointestinal diseases. Front. Microbiol, 6,685-690
430. Verma S, Srivastava S, Tiwari N. (2015) Comparative study on nutritional and sensory quality of barnyard and foxtail millet food products with traditional rice products. J Food Sci Technol, 52(8),5147–5155
431. Verspreet J, Dornez E, van den Ende W, Delcour JA and Courtin CM. (2015) Cereal grain fructans: structure, variability and potential health effects. Trends Food Sci Technol, 43, 32–42
432. Vimala Y and Kumar P D. (2006). Some aspects of probiotics. Ind J Microbiol, 46, 1-7.
433. Wang X and Gibson GR. (1993). Effects of the In Vitro Fermentation of Oligofructose and Inulin by Bacteria Growing in the Human Large Intestine. Journal of Applied Bacteriology, 75(4),373-380.
434. Wang LJ, Li D, Zou L, Chen XD, Cheng YQ, Yamaki K, et al. (2007). Antioxidative activity of douchi (a Chinese traditional salt-fermented soybean food) extracts during its processing. Int. J. Food Propert, 10, 1–12
435. Wang S, Zhu H, Lu C, Kang Z, Luo Y, et al. (2012). Fermented milk supplemented with probiotics and prebiotics can effectively alter the intestinal microbiota and immunity of host animals. J. Dairy Sci, 95, 4813–4822.
436. Watanabe K, Fujimoto J, Tomii Y, Sasamoto M, Makino H, Kudo Y, et al. (2008). Lactobacillus kisonensis sp. nov., Lactobacillus otakiensis sp. nov., Lactobacillus rapi sp. nov. and Lactobacillus sunkii sp. nov., heterofermentative species isolated from sunki, a traditional Japanese pickle. Int. J. Syst. Evol. Microbiol, 59(4), 754–760
437. Winarso D and Foekh B. (2011). The study of temperature effect and length of pasteurization heating on milk quality. J. Agri. Food Tech, 1(8), 137-144
438. Winter D. (2006). Probiotic and prebiotic foods Baylor Health Care System. Nature 467, 426–429
439. Xu J, Inglett GE, Liu SX and Boddu VM. (2016) Microheterogeneity and micro-rheological properties of highviscosity barley b-glucan solutions studied by diffusing wave spectroscopy (DWS). Food Biophys, 11, 339–344.
440. Yamamoto S, Nakashima Y, Yoshikawa J, Wada N and Matsugo S. (2011). Radical scavenging activity of the Japanese traditional food, Amazake. Food Science and Technology Research, 17(3), 209-218

441. Yanagi N, Joshi R, Byadgi S and Josna B. (2013). A hand book for school children: Importance of Millets in Daily Diets for Food and Nutrition Security, 1-24.
442. Yegin S and Üren A. (2008). Biogenic amine content of boza: a traditional cereal-based, fermented Turkish beverage. Food Chem 111, 983–987.
443. Yeon SS, Kim HJ, Kim TW, Kim HY. (2007). Rapid Identification of Lactobacillus and Bifidobacterium in Probiotic Products Using Multiplex PCR. J. Microbiol. Biotechnol.17(3), 490–495
444. Yonzan H and Tamang JP. (2010) Microbiology and nutritional value of selroti, an ethnic fermented cereal food of the Himalayas. Food Biotechnol, 24, 227-47.
445. Zamfir M, Vancanneyt M, Makras L, Vaningelgem F, Lefebvre K, Pot B, Swings J, De Vuyst L. (2006). Biodiversity of lactic acid bacteria in Romanian dairy products. Syst. Appl. Microbiol, 29,487–495.
446. Zeng W, Li W, Shu L, Yi J, Chen G, and Liang Z. (2013). Non-sterilized fermentative co-production of poly (γ-glutamic acid) and fibrinolytic enzyme by a thermophilic Bacillus subtilis GXA-28. Bioresour. Technol, 142, 697–700.
447. Zhu F, Du B and Xu B. (2016) A critical review on production and industrial applications of beta-glucans. Food Hydrocolloids, 52, 275–288.
448. Zuo FJ, Feng X, Chen, Chen L, Shangwu. (2014). Identification and partial characterization of lactic acid bacteria isolated from traditional dairy products produced by herders in the western Tianshan Mountains of China. Letters in Applied Microbiology. 59. 10.1111/lam.12313.