Abiaka, C., Delghandi, M., Kaur, M., & Al-Sahel, M. (2013). Vitamin D Status and Anthropometric Indices of an Omani Study Population. *Sultan Qaboos University Medical Journal*, *13*(May), 224–231.

Adams, J.S., Hewison, M. (2010). Update in vitamin D. *J. Clin. Endocrinol. Metab. 95*, 471–478.

Afzal, S., Bojesen, S.E., & Nordestgaard, B.G. (2013). Low 25-hydroxyvitamin D and risk of type 2 diabetes: A prospective cohort study and metaanalysis. *Clinical Chemistry*, *59*(2), 381–391. http://doi.org/10.1373/clinchem.2012.193003

Ahmed, M.S., Shoker, A. (2010). Vitamin D metabolites; protective *versus* toxic properties: Molecular and cellular perspectives. *Nephrol. Rev*. *2*, 19–26.

Akhter, O., Fiazuddin, F., Shaheryar, A., Niaz, W., Siddiqui, D., Awan, S., & Ram, N. (2015). Original Article Central adiposity is significantly higher in female compared to male in Pakistani type 2 diabetes mellitus patients, *19*(1), 72–76. http://doi.org/10.4103/2230-8210.131767

Aksoy, H., Akçay, F., Kurtul, N., Baykal, O., Avci, B. (2000). Serum 1,25 dihydroxy vitamin D (1,25(OH) 2D3), 25 hydroxy vitamin D (25(OH) D) and parathormone levels in diabetic retinopathy. *Clin Biochem*, *33*, 47‑51.

Agarwal, K.S., Mughal, M.Z., Upadhyay, P., Berry, J.L., Mawer, E.B., Puliyel, J.M. (2002). The impact of atmospheric pollution on vitamin D status of infants and toddlers in Delhi, India. *Arch. Dis. Child. 87*, 111–113.

Agarwal, R., Virmani, D., Jaipal, M.L., Gupta, S., Gupta, N., Sankar, M.J., Bhatia, S., Agarwal, A., Devgan, V., Deorari, A., et al. (2012). Vitamin D status of low birth weight infants in Delhi: A comparative study. *J. Trop. Pediatr. 58*, 446–450.

Agrawal, N.K., Sharma, B. (2013). Prevalence of osteoporosis in otherwise healthy Indian males aged 50 years and above. *Arch. Osteoporos. 8*, 116.

Agarwal Kriti, Vyas Monark, Shah Bhavik, Gupta Nayan, R. D. (2014). International Journal of Health Sciences and Research. *International Journal of Health Sciences and Research*, *4*(6), 20–24.

Al-Daghri, N. M., Alkharfy, K. M., Al-Othman, A., El-Kholie, E., Moharram, O., Alokail, M. S., … Chrousos, G. P. (2012). Vitamin D supplementation as an adjuvant therapy for patients with T2DM: an 18-month prospective interventional study. *Cardiovascular Diabetology*, *11*(1), 85. http://doi.org/10.1186/1475-2840-11-85

Alkharfy, K. M., Al-Daghri, N. M., Sabico, S. B., Al-Othman, A., Moharram, O., Alokail, M. S., … Chrousos, G. P. (2013). Vitamin D supplementation in patients with diabetes mellitus type 2 on different therapeutic regimens: a one-year prospective study. *Cardiovascular Diabetology*, *12*(1), 113. http://doi.org/10.1186/1475-2840-12-113

Al-Othman, A., Al-Musharaf, S., Al-Daghri, N. M., Yakout, S. M., Alkharfy, K. M., Al-Saleh, Y., … Chrousos, G. P. (2012). Tea and coffee consumption in relation to vitamin D and calcium levels in Saudi adolescents. *Nutrition Journal*, *11*(1), 1. http://doi.org/10.1186/1475-2891-11-56

Alshahrani, F., & Aljohani, N. (2013). Vitamin D: Deficiency, sufficiency and toxicity. *Nutrients*, *5*(9), 3605–3616. http://doi.org/10.3390/nu5093605

Alyami, A., Soares, M. J., Sherriff, J. L., & Mamo, J. C. (2014). Vitamin D & endothelial function. *Indian Journal of Medical Research*, *140*(October), 483–490.

American Diabetes Association. Standards of medical care in diabetes (2014). *Diabetes Care 37(Suppl. 1)*, S14– S80.

Andersen, R., Brot, C., Jakobsen, J., Mejborn, H., Mølgaard, C., Skovgaard, L. T., … Ovesen, L. (2013). Seasonal changes in vitamin D status among Danish adolescent girls and elderly women: the influence of sun exposure and vitamin D intake. *European Journal of Clinical Nutrition*, *67*(3), 270–4. http://doi.org/10.1038/ejcn.2013.3

Anderson, J.L., May, H.T., Horne, B.D., Bair, T.L., Hall, N.L., Carlquist, J.F., Lappé, D.L., Muhlestein, J.B. (2010). Relation of vitamin D deficiency to cardiovascular risk factors, disease status, and incident events in a general healthcare population. *Am. J. Cardiol. 106*, 963–968.

Andress, D.L., Ozuna, J., Tirschwell, D., Grande, L., Johnson, M., Jacobson, A.F., Spain, W. (2002). Antiepileptic drug induced bone loss in young male patients who have seizures. *Arch Neurol*, *59*, 781-786.

Anjana, R.M., Pradeepa, R., Deepa, M., Datta, M., Sudha, V., Unnikrishnan, R., et al. (2011). On behalf of the ICMR–INDIAB Collaborative Study Group. Prevalence of diabetes and prediabetes (impaired fasting glucose and/or impaired glucose tolerance) in urban and rural India: Phase I results of the Indian Council of Medical Research-INdia DIABetes (ICMR-INDIAB) study. *Diabetologia*. *54*, 3022-3027.

Arya, V., Bhambri, R., Godbole, MM., Mithal, A. (2004). Vitamin D status and its relationship with bone mineral density in healthy Asian Indians. *Osteoporos Int*, *15*, 56-61.

Askew, F.A., Bourdillon, R.B., Bruce, H.M., Jenkins, R.G.C., Webster, T.A. (1931). The distillation of vitamin D. *Proc R Soc Lond*. *8107*, 76-90.

Armas, L.A.G., Hollis, B.W., Heaney, R.P. (2004). Vitamin D2 is much less effective than vitamin D3 in humans. *J. Clin. Endocrinol. Metab. 89*, 5387–5391.

Ayodele, O.E., Alebiosu, C.O., Salako, B.L. (2004). Diabetic nephropathy- a review of the natural history, burden, risk factors and treatment. *J Natl Med Assoc. 96*, 1445-1454.

Babu, U. S., & Calvo, M. S. (2010). Modern India and the vitamin D dilemma: Evidence for the need of a national food fortification program. *Molecular Nutrition and Food Research*, *54*(8), 1134–1147. http://doi.org/10.1002/mnfr.200900480

Baidya, A., Chowdhury, S., Mukhopadhyay, S., Ghosh, S. (2012). Profile of vitamin D in a cohort of physicians and diabetologists in Kolkata. *Indian J. Endocrinol. Metab. 16,* S416–S417.

Bajaj, S., Singh, R. P., Dwivedi, N. C., Singh, K., Gupta, A., & Mathur, M. (2014). Original Article Vitamin D levels and microvascular complications in type 2 diabetes, *18*(4), 3–7. http://doi.org/10.4103/2230-8210.137512

Banerji, MA., Faridi, N., Atluri, R. et al. (1999). Body composition, visceral fat, leptin and insulin resistance in Asian Indian men. *Journal of Clinical Endocrinology and Metabolism*. *84*, 137-144

Bansal, B., Bansal, S. B., Mithal, A., Kher, V., Marwaha, R., & Singh, P. (2014). A randomized controlled trial of cholecalciferol supplementation in patients on maintenance hemodialysis. *Indian Journal of Endocrinology and Metabolism*, *18*(5), 655–661. http://doi.org/10.4103/2230-8210.139227

Barchetta, I., Angelico, F., Del Ben, M., Baroni, M.G., Pozzilli, P., et al. (2011) Strong association between non alcoholic fatty liver disease (NAFLD) and low 25(OH) vitamin D levels in an adult population with normal serum liver enzymes. *BMC Med.* 9: 85.

Bellentani, S., Scaglioni, F., Marino, M., Bedogni, G. (2010). Epidemiology of non-alcoholic fatty liver disease. *Dig. Dis. 28*, 155–161.

Beloyartseva, M., Mithal, A., Kaur, P., Kalra, S., Baruah, M.P., Mukhopadhyay, S., Bantwal, G., Bandgar, T.R. (2012). Widespread vitamin D deficiency among Indian health care professionals. *Arch. Osteoporos. 7*, 187–192.

Bernard, Brom. & Dip, A. (2010). The new role of vitamin D. *South African Family Practice*, *52*(1), 44–46. http://doi.org/10.1080/20786204.2010.10873931

Bhalala, U., Desai, M., Parekh, P., Mokal, R., Chheda, B. (2007). Subclinical hypovitaminosis D among exclusively breastfed young infants. *Indian Pediatr. 44*, 897–901.

Biancuzzo, R.M., Young, A., Bibuld, D., Cai, M.H., Winter, M.R., Klein, E.K., Ameri, A., Reitz, R., Salameh, W., Chen, T.C., Holick, M.F. (2010). Fortification of orange juice with vitamin D2 or vitamin D3 is as effective as an oral supplement in maintaining vitamin D status in adults. *Am. J. Clin. Nutr. 91*, 1621–1626.

Bikle, D.D. (1992). Clinical counterpoint. Vitamin D: new actions, new analogs, new therapeutic potential. *Endocrine Reviews*. *13*, 765–784

Bischoff-Ferrari, H. (2012). Relevance of vitamin D in muscle health. *Rev. Endocr. Metab. Disord. 13*, 71–77.

Bischoff-Ferrari, H., Conzelmann, M., Stähelin, H., Dick, W., Carpenter, M., Adkin, A., Theiler, R., Pfeifer, M., Allum, J. (2006). Is fall prevention by vitamin D mediated by a change in postural or dynamic balance? *Osteoporos. Int. 17*, 656–663.

Bischoff-Ferrari, H.A., Dawson-Hughes, B., Staehelin, H.B., Orav, J.E, Stuck, A.E., Theiler, R., Wong, J.B., Egli, A., Kiel, D.P., Henschkowski, J. (2009). Fall prevention with supplemental and active forms of vitamin D: A meta-analysis of randomised controlled trials. *BMJ. 339*, doi:10.1136/bmj.b3692.

Bischoff-Ferrari, H.A., Willett, W.C., Orav, E.J., Lips, P., Meunier, P.J., Lyons, R.A.,Flicker, L., Wark, J., Jackson, R.D., Cauley, J.A., et al. *(*2012). A pooled analysis of vitamin D dose requirements for fracture prevention. *N. Engl. J. Med. 367*, 40–49.

Bischoff-Ferrari, H.A., Kiel, D.P., Dawson-Hughes, B., Orav, J.E., Li, R., Spiegelman, D., Dietrich, T., Willett, W.C. (2009). Dietary calcium and serum 25-hydroxyvitamin D status in relation to BMD among U.S. adults. *J. Bone Miner. Res. 24*, 935–942.

Bischoff-Ferrari, H.A., Shao, A., Dawson-Hughes, B., Hathcock, J., Giovannucci, E., Willett, W.C. (2010). Benefit-risk assessment of vitamin D supplementation. *Osteoporos Int 21*, 1121–1132.

Bjelakovic, G., Gluud, L. L., Nikolova, D., Whitfield, K., Wetterslev, J., Simonetti, R. G., … Gluud, C. (2011). Vitamin D supplementation for prevention of mortality in adults. *Cochrane Database of Systematic Reviews (Online)*, (7), CD007470. http://doi.org/10.1002/14651858.CD007470.pub2

Bosworth, C.R., Levin, G., Robinson-Cohen, C., Hoofnagle, A.N., Ruzinski, J., Young, B., Schwartz, S.M., Himmelfarb, J., Kestenbaum, B., de Boer, I.H. (2012). The serum 24,25-dihydroxyvitamin D concentration, a marker of vitamin D catabolism, is reduced in chronic kidney disease. *Kidney Int. 92*, 693–700.

Bouillon, R., Carmeliet, G., Verlinden, L., et al. (2008). Vitamin D and human health: lessons from vitamin D receptors null mice. Endocrine Reviews. *29*, 726-76

Bouillon, R., Van Cromphaut, S., Carmeliet, G. (2003). Intestinal calcium absorption: molecular vitamin D mediated mechanisms. *Journal of Cell Biochemistry*,88, 332–339.

Bouillon, R. (2001). Vitamin D: from photosynthesis, metabolism, and action to clinical applications. In Endocrinology. Edited by: De Groot LJ, Jameson JL. Philadelphia: W.B. Saunders.1009-1028.

Bourlon, P.M., Billaudel, B., Faure-Dussert, A.J. (1999). *Endocrinol. 160*, 87–95

Brock, K.E., Huang, W.Y., Fraser, D.R., Ke, L., Tseng, M., Mason, R.S., Stolzenberg-Solomon, R.Z., Freedman, D.M., Ahn, J., Peters, U., et al. (2011). Diabetes prevalence is associated with serum 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D in US middle-aged Caucasians men and women: A cross-sectional analysis within the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. *Br. J. Nutr. 106*, 339–344.

Broe, K.E., Chen, T.C., Weinberg, J., Bischoff-Ferrari, H.A., Holick, M.F., Kiel, D.P. (2007). A higher dose of vitamin D reduces the risk of falls in nursing home residents: A randomized, multiple-dose study. *J. Am. Geriatr. Soc. 55*, 234–239.

Brown, J., Sandmann, A., Ignatius, A., Amling, M., & Barvencik, F. (2013). New perspectives on vitamin D food fortification based on a modeling of 25 (OH) D concentrations. *Nutrition Journal*, *12*, 151–163.

Calikoglu, A.S., Davenport, M.L. (2003). Prophylactic vitamin D supplementation. *Endocr Dev. 6*, 233-58.

Calvo, M. S., Calvo, M. S., Whiting, S. J., Whiting, S. J., Barton, C. N., & Barton, C. N. (2004). Vitamin D fortification in the United States and Canada: current status and data needs. *The American Journal of Clinical Nutrition*, *80*(6 Suppl), 1710S–6S. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/15585792

Cantorna, M.T. (2008). Vitamin D and multiple sclerosis: an update. *Nutr Rev. 66* (10 Suppl 2), S135-138.

Carlberg, C., Bendik, I., Wyss, A., Meier, E., Sturzenbecker, L.J., Grippo, J.F., Hunziker, W. (1993). Two nuclear signalling pathways for vitamin D. *Nature*. *361*, 657–660.

Cauley, J.A., LaCroix, A.Z., Wu, L., Horwitz, M., Danielson, M.E., Bauer, D.C., Lee, J.S., Jackson, R.D., Robbins, J.A., Wu, C., et al. (2008). Serum 25-hydroxyvitamin D concentrations and risk for hip fractures. *Ann. Int. Med. 149*, 242–250.

Chagas, C. E. A., Borges, M. C., Martini, L. A., & Rogero, M. M. (2012). Focus on vitamin D, inflammation and type 2 diabetes. *Nutrients*, *4*(1), 52–67. http://doi.org/10.3390/nu4010052

Champe, C., Harvey, RA., Ferrier, DR. (Eds). Biochemistry. Lippincott Williams & Wilkins; 2005

Chan, T.Y., Poon, P., Pang, J., Swaminathan, R., Chan, C.H., Nisar, M., Williams, C.S., Davies, P.D. (1994). A study of calcium and vitamin D metabolism in Chinese patients with pulmonary tuberculosis. *J Trop Med Hyg. 97*, -30.

Chapuy, M.C., Arlot, M.E., Duboeuf, F., Brun, J., Crouzet, B., Arnaud, S., Delmas, P.D., Meunier, P.J. (1992). Vitamin D3 and calcium to prevent hip fractures in elderly women. *N Engl J Med. 327*,1637–1642

Chapuy, M.C., Schott, AM,Garnero P, Hans D, Delmas PD, Meunier PJ (1996). Healthy elderly French women living at home have secondary hyperparathyroidism and high bone turnover in winter: EPIDOS Study Group. J Clin Endocrinol Metab 81:1129–1133.

Chapuy MC, Preziosi P, Maamer M, Arnaud S, Galan P, Hercberg S, Meunier PJ (1997). Prevalence of vitamin D insufficiency in an adult normal population. Osteoporos Int 7:439–443.

Chee, W.S., Suriah, A.R., Chan, S.P., Zaitun, Y., Chan, Y.M. (2003). The effect of milk supplementation on bone mineral density in postmenopausal Chinese women in Malaysia. *Osteoporos. Int. 14*, 828–834.

Chel, V., Wijnhoven, H.A., Smit, J.H., Ooms, M., Lips, P. (2008). Efficacy of different doses and time intervals of oral vitamin D supplementation with or without calcium in elderly nursing home residents. *Osteoporos. Int. 19*, 663–671.

Chen, E., de Papp, A.E. (2005). Prevalence of vitamin D inadequacy among postmenopausal North American women receiving osteoporosis therapy. *J. Clin. Endocrinol. Metab. 90*, 3215–3224.

Chen, H., McCoy, L.F., Schleicher, R.L., Pfeiffer, C.M. (2008). Measurement of 25(OH)D2 and 25(OH)D3 in human serum using liquid chromatography-tandem mass spectrometry and it comparisons to a radioimmunoassay method. *Clin Chem Acta, 391*, 6–12.

Chick, H., Dolyell, E.J., Hume, E.M. (1923). Studies of rickets in Vienna 1919–1922. *Med Res Counc* (GB) Spec Rep Ser, *77*.

Choi, H. S., Oh, H. J., Choi, H., Choi, W. H., Kim, J. G., Kim, K. M., … Lim, S. K. (2011). Vitamin D insufficiency in Korea - A greater threat to younger generation: The Korea National Health and Nutrition Examination Survey (KNHANES) 2008. *Journal of Clinical Endocrinology and Metabolism*, *96*(3), 643–651. http://doi.org/10.1210/jc.2010-2133

Chonchol, M., Scragg, R. (2007). 25-hydroxyvitamin D, insulin resistance and kidney function in the third national health and nutrition examination survey. *Kidney Internat. 71*, 134–139.

Christakos, S. (2012). Recent advances in our understanding of 1,25 dihydroxyvitamin D3 regulation of intestinal calcium absorption. *Arch. Biochem. Biophys. 523*, 73–76.

Christakos, S., Dhawan, P., Porta, A., Mady, L.J., Seth, T. (2011). Vitamin D and intestinal calcium absorption. *Mol. Cell. Endocrinol. 347*, 25–29.

Chiu, K.C., Chu, A., Go, V.L., Saad , M.F. (2004). Hypovitaminosis D is associated with insulin resistance and β cell dysfunction. *Am J Clin Nutr. 79*, 820–825.

Collier, S., Fulhan, J., Duggan, C. (2004). Nutrition for the pediatric office: update on vitamins, infant feeding and food allergies. *Curr. Opin. Pediatr. 16*, 314–320.

Correa, P., Segersten, U., Hellman, P., Akerstrom, G., Westin, G. (2002). Increased 25-hydroxyvitamin D3 1α-hydroxylase and reduced 25-hydroxyvitamin D3 24-hydroxylase expression in parathyroid tumors – new prospects for treatment of hyperparathyroidism with vitamin D. *J Clin Endocrinol Metab. 87*, 5826-5829.

Dalgard, C.,Petersen, M.S., Weihe, P., Grandjean, P. (2011) Vitamin D status in relation to glucose metabolism and type 2 diabetes in septuagenarians. *Diabetes Care, 34*, 1284–1288.

Daly, R.M., Brown, M., Bass, S., Kukuljan, S., Nowson, C. (2006). Calcium- and vitamin D3-fortified milk reduces bone loss at clinically relevant skeletal sites in older men: A 2-year randomized controlled trial. *J. Bone Miner. Res. 21*, 397–405.

Daly, A., Michael, P., Johnson, E.Q., Harrington, C.C., Patrick, S., Bender, T. (2009) Diabetes White Paper: Defining the delivery of nutrition services in Medicare medical nutrition therapy vs Medicare diabetes self-management training programs. *J Am Diet Assoc. 109*, 528-39.

Deleskog, a., Hilding, a., Brismar, K., Hamsten, a., Efendic, S., & Östenson, C. G. (2012). Low serum 25-hydroxyvitamin D level predicts progression to type 2 diabetes in individuals with prediabetes but not with normal glucose tolerance. *Diabetologia*, *55*(6), 1668–1678. http://doi.org/10.1007/s00125-012-2529-x

DeLuca, H.F., Cantorna, M.T. (2001). Vitamin D: its role and uses in immunology. *FASEB J, 15*, 2579–2585

DeLuca, H.F. (2004). Overview of general physiologic features and functions of vitamin D. *The American Journal of Clinical Nutrition*, *80*(6 Suppl), 1689–1696. http://doi.org/80/6/1689S [pii]

Dietary reference intakes for calcium, phosphorus, magnesium, vitamin D, and fluoride. (1997). Food and Nutrition Board. Institute of Medicine. Washington, DC: National Academy Press.

Dixon, T., Mitchell, P., Beringer, T., Gallacher, S., Moniz, C., Patel, S., Pearson, G., Ryan, P. (2006). An overview of the prevalence of 25-hydroxy-vitamin D inadequacy amongst elderly patients with or without fragility fracture in the United Kingdom. *Current Medicine Research Opinions.* 22, 405-415.

Dong, J.-Y., Zhang, W.-G., Chen, J. J., Zhang, Z.-L., Han, S.-F., & Qin, L.-Q. (2013). Vitamin D intake and risk of type 1 diabetes: a meta-analysis of observational studies. *Nutrients*, *5*(9), 3551–62. http://doi.org/10.3390/nu5093551

Dunlop, T.W., Vaisanen, S., Frank, C., Carlberg, C. (2004). The genes of the coactivator TIF2 and the corepressor SMRT are primary 1alpha,25(OH)2D3 targets. *J. Steroid Biochem. Mol. Biol. 89–90*, 257–260.

Dusso, A.S., Sato, T., Arcidiacono, M.V., Alvarez-Hernandez D, Yang J, Gonzalez- Suarez, I., Tominaga, Y., Slatopolsky, E. (2006). Pathogenic mechanisms for parathyroid hyperplasia. *Kidney Int Suppl. 102*, S8-S11.

Ekbote, V.H., Khadilkar, A.V., Chiplonkar, S.A., Khadilkar, V.V. (2011). Determinants of bone mineral content and bone area in Indian preschool children. *J. Bone Miner. Metab.*, *29*, 334-341.

Ekbote, V.H., Khadilkar, A.V., Mughal, M.Z., Hanumante, N., Sanwalka, N.; Khadilkar, V.V., Chiplonkar, S.A., Kant, S., Ganacharya, R. (2010). Sunlight exposure and development of rickets in Indian toddlers. *Indian J. Pediatr*, *77*, 61-65.

Elayath, N., Iyer, U. (2012). PhD. Thesis: Metabolic derangements in pre peri and post menopausal women and strategies for the management of primary hyperlipidemia in adult women. Department of Foods & Nutrition. The Maharaja Sayajirao University of Baroda.

Ersfeld, D.L., Rao, D.S., Body, J.J., et al. (2004). Analytical and clinical validation of the 25 OH vitamin D assay for the LIAISON automated analyzer. *Clin Biochem 37*, 867–874.

EURODIAB Substudy 2 Study Group. (1999). *Diabetologia. 42*, 51– 54.

Expert Group on Vitamins and Minerals. (2003). Safe Upper Levels for vitamins and minerals. London, United Kingdom: Food Standards Agency.

Farrant, H.J., Krishnaveni, G.V., Hill, J.C., Boucher, B.J., Fisher, D.J., Noonan, K., Osmond, C., Veena, S.R., Fall, C.H. (2009). Vitamin D insufficiency is common in Indian mothers but is not associated with gestational diabetes or variation in newborn size. *Eur. J. Clin. Nutr. 63*, 646–652.

Feinglass, J., Brown, JL., LoSasso, A., et al. (1999). Rates of lower extremity amputation and arterial reconstruction in the United states, 1979 to 1996. *American Journal of Public Health. 8*, 1222-1227.

Fleet, J.C. (1999). Vitamin D receptors: Not just in the nucleus anymore. *Nutr. Rev. 57*, 60–62.

Fleet, J.C., Desmet, M., Johnson, R., Li, Y. (2012). Vitamin D and cancer: A review of molecular mechanisms. *Biochem. J. 441*, 61–76.

Ford ES, Ajani UA, McGuire LC, L. S. (2005). Concentrations of Serum Vitamin D and the Metabolic Syndrome Among U.S. Adults. *Diabetes Care, 28*, 1228–1230.

Ford, ES., Zhao. G., Li, C., Pearson, WS. (2009). Serum concentrations of vitamin D and parathyroid hormone and prevalent metabolic syndrome among adults in the United States. *Journal of Diabetes*, 1, 296-303.

Forman, J.P., Giovannucci, E., Holmes, M.D., et al. (2007). Plasma 25-hydroxyvitamin D levels and risk of incident hypertension. *Hypertension. 49*, 1063–1069.

Fosnight, S.M., Zafirau, W.J., Hazelett, S.E. (2008). Vitamin D supplementation to prevent falls in the elderly: evidence and practical considerations. *Pharmacotherapy*. *28*(2), 225-234. doi: 10.1592/phco.28.2.225

Forman, J.P., Bischoff-Ferrari, H.A., Willett, W.C., Stampfer, M.J., Curhan, G.C. (2005). Vitamin D intake and risk of incident hypertension results from three large prospective cohort studies. *Hypertension. 46*, 676-682.

Fraser, D.R. (1995). Vitamin D. *Lancet*. *345*, 104–107.

Fuleihan El-Hajj, G. (2010). Vitamin D Deficiency in the Middle East and Its Health Consequences. In *Vitamin D: Physiology, Molecular Biology, and Clinical Applications*; Holick, M.F., Ed.; Humana Press: New York, NY, USA. 469–494.

Gaafar M and Badr S. (2013). An Alarming High Prevalence of Vitamin D Deficiency Among Healthy Adults. *Life Science Journal*, *10*(1), 3292–3298.

Gagnon, C., Lu, Z.X., Magliano, D.J., Dunstan, D.W., Shaw, J.E., Zimmet, P.Z., Sikaris, K., Grantham, N., Ebeling, P.R., Daly, R.M. (2011). Serum 25-hydroxyvitamin D, calcium intake, and risk of type 2 diabetes after 5 years. *Diabetes Care. 34*, 1133–1138.

Gallagher, D., Visser, M., Sepulveda, D., et al. (1996). How useful is body mass index for comparision of body fatness across age, sex, and ethnic group? *American Journal of Epidemiology. 143*, 228-239.

Garcia-Bailo, B., El-Sohemy, A., Haddad, PS., Arora, P., BenZaied, F., Karmali, M., et al. (2011). Vitamins D, C, and E in the prevention of type 2 diabetes mellitus: modulation of inflammation and oxidative stress. *Biological Targets and Therapy*. *5*, 7–19

Garg, M.K., Tandon, N., Marwaha, R.K., Menon, A.S., Mahalle, N. (2013).The relationship between serum 25-hydroxy vitamin D, parathormone and bone mineral density in Indian population. *Clin. Endocrino. 80*, 41–46.

George, P. S., Pearson, E. R., & Witham, M. D. (2012). Effect of vitamin D supplementation on glycaemic control and insulin resistance: a systematic review and meta-analysis. *Diabetic Medicine : A Journal of the British Diabetic Association*, *29*(8), e142–50. http://doi.org/10.1111/j.1464-5491.2012.03672.x

Goel, R. K., & Lal, H. (2011). Role of Vitamin D Supplementation in Hypertension. *Indian Journal of Clinical Biochemistry*, *26*(1), 88–90. http://doi.org/10.1155/2010/579640.3.

Gibbons, G.W. (1987). The diabetic foot, amputations and drainage of infection. *J Vasc Surg. 5*, 791-793.

Giovannucci, E., Liu, Y., Rimm, E.B., et al. (2006). Prospective study of predictors of vitamin D status and cancer incidence and mortality in men. *J Natl Cancer Inst. 98*, 451–459.

Giovannucci, E., Liu, Y., Hollis, B.W., Rimm, E.B. (2008). A prospective study of 25-hydroxy-vitamin D and risk of myocardial infarction in men. *Arch Inter Med. 168*, 1174–1180.

Glendenning, P., Chew, G.T., Seymour, M.J., Goldswain, P.R., Inderjeeth, C.A., Vasikaran, S.D., Toronto, M., Musk, A.A., Fraser, W.D. (2009). Serum 25 hydroxyvitamin D levels in vitamin D insufficient hip fracture patients after supplementation with ergocalciferol and cholecalciferol. *Bone. 45*, 870–875.

Goldblatt, H., Soames, K.M. (1923). Studies on the fat-soluble growth-promoting factor. *Biochem J. 17*, 446-453.

Gordon, C.M., DePeter, K.C., Estherann, G., Emans, S.J. (2004). Prevalence of vitamin D deficiency among healthy adolescents. *Arch Pediatr Adolesc Med*, *158*, 531-7.

Gordon, C.M., Williams, A.L., Feldman, H.A., May, J., Sinclair, L., Vasquez, A., Cox, J.E. (2008). Treatment of hypovitaminosis D in infants and toddlers. *J. Clin. Endocrinol. Metab. 93*, 2716–2721.

Gordon, C.M., Feldman, H., Sinclair, L., Williams, A., Cox, J. (2008). Prevalence of vitamin D deficiency among healthy infants and toddlers. *Arch Pediatr Adolesc Med.162*, 505-12.

Goswami, R., Gupta, N., Goswami, D., Marwaha, R. K., Tandon, N., & Kochupillai, N. (2000). Prevalence and significance of low 25-hydroxyvitamin D concentrations in healthy subjects in Delhi. *The American Journal of Clinical Nutrition*, *72*(2), 472–475.

Goswami, R., Gupta, N., Ray, D., Singh, N., & Tomar, N. (2008). Pattern of 25-hydroxy vitamin D response at short (2 month) and long (1 year) interval after 8 weeks of oral supplementation with cholecalciferol in Asian Indians with chronic hypovitaminosis D. *The British Journal of Nutrition*, *100*(3), 526–529 http://doi.org/10.1017/S0007114508921711

Goswami. R., Kochupillai, N., Gupta, N., Goswami, D., Singh, N., Dudha, A (2008). Presence of 25(OH)D deficiency in a rural North Indian Village Despite Abundant Sunshine. *Journal of Association of Physicians in India*, 56,755-757.

Goswami, R., Mishra, S. K., & Kochupillai, N. (2008). Prevalence & potential significance of vitamin D deficiency in Asian Indians. *The Indian Journal of Medical Research*, *127*(3), 229–238.

Goswami, R., Marwaha, R.K., Gupta, N., Tandon, N., Sreenivas, V., Tomar, N., Ray, D., Kanwar, R., Agarwal, R. (2009). Prevalence of vitamin D deficiency and its relationship with thyroid autoimmunity in Asian Indians: A community-based survey. *Br. J. Nutr. 102*, 382–386.

Grant, A.M., Avenell, A., Campbell, M.K., McDonald, A.M., MacLennan, G.S., McPherson, G.C., Anderson, F.H., Cooper, C., Francis, R.M., Donaldson, C., et al. (2005). Null Oral vitamin D3 and calcium for secondary prevention of low-trauma fractures in elderly people (Randomised Evaluation of Calcium Or vitamin D, RECORD): A randomised placebo-controlled trial. *Lancet. 365*, 1621–1628.

Grant, W.B. (2012). Ecological studies of the UVB-vitamin D-cancer hypothesis. *Anticancer Res. 32*, 223–236.

Greene-Finestone, L.S., Berger, C., de Groh, M., Hanley, D.A., Hidiroglou, N., Sarafin, K., Poliquin, S., Krieger, J., Richards, J.B., Goltzman, D. (2011). 25-Hydroxyvitamin D in Canadian adults: biological, environmental, and behavioral correlates. *Osteoporos Int, 22*, 1389-1399.

Grimnes, G., Emaus, N., Joakimsen, R.M., Figenschau, Y., Jenssen, T., Njølstad, I., Schirmer, H., Jorde, R. (2010). Baseline serum 25-hydroxyvitamin D concentrations in the Tromsø Study 1994–95 and risk of developing type 2 diabetes mellitus during 11 years of follow up. *Diabet. Med. 27*, 1107–1115.

Grundy, S. M. (2005). Diagnosis and Management of the Metabolic Syndrome: An American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement: Executive Summary. *Circulation*, *112*(17), e285–e290. http://doi.org/10.1161/CIRCULATIONAHA.105.169405

Gupta, Vishal. (2012). Vitamin D : Extra-skeletal effects. *Journal of Medical Nutrition and Nutraceuticals*, *1*(1), 17–26.

Haddad, J.G., Chyu, K. (1971). Competitive protein-binding radioassay for 25-hydroxy cholecalciferol. *J Clin Endocrinol Metab. 33*, 992–995.

Hales, C.N., Barker, D.J.P. (1992). Type 2 (non-insulin-dependent) diabetes mellitus; the thrifty phenotype hypothesis. *Diabetologia. 35*, 595-601.

Hanley, D.A., Davison, K.S. (2005). Vitamin D insufficiency in North America. *J. Nutr*. *135*, 332–337.

Harinarayan, C.V., Gupta, N., Kochupillai, N. (1995). Vitamin D status in primary hyperparathyroidism in India. *Clinical Endocrinology (Oxf), 43*, 351-358.

Harinarayan, CV. (2005). Prevalence of vitamin D insufficiency in postmenopausal south Indian women. *Osteoporos Int. 16*, 397-402.

Harinarayan, C. V, Ramalakshmi, T., Prasad, U. V, & Sudhakar, D. (2008). Vitamin D status in Andhra Pradesh : a population based study. *The Indian Journal of Medical Research*, *127*(3), 211–218.

Harinarayan, C. V, & Joshi, S. R. (2009). Vitamin D status in India--its implications and remedial measures. *The Journal of the Association of Physicians of India*, *57*(January), 40–48.

Harinarayan, C. V, Sachan, A., Reddy, P. A., Satish, K. M., Prasad, U. V, & Srivani, P. (2011). Vitamin D status and bone mineral density in women of reproductive and postmenopausal age groups: a cross-sectional study from south India. *The Journal of the Association of Physicians of India*, *59*(november), 698–704. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/22616335

Health Canada. Consolidation of the Food and Drugs Act and the Food and Drug Regulations.http://www.hcsc.gc.ca/foodaliment/friiaraaii/food_drugsaliments_drogues/act-loi/e_index.html.

Health Canada. Food & Drug Act B.08.003. http://www.hc-sc.gc.ca/food-aliment/friia-raaii/food_drugs-aliments_drogues/act-loi/pdf/e_b-text-1.pdf.

Heaney, RP. (2003). Vitamin D depletion and effective calcium absorption. *J Bone Miner Res*. *18*, 1342.

Heaney, RP., Dowell, MS., Hale, CA., Bendich, A. (2003). Calcium absorption varies within the reference range for serum 25- hydroxyvitamin D. *J Am Coll Nutr*. *22*, 142-146.

Heaney, P.R. (2004). Functional indices of vitamin D status and ramifications of vitamin D deficiency. *Am. J. Clin. Nutr*. *80*, 1706S–1709S.

Heaney, R.P., Davies, K.M., Chen, T.C., Holick, M.F., Barger-Lux, M.J. (2003). Human serum 25-hydroxycholecalciferol response to extended oral dosing with cholecalciferol. *Am J Clin Nutr*. *77*, 204–210,

Heaney, R.P., Horst, R.L. Cullen, D.M., Armas, L.A. (2009). Vitamin D3 distribution and status in the body. *J. Am. Coll. Nutr. 28*, 252–256.

Heaney, R.P., Recker, R.R., Grote, J., Horst, R.L., Armas, L.A.G. (2011). Vitamin D3 is more potent than vitamin D2 in humans. *J. Clin. Endocrinol. Metab. 96*, E447–E452.

Heshmat, R., Tabatabaei-Malazy, O., Abbaszadeh-Ahranjani, S., Shahbazi, S., Khooshehchin, G., Bandarian, F., & Larijani, B. (2012). Effect of vitamin D on insulin resistance and anthropometric parameters in Type 2 diabetes; a randomized double-blind clinical trial. *Daru : Journal of Faculty of Pharmacy, Tehran University of Medical Sciences*, *20*(1), 10. http://doi.org/10.1186/2008-2231-20-10

Hey, H., Stockholm, K.H., Lund, B.J., Sorensen, O.H. (1982).Vitamin D deficiency in obese patients and changes in circulating vitamin D metabolites following jejunoileal bypass. *Int J Obes. 6*, 473–9.

Hilger, J., Friedel, A., Herr, R., Rausch, T., Roos, F., Wahl, D. a, … Hoffmann, K. (2014). A systematic review of vitamin D status in populations worldwide. *The British Journal of Nutrition*, *111*(1), 23–45. http://doi.org/10.1017/S0007114513001840

Himmelstein, S., Clemens, T.L., Rubin, A., Lindsay, R. (1990). Vitamin D supplementation in elderly nursing home residents increases 25-OHD but not 1,25(OH)2D. *Am J Clin Nutr. 52*, 701–706.

Holick, M. (1989). Phylogenetic and Evolutionary Aspects of Vitamin D from Phytoplankton to Humans. In *Verebrate Endocrinology: Fundamentals and Biomedical Implications*; Pang, P.K.T., Schreibman, M.P., Eds.; Academic Press, Inc.: Orlando, FL, USA.

Holick, M.F. (1994). McCollum Award Lecture, 1994: Vitamin D—new horizons for the 21st century. *Am J Clin Nutr. 60*, 619-630.

Holick, M.F. (1995). Environmental factors that influence the cutaneous production of vitamin D. *Am. J. Clin. Nutr. 61*, 638S–645S.

Holick, M.F. (2002). Vitamin D: the underappreciated D-lightful hormone that is important for skeletal and cellular health. *Curr Opin Endocrinol Diabetes*, *9*, 87–98.

Holick, M.F. (2004). Sunlight and vitamin D for bone health and prevention of autoimmune diseases , cancers , and cardiovascular disease 1 – 4, *80*, 1678–1688.

Holick, M.F. (2005). Vitamin D: important for prevention of osteoporosis, cardiovascular heart disease, Type 1 diabetes, autoimmune diseases, and some cancers. *South Med J. 98*, 1024–1027.

Holick, M.F. (2006). Resurrection of vitamin D deficiency and rickets. *J Clin Invest. 116*, 2062-2072.

Holick, M.F. (2007). Vitamin D deficiency. *N. Engl. J. Med., 357*, 266-281.

Holick, M.F. (2008). The vitamin D deficiency pandemic and consequences for nonskeletal health: mechanisms of action. *Mol Aspects Med. 29*, 361-8.

Holick, M.F. (2009). Vitamin D and health: Evolution, biologic functions, and recommended dietary intakes for vitamin D. *Clin. Rev. Bone Miner. Metab. 7*, 2–19.

Holick, M.F. (2010). The vitamin D deficiency pandemic: A forgotten hormone important for health. *Public Health Reviews*, *32*, 267–283

Holick, M.F. (2011). Vitamin D: Evolutionary, physiological and health perspectives. *Curr. Drug Targets*. *12*, 4-18.

Holick, M.F. (2012). Nutrition: D-iabetes and D-eath D-efying vitamin D. *Nat. Rev. Endocrinol. 8*, 388–390.

Holick, M.F., Biancuzzo, R.M., Chen, T.C., Klein, E.K., Young, A., Bibuld, D., Reitz, R., Salameh, W., Ameri, A., Tannenbaum, A.D. (2008). Vitamin D2 is as effective as vitamin D3 in maintaining circulating concentrations of 25-hydroxyvitamin D. *J. Clin. Endocrinol. Metab. 93*, 677–681.

Holick, M.F., Binkley, N.C., Bischoff-Ferrari, H.A., Gordon, C.M., Hanley, D.A., Heaney, R.P, Murad, M.H., Weaver, C.M. (2012). Guidelines for preventing and treating vitamin D deficiency and insufficiency revisited. *J. Clin. Endocrinol. Metab. 97*, 1153–1158.

Holick, M.F., Chen, T.C. (2008). Vitamin D deficiency: A worldwide problem with health consequences. *Am. J. Clin. Nutr. 87*, 1080S–1086S.

Holick, M.F., Chen, T.C., Sauter, E.R. (2007). Vitamin D and skin physiology: A D-lightful story. *J Bone Miner Res. 22[Suppl 2]*, V28–V33.

Holick, M.F., Garabedian, M. (2006). Vitamin D: photobiology, metabolism, mechanism of action, and clinical applications. In Primer on the metabolic bone diseases and disorders of mineral metabolism. 6 edition. Edited by: Favus MJ. Washington, DC: American Society for *Bone and Mineral Research*. 129-137.

Holick, M.F., Siris, E.S., Binkley, N., Beard, M.K., Khan, A., Katzer, J.T., Petruschke, R.A. (1982). Circulating vitamin D metabolites following jejunoileal bypass. *Int J Obes. 6*, 473-479.

Holick MF, Siris ES, Binkley N, Beard MK, Khan A, Katzer JT, Petruschke RA, Chen E, de Papp AE (2005). Prevalence of vitamin D inadequacy among postmenopausal North American women receiving osteoporosis therapy. *J Clin Endocrinol Metab. 90*, 3215–3224.

Holick, M. F., Binkley, N. C., Bischoff-Ferrari, H. a, Gordon, C. M., Hanley, D. a, Heaney, R. P.,Weaver, C. M. (2011). Evaluation, treatment, and prevention of vitamin D

deficiency: an Endocrine Society clinical practice guideline. *The Journal of Clinical Endocrinology and Metabolism*, *96*(7), 1911–1930. http://doi.org/10.1210/jc.2011-0385

Hollis, B.W. (2005). Circulating 25-hydroxyvitamin D levels indicative of vitamin D sufficiency: implications for establishing a new effective dietary intake recommendation for vitamin D. *J Nutr. 135*, 317–322.

Hollis, B. (1996). Assessment of vitamin D nutritional and hormonal status: What to measure and how to do it. *Calcif. Tissue Int. 58*, 4–5.

Hollis, B.W., Kamerud, J.Q., Selvaag, S.R., et al. (1993). Determination of vitamin D status by radioimmunoassay with an 125I-labeled tracer. *Clin Chem. 39*, 529– 533.

Hollis, B.W., Napoli, J.L. (1985). Improved radioimmunoassay for vitamin D and its use in assessing vitamin D status. *Clin Chem. 31*, 1815–1819.

Hollis, B.W. & Wagner, C.L. (2004). Vitamin D requirements during lactation: high-dose maternal supplementation as therapy to prevent hypovitaminosis D for both the mother and the nursing infant. *Am J Clin Nutr*, *80*,1752S-1758S.

Hollis, B.W., Wagner, C.L. (2005). Normal serum vitamin D levels. *N Engl J Med. 352*, 515–516.

Huh, S.Y., Gordon, C.M. (2008). Vitamin D deficiency in children and adolescents: Epidemiology, impact and treatment. *Rev Endocr Metab Disord. 9*, 161-70.

Huldshinsky, K. (1919). Heilung von Rachitis durch kunstalich Hohen-sonne. (The healing of rickets with artificial high altitude sun.) *Dtsch Med Wochenschr*. *45*, 712-713 (in German).

Hyldstrup L, Andersen T, McNair P, Breum L, Transbol I: Bone metabolism in obesity: changes related to severe overweight and dietary weight reduction. Acta Endocrinol 1993, 129:393-398.

Hypponen, E., Boucher, B.J., Berry, D.J., Power, C. (2008) 25- hydroxyvitamin D, IGF-1, and metabolic syndrome at 45 years of age. A cross-sectional study in the 1958 British birth cohort. *Diabetes 57*, 298–305.

Institute of Medicine of the National Academies. (2011). *Dietary Reference Intakes for Calcium and Vitamin D*. Catharine Ross, A., Taylor, C.L., Yaktine, A.L., Eds.: The National Academy of Sciences: Washington, DC, USA.

Inzucchi, S.E., Bergenstal, R.M., Buse, J.B., et al. (2012) American Diabetes Association (ADA); European Association for the Study of Diabetes (EASD). Management of hyperglycemia in type 2 diabetes: a patient-centered approach: position statement of the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). *Diabetes Care. 35*, 1364–1379.

Iyer, U. M. a, Elayath, N., & Desai, P. (2011). Comparative Prevalence of Non-Communicable Diseases in the Adult Population of Vadodara and Godhra in Gujarat and

Determinants of Diabetes Mellitus in the Population. *International Journal of Applied Biology and Pharmaceutical Technology*, *2*(1), 346–352.

Jääskeläinen, T., Knekt, P., Marniemi, J., Sares-Jäske, L., Männistö, S., Heliövaara, M., & Järvinen, R. (2013). Vitamin D status is associated with sociodemographic factors, lifestyle and metabolic health. *European Journal of Nutrition*, *52*(2), 513–525. http://doi.org/10.1007/s00394-012-0354-0

Jablonski, N.G., Chaplin, G. (2000). The evolution of human skin coloration. *J. Hum. Evol. 39*, 57–106.

Jackson, R.D., LaCroix, A.Z., Gass, M., Wallace, R.B., Robbins, J., Lewis, C.E., Bassford, T., Beresford, S.A.A., Black, H.R., Blanchette, P., et al. (2006). Calcium plus vitamin D supplementation and the risk of fractures. *N. Engl. J. Med. 354*, 669–683.

Jain, V., Gupta, N., Kalaivani, M., Jain, A., Sinha, A., Agarwal, R. (2011). Vitamin D deficiency in healthy breastfed term infants at 3 months & their mothers in India: Seasonal variation & determinants. *Indian J. Med. Res. 133*, 267–273.

Janssen, H.C., Samson, M.M., Verhaar, H.J. (2002). Vitamin D deficiency, muscle function, and falls in elderly people. *Am. J. Clin. Nutr. 75*, 611–615.

Jones, G., Strugnell, S.A., DeLuca, H.F. (1998). Current understanding of the molecular actions of vitamin D. *Physiological Reviews*, *78*:1193–231

Jones, G. (2007) Phosphorus metabolism and management in chronic kidney disease: Expanding role for vitamin D in chronic kidney disease: Importance of blood 25-OH-D levels and extra-renal 1α-hydroxylase in the classical and nonclassical actions of 1α,25-dihydroxyvitamin D3. *Semin. Dial. 20*, 316–324.

Jones, G. (2008). Pharmacokinetics of vitamin D toxicity. *Am. J. Clin. Nutr*. *88*, 5825–5865.

Johnson, J.L., Mistry, V.V., Vukovich, M.D., Hogie-Lorenzen, T., Hollis, B.W., Specker, B.L. (2005). Bioavailability of vitamin D from fortified process cheese and effects on vitamin D status in the elderly. *J. Dairy Sci. 88*, 2295–2301.

Kadam, N., Chiplonkar, S., Khadilkar, A., Divate, U., Khadilkar, V. (2010). Low bone mass in urban Indian women above 40 years of age: Prevalence and risk factors. *Gynecol. Endocrinol. 26*, 909–917.

Kadam, N.S., Chiplonkar, S.A., Khadilkar, A.V., Fischer, P.R., Hanumante, N.M., Khadilkar, V.V. (2011). Modifiable factors associated with low bone mineral content in underprivileged premenarchal Indian girls. *J. Pediatr. Endocrinol. Metab. 24*, 975–981.

Kahn, S. E., Cooper, M. E., & Prato, S. Del. (2014). Pathophysiology and treatment of type 2 diabetes : perspectives on the past , present , and future. *The Lancet*, *383*(9922), 1068–1083. http://doi.org/10.1016/S0140-6736(13)62154-6

Karaaslan, Y., Haznedaroglu, S., Ozturk, M. (2000). Osteomalacia associated with carbamazepine/valproate. *Ann Pharmacother. 34*, 264-265.

Katz, K., Brar, P.C., Parekh, N., Liu, Y.H., Weitzman, M. (2010) Suspected nonalcoholic Fatty liver disease is not associated with vitamin D status in adolescents after adjustment for obesity. *J Obes. 49*, 682-689.

Kazlauskaite, R., Powell, LH., Mandapakala, C., Cursio, JF., Avery, EF., Calvin, J. (2010). Vitamin D is associated with atheroprotective high density lipoprotein profile in postmenopausal women. *Journal of Clinical Lipidology. 4*, 113–119

Khadilkar, A., Das, G., Sayyad, M., Sanwalka, N., Bhandari, D., Khadilkar, V., et al. (2007). Low calcium intake and hypovitaminosis D in adolescent girls. *Arch Dis Child. 92*, 1045.

Khadilkar, A., Crabtree, N.J., Ward, K.A., Khadilkar, V., Shaw, N.J., Mughal, M.Z. (2010). Bone status of adolescent girls in Pune (India) compared to age-matched South Asian and white Caucasian girls in the UK. *Osteoporos. Int. 21*, 1155–1160.

Khanh, Vinch. & Thi, L. (2013). The beneficial role of vitamin D in obesity : possible genetic and cell signaling mechanisms. *Nutriton Journal, 12*, 89. http://doi.org/10.1186/1475-2891-12-89

Khosla, S., Amin, S., Orwoll, E. (2008). Osteoporosis in Men. *Endocr. Rev. 29*, 441–464.

Kienreich, K., Grübler, M., Tomaschitz, A., Schmid, J., Verheyen, N., Rutters, F., … Pilz, S. (2013). Vitamin D , arterial hypertension & cerebrovascular disease. *Indian Journal of Medical Research*, (April), 669–679.

Kim, D.H., Sabour, S., Sagar, U.N., Adams, S., Whellan, D.J. (2008). Prevalence of hypovitaminosis D in cardiovascular diseases (from the National Health and Nutrition Examination Survey 2001 to 2004). *Am J Cardiol 102*, 1540-4.

Kim, MK., Kang, MI., Oh, KW., Kwon, HS., Lee, JH., Yoon, KH., Son, HY. (2010) The association of serum vitamin D level with presence of metabolic syndrome and hypertension in middle-aged Korean subjects. *Clin Endocrinol (Oxf) 73*, 330-338.

Knekt, P., Laaksonen, M., Mattila, C., Härkänen, T., Marniemi, J., Heliövaara, M., Rissanen, H., Montonen, J., Reunanen, A. (2008). Serum vitamin D and subsequent occurrence of type 2 diabetes. *Epidemiology. 19*, 666–671.

Konradsen, S., Ag, H., Lindberg, F., Hexebergm S., Jorde, R. (2008). Serum 1,25-dihydroxy vitamin D is inversely associated with body mass index. *European Journal of Nutrition. 47*, 87–91

Koria, B., Kumar, R., Nayak, A., & Kedia, G. (2013). Prevalence of diabetes mellitus in urban population of Ahmadabad city , Gujarat. *National Journal of Communit Medicine, 4*(3), 398–401.

Krall, E.A., Sahyoun, N., Tannenbaum, S., Dallal, G.E., Dawson- Hughes, B. (1989). Effect of vitamin D intake on seasonal variations in parathyroid secretion in postmenopausal women. *N Engl J Med. 321*,1777–1783.

Krause, R., Buhring, M., Hopfenmuller, W., Holick, M.F., Sharma, A.M. (1998). Ultraviolet B and blood pressure. *Lancet. 352*, 709-710.

Krishnan, A.V., Feldman, D. (2011). Mechanisms of the anti-cancer and anti-inflammatory actions of vitamin D. *Annu. Rev. Pharmacol. Toxicol. 51*, 311–336.

Kuchay Mohammad Shafi , Laway BashirAhmad, Bashir MirIftikhar, Wani ArshadIqbal, Misgar RaizAhmad, S. Z. (2015). Effect of Vitamin D supplementation on glycemic parameters and progression of prediabetes to diabetes: A 1-year, open-label randomized study. *Indian Journal of Endocrinology and Metabolism*, *19*(3), 387. http://doi.org/10.4103/2230-8210.152783

Kurukulasuriya, L.R., Govindarajan, G., Sowers, J. (2006). Stroke prevention in diabtes and obesity. *Expert Rev Cardiovasc Ther. 4*, 487-502.

Laaksonen, M.A., Knekt, P., Rissanen, H., Härkanen, T., Virtala, E., Marniemi, J., Aromaa, A., Heliövaara, M., Reunane, A. (2010). The relative importance of modifiable potential risk factors of type 2 diabetes: A meta-analysis of two cohorts. *Eur. J. Epidemiol. 25*, 115–124.

Lappe, J.M., Travers-Gustafson, D., Davies, K.M., Recker, R.R., Heaney, R.P. (2007). Vitamin D and calcium supplementation reduces cancer risk: Results of a randomized trial. *Am. J. Clin. Nutr. 85*, 1586–1591.

Lee, J.M., Smith, J.R., Philipp, B.L., Chen, T.C., Mathieu, J., Holick, M.F. (2007). Vitamin D deficiency in a healthy group of mothers and newborn infants. *Clin Pediatr. 46*, 42-4.

Lehmann, B., Meurer, M. (2010). Vitamin D metabolism. *Dermatol. Ther. 23*, 2–12.

Leite, N.C., Salles, G.F., Araujo, A.L., Villela-Nogueira, C.A., Cardoso, C.R. (2009). Prevalence and associated factors of non-alcoholic fatty liver disease in patients with type-2 diabetes mellitus. *Liver Int. 29*, 113–119.

Lensmeyer, G.L., Wiebe, D.A,, Binkley, N., Drezner, M.K. (2006). HPLC measurement for 25-hydroxyvitamin D measurement: comparison with contemporary assays. *Clin Chem. 52*, 1120–1126.

Lewitt, M.S., Hilding, A., Ostenson, C.G,, Efendic, S., Brismar, K., Hall, . (2008). Insulin-like growth factor-binding protein-1 in the prediction and development of type 2 diabetes in middle-aged Swedish men. *Diabetologia. 51*,1135–1145

Lewitt, M.S., Hilding, A., Brismar, K., Efendic, S., Ostenson, C.G., Hall, K. (2010). IGF-binding protein 1 and abdominal obesity in the development of type 2 diabetes in women. *Eur J Endocrinol 163*, 233–242

Li, YC., Kong, J., Wei, M., Chen, ZF., Liu, SQ., Cao, LP. (2002). 1,25- Dihydroxyvitamin D(3) is a negative endocrine regulator of the renin-angiotensin system. *J Clin Invest*. . *110*, 229 –238.

Li YC. (2003) Vitamin D regulation of the renin-angiotensin system. *J Cell Biochem*. *88*, 327–331.

Li, YC. (2011). Molecular mechanism of vitamin D in the cardiovascular system. *J Investig Med. 59*, 868-71.

Liao, E. (2013). FGF23 associated bone diseases. *Front. Med. 7*, 65–80.

Lind L, Hanni A, Lithell H, Hvarfner A, Sorensen OH, Ljunghall S. Vitamin D is related to blood pressure and other cardiovascular risk factors in middle-aged men. *Am J Hypertens* 1995; **8**: 894–901

Lips, P. (2007). Relative value of 25(OH)D and 1,25(OH)2Dmeasurements. *J Bone Miner Res 22*, 1668-71.

Lips, P., Duong, T., Oleksik, A., Black, D., Cummings, S., Cox, D., Nickelsen, T. (2001). A global study of vitamin D status and parathyroid function in postmenopausal women with osteoporosis: baseline data from the Multiple Outcomes of Raloxifene Evaluation Clinical Trial. *J Clin Endocrinol Metab. 86*, 1212–1221

Lips, P. (2001). Vitamin D Deficiency and Secondary Hyperparathy- roidism in the Elderly: Consequences for Bone Loss. *Endocrine Reviews*, *22*(March), 477–501.

Lips, P., Hosking, D., Lippuner, K., Norquist, J.M., Wehren, L., Maalouf, G., Ragi-Eis, S., Chandler, J. (2006). The prevalence of vitamin D inadequacy amongst women with osteoporosis: an international epidemiological investigation. *J Intern Med*, *260*, 245–254.

Lips, P., van Schoor, N.M. (2011). The effect of vitamin D on bone and osteoporosis. *Best Pract. Res. Clin. Endocrinol. Metab. 25*, 585–591.

Liu, E., Meigs, J.B., Pittas, A.G., Economos, C.D., Mckeown, N.M., Booth, S.L., Jacques, P.F. (2010). Predicted 25-hydroxyvitamin D score and incident type 2 diabetes in the Framingham offspring study. *Am. J. Clin. Nutr. 91*, 1627–1633.

Lo, C.W., Paris, P.W., Clemens, T.L., Nolan, J., Holick, M.F. (1985). Vitamin D absorption in healthy subjects and in patients with intestinal malabsorption syndromes. *Am J Clin Nutr 42*, 644-649.

Lonnerdal, B. (1986). Effects of maternal dietary intake on human milk composition. *J. Nutr. 116*, 499–513.

Looker, A.C., Johnson, C.L., Lacher, D.A., Pfeiffer, C.M., Schleicher, R.L., Sempos, C.T. (2011). Vitamin D status: United States, 2001–2006. *NCHS Data Brief. 59*, 1–8.

Looker, A.C., Mussolino, M.E. (2008). Serum 25-hydroxyvitamin D and hip fracture risk in older white adults. *J Bone Min Res. 23*,143–150.

Lu, L., Yu, Z., Pan, A., Hu, F. B., Franco, O. H., Li, H., … Lin, X. (2009). Plasma 25-hydroxyvitamin D concentration and metabolic syndrome among middle-aged and elderly Chinese individuals. *Diabetes Care, 32*(7), 1278–1283. http://doi.org/10.2337/dc09-0209

Lu, Z., Chen, T.C., Zhang, A., Persons, K.S., Kohn, N., Berkowitz, R., Martinello, S., Holick, M.F. (2007). An evaluation of the vitamin D3 content in fish: Is the vitamin D content adequate to satisfy the dietary requirement for vitamin D? *J. Steroid Biochem. Mol. Biol. 103*, 642–644.

MacLaughli, J., Holick, MF. (1985). Aging decreases the capacity of human skin to produce vitamin D3. *J Clin Invest*. 76, 1536–1538.

Maeda, S.S., Kunii, I.S., Hayashi, L., Lazaretti-Castro, M. (2007). The effect of sun exposure on 25-hydroxyvitamin D concentrations in young healthy subjects living in the city of Sao Paulo, Brazil. *Braz. J. Med. Biol. Res. 40*, 1653–1659.

Mahony, L. O., Stepien, M., Gibney, M. J., Nugent, A. P., & Brennan, L. (2011). The Potential Role of Vitamin D Enhanced Foods in Improving Vitamin D Status. *Nutrients, 25*(3), 1023–1041. http://doi.org/10.3390/nu3121023

Mai, X.M., Chen, Y., Camargo, C.A. Jr, Langhammer, A. (2012). Cross-sectional and prospective Cohort study of serum 25-hydroxyvitamin D level and obesity in adults: The HUNT Study. *Am J Epidemiol 15, 175(10),* 1029-36. doi: 10.1093/aje/kwr456.

Majumdar, V., Nagaraja, D. and Christopher, R. (2011). Vitamin D status and metabolic syndrome in Asian Indians. *International Journal of Obesity*. 35, 1131-1134. doi:10.1038/ijo.2010.232

Malabanan, A,. Veronikis, I.E., Holick, M.F. (1998). Redefining vitamin D insufficiency. *Lancet. 351*, 805–806.

Manson, J.E., Mayne, S.T., Clinton, S.K. *(*2011). Vitamin D and prevention of cancer—Ready for prime time? *N. Engl. J. Med364*, 1385–1387.

Marble, A. (1971). *Current concepts of diabetes*. In: Marble A, White P, Bradley RF, Krall LP (Eds). Joslin's diabetes mellitus, 11th edition. Philadelphia: Lea and Febiger. 1-9

Martins, D., Wolf, M., Pan, D., et al. (2008). Prevalence of cardiovascular risk factors and the serum levels of 25-hydroxyvitamin D in the United States. *Arch Intern Med.167*,1159–1165.

Marwaha, R. K., Tandon, N., Garg, M. K., Kanwar, R., Narang, a, Sastry, a, … Bandra, K. (2011). Vitamin D status in healthy Indians aged 50 years and above. *The Journal of the Association of Physicians of India, 59,* 706–9. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/22616336

Marwaha, R. K., Tandon, N., Agarwal, N., Puri, S., Agarwal, R., Singh, S., & Mani, K. (2010). Impact of two regimens of vitamin D supplementation on calcium - vitamin D - PTH axis of schoolgirls of Delhi. *Indian Pediatrics*, *47*(9), 761–769. http://doi.org/10.1007/s13312-010-0116-0

Marwaha, R.K., Tandon, N., Reddy, D.R., Aggarwal, R., Singh, R., Sawhney, R.C., Saluja, B., Ganie, M.A., Singh, S. (2005). Vitamin D and bone mineral density status of healthy schoolchildren in northern India. *Am. J. Clin. Nutr. 82*, 477–482.

Marwaha, R.K., Tandon, N., Reddy, D.H., Mani, K., Puri, S., Aggarwal, N., Grewal, K., Singh, S. (2007). Peripheral bone mineral density and its predictors in healthy school girls from two different socioeconomic groups in Delhi. *Osteoporos. Int. 18*, 375–383.

Marwaha, R.K., Tandon, N., Chopra, S., Agarwal, N., Garg, M.K., Sharma, B., Kanwar, R.S., Bhadra, K., Singh, S., Mani, K., et al. *(*2011). Vitamin D status in pregnant Indian women across trimesters and different seasons and its correlation with neonatal serum 25-hydroxyvitamin D levels. *Br. J. Nutr. 106*, 1383–1389.

Marwaha, R.K., Puri, S., Tandon, N., Dhir, S.; Agarwal, N., Bhadra, K., Saini, N. (2011). Effects of sports training & nutrition on bone mineral density in young Indian healthy females. *Indian J. Med. Res. 134*, 307–313.

Mathieu, C., Gysemans, C., Giulietti, A., Bouillon, R. (2005). Vitamin D and diabetes. *Diabetologia.48*, 1247–1257.

Matsuoka, L.Y., Ide, L., Wortsman, J., MacLaughlin, J., Holick, M.F. (1987). Sunscreens suppress cutaneous vitamin D3 synthesis. *J Clin Endocrinol Metab. 64*, 1165-1168.

Mattila, C., Knekt, P., Männistö, S., Rissanen, H., Laaksonen, M.A., Montonen, J., Reunanen, A. (2007). Serum 25-hydroxyvitamin D concentration and subsequent risk of type 2 diabetes. *Diabetes Care. 30*, 2569–2570.

Mau, J.L., Chen, P.R., Yang, J.H. (1998). Ultraviolet irradiation increased vitamin D2 content in edible mushrooms. *J. Agric. Food Chem. 46*, 5269–5272.

Maunsell, Z., Wright, D.J., Rainbow, S.J. (2005). Routine Isotope-dilution liquid chromatography- tandem mass spectrometry assay for simultaneous measurement of the 25-hydroxy metabolites of vitamins D2 and D3. *Clin Chem. 51*,1683–1690.

McCollum, E.V., Davis, M. (1913). The necessity of certain lipins in the diet during growth. *J Biol Chem. 25*, 167–231.

McCollum, E.V., Simmonds, N., Becker, J.E., Shipley, P.G. (1922). An experimental demonstration of the existence of a vitamin which promotes calcium deposition. *J Biol Chem. 53*,293-298.

McGill, A.-T., Stewart, J. M., Lithander, F. E., Strik, C. M., & Poppitt, S. D. (2008). Relationships of low serum vitamin D3 with anthropometry and markers of the metabolic syndrome and diabetes in overweight and obesity. *Nutrition Journal*, *7*, 4. http://doi.org/10.1186/1475-2891-7-4

McKenna, N.J., Lanz, R.B., O'Malley, B.W. (1999). Nuclear receptor coregulators: Cellular and molecular biology. *Endocr. Rev. 20*, 321–344.

Mehrotra, P., Marwaha, R.K., Aneja, S., Seth, A., Singla, B.M., Ashraf, G., Sharma, B., Sastry, A., Tandon, N. (2010). Hypovitaminosis d and hypocalcemic seizures in infancy. *Indian Pediatr. 47*, 581–586.

Mei Van der, I.A., Ponsonby, A.L., Engelsen, O., Pasco, J.A., McGrath, J.J., Eyles, D.W., Blizzard, L., Dwyer, T., Lucas, R., Jones, G. (2007). The high prevalence of vitamin D insufficiency across Australian populations is only partly explained by season and latitude. *Environ. Health Perspect. 115*, 1132–1139.

Mellanby, E. (1919). An experimental investigation on rickets. *Lancet. 1*, 407-412.

Meyer, H.E., Smedshaug, G.B., Kvaavik, E., Falch, J.A., Tverdal, A., Pedersen, J.I. (2002). Can vitamin D supplementation reduce the risk of fracture in the elderly? A randomized controlled trial. *J. Bone Miner. Res. 17*, 709–715.

Mikhak, B., Hunter, D.J., Speigelman, D., et al. (2007). Vitamin D receptor (VDR) gene polymorphisms and haplotypes, interactions with plasma 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D, and prostate cancer risk. *Prostate 67*, 911–923.

Milner, RD., Hales, CN. (1967). The role of calcium and magnesium in insulin secretion from rabbit pancreas studied in-vitro. *Diabeteologia. 3*, 47-49

Misra, M., Pacaud, D., Petryk, A., Collett-Solberg, P.F., Kappy, M. (2008). Vitamin D deficiency in children and it's management : Review of current knowledge and recommendations. *Pediatrics. 122*, 398-417.

Misung Kim., W. N. and C. S. (2013). Correlation between vuitamin D and cardiovascular disease predictors in overweight and obese Koreans. *J. Clin. Biochem. Nutr.*, *52*(2), 167–171. http://doi.org/10.3164/jcbn.12

Mitchell, D. M., Henao, M. P., Finkelstein, J. S., & Burnett-Bowie, S.-A. M. (2012). Prevalence and predictors of vitamin D deficiency in healthy adults. *Endocrine Practice*, *1*(-1), 1–26. http://doi.org/10.4158/EP12072.OR

Mitri, J., Dawson-Hughes, B., Hu, F.B., Pittas, A.G. (2011). Effects of vitamin D and calcium supplementation of pancreatic β cell function, insulin sensitivity, and glycemia in adults at high risk of diabetes: The Calcium and Vitamin D for Diabetes Mellitus (CaDDM) randomized controlled trial. *Am. J. Clin. Nutr. 94*, 486–494.

Mitri, J., Muraru, M. D., & Pittas, a G. (2011). Vitamin D and type 2 diabetes: a systematic review. *European Journal of Clinical Nutrition*, *65*(9), 1005–1015. http://doi.org/10.1038/ejcn.2011.118

Mohan, V., Vijaya Prabha, R., Rema M. (1996). Vascular complications in long term South Indians NIDDM of over 25 years' duration. *Diabetes Research and Clinical Practice. 312*, 133-140

Mohan, V., McCarthy, M.I., Snehalatha, C., et al (1996). Familial aggregation of type 2 (non-insulin-dependent) diabetes mellitus in south India; absence of excess maternal transmission. *Diabet Med. 13*, 232-237.

Mohan, V., Depa, M., Deepa, R., et al (2006). Secular trends in prevalence of diabetes and impaired glucose tolerance in urban South India- the Chennai Urban Rural Epidemiology Study (CURES-17). Diabeteologia. 49, 1175-1178.

Moy, F.-M., & Bulgiba, A. (2011). High prevalence of vitamin D insufficiency and its association with obesity and metabolic syndrome among Malay adults in Kuala Lumpur, Malaysia. *BMC Public Health*, *11*(1), 735. http://doi.org/10.1186/1471-2458-11-735.

Multani, S.K., Sarathi, V., Shivane, V., Bandgar, T.R., Menon, P.S., Shah, N.S. (2010). Study of bone mineral density in resident doctors working at a teaching hospital. *J. Postgrad. Med. 56*, 65–70.

Muscogiuri, G., Mitri, J., Mathieu, C., et al. (2014). Mechanisms in endocrinology: vitamin D as a potential contributor in endocrine health and disease. *Eur J Endocrinol*. *171*, R101–10.

Nagpal, S. & Rathnachalam, R. (2005). Noncalcemic actions of vitamin D receptor ligands. *Endocr. Rev. 26*, 662-687.

Nakamura, K., Nashimoto, M., Matsuyama, S., & Yamamoto, M. (2000). Low serum concentrations of 25-hydroxyvitamin D in young adult Japanese women: a cross sectional study. *Nutrition (Burbank, Los Angeles County, Calif.), 17*(11-12), 921–925.

Natri, A.M., Salo, P., Vikstedt, T.,; Palssa, A., Huttunen, M., Karkkainen, M.U., Salovaara, H., Piironen, V., Jakobsen, J., Lamberg-Allardt, C.J. (2006). Bread fortified with cholecalciferol increases the serum 25-hydroxyvitamin D concentration in women as effectively as a cholecalciferol supplement. *J. Nutr. 136*, 123–127.

Nazarian, S., St Peter, J., Boston, R., Jones, S., & Mariash, C. (2011). Vitamin D3 supplementation improves insulin sensitivity in subjects with impaired fasting glucose. *Translation Research: The Journal of Laboratory and Clinical Medicine, 158*(5), 276–281. http://doi.org/10.1016/j.trsl.2011.05.002.

Need, A.G., Morris, H.A., Horowitz, M., Nordin, C. (1993). Effects of skin thickness, age, body fat, and sunlight on serum 25-hydroxyvitamin D. *Am J Clin Nutr. 58*, 882-885.

Need, AG., O'Loughlin, PD., Horowitz, M., Nordin, BE. (2005). Relationship between fasting serum glucose, age, body mass index and serum 25 hydroxyvitamin D in postmenopausal women. *Clinical Endocrinology (Oxf). 62*, 738–741.

Nesby-O'Dell, S. Scanlon, K.S., Cogswell, M.E., Gillespie, C., Hollis, B.W., Looker, A.C. (2002). Hypovitaminosis D prevalence and determinants among African American and white women of reproductive age: third National Health and Nutrition Examination Survey, 1988–1994. *Am J Clin Nutr*, *76*,187-92.

Newmark, H. L., Heaney, R. P., Lachance, P. A. (2004). Should calcium and vitamin D be added to the current enrichment program for cereal-grain products? *Am. J. Clin. Nutr. 80,* 264–270.

Nikooyeh, B., Neyestani, T.R., Farvid, M., Alavi-Majd, H., Houshiarrad, A., Kalayi, A., Shariatzadeh, N., Gharavi, A., Heravifard, S., Tayebinejad, N., et al. *(*2011) Daily consumption of vitamin D- or vitamin D + calcium-fortified yogurt drink improved glycemic control in patients with type 2 diabetes: A randomized clinical trial. *Am. J. Clin. Nutr. 93*, 764–771.

Norman, AW. (2006). Vitamin D receptor: New assignments for an already busy receptor. *Endocrinology*, *147,* 5542-5548.

Nowson, C.A., Margerison, C. (2002) Vitamin D intake and vitamin D status of Australians. *Med. J. Aust. 177*, 149–152.

Nursyam, E. W., Amin, Z., & Rumende, C. M. (2006). The Effect of Vitamin D as Supplementary Treatment in Patients with Moderately Advanced Pulmonary Tuberculous Lesion. *Acta Med Indones-Indones J Intern Med*, *38*(1), 3–5.

O'Donnell, S., Cranney, A., Horsley, T., Weiler, H. a, Atkinson, S. a, Hanley, D. a, … Yazdi, F. (2008). Efficacy of food fortification on serum 25-hydroxyvitamin D concentrations: systematic review. *The American Journal of Clinical Nutrition*, *88*(6), 1528–1534. http://doi.org/10.3945/ajcn.2008.26415.1

Ogunkolade, B.W., Bouche,r B.J., Prahl, J.M. et al. (2002). Vitamin D receptor (VDR) mRNA and VDR protein levels in relation to vitamin D status, insulin secretory capacity, and VDR genotype in Bangladeshi Asians. *Diabetes*, *51*, 2294–2300

Ooms, M.E., Roos, J.C., Bezemer, P.D., van der Vijgh, W.J.F., Bouter, L.M., Lips, P. (1995). Prevention of bone loss by vitamin D supplementation in elderly women: a randomized double-blind trial. *J Clin Endocrinol Metab. 80,*1052–1058.

Ortlepp, JR., Metrikat, J., Albrecht, M. et al. (2003). The vitamin D receptor gene variant and physical activity predicts fasting glucose levels in healthy young men. *Diabetes Medicine. 20*, 451–454

Pacifico, L., Anania. C., Osborn, J.F., Ferraro, F., Bonci, E., Olivero, E., et al. (2011). Low 25(OH)D3 levels are associated with total adiposity, metabolic syndrome, and hypertension in Caucasian children and adolescents. *Eur J Endocrinol. 165*, 603-11.

Pack, A.M., Morrell, M.J. (2004). Epilepsy and bone health in adults. *Epilepsy Behav. 5 (Suppl. 2)*, S24-S29.

Palomer, X., González-Clemente, J. M., Blanco-Vaca, F., & Mauricio, D. (2008). Role of vitamin D in the pathogenesis of type 2 diabetes mellitus. *Diabetes, Obesity & Metabolism*, *10*(3), 185–197. http://doi.org/10.1111/j.1463-1326.2007.00710.x

Panwar B, Punia D. (2000). Analysis of composite diets of rural pregnant women and comparison with calculated values. *Nutr Health. 14* , 217-223.

Parivallal, T. (2007). Diabetes in Ancinet India. In: Type 2 Diabetes in South Asians: Epidemiology, Risk Factors and prevention. Mohan V, Gundu HR Rao (Eds), Under the Aegis of SASAT. Jaypee Brothers Medical Publishers. 97-103.

Parkera, J., Hashmia, O., Duttonb, D., Mavrodarisa, A., Strangesa, S., Kandalab, NB., Clarkea, A., Francoa, OH, (2010) Levels of vitamin D and cardiometabolic disorders: Systematic review and meta-analysis. *Maturitas.* 65, 225-236.

Pathak, K., Soares, M. J., Calton, E. K., Zhao, Y., & Hallett, J. (2014). Vitamin D supplementation and body weight status: a systematic review and meta-analysis of randomized controlled trials. *Obesity Reviews : An Official Journal of the International Association for the Study of Obesity*, *15*(6), 528–37. http://doi.org/10.1111/obr.12162

Paterson, C.R. (1974). Metabolic disorders of bone. Oxford, UK: Blackwell Scientific Publications Prentice, A. (2008). Vitamin D deficiency: A global perspective. *Nutr. Rev. 66*, S153 S164.

Pearson, T.A., et al (2003). Markers of inflammation and CVD. Application to clinical and Public Health Practice: A statement for health care professionals from the Centers of Disease Control and Prevention and the American Heart Association. *Circulation*, *107*, 499-511.

Pfeifer, M., Begerow, B., Minne, HW., Nachtigall, D., Hansen, C. (2001). Effects of short term vitamin D3 and calcium supplementation on blood pressure and parathyroid hormone level in elderly women. *Journal of Clinical Endocrinology & Metabolism. 86*, (4), 1633–1637.

Pfeifer, M., Begerow, B.;, Minne, H.W., Suppan, K., Fahrleitner-Pammer, A., Dobnig, H. (2009). Effects of a long-term vitamin D and calcium supplementation on falls and parameters of muscle function in community-dwelling older individuals. *Osteoporos. Int. 20*, 315–322.

Piccolo, B. D., Dolnikowski, G., Seyoum, E., Thomas, A. P., Gertz, E. R., Souza, E. C., … Van Loan, M. D. (2013). Association between subcutaneous white adipose tissue and serum 25-hydroxyvitamin D in overweight and obese adults. *Nutrients*, *5*(9), 3352–3366. http://doi.org/10.3390/nu5093352

Pilz, S., Tomaschitz, A., März, W., Drechsler, C., Ritz, E., Zittermann, A., Cavalier, E,; Pieber, T.R., Lappe, J.M., Grant, W.B., et al. (2011). Vitamin D, cardiovascular disease and mortality. *Clin. Endocrinol. 75*, 575–584.

Pilz, S., März, W., Wellnitz, B., Seelhorst, U., Fahrleitner-Pammer, A., Dimai, H.P., et al. (2008). Association of vitamin D deficiency with heart failure and sudden cardiac death in a large cross-sectional study of patients referred for coronary angiography. *J Clin Endocrinol Metab. 93*, 3927-35.

Pittas, A.G., Dawson-Hughes, B., Li, M., Van Dam, R.M., Willett, W.C., Manson, J.E., Hu, F.B. (2006). Vitamin D and calcium intake in relation to type 2 diabetes in women. *Diabetes Care. 29*, 650–656.

Pittas, A.G., Sun, Q., Manson, J.E., Dawson-Hughes, B., Hu, F.B. (2010). Plasma 25-hydroxyvitamin D concentration and risk of incident type 2 diabetes in women. *Diabetes Care. 33*, 2021–2023.

Preece, M.A., Tomlinson, S., Ribot, C.A., Pietrek, J., Korn, H.T., Davies, D.M., Ford, J.A., Dunnigan, M.G., O'Riordan, J.L.H . (1975). Studies of vitamin D deficiency in man. *Q J Med 44*, 575–589.

Prentice, A., Schoenmakers, I., Jones, K., Jarjou, L., Goldberg, G. (2009). Vitamin D deficiency and its health consequences in Africa. *Clin. Rev. Bone Miner. Metab. 7*, 94–106.

Puri, S., Marwaha, R.K., Agarwal, N., Tandon, N., Agarwal, R., Grewal, K., Reddy, D.H., Singh, S. (2008). Vitamin D status of apparently healthy schoolgirls from two different socioeconomic strata in Delhi: Relation to nutrition and lifestyle. *Br. J. Nutr. 99*, 876–882.

Rahnavard, Z., Eybpoosh, S., Homami M R., Aghaei Meybodi, HR., Azemati, B., Heshmat, R. (2010). Vitamin D Deficiency in Healthy Male Population : Results of the Iranian Multi- Center Osteoporosis Study. *Iranian Journal of Public Health*, *39*(3), 45–52.

Raghuwanshi, A., Joshi, S.S., Christakos, S. (2008). Vitamin D and multiple sclerosis. J Cell *Biochem, 105*, 338-343.

Ramachandran, A., Snehalatha, C., Satyavani K., et al. (1999). Prevalence of vascular complications and their risk factors in type-2 diabetes. *Journal of Association of Physicians in India. 47*, 1152-1156

Ramachandran, A., Ma, R.C., Snehalatha, C. (2010). Diabetes in Asia. *Lancet. 375*, 408-418.

Ramakrishnan, S., Bhansali, A., Bhadada, S.K., Sharma, R., Walia, R., Ravikiran, M., Shanmugasundar, G., Ravikumar, P. (2011). Vitamin D status and its seasonal variability in healthy young adults in an Asian Indian urban population. *Endocr. Pract. 17*, 185–191.

Rapuri, PB, Gallagher, JC., Kinyamu, HK., Ryschon, KL. (2001). Caffeine intake increases the rate of bone loss in elderly women and interacts with vitamin D receptor genotypes. *Am J Clin Nutr*. 74, 694–700.

Rapuri, P.B., Gallagher, J.C., Haynatzki, G. (2004). Effect of vitamins D2 and D3 supplement use on serum 25OHD concentration in elderly women in summer and winter. *Calcif. Tissue Int.74*, 150–156.

Rathi, N. and R. A., & Rathi, A. (2011). Vitamin D and Child Health in the 21st Century. *Indian Pediatrics*, *3*, 619–25

Reaven, G.M. (1993). A syndrome of resistance to insulin stimulated uptake (syndrome X). definitions and implications. *Cardiovascular Risk Fact. 3*, 2-11.

Reid, I.R., Bolland, M.J. (2012). Role of vitamin D deficiency in cardiovascular disease. *Heart. 98*, 609–614.

Rich-Edwards, J.W., Ganmaa, D., Kleinman, K., Sumberzul, N., Holick, M.F., Lkhagvasuren, T., Dulguun, B., Burke, A., Frazier, A.L. (2011). Randomized trial of fortified milk and supplements to raise 25-hydroxyvitamin D concentrations in schoolchildren in Mongolia. *Am. J. Clin. Nutr. 94*, 578–584.

Ritter, C.S., Haughey, B.H., Armbrecht, H.J., Brown, A.J. (2012). Distribution and regulation of the 25-hydroxyvitamin D3 1α-hydroxylase in human parathyroid glands. *J. Steroid Biochem. Mol. Biol. 130*, 73–80.

Ritu, G., & Gupta, A. (2014). Vitamin D deficiency in India: Prevalence, causalities and interventions. *Nutrients*, *6*(2), 729–775. http://doi.org/10.3390/nu6020729

Robinson, J.G., Manson, J.E., Larson, J., Liu, S., Song, Y., Howard, B.V., *et al*. (2011). Lack of association between 25(OH) D levels and incident type 2 diabetes in older women. *Diabetes Care. 34*, 628‑34.

Rockell, J., Skeaff, C., Williams, S., Green, T. (2006). Serum 25-hydroxyvitamin D concentrations of New Zealanders aged 15 years and older. *Osteoporos. Int. 17*, 1382 1389

Romagnoli, E., Mascia, M.L., Cipriani, C., Fassino, V., Mazzei, F., D'Erasmo, E., Carnevale, V., Scillitani, A., Minisola, S. (2008). Short and long-term variations in serum calciotropic hormones after a single very large dose of ergocalciferol (vitamin D2) or cholecalciferol (vitamin D3) in the elderly. *J. Clin. Endocrinol. Metab. 93*, 3015–3020.

Rosen, C.J. (2011). Clinical practice: Vitamin D insufficiency. *N Engl. J. Med. 364*(3), 248-254. doi: 10.1056/NEJMcp1009570

Rostand, S.G. (1997). Ultraviolet light may contribute to geographic and racial blood pressure differences. *Hypertension*, *30*, 150-156.

Roth, C.L., Elfers, C.T., Figlewicz, D.P., Melhorn, S.J., Morton, G.J., et al. (2012) Vitamin D deficiency in obese rats exacerbates nonalcoholic fatty liver disease and increases hepatic resistin and toll-like receptor activation. *Hepatology.* 55, 1103-1111.

Sachan, A., Gupta, R., Das, V., Agarwal, A., Awasthi, P. K., & Bhatia, V. (2005). High prevalence of vitamin D deficiency among pregnant women and their newborns in northern India. *The American Journal of Clinical Nutrition*, *81*(5), 1060–1064.

Sadikot, S.M., Nigam, A., Das, S., et al. (2004). The burden of diabetes and impaired glucose tolerance in India using the WHO 1999 criteria: prevelance of diabetes in India study (PODIS). *Diabetes Res Clin Pract. 66*, 301-307.

Saenger, A.K., Laha, T.J., Bremner, D.E., Sadzadeh, M.H. (2006). Quantification of serum 25-hydroxyvitamin D2 and D3 using HPLC-tandem mass spectrometry and examination of reference intervals for diagnosis of vitamin D deficiency. *Am J Clin Pathol. 125*, 914–920.

Sai, A.J., Walters, R.W., Fang, X., Gallagher, J.C. (2011). Relationship between vitamin D, parathyroid hormone, and bone health. *J. Clin. Endocrinol. Metab. 96*, E436–E446.

Salekzamani Shabnam, Neyestani Tirang, Alavi-Majd Hamid, Houshiarrad Anahita, Kalayi Ali, Shariatzadeh Nastaran, G. A. (2011). Is vitamin D status a determining factor for metabolic syndrome ? A case-control study. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, *4*, 205–212. http://doi.org/10.2147/DMSO.S21061

Schadewaldt, H. (1987). The history of Diabetes Mellitus. In van Englehardt D (Ed): Diabetes: its medical and cultural history. Springer Verlag Berlin. p-43.

Schwalfenberg, G. (2007). Not enough vitamin D: health consequences for Canadians. *Can. Fam. Phys. 53*, 841–854.

Scientific Committee on Food. (2002).Opinion of the Scientific Committee on Food on the Tolerable Upper Intake Level of vitamin D. Brussels, Belgium: European Commission.

Scragg, R., Bartley, J. (2007). Vitamin D- how do we define deficiency and what can we do about it in New Zealand? *The New Zealand Medical Journal*. *120*, 1262.

Sedrani, S.H. (1984) Low 25-hydroxyvitamin D and normal serum calcium concentrations in Saudi Arabia: Riyadh region. *Ann. Nutr. Metab. 28*, 181–185.

Sen, B.C. (1983). Diabetes mellitus. Paper presented at the Sixth Calcutta Medical society Meeting. *Indian Med Gaz. 28*, 240.

Serra-Majem, L. (2004) Vitamin and mineral intakes in European children. Is food fortification needed? *Public Health Nutr. 4*, 101–107.

Seth, A., Marwaha, R.K., Singla, B., Aneja, S., Mehrotra, P., Sastry, A., Khurana, M.L., Mani, K., Sharma, B., Tandon, N. (2009). Vitamin D nutritional status of exclusively breast fed infants and their mothers. *J. Pediatr. Endocrinol. Metab. 22*, 241–246.

Shaw, JE., Sicree, RA., Zimmet, PZ. (2010). Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Research & Clinical Practice. 87*, 4-14

Shelgikae, KM., Jockaday, TDR., Yajinik, CS. (1991). Central rather than generalised obesity is related to hyperglycaemia in Asian Indian Subjects. *Diabetes Medicine. 8*, 712-717.

Shepard, M.R., Deluca, H.F. (1980). Plasma concentrations of vitamin D3 and its metabolites in the rat as infused by vitamin D3 intake. *Arch. Biochem. Biophys. 202*, 43–53.

Shivane, V.K., Sarathi, V., Bandgar, T., Menon, P., Shah, N.S. (2011). High prevalence of hypovitaminosis D in young healthy adults from the western part of India. *Postgrad. Med. J.87*, 514–518.

Shobhana, R., Rao, P.R., Lavanya, A., et al. (2000). Cost burden to diabetic patients with foot complications: a study from Southern India. *J assoc Physicians India. 48*, 1147-1150.

Short, D. (2005). When science met the consumer: the role of industry 1– 4, *82*, 256–258.

Singh, RB., Bajaj, S., Ninaz, MA. et al. (1996). Clinical characteristics and hypertension among known patients of non-insulin dependent diabetes mellitus in North and South Indians. *Journal of Diabetes association of India. 36*, 45-50

Singh, R.B., Bajaj, S., Niaz, M.A., et al. (1998). Prevalence of type 2 diabetes mellitus and risk of hypertension and coronary artery disease in rural and urban population with low rates of obesity. *Int J Cardiol. 66*, 65-72.

Singh, R.B., Beegom, R., Rastogi, V., et al. (1996). Clinical characteristics and hypertension among known patients of non-insulin dependent diabetes mellitus in North and South Indians. *J Diab Assoc India. 36*, 45-50.

Singh, R.J., Taylor, R.L., Reddy, G.S., Grebe, S.K. (2006). C-3 epimers can account for a significant proportion of total circulating 25(OH)D in infants, complicating accurate measurement and interpretation of vitamin D status. *J Clin Endocrinol Metab 91*, 3055–3061.

Smith, C.L., O'Malley, B.W. (2004). Coregulator function: A key to understanding tissue specificity of selective receptor modulators. *Endocr. Rev. 25*, 45–71.

Snehalatha, C., Vijay, V., Ramachandran, A. (2003). Cut off values for normal anthropometric variables in Asian Indian adults. *Diabetes Care. 26*, 1380-1384.

Soderstrom, L.H., Johnson, S.P., Diaz, V.A., Mainous, A.G. (2012). 3rd. Association between vitamin D and diabetic neuropathy in a nationally representative sample: Results from 2001‑2004 NHANES. *Diabet Med. 29*, 50‑5.

Sowers, JR., Epstein, M., Frohlich, ED. (2001). Diabetes, Hypertension and Cardiovascular Disease: an update. *Hypertension. 37*, 1053-1059

Springbeet, P., Buglass, S., Yo, A.R. (2010). Photoprotection and vitamin-D status. *J. Photochemical Phobiology, 101*, 160-168.

Sridhar GR. (2002). Diabetes in India: snapshot of a panorama. *Current Science. 83*, 791-792

Stamp, T.C. (1975). Factors in human vitamin D nutrition and in the production and cure of classical rickets. *Proc Nutr Soc. 34*,119–30.

Standing Committee on the Scientific Evaluation of Dietary Reference Intakes Institute of Medicine. Dietary Reference Intakes for Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride. Washington, DC: National Academy; 1997.

Staud, R. (2005). Vitamin D: more than just affecting calcium and bone. *Curr Rheumatol Rep. 7*, 356-364.

Steenbock, H. (1924). The induction of growth promoting and calcifying properties in a ration by exposure to light. *Science. 60*, 224-225.

Steenbock, H., Black, A. (1924). Fat-soluble vitamins. XVII. The induction of growth-promoting and calcifying properties in a ration by exposure to ultraviolet light. *J Biol Chem. 61*, 405-422.

Stene, L.C, Ulriksen, J., Magnus, P., Joner, G. (2000). *Diabetologia 43,* 1093–1098

Strachan, D.P., Powell, K.J., Thaker, A., Millard, F.J., Maxwell, J.D. (1995). Vegetarian diet as a risk factor for tuberculosis in immigrant south London Asians. *Thorax. 50*, 175-180.

Sullivan, S.S., Rosen, C.J., Halteman, W.A., Chen, T.C., Holick, M.F. (2005) Adolescent girls in Maine at risk for vitamin D insufficiency. *J Am Diet Assoc*, *105*,971-4.

Sullivan, S.D., Dalal, M.R., Burke, J.P. (2013). The impact of diabetes counseling and education: clinical and cost outcomes from a large population of US managed care patients with type 2 diabetes. *Diabetes Educ. 39(4)*, 523-31. doi: 10.1177/0145721713486525.

Subramanian, A., Nigam, P., Misra, A., Pandey, R.M., Mathur, M., Gupta, R., Madhusudan, S. (2011). Severe vitamin D deficiency in patients with type 2 diabetes mellitus in north India. *Diabetes Management*, *1*, 477-483.

Sugden, J.A., Davies, J.I., Witham, M.D., Morris, A.D., & Struthers, A.D. (2008). Vitamin D improves endothelial function in patients with Type 2 diabetes mellitus and low vitamin D levels. *Diabetic Medicine*, *25*(3), 320–325. http://doi.org/10.1111/j.1464-5491.2007.02360.x

Sumamo, E., Ha, C., Korownyk, C., Vandermeer, B., Dryden, D.M. (2011). Editors Lifestyle Interventions for Four Conditions: Type 2 Diabetes, Metabolic Syndrome, Breast Cancer, and Prostate Cancer. Source Rockville (MD): Agency for Healthcare Research and Quality (US). AHRQ Technology Assessments.

Taheri, E., Saedisomeolia, A., Djalali, M., Qorbani, M., & Madani Civi, M. (2012). The relationship between serum 25-hydroxy vitamin D concentration and obesity in type 2 diabetic patients and healthy subjects. *Journal of Diabetes & Metabolic Disorders*, *11*(1), 16. http://doi.org/10.1186/2251-6581-11-16

Tahrani, A.A., Ball, A., Shepherd, L., Rahim, A., Jones, A.F., Bates, A. (2010). The prevalence of vitamin D abnormalities in South Asians with type 2 diabetes mellitus in the UK. *Int. J. Clin. Pract. 64*, 351–355.

Takiishi, T., Gysemans, C., Bouillon, R., Mathieu, C. (2010). Vitamin D and diabetes. *Endocrinol Metab Clin North Am*, *39*(2), 419-46. [PubMed: 20511061].

Talaei, A., Mohamadi, M., & Adgi, Z. (2013). The effect of vitamin D on insulin resistance in patients with type 2 diabetes. *Diabetology & Metabolic Syndrome*, *5*(1), 8. http://doi.org/10.1186/1758-5996-5-8

Tall, A.R. (2002). Exercise to reduce cardiovascular risk-How much is enough? *N. Engl. J. Med. 347*, 1522–1524.

Tandon, N., Marwaha, R.K., Kalra, S., Gupta, N., Dudha, A., Kochupillai, N. (2003). Bone mineral parameters in healthy young Indian adults with optimal vitamin D availability. *Natl. Med. J. India. 16*, 298–302.

Tangpricha, V., Pearce, E.N., Chen, T.C., Holick, M.F. (2002). Vitamin D insufficiency among free-living healthy young adults. *Am J Med* , *112*, 659-662.

Tangpricha, V., Koutkia, P., Rieke, S. M., Chen, T. C., Perez, A. a, & Holick, M. F. (2003). Fortification of orange juice with vitamin D: a novel approach for enhancing vitamin D nutritional health. *The American Journal of Clinical Nutrition*, *77*(6), 1478–1483.

Targher, G., Bertolini, L., Scala, L., Cigolini, M., Zenari, L., Falezza, G., Arcaro, G. (2007). Associations between serum 25-hydroxyvitamin D3 concentrations and liver histology in patients with non-alcoholic fatty liver disease. *Nutr. Metab. Cardiovasc. Dis. 17*, 517–524.

Textbook of Diabetes Mellitus (2014). 3rd Edition. Editor: Chandalia Hemraj. Jaypee Brothers Medical Publishers (P) Ltd, New Delhi.

Thacher, T.D., Fischer, P.R., Strand, M.A., Pettifor, J.M. (2006). Nutritional rickets around the world: causes and future directions. *Ann Trop Paediatr*, *26*, 1-16.

Thacher, T.D., Obadofin, M.O., O'Brien, K.O., Abrams, S.A. (2009). The Effect of vitamin D2 and vitamin D3 on intestinal calcium absorption in Nigerian children with rickets. *J. Clin. Endocrinol. Metab. 94*, 3314–3321.

Thomas, M.K., Lloyd-Jones, D.M., Thadhani. R.I., Shaw, A.C., Deraska, D.J., Kitch, B.T., Vamvakas, E.C., Dick, I.M., Prince, R.L., Finkelstein, J.S. (1998). Hypovitaminosis D in medical inpatients. *N Engl J Med. 338*, 777–783.

Thorand, B., Zierer, A., Huth, C., et al. (2011). Effect of serum 25-hydroxyvitamin D on risk for type 2 diabetes may be partially mediated by subclinical inflammation: results from the MONICA/KORA Augsburg study. *Diabetes Care*, *34*, 2320-2322.

Tiwari, S., Pratyush, D. D., Gupta, B., Dwivedi, A., Chaudhary, S., Rayicherla, R. K., Singh, S. K. (2012). Prevalence and severity of vitamin D deficiency in patients with diabetic foot infection. *British Journal of Nutrition*, *25*, 1–4. http://doi.org/10.1017/S0007114512000578

Tough, A. (1985). How adults can learn and change? Diabetes Educator. 11 (special issue). 1-25.

Tripkovic, L., Lambert, H., Hart, K., Smith, C.P., Bucca, G., Penson, S., Chope, G., Hyppönen, E., Berry, J., Vieth, R., Lanham-New, S. (2012). Comparison of vitamin D2 and vitamin D3 supplementation in raising serum 25-hydroxyvitamin D status: A systematic review and meta-analysis. *Am. J. Clin. Nutr. 95*, 1357–1364.

Tsur, A., Metzger, M., & Dresner-Pollak, R. (2011). Effect of different dress style on vitamin D level in healthy young Orthodox and ultra-Orthodox students in Israel. *Osteoporosis International*, *22*(11), 2895–2898. http://doi.org/10.1007/s00198-010-1492-y

Urbain, P., Singler, F., Ihorst, G., Biesalski, H.K., Bertz, H. (2011). Bioavailability of vitamin D2 from UV-B-irradiated button mushrooms in healthy adults deficient in serum 25-hydroxyvitamin D: A randomized controlled trial. *Eur. J. Clin. Nutr. 65*, 965–971.

Ustianowski, A., Shaffer, R., Collin, S., Wilkinson, R.J., Davidson, R.N. (2005). Prevalence and associations of vitamin D deficiency in foreign born persons with tuberculosis in London. *J Infect. 50*, 432-37.

US Food and Drug Administration. Nutritional quality guidelines for foods. http://www.accessdata.fda/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr_104.20.

US Food and Drug Administration. Direct food substances affirmed as generally recognized as safe. http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart_184

Vaidya, A., Forman, JP. (2010). Vitamin D and hypertension: current evidence and future directions. *Hypertension. 56*, 774-779.

Vaidya, A., Williams, J.S. (2012). The relationship between vitamin D and the renin-angiotensin system in the pathophysiology of hypertension, kidney disease, and diabetes. *Metabolism. 61*, 450-8.

Vieth, R. (1999). Vitamin D supplementation, 25 hydroxy-vitamin D concentrations, and safety. *Am. J. Clin. Nutr. 69*, 842–856.

Vieth, R. (2004). Why the optimal requirement for vitamin D3 is probably much higher than what is officially recommended for adults. *J Steroid Biochem Mol Biol. 89-90*, 575-579.

Vieth, R., Ladaky, Walfish, P.G. (2003). Age-related changes in the 25(OH)D versus parathyroid hormone relationship suggest a different reason why older adults require more vitamin D. *J Clin Endocrinol Metab. 88*, 185–191.

Vijayakumar, G., Arun, R., Kutty, V.R. (2009). High prevalence of type 2 diabetes and other metabolic disorder in rural central Kerela. *J assoc Physicians India*. *57*, 563-567.

Velluz, L. and Amiard, G. (1949). Chimie organique-equilibre de réaction entre précalciférol et calciférol. (The organic chemical equilibrium of the reaction between precalciferol and calciferol.) *C R Assoc Anat*, *228*, 853–855 (in French).

Von Hurst, P.R., Stonehouse, W., Coad, J. (2010). Vitamin D supplementation reduces insulin resistance in South Asian women living in New Zealand who are insulin resistant and vitamin D deficient—A randomized, placebo-controlled trial. *Br. J. Nutr. 103*, 549–555.

Vupputuri, M.R., Goswami, R., Gupta, N., Ray, D., Tandon, N., Kumar, N. (2006). Prevalence and functional significance of 25-hydroxyvitamin D deficiency and vitamin D receptor gene polymorphisms in Asian Indians. *Am. J. Clin. Nutr. 83*, 1411–1419.

Wacker, M., & Holiack, M. F. (2013). Vitamin D-effects on skeletal and extraskeletal health and the need for supplementation. *Nutrients*, *5*(1), 111–148. http://doi.org/10.3390/nu5010111

Wagner, D., Sidhom, G., Whiting, S.J., Rousseau, D., Vieth, R. (2008). The bioavailability of vitamin D from fortified cheeses and supplements is equivalent in adults. *J. Nutr. 138*, 1365–1371.

Wahlqvist, M.L. (2001). Nutrition and diabetes in the Asia-Pacific region with reference to cardiovascular disease. *Asia Pac J Clin Nutr. 10(2)*, 90-6.

Wang, Y., DeLuca, H.F. (2011). Is the vitamin D receptor found in muscle? *Endocrinology 152*, 354–363.

Wang, T. J., Pencina, M. J., Booth, S. L., Jacques, P. F., Ingelsson, E., Lanier, K., … Vasan, R. S. (2008). Vitamin D deficiency and risk of cardiovascular disease. *Circulation*, *117*(4), 503–511. http://doi.org/10.1161/CIRCULATIONAHA.107.706127

Wang, L., Song, Y., Manson, J. E., Pilz, S., März, W., Michaëlsson, K., … Sesso, H. D. (2012). Circulating 25-Hydroxy-Vitamin D and Risk of Cardiovascular Disease. *Circulation*, *5*, 819–829. http://doi.org/10.1161/CIRCOUTCOMES.112.967604

Webb, A.R., Engelsen, O. (2006). Calculated ultraviolet exposure levels for a healthy vitamin D status. *Photochem. Photobiol. 82*, 1697–1703.

WHO. *Guideline: Vitamin D supplementation in pregnant women.* Geneva, World Health Organization, 2012.

WHO consultation report. Obesity: Preventing and managing the global epidemic (2000). *WHO Tech Rep Ser. 894*, 1-253.

Wicherts, I.S., van Schoor, N.M., Boeke, A.J.P., Visser, M., Deeg, D.J.H., Smit, J., Knol, D.L., Lips, P. (2007). Vitamin D status predicts physical performance and its decline in older persons. *J. Clin. Endocrinol. Metab. 92*, 2058–2065.

Windaus, A., Schenck, F., von Werder, F. (1936). Uber das antirachitisch wirksame Bestrahlungs-produkt aus 7-Dehydrocholesterin. (Concerning the antirachitic activity of the irradiation product of 7-dehydrocholesterol.) *Hoppe-Seyler's Z Physiol Chem*. *241*, 100-103 (in German).

Witham, MD., Dore, FJ., Druburgh, M., Sugden, JA., Morris, AD., Struthers, AD. (2010). The effect of different doses of vitamin D3 on markers of vascular health. *Diabetologia. 53*(10), 2112–2119.

Wolden-Kirk, H., Overbergh, L., Christesen, H.T., Brusgaard, K., Mathieu, C. (2011). Vitamin D and diabetes: Its importance for beta cell and immune function. *Mol. Cell. Endocrinol.*, *347*, 106–120.

Wolpowitz, D., Gilchrest, B.A. (2006). The vitamin D questions: how much do you need and how should you get it? *J Am Acad Dermatol*. *54*, 301-317.

Wortsman, J., Matsuoka, LY., Chen, TC., Lu, Z., Holick, MF. (2000) Decreased bioavailability of vitamin D in obesity. *Am J Clin Nutr*. 72, 690–693.

Yajnik, C.S. (2009). Nutrient-mediated teratogenesis and feul-mediated teratogenesis: two pathways of intrauterine programming of diabetes. *Int J Gynaecol Obstet. 104*, S27-31.

Ye, Z., Sharp, S. J., Burgess, S., Scott, R. a, Imamura, F., Langenberg, C., … Forouhi, N. G. (2015). Association between circulating 25-hydroxyvitamin D and incident type 2 diabetes: a mendelian randomisation study. *The Lancet Diabetes & Endocrinology*, *3*(1), 35–42. http://doi.org/10.1016/S2213-8587(14)70184-6

Yetley, E. A. (2008). Assessing the vitamin D status of the US population. *The American Journal of Clinical Nutrition*, *88*(2), 558S–564S.

Yin, X., Sun, Q., Zhang, X., Lu, Y., Sun, C., Cui, Y., & Wang, S. (2012). Serum 25 (OH) D is inversely associated with metabolic syndrome risk profile among urban middle-aged Chinese population. *Nutrition Journal*, *11*(1), 1. http://doi.org/10.1186/1475-2891-11-68

Yoshida, T., Stern, P.H. (2012). How vitamin D works on bone. *Endocrinol Metab Clin North Am. 41*, 557-569.

Young, KA., Engelman, CD., Langfeld, CD., Hairston, KG., Haffner, SM., Bryer-Ash, M., et al. (2009). Association of plasma vitamin D levels with adiposity in Hispanics and African Americans. *Clin Endocrinol Metab*. 94, 3306–3313.

Zargar, A H., Ahmad, S., Masoodi, S. R., Wani, a I., Bashir, M. I., Laway, B. a, & Shah, Z. a. (2007). Vitamin D status in apparently healthy adults in Kashmir Valley of Indian subcontinent. *Postgraduate Medical Journal*, *83*(985), 713–716. http://doi.org/10.1136/pgmj.2007.059113

Zhang, R., & Naughton, D. P. (2010). Vitamin D in health and disease: current perspectives. *Nutrition Journal*, *9*(1), 65. http://doi.org/10.1186/1475-2891-9-65.

Zehnder, D., Bland, R., Williams, M.C., McNinch, R.W., Howie, A.J., Stewart, P.M., Hewison, M. (2001). Extrarenal expression of 25-hydroxyvitamin D(3)1 alpha-hydroxylase. *J. Clin. Endocrinol. Metab. 86*, 888–894.

Zittermann, A. (2003). Vitamin D in preventive medicine: are we ignoring the evidence? *British Journal of Nutrition*, *89*, 552–572.

Zittermann, A., Schleithoff, SS., & Koerfer, R. (2005). Putting cardiovascular disease and vitamin D insufficiency into perspective. *The British Journal of Nutrition*, *94*(4), 483–492. http://doi.org/10.1079/BJN20051544

Zittermann, A., Gummert, JF., Börgermann, J. (2011). The role of vitamin D in dyslipidemia and cardiovascular disease. *Current Pharmacy Des*. *17*, 933-942.

Zipitis, C.S., Akobeng, A.K. (2008). Vitamin D supplementation in early childhood and risk of type 1 diabetes: A systematic review and meta-analysis. *Arch. Dis. Child. 93*, 512–517.