

CHAPTER 7

BIBLIOGRAPHY

- ❖ Abubakar, A., Vande, V. F., Van B. A., Mbonani, L., Kalu, R., Newton, C., & Holding, P. (2008). Socioeconomic status, anthropometric status, and psychomotor development of Kenyan children from resource- limited settings: a path-analytic study. *Early Human Development, 84*, 613–621.
- ❖ Addis, J., Huber, C., & Frew, H. (2012). *Top Nine Countries Fighting Child Malnutrition. Report.* Retrieved from the World Vision website: <http://www.worldvision.org/news/top-nine-countries-fighting-child-malnutrition- April 2014>.
- ❖ Ahmed, A. U. (2004). Impact of feeding children in school: Evidence from Bangladesh. Washington DC: International Food Policy Research Institute.
- ❖ Aida, F. M. N. A., Shuhaimi, M., Yazid, M., & Maaruf, A. G. (2009). Mushroom as a potential source of prebiotics: a review. *Trends in Food Science and Technology, 20*(11-12), 567-575.
- ❖ Alim, F., Khalil, S., Mirza, I., & Khan, Z. (2012). Nutritional status of children attending mid day meal scheme in government primary school in Aligarh City. *Indian journal of community health, 24*(3), 227-231.

- ❖ Amadi, B., Mwiya, M., Chomba, E., Thomson, M., Chintu, C., Kelly, P., & Walker, S. J. (2005). Improved nutritional recovery on an elemental diet in Zambian children with persistent diarrhoea and malnutrition. *Journal of Tropical Pediatrics*, 51(1), 5–10.
- ❖ Anderson, H. B., Ellegard, L. H., & Bosaeus, I. G. (1999). Non digestibility characteristics of inulin and oligofructose in humans. *The Journal of Nutrition*, 129(7) Suppl, 1428S–1430S.
- ❖ Arslanoglu, S., Moro, G. E., & Boehm, G. (2007). Early supplementation of prebiotic oligosaccharides protects formula-fed infants against infections during the first 6 months of life. *The Journal of Nutrition*, 137(11), 2420–2424.
- ❖ Arslanoglu, S., Moro, G. E., Schmitt, J., Tandoi, L., Rizzardi, S., & Boehm, G. (2008). Early dietary intervention with a mixture of prebiotic oligosaccharides reduces the incidence of allergic manifestations and infections during the first two years of life. *The Journal of Nutrition*, 138(6), 1091–1095.
- ❖ Arunkumar, N., & Hidhayathulla, A. (2015). Measuring Poverty through Child Malnutrition: A Study with Special Reference to Arumbavur village at Perambalur District. *Journal of Economics and Finance*, 6(2), 10-13.

- ❖ Ashida, H., Ogawa, M., Kim, M., Mimuro, H., & Sasakawa, C. (2012). Bacteria and host interactions in the gut epithelial barrier. *Nature Chemical Biology, 8*, 36-45.
- ❖ Baba, Y., Yokota, R., Yagisawa, H., Yamazaki, S., Ishida, A., Inage, E., & Shimizu, T. (2015). Serum Zinc and Secretory IgA Levels Are Important Factors in Children with Food Allergy. *Journal of Allergy and Clinical Immunology, 135*(2), AB60.
- ❖ Bain, L. E., Awah, P. K., Geraldine, N., Kindong, N. P., Siga, Y., Bernard, N., & Tanjeko, A. T. (2014). Malnutrition in Sub-Saharan Africa: burden, causes and prospects. *Pan African Medical Journal, 15*(1).
- ❖ Beisel, W. (1982). Single nutrients and immunity. *The American Journal of Clinical Nutrition, 35*, 417-68.
- ❖ Bell, R. G., Turner, K. J., & Gracey, M. (1976). Serum and small intestinal immunoglobulin levels in undernourished children. *The American Journal of Clinical Nutrition, 29*(4), 392-397.
- ❖ Bellei, G., & Haslberger, A. (2013). Dietary Fibre and Prebiotics. *Journal of Experimental Medicine, 14*(4), 12-15.
- ❖ Bengt, B., Sepp, E., Julge, K., Voor, T., & Mikelsaar, M. (2001). Allergy development and the intestinal microflora during the first year of life. *Journal of Allergy Clinical Immunology, 108*(4), 516-520.

- ❖ Better Health Channel. (2015, October) *Flatulence*. Retrieved from the Better Health Channel website:<http://www.betterhealth.vic.gov.au/bhcv2/bhcarticles.nsf/pages/flatulence>
- ❖ Bhagwat, S., & Sankar, R. (2014). Food fortification as a complementary strategy for the elimination of micronutrient deficiencies: case studies of large scale food fortification in two Indian States. *Asia Pacific journal of clinical nutrition*, 23(1), S4.
- ❖ Bhargava, A. B. A., Oxlade, O., & Pai, M. D. (2014). Undernutrition and the incidence of tuberculosis in India: National and sub national estimates of the population attributable fraction related to undernutrition. *National Medical Journal of India*, 27, 128-33.
- ❖ Bhoite, R., & Iyer, U. (2011). *Growth Dynamics of Rural School Children of Vadodara & Impact of Deworming Alone and Deworming Along with Once Weekly Iron Folic Acid Supplementation on Growth and Hemoglobin Status of Rural School Children*. Unpublished Doctoral Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Bhoite, R., & Iyer, U. (2011). Magnitude of malnutrition and iron deficiency anemia among rural school children: An appraisal. *Asian Journal of Experimental Biological Sciences*, 2(2), 354-361.

- ❖ Black, M. M., Hess, C. R., & Papas, M. A. (2005). *The importance of nutrition on cognition from infancy through school-age*. USA: University of Maryland School of Medicine.
- ❖ Black, R. E., Lindsay, H. A., Zulfiqar, A. B., Laura, E. C., Mercedes D. O., Majid E., ... & Rivera, J. (2008). Maternal and child undernutrition: global and regional exposures and health consequences. *The Lancet* 371, 243-260.
- ❖ Black, R. E., Victora, C. G., Walker, S. P., Bhutta, Z. A., Christian, P., de Onis, M., ... & Uauy, R. (2013). Maternal and child undernutrition and overweight in low-income and middle-income countries. Maternal and Child Nutrition Study Group. *The Lancet*, 382(9890), 427-451.
- ❖ Boehm, G., & Moro, G. (2008). Structural and functional aspects of prebiotics used in infant nutrition. *The Journal of Nutrition*, 138(9), 1818S-1828S.
- ❖ Boehm, G., & Stahl, B. (2007). Oligosaccharides from milk. *The Journal of Nutrition*, 137(3 suppl 2), 847S-849S.
- ❖ Borelli, P., Blatt, S. L. Rogero, M. M., & Fock, R. A. (2004). Haematological alterations in protein malnutrition. *Revista Brasileira de Hematologia e Hemoterapia*, 26, 49-56.
- ❖ Bose, K., Bhunia, D., Paul, G., Mukhopadhyay, A., & Chakraborty, R. (2006). Age and Sex Variations in Undernutrition of Rural Bengalee Primary School Children of East Midnapore District, West Bengal,

- India. *Ecology, Culture, Nutrition, Health and Disease, Human Ecology*, 14, 71-75.
- ❖ Bouhnik, Y., Raskine, L., Simoneau, G., Paineau, D., & Bornet, F. (2006). The capacity of short-chain fructo-oligosaccharides to stimulate faecal bifidobacteria: a dose-response relationship study in healthy humans. *Nutrition Journal*, 5, 8.
- ❖ Brownawell, A. M., Caers, W., Gibson, G. R., Kendall, C. W., Lewis, K. D., Ringel, Y., & Slavin, J. L. (2012). Prebiotics and the health benefits of fiber: current regulatory status, future research, and goals. *The Journal of nutrition*, 142(5), 962-974.
- ❖ Caulfield, L. E., de Onis, M., Blossner, M., & Black, R. E. (2004). Undernutrition as an underlying cause of child deaths associated with diarrhea, pneumonia, malaria, and measles. *The American journal of clinical nutrition*, 80(1), 193-198.
- ❖ Chandra, R. (1980). *Immunology of nutritional disorders*. London: Edward Arnold Ltd.
- ❖ Charles, J. (2001). *Immunobiology-5th ed*. New York: Garland Publishing.
- ❖ Chatchatee, P., Lee, W. S., Carrilho, E., Kosuwon, P., Simakachorn, N., Yavuz, Y., ... & Szajewska, H. (2014) Effects of growing-up milk

- supplemented with prebiotics and LCPUFAs on infections in young children. *Journal of Pediatric Gastroenterology and Nutrition*, 58(4), 428-437.
- ❖ Chaterjee, P. (2007). Child malnutrition rises in India despite economic boom. *The Lancet*, 369, 1417-1418.
 - ❖ Chi, A.P., Chen, J. P., Wang, Z. Z., Xiong, Z. Y., & Li Q. X. (2008). Morphological and structural characterization of a polysaccharide from *Gynostemma pentaphyllum* Makino and its anti-exercise fatigue activity. *Carbohydrate Polymers*, 74, 868-874.
 - ❖ Children in India. (2012). *A Statistical Appraisal; Social Statistics Division Central Statistics Office*. Ministry of statistics and Programme Implementation Government of India.
 - ❖ Claudia, M., & Anneleen, B. (2012). Immune Regulatory Function of B Cells. *Annual Review of Immunology*, 30, 221-41.
 - ❖ Crane, J. K., Broome, J. E., Reddinger, R. M., & Werth, B. B. (2014). Zinc protects against shiga-toxigenic *Escherichia coli* by acting on host tissues as well as on bacteria. *BMC microbiology*, 14(1), 145.
 - ❖ Cunningham-Rundles, S., McNeeley, D. F., & Moon, A. (2005). Mechanisms of nutrient modulation of the immune response. *The journal of Allergy and Clinical Immunology*, 115(6), 1119-1128.

- ❖ Cunningham-Rundles, S., Moon, A., McNeeley, D. F., Duggan, C., Watkins, J. B., & Walker, W. A. (2008). *Malnutrition and host defense. Nutrition in Pediatrics: Basic Science and Clinical Application, 4th ed.* London: BC Decker, Hamilton, 261-271.
- ❖ Das, G., Vaz, T. M., Viana, M. L., Grancieri, M., dos-Santos, L. T. C., de Paula, H., Pedrosa, R. G., & Costa, N. M. B. (2014). Yacon effects in immune response and nutritional status of iron and zinc in preschool children. *Nutrition, 30*(6), 666-672.
- ❖ Das, P., Basu, M., Dhar, G., Mallik, S., & Pal, R. (2013). Nutritional status and morbidity pattern of government primary school children in north Kolkata of West Bengal, India. *South East Asia Journal of Public Health, 2*(1), 13-17.
- ❖ De Vrese, M., Winkler, P., Rautenberg, P., Harder, T., Noah, C., Laue, C., ... & Schrezenmeir, J. (2006). Probiotic bacteria reduced duration and severity but not the incidence of common cold episodes in a double blind, randomized, controlled trial. *Vaccine, 24*(44), 6670-6674.
- ❖ Deaton, A., & Dreze, J. (2008). Food and nutrition in India: Facts and interpretations. *Economic and Political Weekly, XLIV*, 42-65.
- ❖ Dhruv, S., & Karbhar, S. (2012). *Behaviour Change Communication strategies to improve MDM compliance and Nutritional status of Rural school children of*

- Vadodara*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Dhruv, S., & Tripathi, D. (2014). *Impact of Food Supplementation on the Growth and Hemoglobin levels of under nourished school girls of Rural Vadodara*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
 - ❖ *Diagnostic Systems*. (2007). Immunoglobulin A FS Diagnostic reagent for quantitative in vitro determination of immunoglobulin A (IgA) in serum or plasma on photometric systems.
 - ❖ DNA India. (2014, 27th February). Retrieved from the DNA India website: <http://www.dnaindia.com/ahmedabad/report-16-gujarat-districts-have-194-lakh-malnourished-children-1965548>.
 - ❖ DNA India. (2015, 9th March). Retrieved from the DNA India website: <http://www.dnaindia.com/india/report-gujarat-has-over-65-lakh-malnourished-kids-state-government-2067419>.
 - ❖ Duijvestijn, Y. C., Mourdi, N., Smucny, J., Pons, G., & Chalumeau, M. (2009). Acetylcysteine and carbocysteine for acute upper and lower respiratory tract infections in paediatric patients without chronic bronchopulmonary disease. *The Cochrane database of systematic reviews*, 21(1).

- ❖ DuPont, A. W., & DuPont, H. L. (2011). The intestinal microbiota and chronic disorders of the gut. *Nature Reviews Gastroenterology and Hepatology*, 8, 523-531.
- ❖ Eckburg, P. B., Bik, E. M., Bernstein, C. N., Purdom, E., Dethlefsen, L., Sargent, M., ... & Relman, D. A. (2005). Diversity of the human intestinal microbial flora. *Science*, 308, 1635-1638.
- ❖ Eiwegger, T., Stahl, B., Haidl, P., Boehm, G., Gerstmayr, M., Pichler, J., ... & Szepfalusi, Z. (2010). Prebiotic oligosaccharides: In vitro evidence for gastrointestinal epithelial transfer and immunomodulatory properties. *Pediatric Allergy and Immunology: Official Publication of the European Society of Pediatric Allergy and Immunology*, 21, 1179-1188.
- ❖ Erickson, K. L., & Hubbard, N. E. (2009). Assessing mucosal immunity with new concepts and innovative, time-honored strategies. *Nutrition reviews*, 67(suppl 2), S172-S182.
- ❖ Ezzati, M., Lopez, A. D., Rodgers, A., Vander Hoorn, S., & Murray, C. J. (2002). Selected major risk factors and global and regional burden of disease. *The Lancet*, 360(9343), 1347-1360.
- ❖ Farnworth, E. (1997). *FOSHU Foods in Japan*. Retrieved from the Medicinal Food News website: <http://www.medicinalfoodsnews.com/vol01/issue3/foshu>.

- ❖ Fazili, A., Mir, A. A., Pandit, I. M., Bhat, I. A., Rohul, J., & Shamila, H. (2012). Nutritional Status of School Age Children (5-14 years) in a Rural Health Block of North India (Kashmir) Using WHO Z-Score System. *The Online Journal of Health and Allied Sciences*, 11(2), 2.
- ❖ Food and Agriculture Organization of the United Nations. (2014). *The state of food insecurity in the world 2014: eradicating world hunger – taking stock ten years after the World Food Summit*. Retrieved from the FAO website: <http://www.fao.org/publications/sofi/2014/en/>.
- ❖ Fukushima, Y., Kawata, Y., Mizumachi, K., Kurisaki, J., & Mitsuoka, T. (1999). Effect of Bifidobacteria feeding on fecal flora and production of Immunoglobulins in lactating mouse. *International Journal of Food Microbiology*, 46, 193–7.
- ❖ Galadima, M., & Kolo, O. O. (2014). Bacteria agents of Diarrhoea in Children Aged 0-5 Years, in Minna, Niger State, Nigeria. *International Journal of Current Microbiology Applied Science*, 3(6), 1048-1054.
- ❖ Gandhi, H., & Desai, E. (2014). *Impact of Food Supplementation on the Growth and Hemoglobin levels of under nourished school Boys of Rural Vadodara*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Gandhi, H., & Patel, D. (2013). *Magnitude of severe under nutrition in boys of rural government primary schools of Vadodara: Impact of easy to consume (EC)*

indigenous food supplementation as a strategy to improve the nutritional status.

Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.

- ❖ Ghanei, N., Siassi, F., & Zandieh, F. (2015). Prebiotic supplementation modulate serum IgE levels and improve total scoring atopic dermatitis: a randomized double blind controlled trial. *Journal of Nutritional Sciences and Dietetics*, 2.
- ❖ Gibson, G. R., Beatty, E. R., Wang, X., & Cummings, J. H. (1995). Selective stimulation of bifidobacteria in the human colon by oligofructose and inulin. *Gastroenterology*, 108(4), 975-982.
- ❖ Gibson, G. R., Scott, K. P., Rastall, R. A., Tuohy, K. M., Hotchkiss, A., Dubert- Ferrandon, A., ... & Buddington, R. (2010). Dietary prebiotics: current status and new definition. *Food Science and Technology Bulletin: Functional Foods*, 7, 1-19.
- ❖ Gibson, G., & Roberfroid, M. B. (1995). Dietary modulation of the human colonic microbiota: Introducing the concept of prebiotics. *Journal of Nutrition*, 125, 1401-1412.
- ❖ Gill, S. R., Pop, M., Deboy, R. T., Eckburg, P. B., Turnbaugh, P. J., Samuel, B. S., ... & Nelson, K. E. (2006). Metagenomic analysis of the human distal gut microbiome. *Science*, 312, 1355-1359.

- ❖ Gillespie, S., Haddad, L., Mannar, V., Menon, P., & Nisbett, N. (2013). Maternal and Child Nutrition Study Group: The politics of reducing malnutrition: building commitment and accelerating progress. *The Lancet*, 382(9891), 552-569.
- ❖ Gonzalez, H. F., Malpeli, A., Etchegoyen, G., Lucero, L., Romero, F., Lagunas, C., ... & Uauy, R. (2007). Acquisition of Visuomotor Abilities and Intellectual Quotient in Children Aged 4-10 Years: Relationship with Micronutrient Nutritional Status. *Biological Trace Element Research*, 120(1-3), 92-101.
- ❖ Gopalakrishnan, A., Clinthorne, J. F., Rondini, E. A., McCaskey, S. J., Gurzell, E. A., Langohr, I. M., ... & Fenton, J. I. (2012). Supplementation with galactooligosaccharides increases the percentage of NK cells and reduces colitis severity in Smad3-deficient mice. *The Journal of Nutrition*, 142(7), 1336-1342.
- ❖ Guarner, F., & Malagelada, J. R. (2003). Gut flora in health and disease. *The Lancet*, 361(9356), 512-519.
- ❖ Guigoz, Y., Rochat, F., Perruisseau-Carrier, G., Rochat, I., & Schiffrin, E. J. (2002). Effects of oligosaccharide on the faecal flora and non-specific immune system in elderly people. *Nutrition Research*, 22, 13-25.

- ❖ Gupta, S. S., Mohammed, M. H., Ghosh, T. S., Kanungo, S., Nair, G. B., & Mande, S. S. (2011). Metagenome of the gut of a malnourished child. *Gut Pathogens*, 3, 7.
- ❖ Gustaw, W., Kordowska-Wiater, M., & Koziol, J. (2011). The influence of selected prebiotics on the growth of lactic acid bacteria for bio-yoghurt production. *Acta Scientiarum Polonorum Technologia Alimentaria*, 10(4), 455-466.
- ❖ *Gut microbiota in health and disease. Summary of 3rd international workshop.* (2012). Maastricht: Netherlands. Retrieved from the Gut Microbiota website: www.gutmicrobiota.org
- ❖ Hart, C. J., Wherry, E. J., Ahmed, R., & Kapasi, Z. F. (2008). Diminished primary CD8 T cell response to viral infection during protein energy malnutrition in mice is due to changes in microenvironment and low numbers of viral-specific CD8 T cell precursors. *The Journal of Nutrition*, 138(4), 806-812.
- ❖ Hatakka, K., Blomgren, K., Pohjavuori, S., Kaijalainen, T., Poussa, T., Leinonen, M., ... & Pitkaranta, A. (2007). Treatment of acute otitis media with probiotics in otitis-prone children-a double-blind, placebo-controlled randomised study. *Clinical Nutrition*, 26(3), 314-21.
- ❖ Hatakka, K., Savilahti, E., Ponka, A., Meurman, J. H., Poussa, T., Nase, L., ... & Korpela, R. (2001). Effect of long term consumption of prebiotic milk

- on infections in children attending day care centres: double blind, randomised trial. *The BMJ*, 322(1298), 1327-1329.
- ❖ He, M., Yang, Y., Han, H., Men, J., Bian, L., & Wang, G. (2005). Effects of yogurt supplementation on the growth of preschool children in Beijing suburbs. *Biomedical and Environmental Sciences*, 18(3), 192-7.
 - ❖ Headey, D., Hoddinott, J., Ali, D., Tesfaye, R., & Dereje, M. (2015). The other asian enigma: Explaining the rapid reduction of undernutrition in Bangladesh. *World Development*, 66, 749-761.
 - ❖ Holma, R., Juvonen, P., Asmawi, M. Z., Vapaatalo, H., & Korpela, R. (2002). Galactooligosaccharides stimulate the growth of bifidobacteria but fail to attenuate inflammation in experimental colitis in rats. *Scandinavian Journal of Gastroenterology*, 37, 1042-7.
 - ❖ Horta, B. L., Bahl, R., Martines, J. C., & Victora, C. G. (2007). *Evidence on the long-term effects of breastfeeding*. Geneva: World Health Organization.
 - ❖ Huurre, A., Kalliomaki, M., Rautava, S., Rinne, M., Salminen, S., & Isolauri, E. (2008). Mode of delivery: effects on gut microbiota and humoral immunity. *Neonatology*, 93, 236-240.
 - ❖ IBM Corp. Released 2011. IBM SPSS Statistics for Windows, version 20.0 Armonk, NY: IBM Corp.

- ❖ *Indian Express*. (2014, 19th Dec). Retrieved from the Indian Express website: <http://indianexpress.com/article/india/gujarat/gujarat-climbs-up-the-malnutrition-ladder-in-last-3-years>
- ❖ Indira Gandhi National Open University. (2005). *Food microbiology and Safety practical manual*. IGNOU, New Delhi: India.
- ❖ International Institute for Population. (2007). *National Family Health Survey (NFHS-3), 2005–06*. Sciences (IIPS) and Macro International, Volume I, India.
- ❖ Isaac, H. (1990). Pattern of Bacterial Infections among the Severely Malnourished Children in Paediatric Wards of Muhimbili Medical Centre. Macpherson, A. J., McCoy, K. D., Johansen, F. E., & Brandtzaeg, P. (2008). The immune geography of IgA induction and function. *Mucosal immunology*, 1(1), 11-22.
- ❖ Isolauri, E., Juntunen, M., Rautanen, T., Sillanauke, P., & Koivula, T. (1991). A human *Lactobacillus* strain (*Lactobacillus casei* sp strain GG) promotes recovery from acute diarrhea in children. *Pediatrics*, 88, 90-97.
- ❖ Iyer, U., & Dhaundiyal, G. (2010). *Monitoring and Evaluation of the Mid Day Meal Programme In Tribal schools of chhota udepur and Impact of Mid Day Meal Programme on Nutritional status of Adolescents*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.

- ❖ Iyer, U., & Jain, V. (2011). *Nutritional Status of Rural School Children of Vadodara and Impact of Ready to Eat (RTE) Fortified Food Supplementation On Growth, Hemoglobin and Morbidity Profile*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Iyer, U., & Mistry, Y. (2013). *Magnitude of severe under nutrition in girls of rural government primary schools of Vadodara: Impact of easy to consume (EC) indigenous food supplementation as a strategy to improve the nutritional status*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Jelliffe, D. B. (1966). *The assessment of nutritional status of community*. Monograph Series No. 53, World Health Organization, Geneva.
- ❖ Johansen, F. E., Pekna, M., Norderhaug, I. N., Haneberg, B., Hietala, M. A., Krajci, P., ... & Brandtzaeg, P. (1999). Absence of epithelial immunoglobulin a transport, with increased mucosal leakiness, in polymeric immunoglobulin receptor/secretory component-deficient mice. *The Journal of experimental medicine*, 190(7), 915-922.
- ❖ Johnson, A. M., Rohlf, E. M., & Silverman, L. M., (1999). *Tietz textbook of clinical chemistry*. Philadelphia: W. B. Saunders Company.
- ❖ Johnston, B. C., Goldenberg, J. Z., Vandvik, P. O., Sun, X., Guyatt, G. H. (2011). Probiotics for the prevention of pediatric antibiotic-associated diarrhea. *The Cochrane Library*, 11.

- ❖ Jose, D. G., & Welch, J. S. (1970). Growth retardation, anaemia and infection, with malabsorption and infestation of the bowel. The syndrome of protein-calorie malnutrition in Australian Aboriginal children. *Medical Journal of Australia*, 1, 349-356.
- ❖ Jose, M. L., Francisco, C., Lluís, S. B., Francisco, V., Ana, R. S., & Eduardo, N. (2011). Human Milk Probiotic *Lactobacillus fermentum* CECT5716 Reduces the Incidence of Gastrointestinal and Upper Respiratory Tract Infections in Infants. *Journal of pediatric gastroenterology and nutrition*, 54(1):5561.
- ❖ Joshi, H. S., Gupta, R., Joshi, M. C., & Mahajan, V. (2011). Determinants of nutritional status of school children-A cross sectional study in the western region of Nepal. *National Journal of Integrated Research in Medicine*, 2(1), 10.
- ❖ Kaetzel, C. S. (2007). *Mucosal Immune Defense: Immunoglobulin A*. New York: Springer Science.
- ❖ Kaetzel, C. S. (2014). Cooperativity among secretory IgA, the polymeric immunoglobulin receptor, and the gut microbiota promotes host-microbial mutualism. *Immunology letters*, 162(2), 10-21.
- ❖ Kagnoff, M. F. (1987). *Physiology of the gastrointestinal tract*. New York: Raven Press.
- ❖ Kamata, T., Nogaki, F., Fagarasan, S., Sakiyama, T., Kobayashi, I., Miyawaki, S., ... & Honjo, T. (2000). Increased frequency of surface IgA-positive plasma cells in the intestinal lamina propria and decreased IgA

- excretion in hyper IgA (HIGA) mice, a murine model of IgA nephropathy with hyperserum IgA. *The Journal of Immunology*, 165(3), 1387-1394.
- ❖ Kassel, J. C., King, D., & Spurling, G. K. (2010). Saline nasal irrigation for acute upper respiratory tract infections. *Cochrane Library*, 17(3).
 - ❖ Katona, P., & Katona-Apte, J. (2008). The interaction between nutrition and infection. *Clinical Infectious Diseases*, 46(10), 1582-1588.
 - ❖ Kaur, G. (2007). *Diet Soft*. New Delhi: India.
 - ❖ Kaushik, A., Raj, R., Mishra, C. P., & Singh, S. P. (2012). Nutritional status of rural primary school children and their socio-demographic correlates: a cross-sectional study from Varanasi. *Indian Journal of Community Health*, 24(4), 310-318.
 - ❖ Klugman, G. (2014, April). Addressing malnutrition in South Africa. *Science in Africa*. Retrieved from the Science in Africa website: <http://www.scienceafrica.co.za/2002/june/food2.htm>.
 - ❖ Knol, J. B., Lidestri, G., Negretti, M., Jelinek, F., Agosti J., ... & Mosca, F. (2005). Increase of faecal bifidobacteria due to dietary oligosaccharides induces a reduction of clinically relevant pathogen germs in the faeces of formula-fed preterm infants. *Acta Paediatrica Supplement*, 94, 31-33.
 - ❖ Kumar, S. A. K. (2012, 28th February). *Hunger*. Retrieved from The Hunger Magazine website: <http://www.littlemag.com/hunger/shiv2.html>, 28/02/2012

- ❖ Kuruvilla, A., & Mulchandani, S. (2010). *Assessment of Health and Nutrition & Impact of Iron Folic acid supplementation and Nutrition Health Education on Hemoglobin levels & knowledge, Attitude, Practices among Tribal Adolescent boys (10 -19 yrs) in four villages of Jhagadiya talks, Gujarat*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Kuruvilla, A., & Shah, B. (2007). *Nutrition health profile and impact evaluation of nutrition communication program on knowledge and perceptions of under privileged adolescents (10-19 yrs) in the urban slums of Vadodara city*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Kurz, K., & Johnson-Welch, C. (2001). Enhancing women's contributions to improving family food consumption and nutrition. *Food and Nutrition Bulletin*, 22(4), 443-453.
- ❖ Lakshmi, J. A., Khyrunnisa, B., Saraswathi, G., & Jamuna, P. (2005). Influence of Nutrition and Environment on Morbidity Profile of Indian Preschool Children. *Malaysian Journal of Nutrition*, 11(2), 121-132.
- ❖ Laparra, J. M., & Sanz, Y. (2010). Interactions of gut microbiota with functional food components and nutraceuticals. *Pharmacological Research*, 61(3), 219-225.

- ❖ Liberati, A., D'Amico, R., Pifferi, T. V., & Brazzi, L. (2004). Antibiotic prophylaxis to reduce respiratory tract infections and mortality in adults receiving intensive care. *The Cochrane Database of systematic reviews*, 1.
- ❖ Litman, G. W., Rast, J. P., Shablott, M. J., Haire, R. N., Hulst, M., Roess, W., ... & Amemiya, C. T. (1993). Phylogenetic diversification of immunoglobulin genes and the antibody repertoire. *Molecular Biology and Evolution*, 10(1), 60-72.
- ❖ Lohman, T. G., Roche, A. F. & Martorell, R. (1988). *Anthropometric Standardization Reference Manual*. Human Kinetics, Champaign (Illinois).
- ❖ Lotankar, N., & Sheth, M. (2014). *Impact of Fructooligosaccharide supplementation on oral health (S.mitis Establishment) and Gut health of Young Children of Urban Vadodara*. Unpublished Masters Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Lutter, C. K., Daelmans, B. M., de Onis, M., Kothari, M. T., Ruel, M. T., Arimond, M., ... & Borghi, E. (2011). Undernutrition, poor feeding practices, and low coverage of key nutrition interventions. *Pediatrics*, 128(6), e1418-e1427.
- ❖ Madan, J., Gosavi, N., Vora, P., & Kalra, P. (2014). Body fat percentage and its correlation with dietary pattern, physical activity and life-style factors

- in school going children of Mumbai, India. *Journal of Obesity and Metabolic Research*, 1(1), 14.
- ❖ Mahendra, A., & Sheth, M. (2014). *Acceptability Trials Of Fructooligosaccharide (FOS) Substituted Food Products And Impact Evaluation Of FOS Supplementation In Type 2 Diabetic Adults In Terms Of Their Glycemia, Gut Incretin (Glp-1) And Gut Microbiota*. Unpublished Doctoral Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
 - ❖ Mandal, G. C., & Bose, K. (2009). Assessment of overall prevalence of undernutrition using Composite Index of Anthropometric Failure (CIAF) among preschool children of West Bengal, India. *Iranian Journal of Pediatrics*, 19(3), 237-243.
 - ❖ Mandali, J., & Sheth, M. (2011). *Impact Of Fructooligosaccharide Supplementation On The Establishment Of Bifidobacteria In The Gut Of Undernourished Preschoolers Belonging To The Middle Income Group Of Urban Vadodara*. Unpublished Masters Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
 - ❖ Mandar, R. & Mikelsaar, M. (1996). Transmission of mother's microflora to the newborn at birth. *Biology of the Neonate*, 69, 30-35.
 - ❖ Manna, P. K., De. D., Bera, T. K., Chatterjee, K., & Ghosh, D. (2011). Anthropometric Assessment of Physical Growth and Nutritional Status among School Children of North Bengal. *Anthropologist*, 13(4), 299-305.

- ❖ Martin, R., Langa, S., Reviriego, C., Jiminez, E., Marin, M. L., Xaus, J., ... & Rodriquez, J. M. (2003). Human milk is a source of lactic acid bacteria for the infant gut. *Journal of Pediatrics*, 143, 754-8.
- ❖ Martin, R., Olivares, M., Marin, M. L., Farnandez, L., Xaus, J., & Rodriquez, J. M. (2005). Probiotic potential of 3 lactobacilli strains isolated from breast milk. *Journal of Human Lactation*, 21, 8-17.
- ❖ Martorell, R. (2000). Child nutrition and the wealth of nations. *Emory University*, 1-20.
- ❖ Mason, J. B., Musgrove, P., & Habicht, J. P. (2003). *At least one-third of poor countries' burden is due to malnutrition. Working paper no. 1, Disease Control Priorities Project. Bethesda. MD: Fogarty International Center, National Institutes of Health.*
- ❖ Masry, E. S. (2013). Malnutrition in Egyptian Children. Abstract. *Annals of Nutrition and Metabolism*, 63(1), 255.
- ❖ McCracken, V. J., & Lorenz, R. G. (2001). The gastrointestinal ecosystem: a precarious alliance among epithelium, immunity and microbiota. *Cellular Microbiology*, 3, 1-11.
- ❖ McMurray, D.N. (1988). The effect of protein malnutrition on the IgA immune response in mice. *Immunology*, 64, 697-702.

- ❖ Medhi, G. K., Barua, A., & Mahanta, J. (2006). Growth and nutritional status of school age children (6-14 Years) of tea garden worker of Assam. *Journal of Human Ecology, 19*, 83-85.
- ❖ Medhi, G. K., Hazarika, N. C., & Mahanta, J. (2007). Nutritional status of adolescents among tea garden workers. *Indian Journal of Pediatrics, 74*, 343-347.
- ❖ Medicinal Food News. (1997). *Fructooligosaccharide*. Retrieved from the Medicinal Food News website: <http://www.medicinalfoodnews.com/vol01/issue6/fructo>
- ❖ Mehrotra, M., Santosh, A., & Veenu, N. (2011). Nutritional Health Status of Primary School Children. *Indian Educational Review, 48*(1), 18.
- ❖ Mondal, D., Minak, J., Alam, M., Liu, Y., Dai, J., Korpe, P., ... & Petri, W. A. (2012). Contribution of enteric infection, altered intestinal barrier function, and maternal malnutrition to infant malnutrition in Bangladesh. *Clinical Infectious Diseases, 54*(2), 185-192.
- ❖ Moro, G., Arslanoglu, S., Stahl, B., Jelinek, J., Wahn, U., & Boehm, G. (2006). A mixture of prebiotic oligosaccharides reduces the incidence of atopic dermatitis during the first six months of age. *Archives of Disease in Childhood, 91*(10), 814-819.
- ❖ Moschen, A. R., Wieser, V., & Tilg, H. (2012). Dietary factors: major regulators of the gut's microbiota. *Gut and liver, 6*(4), 411.

- ❖ Mourao, J. L., Pinheiro, V., Alves, A., Guedes, C. M., Pinto, L., Saavedra, M. J., ... & Kocher, A. (2006). Effect of mannan oligosaccharides on the performance, intestinal morphology and cecal fermentation of fattening rabbits. *Animal Feed Science and Technology*, 126, 107-120.
- ❖ Naarding, M. A., Ludwig, I. S., Groot, F., Berkhout, B., Geijtenbeek, T. B., Pollakis, G., & Paxton, W. A. (2005). Lewis X component in human milk binds DC-SIGN and inhibits HIV-1 transfer to CD4+ T lymphocytes. *Journal of Clinical Investigation*, 115, 3256-3264.
- ❖ Nagati, K., Mansour, B., & Alouane, L. (2003). Multiple approaches to Micronutrient Deficiency in Developing Countries. *Forum of Nutrition*, 56, 282-283.
- ❖ Nair, K. R. G. (2007). Malnourishment among Children in India: A regional analysis. *Economic and Political Weekly*, 3797-3803.
- ❖ Nakamura, S., Sarker, S. A., Wahed, M. A., Wagatsuma, Y., Oku, T., & Moji, K. (2006). Prebiotic effect of daily fructooligosaccharide intake on weight gain and reduction of acute diarrhea among children in a Bangladesh urban slum: a randomized double-masked placebo-controlled study. *Tropical medicine and health*, 34(3), 125-131.
- ❖ Nambiar, V. S., & Desai, R. (2012). Positive and negative deviant behaviors affecting the mid day meal programme (MDMP) in government aided

- primary schools of an urban Indian city: causes, consequences and solutions. *International Journal of Biomedical Research and Analysis*, 3(3), 1-10.
- ❖ Nambiar, V., & Kuhu, R. (2010). *Monitoring and Evaluation of the Mid Day Meal Programme In Tribal schools of chhota udepur and Impact of Mid Day Meal Programme on Nutritional status of Adolescents*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
 - ❖ Nandi Foundation (2011). *HUNGAMA: Fighting hunger and malnutrition – The Hungama Survey Report 2011*. Hyderabad: Naandi Foundation.
 - ❖ Nandy, S., Irving, M., Gordon, D., Subramanian, S. V., & Smith, G. D. (2005). Poverty, child undernutrition and morbidity: new evidence from India. *Bulletin of the World Health Organization*, 83(3), 210-216.
 - ❖ Nauta, A. J., & Garssen, J. (2013). Evidence-based benefits of specific mixtures of non-digestible oligosaccharides on the immune system. *Carbohydrate polymers*, 93(1), 263-265.
 - ❖ Nel, E. D. (2010). Diarrhoea and malnutrition. *South African Journal of Clinical Nutrition*, 23(1) Suppl, S15-S18.
 - ❖ Neumann, C. G., Lawlor, G. J., Stiehm, E. R., Swenseid, M. E., Newton, C., Herbert, J., & Jacob, M. (1975). Immunologic responses in malnourished children. *The American journal of clinical nutrition*, 28(2), 89-104.

- ❖ Nikawa, T., Odahara, K., Koizumi, H., Kido, Y., Teshima, S., Rokutan, K., & Kishi, K. (1999). Vitamin A prevents the decline in immunoglobulin a and th2 cytokine levels in small intestinal mucosa of protein-malnourished mice. *The Journal of Nutrition*, 129, 934-941.
- ❖ Nisbett, N., Gillespie, S., Haddad, L., & Harris, J. (2014). Why worry about the politics of childhood undernutrition?. *World Development*, 64, 420-433.
- ❖ Nopchinda, S., Varavithya, W., Phuapradit, P., Sangchai, R., Suthutvoravut, U., Chantraruksa, V., & Haschke, F. (2002). Effect of bifidobacterium Bb12 with or without Streptococcus thermophilus supplemented formula on nutritional status. *Journal of Medical Association of Thailand*, 85(Suppl 4), S1225-S1231.
- ❖ O'Hara, A. M., & Shanahan, F. (2006). The gut flora as a forgotten organ. *EMBO reports*, 7(7), 688-693.
- ❖ Oli, M. W., Petschow, B. W., & Buddington, R. K. (1998). Evaluation of fructooligosaccharide supplementation of oral electrolyte solutions for treatment of diarrhea (Recovery of the intestinal bacteria). *Digestive diseases and sciences*, 43(1), 138-147.
- ❖ Onubi, O. J., Poobalan, A. S., Dineen, B., Marais, D., & McNeill, G. (2015). Effects of probiotics on child growth: a systematic review. *Journal of Health population and Nutrition*, 34, 8.

- ❖ Papoff, P., Ceccarelli, G., d'Ettorre, G., Cerasaro, C., Caresta, E., Midulla, F., & Moretti, C. (2012). Gut microbial translocation in critically ill children and effects of supplementation with pre-and pro biotics. *International journal of microbiology*.
- ❖ Park, K. (2009). *Preventive and Social Medicine*. Jabalpur: Banarsidas Bhanot.
- ❖ Petri, W. A., Miller, M., Binder, H. J., Levine, M. M., Dillingham, R., & Guerrant, R. L. (2008). Enteric infections, diarrhea, and their impact on function and development. *The Journal of Clinical Investigation*, 118, 1277-1290.
- ❖ Prendergast, A. J. (2015). Malnutrition and vaccination in developing countries. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 370(1671), 20140-20141.
- ❖ Qiao, H., Duffy, L. C., Griffiths, E., Dryja, D., Leavens, A., Rossman, J., ... & Lochniskar, M. (2002). Immune responses in rhesus rotavirus challenged Balb/c mice treated with bifidobacteria and prebiotic supplements. *Pediatric Research*, 51, 750-5.
- ❖ Qin, J., Li, R., Raes, J., Arumugam, M., Burgdorf, K. S., Manichanh, C., Nielsen, T., ... & Wang, J. (2010). A human gut microbial gene catalogue established by metagenomic sequencing. *Nature*, 464, 59-65.

- ❖ Ramona, R., Robinson, M. S., Joellen, F., & Joanne, L. (2001). Department of Food Science & Nutrition, University of Minnesota, St. Paul, Minnesota. *The Journal of American College of Nutrition*, 20(4), 279-285.
- ❖ Rao, S. P. N. (2015, January). B cell activation and Humoral Immunity. Retrieved from the Microrao website: http://www.microrao.com/micronotes/pg/humoral_immunity.pdf
- ❖ Rhoades, J., Gibson, G., Formentin, K., Beer, M., & Rastall, R. (2006). Inhibition of the adhesion of enteropathogenic Escherichia coli strains to HT 29 cells in culture by chito-oligosaccharides. *Carbohydrate Polymers*, 64, 57-59.
- ❖ Rhonda, C. (2014). *Immunoglobulin A (IgA)*. Retrieved from the Queen's University Belfast website: <http://bitesized.immunology.org/receptors-and-molecules/immunoglobulin-a>
- ❖ Rivero-Urgell, M., & Santamaria-Orleans, A. (2001). Oligosaccharides: Application in infant food. *Early Human Development*, 65, S43-S52.
- ❖ Roberfroid, M. (2007). Prebiotics: the concept revisited. *The Journal of Nutrition*, 137(3), 830-837.
- ❖ Roberfroid, M., Gibson, G. R., Hoyles, L., McCartney, A. L., Rastall, R., Rowland, I., ... & Meheust, A. (2010). Prebiotic effects: metabolic and health benefits. *The British Journal of Nutrition*, 104(S2), S1-S63.

- ❖ Robinson, L., & Chemoneth, G. (1986). Normal and therapeutic nutrition. 7th ed. *Macmillan Publishing Company, Inc.*, 45-49.
- ❖ Rodriguez, L., Cervantes, E., & Ortiz, R. (2011). Malnutrition and gastrointestinal and respiratory infections in children: a public health problem. *International journal of environmental research and public health*, 8(4), 1174-1205.
- ❖ Ruel, M. (2013). Operationalizing dietary diversity: A review of measurement issues and research priorities. *Journal of Nutrition*, 133 (11) 3911S-3926S.
- ❖ Saarela, M., Lahteenmaki, L., Crittenden, R., Salminen, S., & Mattila-Sandholm, T., (2002). Gut bacteria and health foods: The European perspective. *International Journal of Food Microbiology*, 78, 99-117.
- ❖ Sangwan, V., Tomar, S. K., Singh, R. R., Singh, A. K., & Ali, B. (2011). Galactooligosaccharides: novel components of designer foods. *Journal of Food Science*, 76(4), R103-R111.
- ❖ Saran, S., Gopalan, S., Krishna, T. P. (2002). Use of fermented foods to combat stunting and failure to thrive. *Nutrition*, 18, 393-6.
- ❖ Saulnier, D. M., Molenaar, D., de Vos, W. M., Gibson, G. R., & Kolida, S. (2007). Identification of prebiotic fructooligosaccharide metabolism in

- Lactobacillus plantarum WCFS1 through microarrays. *Applied and environmental microbiology*, 73(6), 1753-1765.
- ❖ Sazawal, S., Dhingra, U., Hiremath, G., Sarkar, A., Dhingra, P., Dutta, A., ... & Black, R. E. (2010). Effects of Bifidobacterium lactis HN019 and prebiotic oligosaccharide added to milk on iron status, anemia, and growth among children 1 to 4 years old. *Journal of Pediatric Gastroenterology and Nutrition*, 51(3), 341-346.
 - ❖ Schaible, U. E., & Kaufmann, S. H. (2007). Malnutrition and Infection: Complex Mechanisms and Global Impacts. *PLoS Medicine*, 4(5), e115.
 - ❖ Schijf, M. A., Kruijsen, D., Bastiaans, J., Coenjaerts, F. E., Garsen, J. V., & Bleek G. M. (2012). Van't Land B: Specific dietary oligosaccharides increase Th1 responses in a mouse respiratory syncytial virus infection model. *Journal of Virology*, 86(21), 11472-11482.
 - ❖ Schley, P. D., & Field, C. J. (2002). The immune-enhancing effects of dietary fibres and prebiotics. *The British Journal of Nutrition*, 87(suppl 2), S221-S230.
 - ❖ Schneeman, B. O. (1999). Fiber, inulin and oligofructose: similarities and differences. *The Journal of nutrition*, 129(7), 1424S-1427S.

- ❖ Seifert, S., & Watzl, B. (2007). Inulin and oligofructose: review of experimental data on immune modulation. *The Journal of nutrition*, 137(11), 2563S-2567S.
- ❖ Sekirov, I., Russell, S. L., Antunes, L. C. M., & Finlay, B. B. (2010). Gut microbiota in health and disease. *Physiological reviews*, 90(3), 859-904.
- ❖ Sengar, V., & Sharma, K. (2013). *Developing a Healthy Eating Index and Food Behaviour Checklist for Adolescents in the Indian Context and Assessing the Impact of a Nutrition Communication Programme to Improve their Dietary Practices*. Unpublished Doctoral Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Sharma, K., & Dave, S. (2009). *Nutritional Determinants of Malnutrition among Rural School children of Vadodara & Impact of Niger seeds and Garden cress seeds Chikki Supplementation on Growth, Morbidity Profile & Hemoglobin status*. Unpublished Master's Dissertation. Department of Foods and Nutrition, FFCSc, The MSU of Baroda, Vadodara, Gujarat, India.
- ❖ Sheth, M. K., & Gupta, N. (2014). Metabolic effect of FOS (Fructooligosaccharide) in terms of gut incretin (glp-1) gut microflora and weight reduction in obese adults. *International Journal of Applied Biology and Pharmaceutical Technology*, 5(3), 256-264.
- ❖ Shetty, P. (2003). Malnutrition and undernutrition. *Medicine*, 31(4), 18-22.

- ❖ Simakachorn, N., Bibiloni, R., Yimyaem, P., Tongpenyai, Y., Varavithaya, W., Grathwohl, D., ... & Schiffrin, E. J. (2011). Tolerance, safety, and effect on the faecal microbiota of an enteral formula supplemented with pre-and probiotics in critically ill children. *Journal of pediatric gastroenterology and nutrition*, 53(2), 174-181.
- ❖ Singh, J. P., Kariwal, P., Gupta, S. B., Singh, A. K., & Imtiaz, D. (2014). Nutritional status and morbidity among school going children: A scenario from a rural India. *Scholars Journal of Applied Medical Sciences*, 2(1), 379-83.
- ❖ Singh, R. B. (2014). *Towards a Food Secure India and South Asia: Making Hunger History*. Retrieved from the Asia-Pacific Association of Agricultural Research Institutions,(APAARI) website: <http://www.apaari.org/wp-content/uploads/2009/08/towards-a-food-secure-india-making-hunger-history.pdf>. DoA, 26.
- ❖ Slavin, J. (2013). Fiber and prebiotics: mechanisms and health benefits. *Nutrients*, 5(4), 1417-1435.
- ❖ Smith, L. C. (2015). The great Indian calorie debate: Explaining rising undernourishment during India's rapid economic growth. *Food Policy*, 50, 53-67.

- ❖ Smith, L. C., & Haddad, L. (2014). Reducing Child Undernutrition: Past Drivers and Priorities for the Post-MDG Era. *World Development*, 68, 180–204.
- ❖ Sober Eric. (2015, 5th September) Retrieved from the Image Buddy website: <http://imgbuddy.com/immune-response-concept-map.asp>.
- ❖ Som, S., Pal, M., Bhattacharya, B., Bharati, S., & Bharati, P. (2006). Socioeconomic differentials in nutritional status of children in the states of West Bengal and Assam, India. *Journal of Biosocial Science*, 38(5), 625.
- ❖ Srivastava, A., Mahmood, S. E., Srivastava, P. M., Shrotriya, V. P., & Kumar, B. (2012). Nutritional status of school-age children-A scenario of urban slums in India. *Archives of Public Health*, 70(8).
- ❖ Sullivan, P. B., Thomas, J. E., Wight, D. G. D., Neale, G., Eastham, T. C., & Lloyd-Evans, N. (1990). *Helicobacter pylori* in Gambian children with chronic diarrhoea and malnutrition. *Archives of Disease in Childhood*, 65, 189-191.
- ❖ Suzuki, K., & Nakajima, A. (2014). New aspects of IgA synthesis in the gut. *International immunology*, 26(9), 489-494.
- ❖ Swanson, K. S., Grieshop, C. M., Flickinger, E. A., Bauer, L. L., Healy, H. P., Dawson, K. A., Merchen, N. R., Fahey, G. C. (2002). Supplemental fructooligosaccharides and mannanoligosaccharides influence immune

- function, ileal and total tract nutrient digestibilities, microbial populations and concentrations of protein catabolites in the large bowel of dogs. *Journal of Nutrition*, 132, 980-989.
- ❖ Szumilas, M. (2010). Explaining Odds Ratios. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*, 19(3), 227-229.
 - ❖ Talukdar, K., & Baruah, R. (2015). Health Status Of Primary School Children: A Community Based Cross Sectional Study in Rural areas of Kamrup District, Assam. *Journal of Evolution of Medical and Dental Sciences*, 4(13).
 - ❖ Tamime, A. Y., & Robinson, R. K. (2007). *Tamime and Robinson's Yoghurt Science and Technology*. Woodhead Publishing, Cambridge.
 - ❖ Ten-Bruggencate, S. J., Bovee-Oudenhoven, I. M., Lettink-Wissink, M. L., Katan, M. B., & Van-der M., R. (2006). Dietary fructooligosaccharides affect intestinal barrier function in healthy men. *The Journal of Nutrition*, 136(1), 70-74.
 - ❖ Thakur, R., & Gautam, R. (2014) K. Prevalence of undernutrition among School going boys (5-18 years) of a Central Indian city (Sagar). *Human Biology Review*, 3(4), 364-383.

- ❖ *The Economic Times*. (2015, 4th July). Retrieved from the Economic times website: http://articles.economictimes.indiatimes.com/2015-07-04/news/64090965_1_health-ministry-survey-report-malnutrition.
- ❖ *The Hindu*. (2013, 5th October). Retrieved from the Hindu website: <http://www.thehindu.com/news/national/other-states/every-third-child-in-gujarat-is-underweight-says-cag/article5201963.ece>.
- ❖ *The Lancet*. (2013). *Executive Summary of the Lancet Maternal and Child Nutrition Series*.
- ❖ *The United Nations Girls' Education Initiative (UNGEI)*. (2005). Technical Meeting Report: Summary Outcomes.
- ❖ Thomas, L. (1998). *Clinical Laboratory Diagnostics*. Frankfurt, Verlagsgesellschaft: TH-Books.
- ❖ Tissier, H. (1900) *Recherches sur la flore intestinale des nourrissons*
- ❖ Tuohy, K. M., Kolida, S., Lustenberger, A. M., & Gibson, G. R. (2001). The prebiotic effects of biscuits containing partially hydrolysed guar gum and fructo-oligosaccharides— a human volunteer study. *British Journal of Nutrition*, 86, 341–8.
- ❖ Ujwala, U. U., & Dhruv, S. C. (2012). Morbidity Profile of Pre-School Children in an Urban Slum Area. *Indian Medical Gazette*, 300-304.

- ❖ United Nations Children's Fund (UNICEF). (2004). *Global Press Report: Vitamin and Mineral Deficiency Global Press Report UNICEF House*. New York: United Nations Children's Fund.
- ❖ United Nations Children's Fund (UNICEF). (2005, 15th July). Retrieved from the UNICEF website: <http://unicef.in/State/Gujarat#sthash.J4G3J61A.dpuf>
- ❖ United Nations Children's Fund (UNICEF). (2005, April). *Progress for Children No.2 - A report card on gender parity and primary education*. UNICEF, New York.
- ❖ United Nations Children's Fund (UNICEF). (2015, July). Retrieved from the UNICEF website: http://www.unicef.org/progressforchildren/2006n4/index_additionalstories.html#note34
- ❖ United Nations Children's Fund. (2006). *Progress for Children, A report card on nutrition*. Retrieved from the UNICEF website: http://www.unicef.org/media/files/PFC2012_A_report_card_on_adolescents.pdf
- ❖ United Nations Children's Fund. (2009). *Childinfo: Monitoring the Situation of Children and Women*. Retrieved from the UNICEF website: <http://data.unicef.org/>

- ❖ University Health Service. (2009). *Cold care*. Retrieved from the University of Rochester website: <https://www.rochester.edu/uhs/healthtopics/ColdCare/files/CommonCold.pdf>
- ❖ University Health Service. (2009). *Constipation*. Retrieved from the University of Berkley website: <http://www.uhs.berkeley.edu/home/healthtopics/PDF%20Handouts/Constipation.pdf>
- ❖ USDHHS (US Department of Health and Human Services). (2003). Understanding the immune system how it works. *NIH Publication, Sep.*
- ❖ Vandenplas, Y., Zakharova, I., & Dmitrieva, Y. (2015). Oligosaccharides in infant formula: more evidence to validate the role of prebiotics. *British Journal of Nutrition, 113*(09), 1339-1344.
- ❖ Van-Hoffen, E., Ruiters, B., Faber, J., M'Rabet, L., Knol, E.F., Stahl, B., ... & Garssen, J. (2009). A specific mixture of short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides induces a beneficial immunoglobulin profile in infants at high risk for allergy. *Allergy, 64*(3), 484-487.
- ❖ Vendrig, J. C., Coffeng, L. E., & Fink-Gremmels, J. (2014). Effects of orally administered galacto-oligosaccharides on immunological parameters in foals: a pilot study. *BMC veterinary research, 10*(1), 278.

- ❖ Vos, A. P., Haarman, M., Van-Ginkel, J. W., Knol, J., Garssen, J., Stahl, B., ... & M'Rabet, L. (2007). Dietary supplementation of neutral and acidic oligosaccharides enhances Th1-dependent vaccination responses in mice. *Pediatric Allergy and Immunology*, 18(4), 304-312.
- ❖ Vrieze, A., Holleman, F., Zoetendal, E. G., De-Vos, W. M., Hoekstra, J. B. L., & Nieuwdorp, M. (2010). The environment within: how gut microbiota may influence metabolism and body composition. *Diabetologia*, 53(4), 606-613.
- ❖ Vulevic, J., Juric, A., Tzortzis, G., & Gibson, G. R. (2013). A mixture of trans-galactooligosaccharides reduces markers of metabolic syndrome and modulates the fecal microbiota and immune function of overweight adults. *Journal of Nutrition*, 143, 324-31.
- ❖ Walker, W. A. (2000). Role of nutrients and bacterial colonization in the development of intestinal host defense. *Journal of Pediatric Gastroenterology and Nutrition*, 30, S2-S7.
- ❖ Wang, S. S. (2012, January). *A Gut Check for Many Ailments*. Retrieved from the Wall Street Journal website: <http://www.wsj.com/articles/SB10001424052970204468004577164732944974356>
- ❖ Watzl, B., & Seifert, S. (2007). Inulin and oligofructose: review of experimental data on immune modulation. *The Journal of nutrition*, 137(11), 2563S-2567S.

- ❖ Watzl, B., Girrbach, S., & Roller, M. (2005). Inulin, oligofructose and immunomodulation. *British Journal of Nutrition*, 93(S1), S49-S55.
- ❖ Wikipedia (2015, May). *Spearman's rank correlation coefficient*. Retrieved from the Wikipedia website: http://en.wikipedia.org/wiki/Spearman's_rank_correlation_coefficient
- ❖ Wikipedia. (2015, May). *Analysis of variance*. Retrieved from the Wikipedia website: http://en.wikipedia.org/wiki/Analysis_of_variance
- ❖ Wikipedia. (2015, May). *Immunity (medical)*. Retrieved from the Wikipedia website: [https://en.wikipedia.org/wiki/Immunity_\(medical\)](https://en.wikipedia.org/wiki/Immunity_(medical))
- ❖ World Bank. (2015, April). *Executive Summary*. Retrieved from the World Bank website: http://siteresources.worldbank.org/SOUTHASIAEXT/Resources/2235461147272668285/undernourished_executive_summary.pdf.
- ❖ World Food Programme and United Nations Children's Fund. (2005). *The Essential Package: Twelve interventions to improve the health and nutrition of school-age children, WFP School Feeding Service*. Rome.
- ❖ World Health Organization (WHO). (2001). The prevention and management of severe anaemia in children in malaria-endemic regions of Africa. May 7-9, Geneva.

- ❖ World Health Organization (WHO). (2005). *Malnutrition. Quantifying the health impact at national and local levels*. Retrieved from the WHO website: http://www.who.int/nutgrowthdb/publications/quantifying_health_impact/en/
- ❖ World Health Organization. (2007). *Child Growth Standards, methods and development. Length/height-for-age, weight-for-age, weight-for-length, weight-for height and body mass index-for-age*. Retrieved from the WHO website: http://www.who.int/childgrowth/standards/technical_report/en/
- ❖ World Health Organization. (2008). *Diarrhoea*. Retrieved from the WHO website: <http://www.who.int/topics/diarrhoea/en/>
- ❖ World Health Organization. (2009). *Children's Health and the Environment. WHO Training Package for the Health Sector. World Health Organization*.
- ❖ Yasui, H., Kiyosima, J., Hori, T., & Shida, K. (1999). Protection against influenza infection of mice fed Bifido bacterium breve YIT 4064. *Clinical and Diagnostic Laboratory Immunology*.