

References :

Ahmad M, Ali AH. Separation of metal ions from aqueous solutions using precipitate dissolved air flotation. *Dirasat, Engrg. Sci.* 2010; 37(1): 54-66.

Ahmaruzzaman M. Industrial wastes as low –cost potential adsorbents for the treatment of wastewater laden with heavy metals *Adv. colloid interface sci.* 2011; 166: 36-59.

Ahn C K, Park D, Woo SH , Park J M. Removal of cationic heavy metal from aqueous solution by activated carbon impregnated with anionic surfactants. *J. Hazard.Mater.* 2009; 164:1130-1136.

Alahverdjieva VS, Khristov Khr., Exerowa D, Miller R.. Correlation between adsorption isotherms, thin liquid films and foam properties of protein/surfactant mixtures: Lysozyme/C10DMPO and lysozyme/SDS. *Colloids Surf. A.* 2008; 323:132-138.

Aldrich C, Feng D. Removal of heavy metals from wastewater effluents by biosorptive flotation. *Miner. Engg.* 2000; 13(10-11): 1129-1138.

Alexandrova L. Grigorov L. Precipitate and adsorbing colloid flotation of Dissolved copper, lead and zinc ions. *Int. J. Miner. Process.* 1996; 48: 111-125.

Alper E, Abu-Sharkh B. Kinetics of absorption of oxygen into aqueous sodium sulfite: order in oxygen. *AIChE J.* 1988;34(8):1384-1386.

Arulmojhi M, Begum KMM S, Anantharaman N. Continuous foam separation of Heavy metal ions from electroplating industrial effluent *Chem. Eng. Commun.* 2010; 198(4): 541-551.

Arulmojhi M, Begum KMMS, Anantharaman N. Foam separation of copper (II) from aqueous solutions. *J. Environ. Res. & Dev.* 2007; 2(2): 217-225.

Astarita G, Marrucci G, Gioia F. The influence of carbonation ratio and total amine concentration on carbon dioxide absorption in aqueous monoethanolamine solutions. *Chem. Eng. Sci.* 1964; 19: 95-103.

Bando Y, Kuze T, Sugimoto T, Yasuda K, Nakamura M. Development of bubble column for foam separation *Korean J. Chem. Eng.* 2000; 17(5): 597-599.

Barakat MA. New trends in removing heavy metals from industrial wastewater *Arabian J. Chem.* 2011; 4: 361–377.

Basak S, Charewicz WA. Flotation of metal hydroxide precipitates. II. Flotation of zinc and cobalt hydroxides . *J. Chem. Technol. Biotechnol.* 1986; 36(12): 557-561.

Beheir SHG, Aziz M. Removal of zn(II) from dilute aqueous solutions and radioactive process wastewater by foam separation *J. Radioanal. Nucl. Chem.* 1996; 209(1):75-89.

Belkacem M, Khodir M, Abdeldrim S. Treatment characteristics of textile wastewater and removal of heavy metals using the electroflotation technique. *Desalination.* 2008; 228:245-254.

Bhakta A, Ruckenstein E. Drainage of a standing foam *Langmuir* 1995; 11: 1486-1492.

Bhise SB, Mookkan S Formulation and evaluation of novel FDCs of antitubercular drugs. *J. of Pharm. Res.* 2009;2:437-444.

Bikerman JJ. *Foams*; Springer- verlag Berlin. New York, 1973.

Bisperink CGJ, Ronteltap AD, Prins A . Bubble-size distributions in foams. *Adv. Colloid Interface Sci.* 1992; 38:13-32.

Blais JF, Djedidi Z, Cheikh RB, Tyagi RD, Mercier G. Metals precipitation from effluents : Review. *Pract. period. hazard., toxic, radioact. Waste manag.* 2008; 12(3): 135-149.

Butter TJ, Evison LM, Hancock IC, Holland FS, Matis KA, Philipson A, Sheikh AI, Zouboulis AI. The removal and recovery of cadmium from dilute aqueous solutions by biosorption and electrolysis at laboratory scale. *Wat. Res.* 1998; 32(2): 400-406.

Carey E , Stubenrauch C. Foaming properties of mixtures of a non-ionic (C₁₂DMPO) and anionic surfactant (C₁₂TAB) *J. Colloid Interface Sci.* 2010; 346 :414–423.

Carey E, Stubenrauch C. Properties of aqueous foams stabilized by dodecyltrimethylammonium bromide. *J. Colloid Interface Sci.* 2009; 333: 619–627.

Cayllahua JEB., Torem M.L Biosorptive flotation of nickel and aluminum ions from aqueous solution *Desalination* 2011;279:195–200.

Chang CH, Franses EI. Adsorption dynamics of surfactants at the air/water interface: a critical review of mathematical models, data, and mechanisms. *Colloids Surf. A.* 1995; 100: 1-45.

Charewicz WA , Basak SA. Kinetic study of precipitate flotation of zinc(II), cobalt(II) and copper (II) hydroxides *J. Chem. Technol. Biotechnol.* 1982;32(2) : 407-411.

Chari K, Hossain T Z Adsorption at the Air/water interface from an aqueous solution of Poly (vinylpyrrolidone) and sodium dodecyl sulfte *J. Phys. Chem.* 1991; 95: 3302-3305.

Chen LJ , Lin SY, Chern CS, Wu Sh-C. Critical micelle concentration of mixed surfactant SDS/NP (EO)₄₀ and its role in emulsion polymerization. *Colloid Surf. A.* 1997; 122 :161-168.

Choi S-J, Ihm S-K. Removal of Cu (II) from aqueous solutions by the foam separation techniques of precipitate and adsorbing colloid flotation *Sep. Sci. Technol.* 1988; 23 (4-5): 363-374.

Clarke AN, Wilson DJ. *Foam Flotation–Theory and Applications*. New York. Marcel Dekker, 1983.

Cooper CM , Fernstrom GA, Miller SA Performance of Agitated Gas Liquid Contactors. *Ind. Eng. Chem.* 1944; 36:504.

Cullum DC. *Introduction to surfactant analysis* ; 1st ed. Glasgow. Chapman & Hall publication , 1994.

Darton RC , SUN KH. The effect of surfactant on foam and froth properties *Trans IChemE*, 1999 ;77: 535-542.

Desai D, Kumar R. Liquid holdup in semi-batch cellular foams. *Chem. Eng. Sci.* 1983; 38(9): 1525-1534.

Doyle FM, Liu Z. The effect of triethylenetetramine (Trien) on the ion flotation of Cu^{2+} and Ni^{2+} *J. Colloid interface sci.* 2003; 258: 396-403.

Duffus JH “ Heavy Metals ”- A meaningless term ? *Pure Appl. Chem.* 2002 ; 74 (5) : 793-807.

Ferguson BB, Hinkle C, Wilson DJ. Foam separation of lead (II) and Cadmium (II) from waste water *Sep. Sci.* 1974; 9(2): 125-145.

Ferreira T, Rasband W. The imagej User Guide–IJ 1.45, imagej.nih.gov/ij/docs/guide/. 2011

Filippov LO. Laboratoire Environnement et Mineralurgie INPL-ENSG, Nancy France.

Fu F, Wang Q. Removal of heavy metal ions from wastewaters: A review *J. Environ. Manage* 2011; 92: 407-418.

Grau RA, Heiskanen K . Bubble size distribution in laboratory scale flotation cells. *Miner. Eng.* 2005; 18: 1164-1172.

Grieves RB. Foam Separations: A Review. *Chem. Eng. J.* 1975; 9: 93-106.

Guitian J , Joseph D. How Bubbly mixtures foam and foam control using a fluidized bed *Int. J. Multiphase Flow.* 1998; 24(1):1-16.

Gupta V.K. Equilibrium uptake, Sorption dynamics, Process development, and Column Operations for the Removal of Copper and Nickel from Aqueous Solution and Wastewater Using Activated Slag, a Low-Cost adsorbent *Ind. Eng. Chem. Res.* 1998; 37(1): 192-202.

Hanif MA, Nadeem R, Zafar MN, Akhtar K, Bhatti HN. Kinetic studies for Ni(II) biosorption from industrial wastewater by *Cassia fistula* (Golden Shower) biomass *J. Hazard. Mater.* 2007; 45: 501-505.

Hannachi Y, Hannachi A. The efficiency of the flotation technique for the removal of nickel ions from aqueous solution *Desalin Water Treat.* 2009; 6: 299-306.

Hartland S, Barber AD. A model for cellular foam. *Trans. Inst. Chem. Engrs.* 1974; 52: 43-52.

Hee PV, Lin WK, Vegas LB, Vander lans RGJM, Koper GJM, Vander Wielen LAM Selective recovery of micrometer particles from mixtures using a combination of selective aggregation and dissolved- air flotation *Colloids Surf. A.*, 2006; 280: 216-231.

Horozov TS. Foams and foam films stabilised by solid particles. *Curr. Opin. Colloid Interface Sci.*, 2008; 13: 134-140.

Huang S-D, Huang M-K, Gua J-Y, Wu T-P, Huang J-Y. Simultaneous removal of heavy metal ions from wastewater by foam separation techniques *Sep. Sci. Technol.* 1988; 23(4-5):489-505.

Huang S-D, Wilson D-J Foam separation of Mercury (II) and cadmium (II) from aqueous systems *Sep. Sci.* 1976; 11(3): 215-222.

Ibrahim NK, Tagreed L. Ageena NA. Removal of copper ions from wastewater by multistage flotation *Eng. & Tech.* 2010; 28(20): 6158- 6170.

Ireland PM. Coalescence in a steady-state rising foam *Chem. Eng. Sci.* 2009; 64: 4866 – 4874.

Jacobelli T, Maracci CF, Palmera M. *Separation of Metallic ions by foaming Adsorptive Bubble Separation Technique.* Acad. Press. New York ,1972.

Jalms AS. Physical chemistry in foam drainage and coarsening *Soft Matter.* 2006; 2: 836–849.

Jones AD, Robinson C. Solvent extraction and adsorptive bubble separation of metal ions from aqueous solution- II : Adsorptive bubble separation of nickel (II)

using carboxylic acids and their salts as collectors. *J. Inorg. Nucl. Chem.* 1974; 36(8): 1871-1875.

Jurkiewicz K Studies on the separation of Cd from solutions by foam separation III. Foam separation of complex cadmium anions, *Sep. Sci. Technol.* 1985; 20: 179-192.

Jurkiewicz K. Adsorptive bubble separation of zinc and cadmium cations in presence of ferric and aluminum hydroxides. *J. colloid interface sci.* 2005; 286: 559-563.

Jurkiewicz K. Flotation of zinc and cadmium cations in presence of manganese dioxide *colloids surf. A.* 2006; 276 (1-3): 207-212.

Jurkiewicz K. Gas bubble hydration and water removal in foam fractionation and ion flotation of some metals. *J. Colloid Interface Sci.* 1990 ;139(1):117-127.

Jurkiewicz K. Study on the separation of Cd from solutions by foam separation. I. Foam separation of cadmium cations *Sep.Sci. Technol.* 1984; 19: 1039-1050.

Jurkiewicz K. The removal of zinc Solutions by Foam Separation, I. Foam Separation of Complex zinc anions. *Int. J. Miner. Process.* 1990; 28: 173-188.

Karakashev SI, Nguyen AV. Effect of sodium dodecyl sulfate and dodecanol mixtures on foam film drainage: Examining influence of surface rheology and intermolecular forces *Colloids Surf. A* 2007 ; 293 : 229-240.

Karger BL, Poncha RP, Miller MW. Effect of HCl concentration on the distribution factors of iron and mercury in foam separation *Anal. Lett.* 1968; 1(7): 437-442.

Kim YS, Han JS, Choi H S Application of ion flotation technique to determination of Trace Co(II), Cu (II) and Fe(III) in water samples. *Anal. Sci.* 1991; 7: 1347-1350.

Kim YS, Kim K-C, Lee C-W. Preconcentration and determination of Trace Cd (II) and Pb(II) in a water sample by organic precipitate flotation with 8-Hydroxyquinoline *Bull. Korean Chem. Soc.* 1999; 20(4): 431-435.

Kim YS, Park SJ, Choi JM. Preconcentration and determination of trace hexavalent chromium in water samples by precipitate flotation. *Bull. Korean Chem. Soc.* 1993; 14(3): 330-335.

Kobayashi K Studies of the removal of Cd²⁺ ions by Adsorbing particle flotation *Bull.Chem. Soc. Jpn.* 1975; 48(6):1750-1754.

Koehler SA, Hilgenfeldt S, Stone HA. A Generalized view of foam drainage : Experiment and theory *Langmuir* 2000; 16: 6327-6341.

Koehler SA, Stone HA, Brenner M P , Eggers J. Dynamics of foam drainage *Phys. Rev. E* 1998; 58(2) : 2097-2106.

Koutlemani MM, Mavros P, Zouboulis AI , Matis KA. Recovery of Co²⁺ ions from aqueous solutions by froth flotation *Sep. Sci. Technol.* 1994; 29(7): 867-886.

Kubota K, Hayashi S. The removal of sodium, cadmium and chromium ions from dilute aqueous solutions using foam fractionation *Can. J. Chem. Eng.* 1977; 55(3): 286-292.

Kumar J, Balomajumder C. Mondal P. Application of Agro-based biomasses for zinc removal from wastewater-A review *Clean-Soil, Air, water* 2011; 39(7): 641-652.

Kurniawan TA, Chan GYS , Lo W-H , Babel S. Physico-chemical treatment techniques for wastewater laden with Heavy metals. *Chem. Engg. J.* 2006; 118: 83-98.

Lazaridis NK, Matis KA, Stalidis GA, Mavros P. Dissolved –Air flotation of metal ions *Sep. Sci. Technol.* 1992; 27(13):1743-1758.

Lazaridis NK, Peleka EN, Karapantsios Th.D, Matis KA. Copper removal from effluents by various separation techniques. *Hydrometallurgy.* 2004; 74: 149-156.

Lee LT. Polymer-surfactant interactions : neutron scattering and reflectivity. *Curr. Opin. Colloid Interface Sci.* 1999; 4: 205-213.

Lemlich R. *Adsorptive bubble separation techniques*, New York. Academic press, 1972.

Lemlich R. Adsorptive bubble separation methods foam fractionation and Allied techniques. *Ind. Eng. Chem.* 1968; 60 (10): 16-29.

Lesmana SO, Febriana N, Soetaredjo FE, Sunarso J, Ismadji S. Studies on potential applications of biomass for the separation of heavy metals from water and wastewater *Biochem. Eng. J.* 2009; 44:19-41.

Liao Y, Wang J, Nunge RJ, McLaughlin JB. Comments on Bubble motion in aqueous surfactant solutions *J colloid Interface Sci.* 2004; 272: 498-501.

Linek V, Kordac M, Moucha T. Evaluation of the optical sulfite oxidation method for the determination of the interfacial mass transfer area in small-scale bioreactors. *Biochem. Eng. J.* 2006; 27: 264-268.

Magrabi S A, Dlugogorski B Z , Jameson G J. Bubble size distribution and coarsening of aqueous foams *Chem. Engg. Sci.* 1999; 54: 4007-4022.

Mahne EJ, Pinfold TA. Precipitate flotation. I. Removal of nickel from dilute aqueous solutions and its separation from cobalt. *J. Appl. Chem.* 1968; 18: 52-54.

Malysa K, Lunkenheimer K. Foams under dynamic conditions *Curr. Opin. colloid interface sci.* 2008 ;13:150-162.

Mandjiny S, Zouboulis AI, Matis KA. Removal of cadmium from dilute solutions by hydroxyapatite : Part I. Sorption studies. *Sep. Sci. Technol.* 1995; 30(15): 2963-2978.

Mario N, Santos B. Surfactant Adsorption Parameters from Surface Tension Measurements *J. Chem. Educ.* 2009;86(4):433.

Matis KA, Gallios GP, Kydros KA. Separation of fines by flotation techniques. *Sep. Tech.* 1993; 3(2): 76-90.

Matis KA, Mavros P. Recovery of metals by ion flotation from dilute aqueous solutions. *Sep. Purif. Methods*, 1991; 20(1): 1-48.

Matis KA, Papadoyannis IN, Zouboulis AI .Separation of germanium and arsenic from solutions by flotation. *Int. J. Min. Process.* 1987; 21: 83-92.

Matis KA, Stalidis GA, Zouboulis AI. Flotation of germanium from dilute solutions, *Sep. Sci. Technol.* 1988 ; 23(4-5): 347-362.

Matis KA, Zouboulis AI, Grigoriadou AA, Lazaridis NK , Ekateriniadou LV. Metal biosorption- flotation; application to cadmium removal. *J. Appl. Microb. Biotechnol.* 1996; 45: 569-573.

Matis KA, Zouboulis AI, Hancock IC Biosorptive flotation in metal ions recovery *Sep. Sci. Technol.* 1994; 29(8): 1055-1071.

Matis KA, Zouboulis AI, Hancock IC. Waste microbial biomass for cadmium ion removal: application of flotation for downstream separation. *Bioresour. Technol.* 1994; 49: 253-259.

Matis KA, Zouboulis AI, Lazaridis NK Heavy metals removal by biosorption and flotation *Water, air soil Pollut.* 2003;3:143-151.

Maurdev G, Saint-Jalmes A, Langevin D Bubble motion measurements during foam drainage and coarsening *J. colloid interface sci.* 2006; 300: 735-743.

McDonald C, Taheri S. Ion flotation of cadmium using ethylhexadecyldimethyl - ammonium bromide *Microchem. J.* 1979; 24(4): 553-559.

Mcdonald CW, Danaie A Removal of trace quantities of cadmium from aqueous iodide solutions by ion flotation *Mikrochimica Acta.* 1979; 2: 365-372.

McIntyre G, Rodriguez JJ, Thackston EL , Wilson DJ. Removl of zinc by Adsorbing colloid foam flotation : Pilot plant study *Sep. Sci. Technol.* 1982; 17(5): 673-682.

Medina BY, Torem ML, De Mesquita LMS. On the kinetics of precipitate flotation of CrIII using sodium dodecyl sulfate and ethanol. *Miner. Eng.* 2005; 18(2): 225-231.

Miles GD, Shedlovsky L, Ross J. Foam drainage *J. Phys. Chem.* 1945; 49: 93-107.

Milwidsky BM, Gabriel DM. Detergent analysis A Handbook for cost effective quality control; 1st ed. London. Longman Group UK Limited, 1982.

Monsalve A, Schechter RS. The stability of foams : Dependence of observation on the bubble size distribution *J. Colloid Interface Sci.* 1984; 97(2): 327-335.

Mukhopadhyay M, Noronha SB, Suraishkumar GK. A review on experimental studies of biosorption of heavy metals by *Aspergillus niger* *Can. J. Chem. Engg.* 2011; 89 : 889-900.

Murray BS. Stabilization of bubbles and foams. *Curr. Opin. colloid Interface sci.* 2007; 12: 232-241.

Nagarajan, R. Polymer-Surfactant Interactions. “*New Horizons: Detergents for the New Millennium Conference Invited Papers*” published by American Oil Chemists Society and Consumer Specialty Products Association, Fort Myers, Florida (2001).

Nakashima S, Yagi M. Determination of nanogram amounts of cadmium in water by electrothermal atomic absorption spectroscopy after flotation separation. *Anal. Chim. Acta.* 1983; 147: 213-215.

Narsimhan G, Ruckenstein E. Effect of bubble size distribution on the enrichment and collapse in foams *Langmuir* 1986; 2(4): 494-508.

Norwood DP, Minatti E, Reed WF. Surfactant/polymer Assemblies I. Surfactant binding properties. *Macromolecules* 1998; 31: 2957-2965.

Oliveira AA , Hochepped JF, Grillon F, Berger MH. Controlled Precipitation of Zinc oxide particles at room temperature *Chem. Mater.* 2003;15:3202-3207.

Papara M, Zabulis X, Karapantsios TD. Container effects on the free drainage of wet foams *Chem. Eng. Sci.* 2009;64:1404-1415.

Parmar M, Thakur LS. Heavy Metal Cu,Ni and ZN : Toxicity, health harards and their removal techniques by low cost adsorbents : A short overview *Int. j. plant, Animal and Environ. Sci.* 2013; 3(3): 143-157.

Pavlovska G, Cundeva K, Stafilov T. Flotation preconcentration of Cobalt and Nickel by Lead(II) Hexamethylenedithiocarbamate *Sep. Sci. Technol.* 2000; 35(16): 2663-2677.

Pavlovska G, Cundeva K, Stafilov T. Separation of copper from fresh waters by two new flotation reagents cobalt (III) heptyldithiocarbamate and cobalt (III) hexamethylene-dithiocarbamate prior etaas determination *Anal. Lett.* 2002; 35: 2347-2362.

Pavlovska G, Stafilov T, Cundeva K. Comparison of hexamethylenedithiocarbamate and tetramethylenedithiocarbamate as flotation reagents for the concentration of zinc *Fresenius J. Anal. Chem.* 1998; 361(2): 213-216.

Pavlovska G, Stafilov T, Cundeva K. Preconcentration and separation of cadmium by use of cobalt (III) hexamethylenedithiocarbamate as a collector prior to its determination by atomic absorption spectrometry *Fresenius J Anal. Chem.* 2001; 369: 670-673.

Peng JF, Song Yh, Yuan P, Cui XY, Qiu GL. The remediation of heavy metals contaminated sediment. *J. Hazard. Mater.* 2009; 161: 633–640.

Pitois O, Fritz C, Adler V. Liquid drainage through aqueous foam : study of the flow on the bubble scale *J. Colloid Interface Sci.* 2005; 282: 458-465.

Polat H, Erdogan D. Heavy metal removal from waste waters by ion flotation *J. Hazard. Mater.* 2007; 148: 267–273.

Poon CPC. Removal of cadmium from wastewaters *Experientia* 1984; 40(2):127-136.

Powale RS, Andheria AP, Maghrabi SS, Bhagwat SS. A novel method for evaluating foam properties. *J. Dispersion Sci. Technol.* 2005; 26:597-603.

Prasad M, Palepu R, Moulik SP Interaction between sodium dodecyl sulfate (SDS) and polyvinylpyrrolidone (PVP) investigated with forward and reverse component addition protocols employing tensiometric, conductometric, microcalorimetric, electrokinetic, and DLS techniques *Colloid Polym Sci* 2006; 284: 871–878.

Pugh R.J Experimental techniques for studying the structure of foams and froths *Adv. Colloid Interface Sci.* 2005; 114 – 115:239 – 251.

Pugh RJ. Foam Film, antifoaming and defoaming *Adv.colloid Interface Sci.* 1996; 64: 67-142.

Purcell IP, Thomas RK, Penfold J, Howe AM. Adsorption of SDS and PVP at the air/water interface. *Colloids Surf. A.* 1995; 94: 125-130.

Qu Y-H, Zeng G-M, Huang J-H, Xu K, Fang Y-Y, Li X, Liu H-L. Recovery of surfactant SDS and Cd²⁺ from permeate in MEUF using a continuous foam fractionators *J. Hazard. Mater.* 2008; 155: 32-38.

Rand PB, Kraynik AM. Drainage of aqueous foams: Generation-pressure and cell size effects. *Soc. Petrol. Eng. J.* 1983; 23:152-154.

Rao KS, Mohapatra M, Anand S, Venkateswarlu P. Review on cadmium removal from aqueous solutions *Int. J. Environ. Sci. Tech.* 2010; 2(7): 81-103.

Robert C, Huang G, Talbot FD. The removal of Copper, Cadmium and Lead ions from Dilute aqueous solutions using foam fractionation. *Can. J. Chem. Eng.* 1973 ;51: 709-713.

Rodrigues RT, Rubio J. DAF–Dissolved air flotation: Potential applications in the mining and mineral processing industry *Int. J. Miner. Process.* 2007; 82: 1–13.

Ronald w. Rousseau. *Handbook of separation process technology*, New York: Wiley, 1987.

Ropers MH, Novales B, Boue F, Axelos MAV. Polysaccharide/Surfactant Complexes at the Air–Water Interface – Effect of the Charge Density on Interfacial and Foaming Behaviors. *Langmuir* 2008; 24: 12849-12857.

Rosen MJ. *Surfactants and interfacial phenomena*; 3rd ed. New Jersey. Wiley , New York .1989.

Rubin AJ, Lapp WL. Foam fractionation and precipitate flotation of zinc (II), *Sep.Sci.* 1971; 6(3): 357-363.

Rubin AJ, Lapp WL. Foam separation of lead(II) with sodium lauryl sulfate . *Anal. Chem.* 1969; 41(8): 133-1135.

Rubio J, Souza ML, Smith RW. Overview of flotation as a wastewater treatment technique. *Miner. Eng.* 2002; 15(3): 139-155.

Rujirawanich V, Chavadej S, O Haver J H, Rujiravanit R. Removal of Trace Cd²⁺ using continuous multistage ion foam fractionation: Part II- The effects of operational parameters *Sep sci. Technol.* 2011; 46: 1673-1683.

Rujirawanich V, Chavadej SO, Haver JH, Rujiravanit R. Removal of trace Cd²⁺ using continuous multistage ion foam fractionation : Part I- The effect of feed SDS/Cd molar ratio *J. Hazard. Mater.* 2010; 182: 812-819.

Salas AU, Garibay RP, Alonso FN, Roman MC .A kinetic model for Pb²⁺ flotation with sodium dodecylsulfate in a batch column *Sep. Sci. Technol.* 2005; 40:3225-3237

Salmani MH, Davoodi M, Ehrampoush MH, Ghaneian MT, Fallahzadah MH. Removal of cadmium (II) from simulated wastewater by ion flotation technique *Iranian j. of Environ. health Sci. & Engg.* 2013; 10(16): 1-5.

Sanciolo P, Harding IH, Mainwaring DE. The removal of chromium, Nickel and zinc from electroplating wastewater by Adsorbing colloid flotation with a Sodium Dodecylsulfate/ Dodecanoic acid mixture. *Sep. Sci. Technol.* 1992; 27(3): 375-388.

Sang JC, Ihm SK. Removal of Cu(II) from Aqueous Solutions by the Foam Separation Techniques of Precipitate and Adsorbing Colloid Flotation *Sep. Sci. Technol.* 1988;23(4-5): 363-374.

Sarker DK , Bertrand D, Chtioui Y, Popineau Y. Characterization of foam properties using image analysis *J. of Texture Studies.* 1998; 29: 15 -42.

Sarma SR , DH S , Khilar KC. Effects of initial gas volume fraction on stability of aqueous air foams *Ind. Eng. Chem. Res.* 1988; 27(5): 892-894.

Scorzelli IB, Fragomeni Al, Torem ML. Removal of cadmium from a liquid effluent by ion flotation. *Miner. Eng.* 1999; 12: 905–917.

Sebba F. *Ion Flotation*. NewYork. Elsevier, 1962.

Selecki A, Wasiak R. The continuous direct method of bubble size determination in static foams. *J. Colloid interface Sci.* 1984;102(2):557-559.

Shah DO. Chemistry and technology of surface active agents and detergents. *Proceedings of the 2nd National Bi-Annual conference* , Acre, Israel. 1979; 65-87.

Shiotsuka T, Ishiwata M. Selective elimination of cadmium by bubble fractionation. *J. Chem. Eng. Jpn.* 1975; 8: 35-39.

Shrestha LK, Shrestha RG, Sharma SC, Aramaki K. Stabilization of nonaqueous foam with lamellar liquid crystal particles in diglycerol monolaurate/olive oil system. *J. Colloid interface Sci.* 2008; 328: 172- 179.

Siy RD , Talbot FD. Foam fractionation of zinc. *Can. J. Chem. Engg.* 1977; 55(1):67-69.

Somasundaran P. Separation using foaming techniques, *Sep. Sci.* 1975; 10: 93-109.

Stafilov T, Cundeva K, Pavlovska G. Silver coflotation with iron(III) and cobalt(III) hexamethylenedithiocarbamate salts prior to its determination by electrothermal atomic absorption spectrometry. *Intern. J. Environ. Anal. Chem.* 2001; 80: 269-280.

Stafilov T, Pavlovska G, Cundeva K Electrothermal atomic absorption spectrometric determination of Nickel after its flotation enrichment by Iron (III) Hexamethylenedithiocarbamate *Turk J Chem.* 2000; 24: 303-310.

Stalidis GA, Matis KA, Lazaridis NK. Selective Separation of Cu, Zn, and As from Solution by Flotation Techniques *Sep. Sci. Technol.* 1989; 24(1-2): 97-109.

Stefan A , Zieminski, Maurice M, Caron, Robert B, Blackmore Behaviour of air bubbles in dilute aqueous solutions. *Ind. Eng.Fundam.* 1967; 6(2): 233-242.

Stefanut MN , Cata A, Sfirloaga P. Electrochemical recovery of Nickel and Cadmium from spent Ni-Cd Batteries *Chem. Bull. "Politehnica" Univ. (Timisoara)* 2008; 53(67):265-268.

Stoica L, Dinculescu M, Plapcianu CG. Mn(II) recovery from aqueous systems by flotation *Water Res.* 1998; 32(10): 3021-3030.

Talbot F D, Dick WL. The use of an auxiliary ligand in the foam fractionation of copper *Ind. Eng. Chem. Fundamen.* 1971; 10(2): 309-312.

Tao D. Role of bubble size in flotation of coarse and fine particles –A review *Sep. Sci Technol.* 2004;39 (4):741-760.

Taylor DJF, Thomas RK, Penfold J.Polymer/surfactant interactions at the air/water interface.*Adv. Colloid Interface Sci.* 2007; 132: 69-110.

Turi J, Maracci CF, Palmera M. Separation of metallic ions by foaming. *Adsorptive bubble separation technique* Acad. Press. New York , 1972.

Turtureanu A, Georgescu C, Oprean L. Nickel removal from aqueous solutions by flotation with cationic collector. Determination of the optimum separation conditions *Chem. Bull. "Politehnica" Univ. (Timisoara)* 2008;53(67):286-288.

Ulewicz M ,Walkowiak W. Flotation of zinc (II) and cadmium (II) ions from dilute aqueous solutions in the presence of inorganic ligands. *Physicochem. Probl. Miner. Process* 2002; 36: 225-232.

Ulewicz M, Walkowiak W, Jang Y, Kim JS , Bartsch RA. Ion Flotation of cadmium(II) and zinc(II) in the presence of proton-Ionizable lariat ethers *Anal. Chem.* 2003; 75(10): 2276–2279.

Ulewicz M, Walkowiak W, Kozlowski C. Selective flotation of Zinc(II) and Cadmium (II) ions from dilute aqueous solutions in the presences of halides *Physicochemical problems of miner. Process.* 2001; 35: 21-29.

Viana RB , Da Silva AB, Pimentel AS Infrared spectroscopy of Anionic, Cationic and Zwitterionic surfactants *Adv. phys. chem.* 2012; 1-14.

Vinnett L, Contreras F, Yianatos J. Bubble Size Analysis and Boundary Conditions for Automatic Control of Industrial Flotation Cells. Presented at *IFAC CONFERENCE*, Vina del Mar. Chile , 2009.

Volesky B. Removal and recovery of heavy metals by biosorption , In *Biosorption of Heavy Metals*, Volesky, B., Ed.; CRC Press. Boca Raton Florida, 1990.

Walkowiak W, Grieves RB Foam fractionation of cyanide complex of Zinc(II), Cadmium (II), Mercury(II) and gold(III) *J Inorg. Nucl. Chem.* 1976; 38(7): 1351-1356.

Walkowiak W, Ulewicz M. Separation of zinc and cadmium ions from sulfate solutions by ion flotation and transport through liquid membranes *Physicochemical problems of miner. process.* 2003; 37: 77-86.

Wang Z, Narsimhan G. Evolution of liquid holdup profile in standing protein stabilized foam *J. Colloid Interface Sci.* 2004; 280: 224–233.

William LD, Talbot FD. The Use of an Auxiliary Ligand in the Foam fractionation of copper *Ind. Eng. Chem. Fundamen.* 1971; 10(2): 309–312.

Yang XJ, Fane AG Macnaughton S. Removal and recovery of heavy metals from wastewater by supported liquid membranes, *Water Sci. Technol.* 2001; 43(2): 341–348.

Yenidunya MD. Recovery of Zn(II), Mn(II) and Cu(II) in aqueous solutions by foam fractionation with sodium dodecyl sulphate in combination with chelating agents *Sep. Sci. Technol.* 2006; 41:1741-1756.

Yuan XZ, Meng YT, Zeng GM, Fang YY, Shi JG. Evaluation of tea derived biosurfactant on removing heavy metal ions from dilute wastewater by ion flotation. *Colloid surf. A* 2008; 317: 256-261.

Yunfei H, Yazhuo S, Honglai L, Dominique L, Annina S. Surfactant adsorption onto interfaces: Measuring the surface excess in time. *Langmuir* 2012; 28:3146-3151.

Zamboulis D, Peleka EN, Lazaridis NK, Matis KA. Metal ion separation and recovery from environmental sources using various flotation and sorption techniques *wileyonlinelibrary.com* ; 335-344.

Zhong Y, Rogers RE Surfactant effects on gas hydrate formation *Chem. Engg. Sci.* 2000; 55: 4175-4187.

Zouboulis A I, Matis KA, Lanara BG. Removal of cadmium from dilute solutions by hydroxyapatite II Flotation studies *Sep. Sci. Technol.* 1997; 32(10): 1755-1767.

Zouboulis AI . Silver recovery from aqueous streams using ion flotation. *Miner. Eng.* 1995; 8(12): 1477–1488.

Zouboulis AI, Matis KA, Hancock IC. Biosorption of metals from dilute aqueous solutions *Sep. Purif. Methods.* 1997; 26(2): 255-295.

Zouboulis AI, Matis KA. Removal of cadmium from dilute solutions by flotation *Wat. Sci. Tech.* 1995 ; 31(3-4): 315-326.

Zouboulis AI, Matis KA. Removal of metal ions from dilute solutions by sorptive flotation *Crit. Rev. Env. Sci. Technol.* 1997; 27(3): 195-235.

Zouboulis AI. Silver recovery from aqueous streams using ion flotation *Miner. Eng.* 1995; 8(12): 1477- 1488.

Zouboulis, AI, Matis K, Lazaridis NK, Golyshin PN. The use of biosurfactants in flotation: application for the remove of metal ions, *Miner. Engg.* 2003; 16: 1231-1236.

Zouboulis, AI, Matis KA, Stalidis GA. Parameters influencing flotation in removal of metal ions, *Int. J. Environ. Stud.*, 1990; 35: 183-196.

Zouboulis, AI, Matis KA. Ion flotation in environmental technology, *Chemosphere.* 1987; 16: 623-631.