

List of Tables

Table No.	Table Title	Page No.
1.1	Cadmium concentrations reported for industrial and municipal wastewaters	3
1.2	Zinc levels reported in industrial wastewaters	4
1.3	Nickel levels reported in Industrial wastewaters	4
1.4	Maximum contaminant level (mg/l)	5
1.5	Most important toxic effects related to metals on humans	6
2.1	Classification of the Adsorptive bubble separation techniques	10
2.2	Foam separation of heavy metals studied by various Investigators	27
3.1	Selected Properties of the surfactant used in this study	34
3.2	Optimized instrument parameters for measurement of targeted metal ions	42
4.1	Interfacial area	77
5.1	Zinc removal for various Zn:SDS molar ratios	93
5.2	Distribution factors calculated for metals at various pH	112
5.3	Particle size analysis of precipitates	122
5.4	Recovery of metals in large diameter column (metal concentration 100 ppm, metal :surfactant 1:2 molar ratio)	129

List of Figures

Figure No.	Figure Title	Page No.
2.1	Gas dispersion in foam separations	12
2.2	Various processes in foam separations	13
2.3	Geometry of dry foam	15
2.4	Foam structure	16
2.5	Foams at different times, illustrating coarsening	19
2.6	Association of polymer molecule with surfactant	31
3.1	(a) Foam Column with dimensions (b) line diagram of foam column	36
3.2	Sparger and cylindrical foam column under operation	37
3.3	Experimental rectangular column with (a) surfactant solution (b) water	37
3.4	Sparger of large cylindrical glass column	38
3.5	Cylindrical glass column of 0.10 m dia. (a) empty (b) and (c) under operation	38
4.1	Foam morphology $t = 0$ min (a) monochrome image (b) fluorescence image	47
4.2	(a) Plateau border (b) Vertex in SDS foams	47
4.3	Various stages observed during foam formation to drainage for SDS foams	48
4.4	Surfactant micelle	49
4.5	CMC of SDS solutions, effect of metal ions on CMC	50
4.6	Effect of surfactant concentration on (a) foam bed volumes (b) on liquid hold up profiles	52
4.7	Effect of presence of metal on foam bed volume for varying SDS concentrations of 7.98 , 5.98 and 3.98 mM for (a) (b) ,	53

	(c) 100 ppm Cd, Zn , Ni (d), (e) ,(f) 200 ppm Cd, Zn, Ni	
4.8	Effect of 100 and 200 ppm zinc metal ions on liquid holdup in foam for varying SDS concentrations of 7.97, 5.98 and 3.98 mM/L	54
4.9	Effect of 100 and 200 ppm cadmium metal ions on liquid holdup in foam for varying SDS concentrations of 7.97, 5.98 and 3.98 mM/L	55
4.10	Effect of 100 and 200 ppm nickel metal ions on liquid holdup in foam for varying SDS concentrations of 7.97, 5.98 and 3.98 mM/L	56
4.11	Influence of Zn-Cd and Ni-Cd binary on foam bed volume for SDS concentration 7.97mM, 5.98mM, 3.98mM	57
4.12	Effect of mixture of (a) Zn-Cd and (b) Ni-Cd binary ions on liquid holdup in foam	58
4.13	PVP-SDS interactions (a) Polymer PVP (b) Individual SDS molecules associate themselves on a single polymer molecule or multiple polymer molecules (c) clusters of SDS molecules on a single polymer molecule.	59
4.14	Effect of PVP and PVP- SDS concentrations on surface tension	60
4.15	Effect of PVP on foam bed volume at SDS concentrations of (a) 3.98, (b) 5.98mM, (c) 7.97mM, (d) 15.97mM/L	61
4.16	Effect of (a) PVP (b) PVP and SDS on liquid hold up (%)	62
4.17	liquid holdup (%) in presence of SDS, Cd and PVP	63
4.18	Foamate volumes obtained at different flowrates	65
4.19 (a)	Foamate volumes obtained at varying volumetric flowrates between 0.02-0.1 lpm for O-1	66
4.19 (b)	Foamate volumes obtained at varying volumetric flowrates between 0.02-0.1 lpm for O-2 outlet from bottom	
4.20	(a) Foamate surf conc. at varying volumetric flowrates between 0.02-0.1 lpm for O-1outlet.	67

4.20	(b) Foamate surf conc. at varying volumetric flowrates between 0.02-0.1 lpm for O-2 outlet	68
4.21	Foamate volume for SDS and SDS along with 100 ppm zinc for various flowrates	69
4.22	Average bubble size for various air flowrates in water column of different depths	71
4.23	Counts in water at various distance of column for different flowrates	71
4.24	Bubbles in water and surfactant solution at different air flow rates	73
4.25 (a)	Histograms of counts vs bubble sizes for 0.02 lpm in water and surfactant solution after 15 min	73
4.25 (b)	Histograms of counts vs bubble sizes for 0.04 lpm in water and surfactant solution after 15 min	74
4.25 (c)	Histograms of counts vs bubble sizes for 0.06 lpm in water and surfactant solution after 15 min	74
4.25 (d)	Histograms of counts vs bubble sizes for 0.08 lpm in water and surfactant solution after 15 min	74
4.25 (e)	Histograms of counts vs bubble sizes for 0.1 lpm in water and surfactant solution after 15 min	75
4.26	Depletion of Sodium sulfite concentration with time for metals and metal:surfactant system	77
5.1	Processes in Foam separation	81
5.2	Percentage zinc removal at various flowrates and various time	83
5.3	SDS concentration in foamate at various flowrates	84
5.4	Foamate volume collected for various sample outlets	85
5.5	Species distribution for (a) 50 ppm (b) 100 ppm (c) 200 ppm zinc in water	88
5.6	Effect of pH on zinc recovery and foamate volume ($C_{Fi} = 100$ ppm)	89
5.7	Structure of SDS	90

5.8	Zinc removal and foamate surfactant concentration vs pH	91
5.9	(a) Effect of Zn: SDS molar ratio on foamate volume & zinc removal (b) Effect of Zn:SDS on foamate surfactant concentraion & zinc removal (CFi = 100 ppm Zn, pH = 8.25)	92
5.10	Species distribution of 100 ppm cadmium in water	94
5.11	(a) Effect of pH on cadmium recovery and foamate volume (b) Cadmium recovery and foamate surfactant concentration versus pH (CFi = 100 ppm,Cd:SDS molar ratio1:2)	95
5.12	(a) Effect of Cd: SDS molar ratio on foamate volume and cadmium removal (b) Effect of Cd:SDS on foamate surfactant concentraion (CFi = 100 ppm Cd, pH = 2)	97
5.13	Species distribution of 100 ppm Nickel in water	98
5.14	(a) Nickel recovery vs pH (b) Foamate surfactant concentration versus pH (CFi = 100 ppm Ni, Ni: SDS molar ratio 1:2)	99
5.15	Overview of interaction between particles	101
5.16	Species distribution of 100 ppm cadmium and zinc each in water	102
5.17	Zn-Cd recovery and foamate volume vs pH for 100 ppm zinc and 100 ppm cadmium	103
5.18	Zn-Cd recovery and foamate surfactant concentration vs pH for 100 ppm zinc and 100 ppm cadmium	104
5.19	Species distribution of nickel and cadmium (100 ppm each) in water	105
5.20	Ni-Cd recovery and foamate volume vs pH for 100 ppm nickel and 100 ppm cadmium	106
5.21	Ni-Cd recovery and foamate surfactant concentration vs pH for 100 ppm nickel and 100 ppm cadmium	107
5.22	Floataion rate constant vs pH for 100 ppm zinc and 100 ppm cadmium	108
5.23	Floataion rate constant vs pH for 100 ppm nickel and 100	109

	ppm cadmium	
5.24	100 ppm zinc removal till 20 min. at 0.06 lpm for various pH	110
5.25	100 ppm cadmium removal till 20 min. at 0.06 lpm for various pH	110
5.26	100 ppm nickel removal till 20 min. for 0.06 lpm at various pH	111
5.27	(a) Effect of pH on percentage removal of cadmium and foamate volume in presence of PVP. (b) Effect of pH on percentage removal of cadmium and SDS concentration in presence of PVP.	113
5.28	Complex formation of SDS and PVP in bulk solution and at the liquid/air surface	114
5.29	(a) Effect of pH on cadmium removal with and without PVP (b) Effect of pH on foamate surfactant concentration in absence and presence of PVP	114
5.30	FT-IR spectra of (a) SDS (b) zinc dodecyl sulfate (c) cadmium dodecyl sulfate (d) nickel dodecyl sulfate	116
5.31	(a) SEM and (b) EDX of formed zinc dodecyl sulfate	118
5.32	XRD profile of zinc dodecyl sulfate	118
5.33 (a)	Particle size distribution of feed for Zn:SDS 1:2 at pH 8.25	120
5.33 (b)	Particle size distribution of foamate for Zn:SDS 1:2 at pH 8.25	120
5.33 (c)	Particle size distribution of foamate for Zn:SDS 1:4 at pH 8.25	120
5.34	Foam behaviour in column with increasing time	122
5.35	Cadmium dodecyl sulfate captured in foam (Cd:SDS 1:2 mole basis)	123
5.36	SEM and EDX of formed cadmium dodecyl sulfate sulfate/Sodium dodecyl sulfate (a), (b), (c) SEM of sublate and (d) EDX of sublate	123
5.37	SEM of cadmium dodecyl sulfate in presence of 1% by wt PVP	124
5.38	(a), (b) SEM of the sublate nickel dodecyl sulfate	124

5.38	(c) EDX of the sublate nickel dodecyl sulfate	125
5.39	(a) Dry foam and (b) nickel dodecyl sulfate captured in dry foam	126
5.40	The effect of particles on the pressure difference between the foam films and plateau borders (a) without particles (b) with particles	127
5.41	Foam column in operation for nickel removal (a) top of column and (b) intermediate height (Ni:SDS 1:2 molar ratio)	128