BIBLIOGRAPHY

[1] S. A. Lovitt, R. L. Nichols, J. W. Smith, A. C. Muzik and P. F. Pearce, 'Isolation gowns: a false sense of security?' American journal of infection control, vol. 20, no. 4, pp. 185–191, 1992, https://doi.org/10.1016/s0196-6553(05)80144-0.

[2] P. Lynch, M. M. Jackson, M. J. Cummings and S. W. E., 'Rethinking the role of isolation practices in the prevention of nosocomial infections,' Annals of Internal Medicine, vol. 107, no. 2, pp. 243-246, 1987.

[3] D. J. Weber and W. A. Rutala, 'Hepatitis B immunization update,' Infection Control Hospital Epidemiology, vol. 10, p. 541–546, 1989.

[4] F. J. Mahoney, K. Hu. H. Stewart, P. Coleman and M. J. Alter, 'Progress toward the elimination of hepatitis B virus transmission among health care workers in the United States,' Archives of Internal Medicine, vol.157, no. 22, pp. 2601–2605, 1997

[5] Recommendations for prevention and control of hepatitis C virus (HCV) infection and HCV-related chronic disease. Centers for Disease Control and Prevention. MMWR. Recommendations and reports: Morbidity and mortality weekly report. Recommendations and reports, vol. 47, no. (RR-19), pp. 1–39, 1998.

[6] D. M. Cardo and D. M. Bell, 'Bloodborne pathogen transmission in health care workers. Risks and prevention strategies,' Infectious Disease Clinics of North America, Vol. 11, no. 2, pp. 331–346, 1997, https://doi.org/10.1016/s0891-5520(05)70359-7.

[7] D. M. Bell, 'Occupational risk of human immunodeficiency virus infection in healthcare workers: an overview,' The American Journal of Medicine, vol. 102, no. 5B, pp. 9–15, 1997. https://doi.org/10.1016/s0002-9343(97)89441-7

[8] S. Aslan, S. Kaplan and C. Çetin, 'An investigation about comfort and protection performances of disposable and reusable surgical gowns by objective and subjective measurements,' Journal of the Textile Institute, vol. 104, no. 8, 870-882, 2013.

[9] J. A. Moylan, K. T. Fitzpatrick and K. E. Davenport, 'Reducing wound infections: improved gown and drape barrier performance,' Archives of Surgery, vol. 122, no. 2, pp. 152-157, 1987.

[10] A. J. Ansari and K. Usha, 'A study of surgical gown requirement, 'Asian Journal of Home Science, vol. 5, no. 2, pp. 352-354, 2010.

[11] F. Kishwar, B. Ali, D. Ali and M. Ijaz, 'Comparison between existing and experimental surgical gowns for mass per unit area by using small samples,' Pure and Applied Biology (PAB), vol. 9, no. 3, pp. 2025-2032, 2020.

[12] J. T. Schwartz and D.E. Saunders, 'Microbial penetration of surgical gown materials' Surgery, Gynaecology and Obstetrics,' vol. 150, no. 4, pp. 507-512, 1980.

[13] T. May-Plumlee and A. Pittman, 'Surgical gown requirements capture: a design analysis case study,' Journal of Textile and Apparel Technology and Management, vol. 2, no. 2, pp.1-10, 2002.

[14] W. Huang and K. K. Leonas, 'Evaluating a one-bath process for imparting antimicrobial activity and repellency to nonwoven surgical gown fabrics,' Textile Research Journal, vol. 70, no. 9, pp. 774-782, 2000.

[15] W. G. Ward Sr, J. M. Cooper, D. Lippert, R. O. Kablawi, R. H. Neiberg and R. J. Sherertz, 'Glove and gown effects on intraoperative bacterial contamination,' Annals of surgery, vol. 259, no. 3, pp. 591-597, 2014.

[16] B. P. Lanphear, ' Trends and patterns in the transmission of blood borne pathogens to health care workers', Epidemiologic reviews, vol. 16, no. 2, pp. 437-447, 1994.

[17] G. J. Borkow, ' Biocidal textiles can help fight nosocomial infections,' Medical Hypotheses, vol. 70, no. 5, pp. 990-994, 2008.

[18] A. W. Blom, C. Gozzard, J. Heal, K. Bowker and C. M. Estela, 'Bacterial strike-through of re-usable surgical drapes: the effect of different wetting agents,' The Journal of Hospital Infection, vol. 52, no. 1, pp. 52–55, 2002. https://doi.org/10.1053/jhin.2002.1262

[19] B. Bean, B. M. Moore, B. Sterner, L. R. Peterson, D. N. Gerding and H. H. Balfour Jr, 'Survival of influenza viruses on environmental surfaces,' Journal of Infectious Diseases, vol. 146, no. 1, pp. 47-51, 1982.

[20] M. T. Brady, J. Evans and J. Cuartas, 'Survival and disinfection of parainfluenza viruses on environmental surfaces,' American Journal of Infection Control, vol. 18, no. 1, pp. 18-23, 1990.

[21] L. Casanova, E. Alfano-Sobsey, W. A. Rutala, D. J. Weber and M. Sobsey, 'Virus transfer from personal protective equipment to healthcare employees' skin and clothing', Emerging Infectious Diseases, vol. 14, no. 8, pp. 1291, 2008.

[22] M. Pilonetto, E. A. R. Rosa, P. R. S. Brofman, D. Baggio, F. Calvário, C. Schelp and I. Messias-Reason, 'Hospital gowns as a vehicle for bacterial dissemination in an intensive care unit,' Brazilian Journal of Infectious Diseases, vol. 8, no. 3, pp. 206-210, 2004.

[23] R. W. Sidwell, G. J. Dixon, and E. Mcneil, 'Quantitative studies on fabrics as disseminators of viruses: I. Persistence of vaccinia virus on cotton and wool fabrics,' Applied microbiology, vol. 14, no. 1, pp. 55-59, 1966.

[24] R. W. Sidwell, G. J. Dixon, L. Westbrook and F. H. Forziati, 'Quantitative Studies on Fabrics as Disseminators of Viruses: V. Effect of Laundering on Poliovirus-Contaminated Fabrics,' Applied microbiology, vol. 21, no. 2, pp. 227-234, 1971.

[25] A. N. Neely, M. P. Maley, ‘Survival of Enterococci and Staphylococci on hospital fabrics and plastic,’ Journal of clinical microbiology, vol. 38, no. 2, pp.724–726, 2000.

[26] G. Borkow and J. Gabbay, ‘Biocidal textiles can help fight nosocomial infections,’ Medical hypotheses, vol. 70, no. 5, pp. 990-994, 2008.

[27] R. W. Sidwell, G. J. Dixon and E. Mcneil, ‘Quantitative studies on fabrics as disseminators of viruses: III. Persistence of vaccinia virus on fabrics impregnated with a virucidal agent,’ Applied microbiology, vol. 15, no. 4, pp. 921-927, 1967.

[28] W. Loh and J. Holton, ‘Bacterial flora on the white coats of medical students, ’ Journal of Hospital Infection, vol. 45, no. 1, pp. 65-68, 2000.

[29] D. Wong, K. Nye and P. Hollis, ‘Microbial flora on doctors' white coats,’ British Medical Journal, vol. 303, no. 6817, pp. 1602-1604, 1991.

[30] C. Perry, R. Marshall and E. Jones, ‘Bacterial contamination of uniforms,’ Journal of Hospital Infection, vol. 4, no. 3, pp. 238-241, 2001.

[31] M. Nicas, and G. Sun, ‘An integrated model of infection risk in a health-care environment,’ Risk Analysis, vol. 26, no. 4, pp.1085-1096, 2006.

[32] B. J. Gruendemann, ‘Taking cover: single-use vs. reusable gowns and drapes,’ Infection Control Today, vol. 6, no. 1, pp. 32-34, 2002.

[33] W. Whyte, P. V. Bailey, D. L. Hamblen, W. D. Fisher and I. G. Kelly, ‘A bacteriologically occlusive clothing system for use in the operating room,’ The Journal of bone and joint surgery British volume, vol. 65, no. 4, pp.502-506, 1983.

[34] K. Woodhead, E. W. Taylor, G. Bannister, V. Chesworth, P. Hoffman and H. Humphreys, ‘Behaviours and rituals in the operating theatre: a report from the Hospital Infection Society Working Party on Infection Control in Operating Theatres,’ Journal of hospital infection, vol. 51, no. 4, pp. 241-255, 2002.

[35] K. K. Leonas and E. M. Miller, ‘Transmission of two bacterial species through selected fabrics-nonwoven and woven,’ INDA Journal of Nonwovens Research, vol. 2, pp. 29-32, 1990.

[36] B. S. Gupta, ‘The effect of structural factors on the absorbent characteristics of nonwovens,’ Tappi journal, vol. 71, no. 8, pp. 147-152, 1988.

[37] K. K. Leonas and R. S. Jinkins, ‘The relationship of selected fabric characteristics and the barrier effectiveness of surgical gown fabrics, ’ American journal of infection control, vol. 25, no. 1, pp. 16-23, 1997.

[38] A. W. Blom, C. Gozzard, J. Heal, K. Bowker and C. M. Estela, ‘Bacterial strike-through of re-usable surgical drapes: the effect of different wetting agents,’ Journal of Hospital Infection, vol. 52, no. 1, pp. 52-55, 2002.

[39] A. L. Flaherty and T. M. Wick, ‘Prolonged contact wild blood alters surgical gown permeability,’ American journal of infection control, vol. 21, no. 5, pp. 249-256, 1993.

[40] H. Laufman, W. W. Eudy, A. M. Vandernoot, C. A. Harris and D. Liu, 'Strike-through of moist contamination by woven and nonwoven surgical materials,' Annals of surgery, vol. 181, no. 6, pp. 857, 1975.

[41] W. Huang and K. K. Leonas, 'Evaluation of a one bath process for imparting repellency and antimicrobial activity to nonwoven surgical gown fabrics,' Textile Research Journal, vol. 12, no. 4, pp.18-21, 2000.

[42] W. A. Rutala and D. J. Weber, 'A review of single-use and reusable gowns and drapes in health care,' Infection Control and Hospital Epidemiology, vol. 22, no. 4, pp. 248-257, 2001.

[43] K. K. Meyer and W.C. Beck, 'Gown-glove interface: a possible solution to the danger zone,' Infection Control and Hospital Epidemiology, vol. 16, no. 8, pp. 488-490, 1995.

[44] G. L. Telford and E. J. Quebbeman, 'Assessing the risk of blood exposure in the operating room,' American Journal of Infection Control, vol. 21, no. 6, pp.351-356, 1993.

[45] T. May-Plumlee and A. Pittman, 'Surgical gown requirements capture: a design analysis case study,' Journal of Textile and Apparel Technology and Management, vol. 2, no. 2, pp. 1-10, 2002.

[46] R. Mastura, 'Modern textile characterization Methods,' vol. 13, 1996.

[47] N. Suprun, V.Vlasenko and Y. Ostrovetchkhaya, 'Some aspects of medical clothing manufacturing,' International Journal of Clothing Science and Technology, 2003.

[48] C. A. Pissiotis, V. Komborozos, C. Papoutsi and G. Skrekas, 'Factors that influence the effectiveness of surgical gowns in the operating theatre,' The European journal of surgery, vol. 163, no. 8, pp. 597-604, 1997.

[49] K. Slater, 'Textile use in surgical gown design,' Canadian Textile Journal, vol. 115, pp. 16-18, 1998.

[50] I. V. Walker, 'Nonwovens–the choice for the medical industry into the next millennium in Medical Textiles,' pp. 12-19, Woodhead Publishing, 2001.

[51] K. W. Altman, J. H. McElhaney, J. A. Moylan and K. T. Fitzpatrick, 'Transmural surgical gown pressure measurements remits in the operating theatre,' American Journal of Infection Control, vol. 19, no. 3, pp. 147-155, 1991.

[52] E. J. Quebbeman, G. L. Telford, S. Hubbard, K. Wadsworth, B. Hardman, H. Goodman and M. S. Gottlieb, 'In-use evaluation of surgical gowns,' Surgery, gynaecology & obstetrics, vol. 174, no. 5, pp. 369-375, 1992.

[53] E. A. McCullough, 'Methods for determining the barrier efficacy of surgical gowns,' American Journal of Infection Control, vol. 21, no. 6, pp. 368-374, 1993.

[54] N. L. Belkin, 'Gowns: selection on a procedure-driven basis,' Infection Control & Hospital Epidemiology, vol. 15, no. 11, pp. 713-716, 1994.

[55] J. W. Smith and R. L. Nichols, ‘Barrier efficiency of surgical gowns: are we really protected from our patients' pathogens?’ Archives of Surgery, vol. 126, no. 6, pp. 756-763, 1991.

[56] K. K. Leonas, ‘Effect of laundering on the barrier properties of reusable surgical gown fabrics,’ American journal of infection control, vol. 26, no. 5, pp. 495-501, 1998.

[57] M. Maqsood, Y. Nawab, S. T. A. Hamdani, K. Shaker, M. Umair and W. Ashraf, ‘Modelling the effect of weave structure and fabric thread density on the barrier effectiveness of woven surgical gowns,’ The Journal of The Textile Institute, vol. 107, no. 7, pp. 873-878, 2016.

[58] G. Sun, X. Xu, J. R. Bickett and J. F. Williams, ‘Durable and regenerable antibacterial finishing of fabrics with a new hydantoin derivative,’ Industrial and engineering chemistry research, vol. 40, no. 4, pp. 1016-1021, 2001.

[59] A. I. Wasif and S. K. Laga, ‘Use of nano silver as an antimicrobial agent for cotton,’ AUTEX Research Journal, vol. 9, no. 1, pp. 5-13, 2009.

[60] Y. Yang, L. Corcoran, K. Vorlicek and S. Li, ‘Durability of Some Antibacterial Treatments to Repeated Home Launderings,’ Textile Chemist & Colorist & American Dyestuff Reporter, vol. 32, no. 4, 2000.