



सत्यं शिवं सुन्दरम्

References

- Agarwal A, Siddique IR, Singh J. 1989. Coumarins from the roots of *Feronia limonia*. *Phytochemistry* 28: 1229-1231.
- Ahamad F, Khan RA, Rasheed S. 1994. Preliminary screening of methanolic extracts of *Celastrus peniculatus* and *Tecomella undulata* for analgesic and anti inflammatory activities. *J. Ethnopharmacol* 42: 193-198.
- Ahmad A, Misra LN, Thakur RS. 1989. Composition of the volatile oil from *Feronia limonia* leaves. *Planta Medica* 55: 199-200.
- Ahmed A and Ahsana D. Advance in natural products: Importance in health and economy by. Centre for science and technology of non aligned and other developing countries. New Delhi: 24-25.
- Allen BM. 1967. "Malayan Fruits," Donald Moore Press, Singapore, pp. 245.
- Almeida RN, Navarro D and Barbosa-Filho JM. 2001. Plants with central analgesic activity. *Phytomedicine* 8: 310-322.
- Aman AH, Subbaiah TV, Abbasi KM. 1969. Berberine sulfate: antimicrobial activity, bioassay, and mode of action. *Can J Microbiol* 15: 1067-76.
- Andrijany VS, Indrayanto G, Soehono LA. 1998. Simultaneous effect of Calcium, Magnesium, Copper and Cobalt ions on sapogenin steroids in callus culture of *Agave amanuensis*. *Plant cell Tissue and Organ Culture* 5: 103-108.
- Azam, MM. 1999. Anti-HIV agents and other compounds from *Tecomella undulata*. *Orient. J. Chem* 15: 375-377.
- Bakshi DNG, Sensarma P, and Pai DC. 2001. A Lexicon of Medicinal Plants in India, Naya Prokash, Calcutta, pp. 186-187.
- Bandara BMR, Gunatilaka AAL, Wijiratne EMK, Adikaram NKB. 1988. Anti fungal constituents of *Limonia acidissima*. *Planta. Med.* 54: 374.
- Barnabas T, Badve MG. 1954. Kawath fruit, *Feronia elephantum*. II. Nutritive value of the protein of Kawath fruit. *Journal of Science and Technology* 6: 93-7.
- Beutler E, Duron O, Kelly BM. 1963. Improved method for the determination of blood glutathione. *J Lab Clin Med* 61: 882-8.
- Bhati AR, Deshpande SS. 1949. Essential oil from the leaves of *Feronia elephantum*. *Journal of the Indian Chemical Society* 26: 342-4.

Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Bhaul BS, Negi MS, Jindal SK, Singh M, Lakshmi KM. 2007. Assessing genetic diversity of *Tecomella undulata* (Sm.) – An endangered tree species using amplified fragment length polymorphisms-based molecular markers. *Curr. Sci* 93: 67-72.
- Birkhauser Basel. 1970. A new ester glucoside from the bark of *Tecomella undulata*. *Cellular and Molecular Life Sciences*: 1187-1188.
- Brain KR and Turner TD. 1975. *The Practical Evaluation of Phytopharmaceuticals*, Wright-Scientifica, Bristol. B: 36-45.
- Buege JA, Aust SD. 1978. Microsomal lipid peroxidation. *Methods Enzymol* 52: 302-10.
- C. P. Khare. 2004. *Indian herbal remedies; Rational western therapy, ayurvedic and other traditional usage*, Botany. Springer-Verlag Berlin Heidelberg, pp 67.
- Calixto JB, Santos ARS, Filbo VC, Yunes RA. 1998. A review of the plants of the genus *Phyllanthus*: their chemistry, pharmacology, and therapeutic potential. *Med Res Rev* 18: 225–58.
- Chandra PK, Pitamber PD, and Bikram SS. 2006. Developing the medicinal plants sector in northern India: challenges and opportunities. *J. Ethnobiol. Ethnomed* 2: 32. doi:10.1186/1746-42692.
- Chase CR, and Pratt RJ. 1949. Fluorescence of powdered vegetable drugs with particular reference to development of a system of identification. *J. Am. Pharmacol. Assoc* 38: 32.
- Chow PS, Landhausser SM. 2004. A method for routine measurements of total sugar and starch content in woody plant tissues. *Tree Physiology*. 24: 1129–1136.
- Chung YC, Chen SJ, Hsu CK, Chang CT, Chou ST. 2005. Studies on the antioxidative activity of *Graptopetalum paraguayense* E. Walther. *Food Chemistry*. 91: 419–424.
- Dash VP, Kashyap L. 1984. *Diagnosis & treatment of disease in Ayurveda*. Todaranda-Ayurveda Saukhayam 7: 429.
- De LS, Geneva M. 1992. WHO/PHARM/92.559/rev.1, *Quality Control Methods for Medicinal Plant Materials*, Organisation. 9: 22-34.
- Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Deshpande UR, Gadre SG, Raste AS. 1998. Protective effect of turmeric (*Curcuma longa* L.) extract on carbon tetrachloride-induced liver damage in rats. *Indian J Exp Biol* 36:573-577.
- Dreyer DL, Pickering MV, Cohan P. 1972. Distribution of limonoids in the Rutaceae. *Phytochemistry* 11(2): 705-713.
- Drummond AJ, Waigh RD. 2000. In: Pandalai, S.G. (Ed.), *Recent Research Developments in Phytochemistry*, Vol. 4. Research Signpost, India, pp. 143-152.
- Edwin E, Joshi SB, Jain DC. 2007. A brief review on few Indian medicinal plants. *Int. J. Green. Pharm.* 1: 2-12.
- El-Fishawy AM. 1994. Phytochemical study of *Feronia elephantum* Correa. *Zagazig Journal of Pharmaceutical Sciences* 3: 76-81.
- El-Khrisy EAM, Khattab A, Abdel-Fattah ME, Abbas RZ, Abu- Mustafa EA. 1994. Chemical constituents of *Feronia elephantum* L. leaves. *Bull Fac Pharm (Cairo University)* 32: 119-21.
- F. Stickel, D. Schuppan. 2007. Herbal medicine in the treatment of liver diseases. *Digestive and Liver Disease* 39: 293-304.
- Fabricant DS, Farnsworth NR. 2001. "The value of plants used in traditional medicine for drug discovery". *Environ. Health Perspect.* 109: 69-75.
- Garg SC. 2003. Essential oil of *Feronia elephantum* Correa: a rich source of methyl chavicol. *Indian Perfumer* 47: 99-101.
- Ghosh P, Bandyopadhyay AK, Das S, Thakur S. 1991. Tyramine Derivatives From the fruit of *limonia Acidissima*. *Journal of Natural Products* 54: 1389-1393.
- Ghosh P, Shimizu N, Tamura T, Matsumoto T. 1989. Acidissimin, a new tyramine derivative from the Fruit of *limonia acidissima*. *Journal of natural p&s. J. Nat. Prod.* 52: 1323-1326.
- Giridhar R, Rao KK and Banerjee SK. 1980. Antibacterial Activity of the Extract from *Tecomella undulata* (G.Don) Seem. *Indian Drugs* 17: 176.
- Goldschmidt S, Var HM, Ravdin IS. 1939. The influence of the foodstuffs upon the susceptibility of the liver to injury by chloroform, and the probable mechanism action of them. *Journal of clinical investigation* 80: 227-289.
- Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Goodell JPB, Hawkins WB and Hanson PC. 1944. Methionine protects against mepharsen liver injury in protein depleted dogs. *Journal of Experimental Medicine* 79: 625-632.
- Gujral VK, Gupta SR, Verma KS. 1979. A new chromone glucoside from *Tecomella undulata*. *Phytochem* 18: 181-182.
- Gujral VK, Gupta SR, Verma KS. 1979. Structure of unduloside B a new chromone glycoside from *Tecomella undulata*. *Indian J. Chem* 17: 40-41.
- Gulati R, Agarwal S, Agarwal SS. 1991. Hapatoprotective activity of *Boerhaavia diffusa* Linn. Against country made liquor induced toxicity in albino rats fed on controlled calorie diet. *Indian Journal of Pharmacology* 23: 264-266.
- Gupta R, Johri S, Saxena AM. 2009. Effect of ethanolic extract *Feronia Elephantum correa* fruits on blood glucose level in normal & streptozotocin- induced diabetic rats. *Natural Product radiance* 8: 32-36.
- Handa SS and Anupama S. 1990. Hepatoprotective activity of andrographolide against galactosamine and paracetamol intoxication in rats. *Indian journal of medical research a, B*: 276-283.
- Haque N, Chowdhury SAR, Nutan MTH, Rahman GMS, Rahman KM, Rashid MA. 2000. Evaluation of anti-tumor activity of some medicinal plants of Bangladesh by potato disk bioassay. *Fitoterapia* 71: 547-552.
- Harborne JB. 1998. Methods of extraction and isolation. In: *Phytochemical Methods*, Chapman & Hall, London; pp 60- 66.
- Herbal selection. Part-2. Gujarat innovates, National Coordinator(Scouting & Documentation). National Innovation Foundation. Ahmedabad (India), pp- 68, 72-73.
- Hooker JD. 1875. *The Flora of British India*. L. Reeve & Co, London 1(1): 178.
- Hsu YW, Tsai CF, Chen WK, Lu FJ. 2009. Protective effects of seabuckthorn (*Hippophae rhamnoides* L.) seed oil against carbon tetrachloride-induced hepatotoxicity in mice. *Food. Chem. Toxicol* 47: 2281-2288.
- <http://elearning.medicine.swu.ac.th/edu/images/stories/imed/GI/LiverFunctionTest.ppt>
- http://en.wikipedia.org/wiki/Liver_disease

Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- http://en.wikipedia.org/wiki/Tecomella_undulata
- <http://health.nv.gov/PDFs/Hepatitis/SummitPresentations/SortingOutTheDiagnostics-HFI-LasVegas.ppt>
- http://indiahomeclub.com/botanical_garden/medicinal_plants_uesd_in_ays.html
- http://www.efloras.org/florataxon.aspx?flora_id=5&taxon_id=250071457
- <http://www.herbalcureindia.com/herbs/tecomella-undulate.htm>
- <http://www.liver-damage-website.com/>
- <http://www.medterms.com/script/main/art.asp?articlekey=4179>
- <http://www.selfgrowth.com/articles/ayurvedic-ingredient-tecoma-undulata-in-kamalakar-plays-a-key-role-in-the-treatment-of-live>
- ICH guideline Q2R1, validation of analytical procedures: text and methodology (November 1996/2005) Geneva, Switzerland.
- Ilango K. and Chitra V. 2010. Wound Healing and Anti-oxidant Activities of the Fruit Pulp of *Limonia Acidissima* Linn (Rutaceae) in Rats. *Tropical Journal of Pharmaceutical Research* 9: 223-230.
- Indian Council of Forestry Research and Education. 1996. Rohida (*Tecomella undulata*). Forest Research Institute, Dehradun (India): 1-14.
- Indian Pharmacopoeia, 4th edn. 1996. Government of India, Ministry of Health and Welfare, Controller of Publications, New Delhi. 2: A53- A54.
- Ingram D, Sanders K, Kolybaba M, Lopez D. 1997. Case-control study of phytoestrogens and breast cancer. *Lancet* 350: 990-994.
- Intekhab J, Siddiqui NU, Aslam M. 2008. Natural Products Research Division, Post Graduate Department of Chemistry, G.F.College (Rohailkhand University), Shahjahanpur, India. *Oriental Journal of Chemistry* 24: 331-334.
- Interactive European Network for Industrial Crops and their Applications (2000-2005). Summary Report for the European Union. <http://ec.europa.eu/research/quality-of-life/ka5/en/00111.html>
- Iwu MM, Duncan AR, Okunji CO. 1999. New antimicrobials of plant origin. In: Janick J, editor. *Perspectives on new crops and new uses*. Alexandria: ASHS Press. 457.

Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Jabeen A, Khan MA, Ahmad M, Zafar M and Ahmad F. 2009. Indigenous uses of economically important flora of Margallah Hills National Park, Islamabad (Pakistan). *Afr. J. Biotech* 8: 763-784.
- Jadeja BA, Odedra NK, and Odedra KR. 2006. Herbal remedies used for haemorrhoids by tribals of Saurashtra, Gujarat. *Indian Journal of traditional knowledge* 5: 348-352.
- Jadeja RN, Thounaojam MC, Ansarullah, Jadav SV, Patel MD, Patel DK, Salunke SP, Padate GS, Devkar RV, Ramachandran AV. 2011. Toxicological evaluation and hepatoprotective potential of *Clerodendron glandulosum* Coleb leaf extract. *Hum Exp Toxicol* 30: 63-70.
- Jadeja RN, Thounaojam MC, Dandekar DS, Devkar RV, Ramachandran AV. 2010. *Clerodendron glandulosum*. Coleb extract ameliorates high fat diet/fatty acid induced lipotoxicity in experimental models of non-alcoholic steatohepatitis. *Food Chem Toxicol* 48: 3424-3431.
- Jain M, Kapadia R, Jadeja RN, Thounaojam MC, Devkar RV, Mishra SH, 2011. Cytotoxicity evaluation and hepatoprotective potential of bioassay guided fractions from *Feronia limmonia* Linn leaf *Asian.J.Trop.Biomed* 1: 443-447.
- Jain M, Trivedi A, Mishra SH. 2010. TLC Determination of Marmesin, a Biologically Active Marker from *Feronia Limonia* L. *American Journal of Plant Sciences* 1: 12-16.
- Jimoh FO, Adedapo AA, Aliero AA, Afolayan AJ. 2008. Polyphenolics content and Biological activities of *Rumex ecklonianus*. *Pharmaceutical Biology*. 46 (5): 333-340.
- Johansen DA. 1940. *Plant Microtechnique*, McGraw Hill, New York; pp. 182.
- Joshi KC and Singh LB. 1977. Chemical examination of *Tecomella undulata*. *Curr. Sci* 46: 145.
- Joshi KC, Singh P, Singh G. 1976. Lapachol: a new acid-base indicator. *Talanta* 23: 325-326.
- Joshi KC, Prakash L, Singh LB. 1975. 6-O-veratryl catalposide: new iridoid glucosides from *Tecomella undulata*. *Phytochem* 14: 1441-1442.

Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Joshi KC, Singh P and Pardasani RT. 1977. Quinones and other constituents from the roots of *Tecomella undulata*. *Planta Med* 31: 14-16.
- Kakkar P, Das B, Viswanathan PN. 1984. A modified spectrophotometric assay of SOD. *Indian J Biochem Biophys* 21: 130-2.
- Kamat CD, Khandelwal KR, Bodhankar SL, Ambawade SD, Mhetre NA. 2003. Hepatoprotective activity of leaves of *Feronia elephantum* Correa (Rutaceae) against carbon tetra chloride- induced liver damage in rats. *J.Nat. Remedies* 3: 148-154.
- Kamble SY, More TN, Patil SR, Pawar SG, Bindurani R, Bodhankar SL. 2008. *Plants used by the tribes of Northwest Maharashtra for the treatment of gastrointestinal disorders. Indian Journal of traditional knowledge* 7: 321-325.
- Kamble SY, Patil SR, Sawant PS, Sawant S. 2010. Studies on plants used in traditional medicine by Bhilla tribe of Maharashtra. *Indian Journal of traditional knowledge* 9: 591-598.
- Khandelwal KR. 2002. *Practical Pharmacognosy*. Nirali Prakashan, Pune.
- Khare CP. 2004. *Indian herbal remedies: rational Western therapy, ayurvedic, and other traditional usage*, Botany. Springer- Verlag Berlin Heidelberg New York, Germany pp. 214-215.
- Khare CP. 2008. *Indian medicinal plants. An illustrated dictionary*. Springer Publisher, New York: 649.
- Khatri A, Garg A, Agrawal SS. 2009. Evaluation of hepatoprotective activity of aerial parts of *Tephrosia purpurea* L. and stem bark of *Tecomella undulata*. *J. Ethnopharmacol* 122: 1-5.
- Kiso Y, Thokkim M, Hikino H. 1983. Assay method for antihepatotoxic activity using galactosamine-induced cytotoxicity in primary culture hepatocytes. *Journal of natural products* 46: 841-847.
- Kokashi CJ, Kokashi RJ, Sharma M. 1958. Fluorescence of powdered vegetable drugs in ultra-violet radiation. *J Am Pharm Assoc* 47: 715-7.
- Kokate CK. 1986. *Practical Pharmacognosy*, 1st ed., Vallabh Prakashan, New Delhi. B; pp 111.

Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Krithika R, Mohankumar R, Verma RJ, Shrivastav PS, Mohamad IL, Gunasekaran P, Narasimhan S. Isolation, characterization and antioxidative effect of phyllanthin against CCl₄-induced toxicity in Hep G2 cell line.
- Lai PK, Roy J. 2004. "Antimicrobial and Chemopreventive properties of herbs and spices". *Curr. Med. Chem.* 11 (11): 1451-60.
- Lala PK. 1981. *Practical Pharmacognosy*, Lina, Calcutta, pp 103-139.
- Lemeland P. 1905. About the Rubber of *Feronia Elephantum* *Corr. Journal de Pharmacie et de Chimie* 21; 289-95.
- Li L, Li W, Kim YH, Lee YW. 2011. *Chlorella vulgaris* extract ameliorates carbon tetrachloride-induced acute hepatic injury in mice. *Exp Toxicol Pathol*; Doi:10.1016/j.etp.2011.01.012.
- Lima CF, Fernandes-FM, Pereira-Wilson C. 2007. Drinking of *Salvia officinalis* tea increases CCl₄-induced hepatotoxicity in mice. *Food. Chem. Toxicol* 45: 456-464.
- Liu JY, Chen CC, Wang WH, Hsu JD, Yang MY, Wang CJ. 2006. The protective effects of *Hibiscus sabdariffa* extract on CCL₄-induced liver fibrosis in rats. *Food. Chem. Toxicol* 44: 336-343.
- MacLeod AJ, Pieris NM. 1981. Volatile Flavor Components of Wood Apple (*Feronia limonia*) and a Processed Product. *J. Agric. Food Chem.* 29: 49-53.
- Macleod JK, Moeller PDR. 1989. Acidissimin, a new limonoid from *limonia acidissima*. *J. Natural Products* 52; 882-885.
- Maheshwari DT, Yogendra KMS, Verma SK, Singh VK, Singh SN. 2011. Antioxidant and hepatoprotective activities of phenolic rich fraction of Seabuckthorn (*Hippophae rhamnoides* L.) leaves. Doi:10.1016/j.fct.2011.06.061.
- Managoli and Bapurao N. 2008. Herbal composition for treatment of immunocompromised conditions, United States Patent 7344738, Application Number: 11/287853, Publication Date: 03/18/2008.
- Mansoor AS, Jayaveera KN, Venketeshwara RJ. 2008. Hepatoprotective and antioxidant activities of *Feronia limonia* (leaves). *Pharmacologyonline* 3: 992-1005.
- Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Mishra A, Arora S, Gupta R, Punia RK, Sharma AK. 2009. Effect of *feronia elephantum* (corr) fruit pulp extract on indomethacine- induced gastric ulcer in albino rats. *Tropical Journal of Pharmaceutical Research* 8: 509-514.
- Miyamoto M, Matsushita Y, Kiyokawa A, Fukuda C, Iijima Y, Sugano M, Akiyama T. 1998. Prenylflavonoids: a new class of non-steroidal phytoestrogen. Estrogenic effects of 8-isopentenylnaringenin on bone metabolism. *Planta Medica* 64: 516– 519.
- Morton JF, Miami FL. 1987. Wood-Apple, In: *Fruits of warm climates*, pp.190–191.
- Muhammad Ishtiaq CH, M A Khan. 2008. An ethnomedical inventory of plants used for family planning and sex disease in Samahni valley, Pakistan. *Indian journal of traditional knowledge* 7: 277-283.
- Mukerji AK. 1977. Triacontanol and triterpenes from *Tecomella undulata*, xi world forestry congress. Turkey 3: 1.
- Mukhlesur MR, Gray AI. 2002. Antimicrobial constituents from the stem bark of *Feronia limonia* *Phytochemistry* 59: 73–77.
- Nigam SS, Nigam SD. 1979. Studies on the essential oil of *Feronia elephantum* Correa. *Indian Perfumer* 23: 164-6.
- Nitha B, Fijesh PV, Janardhanan KK. 2011. Hepatoprotective activity of cultured mycelium of Morel mushroom, *Morchella esculenta*. *Exp Toxicol Pathol* Doi:10.1016/j.etp.2011.06.007.
- OECD Principles on Good Laboratory Practice, 2001. In: handbook, Good Laboratory Practice (GLP), quality practices for regulated non clinical research and development TDR PRD/GLP/01.2.
- Oluwatoyin A. Binitu Geoffrey A. 2000. Bignoniaceae. *Dermatologic Botny*, edited by Javier Avalos and Howar I; Maibach informa Healthcare. Chapter 20
- Orwa C, Mutua A, Kindt R, Jamnadass R, Anthony S. 2009. *Agroforestry Database: a tree reference and selection guide Version 4*.
- Panda H. 2000. *Medicinal plants cultivation and their uses*. Asia Pacific Business press Inc. 301-302.


Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Pandey G, Dravyaguna V. 2001. Krishnadas Academy. Varanasi, India pp.15.
- Pandey VB, Dasgupta B. 1971. Chemical investigation of bark of *Tecomella undulata*- isolation of a new ester glucoside, tecomin. J. Indian Chem. Soc 48: 937.
- Parajapati ND, Purohit SS, Sharma AK, Kumar T. 2003. A Hand Book of Medicinal Plants, Agrobios (India), Jodhpur, pp. 235.
- Phapale R. and Thakur SM. 2010. Antioxidant activity and Antimutagenic effect of phenolic compound in *Feronia limonia* (L) swingle fruit. Int J Pharm Pharm Sci 2: 68-73.
- Praful BG. 1996. text book of medicinal laboratory technology. Bhalani publishing house, Bombay, pp 186.
- Pullaiah T. 1917. Encyclopaedia of world medicinal plants by. Regency Rublication, New Delhi (India) 1.
- Pullaiah T. 2006. Encyclopedia of world medicinal plants. Regency Publication, New Delhi 3: 1248-1250.
- Quan J, Yin X, Xu H. 2011. Boschniakia rossica prevents the carbon tetrachloride-induced hepatotoxicity in rat. Exp Toxicol Pathol 63:53-9.
- Rachmilewitz M, Rosin A and Dolijanski L. 1950. Observations on the mitotic reaction induced in the liver of rats by thiourea. American journal of pathology 26, 937-949.
- Rage N, Dhanukar S and Karandikar SM. 1998. Indian drugs 27: 18.
- Rahman MM, Gray AI. 2002. Antimicrobial constituents from the stem bark of *Feronia limonia*. Phytochemistry 59: 73-77.
- Rahman MM, Gray AI. 2002. Antimicrobial constituents from the stem bark of *Feronia limonia*. Phytochemistry 59: 73-77.
- Rahuman A, Gopalakrishnan G, Ghose BS, Arumugam S, Himalayan B. 2000. Effect of *Feronia limonia* on mosquito Larvae. Fitoterapia 71: 553-555.
- Raj Kapoor B, Jayakar B, Muruges N, Sakthisekaran D. 2006. Chemoprevention and cytotoxic effect of *Bauhinia variegata* against *N*-nitrosodiethylamine induced liver tumors and human cancer cell lines. Journal of Ethnopharmacol 10: 407-409

Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Randhawa GS and Mukhopadhyay A. 2004. Floriculture in India by. Allied Publication (p) Ltd., Mumbai (India): 225-226
- Rao AV, Kiran-Bala, Lahiri AN and Bala K. 1989. Influence of trees on microorganisms of aridisol and its fertility. Indian For. 115: 680-683.
- Rao JM, Sampathkumar U, Sastry BS, Yadav JS, Raghavan KV, Palit G, Rai D, Varier PM, Muraleedharan TS, Muraleedharan K. 2003. Composition for treating gastric ulcer and a process for preparing the same, (Pat no. 20030180398
- Recknagel, R.O, Glende E JA, Dolak, JA, Walker RL. 1989. Mechanisms of carbon tetrachloride toxicity. Pharmacol. Ther 43: 139-154.
- Reisch J, Hussain RA, Adesina SK. 1985. Chemosystematics in the Rutaceae: constituents of *Feronia limonia* and *Aegle marmelos* fruit pericarps. Pharmazie 40: 503-4.
- Roe JH, Kuether CA. 1943. The determination of ascorbic acid in whole blood and urine through 2-4 dinitrophenyl hydrazine derivative of dehydro ascorbic acid. J Biol Chem 147: 399-407.
- Saima Y, Das AK, Sarkar KK, Sen AK, Sur P. 2000. An antitumor pectic polysaccharide from *feronia limonia*. International J. Biol. Macromol 27: 333-335.
- Saraf S, Dixit VK, Thripati SC and Pathak GK. 1992. Fitoterpia 63: 414.
- Saraf S, Dixit VK. 1991. Fitoterpia 62: 534-536.
- Saraswat B, Visen PK, Patnaik GK, Dhawan BN. 1997. Protective effect of picroliv, active constituent of *Picrorhiza kurrooa*, against oxytetracycline induced hepatic damage. ICMR Centre for Advanced Pharmacological Research on Traditional Remedies, Central Drug Research Institute, Lucknow, India. Indian J Exp Biol. 35: 1302-5.
- Sass JE. 1940. Elements of Botanical Microtechnique, New York, McGraw Hill Book Co; pp 222.
- Sathaye S, Bagul Y, Gupta S, Kaur H, Redkar R. 2010. Hepatoprotective effects of aqueous leaf extract and crude isolates of *Murraya koenigii* against *in vitro* ethanol-induced hepatotoxicity model. Exp Toxicol Pathol Doi:10.1016/j.etp.2010.04.012.

REFERENCES

- 
- Saxena AK, Singh B, Anand KK. 1993. Hepatoprotective effects of *Eclipta alba* on sub cellular levels in rats. *J Ethnopharmacol.* 40: 155-61.
- Schmidt ML, Kuzmanoff KL, Ling-Indeck L, Pezzuto JM. 1997. *Eur-J Cancer* 33: 2007-2010.
- Selvamani P, Sen DJ, Gupta JK. 2009. Pharmacognostical standardization of *Commiphora berryi* (Arn) Engl and phytochemical studies on its crude extracts, *African Journal of Pharmacy and Pharmacology* 3: 037-046.
- Sharma GP, Jain NK, Garg BD. 1978. Antifungal activity of some essential oils. *Indian Drugs* 16: 21-23.
- Sharma GP, Jain NK, Garg BD. 1979. Antibacterial activity of some essential oils. *Science and Culture* 45: 327-328.
- shastri BN. 1995. Anonymous, the wealth of India, A dictionary of Indian raw materials and industrial products. Raw material, Vol, IV, council of scientific and industrial research (CSIR) publications, New Delhi, pp.18.
- Shyu, M.H., Kao, T.C., Yen, G.C., 2008. Hsian-tSao (*Mesona procumbens* Heml.) prevents against rat liver fibrosis induced by CCl₄ via inhibition of hepatic stellate cells activation. *Food. Chem. Toxicol* 46: 3707-3713.
- Sigleton V L, Rossi Jr. J A. 1965. *American J.Enol. Viticult.* 16 (3): 144-158.
- Singh AP. *Herbals in Hepatology*. Address for correspondence: Dr Amrit Pal Singh, House No: 2101 Phase-7, Mohali -160062.
- Singh P, Khandelwal P, Hara N, Asai T, Fujimoto Y. 2008. Radermachol and Naphthoquinone derivatives from *Tecomella undulata*: Complete ¹H and ¹³C NMR assignments of radermachol with the aid of computational ¹³C shift prediction. *Indian J. Chem* 47: 1865-1870.
- Soler F, Poujade C, Evers M, Carry JC, Henin Y, Bousseau A. 1996. *J Med Chem* 39:1069-1083.
- Somatic embryogenesis in woody plants, by Jain M, Gupta PK, Newton RJ. 1999. Kluwer Academic Publishers, Netherlands 6: 153.
- Talapatra SK, Chaudhuri MK, Talapatra B. 1973. Coumarins from the root bark of *Feronia elephantum*. *Phytochemistry* 12: 236-237.
- Taneja SC, Bhatnagar RP and Jiwari HP. 1975. Chemical constituents of flowers of *Tecomella undulata*. *Indian J. Chem* 13: 427- 428.

Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- The European Medicines Agency: Reflection paper on markers used for quantitative and qualitative analysis of herbal medicinal products and traditional herbal medicinal products.
<http://www.emea.europa.eu/pdfs/human/hmpc/25362907en.pdf>
- The role of weeds as sources of pharmaceuticals. 2004. *Journal of Ethnopharmacology*: 92: 163–166. doi:10.1016/j.jep.2004.03.002.
- The wealth of india. 2003. A dictionary of Indian raw material and industrial products. Raw material vol. 10: Sp-W, national institutes of science communication and information resources. council of scientific and industrial research, New Delhi (India): 135-136.
- Thripati SC, Patnaik GK, and Dhawan BN. 1991. Hepatoprotective activity of Picroliv against alcohol-carbon tetrachloride induced damage in rats. *Indian Journal of Pharmacology* 23: 143-148.
- Tiwari RD, Tiwari JP. 1964. Research on the structure of feronolide, a ketolactone from *feronia elephantum* corr. *Arch. Pharm* 297: 236-239.
- Trivedi NP, Rawal UM. 2001. Hepatoprotective and antioxidant property of *Andrographis paniculata* (Nees) in BHC induced liver damage in mice. *Indian J Exp Biol*. 39: 41-6.
- Tshikalange TE, Hussein A. 2010. Cytotoxicity activity of isolated compounds from *Elaeodendron transvaalense* ethanol extract. *J Med Plant Res* 4:1695–1697.
- Tung YT, Wu JH, Huang CC, Peng HC, Chen YL, Yang SC, Chang ST. 2009. Protective effect of *Acacia confusa* bark extract and its active compound gallic acid against carbon tetrachloride-induced chronic liver injury in rats. *Food. Chem. Toxicol* 47: 1385-1392.
- Vayaskara NSM. 1953. *Ayurvedic Flora Medica*. Published by Vaidyasarathy Press, Kottayam, pp. 68-71.
- Verma KS, Jain AK, Gupta SR. 1986. Structure of undulatin: New iridoid glycosides from *Tecomella undulata*. *Planta Med* 52: 359-362.
- Verma KS, Sood GR, Gupta SR and Gujral VK. 1979. Structure and configuration of tecoside: a new iridoid glucoside from *Tecomella undulata*. *J. Chem. Soc., Perkin Trans 1*: 2473.
- Assessment of bioactivity of some chemical markers from *Feronia limonia* and *Tecomella undulata* used in traditional medicines.

- Visen PKS. 1993. Annual Report of ICMR center for Advanced pharmacological Research on Traditional remedies, Division of pharmacology, Central Drug Research Institute, Lucknow, pp. 192-197.
- Wagner H, Bladt S, Zgainski EM. 1983. Drogenanalyse. Springer Verlag, Berlin; p. 125-173.
- Wallis TE. 1985. Text book of Pharmacognosy, Delhi CBS Publishers and distributor, pp. 352-401.
- Warrier PK, Nambiar VPK, and Ramankutty, C. 1994. Indian Medicinal Plant: A compendium of 500 species. Andhra Pradesh, India, Orient Longman Limited 3: 327-332.
- WHO/EDM/TRM/2000 General guidelines for methodologies on research and evaluation of traditional medicine,1.
- Wijeratne EMK, Bandara BMR, Gunatilaka AAL. 1992. Chemical constituents of three Rutaceae species from Srilanka. Journal of Natural Products 55: 1262-1269.
- William M. Lee, M.D. 2003. Drug-Induced Hepatotoxicity N Engl J Med 349:474-85.
- World Health Organization. 2008. "Fact sheet no. 134: Traditional medicine". 12-01.
<http://www.who.int/mediacentre/factsheets/fs134/en/index.html>. Retrieved 2009-05-02.
- Zanoli P, Avallone R, and Baraldi M. 2000. Behavioral characterisation of the flavonoids apigenin and chrysin. Fitoterapia 71: 117-123.
- Zeashan H, Amresh G, Singh S, Rao CV. 2009. Hepatoprotective and antioxidant activity of *Amaranthus spinosus* against CCl₄ induced toxicity. Journal of ethnopharmacology 125: 364-366.