

REFERENCES

Abdellatif, A.A. and H.M. Tawfeek, *Transfersomal nanoparticles for enhanced transdermal delivery of clindamycin*. Aaps Pharmscitech, 2016. **17**(5): p. 1067-1074.

Ahmed, T.A., *Formulation and clinical investigation of optimized vinpocetine lyoplant-tabs: new strategy in development of buccal solid dosage form*. Drug Des Devel Ther, 2019. **13**: p. 205-220.

Akhtar, N., *Microneedles: An innovative approach to transdermal delivery—A review*. Int. J. Pharm. Pharm. Sci, 2014. **6**: p. 18-25.

Amodwala, S., P. Kumar, and H.P. Thakkar, *Statistically optimized fast dissolving microneedle transdermal patch of meloxicam: A patient friendly approach to manage arthritis*. European Journal of Pharmaceutical Sciences, 2017. **104**: p. 114-123.

Andar, A.U., et al., *Microneedle-assisted skin permeation by nontoxic bioengineerable gas vesicle nanoparticles*. Molecular pharmaceutics, 2017. **14**(3): p. 953-958.

Asbill, C.S. and B.B. Michniak, *Percutaneous penetration enhancers: local versus transdermal activity*. Pharmaceutical science & technology today, 2000. **3**(1): p. 36-41.

Avula B, Chittiboyina AG, Sagi S, Wang YH, Wang M, Khan IA, et al. Identification and quantification of vinpocetine and picamilon in dietary supplements sold in the United States. Drug testing and analysis. 2016;**8**(3-4):334-43.

Banga, A., *New technologies to allow transdermal delivery of therapeutic proteins and small water-soluble drugs*. American Journal of Drug Delivery, 2006. **4**(4): p. 221-230.

Banga, A.K., *Electrically assisted transdermal and topical drug delivery*. 1998: CRC Press.

Barichello, J.M., et al., Encapsulation of hydrophilic and lipophilic drugs in PLGA nanoparticles by the nanoprecipitation method. Drug development and industrial pharmacy, 1999. **25**(4): p. 471-476.

Bendas, E.R. and M.I. Tadros, *Enhanced transdermal delivery of salbutamol sulfate via ethosomes*. Aaps Pharmscitech, 2007. **8**(4): p. 213.

Benson, H.A., *Elastic liposomes for topical and transdermal drug delivery*. Current drug delivery, 2009. **6**(3): p. 217-226.

Bhadra S, Das SC, Roy S, Arefeen S, Rouf ASS. Development and validation of RP-HPLC method for quantitative estimation of vinpocetine in pure and pharmaceutical dosage forms. Chromatography Research International. 2011.

Bhaskar, K., et al., *Lipid nanoparticles for transdermal delivery of flurbiprofen: formulation, in vitro, ex vivo and in vivo studies*. *Lipids in health and disease*, 2009. **8**(1): p. 6.

Bhavsar, M.D., S.B. Tiwari, and M.M. Amiji, *Formulation optimization for the nanoparticles-in-microsphere hybrid oral delivery system using factorial design*. *Journal of controlled release*, 2006. **110**(2): p. 422-430.

Blank, I.H., *Further observations on factors which influence the water content of the stratum corneum*. *Journal of Investigative Dermatology*, 1953. **21**(4): p. 259-271.

Boiko SS, Zherdev VP, Kolyvanov VP, Ostrovskaya RU, Gudasheva TA, Us KS, et al. *Noopept pharmacokinetics after intravenous administration of a lyophilized medicinal form in rats*. *Pharmaceutical Chemistry Journal*. 2007;41(3):123-5.

Boiko, S., et al., *Bioaccessibility of the new dipeptide nootropic drug noopept*. *Pharmaceutical Chemistry Journal*, 2004. **38**(12): p. 645-647.

Boiko, S., et al., *Noopept pharmacokinetics after intravenous administration of a lyophilized medicinal form in rats*. *Pharmaceutical Chemistry Journal*, 2007. **41**(3): p. 123-125.

Boiko, S.S., et al., *[Interspecies differences of noopept pharmacokinetics]*. *Eksp Klin Farmakol*, 2004. **67**(1): p. 40-3.

Bulletin of the World Health Organization, 2011. **89**, 166-167.

Chen, G., et al., *Pharmacokinetic and pharmacodynamic study of triptolide-loaded liposome hydrogel patch under microneedles on rats with collagen-induced arthritis*. *Acta Pharmaceutica Sinica B*, 2015. **5**(6): p. 569-576.

Chen, Y., et al., *Self-microemulsifying drug delivery system (SMEDDS) of vinpocetine: formulation development and in vivo assessment*. *Biol Pharm Bull*, 2008. **31**(1): p. 118-25.

Choisnard, L., et al., *Efficient size control of amphiphilic cyclodextrin nanoparticles through a statistical mixture design methodology*. *J Pharm Pharm Sci*, 2005. **8**(3): p. 593-600.

Chourasiya, V., S. Bohrey, and A. Pandey, *Formulation, optimization, characterization and in-vitro drug release kinetics of atenolol loaded PLGA nanoparticles using 33 factorial design for oral delivery*. *Materials Discovery*, 2016. **5**: p. 1-13.

Cornwell, P. and B. Barry, *Sesquiterpene components of volatile oils as skin penetration enhancers for the hydrophilic permeant 5-fluorouracil*. *Journal of pharmacy and pharmacology*, 1994. **46**(4): p. 261-269.

Coulman, S., C. Allender, and J. Birchall, *Microneedles and other physical methods for overcoming the stratum corneum barrier for cutaneous gene therapy*. *Crit Rev Ther Drug Carrier Syst*, 2006. **23**(3): p. 205-58.

- Coulman, S.A., et al., *Microneedle mediated delivery of nanoparticles into human skin*. International Journal of Pharmaceutics, 2009. **366**(1-2): p. 190-200.
- De, A., M. Mathur, and M. Gore, *Viability of cadaver skin grafts stored in skin bank at two different temperatures*. Indian Journal of Medical Research, 2008. **128**(6): p. 769-772.
- Dezsi, L., et al., *[Neuroprotective effects of vinpocetine in vivo and in vitro. Apovincaminic acid derivatives as potential therapeutic tools in ischemic stroke]*. Acta Pharm Hung, 2002. **72**(2): p. 84-91.
- Diez-Sales, O., et al., *The prediction of percutaneous absorption: I. Influence of the dermis on in vitro permeation models*. International journal of pharmaceutics, 1993. **100**(1-3): p. 1-7.
- Dubey, V., D. Mishra, and N. Jain, *Melatonin loaded ethanolic liposomes: physicochemical characterization and enhanced transdermal delivery*. European Journal of Pharmaceutics and Biopharmaceutics, 2007. **67**(2): p. 398-405.
- El-Laithy, H.M., O. Shoukry, and L.G. Mahran, *Novel sugar esters proniosomes for transdermal delivery of vinpocetine: preclinical and clinical studies*. Eur J Pharm Biopharm, 2011. **77**(1): p. 43-55.
- El-Zahaby, S.A., et al., *Zero-order release and bioavailability enhancement of poorly water soluble Vinpocetine from self-nanoemulsifying osmotic pump tablet*. Pharm Dev Technol, 2018. **23**(9): p. 900-910.
- Eriksson, L., et al., *Design of experiments*. Principles and Applications, Learn ways AB, Stockholm, 2000.
- Fang, J.-Y., et al., *Enhancement of the transdermal delivery of catechins by liposomes incorporating anionic surfactants and ethanol*. International journal of pharmaceutics, 2006. **310**(1-2): p. 131-138.
- Feigin, V.L., et al., *Vinpocetine treatment in acute ischaemic stroke: a pilot single-blind randomized clinical trial*. Eur J Neurol, 2001. **8**(1): p. 81-5.
- Gambhire, M.S., M.R. Bhalekar, and V.M. Gambhire, *Statistical optimization of dithranol-loaded solid lipid nanoparticles using factorial design*. Brazilian Journal of Pharmaceutical Sciences, 2011. **47**(3): p. 503-511.
- Group IEW. Validation of analytical procedures:Text and Methodology Q2(R1). Geneva: ICH Secretariat; 2005.
- Grushevskaya LN, Avdyunina NI, M. PB, V. AK, M. GL, S. SM, et al. Pharmaceutical analysis and standardization of Noopept tablets. Pharmaceutical Chemistry Journal. 2011;45(6):377-80
- Gudasheva, T.A., et al., *Synthesis and anti-amnesic activity of a series of N-acetylprolyl-containing dipeptides*. European Journal of Medicinal Chemistry, 1996. **31**(2): p. 151-157.

Gusev AV, Grushevskaya LN, Stepanenko OB, Avdyunina NI, Pyatin BM, Lezina VP, et al. Developing analytical methods for the creation of the state reference sample of noopept. *Pharmaceutical Chemistry Journal*. 2007;41(12):666-9.

Henry, S., et al., *Microfabricated microneedles: a novel approach to transdermal drug delivery*. *J Pharm Sci*, 1998. **87**(8): p. 922-5.

Hoogstraate, A., et al., *Kinetics, ultrastructural aspects and molecular modelling of transdermal peptide flux enhancement by N-alkylazacycloheptanones*. *International journal of pharmaceutics*, 1991. **76**(1-2): p. 37-47.

Hua, L., et al., *Preparation, evaluation, and NMR characterization of vinpocetine microemulsion for transdermal delivery*. *Drug Dev Ind Pharm*, 2004. **30**(6): p. 657-66.

Hubert PH, Chiap P, Crommen J, Boulanger B, Chapuzet E, Mercier N, et al. Validation of the quantitative analytical procedures: Harmonization of the steps. *STP Pharma practice*. 2003;13:101-38.

Huynh-Ba, K. and M. Zahn, *Understanding ICH guidelines applicable to stability testing*, in *Handbook of stability testing in pharmaceutical development*. 2009, Springer. p. 21-41.

ICH. Q2(R1) Validation of Analytical Procedures: Text and Methodology 1996.

Ita, K., *Dissolving microneedles for transdermal drug delivery: Advances and challenges*. *Biomedicine & Pharmacotherapy*, 2017. **93**: p. 1116-1127.

Ito, Y., et al., *Feasibility of microneedles for percutaneous absorption of insulin*. *Eur J Pharm Sci*, 2006. **29**(1): p. 82-8.

Jaafar-Maalej, C., et al., *Ethanol injection method for hydrophilic and lipophilic drug-loaded liposome preparation*. *Journal of liposome research*, 2010. **20**(3): p. 228-243.

Jain, S., et al., *Proultraflexible lipid vesicles for effective transdermal delivery of levonorgestrel: Development, characterization, and performance evaluation*. *AAPS PharmSciTech*, 2005. **6**(3): p. E513-E522.

Jain, S.K., et al., *Enhanced transdermal delivery of acyclovir sodium via elastic liposomes*. *Drug delivery*, 2008. **15**(3): p. 141-147.

Jana, S., et al., *Carbopol gel containing chitosan-egg albumin nanoparticles for transdermal aceclofenac delivery*. *Colloids and surfaces B: Biointerfaces*, 2014. **114**: p. 36-44.

Jeon, K.I., et al., *Vinpocetine inhibits NF-kappaB-dependent inflammation via an IKK-dependent but PDE-independent mechanism*. *Proc Natl Acad Sci U S A*, 2010. **107**(21): p. 9795-800.

Kendall, M., *Engineering of needle-free physical methods to target epidermal cells for DNA vaccination*. *Vaccine*, 2006. **24**(21): p. 4651-6.

- Kiafar, F., M.R.S. Shadbad, and H. Valizadeh, *Filgrastim (G-CSF) loaded liposomes: mathematical modeling and optimization of encapsulation efficiency and particle size*. *BioImpacts: BI*, 2016. **6**(4): p. 195.
- Kobayashi D, Matsuzawa T, Sugibayashi K, Morimoto Y, Kobayashi M, Kimura M. Feasibility of use of several cardiovascular agents in transdermal therapeutic systems with l-menthol-ethanol system on hairless rat and human skin. *Biological & pharmaceutical bulletin*. 1993;16(3):254-8.
- Kollipara, S., et al., *Application of rotatable central composite design in the preparation and optimization of poly (lactic-co-glycolic acid) nanoparticles for controlled delivery of paclitaxel*. *Drug development and industrial pharmacy*, 2010. **36**(11): p. 1377-1387.
- Kuo, S.-C. and Y. Chou, *A novel polymer microneedle arrays and PDMS micromolding technique*. *淡江理工學刊*, 2004. **7**(2): p. 95-98.
- Lademann, J., et al., *Nanoparticles--an efficient carrier for drug delivery into the hair follicles*. *Eur J Pharm Biopharm*, 2007. **66**(2): p. 159-64.
- Lalani, J., et al., *Protein functionalized tramadol-loaded PLGA nanoparticles: preparation, optimization, stability and pharmacodynamic studies*. *Drug development and industrial pharmacy*, 2013. **39**(6): p. 854-864.
- Lawrence, X.Y., *Pharmaceutical quality by design: product and process development, understanding, and control*. *Pharmaceutical research*, 2008. **25**(4): p. 781-791.
- Lee, J.W., J.H. Park, and M.R. Prausnitz, *Dissolving microneedles for transdermal drug delivery*. *Biomaterials*, 2008. **29**(13): p. 2113-24.
- Lee, W.-R., et al., *Lasers and microdermabrasion enhance and control topical delivery of vitamin C*. *Journal of investigative dermatology*, 2003. **121**(5): p. 1118-1125.
- Liu, D., et al., *Solid lipid nanoparticles for transdermal delivery of diclofenac sodium: preparation, characterization and in vitro studies*. *Journal of microencapsulation*, 2010. **27**(8): p. 726-734.
- Liu, H., et al., *Investigation into the potential of low-frequency ultrasound facilitated topical delivery of Cyclosporin A*. *International journal of pharmaceutics*, 2006. **326**(1-2): p. 32-38.
- Lorincz, C., K. Szasz, and L. Kisfaludy, *The synthesis of ethyl apovincaminat*. *Arzneimittelforschung*, 1976. **26**(10a): p. 1907.
- Luengo, J., et al., *Influence of nanoencapsulation on human skin transport of flufenamic acid*. *Skin Pharmacol Physiol*, 2006. **19**(4): p. 190-7.
- Luo Y, Chen D, Ren L, Zhao X, Qin J. Solid lipid nanoparticles for enhancing vinpocetine's oral bioavailability. *Journal of controlled release : official journal of the Controlled Release Society*. 2006;114(1):53-9.

Mahvash, M. and P.E. Dupont, *Mechanics of dynamic needle insertion into a biological material*. IEEE Trans Biomed Eng, 2010. **57**(4): p. 934-43.

Mao, Y.T., et al., *Ethosomes as delivery system for transdermal administration of vinpocetine*. Pharmazie, 2013. **68**(5): p. 381-2.

Mares M, Scott K, Papsun D, Logan B. Development of an Analytical Method for Nootropic "Smart" Drugs in Biological Fluids. FSF Emerging Forensic Scientist Award; The Center for Forensic Science Research & Education 2016.

Martanto, W., et al., *Transdermal delivery of insulin using microneedles in vivo*. Pharmaceutical research, 2004. **21**(6): p. 947-952.

Medina, A.E., *Vinpocetine as a potent antiinflammatory agent*. Proc Natl Acad Sci U S A, 2010. **107**(22): p. 9921-2.

Minitab StatGuide, Minitab 17 Statistical Software. 2010, Minitab, Inc.: State College, PA.

Mishra, D., et al., *Elastic liposomes mediated transdermal delivery of an anti-hypertensive agent: propranolol hydrochloride*. Journal of pharmaceutical sciences, 2007. **96**(1): p. 145-155.

Miskolczi, P., et al., *Pharmacokinetics of vinpocetine and its main metabolite apovincaminic acid before and after the chronic oral administration of vinpocetine to humans*. Eur J Drug Metab Pharmacokinet, 1990. **15**(1): p. 1-5.

Moghaddam, A.A., et al., *Nanoethosomes mediated transdermal delivery of vinpocetine for management of Alzheimer's disease*. Drug Deliv, 2015. **22**(8): p. 1018-1026.

Moghddam, S.M.M., et al., *Optimization of nanostructured lipid carriers for topical delivery of nimesulide using Box–Behnken design approach*. Artificial cells, nanomedicine, and biotechnology, 2017. **45**(3): p. 617-624.

Molpeceres, J., et al., *Application of central composite designs to the preparation of polycaprolactone nanoparticles by solvent displacement*. Journal of pharmaceutical sciences, 1996. **85**(2): p. 206-213.

Morimoto, Y., et al., *In vitro skin permeation of morphine hydrochloride during the finite application of penetration-enhancing system containing water, ethanol and l-menthol*. Biological and Pharmaceutical Bulletin, 2002. **25**(1): p. 134-136.

Mura, P., et al., *Optimization of formulation variables of benzocaine liposomes using experimental design*. Journal of liposome research, 2008. **18**(2): p. 113-125.

Murthy, R. and M.L. Umrethia, *Optimization of Formulation Parameters for the Preparation of Flutamide Liposomes by 33 Factorial 26-Term Logit Model*. Pharmaceutical development and technology, 2005. **9**(4): p. 369-377.

- Murthy, S.N., *Magnetophoresis: an approach to enhance transdermal drug diffusion*. Die Pharmazie, 1999. **54**(5): p. 377-379.
- Muthu, M.S. and S.-S. Feng, *Pharmaceutical stability aspects of nanomedicines*. Nanomedicine, 2009. **4**(8): p. 857-860.
- Neznamov, G.G. and E.S. Teleshova, *Comparative studies of Noopept and piracetam in the treatment of patients with mild cognitive disorders in organic brain diseases of vascular and traumatic origin*. Neurosci Behav Physiol, 2009. **39**(3): p. 311-21.
- Nie, S., et al., *In vitro and in vivo studies on the complexes of vinpocetine with hydroxypropyl-beta-cyclodextrin*. Arch Pharm Res, 2007. **30**(8): p. 991-1001.
- Ning, M., et al., *Preparation and in vitro/in vivo evaluation of vinpocetine elementary osmotic pump system*. Adv Pharmacol Sci, 2011. **2011**: p. 385469.
- Ostrovskaya, R.U., et al., *[The original novel nootropic and neuroprotective agent noopept]*. Eksp Klin Farmakol, 2002. **65**(5): p. 66-72.
- Ostrovskaya, R.U., et al., *Noopept stimulates the expression of NGF and BDNF in rat hippocampus*. Bull Exp Biol Med, 2008. **146**(3): p. 334-7.
- P Thakkar, H., H. Savsani, and P. Kumar, *Ethosomal Hydrogel of Raloxifene HCl: Statistical Optimization & Ex Vivo Permeability Evaluation Across Microporated Pig Ear Skin*. Current drug delivery, 2016. **13**(7): p. 1111-1122.
- Park, E.-S., et al., *Effects of adhesives and permeation enhancers on the skin permeation of captopril*. Drug development and industrial pharmacy, 2001. **27**(9): p. 975-980.
- Patel, D., P. Kumar, and H.P. Thakkar, *Lopinavir metered-dose transdermal spray through microporated skin: Permeation enhancement to achieve therapeutic needs*. Journal of Drug Delivery Science and Technology, 2015. **29**: p. 173-180.
- Patel, K.K., P. Kumar, and H.P. Thakkar, *Formulation of niosomal gel for enhanced transdermal lopinavir delivery and its comparative evaluation with ethosomal gel*. Aaps pharmscitech, 2012. **13**(4): p. 1502-1510.
- Pershing, L.K., L.D. Lambert, and K. Knutson, *Mechanism of ethanol-enhanced estradiol permeation across human skin in vivo*. Pharmaceutical research, 1990. **7**(2): p. 170-175.
- Prausnitz, M.R. and R. Langer, *Transdermal drug delivery*. Nature biotechnology, 2008. **26**(11): p. 1261.
- Prince, M., et al. *The Global Impact of Dementia: An Analysis of prevalence, incidence, cost & trends*. World Alzheimer Report-2015, 2015.

Qiu, Y., et al., *Enhancement of skin permeation of docetaxel: a novel approach combining microneedle and elastic liposomes*. Journal of Controlled Release, 2008. **129**(2): p. 144-150.

Quinn, H.L., et al., *Design of a Dissolving Microneedle Platform for Transdermal Delivery of a Fixed-Dose Combination of Cardiovascular Drugs*. J Pharm Sci, 2015. **104**(10): p. 3490-500.

Rahbar, N., et al., *Mercury removal from aqueous solutions with chitosan-coated magnetite nanoparticles optimized using the box-behnken design*. Jundishapur journal of natural pharmaceutical products, 2014. **9**(2).

Ramadan, E., et al., *Transdermal microneedle-mediated delivery of polymeric lamivudine-loaded nanoparticles*. journal of Pharmaceutical Technology and Drug Research, 2016. **5**(1): p. 1.

Reck B, Dingler E, Lohmann A. Development of a sensitive enzyme immunoassay for the determination of vinpocetine in human plasma. *Arzneimittel-Forschung*. 1992;42(10):1171-4.

Ribeiro, L., D.C. Ferreira, and F.J. Veiga, *In vitro controlled release of vinpocetine-cyclodextrin-tartaric acid multicomponent complexes from HPMC swellable tablets*. J Control Release, 2005. **103**(2): p. 325-39.

Salopek, B., D. Krasic, and S. Filipovic, *Measurement and application of zeta-potential*. Rudarsko-geolosko-naftni zbornik, 1992. **4**(1): p. 147.

Sanchez, L., et al., *Potential irritation of lysine derivative surfactants by hemolysis and HaCaT cell viability*. Toxicology letters, 2006. **161**(1): p. 53-60.

Santander-Ortega, M., et al., *Nanoparticles made from novel starch derivatives for transdermal drug delivery*. Journal of controlled release, 2010. **141**(1): p. 85-92.

Sharma, D., et al., *Formulation and optimization of polymeric nanoparticles for intranasal delivery of lorazepam using Box-Behnken design: in vitro and in vivo evaluation*. BioMed research international, 2014. **2014**.

Shi, J., et al., *Formulation of liposomes gels of paeonol for transdermal drug delivery by Box-Behnken statistical design*. Journal of liposome research, 2012. **22**(4): p. 270-278.

Shim, J., et al., *Transdermal delivery of mixnoxidil with block copolymer nanoparticles*. Journal of Controlled Release, 2004. **97**(3): p. 477-484.

Shin, S.-C. and H.-J. Lee, *Controlled release of triprolidine using ethylene-vinyl acetate membrane and matrix systems*. European journal of pharmaceutics and biopharmaceutics, 2002. **54**(2): p. 201-206.

Shomaker, T.S., J. Zhang, and M.A. Ashburn, *A pilot study assessing the impact of heat on the transdermal delivery of testosterone*. The Journal of Clinical Pharmacology, 2001. **41**(6): p. 677-682.

- Sintov, A.C., et al., *Radiofrequency-driven skin microchanneling as a new way for electrically assisted transdermal delivery of hydrophilic drugs*. Journal of controlled release, 2003. **89**(2): p. 311-320.
- Solanki, A.B., J.R. Parikh, and R.H. Parikh, *Formulation and optimization of piroxicam proniosomes by 3-factor, 3-level Box-Behnken design*. AAPS PharmSciTech, 2007. **8**(4): p. 43.
- Southwell, D. and B.W. Barry, *Penetration enhancers for human skin: mode of action of 2-pyrrolidone and dimethylformamide on partition and diffusion of model compounds water, n-alcohols, and caffeine*. Journal of investigative dermatology, 1983. **80**(6): p. 507-514.
- Svedman, P., *Transdermal perfusion of fluids*. 2000, Google Patents.
- Swartz ME, Krull IS. Handbook of Analytical Validation: Taylor & Francis; 2012.
- Szilagyi, G., et al., *Effects of vinpocetine on the redistribution of cerebral blood flow and glucose metabolism in chronic ischemic stroke patients: a PET study*. J Neurol Sci, 2005. **229-230**: p. 275-84.
- Tefas, L.R., et al., *Quercetin-loaded liposomes: formulation optimization through a D-optimal experimental design*. Farmacia, 2015. **63**(1): p. 26-31.
- Teo, A.L., et al., *Transdermal microneedles for drug delivery applications*. Materials Science and Engineering: B, 2006. **132**(1-2): p. 151-154.
- USFDA. Guidance for Industry: Estimating the Maximum Safe Starting Dose in Initial Clinical Trials for Therapeutics in Adult Healthy Volunteers Center for Drug Evaluation and Research: U.S. Food and Drug Administration; 2005 [cited 2016 January 16]. Available from: <http://www.fda.gov/downloads/drugs/guidances/ucm078932.pdf>.
- Varshosaz, J., et al., *Development and optimization of solid lipid nanoparticles of amikacin by central composite design*. Journal of Liposome Research, 2010. **20**(2): p. 97-104.
- Varshosaz, J., et al., *Optimization of freeze-drying condition of amikacin solid lipid nanoparticles using D-optimal experimental design*. Pharmaceutical development and technology, 2012. **17**(2): p. 187-194.
- Vatsova M, Tzvetanov S, Drenska A, Goransheva J, Tyutyulkova N. Improved gas chromatographic-mass spectrometric method for the quantitative determination of vinpocetine in human plasma. Journal of chromatography B, Biomedical sciences and applications. 1997;702(1-2):221-6.
- Venugopal K, Saha RN. New, simple and validated UV-spectrophotometric methods for the estimation of gatifloxacin in bulk and formulations. Farmaco. 2005;60(11-12):906-12.
- Vinpocetine Monograph*. Thirteenth ed. The Merck Index. New Jersey, USA: Merck & Co., Inc.
- Vinpocetine. Monograph*. Altern Med Rev, 2002. **7**(3): p. 240-3.

Vora, B., A.J. Khopade, and N. Jain, *Proniosome based transdermal delivery of levonorgestrel for effective contraception*. Journal of controlled release, 1998. **54**(2): p. 149-165.

Vučen, S.R., et al., *Improved percutaneous delivery of ketoprofen using combined application of nanocarriers and silicon microneedles*. Journal of Pharmacy and Pharmacology, 2013. **65**(10): p. 1451-1462.

Wang, F., et al., *Optimization of methazolamide-loaded solid lipid nanoparticles for ophthalmic delivery using Box–Behnken design*. Journal of liposome research, 2014. **24**(3): p. 171-181.

Wang, R. and Y. Xu, *Development and evaluation of nanoparticles based on mPEG-PLA for controlled delivery of vinpocetine: in vitro and in vivo studies*. Artif Cells Nanomed Biotechnol, 2017. **45**(1): p. 157-162.

Wilson, V.G., *Growth and differentiation of HaCaT keratinocytes*, in *Epidermal cells*. 2013, Springer. p. 33-41.

Winsor, T. and G.E. Burch, *Differential roles of layers of human epigastric skin on diffusion rate of water*. Archives of Internal Medicine, 1944. **74**(6): p. 428-436.

Xu, H., et al., *Optimized preparation of vinpocetine proliposomes by a novel method and in vivo evaluation of its pharmacokinetics in New Zealand rabbits*. J Control Release, 2009. **140**(1): p. 61-8.

Yan, G., et al., *Evaluation needle length and density of microneedle arrays in the pretreatment of skin for transdermal drug delivery*. Int J Pharm, 2010. **391**(1-2): p. 7-12.

Yang Y, Lou K, Gong W, Mei X-G, Zhang K-C. Simultaneous Estimation of Vinpocetine and Its Metabolite, Apovincaminic Acid, in Beagle Plasma by LC-MS-MS. Chromatographia. 2011;73(7):775-9.

Zeng, C., et al., *Optimization of the process variables of tilianin-loaded composite phospholipid liposomes based on response surface-central composite design and pharmacokinetic study*. European Journal of Pharmaceutical Sciences, 2016. **85**: p. 123-131.

Zeta potential: An introduction in 30 minutes. Zetasizer Nano series technical note 2017 [cited 2017; Available from: https://www.materials-talks.com/wp-content/uploads/2017/09/mrk654-01_an_introduction_to_zeta_potential_v3.pdf.

Zhang, W., et al., *Penetration and distribution of PLGA nanoparticles in the human skin treated with microneedles*. International journal of pharmaceutics, 2010. **402**(1-2): p. 205-212.

Zhuang, C.Y., et al., *Preparation and characterization of vinpocetine loaded nanostructured lipid carriers (NLC) for improved oral bioavailability*. Int J Pharm, 2010. **394**(1-2): p. 179-85.