

TABLE OF CONTENTS

SECTION I.....	1-100
1. INTRODUCTION.....	1
1.1. Alzheimer's Disease (AD).....	1
1.1.1. Cholinergic hypothesis.....	4
1.1.2. Amyloid hypothesis.....	4
1.1.3. Tau hypothesis.....	5
1.2. AD pathogenesis.....	6
1.3. Current treatments and existing clinical research on AD.....	7
1.3.1. Interferences targeting amyloid.....	8
1.3.2. Advanced Glycation End (AGEs) products.....	9
1.3.3. NMDA receptor antagonist.....	10
1.3.4. Nerve Growth Factor (NGF).....	10
1.3.5. Targeting Tau protein.....	10
1.3.6. Serotonin receptors.....	10
2. RESEARCH ENVISAGED.....	12
3. MATERIALS AND METHODS.....	14
3.1. Reagents.....	14
3.2. Cholinesterase inhibition assay.....	14
3.2.1 Principle.....	14
3.2.3 Procedure.....	15
3.3. <i>hAChE</i> induced A β aggregation inhibition studies.....	16
3.3.1. Reagents.....	16
3.3.2. Procedure.....	16
3.4. Acute oral toxicity studies.....	16
3.5. Scopolamine induced amnesic mice model.....	16
3.5.1. Experimental design.....	17
3.6. Morris water maze test.....	17
3.7. Assessment of lipid peroxidation and endogenous antioxidants.....	18
3.7.1. Assay of lipid peroxidation (MDA content).....	18
3.7.2. Assay of catalase.....	19
3.7.3. AChE and BuChE estimation in brain.....	20
3.8. Culture of hippocampal neurons.....	21
3.8.1. Determination of cell viability.....	21
3.9. Measurement of apoptotic cell death.....	21
3.9.1. Reagents.....	21
3.9.2. Procedure.....	22
3.10. Intracellular ROS generation.....	22
3.11. Immunocytochemistry of hippocampal cells treated with A β_{1-42}	22
3.11.1. Principle.....	22
3.11.2. Reagents.....	22
3.11.3. Procedure.....	23
3.12. A β_{1-42} induced Alzheimer's rat model.....	23

3.12.1. Set 1.....	24
3.12.2. Set 2.....	24
3.13. Conditioned avoidance response (CAR).....	24
3.14. Immunohistochemical analysis of hippocampal neurons	25
3.14.1. Principle	25
3.14.2. Reagents	25
3.14.3. Procedure.....	26
3.15. Qualitative analysis of A β plaques & quantification of β -catenin positive cells	27
3.16. Fluoro-jade C labeling and quantification of fluoro-jade C ⁺ degenerating neurons..	28
3.16.1. Reagents	28
3.16.2. Procedure.....	28
3.17. Western blot analysis	29
3.17.1. Bicinchoninic acid (BCA) assay	29
3.17.2. Western blot analysis	30
3.18. Statistical analysis	30
4. RESULTS	31
4.1. Cholinesterase inhibition assay of triazine derivatives	31
4.2. Cholinesterase inhibition assay of guanidine derivatives	31
4.3. Morris water maze test.....	46
4.4. Inhibition of AChE and BuChE activities and antioxidative effects of TRZ-15, TRZ-20 and 3b in scopolamine treated mouse brain	47
4.5. Inhibition of hAChE-induced A β aggregation.....	51
4.6. TRZ-15 and TRZ-20 ameliorate A β ₁₋₄₂ induced injury in rat hippocampal neurons...51	
4.7. Compound (3b) improves A β ₁₋₄₂ induced injury in rat hippocampal neuronal cells ...53	
4.8. TRZ-15 and TRZ-20 prevent A β ₁₋₄₂ induced apoptosis.....	55
4.9. Compound (3b) prevents apoptosis induced by A β ₁₋₄₂	55
4.10. TRZ-15 and TRZ-20 suppress A β ₁₋₄₂ induced oxidative injury.....	58
4.11. Compound (3b) represses oxidative injury induced by A β ₁₋₄₂	59
4.12. TRZ-15 and TRZ-20 reduced A β burden and cleaved caspase-3 expression in rat hippocampal neurons exposed to A β ₁₋₄₂	60
4.13. Compound (3b) reduced A β burden and cleaved caspase-3 positive expression in rat hippocampal neurons exposed with A β ₁₋₄₂	63
4.14. TRZ-15 and TRZ-20 increase hippocampus-dependent learning and memory processes.....	66
4.15. Compound (3b) augments hippocampus-dependent learning and memory.....	66
4.16. TRZ-15 and TRZ-20 diminish A β burden in A β ₁₋₄₂ induced Alzheimer's rat brain .67	
4.17. Compound (3b) reduces A β burden in A β ₁₋₄₂ induced Alzheimer's rat brain.....	70
4.18. TRZ-15 and TRZ-20 decrease neurodegeneration in hippocampal region of A β ₁₋₄₂ induced Alzheimer's rat brain	72
4.19. Compound (3b) diminishes neurodegeneration in hippocampus of A β ₁₋₄₂ induced Alzheimer's rat brain.....	72
4.20. TRZ-15 and TRZ-20 stabilize the level of β -catenin in A β ₁₋₄₂ induced Alzheimer's rat brain.....	75

4.21. Compound (3b) inhibits GSK-3 and stabilizes the level of β -catenin in $A\beta_{1-42}$ induced Alzheimer's rat brain	77
4.22. TRZ-15 and TRZ-20 reduce $A\beta$, cytochrome c and cleaved caspase levels in $A\beta_{1-42}$ induced Alzheimer's rat brain	79
4.23. Compound (3b) reduced $A\beta$, cytochrome c and cleaved caspase-3 levels in $A\beta_{1-42}$ induced Alzheimer's rat brain	81
4.24. TRZ-15 and TRZ-20 diminish GSK3 and increase the level of β -catenin in $A\beta_{1-42}$ induced Alzheimer's rat brain	83
4.25. Compound (3b) inhibits GSK-3 and stabilizes the level of β -catenin in $A\beta_{1-42}$ induced Alzheimer's rat brain	85
5. DISCUSSION	87
5.1. TRZ-15 and TRZ-20 are potent ChE inhibitors and antioxidants.....	88
5.2. TRZ-15 and TRZ-20 showed protective role in $A\beta_{1-42}$ induced neurotoxicity	89
5.3. TRZ-15 and TRZ-20 are involved in regulation of the wnt signaling pathway.....	90
5.4. Compound (3b) is a potential anticholinesterase and antioxidant	92
5.5. Compound (3b) shows neuroprotection in $A\beta_{1-42}$ induced neurotoxicity	92
5.6. Compound (3b) inhibits GSK-3 and regulates the canonical Wnt signaling pathway	93
REFERENCES.....	95
SECTION II.....	101-151
1. INTRODUCTION.....	101
1.1. The Discovery of serotonin.....	101
1.2. Serotonin receptors.....	102
1.2.1. 5-HT ₁ receptors	102
1.2.2. 5-HT ₂ receptors	104
1.2.3. 5-HT ₃ receptors	106
1.2.4. 5-HT ₄ receptors	106
1.2.5. 5-HT ₅ receptors	107
1.2.6. 5-HT ₆ receptors	107
1.2.7. 5-HT ₇ receptors	108
1.3. 5HT _{2C} receptor and its therapeutic potentials	108
1.3.1. Obesity	109
1.3.2. Anxiety.....	110
1.3.3. Depression.....	111
1.3.4. Penile erection	112
2. RESEARCH ENVISAGED.....	114
3. MATERIALS AND METHODS	115
3.1. Animals	115
3.2. Methods isolated	115
3.2.1. <i>In vitro</i> 5-HT assay using isolated rat fundus preparation	115
3.2.2. <i>In vitro</i> 5-HT assay using rat thoracic aorta strip.....	115
3.2.3. Tail suspension test (TST) in mice.....	116
3.2.4. Acute oral toxicity study	116
3.2.5. Elevated plus maze (EPM) test	116

3.2.6. Hypophagic response in rats	118
3.2.7. Penile erection rat model.....	118
3.2.8. Estimation of dopamine (DA) and 5-HT levels using HPLC technique.....	118
3.3. Statistical analysis	119
4. RESULTS	120
4.1. Biological evaluation	120
4.1.1. <i>In vitro</i> isolated rat fundus and isolated rat thoracic aorta experiments.....	120
4.2. Tail suspension test (TST)	135
4.3. Elevated plus maze test	137
4.4. Hypophagic response	138
4.5. Penile erections in rats	138
4.6. Estimation of monoamines.....	139
5. DICUSSION	141
REFERENCES.....	144
SECTION III.....	152-191
1. INTRODUCTION.....	152
1.1 Dopaminergic system: synthesis and degeneration of dopamine	152
1.2 Dopaminergic neuronal pathways.....	153
1.3 Subtypes of dopamine receptors	153
1.4 Importance of D ₂ receptor.....	155
1.5 Parkinson's disease (PD)	155
1.5.1 Pathology, aetiology and pathogenesis	156
1.5.2. Genetics in PD.....	157
1.5.3. Diagnosis	159
1.5.4. Management	159
2. RESEARCH ENVISAGED.....	162
3. MATERIALS AND METHODS	163
3.1. Animals	163
3.2. Methodology	163
3.2.1. Superior mesenteric artery strip preparation	163
3.2.4. 6-Hydroxydopamine (6-OHDA) lesioned rat model of Parkinson's disease.....	165
3.2.5. Compound (3d) induced rotational behaviour	165
3.2.6. Neurochemical parameters	166
3.2.7. Immunohistochemistry	167
3.2.8. Estimation of dopamine (DA) level using HPLC technique.....	168
3.3. Statistical Analysis	168
4. RESULTS	169
4.1. Effect of compounds (3a-5) on rat superior mesenteric artery	169
4.2 Compound (3d) improved 6-OHDA induced injury in human SH-SY5Y neuroblastoma cell culture.....	175
4.4. Antioxidative effects of compound (3d) in 6-OHDA treated rat brain.....	177
4.5. Compound (3d) increased dopamine (DA) level in striatum of 6-OHDA lesioned rats	179

4.6. Compound (3d) diminishes cleaved caspase-3 level in 6-OHDA induced Parkinson's rat brain.....	180
5. DISCUSSION	182
REFERENCES.....	186
SUMMARY	I
APPENDIX I	VII
APPENDIX II.....	XIV
APPENDIX III	XXII
APPENDIX IV	XXX