

LIST OF FIGURES

Figure 1.1	Techniques for Solubility enhancement for drug	2
Figure 1.2	Schematic representation of liquid crystal mechanism	8
Figure 1.3	Main features of the mesoporous silica materials	8
Figure 1.4	The proposed LCT mechanism of formation of mesoporous silica material and effect on increasing the surfactant and silica ratio	10
Figure 1.5	Classification of adsorption isotherms	14
Figure 1.6	Typical isotherm for a mesoporous Silica material	14
Figure 1.7	Parameters that affect the loading and release rate of drug molecules in MSNs	19
Figure 4.1	Overlay UV-Spectra of RTV in methanol (5-100 µg/ml)	57
Figure 4.2	Calibration Curve of RTV in methanol (5-100 µg/ml)	57
Figure 4.3	Chromatogram of Ritonavir	61
Figure 4.4	Calibration Curve of RTV in ACN: methanol: Buffer (40:35:25) by HPLC	61
Figure 4.5	Chromatogram of Blank (unspiked) Human Plasma (PB)	68
Figure 4.6	Chromatogram of RTV in Plasma sample with IS	68
Figure 4.7	Calibration curve of RTV in human plasma	68
Figure 4.8	Overlay of UV-Spectra of LPV (5-30 µg/ml)	77
Figure 4.9	Calibration Curve of LPV (5-30 µg/ml)	77
Figure 4.10	Chromatogram of Lopinavir	81
Figure 4.11	Calibration Curve of LPV in ACN: methanol: Buffer (40:40:20) by HPLC	81
Figure 4.12	Chromatogram of Blank Human Plasma	86
Figure 4.13	Chromatogram of LPV in Plasma sample with IS	86
Figure 4.14	Calibration curve of LPV in human plasma	86
Figure 5.1	Reduction of yellow Tetrazole into purple Formazan	102

Figure 5.2	SEM images of (A) MCM-48NPs (B) MCM-41NPs and (C) SBA-15NPs	105
Figure 5.3	TEM images of (A) MCM-48NPs (B) MCM-41NPs and (C) SBA-15NPs	106
Figure 5.4	FTIR spectras of (A) MCM-48NPs (B) MCM-41NPs and (C) SBA-15NPs	106
Figure 5.5	L-PXRD (A) MCM-48NPs (B) MCM-41NPs and (C) SBA-15NPs	107
Figure 5.6	Adsorption desorption of (A) MCM-48NPs (B) MCM-41NPs and (C) SBA-15NPs	108
Figure 5.7	Pore size graph of (A) MCM-48NPs (B) MCM-41NPs and (C) SBA-15NPs	108
Figure 5.8	Graphical representation of textural properties and drug loading in MSNs	109
Figure 5.9	Graphical representation of RTV linkage to silanol group of MSNs	109
Figure 5.10	DSC thermogram of optimization of RTV loading in MCM-48NPs RTV: MCM-48NPs (A) 1:1 (B) 1:1.25 (C) 1:1.5 and (D) 1:2	111
Figure 5.11	DSC thermogram of optimization of RTV loading in MCM-41NPs RTV: MCM-41NPs (A) 1:1 (B) 1:1.25 (C) 1:1.5 and (D) 1:2	111
Figure 5.12	DSC thermogram of optimization of RTV loading in SBA-15NPs RTV: SBA-15NPs (A) 1:1 (B) 1:1.25 (C) 1:1.5 and (D) 1:2	112
Figure 5.13	TGA Thermogram of (A) RTV (B) R-MCM-41NPs (C) R-MCM-48NPs and (D) R-SBA-15NPs	113
Figure 5.14	TEM images after RTV loading in (A) MCM-48NPs (B) MCM-41NPs and (C) SBA-15NPs	114
Figure 5.15	FT-IR spectra of RTV	115
Figure 5.16	FT-IR spectra of physical Mixture of (A) RTV+MCM-48NPs (B) RTV+MCM-41NPs and (C) RTV+SBA-15NPs	115
Figure 5.17	FT-IR spectra of (A) R-MCM-48NPs (B) R-MCM-41NPs and (C) R-SBA-15NPs	116
Figure 5.18	DSC thermogram of (A) MCM-48NPs (B) MCM-41NPs and (C) SBA-15NPs	117

Figure 5.19	S-PXRD (A) R-MCM-48NPs, (B) R-MCM-41NPs and (C) R-SBA-15NPs	118
Figure 5.20	W-PXRD (A) R-MCM-48NPs, (B) R-MCM-41NPs and (C) R-SBA-15NPs	118
Figure 5.21	N₂ adsorption desorption isotherms of (A) R-MCM-48NPs, (B) R-MCM-41NPs and (C) R-SBA-15NPs	119
Figure 5.22	Pore size after RTV loading in (A) MCM-48NPs, (B) MCM-41NPs and (C) SBA-15NPs	120
Figure 5.23	Release profile of RTV from pure RTV, R-MSNs and MF in (A) 0.1N HCl (B) pH 4.5 acetate buffer with 0.75 % PLE (C) pH 6.8 phosphate buffer with 0.75 % PLE	122
Figure 5.24	Graphical Representation of RTV plasma profile for pure RTV, R-MSNs and MF of RTV in Albino wistar rat following oral administration	123
Figure 5.25	Cytotoxicity graphs for plain RTV and RTV loaded MCM-48NPs and SBA-15 NPs (A) 6h (B) 24h and (C) 48h	124
Figure 5.26 A	XRD pattern of R-MCM-41NPs in 40°C±2°C and 75%±5% relative humidity after A) 1 month, B) 3 month C) 6 month	126
Figure 5.26 B	XRD pattern of R-MCM-48NPs in 40°C±2°C and 75%±5% relative humidity after A) 1 month B) 3 month C) 6 month	126
Figure 5.26 C	XRD pattern of R-SBA-15NPs in 40°C±2°C and 75%±5% relative humidity after A) 1 month B) 3 month C) 6 month	126
Figure 5.27 A	DSC of R-MCM-41NPs (A) 40°C±2°C and 75%±5% relative humidity after a) 1 months b) 3 months c) 6 months	127
Figure 5.27 B	DSC of R-MCM-48NPs (A) 40°C±2°C and 75%±5% relative humidity after a) 1 months b) 3 months c) 6 months	127
Figure 5.27 C	DSC of R-SBA-15NPs (A) 40°C±2°C and 75%±5% relative humidity after a) 1 months b) 3 months c) 6 months	127
Figure 5.28 A	TEM images of R-MCM-41NPs in 40°C±2°C and 75%±5% relative humidity after A) 1 months B) 3 months C) 6 months	128
Figure 5.28 B	TEM images of R-MCM-48NPs in 40°C±2°C and 75%±5% relative humidity after A) 1 months B) 3 months C) 6 months	128
Figure 5.28 C	TEM images of R-SBA-15NPs in 40°C±2°C and 75%±5% relative humidity after A) 1 months B) 3 months C) 6 months	129
Figure 6.1	Graphical representation of LPV linkage to silanol group of	142

MSNs

Figure 6.2	DSC thermogram of optimization of LPV loading in MCM-48NPs LPV: MCM-48NPs (A) 1:1 (B) 1:1.25 (C) 1:1.5 and (D) 1:2	143
Figure 6.3	DSC thermogram of optimization of LPV loading in MCM-41NPs LPV: MCM-41NPs (A) 1:1 (B) 1:1.25 (C) 1:1.5 and (D) 1:2	144
Figure 6.4	DSC thermogram of optimization of LPV loading in SBA-15NPs LPV: SBA-15NPs (A) 1:1 (B) 1:1.25 (C) 1:1.5 and (D) 1:2	144
Figure 6.5	TGA Thermogram of (A) LPV, (B) L-MCM-41NPs, (C) L-MCM-48NPs and (D) L-SBA-15NPs	145
Figure 6.6	After LPV loaded in (A) MCM-48NPs, (B) MCM-41NPs and (C) SBA-15NPs	146
Figure 6.7	FT-IR spectra of LPV	147
Figure 6.8	FT-IR spectra of physical Mixture of (A) LPV+MCM-48NPs, (B) LPV+MCM-41NPs and (C) LPV+SBA-15NPs	147
Figure 6.9	FT-IR spectra of (A) L-MCM-48NPs, (B) L-MCM-41NPs and (C) L-SBA-15NPs	148
Figure 6.10	DSC Thermogram of (A) MCM-48NPs, (B) MCM-41NPs and (C) SBA-15NPs	149
Figure 6.11	S-PXRD (A) L-MCM-48NPs, (B) L-MCM-41NPs and (C) L-SBA-15NPs	150
Figure 6.12	W-PXRD (a) LPV (b) L-MCM-48NPs, (c) L-MCM-41NPs and (d) L-SBA-15NPs	150
Figure 6.13	N₂ Adsorption desorption isotherms of (A)L-MCM-48NPs, (B)L-MCM-41NPs and (C)L-SBA-15NPs	151
Figure 6.14	Pore size after LPV loading in (A) MCM-48NPs, (B) MCM-41NPs and (C) SBA-15NPs	152
Figure 6.15	Release profile of LPV from pure LPV, develop formulation of LPV with various mesoporous silica nanoparticles and marketed formulation in (A) 0.1N HCl with 0.75 % PLE; (B) pH 4.5 acetate buffer with 0.75% PLE; (C) pH 6.8 phosphate buffer with 0.75% PLE	155
Figure 6.16	Release profile of LPV from combination of LPV/RTV, LR-	155

MSNs and MF in (A) 0.1N HCl with 0.75 % PLE; (B) pH 4.5 acetate buffer with 0.75% PLE; (C) pH 6.8 phosphate buffer with 0.75% PLE

Figure 6.17	Graphical representation of LPV plasma profile for plain LPV, Combination of LPV/RTV, LP- MCM-41NPs, LP- MCM-48NPs, LP-SBA-15NPs and MF of LPV/RTV in Albino Wistar rat following oral administration	157
Figure 6.18	Cytotoxicity graphs for plain LPV and LPV loaded MCM-48NPs and SBA 15 NPs (A) 6hr (B) 24 Hr and (C) 48 Hr	159
Figure 6.19 A	XRD pattern of L-MCM-41NPs in 40°C ± 2°C and 75% ± 5% relative humidity after A) 1 month B) 3 month C) 6 month	160
Figure 6.19 B	XRD pattern of L-MCM-48NPs in 40°C ± 2°C and 75% ± 5% relative humidity after A) 1 month B) 3 month C) 6 month	160
Figure 6.19 C	XRD pattern of L-SBA-15NPs in 40°C ± 2°C and 75% ± 5% relative humidity after A) 1 month B) 3 month C) 6 month	160
Figure 6.20 A	DSC of L-MCM-41NPs (A) 40°C ± 2°C/75% ± 5% relative humidity after a) 1 months b) 3 months c) 6 months	161
Figure 6.20 B	DSC of L-MCM-48NPs (A) 40°C ± 2°C/ 75% ± 5% relative humidity after a) 1 months b) 3 months c) 6 months	161
Figure 6.20 C	DSC of L-SBA-15NPs (A) 40°C ± 2°C/75% ± 5% relative humidity after a) 1 months b) 3 months c) 6 months	162
Figure 6.21 A	TEM images of L-MCM-41NPs in 40°C ± 2°C/75% ±5% relative humidity after A) 1 month B) 3 month C) 6 month	162
Figure 6.21 B	TEM images of L-MCM-48NPs in 40°C ± 2°C/75% ±5% relative humidity after A) 1 months, B) 3 months C) 6 months	163
Figure 6.21 C	TEM images of L-SBA-15NPs in 40°C ± 2°C/75% ± 5% relative humidity after A) 1 months, B) 3 months C) 6 months	163