

## **Bibliography**

## Bibliography

- Acosta J, Hettinga J, Fluckiger R, Krumrei N, Goldfine A, Angarita L, Halperin J.** Molecular basis for a link between complement and the vascular complications of diabetes. *Proc Natl Acad Sci U S A.* 2000; 97: 5450 – 5455.
- Adachi T, Wang XL:** Association of extracellular-superoxide dismutase phenotype with the endothelial constitutive nitric oxide synthase polymorphism. *FEBS Lett* 1998; 433: 166 – 168.
- Adler AJ, Holub BJ.** Effect of garlic and fish oil supplementation on serum lipid and lipoprotein concentrations in hypercholesterolemic men. *American Journal of Clinical Nutrition* 1997; 65: 445 – 450.
- Agrawal P, Rai V, Singh RB, Azad Khan AK, Akhtar S, Mahtab H:** Randomized placebo-controlled single-blind trial of holy basil leaves in patients with non-insulin-dependent diabetes mellitus: *Coccinia indica* in the treatment of patients with diabetes mellitus. *Int J Clin Pharmacol Ther* 34:406–409, 1996
- Ahmad N, Hassan MR, Halder H, Bennoor KS.** Effect of *Momordica charantia* (Karolla) extracts on fasting and postprandial serum glucose levels in NIDDM patients. *Bangladesh Med Res Counc Bull.* 1999 25:11 -13.
- Ajabnoor MA.** Effect of aloes on blood glucose levels in normal and alloxan diabetic mice. *J Ethnopharmacol* 1990; 28: 215 – 220.
- Akhtar MS Ahar MA, Yaqub M:** Effect of *Momordica charantia* on blood glucose levels of normal and alloxan-diabetic rabbits. *Planta Medica* 42:205–221, 1981.
- Akhtar MS, Ali MR.** Study of antidiabetic effect of a compound medicinal plant prescription in normal and diabetic rabbits. *J Pakistan Med Assoc* 1984; 34: 239 – 244.
- Alarcon-Aguilara FJ, Roman-Ramos R, Perez-Gutierrez S, Aguilar-Contreras A, Contreras-Weber CC, Flores-Saenz JL.** Study of the antihyperglycemic effect of plants used as antidiabetics. *J Ethnopharmacol* 61: 101 – 110; 1998.
- Allain CC, Poon LS, Chan CS, Richmond W, Fu PC.** Enzymatic determination of total serum cholesterol. *Clin Chem.* 1974; 20: 470 – 475.

- Alp NJ, Mussa S, Khoo J, Cai S, Guzik T, Jefferson A, Goh N, Rockett KA, Channon KM. Tetrahydrobiopterin-dependent preservation of nitric oxide-mediated endothelial function in diabetes by targeted transgenic GTP-cyclohydrolase I overexpression. *J. Clin. Invest.* 2003; 112: 725-735.
- Al-Rehaily AJ, Al-Howiriny TA, Al-Sohaibani MO, Rafatullah S. Gastroprotective effects of 'Amla' *Emblica officinalis* on in vivo test models in rats. *Phytomedicine.* 2002; 9: 515 – 522.
- Andallu B, Suryakantham V, Lakshmi Srikanthi B, Reddy GK. Effect of mulberry (*Morus indica* L.) therapy on plasma and erythrocyte membrane lipids in patients with type 2 diabetes. *Clin Chim Acta.* 2001 Dec;314(1-2):47-53.
- Anderson S, Brenner B. Pathogenesis of diabetic glomerulopathy: hemodynamic considerations. *Diabetes Metab Rev* 1988; 4: 163 – 177
- Angelova I. Clinical trial of the herbal combination Dietosan in the species and disperg forms for treating patients with non-insulin-dependent diabetes mellitus. *Vutr Boles.* 1984; 23: 52 – 55.
- Anila L, Vijayalakshmi NR. Flavonoids from *Emblica officinalis* and *Mangifera indica*-effectiveness for dyslipidemia. *J Ethnopharmacol.* 2002; 79: 81 87.
- Araki N, Higashi T, Mori T, Shibayama R, Kawabe Y, Kodama T, Takahashi K, Shichiri M, Horiuchi S: Macrophage scavenger receptor mediates the endocytic uptake and degradation of advanced glycation end products of the Maillard reaction. *Eur J Biochem* 230:408–415, 1995.
- Araujo FB, Barbosa DS, Hsin CY, Maranhao RC, Abdalla DS. Evaluation of oxidative stress in patients with hyperlipidemia. *Atherosclerosis.* 1995 Sep;117(1):61-71.
- Aronson D, Rayfield EJ. How hyperglycemia promotes atherosclerosis: molecular mechanisms. *Cardiovascular Diabetology* 2002; 1: 1 – 10.
- Arun N, Nalini N. Efficacy of turmeric on blood sugar and polyol pathway in diabetic albino rats. *Plant Foods Hum Nutr* 2002; 57:41-52.
- Asai A, Miyazawa T. Dietary curcuminoids prevent high-fat diet-induced lipid accumulation in rat liver and epididymal adipose tissue. *J Nutr.* 2001 Nov;131(11):2932-5.

- Asayama K**, Hayashibe H, Dobashi K, Niitsu T, Miyao A, Kato K Antioxidant enzyme status and lipid peroxidation in various tissues of diabetic and starved rats. *Diabetes Res.* 1989 Oct;12(2):85-91.
- Astley S**, Langrish-Smith A, Southon S, Sampson M. Vitamin E supplementation and oxidative damage to DNA and plasma LDL in type 1 diabetes. *Diabetes Care* 1999;22(10):1626-31.
- Augusti KT**, Benaim ME: Effect of essential oil of onion on blood glucose, free fatty acid and insulin levels of normal subjects. *Clin Chim Acta* 60:121–123, 1975
- Azad Khan AK**, Akhtar S, Mahtab H: *Coccinia indica* in the treatment of patients with diabetes mellitus. *Bangladesh Med Res Counc Bull* 5:60–66, 1979.
- Babu KS**, Srinivasan K. Hypolipidemic action of curcumin, the active principle of turmeric (*Curcuma longa*) in streptozotocin induced diabetic rats. *Mol Cell Biochem* 1997; 166:169-75.
- Babu PS**, Srinivasan K. Influence of dietary curcumin and cholesterol on the progression of experimentally induced diabetes in albino rat. *Molecular and Cellular Biochemistry.* 1995 Nov 8;152(1):13-21.
- Bagdade JD**, Porte D Jr., Bierman EL. Diabetic lipemia: a form of acquired fat induced lipemia. *N Eng J Med* 1967; 276: 427 – 433.
- Bailey CJ**, Day C: Traditional plant medicines as treatments for diabetes. *Diabetes Care* 12:553–564, 1989
- Baldwa VS**, Bhandari CM, Pangaria A, Goyal RK: Clinical trial in patients with diabetes mellitus of an insulin-like compound obtained from plant sources. *Upsala J Med Sci* 82:39–41, 1977
- Baskaran K**, Kizar B, Ahamath K, Radma Shanmugasundaram K, Shanmugasundaram ERB: Antidiabetic effect of a leaf extract from *Gymnema sylvestre* in non-insulin-dependent diabetes mellitus patients. *J Ethnopharmacol* 30:295–300, 1990
- Baynes JW**: Role of oxidative stress in development of complications in diabetes. *Diabetes* 40:405–412, 1991
- Beck MM**, Levander OA. Dietary oxidative stress and the potentiation of viral infection. *Annual Review of Nutrition* 1998; 18: 93

- Beisswenger PJ, Spiro RG.** Human glomerular basement membrane: chemical alterations in diabetes mellitus. *Science* 1970; 168: 596 – 598
- Bell GI, Pictet RI, Rutter WJ, Cordell B, Tischer E, Goodman HM.** Sequence of the human insulin gene. *Nature* 1980; 284: 26 – 32.
- Beuge JA, Aust SD.** (1978) Microsomal lipid peroxidation. *Methods Enzymol.* 52, 302 – 310.
- Beutler E, Duron O, Kelly BM.** Improved method for the determination of blood glutathione. *J. Lab. Clin. Med.* 1963; 61, 882 – 890.
- Bhattacharya A, Ghosal S, Bhattacharya SK.** Antioxidant activity of tannoid principles of *Emblica officinalis* (amla) in chronic stress induced changes in rat brain. *Indian J Exp Biol* 2000 Sep;38(9):877-80.
- Bierhaus A, Illmer T, Kasper M, Luther T, Quehenberger P, Tritschler H, Wahl P, Ziegler R, Müller M, Nawroth PP:** Advanced glycation end product (AGE) mediated induction of tissue factor in cultured endothelial cells is dependent on RAGE. *Circulation* 96:2262–2271, 1997
- Blenis J.** Growth-regulated signal transduction by the MAP kinases and RSKs. *Cancer Cells.* 1991; 3: 445 – 449.
- Bodnar PM, Mykhal'chyshyn GP, Reznichenko VM, Moshchych OP, Pylypchuk VS.** Phytopreparation Diabetin in treatment of patients with insulin-independent diabetes mellitus *Lik Sprava.* 2000 Sep;(6):94-6.
- Bogardus C, Lillioja S, Stone K, Mott D.** Correlation between muscle glycogen synthase activity and invivo insulin action in man. *J Clin Invest* 1984; 73: 185 – 190.
- Bonsnes RM and Taussky HH.** Colorimetric determination of creatinine by Jaffe reaction. *J Biol Chem* 1945; 158: 581–591.
- Bordia A, Verma SK, Srivastava KC:** Effect of ginger (*zingiber officinale* rosc.) and fenugreek (*trigonella foenumgraecum* l) on blood lipids, blood sugar and platelet aggregation with coronary artery disease. *Prostaglandins Leukot Essent Fatty Acids* 56:379–384, 1997.
- Bowers GN Jr. and McComb RB.** Measurement of total alkaline phosphatase activity in human serum. *Clin Chem* 1975; 21: 1988–1995..

- Bowie A, Owens D, Collins P, Johnson A, Tomkin GH.** Glycosylated low density lipoprotein is more sensitive to oxidation: implications for the diabetic patient. *Atherosclerosis*. 1993 102: 63 – 67.
- Brasch E, Ulbricht C, Kuo G, Szapary P, Smith M.** Therapeutic applications of fenugreek. *Altern Med Rev*. 2003 Feb;8(1):20-7.
- Brett J, Schmidt AM, Yan SD, Zou YS, Weidman E, Pinsky D, Nowygrod R, Neeper M, Przysiecki C, Shaw A, et al.** Survey of the distribution of a newly characterized receptor for advanced glycation end products in tissues. *Am J Pathol*. 1993 Dec;143(6):1699-712.
- Brown AS** Use of combination therapy for dyslipidemia: a lipid clinic approach. *Am J Cardiol*. 2002 Nov 20;90(10B):44K-49K.
- Bucala R, Makita Z, Koschinsky T, Cerami A, Vlassara H:** Lipid advanced glycosylation: pathway for lipid oxidation in vivo. *Proc Natl Acad Sci USA* 1993;90:6434-6438
- Bucala R., Makita, Z., Vega, G., Grundy, S., Koschinsky, Cerami, A. and Vlasara, H.,** *Proc. Natl. Acad. Sci. USA*, 1994 **91**, 9441–9445
- Bunn HF.** Evaluation of glycosylated haemoglobin in diabetic patients. *Diabetes* 1981; 30: 613 – 617.
- Butler AE, Janson J, Soeller WC, Butler PC.** Increased beta-Cell Apoptosis Prevents Adaptive Increase in beta-Cell Mass in Mouse Model of Type 2 Diabetes: Evidence for Role of Islet Amyloid Formation Rather Than Direct Action of Amyloid. *Diabetes*. 2003 Sep;52(9):2304-14.
- Brownlee, M., Cerami, A. and Vlassara, H.,** Advanced glycosylation end products in tissue and the biochemical basis of diabetic complication. *N. Engl. J. Med.*, 1988, **318**, 1315–1321
- Cai, S. et al.** 2002. GTP cyclohydrolase I gene transfer augments intracellular tetrahydrobiopterin in human endothelial cells: effects on nitric oxide synthase activity, protein levels and dimerization. *Cardiovasc. Res.* **55**:838-849.
- Cameron NE, Cotter MA, Archibald V et al.** Antioxidant and prooxidant effects on nerve conduction velocity, endoneurial blood flow and oxygen tension in non-diabetic and streptozotocin-diabetic rats. *Diabetologia* 1994; **37**: 449–559.

- Cameron NE, Cotter MA,** Neurovascular dysfunction in diabetic rats: potential contribution of autoxidation and free radicals examined using transition metal chelating agents. *J Clin Invest* 1995; 96: 1159–63.
- Cesarone MR, Incandela L, De Sanctis MT, Belcaro G, Bavera P, Bucci M, Ippolito E.** Evaluation of treatment of diabetic microangiopathy with total triterpenic fraction of *Centella asiatica*: a clinical prospective randomized trial with a microcirculatory model. *Angiology*. 2001 52 Suppl 2:S49-54.
- Chan MM.** Inhibition of tumor necrosis factor by curcumin, a phytochemical. *Biochem Pharmacol* 1995 May 26;49(11):1551-6
- Chari SN, Nath N, Rathi AB.** Glutathione and its redox system in diabetic polymorphonuclear leukocytes. *Am J Med Sci* 1984; 287: 14–5.
- Chattopadhyay RR:** Hypoglycemic effect of *Ocimum sanctum* leaf extract in normal and streptozotocin diabetic rats. *Ind J Exp Biol* 31:891–893, 1993
- Charak Samhita Nidan** : 11 hindi commentary by Shashtri KM and Chaturvedi GN 5th Ed., Part I and II, Chaukhamba Sanskriti Sansthan, Varanasi. 1977.
- Chen A, Peto R, Collins R, Macmohan S, Lu J, Li W.** Serum cholesterol concentration and coronary heart disease in populations with low cholesterol concentrations. *British Medical Journal* 1991; 303: 276 – 282.
- Chen Q, Chan LL, Li ET.** Bitter melon (*Momordica charantia*) reduces adiposity, lowers serum insulin and normalizes glucose tolerance in rats fed a high fat diet. *J Nutr* 2003; 133: 1088 – 1093.
- Christiansen JS, Frandsen M, Parving HH.,** Effect of intravenous glucose infusion on renal function in normal man and in insulin-dependent diabetics. *Diabetologia*. 1981; 21: 368 – 373
- Clements RS, Jr, Robison WG, Jr, Cohen MP.** Anti-glycated albumin therapy ameliorates early retinal microvascular pathology in db/db mice. *J Diabetes Complications* 1998; 12:28 – 33.
- Cohen D, Dodds R, Viberti GC.** Effect of protein restriction in insulin-dependent diabetics at risk of nephropathy. *Br Med J* 1987; 247: 795 – 798
- Cohen AJ, Bartlik B:** Ginkgo biloba for antidepressant-induced sexual dysfunction. *J Sex Marital Ther* 24:139–143, 1998

- Cohen RA.** Dysfunction of vascular endothelium in diabetes mellitus. *Circulation* 1993; 87 (suppl V): 67–76.
- Conconi MT, DeCarlo E, Vigolo S, Grandi C, Bandoli G, Sicolo N, Tamagno G, Parnigotto PP, Nussdorfer GG.** Effects of some vanadyl coordination compound on the in vitro insulin release from rat pancreatic islets. *Horm Metab Res.* 2003; 35: 402 – 406.
- Cooke JP, Tsao PS.** Cytoprotective effects of nitric oxide. *Circulation* 1993; 88: 2451–4.
- Coon TJS, Ernst E.** Herbs for serum cholesterol reduction: a systematic view. *J Fam Pract.* 2003 52: 468 – 478.
- Corvilain J, Abramow J.** Some effects of human growth hormone on renal haemodynamics and on tubular phosphate transport in man. *J Clin Invest*;1962: 41: 1230 – 1235
- Cosentino, F., Hishikawa, K., Katusic, Z.S., and Luscher, T.F.** 1997. High glucose increases nitric oxide synthase expression and superoxide anion generation in human aortic endothelial cells. *Circulation.* 96:25-28.
- Cosentino, F., and Luscher, T.F.** 1999. Tetrahydrobiopterin and endothelial nitric oxide synthase activity. *Cardiovasc. Res.* 43:274-278.
- David M. Nathan,** Long-term complications of diabetes mellitus, *The New England journal of medicine*, 328: 1676 – 1685; 1993
- DCCT (Diabetes Control and Complications Trial Research Group) (1993)** The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *N Engl J Med* 329: 977-986.
- DeFronzo RA.** Pharmacologic therapy for type 2 diabetes mellitus. *Ann Intern Med* 1999;131:281-303.
- DeFronzo RA.** Pathogenesis of type 2 (non-insulin dependent) diabetes mellitus: a balanced overview. *Diabetologia* 1992; 35: 389 – 397.
- DeFronzo RA, Ferrannini E.** Insulin resistance: a multifaced syndrome responsible for NIDDM, obesity, hypertension, dyslipidemia, and atherosclerotic cardiovascular disease. *Diabetes Care* 1991; 14: 173–94.

- DeFronzo RA**, Gunnarsson R, Bjorkman O, et.al., Effects of insulin on peripheral and splanchnic glucose metabolism in non-insulin dependent (Type II) diabetes mellitus. *J Clin Invest* 1985; 76: 149 – 155.
- Deglin JH**, Vallerand AH. HMG Co A reductase inhibitors. *Davis's Drug Guide* 1999; 6<sup>th</sup> Ed., pp. 482 – 485, Philadelphia: F.A. Davis Company.
- Dianzani MU**. Free radicals and aging. In: Fabris F, Pernigotti L, Ferrario E, eds. *Sedentary life and nutrition*. New York: Raven Press, 1990; 27–37.
- Dixit VP**, Jain P, Joshi SC. Hypolipidaemic effects of *Curcuma longa* L and *Nardostachys jatamansi*, DC in triton-induced hyperlipidaemic rats. *Indian J Physiol Pharmacol* 1988 Oct-Dec;32(4):299-304.
- Djurhuus MS**, Klitgaard NA, Pedersen KK, Blaabjerg O, Altura BM, Altura BT, Henriksen JE. Magnesium reduces insulin-stimulated glucose uptake and serum lipid concentrations in type 1 diabetes. *Metabolism* 2001; 50: 1409 – 1417.
- Dominguez C**, Ruiz E, Gussinye M, Carrascosa A. Oxidative stress at onset and in early stages of type 1 diabetes in children and adolescents. *Diabetes Care*. 1998 Oct;21(10):1736-42.
- Du XL**, Stockklauser-Farber K, Rosen P. Generation of reactive oxygen intermediates, activation of NFkappaB, and induction of apoptosis in human endothelial cells by glucose: role of nitric oxide synthase ? *Free Radic Med Biol* 1999; 27: 752 – 763.
- Dyer DG**, Dunn JA, Thorpe SR, Baillie KE, Lyons TJ, McCance DR, Baynes JW: Accumulation of Maillard reaction products in skin collagen in diabetes and aging . *J Clin Invest* 91:2463–2469, 1993
- Eisenbarth GS**, Connelly J, Soeldner JS. The “natural” history of type I diabetes. *Diabetes Metab Rev* 1987; 3: 873 – 891.
- Elizabeth K**, Rao MNA. Oxygen radical scavenging activity of curcumin. *Int J Pharm* 1990; 58: 237 – 240.
- Evanoff GV**, Thompson CS, Brown J, et.al., Effect of dietary protein restriction on the progression of diabetic nephropathy. *Arch Intern Med* 1987; 147: 492 – 495
- Eventoff W**. (1976) Crystalline Bovine Liver Catalase. *J. Mol. Biol.* 103, 799-801.
- Feldt-Rasmussen B**, Hegedus L, Mathiesen ER, Deckert T. Kidney volume in type 1 (insulin-dependent) diabetic patients with normal or increased urinary albumin

- excretion: effect of long-term improved metabolic control. *Scand J Clin Lab Invest* 1991;51:31-36
- Fernando MR**, Wickramasinghe N, Thabrew MI, Ariyananda PL, Karunanayake EH. Effect of *Artocarpus heterophyllus* and *Asteracanthus longifolia* on glucose tolerance in normal human subjects and in maturity-onset diabetic patients. *J Ethnopharmacol.* 1991 31:277-82.
- Fita et al.** (1985) The active center of catalase. *J. Mol. Biol.* 185, 21-37.
- Flora K**, Hahn M, Rosen H, Benner K: Milk thistle (*silybum marinum*) for the therapy of liver disease. *Am J Gastroenterol* 93:139–143, 1998.
- Folch J**, Lees M, Sloan-Stanley GH. A simple method for isolation and purification of total lipids from animal tissues. *J Biol Chem* 1957; 226: 497 – 509.
- Fossati P**, Prencipe L. Serum triglycerides determined colorimetrically with an enzyme that produces hydrogen peroxide. *Clin Chem.* 1982 Oct;28(10):2077-80.
- Fredrickson DS**, Lees RS. Familial hyperlipoproteinemia. In Stanbury JB, Wyngaarden JB, Fredrickson DS, editors. *The metabolic basis of inherited disease*, ed. 2, New York, 1966, McGraw-Hill Book Co., pp. 429 – 485.
- Fugh-Berman A.** Herb-drug interactions. *Lancet.* 2000 Jan 8;355(9198):134-8
- Gao Y**, Li K, Tang S, Xiao Y. Study on animal models for hyperlipidemia *Wei Sheng Yan Jiu.* 2002 Apr;31(2):97-9.
- Gesler WM.** Therapeutic landscapes: Medicinal issues in light of the new cultural geography. *Society of Scientific Medicine* 1992; 34: 735 – 746.
- Ghannam N**, Kingston M, Al-Meshaal IA, Tariq M, Parman NS, Woodhouse N: The antidiabetic activity of aloes: preliminary clinical and experimental observations. *Horm Res* 24:288–294, 1986.
- Godkar PB**, Narayanan P, Bhide SV. Hypocholesterolemic effect of turmeric extract on Swiss mice. *Indian Journal of Pharmacology* 1996; 28: 171 – 174.
- Goldman P:** Herbal medicines today and the roots of modern pharmacology. *Ann Intern Med* 135:594–600, 2001
- Goldwasser I**, Gefel D, Gershonov E, Fridkin M, Shechter Y: Insulin-like effects of vanadium: basic and clinical implications. *J Inorg Biochem* 80:21–25, 2000.

- Goth L**, Eaton JW. Hereditary catalase deficiencies and increased risk of diabetes *The Lancet* 356: 1820-1821, 2000.
- Goto H**, Shimada Y, Tanikawa K, Sato S, Hikiami H, Sekiya N, Terasawa K. Clinical evaluation of the effect of daio (rhei rhizoma) on the progression of diabetic nephropathy with overt proteinuria. *Am J Chin Med.* 2003 31:267-75.
- Grover JK**, Yadav S, Vats V. Medicinal plants of India with anti-diabetic potential. *J Ethnopharmacol* 2002; 81: 81 – 100.
- Gulesserian T**, Seidl R, Hardmeier R, Cairns N, Lubec G. Superoxide dismutase SOD1, encoded on chromosome 21, but not SOD2 is overexpressed in brains of patients with Down syndrome. *J Investig Med* 2001 Jan;49(1):41-6
- Guzik**, T.J. et al.2002. Mechanisms of increased vascular superoxide production in human diabetes mellitus: role of NAD(P)H oxidase and endothelial nitric oxide synthase. *Circulation.* 105:1656-1662.
- Jacobson SH**, Fryd D, Sutherland DER, et.al., Treatment of the diabetic patient with end-stage renal failure. *Diabetes Metab Rev* 1988; 4: 191 – 200
- Jazet IM**, Pijl H, Meinders AE. Adipose tissue as an endocrine organ: impact on insulin resistance. *Neth J Med.* 2003 Jun;61(6):194-212.)
- Johnson JH**, Newgard CB, Milburn JL, Lodish HF, Thorens B. The high Km glucose transporter of islets of Langerhans is functionally similar to the low affinity transporter of liver and has an identical primary sequence. *J Biol Chem.* 1990; 265: 6548 – 6551.
- Halliwell B**. Antioxidant characterization; methodology and mechanism. *Biochem Pharmacol* 1995; 49: 1341 – 1348.
- Hammes HP**, Martin S, Federlin K, et al. Aminoguanidine treatment inhibits the development of experimental diabetic retinopathy. *Proc Natl Acad Sci U S A* 1991; 88:11555 – 11558.
- Hammes HP**, Wellensiek B, Kloting I, et al. The relationship of glycaemic level to advanced glycation end-product (AGE) accumulation and retinal pathology in the spontaneous diabetic hamster. *Diabetologia* 1998; 41:165 – 170.
- Harrison, D.G.** 1998. Cellular and molecular mechanisms of endothelial dysfunction. *J. Clin. Invest.* 100:2153-2157.

- Harrison DG.** Endothelial dysfunction in the coronary microcirculation: a new clinical entity or an experimental finding? *J Clin Invest* 1993; 91: 1–2.
- Hayden MR and Tyagi SC.** Islet redox stress: The manifold toxicities of insulin resistance, metabolic syndrome and amylin derived islet amyloid in type 2 diabetes mellitus. *J Pancreas* 2002; 3: 86 – 108.
- Hermann LS, Schersten B, Bitzen PO, Kjellstrom T, Lindgarde F, Melander A.** Therapeutic comparison of metformin and sulfonylurea, alone and in various combinations. A double-blind controlled study. *Diabetes Care* 1994;17:1100-9.
- Heyningen, V. R.,** *Nature*, 1959, **184**, 194–196.
- Hohman TC, Beg MA.** Diabetic complication: progress in the development of treatments. *Exp Opin Invest Drugs* 1994; 3: 1041–9.
- Ho E, Bray TM.** Antioxidants, NF $\kappa$ B activation and diabetogenesis. Proceedings of the Society for Experimental Biology and Medicine. 1999; 222: 205 – 213.
- Horiuchi S, T Higashi, K Ikeda, et al.** Advanced glycation end-products and their recognition by macrophage and macrophage-derived cells. *Diabetes* 1996; 45(Suppl 3):S73 –S76.
- Hostetter TH, Troy JL, Brenner BM,** Glomerular haemodynamics in experimental diabetes mellitus. *Kidney Int* 1981; 19: 410 – 415
- Hough, M.A. and Hasnain, S.S.** 1999. Crystallographic Structures of bovine copper-zinc superoxide dismutase reveal asymmetry in two subunits. *J Mol Biol.* 287(3): 579-92.
- Hugo EA.** Catalase. In: *Methods of Enzymatic Analysis, Vol III, 3rd Edition, 1987:* Editors Bergmeyer J and Grabi M, VCH Publishers, New York; pp. 277 – 282.
- ICMR (Indian Council of Medical Research) Collaborating Centres, New Delhi. (1998)** Flexible dose open trial of *Vijayasar* in cases of newly-diagnosed non-insulin-dependent diabetes mellitus. *Ind. J. Med. Res.* 108, 24 – 29.
- Imaizumi K, Adan Y, Shibata K.** Role of dietary lipids in arteriosclerosis in experimental animals. *Biofactors.* 2000;13(1-4):25-8.
- Ivorra MD, Paya M, Villar A.** Hypoglycemic and insulin release effect of tormentic acid: a new hypoglycemic natural product. *Planta Medica* 1988; 54: 282 – 286.

- Kakkar P, Das B, Vishwanathan PN.** A modified spectrophotometric assay of superoxide dismutase. *Ind J Biophys Biochem* 1984; 21: 130 – 133.
- Kamble SM, Kamlakar PL, Vaidya S, Bambole VD:** Influence of *Coccinia indica* on certain enzymes in glycolytic and lipolytic pathway in human diabetes. *Indian J Med Sci* 52:143–146, 1998
- Kashihara N, Watanabe Y, Makino H et al.** Selective decreased de novo synthesis of glomerular proteoglycans under the influence of reactive oxygen species. *Proc Natl Acad Sci USA* 1992; 89: 6309–13.
- Kashiwagi A, Asahina T, Ikebuchi M, et.al.,** Abnormal glutathione metabolism and increased cytotoxicity caused by H<sub>2</sub>O<sub>2</sub> in human umbilical vein endothelial cells cultured in high glucose medium. *Diabetologia* 1994; 37: 264 – 269.
- Kathleen A. Head, N.D.** *Alt Med Rev* 1997;2(4):256-281
- Keele, B., McCord, J., and Fridovich, I.:** Further Characterization of Bovine Superoxide Dismutase and the Isolation from Bovine Heart, *J Biol Chem* 246, 2875, 1971
- Kelm MA, Nair MG, Strasburg GM, DeWitt DL.** Antioxidant and cyclooxygenase inhibitory phenolic compounds from *Ocimum sanctum* Linn. *Phytomedicine* 2000; 7: 7 – 13.
- Kern TS, Engerman RL.** Pharmacological inhibition of diabetic retinopathy. *Diabetes* 2001; 50:1636 – 1642.
- Khanna P, Jain SC, Panagariya A, Dixit VP:** Hypoglycemic activity of polypeptide-p from a plant source. *J Nat Prod* 44:648–655, 1981
- Khosla P, Gupta DD, Nagpal RK.** Effect of *Trigonella foenum graecum* (fenugreek) on blood glucose in normal and diabetic rats. *Indian J Physiol Pharmacol* 1995;39:173-174
- Kimura M, Waki I, Chujo T, Kikuchi T, Hiyama C, Yamazaki K, Tanaka O:** Effects of hypoglycemic components in ginseng radix on blood insulin level in alloxan diabetic mice and on insulin release from perfused rat pancreas. *J Pharmacobiodyn* 4:410–417, 1981
- Kleijnen J, Knipschild P:** *Ginkgo biloba.* *Lancet* 340:1136–1139, 1992

- Klein RL, Laimins M, Lopes-Virella MF.** Isolation, characterization, and metabolism of the glycated and nonglycated subfractions of low-density lipoproteins isolated from type I diabetic patients and nondiabetic subjects. *Diabetes*. 1995 Sep;44(9):1093-8.
- Koltringer P, Langsteger W, Lind P, Wakonig P, Klima G, Eber O.** Ginkgo biloba extract and folic acid in the therapy of changes caused by autonomic neuropathy. *Acta Med Austriaca*. 1989 16:35-7.
- Konrad T, Vicini P, Kusterer K, Hoflich A, Assadkhani A, Bohles HJ, Sewell A, Tritschler HJ, Cobelli C, Usadel KH:**  $\alpha$ -Lipoic acid treatment decreases serum lactate and pyruvate concentrations and improves glucose effectiveness in lean and obese patients with type 2 diabetes. *Diabetes Care* 22:280–287, 1999
- Kornerup K, Nordestgaard BG, Feldt-Rasmussen B, Borch-Johnsen K, Svarre Jensen K, Jensen JS.** Increased transvascular low density lipoprotein transport in insulin dependent diabetes: a mechanistic model for development of atherosclerosis. *Atherosclerosis*. 2003 Sep;170(1):163-8.
- Kunchandy E, Rao MNA.** Oxygen radical scavenging activity of curcumin. *Int J Pharmacol* 1990; 58:237-40.
- Kuppurajan K, Seshadri C, Revathi R, Venkataraghavah S:** Hypoglycaemic effect of *Coccinia indica* in diabetes mellitus. *Nagarjun* 29:1–4, 1986
- Kuttan R, Bhanumathy P, Nirmala K, George MC.** Potential anticancer activity of turmeric (*Curcuma longa*). *Cancer Lett* 1985 Nov;29(2):197-202.
- Kuwabara, T. and Kogan, D. G.,** *Arch. Ophthalmol.*, 1960, 64, 904 – 911
- Laakso M:** Hyperglycemia and cardiovascular disease in type 2 diabetes. *Diabetes* 1999, 48:937-94.
- Lal J, Vasudev K, Kela AK, Jain SK.** Effect of oral magnesium supplementation on the lipid profile and blood glucose of patients with type 2 diabetes mellitus. *J Assoc Physicians India*. 2003; 51: 37 – 42.
- Leaky JL, Weir GC.** *Diabetes* 1988; 37: 217 – 222.
- Ledl F, Schleicher E:** New aspects of the Maillard reaction in foods and in the human body. *Angew Chem Int Ed Engl* 29:565–594, 1990
- Li YM, Mitsuhashi T, Wojciechowicz D, et al.** Molecular identity and cellular distribution of advanced glycation endproduct receptors: relationship of p60 to

- OST-48 and 80K-H membrane proteins. *Proc Natl Acad Sci U S A* 1996; 93:11047 – 11052.
- Lopes-Virella MF**, Wohltmann HJ, Loadholt CB, Buse MG. Plasma lipids and lipoproteins in young insulin-dependent diabetic patients: relationship with control. *Diabetologia* 1981; 21: 216 – 223.
- Lowenstein CJ**, Dinerman JL, Snyder SH. Nitric oxide: a physiologic messenger. *Ann Intern Med* 1994;120:227 – 37
- Lowenstein CJ**, Snyder SH. Nitric oxide, a novel biologic messenger. *Cell* 1992; 70: 705–7.
- Ludvik B**, Waldhausl W, Prager R, Kautzky-Willer A, Pacini G. Mode of action of ipomoea batatas (Caiapo) in type 2 diabetic patients. *Metabolism*. 2003 52:875-80.
- Luna B**, Hughes AT, Feinglos MN. The use of insulin secretagogues in the treatment of type 2 diabetes. *Prim Care* 1999;26:895-915.
- Mackic, JB**, Stins M, McComb JG, et al. Human blood-brain barrier receptors for Alzheimer's amyloid-beta 1- 40. Asymmetrical binding, endocytosis, and transcytosis at the apical side of brain microvascular endothelial cell monolayer *J Clin Invest* 1998; 102:734 – 743.
- Madar Z**: Fenugreek (trigonella foenum-graceum) as a means of reducing postprandial glucose levels in diabetic rats. *Nutr Rep Int* 29:1267–1273, 1984.
- Madar Z**, Stark AH. New legume sources as therapeutic agents. *Br J Nutr*. 2002 88: S287 – S292.
- Makita Z**, Radoff S, Rayfield EJ, et.al., Advanced glycosylation end products patients with diabetic nephropathy. *N Engl J Med* 1991; 325: 836 – 842
- Mandarino LJ**, Madar Z, Kolterman OG, et.al., Adipocyte glycogen synthase and pyruvate dehydrogenase in obese and Type II diabetic subjects. *Am J Physiol* 1986; 251: E489 – E496.
- Manjunatha S**, Jaryal AK, Bijlani RL, Sachdeva U, Gupta SK. Effect of Chyawanprash and vitamin C on glucose tolerance and lipoprotein profile. *Indian J Physiol Pharmacol*. 2001 Jan;45(1):71-9.

- Marklund SL, Nilsson P, Israelsson K, Schampi I, Peltonen M, Asplund K:** Two variants of extracellular-superoxide dismutase: relationship to cardiovascular risk factors in an unselected middle-aged population. *J Intern Med* 1997, 242:5-14.
- Maroo J, Ghosh A, Rajni M, Vasu VT, Gupta S.** Evaluation of antidiabetic efficacy of *Enicostemma littorale* methanol extract in alloxan induced diabetic rats. *Pharmaceutical Biology* 2003a 5: 388 – 391.
- Maroo J, Vasu VT, Aalinkeel R, Gupta S.** Glucose lowering effect of aqueous extract of *Enicostemma littorale* Blume in diabetes: a possible mechanism of action. *Journal of Ethnopharmacology* 2002 81: 317 – 320.
- Maroo J, Vasu VT, Gupta S.** Dose dependent hypoglycemic effect of aqueous extract of *Enicostemma littorale* Blume in alloxan induced diabetic rats. *Phytomedicine* 2003b 10: 196 – 199.
- Mary NK, Babu BH, Padikkala J.** Antiatherogenic effect of Caps HT2, a herbal Ayurvedic medicine formulation. *Phytomedicine*. 2003;10(6-7):474-82.
- Mary NK, Shylesh BS, Babu BH, Padikkala J.** Antioxidant and hypolipidaemic activity of a herbal formulation--liposem. *Indian J Exp Biol*. 2002 Aug;40(8):901-4.
- Mathur R, Sharma A, Dixit VP, Varma M.** Hypolipidaemic effect of fruit juice of *Emblica officinalis* in cholesterol-fed rabbits. *J Ethnopharmacol*. 1996 Feb;50(2):61-8.
- Mauer SM, Steffes MW, Ellis EN, Sutherland DER, Brown DM, Goetz FC.** Structural-functional relationships in diabetic nephropathy. *J Clin Invest* 1984;74:1143-1155.
- Mauer SM, Steffes MW, Chern M et.al.,** Mesangial uptake and processing of macromolecules in rats with diabetes mellitus. *Lab Invest* 1979; 41: 401 – 406.
- McCord JM, Fridovich I.** Superoxide dismutase. An enzyme function for erythrocyte. *J Biochem* 1969; 244: 6049 – 6055.
- McKenney JM.** Pharmacotherapy of dyslipidemia. *Cardiovasc Drugs Ther*. 2001 Sep;15(5):413-22.
- McLeod BK, Thompson JR, Rosenthal AR.** The prevalence of retinopathy in the insulin-requiring diabetic patients of an English country town. *Eye* 1988; 2:424-430
- Menendez E.** [Combined treatment of type 2 diabetes] *An Sist Sanit Navar*. 2002 May-Aug;25(2):179-96

- Mezzano S**, Droguett A, Burgos ME, Ardiles LG, Flores CA, Aros CA, Caorsi I, Vio CP, Ruiz-Ortega M, Egido J. Renin-angiotensin system activation and interstitial inflammation in human diabetic nephropathy. *Kidney Int Suppl.* 2003 Oct;(86):64-70.
- Miller LG**. Herbal medicinals: selected clinical considerations focusing on known or potential drug-herb interactions. *Arch Intern Med* 1998; 158: 2200 – 2211.
- Mitra SK**, Gopumadhavan S, Muralidhar TS, Anturlikar SD, Sujatha MB. Effect of a herbomineral preparation D-400 in streptozotocin-induced diabetic rats. *J Ethnopharmacol.* 1996 Oct;54(1):41-6.
- Mohammad A**, Sharma V, McNeill JH. Vanadium increases GLUT 4 in diabetic rat skeletal muscle. *Mol Cell Biochem* 2002; 233: 139 – 143.
- Mooradian AD**, Failla M, Hoogwerf B, Maryniuk M, Wylie-Rosett J: Selected vitamins and minerals in diabetes. *Diabetes Care* 17:464–479, 1994
- Moshi MJ**, Lutale JJ, Rimoy GH, Abbas ZG, Josiah RM, Swai AB. The effect of *Phyllanthus amarus* aqueous extract on blood glucose in non-insulin dependent diabetic patients. *Phytother Res.* 2001 15:577-80.
- Mozerky RP**. Herbal products and supplemental nutrients used in the management of diabetes. *J Am Osteopath Assoc.* 1999 Dec;99(12 Suppl):S4-9.
- Muglia L**, Locker L. Extrapancreatic insulin gene expression in the fetal rat. *Proc Natl Acad Sci USA.* 1984; 81: 3635 – 3639.
- Murakami N**, Murakami T, Kadoya M, Matsuda H, Yamahara J, Yoshikawa M. New hypoglycemic constituents in gymnemic acid from *Gymnema sylvestre*. *Chemical and Pharmaceutical Bulletin (Tokyo)* 1996; 44: 469 – 471.
- Nabel EG**, Shum L, Pompili VJ, Yang ZY, San H, Shu HB, Liptay S, Gold L, Gordon D, Derynck R, et al. Direct transfer of transforming growth factor beta 1 gene into arteries stimulates fibrocellular hyperplasia. *Proc Natl Acad Sci U S A.* 1993 Nov 15;90(22):10759-63.
- Nathan DM** Long-term complications of diabetes mellitus. *N Eng J Med* 1993; 328: 1676 – 1685.
- Niemeijer-Kanters SD**, Banga JD, Erkelens DW. . [Dyslipidemia in diabetes mellitus] [Article in Dutch] *Ned Tijdschr Geneesk.* 2001 Apr 21;145(16):769-74.

- Nishikawa T**, Edelstein D, Du XL, Yamagishi S, Matsumura T, Kaneda Y, Yorek MA, Beebe D, Oates PJ, Hammes HP, Giardino I, Brownlee M: Normalizing mitochondrial superoxide production blocks three pathways of hyperglycaemic damage. *Nature* 2000, 404:787-790
- Nishizawa M**, Sutherland WH, Nukada H. Gosha-jinki-gan (herbal medicine) in streptozocin-induced diabetic neuropathy. *J Neurol Sci.* 1995 Oct;132(2):177-81.
- Niwa T**, Katsuzaki T, Miyazaki S, Miyazaki T, Ishizaki Y, Hayase F, Tatemichi N, Takei Y: Immunohistochemical detection of imidazolone, a novel advanced glycation end product, in kidneys and aortas of diabetic patients. *J Clin Invest* 99:1272-1280, 1997
- O'Brien RM**, Granner DK. Regulation of gene expression by insulin. *Biochem J* 1991; 278: 609 – 619.
- O'Connell B**: Select vitamins and minerals in the management of diabetes. *Diabetes Spectrum* 14:133-148, 2001
- Ohgami N**, Nagai R, Ikemoto M, et al. CD36, a member of class B scavenger receptor family, as a receptor for advanced glycation end products. *J Biol Chem* 2001; 276:3195 – 3202.
- Ohnishi Y**, Takagi S, Miura T, Usami M, Kako M, Ishihara E, Yano H, Tanigana K, Suno Y: Effect of ginseng radix on GLUT2 protein content in mouse liver in normal and epinephrine-induced hyperglycemic mice. *Biol Pharm Bull* 19:1238-1240, 1996.
- Olefsky JM**. *J Am Med Assoc* 2000; 285: 628 – 632.
- Ong JM**, Kern PA. The role of glucose and glycosylation in the regulation of lipoprotein lipase synthesis and secretion in rat adipocytes. *J Biol Chem* 1989; 264: 3177 – 3182.
- Oubre AY**, Carlson TJ, King SR, Reaven GM: From plant to patient: an ethnomedical approach to the identification of new drugs for the treatment of NIDDM. *Diabetologia* 40:614-617, 1997
- Ovalle F**, Bell DSH. Triple oral antidiabetic therapy in type 2 diabetes mellitus. *Endocr Pract* 1998;4:146-7.

- Paglia DE**, Valentine WN. Studies on the quantitative and qualitative characterization of erythrocyte glutathione peroxidase. *Journal of Laboratory and Clinical Medicine* 1967; 70: 158 – 161.
- Palmberg P**, Smith M, Waltman S, et al. The natural history of retinopathy in insulin-dependent juvenile-onset diabetes. *Ophthalmology* 1981;88:613-618.
- Pandey S**, Sharma M, Chaturvedi P, Tripathi YB. Protective effect of *Rubia cardifolia* on lipid peroxide formation in isolated rat liver homogenate. *Indian journal of Experimental Biology* 1994; 32: 180 – 183.
- Pandey VN**, Rajagopalan SS, Chowdhary DP: An effective Ayurvedic hypoglycemic formulation. *J Res Ayurveda Siddha XVI*:1–14, 1995
- Pareddy SR**, Rosenberg JM: Does garlic have useful medicinal purposes? *Hosp Pharmacist Rep* 8:27, 1993.
- Pari L**, Saravanan G. Antidiabetic effect of Cogent db, a herbal drug in alloxan-induced diabetes mellitus. *Comp Biochem Physiol C Toxicol Pharmacol.* 2002 Jan;131(1):19-25.
- Park JY**, Takahara N, Gabriele A, Chou E, Naruse K, Suzuma K, Yamauchi T, Ha SW, Meier M, Rhodes CJ, King GL. Induction of endothelin-1 expression by glucose: an effect of protein kinase C activation. *Diabetes.* 2000 Jul;49(7):1239-48.
- Parker KM**, England JD and Da Costa J. Improved colorimetric assay for glycosylated haemoglobin. *Clin Chem* 1981; 27: 669–672.
- Parving HH**, Christiansen JS, Noer I, et.al., The effect of glucagons infusion on kidney function in short-term insulin-dependent juvenile diabetics. *Diabetologia* 1980; 19: 350 – 354
- Pedersen O**, Jorgensen FS, Pedersen MM, et.al., The effect of moderate protein restriction in normoalbuminuric type 1 (insulin-dependent) diabetic patients. *Diabetologia* 1988; 31: 530
- Persaud SJ**, Al-Majed H, Raman A, Jones PM: *Gymnema sylvestre* stimulates insulin release in vitro by increasing membrane permeability. *J Endocrinol* 163:207–212, 1999

- Petit PR**, Sauvaire YD, Hillaire-Buys DM, et al. Steroid saponins from fenugreek seeds: extraction, purification, and pharmacological investigation of feeding behavior and plasma cholesterol. *Steroids* 1995;60:674-680
- Petlevski R**, Hadzija M, Slijepcevic M, Juretic D. Effect of 'antidiabetic' herbal preparation on serum glucose and fructosamine in NOD mice. *J Ethnopharmacol.* 2001 May;75(2-3):181-4
- Pittler MH**, Ernst E: Ginkgo biloba extract for the treatment of intermittent claudication: a meta analysis of randomized trials. *Am J Med* 108:276-281, 2000
- Pradeepa R**, Deepa R, Mohan V. Epidemiology of diabetes in India--current perspective and future projections. *J Indian Med Assoc.* 2002; 100: 144 – 148.
- Pradeepa R**, Mohan V., The changing scenario of the diabetes epidemic: implications for India. *Indian J Med Res.* 2002; 116: 121 – 132.
- Prizzi F**, Leto G, Amadio L, Iacobini C, Cordone S, Catalano S, Zicari A, Sorcini M, Di Mario U, Pugliese G. Oxidative stress in diabetes-induced endothelial dysfunction involvement of nitric oxide and protein kinase C. *Free Radic Biol Med.* 2003 Sep 15;35(6):683-94.
- Riddle M**. Combining sulfonylureas and other oral agents. *Am J Med* 2000;108(suppl 6a):15S-22S.
- Radoff S**, Vlassara H, Cerami A. Characterization of a solubilized cell surface binding protein on macrophages specific for proteins modified nonenzymatically by advanced glycosylated end products. *Arch Biochem Biophys* 1998; 263:418 – 423.
- Raghuram TC**, Sharma RD, Sivakumar, Sahay BK: Effect of fenugreek seeds on intravenous glucose disposition in non-insulin dependent diabetic patients. *Phytother Res* 8:83-86, 1994
- Rai V**, Iyer U, Mani UV. Effect of tulsi (*Ocimum sanctum*) leaf powder supplementation on blood sugar levels, serum lipids and tissue lipids in diabetic rats. *Plant Foods and Human Nutrition.* 1997; 50: 9 – 16.
- Raman A**, Houston P: Herbal products: ginseng. *Pharm J* 255:150-152, 1995.
- Ramirez-Tortosa MC**, Mesa MD, Aguilera MC, Quiles JL, Baro L, Ramirez-Tortosa CL, Martinez-Victoria E, Gil A. Oral administration of a turmeric extract inhibits

- LDL oxidation and has hypocholesterolemic effects in rabbits with experimental atherosclerosis. *Atherosclerosis* 1999 Dec;147(2):371-8
- Ramprasad C, Sirsi M.** Studies on Indian medicinal plants: *Curcuma longa* Linn. Effect of curcumin and the essential oils of *Curcuma longa* on bile secretion. *J Sci Ind Res* 1956;16C:108-12.
- Rang HP, Dale MM.** The Endocrine System Pharmacology, Second Ed., Longman Group Ltd, UK, 1991; 504 – 508.
- Rao AV, Ramakrishnan S.** Indirect assessment of hydroxymethyl glutaryl CoA reductase (NADPH) activity in liver tissue. *Clinical Chemistry* 1975; 21: 1523.
- Rao PV, Ushabala P, Seshiah V, Ahuja MM, Mather HM.** The Eluru Survey: prevalence of known diabetes in a rural Indian population. *Diabetes Research and Clinical Practice*. 1989; 7: 29 – 31.
- Rathi AB, Nath N, Chari S.** Action of bioflavonoids on lipid peroxidation & glutathione redox system in hypercholesterolemic rats. *Indian Journal of Medical Research* 1984; 79: 508 – 513.
- Reagan LP, Magarinos AM, Yee DK, Swzeda LI, Van Bueren A, McCall AL, McEwen BS.** Oxidative stress and HNE conjugation of GLUT3 are increased in the hippocampus of diabetic rats subjected to stress. *Brain Res*. 2000 Apr 17;862(1-2):292-300.
- Reid, et al.** (1981) Structure and heme environment of beef liver catalase at 2.5 Å resolution. *Proc. Natl. Acad. Sci. USA* 78, 4767-71.
- Reitman S, Frankel S.** Colorimetric method for determination of serum transaminase activity. *Am J Clin Pathol* 1957; 28: 56–58.
- Robbers H.** The effect of some curcuma derivatives on biliary secretion. *Expt Path Pharmacol* 1936;181:328-34.
- Roberts WA.** Atherosclerotic risk factors – are there ten or is there only one ? *Am J Cardiol* 1989; 64: 552 – 554.
- Rosen, D. R. et al.** Mutations in Cu/Zn superoxide dismutase gene are associated with familial amyotrophic lateral sclerosis. *Nature* 362: 59-62, 1993.

- Rosen OM**, Herrera R, Olowe Y, Petruzzelli LM, Cobb MH. Phosphorylation activates the insulin receptor tyrosine protein kinase. *Proc Natl Acad Sci U S A*. 1983; 80: 3237 – 3240.
- Rosen P**, Nawroth PP, King G, Moller W, Tritschler HJ, Packer L. The role of oxidative stress in the onset and progression of diabetes and its complications: a summary of a congress series sponsored by UNESCO-MCBN, the American Diabetes Association and the German Diabetes Society. *Diabetes Metab Res Rev* 2001; 17: 189 – 212.
- Rossetti L**, Glaccari A, DeFronzo RA. Glucose toxicity. *Diabetes Care* 1990; 13: 610 – 630.
- Ross R**. Atherosclerosis--an inflammatory disease. *N Engl J Med*. 1999 Jan 14;340(2):115-26.
- Ryan EA**, Pick ME, Marceau C. Use of alternative medicines in diabetes mellitus. *Diabet Med*. 2001 Mar;18(3):242-5.
- Ryan GJ**, Wanko NS, Redman AR, Cook CB. Chromium as adjunct treatment for type 2 diabetes. *Ann Pharmacother* 2003; 37: 876 – 885.
- Sabu MC**, Kuttan R. Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *J Ethnopharmacol*. 2002 Jul;81(2):155-60.
- Saif-Ali R**, Al-Qirbi A, Al-Geiry A, AL-Habori M. Effect of *Catha edulis* on plasma glucose and C-peptide in both type 2 diabetics and non-diabetics. *J Ethnopharmacol*. 2003 86:45-9.
- Sajithlal GB**, Chithra P, Chandrakasan G. Effect of curcumin on the advanced glycation and cross-linking of collagen in diabetic rats. *Biochem Pharmacol* 1998; 56:1607-14.
- Sandler**, H. M. S., *Autoimmunity*, 1993, 15, 311–314
- Sandstrom J**, Nilsson P, Karlsson K, Marklund SL: 10-fold increase in human plasma extracellular superoxide dismutase content caused by a mutation in heparin-binding domain. *J Biol Chem* 1994, 269:19163-19166.
- Salonen JT**, Nyyssonen K, Tuomainen TP, et.al., Increased risk of non-insulin dependent diabetes mellitus at low plasma vitamin E concentrations: a four year follow up study in men. *Br Med J* 1995; 311: 1124 – 1127.

**Saltiel AR**, Olefsky JM. Thiazolidinediones in the treatment of insulin resistance and type II diabetes. *Diabetes* 1996;45:1661-9.

**Sarkar A**, Lavania SC, Pandey DN, Pant MC. Changes in the blood lipid profile after administration of *Ocimum sanctum* (tulsi) leaves in the normal albino rats. *Indian Journal of Physiology and Pharmacology* 1994; 38: 311 – 312.

**Scartezzini P**, Speroni E. Review on some plants of Indian traditional medicine with antioxidant activity. *J Ethnopharmacol* 2000; 71: 23 – 43.

**Schmidt AM**, Yan SD, Wautier JL, Stern D. Activation of receptor for advanced glycation end products: a mechanism for chronic vascular dysfunction in diabetic vasculopathy and atherosclerosis. *Circ Res* 1999; 84:489 – 497.

**Schmidt AM**, Hori O, Cao R, Yan SD, Brett J, Wautier J-L, Ogawa S, Kuwabara K, Matsumoto M, Stern D: RAGE: a novel cellular receptor for advanced glycation end-products. *Diabetes* 45 (Suppl. 3):S77–S80, 1996

**Schmidt AM**, Hori O, Chen JX, Li JF, Crandall J, Zhang J, Cao R, Yan SD, Brett J, Stern D. Advanced glycation endproducts interacting with their endothelial receptor induce expression of vascular cell adhesion molecule-1 (VCAM-1) in cultured human endothelial cells and in mice. A potential mechanism for the accelerated vasculopathy of diabetes. *J Clin Invest.* 1995 Sep;96(3):1395-403.

**Sell DR**, Lapolla A, Odetti P, et.al., Pentosidine formation in skin correlates with severity of complications in individuals with long standing IDDM. *Diabetes* 1992; 41: 1286 – 1292.

**Selvam R**, Subramanian L, Gayathri R, Angayarkanni N. The anti-oxidant activity of turmeric (*Curcuma longa*). *J Ethnopharmacol* 1995 Jul 7;47(2):59-67

**Sekeroglu MR**, Sahin H, Dulger H, Algun E. The effect of dietary treatment on erythrocyte lipid peroxidation, superoxide dismutase, glutathione peroxidase, and serum lipid peroxidation in patients with type 2 diabetes mellitus. *Clin Biochem.* 2000 Nov;33(8):669-74.

**Shane-McWhorter L**: Biological complementary therapies: a focus on botanical products in diabetes. *Diabetes Spectrum* 14:199–208, 2001

- Shanmugasundaram ER, Panneerselvam C, Samudram P, Shanmugasundaram ERB:** Enzyme changes and glucose utilisation in diabetic rabbits: the effect of gymnema sylvestre. *J Ethnopharmacol* 7:205–234, 1983
- Shanmugasundaram ERB, Gopinath KL, Radha Shanmugasundaram KR, Rajendran VM:** Possible regeneration of the islets of Langerhans in streptozotocin-diabetic rats given *Gymnema sylvestre* leaf extracts. *J Ethnopharmacol* 30:265–279, 1990
- Shanmugasundaram ERB, Rajeswari G, Baskaran K, Kumar BRR, Shanmugasundaram KR, Ahmath BK:** Use of *Gymnema sylvestre* leaf extract in the control of blood glucose in insulin-dependent diabetes mellitus. *J Ethnopharmacology* 30:281–294, 1990.
- Shapiro K, Gong WC:** Natural products used for diabetes. *J Am Pharm Assoc* 42:217–226, 2002.
- Sharma KR, Bhatia RP, Kumar V.** Role of the indigenous drug saptamrita lauha in hemorrhagic retinopathies. *Ann Ophthalmol.* 1992 24:5-8.
- Sharma OP.** Antioxidant activity of curcumin and related compounds. *Biochem Pharmacol* 1976; 25:1811-2.
- Sharma RD:** Effect of fenugreek seeds and leaves on blood glucose and serum insulin responses in human subjects. *Nutr Res* 6:1353–1364, 1986
- Sharma RD, Raghuram TC:** Hypoglycemic effect of fenugreek seeds in non-insulin dependent diabetic subjects. *Nutr Res* 10:731–739, 1990).
- Sharma RD, Raghuram TC, Rao NS.** Effect of fenugreek seeds on blood glucose and serum lipids in type 1 diabetes. *Eur J Clin Nutr* 1990;44:301-306
- Sheela CG, Augusti KT:** Antidiabetic effects of S-allyl cysteine sulphoxide isolated from garlic *Allium sativum* Linn. *Indian Journal of Experimental Biology* 1992; 30: 523 – 526.
- Shekhar KC, Achike FI, Kaur G, Kumar P, Hashim R.** A preliminary evaluation of the efficacy and safety of Cogent db (an ayurvedic drug) in the glycemc control of patients with type 2-diabetes. *Journal of Alternative and Complementary Medicine* 2002; 8: 445 – 457.

- Shewade Y, Tirth S, Bhonde RR.** Pancreatic islet-cell viability, functionality and oxidative status remain unaffected at pharmacological concentrations of commonly used antibiotics in vitro. *Journal of Biosciences* 2001; 26: 349 – 355.
- Shimoda-Matsubayashi S, Matsumine H, Kobayashi T, Nakagawa-Hattori Y, Shimizu Y, Mizino Y:** Structural dimorphism in the mitochondrial targeting sequence in the human manganese superoxide dismutase gene. *Biochem Biophys Res Commun* 1996; 226: 561 – 565.
- Shimomura H, Spiro RG.** Studies on macromolecular components of human glomerular basement membrane and alterations in diabetes: decreased levels of heparin sulfate proteoglycan and laminin. *Diabetes*; 1987; 36: 374 – 381
- Sidhartha Das,** Combination of drugs in the management of diabetes mellitus, *Journal of the Indian Medical Association*, 100: 434 – 447, 2002
- Sierra M, Garcia JJ, Fernandez N, Diez MJ, Calle AP.** Therapeutic effects of psyllium in type 2 diabetic patients. *Eur J Clin Nutr.* 2002 56:830-42.
- Smith GD, Shipley MJ, Marmot MG, Rose G.** Plasma cholesterol concentration and mortality. The Whitehall study. *JAMA* 1992; 267: 70 – 76.
- Sobenin IA, Tertov VV, Koschinsky T, Bunting CE, Slavina ES, Dedov II, Orekhov AN:** Modified low density lipoprotein from diabetic patients causes cholesterol accumulation in human intimal aortic cells. *Atherosclerosis* 1993, 100:41-54
- Song EK, Cho H, Kim JS, Kim NY, An NH, Kim JA, Lee SH, Kim YC.** Diarylheptanoids with Free Radical Scavenging and Hepatoprotective Activity *in vitro* from *Curcuma longa*. *Planta med* 2001(9); 876-877
- Sotaniemi EA, Haapakoski E, Rautio A:** Ginseng therapy in non-insulin dependent diabetic patients: effects on psychophysical performance, glucose homeostasis, serum lipids, serum aminoterminalpropeptide concentration, and body weight. *Diabetes Care* 18:1373–1375, 1995
- Srinivas L, Shalini VK, Shylaja M.** Turmerin: a water soluble antioxidant peptide from turmeric [*Curcuma longa*] *Arch Biochem Biophys* 1992 Feb 1; 292(2):617-23.
- Srinivasan K, Sambaiah K.** The effect of spices on cholesterol 7 alpha-hydroxylase activity and on serum and hepatic cholesterol levels in the rat. *Int J Vitam Nutr Res.* 1991; 61(4):364-9.

- Steinbeck MJ, Khan AU, Karnovsky MJ.** Extracellular production of singlet oxygen by stimulated macrophages quantified using 9,10-diphenylanthracene and perylene in a polystyrene film. *J Biol Chem* 268: 15649–15654, 1993.
- Steinberg D.** Low density lipoprotein oxidation and its pathobiological significance. *J Biol Chem* 1997; 272: 20963 – 20966.
- Stark A, Madar Z.** The effect of an ethanol extract derived from fenugreek (*Trigonella foenum-graecum*) on bile acid absorption and cholesterol levels in rats. *Br J Nutr.* 1993 Jan;69(1):277-87.
- Stitt AW, He C, Burke G, et al.** The advanced glycation end product (AGE) receptor complex: characterisation in micro and macrovascular endothelium [abstract]. *Diabetes* 1997; 46:53A.
- Stuehr, D.J.** 1999. Mammalian nitric oxide synthases. *Biochim. Biophys. Acta.* 1411:217-230
- Stumvoll M.** Thiazolidinediones -- some recent developments. *Expert Opin Investig Drugs.* 2003 Jul;12(7):1179-87
- Subba Rao DN, Chandrashekhara RMN, Satyanarayana MN, Srinivasan M.** Effect of curcumin on serum and liver cholesterol levels in rats. *J Nutr*, 1970, 100: 1307 – 1316.
- Sullis, L. P., Cooper, T. M. E., Dunlop, M. J. and Jernus, G.,** *Diabetologia*, 1995, **38**, 387–394.
- Sulochana KN, Ramakrishnan S, Rajesh M, Coral K, Badrinath SS,** Diabetic retinopathy: Molecular mechanisms, present regime of treatment and future perspectives, *Curr Sci* 80: 133 – 142; 2001.
- Suzuki D, Miyata T, Saotome N, et.al.,** Immunohistochemical evidence for an increased oxidative stress and carbonyl modification of proteins in diabetic glomerular lesions. *J Am Soc Nephrol* 1999; 10: 822 – 832.
- Suzuki Y, Goto K, Ishige A, Komatsu Y, Kamei J.** Effect of Gosha-jinki-gan, a Kampo medicine, on enhanced platelet aggregation in streptozotocin-induced diabetic rats. *Jpn J Pharmacol.* 1998 Sep;78(1):87-91.
- Szwergold BS, Kappler F, Brown TR:** Identification of fructose-3-phosphate in the lens of diabetic rats. *Science* 247:451–454, 1990

- Tada H, Kuboki K, Isogai S.** Impaired catalase activity and altered glutathione redox cycle in isolated glomeruli from STZ-induced diabetic rats [abstract]. In: *Proceedings of the 15th International Diabetes Federation, Kobe, Japan, November 6-11, 1994*. Brussels: International Diabetes Federation, 1994; 131A.
- Takata K, Horiuchi S, Araki N, et al.** Endocytic uptake of nonenzymatically glycosylated proteins is mediated by a scavenger receptor for aldehyde-modified proteins. *J Biol Chem* 1988; 263:14819 – 14825.
- Takazakura E, Nakamoto Y, Hayakawa H, et.al.,** Onset and progression of diabetic glomerulosclerosis: a prospective study based on serial renal biopsies. *Diabetes*, 1975; 24: 1 – 9
- Telci A, Cakatay U, Salman S, Satman I, Sivas A.** Oxidative protein damage in early stage Type 1 diabetic patients. *Diabetes Res Clin Pract.* 2000 Dec;50(3):213-23.
- Tesfamariam B.** Free radicals in diabetic endothelial cell dysfunction. *Free Radic Biol Med* 1994; 16: 383 – 391.
- Thirunavukkarasu V, Anuradha CV, Viswanathan P.** Protective effect of fenugreek (*Trigonella foenum graecum*) seeds in experimental ethanol toxicity. *Phytother Res.* 2003 17: 737 – 743.
- Thony, B., Auerbach, G., and Blau, N.** 2000. Tetrahydrobiopterin biosynthesis, regeneration and functions. *Biochem. J.* 347:1-16.
- Tiwari AK, Rao JM.** Diabetes mellitus and multiple therapeutic approaches of phytochemicals: Present status and future prospects. *Curr Sci* 2002; 83: 30 – 38.
- Trinder, P.** Determination of blood glucose using 4-amino phenazone as oxygen acceptor. *J Clin Pathol* 1969; 22: 246.
- Trow LG, Lewis J, Greenwood RH, Sampson MJ, Self KA, Crews HM, Fairweather-Tait SJ:** Lack of effect of chromium supplementation on glucose tolerance, plasma insulin and lipoprotein levels in patients with type 2 diabetes. *Int J Vitam Nutr Res* 71:14-18, 2000
- Tzeng, E., Billiar, T.R., Robbins, P.D., Loftus, M., and Stuehr, D.J.** 1995. Expression of human inducible nitric oxide synthase in a tetrahydrobiopterin (H4B)-deficient cell line — H4B promotes assembly of enzyme subunits into an active enzyme. *Proc. Natl. Acad. Sci. U. S. A.* 92:11771-11775.

- Vallance P, Collier J, Moncada S.** Effects of endothelium derived nitric oxide on peripheral arteriolar tone in man. *Lancet* 1989; ii: 997–1000.
- Vani T, Rajani M, Sarkar S, Shishoo CJ,** Antioxidant properties of the Ayurvedic formulation Triphala and its constituents. *International Journal of Pharmacognosy* 1997; 35: 315 – 317.
- Vasquez-Vivar, J. et al.** 1998. Superoxide generation by endothelial nitric oxide synthase: the influence of cofactors. *Proc. Natl. Acad. Sci. U. S. A.* 95:9220-9225
- Velussi M, Cernigoi AM, De Monte A, Dapas F, Caffau C, Zilli M:** Long-term (12 months) treatment with an anti-oxidant drug (silymarin) is effective on hyperinsulinemia, exogenous insulin need and malondialdehyde levels in cirrhotic diabetic patients. *J Hepatol* 26:871–879, 1997.
- Venkatesan N, Niranjali Devaraj S, Devaraj H.** Increased binding of LDL and VLDL to apo B,E receptors of hepatic plasma membrane of rats treated with Fibernat. *Eur J Nutr.* 2003 Oct;42(5):262-71.
- Vijayvargia R, Kumar M. Gupta S.** Hypoglycemic effect of aqueous extract of *Enicostemma littorale* Blume (chhota chirayita) on alloxan induced diabetes mellitus in rats. *Ind J Exp Biol* 2001; 38: 781 – 784.
- Vinik AI, Holland MT, Le Beau JM, et al.** Diabetic neuropathies. *Diabetes Care* 1992; 15:1926 – 1975.
- Vinik A, Mitchell B.** Clinical aspects of diabetic neuropathies. *Diabetes Metab Rev* 1988; 4: 223 – 253.
- Virdi J, Sivakami S, Shahani S, Suthar AC, Banavalikar MM, Biyani MK.** Antihyperglycemic effects of three extracts from *Momordica charantia*. *J Ethnopharmacol* 2003; 88: 107 – 111.
- Vlassara H, Brownlee M, Manogue KR, et al.** Cachectin/TNF and IL-1 induced by glucose- modified proteins: role in normal tissue remodeling. *Science* 1988; 240:1546 – 1548.
- Vlassara H, Bucala R, Striker L.** Pathogenic effects of advanced glycosylation end products: biochemical, biologic, and clinical implications for diabetes and aging. *Lab Invest* 1994; 70:138 – 151.

- Vlassara H**, Brownlee M, Manogue KR, Dinarello CA, Pasagian A. Cachectin/TNF and IL-1 induced by glucose-modified proteins: role in normal tissue remodeling. *Science*. 1988 Jun 10;240(4858):1546-8.
- Vlassara H**, Fuh H, Makita Z, et.al., Exogenous advanced glycosylation end products induce complex vascular dysfunction in normal animals: a model for diabetic and aging complications. *Proc Natl Acad Sci USA* 1992; 89: 12043 – 12047.
- Vlassara H**, Moldawer L, Chan C. Macrophage/monocyte receptor for nonenzymatically glycosylated protein is upregulated by cachectin/tumor necrosis factor. *J Clin Invest* 1989; 84:1813 – 1820.
- Vuksan V**, Sievenpiper JL, Xu Z, Wong EY, Jenkins AL, Beljan-Zdravkovic U, Leiter LA, Josse RG, Stavro MP: Konjac-mannan and american ginseng: emerging alternative therapies for type 2 diabetes mellitus. *J Am Coll Nutr* 20:370S–380S, 2001.
- Walker LM**, York JL, Imam SZ, Ali SF, Muldrew KL, Mayeux PR. Oxidative stress and reactive nitrogen species generation during renal ischemia. *Toxicol Sci*. 2001 Sep;63(1):143-8.
- Walti MK**, Zimmermann MB, Spinass GA, Hurrell RF. Low plasma magnesium in type 2 diabetes. *Swiss Med Wkly* 2003; 133: 289 – 292.
- Warram JH**, Martin BC, Krolewski AS, et.al., Slow glucose removal rate and hyperinsulinemia precede the development of type II diabetes in the offspring of diabetic parents. *Ann Intern Med* 1990; 113: 909 – 915.
- Wohaieb SA**, Godin DV. Alterations in tissue antioxidant systems in the spontaneously diabetic (BB Wistar) rat. *Can J Physiol Pharmacol*. 1987 Nov;65(11):2191-5.
- Wolff SP**. Diabetes mellitus and free radicals. *Br Med Bull* 1993; 49: 642 – 652.
- World Health Organization** Expert Committee on diabetes mellitus. Second Report. Geneva: WHO, 1980. Technical Report Series 646.
- World Health Organization**. Diabetes mellitus: Report of a WHO Study Group. Geneva: WHO, 1985. Technical Report Series 727.
- Xydakis AM**, Ballantyne CM. Combination therapy for combined dyslipidemia. *Am J Cardiol*. 2002 Nov 20;90(10B):21K-29K.

- Yamada H**, Miyata S, Igaki N, Yatabe H, Miyauchi Y, Ohara T, Sakai M, Shoda H, Oimomi M, Kasuga M: Increase in 3-deoxyglucosone levels in diabetic rat plasma. *J Biol Chem* 269:20275–20280, 1994
- Yamada H**, Yamada Y, Adachi T, Goto H, Ogasawara N, Futenma A, Kitano M, Miyai H, Fukatsu A, Hirano K, Kakumu S: Polymorphism of extracellular superoxide dismutase (EC-SOD) gene: relation to the mutation responsible for high EC-SOD level in serum. *Jpn J Hum Genet* 1997, **42**:353-356
- Yamagishi, S. et al.**, *J. Biol. Chem.*, 1997, **272**, 8723–8730
- Yan SD**, Schmidt AM, Anderson GM, Zhang J, Brett J, Zou YS, Pinsky D, Stern D. Enhanced cellular oxidant stress by the interaction of advanced glycation end products with their receptors/binding proteins. *J Biol Chem.* 1994 Apr 1;269(13):9889-97.
- Yeh GY**, Eisenberg DM, Kaptchuk TJ, Phillips RS. Systematic Review of Herbs and Dietary Supplements for Glycemic Control in Diabetes *Diabetes Care* 26:1277-1294, 2003
- Yongchaiyudha S**, Rungpitarangsi V, Bunyapraphatsara N, Chokeychaijaroenporn O: Antidiabetic activity of *Aloe vera L.* juice. I. Clinical trial in new cases of diabetes mellitus. *Phytomedicine* 3:241–243, 1996
- Yuan CS**, Wu JA, Lowell T, Gu M: Gut and brain effects of American ginseng root on brainstem neuronal activities in rats. *Am J Chin Med* 26:47–55, 1998
- Yu YM**, Chang WC, Chang CT, Hsieh CL, Tsai CE. Effects of young barley leaf extract and antioxidative vitamins on LDL oxidation and free radical scavenging activities in type 2 diabetes. *Diabetes Metab.* 2002 Apr;28(2):107-14.