

List of figures and tables:

Figures	Title	Page #
Chapter I		
1	Mechanism of insulin secretion from pancreatic beta cells	10
2	Insulin signaling	15
3	How too much glucose may lead to long term complications of diabetes	20
4	Amadori Rearrangement	20
5	Polyol Pathway	21
6	Formation of free radicals.	23
7	Relationship between rates of oxidant generation, antioxidant activity, oxidative stress, and oxidative damage in diabetes	25
8	Potential mechanisms by which LDL glycosylation increases its atherogenicity	36
9	Atherosclerosis and oxidative stress	54
10	<i>Enicostemma littorale</i> , <i>Curcuma longa</i> , <i>Emblica officinalis</i> , <i>Trigonella foenum-graecum</i> .	79

Tables	Title	Page #
Chapter I		
1	Biological effects of insulin	12
2	Characteristics of Plasma Lipoproteins	47
3	Apolipoproteins and their function	48

Tables	Title	Page #
---------------	--------------	---------------

Chapter III		
1	Details of IDDM and NIDDM patients volunteered for the study	128
2	Details of newly diagnosed NIDDM patients volunteered for the study	129
3	Antioxidant effect of <i>E. littorale</i> Blume aqueous extract in healthy volunteers.	130
4	Effect of <i>E. littorale</i> Blume aqueous extract on serum GPT, ALP and creatinine levels in healthy volunteers.	130
5	Effect of <i>E. littorale</i> Blume aqueous extract on serum GPT, ALP and creatinine levels in diabetic patients.	131
6	Antioxidant effect of <i>E. littorale</i> Blume aqueous extract in NIDDM patients.	132
7	Effect of <i>E. littorale</i> Blume aqueous extract on serum GPT, ALP and creatinine levels in NIDDM patients.	132

Figures	Title	Page #
Chapter III		
1	Effect of <i>E. littorale</i> Blume aqueous extract on blood glucose levels in healthy volunteers.	133
2	Effect of <i>E. littorale</i> Blume aqueous extract on glycosylated hemoglobin levels in healthy volunteers.	133
3	Effect of <i>E. littorale</i> Blume aqueous extract on serum lipid profile in healthy volunteers.	134
4	Effect of <i>E. littorale</i> Blume aqueous extract on FBS in diabetic patients.	134
5	Effect of <i>E. littorale</i> Blume aqueous extract on PP2BS in diabetic patients.	135

6	Effect of <i>E. littorale</i> Blume aqueous extract on glycosylated hemoglobin levels in diabetic patients.	135
7	Effect of <i>E. littorale</i> Blume aqueous extract on erythrocyte CAT activity in diabetic patients.	136
8	Effect of <i>E. littorale</i> Blume aqueous extract on erythrocyte LPO levels in diabetic patients.	136
9	Effect of <i>E. littorale</i> Blume aqueous extract on whole blood GSH levels in diabetic patients.	137
10	Effect of <i>E. littorale</i> Blume aqueous extract on serum total cholesterol levels in diabetic patients.	137
11	Effect of <i>E. littorale</i> Blume aqueous extract on serum triglycerides levels in diabetic patients.	138
12	Effect of <i>E. littorale</i> Blume aqueous extract on HDL cholesterol levels in diabetic patients.	138
13	Effect of <i>E. littorale</i> Blume aqueous extract on blood glucose levels in newly diagnosed NIDDM patients.	139
14	Effect of <i>E. littorale</i> Blume aqueous extract on glycosylated hemoglobin levels in newly diagnosed NIDDM patients.	139
15	Effect of <i>E. littorale</i> Blume aqueous extract on serum insulin levels in newly diagnosed NIDDM patients.	140
16	Effect of <i>E. littorale</i> Blume aqueous extract on serum lipid profile in newly diagnosed NIDDM patients.	140

Tables	Title	Page #
Chapter IV		
II	Qualitative analysis of the aqueous extract of <i>Enicostemma littorale</i> Blume and Herbal combination (C.	

	<i>longa, E. officinalis, T. foenum-graecum, E. littorale).</i>	152
I	Effect of <i>E. littorale</i> and herbal combination on toxicity parameters.	151

Figures	Title	Page #
Chapter IV		
1	Effect of <i>E. littorale</i> (EL) aqueous extract and herbal combination (ALL) on plasma glucose levels in normoglycemic rats.	153
2	Effect of <i>E. littorale</i> (EL) aqueous extract and herbal combination (ALL) on serum insulin levels in normoglycemic rats.	153
3	Effect of <i>E. littorale</i> (EL) aqueous extract and herbal combination (ALL) on plasma glucose levels in alloxan-induced diabetic rats.	154
4	Effect of <i>E. littorale</i> (EL) aqueous extract and herbal combination (ALL) on serum insulin levels in alloxan-induced diabetic rats.	154
5	Effect of aqueous extract of <i>E. littorale</i> (EL) and herbal combination (ALL) on blood glucose levels in normoglycemic rats.	155
6	Effect of aqueous extract of <i>E. littorale</i> (EL) and herbal combination (ALL) on serum insulin levels in normoglycemic rats.	155
7	Effect of aqueous extract of <i>E. littorale</i> (EL) and herbal combination (ALL) on glycosylated haemoglobin levels in normoglycemic rats.	156
8	Effect of aqueous extract of <i>E. littorale</i> (EL) and herbal combination (ALL) on blood glucose levels in alloxan-induced diabetic rats.	156
9	Effect of aqueous extract of <i>E. littorale</i> (EL) and herbal combination (ALL) on serum insulin levels in alloxan-	

	induced diabetic rats.	157
10	Effect of aqueous extract of <i>E. littorale</i> (EL) and herbal combination (ALL) on glycosylated haemoglobin levels in alloxan-induced diabetic rats.	157
11	Effect of aqueous extract of <i>E. littorale</i> (EL) and herbal combination (ALL) on glucose-induced insulin release from isolated rat pancreatic islets.	158

Tables	Title	Page #
--------	-------	--------

Chapter V

1	<i>In vitro</i> antioxidant activity of herbal combination and <i>E. littorale</i> aqueous extract.	173
2	Inhibition of induced lipid peroxidation (LPO) by <i>E. littorale</i> and herbal combination aqueous extracts.	174

Figures	Title	Page #
---------	-------	--------

Chapter V

1	Effect of aqueous extract of <i>E. littorale</i> and herbal combination (ALL) on serum lipid profile in normoglycemic rats.	175
2	Effect of aqueous extract of <i>E. littorale</i> and herbal combination (ALL) on serum VLDL and LDL levels in normoglycemic rats.	175
3	Effect of aqueous extract of <i>E. littorale</i> and herbal combination (ALL) on serum lipid profile in alloxan-induced diabetic rats.	176
4	Effect of aqueous extract of <i>E. littorale</i> and herbal combination (ALL) on serum VLDL and LDL levels in alloxan-induced diabetic rats.	176

- 5 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on erythrocyte CAT activity of normoglycemic rats on 0th and 20th day. 177
- 6 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on erythrocyte SOD activity of normoglycemic rats on 0th and 20th day. 177
- 7 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on erythrocyte GPx activity of normoglycemic rats on 0th and 20th day. 178
- 8 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on erythrocyte LPO levels of normoglycemic rats on 0th and 20th day. 178
- 9 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on whole blood GSH levels of normoglycemic rats on 0th and 20th day. 179
- 10 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on erythrocyte CAT activity of alloxan-induced diabetic rats on 0th and 20th day. 179
- 11 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on erythrocyte SOD activity of alloxan-induced diabetic rats on 0th and 20th day. 180
- 12 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on erythrocyte GPx activity of alloxan-induced diabetic rats on 0th and 20th day. 180
- 13 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on erythrocyte LPO levels of alloxan-induced diabetic rats on 0th and 20th day. 181

- 14 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on whole blood GSH levels of alloxan-induced diabetic rats on 0th and 20th day. 181
- 15 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on liver CAT activity of rats on 20th day. 182
- 16 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on kidney CAT activity of rats on 20th day. 182
- 17 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on liver SOD activity of rats on 20th day. 183
- 18 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on kidney SOD activity of rats on 20th day. 183
- 19 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on liver GPx activity of rats on 20th day. 184
- 20 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on kidney GPx activity of rats on 20th day. 184
- 21 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on liver LPO levels of rats on 20th day. 185
- 22 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on kidney LPO levels of rats on 20th day. 185
- 23 Effect of aqueous extract of *E. littorale* and herbal combination (ALL) on liver GSH levels of rats on 20th day. 186

24	Effect of aqueous extract of <i>E. littorale</i> and herbal combination (ALL) on kidney GSH levels of rats on 20th day.	186
25	Effect of aqueous extract of <i>E. littorale</i> and herbal combination on in vitro DPPH free radical scavenging.	187
26	Protective effect of aqueous extract of <i>E. littorale</i> (200 mg) and herbal combination (150 mg) on reduced glutathione content in liver homogenate.	187
27	Effect of <i>E. littorale</i> (EL) and herbal combination (ALL) on lipid peroxidation in isolated rat pancreatic islets exposed to alloxan (A).	188
28	Effect of <i>E. littorale</i> (EL) and herbal combination (ALL) on reduced glutathione levels in isolated rat pancreatic islets exposed to alloxan (A).	188
29	Effect of <i>E. littorale</i> (EL) and herbal combination (ALL) on NO production in isolated rat pancreatic islets exposed to alloxan (A).	189

Figures	Title	Page #
Chapter VI		
1	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on body weight in cholesterol fed rats.	201
2	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on liver weight in cholesterol fed rats	201
3	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on kidney weight in cholesterol fed rats	202
4	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on serum cholesterol levels in	

	cholesterol fed rats	202
5	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on serum triglycerides levels in cholesterol fed rats	203
6	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on serum HDL cholesterol levels in cholesterol fed rats.	203
7	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on serum LDL cholesterol levels in cholesterol fed rats.	204
8	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on serum VLDL cholesterol levels in cholesterol fed rats.	204
9	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on serum LDL/HDL ratio in cholesterol fed rats.	205
10	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on hepatic cholesterol levels in cholesterol fed rats.	205
11	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on renal cholesterol levels in cholesterol fed rats.	206
12	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on hepatic triglyceride levels in cholesterol fed rats.	206
13	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on renal triglyceride levels in cholesterol fed rats.	207
14	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on hepatic HMG CoA reductase activity in cholesterol fed rats.	207

- 15 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on erythrocyte CAT activity in cholesterol fed rats. 208
- 16 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on erythrocyte SOD activity in cholesterol fed rats. 208
- 17 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on blood GSH levels in cholesterol fed rats. 209
- 18 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on erythrocyte LPO levels in cholesterol fed rats. 209
- 19 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on liver CAT activity in cholesterol fed rats. 210
- 20 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on kidney CAT activity in cholesterol fed rats. 210
- 21 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on liver SOD activity in cholesterol fed rats. 211
- 22 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on kidney SOD activity in cholesterol fed rats. 211
- 23 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on liver GSH levels in cholesterol fed rats. 212
- 24 Effect of aqueous extracts of *E. littorale* (EL) and herbal combination (ALL) on kidney GSH levels in cholesterol fed rats. 212
- 25 Effect of aqueous extracts of *E. littorale* (EL) and herbal

	combination (ALL) on liver LPO levels in cholesterol fed rats.	213
26	Effect of aqueous extracts of <i>E. littorale</i> (EL) and herbal combination (ALL) on kidney LPO levels in cholesterol fed rats.	213
