

**List of Tables**

Table 2.1	Approximate half-life of various radioisotopes	57
Table 3.1	Calibration data for LA in distilled water at 279 nm, Data presented as Mean $\pm$ SD, n=3.	98
Table 3.2	Parameters for estimation of LA in distilled water by UV spectrophotometry	100
Table 3.3	Calibration data for LA in SVF at 280 nm, Data presented as Mean $\pm$ SD, n=3.	100
Table 3.4	Parameters for estimation of LA in SVF by UV spectrophotometry	102
Table 3.5	Accuracy results for estimation of LA in distilled water at 279 nm	102
Table 3.6	Accuracy results for estimation of LA in SVF at 280 nm	103
Table 3.7	Precision results for estimation of LA in distilled water at 279 nm	103
Table 3.8	Precision results for estimation of LA in SVF at 280 nm	103
Table 3.9	Results of Analytical Interference Studies for LA	104
Table 3.10	Calibration data for LA in rabbit plasma by LCMS-MS	105
Table 3.11	Parameters for estimation of LA in rabbit plasma by LCMS-MS	106
Table 3.12	Accuracy results for estimation of LA by LCMS-MS	107
Table 3.13	Calibration data for RLX in Methanol: Chloroform (1:9) at 287 nm	107
Table 3.14	Parameters for estimation of RLX in Methanol: Chloroform (1:9)	109
Table 3.15	Calibration data for RLX in SVF at 280 nm	109
Table 3.16	Parameters for estimation of RLX in SVF by UV spectrophotometry	111
Table 3.17	Accuracy results for estimation of RLX in Methanol: Chloroform (1:9) at 287 nm	111
Table 3.18	Accuracy results for estimation of RLX in SVF at 287 nm	112
Table 3.19	Precision results for estimation of RLX in Methanol:	112

	Chloroform (1:9) at 287 nm	
Table 3.20	Precision results for estimation of RLX in SVF at 287 nm	113
Table 3.21	Results of Analytical Interference Studies of RLX	114
Table 3.22	Calibration data for RLX in rabbit plasma by LCMS-MS	114
Table 3.23	Parameters for estimation of RLX in rabbit plasma by LCMS-MS	117
Table 3.24	Accuracy results for estimation of RLX by LCMS-MS method	117
Table 3.25	Calibration plot of LA in SVF for Simultaneous estimation at 280 nm	118
Table 3.26	Calibration plot of RLX in SVF for Simultaneous estimation at 287 nm	118
Table 3.27	Accuracy results for simultaneous estimation of LA and RLX in SVF	120
Table 3.28	Precision results for simultaneous estimation of LA in SVF	120
Table 3.29	Precision results for simultaneous estimation of RLX in SVF	121
Table 4.1	FTIR peaks of LA and LA-Excipients mixture	129
Table 4.2	FTIR peaks of RLX and RLX-Excipients mixture	133
Table 4.3	Selection of Lipid in the preliminary optimization of Liposomes	136
Table 4.4	Selection of volume of Hydration media in the preliminary optimization of Liposomes	137
Table 4.5	Selection of speed of rotation of RBF during lipid film formation	138
Table 4.6	Selection of sonication cycle in preliminary optimization	139
Table 5.1	Factors and Levels of factors studied in the design for optimization of RLX-Liposomes	143
Table 5.2	3 <sup>2</sup> Full Factorial experimental layout with the measured responses for RLX-Liposomes	145
Table 5.3	Results of Checkpoint analysis of RLX loaded liposomes	151
Table 5.4	Factors and Levels of factors studied in the design for optimization of LA-Liposomes	152
Table 5.5	3 <sup>2</sup> Full Factorial experimental layout with the measured	154

	responses for LA-Liposomes	
Table 5.6	Results of Checkpoint analysis of LA loaded liposomes	161
Table 5.7	Factors and Levels of factors studied in the design for optimization of RLX-LA Liposomes	161
Table 5.8	3 <sup>2</sup> Full Factorial experimental layout with the measured responses for RLX-LA-Liposomes	163
Table 5.9	Results of Checkpoint analysis of Dual drug loaded liposomes	172
Table 6.1	In Vitro Drug release of RLX loaded optimized liposomes	189
Table 6.2	In Vitro Drug release of LA loaded optimized liposomes	190
Table 6.3	In Vitro Drug release of Dual Drug loaded optimized liposomes	191
Table 6.4	In Vitro drug release from liposomal RLX loaded IVR and liposomal LA loaded IVR	193
Table 6.5	In Vitro drug release from IVR loaded with dual drug entrapped liposomes	194
Table 8.1	% Cell Inhibition values of Std RLX and RLX Liposomes on MCF-7 cell line at 12 hours, 24 hours and 48 hours	211
Table 8.2	IC50 values of Std. RLX and RLX-Liposomes in MCF-7 cell line at 12 hours, 24 hours and 48 hours	211
Table 8.3	% Cell Inhibition values of Std LA and LA Liposomes on MCF-7 cell line at 12 hours, 24 hours and 48 hours	213
Table 8.4	IC50 values of Std. LA and LA-Liposomes in MCF-7 cell line at 12 hours, 24 hours and 48 hours	215
Table 8.5	% Cell Inhibition values of RLX-LA Liposomes on MCF7 cell line at 12 hours, 24 hours and 48 hours	216
Table 8.6	IC50 values of RLX-LA-Liposomes in MCF-7 cell line at 12 hours, 24 hours and 48 hours	218
Table 8.7	Cell Cycle Analysis in MCF7 cell line after treatment with (a) Control/UT (PBS), (b) Standard Raloxifene (Std RLX) (c) RLX Liposomes, (d) Std Leuprolide (Std LA), (d) LA Liposomes e) RLX-LA Liposomes (dual drug) by PI staining using FACS technique.	221

Table 9.1	Effect of Incubation Time on the Labelling Efficiency of RLX with $^{99m}\text{Tc}$	233
Table 9.2	Effect of Incubation Time on the Labelling Efficiency of LA with $^{99m}\text{Tc}$	233
Table 9.3	Stability of RLX- $^{99m}\text{Tc}$ complex in Human Serum and Physiological Saline at 37°C	234
Table 9.4	Stability of LA- $^{99m}\text{Tc}$ complex in Human Serum and Physiological Saline at 37°C	234
Table 9.5	DTPA challenge test of A) RLX- $^{99m}\text{Tc}$ complex B) LA- $^{99m}\text{Tc}$ complex	236
Table 9.6	Biodistribution data of $^{99m}\text{Tc}$ -RLX loaded liposomes	237
Table 9.7	Biodistribution data of $^{99m}\text{Tc}$ -RLX plain drug	238
Table 9.8	Biodistribution data of $^{99m}\text{Tc}$ -LA loaded liposomes	241
Table 9.9	Biodistribution data of $^{99m}\text{Tc}$ -LA plain drug	242
Table 10.1	Administered dose of drugs (in mg) in rabbit serum after intravaginal administration of formulations	256
Table 10.2	Peak Areas of LCMS Chromatograms for Pharmacokinetic study	260
Table 11.1	Stability data of RLX loaded optimized Liposomes	264
Table 11.2	Stability data of LA loaded optimized Liposomes	264
Table 11.3	Stability data of dual drug (RLX-LA) optimized loaded Liposomes	265
Table 11.4	Stability data of IVR loaded with optimized RLX-Liposomes and optimized LA-Liposomes	265
Table 11.5	Stability data of IVR loaded with optimized dual drug (RLX-LA) loaded Liposomes	266