R E F E R E N C E S

Admse A.D.1968

Formation and final composition of the bacterial flora of a dairy waste activated sludge.

Water Research 2, 665-671.

Allen L.A.1944

The bacteriology of activated sludge.

J.Hyg.43, 424-431.

A.O.A.C.1945

Elementary analysis of N and P in plants

P.27 and P.127

Beck L.A.Oswald W.J.and Goldman J.C.1969

Nitrate removal from agricultural tile drainage by photo synthetic systems presented to ASCE, Second National Symposium on Sanitary Engineering Research Development and Design.

July 15, 1969, Cornell University, Ithaca, New York.

Bergey's Manual of Determinative Bacteriology.

By Breed, Murray, and Smith 7th ed.1957.

Birge E.A.and Juday C.1911

The Inland Lakes of Wisconsin.

The dissolved gases of the Water and their biological significance. Wis.Geol.Nat.Hist.Sur.Bull.28,Sci.Ser.7. 259 pages.

Bhaskaran TR and Chakrabarti R.N.(1966)

Pilot plant for treatment of cane sugar waste.

Jour wat .poll.Contr.Fed.38(7) 1160-1169.

Calaway W.T;W.R.Carrol and S.K.Long:1952

Heterotrophic bacteria encountered in intermittent sand filtration of sewage. Sewage Ind.Wastes 24,642-653.

Cald well D.H.1946

Sewage oxidation ponds performance;

Operation and Design

Sewage works Jour 18, 433-458.

Davis et al 1953

Laboratory experiments on chlorella culture at the carneige Institution of Washington, Deptt.of Plant Pathology.

Chapter 9, 105-153 in J.S.Burlow's Algae culture. see page 102

Davis G.H.G.and Park R.W.A.1962

A taxonomy study of certain bacteria currently classified as vibric species.

Jour,Gen.Microbiol 27, 107-109.

Dias F.F. and J.V.Bhatt: 1964

Microbial ecology of activated sludge I. Dominant Bacteria.

Appl.Microbiology, 12, 412-417.

Dugan P.R. and Lundgren D.G.1960

Isolation of the floc-forming organism Zoogloea remiger and its culture in complex synthetic media.

Appl.Microbiol. 8, 357-361.

Feldman A.E.1955

Fungi from trickling filters.

Sew.Ind.Wastes.27. 1243-1251.

Fitzgerald G.P.and G.A.Rohlich: 1958

An evaluation of stabilization pond literature.

Sewage Ind.waste 30, 1213 -1224.

Fogg G.E.and Wolfe M.1954

The metabolism of blue.green algae (Myxophyceal).

Symp.Soc.Gen.Microbiol.4, 99-120.

Ganapati S.V.1971

Organic production in seven types of Aquatic ecosystems in India, In Internat, Symp. Tropical Ecology emphasising organic production pp-312-350. Organised by INTECOLYISTEINSA at New Delhi, India, 14-21, January.

Ganapati S.V.Prasad-Rao P.S.Godbole S.H.Kothandaraman V. and Koshy T.1965

The ecology of solar sewage drying beds in the Pirana Sewage Farm at Ahmedabad, India.
Hydrobiologia 26,242-270.

Ganapati S.V.and Sreenivasan A:1970

Energy flow in natural equatic Eco systems in India.
Arch of Hydrobiol.66(4) 458-495.

Gann J.D.R.E.Collier and C.H.Lawrence: 1968

Aerobic bacteriology of waste Stabilization ponds.
J.Water poll.cont.Fed.40,185-191.

Gellman I and Heukelekian H.(1953)

Sew.ind.Wastes: 25 1196

Gloyna E.F.1965

Waste stabilization concepts and experiences WHO/WASTES Disposal Rev.66.1

Gloyna E.F.1971

Waste stabilization ponds, WHO Monograph, series, No.60
175 pages.

Golucke C.G.1960

The Ecology of Biotic community consisting of Algae and Bacteria, Ecology, 41,65-71.

Golueke C.G.Oswald W.J.and Mc-Gauhey P.H.1959

The biological control of enclosed environment. Sewage and Ind.wastes 10, 1125-1132.

Goudman B.L.and Weiss F.G.1968

Development of a full scale activated Algae unit. Paper presented at the phosphorus removal workshop, 2nd session, Chicago,June, 27.

Gotaas H.B.and Oswald W.J.1955

Utilization of solar energy for water reclamation. In Trans. Conf.on the use of solar energy.

The Scientific Basis Tuccon Arizona.Vol.4,Chapter 9,95-114

Gotaas H.B.and Golueke C.G.1957

Recovery of algae from waste stabilization ponds.

Section I, University of California, San.Engg.Res.Lab.

Issue 7, I.E.K.Series 44, Jan.1957.

Harrigan W.F.and WcCance M.E.1966

"Laboratory Methods in Microbiology".

Academic Press,London P.67

Harris F.W.T.Anderson and T.Cockburin 1927.

Biological and physical properties of activated sludge.

Water Works Jour.66.24

Harvey H.W.1940

Nitrogen and Phosphorus required for the growth of phytoplankton.

Jour Mar.Biol.Ass.V.K.24.

Hemens and Mason P.L.1968

Sewage nutrient removal by shallow algal stream.

Water Research 2, 277-287.

Heukelekian H.and M.L.Littman:1939

Carbon and Nitrogen transformations inthe purification of sewage by activated sludge process II. Morphological and biochemical studies of Zoogloea organisms.

Sewage works J-II.752-763.

Hicks-R-1958:

Interim report on methods of harvesting and possible utiliza--tion of algae. Report to the AUCKl and Metropolitan Drainage Board, New Zealand,March.

Hoover S.R.Jasewicz Z.L.Pepinsky J.B.and Porges N.(1951)

Assimilation of dairy wastes by activated sludge

Sew.Ind.Wastes 23, 167-173.

Hoover S.R.jasewicz Z.L.Porges N.(1952)

Bio-chemical oxidation of dairy wastes.

IV-Endogenous respiration and stability of aerated dairy waste sludge.

Sew.Ind.Wastes 24, 1144-1149

Humenik P.J. and Hanna Jr.G.P.1969

Development of a symbiotic algal-bacterium system for nutrient removal from waste water. Presented at the 24th Annual Purdue Industrial Waste Conference May6-8,purdue University, Lafayate.

Ingram M and Shewan J.M.1960.

Introductory reflaxion on the prendomonas -Achromobacter group.

Jour of Appl.Bact.23,373-380

Jaswicz L and N.Porges:1956

Biochemical oxidation of dairy wastes. VI Isolation and study of sludge microorganisms. Sewage Ind.wastes, 28, 1130-1146.

Jewell W.J.and McCarty P.L.1968

Aerobic decomposition of algae and nutrient regeneration. Technical Report No.91 Department of Civil Engg.Standard University.

Juday C,Birge E.A. and Melocke M.V.1935.

The carbon dioxide and hydrogen ion content of the lake waters of North-Eastern Wisconsin. Trans.Wis.Acad.Sur, Arts and Litt.29, 1-82.

Kamm W.1917

Illinoise University Bulletin (State water survey,Vol.15) cited by vangils, 1964.

Kuntz R.R.and Forney C.(Jr.)(1959)

Metabolic energy balances in a total oxidation of activated sludge system.

Sewage and wastes 31 (7) 319-826

Luckey J.B.and Smith D.B. 1956:

Factors influencing developing of biological flocs. In "Biological treatment of sewage and Industrial wastes." Vol. I, P-108-115,Ed-J-McCabe and W.W.Eckenfeder Jr - Reinhold.

Lederberg and Lederberg E, 1952

Replica plating and indirect selection of bacterial mutants. J. Bact.63, 399-406.

Lowry O.H;N.J.Rosenborough, A.L.Farr,and R.J.Rendall 1951:

Protein measurement with the folin-phenol reagent. J.Biol.Chem.193,265-271.

Ludwig H.F.Oswald W.J.Gotaas H.B, and V.Lynch, 1951

Algal symbiosis in oxidation ponds. I-growth characteristics of Euglena gracilis, cultured in sewage. Sewage ind.wastes 23, 1337-1355.

Manual of Microbiological Methods, Society of American Bacter--iologists 1957.

Maucha R.1929:

Zur Frage der akuelle Reaktion als Millien factor der Gewasser. Verh.Internat.Ver.Lmnol.u 435-450.

Mc-Garry M.G.1967

The production of food from domestic sewages, Publ.Hlth.Engg. (Kerala) 12, 9-15.

Mc-Garry M.G. and Tangkasame C. 1971

Water Reclamation and Algae Harvesting Jour-Wat.Poll.Contr. Fed.43, 824-835.

Mc-Gauhay-P.H.1960:

Reclamation of water from industrial wastes. Proc.2nd symp.on the treatment of wastes. Ed.PCG Issac.429-442.

Mc-Griff E.C.1970:

Nutrient removal by activated algae Ph.D.thesis Univ.of Kansas.

Mc-Griff E.C.and Mckinney R.E.1971

Activated algae" A nutrient removal process water and sewage Works -118(11)377-379.

Mc-Kinney R.E.1962

Microbiology for sanitary Engineers, Mc-Graw Hill Book Co;

Mc-Kinney R.E.and M.P.Horwood 1952

Fundamental approach to the activated sludge process IIIA, proposed theory of floc formation sewage Ind.wastes 24, 117-123.

Mc-Kinney R.E.and R.C.Weichlein ;1953

Isolation of floc producing bacteria of activated sludge. App.Microbiol. 1.259-261.

Mc-Kinney R.E. and Pfeffer J.T.1965

Effect of Biological waste Treatment on water quality, Am.J. Publ.Hlth.55, 772-782.

Mc-Kinney R.E.and Waheb V.N: 1968 Activated Algae" In phosphorus removal workshop, 2nd aession, chicago, June 27.

Mc-Whorter T.R. and Heukelekian H.(1964)

Growth and eddogenous phases in the oxidation of glucose, In advances in water pollution Research Proc.Internat. Conf.held in London. Sept.419-435.

Myers J.1955

Algal growth Process and Production. In Trans conf.on the use of solarenergy, The scientific basis. Tucson, Arizona, Vol.4, chapter IX, Pages 1-11.

Myers J.1962:

Laboratory cultures Page 609.

In physiology and biochemistry of algae. Edited by lewin academic press, London 929 pages.

Myers J.1964.

Use of algae for support of the human in space in life sciences and space research II edited by M.Florkin and A Dollfus, pp 323-36, North Holland,publishing Co.Amsterdam.

Neel J.K.J.H.Dermott and C.A.Monday (Jr.)1961

Experimental lagooning of rawsewage at Payelle,Missouri, J.Water-Poll.Cont.Fed.33,603-641.

Neresheimer N and Ruttner F 1929, cited by Juday et al 1935.

Oswald W.J.1960

"Fundamental factors in stabilization pond design". In conference on Biological waste treatment, Mandattan College. No.44,357-394.

Oswald W.J.1962

The coming Industry of controlled photosynthesis. Am.J. Publ.Hlth.52,235-242.

Oswald W.J.1963

Light conversion efficiency of algae growing in sewage Trans. ASCE, 128, Part III, 47-48.

Oswald W.J;H.B.Gotaas,H.F.Ludwig and V.Lynch:1953(a)

Algae symbiosis in oxidation ponds. II growth characteristics of chlorella,pyrenoidosa cultured in sewage. Sewage ind. wastes 25, 26-37.

Oswald W.J.H.B.Gotaas,H.F.Ludwig, and V.Lynch; 1953 (b).

Algae symbiosis in oxidation ponds III. Photosynthetic oxygenation. Sew.Ind.wastes, 25, 692-705.

Oswald W.J.and Gotaas H.B.1957
Photosynthesis in sewage treatment.
Trans.ASCE,122,73-105.

Oswald W.J.Hee R.J.Gotaas H.B.and Golucke C.G.1958:
Studies of photosynthesis oxygenation,Pilot plant experiments I,II,III. Progress Report No.8 San, Engg.Res.Lab.I.E. R.Series 44,Issue, 9, 192 pages January.

Oswald et al 1959 a,b.
Oswald W.J.Golueke C.G.and Gee H.K.Waste reclamation through production of algae. San.Engg.Res.Lab.college of Engg. and Public Health contribution No.22, water resources centre. University of California,August.

Oswald W.J; Golueke C.G. and Gotaas H.B.1959 b.
Studies on algal culture in a field scale oxidation pond. University California series 44-10.

Oswald W.J.and Golueke C.G.1960
Biological transformations of solar energy. In advances in Applied Microbiology, Academic press, Inc.New York 2, 223-261.

Oswald W.J.Golueke C.G, and Gee H.K.1961.
Increasing high-rate pond loading by phase isolation. Second Annual progress Report, San Engg.Res.Lab.University -California, February.

Oswald W.J.Croorby D.G.and Golueke C.G.1964
Removal of pesticides and algal growth potential from San. Joaguin Valley drainage water (A feasibility study) California Department of Water resources.

Oswald W.J.andGolueke C.G.1968
Harvesting and processing of waste grown micro-algae. In Algas-Man and the environment Ed-Jackson D.F; Proc.Symp. June 18-30, 1967 P-371-389.

PAAP (1969)
Provisional Algal Assay Procedure goot turk force, Eutropli--cation, February, 62 pages.

Porges N.1960:

Newer aspects of waste treatment.
In advances in Microbiology 2, 1-30.

Prakasam T.B.S.1966
Enumeration, characterisation and adaptation of aerobic heterotrophic bacterial populations of activated sludges.
Ph.D.thesis, corne university, Ithaca, N.Y.

< Rupert

Russel J.J.1944
Cited from practical physiological chemistry by P.B.Hawk, B.L.Oser and W.H.Summerson, 13th edition, 1954, p.565
Mc-Graw-Hill Book co; Inc;N.Y.

Russel R.and Bartow E.1916
Bacteriological study of sewage purification by aeration cited by Van Gils 1964.

Sawyer C.N.1952
Some newer aspects of phosphates in relation to lake fertilizers. Sew.Ind.wastes 24 (6) 768-776.

Sawyer C.N.1956

Bacterial nutrition and synthesis. In "Biol.Treat.of sewage and indstr.wastes.1,3-17, Remholdm N.Y.

Schulow: 1929

Schuler J.F.Diller V.N. and Kersley H.R.1953

Preferential assimilation of ammonium ion by Ohlorella vulgaris. Plant physiol. 22, 290-303.

Harry W.Seely and Paul J.Vandemark (1970)
Microbes in Action
A laboratory Manual of Microbiology.

Skerman V.B.D.
"A guide to the identification of the genera of bacteria".
Second edition 1967 pp- 246.

Soong P.1961

Mass culture ofalgae in Taiwan presented at the tenth pacific science congress, Honolulu, Hawaii.

Standard Method 1971

For the examination of water and waste water by APHA,AWWA, and WPCE, New York, 13th Ed, 874 pages.

Stumm W.1968

"Waste treatment and productivity" In Symp. on "Chemical aspects of water treatment and distribution held 11-13-April at V.J.T.I.Bombay, India.

Suwannakaran V and Gloyna E.F.1963 Temperature effects on waste stabilization pond treatment. In Proc.symposium on waste treatment by oxidation pond, CPHERI, Nagpur, October 29-30

Symons J.M. and Mckinney R.E.(1958)

The bio-chemistry of nitrogen in the synthesis of activated sludge.

Sewage Industrial wastes 30 874 -890

Tamiya A: 1957

Large scale production of algae for food, feed and agricul--ture. Am.Rev.Plant physi 01,8,309-329.

Van Gils: 1964

Bacteriology of activated sludge. Doctorate thesis IGTNO. Report No.32, Research Institute for Public Health Engineering. The Hague.Holland.

Van R.Marais: 1963

A rational theory for the design of sewage stabilization ponds in tropical and subtropical areas. In symposium on Hygiene and sanitation in relation to Housing CCTA/W.H.O. Niamay,1961. London, Commission for Technical Co-operation in Africa south of Sahara (Publication 84)

Wachs A.M.I.M.Rebhun, I.A.Meron, Y.Kott and J.B.Sless:1961
Study of sewage stabilization pond in Israel 1. Oxidation ponds at Hersha,Harfa,Technion Sanitary Engg.Laboratories 25 pages.

Washington D.R.and Symons M.(1962)
Volatile sludge accumulation in activated sludge system Jour.Wat.Poll.Contr.fed.34 767-780

Washington D.R.and Hettling L.J.(1965)
Volatile sludge accumulation in activated sludge plants Jour Wat.Poll Contr.fedr.37 499-507

Wassink, E.C.Kok.K; Van Corschot,
J.L.P.1953
The efficiency of light-energy conversion in chlorella culture as compared with higher plants. In J.S.Buñews Algae culture from laboratory to Pilot Plant. Careige Institution, washington publication No.600

Weston R.F.and Eckenfelda W.W.(1956)
Sew.ind.wastes 27 802

Winogradsky H.1937
Contribution'a e ' etude de la microflore nitrifi catrice des bones activees de paris-cited by Dr.H.W. VanGils:1964:

****
****
****
***
*

ADDITIONAL REFERENCES:

Bogan H.H.O.E.Alberton and J.C.Pluntse 1960

Use of algae in removing phosphorus from sewage
J.San.Engr.Div.Proc.ASCE 86. S.A.5, 1-20

British Bacteriological examination (1956)

Reports of public health and medical subjects No.71

HM 30. London 51 pages.

Bush A.F. J.D.Ishwerhood and S.Rodgi 1961.

Dissoved solids removal by algae.

J.San.Engr.Div.Proc.ASCE, 87, S.A.S.39-57

Butterfield C.T.1935

Studies of sewage purification A 300gloea forming bacterium

isolated from activated sludge.

Publ. Health Rep.50, 671-864.

Buswell A.M. and Long H.L.1923

Microbiology and theory of activated sludge.

Jr.Am.Wat.Wks.Ass 10: 309- 321.

Butterfield C.T.and E.Wattie 1941

Studies of sewage purification XV. effective bacteria in

purification by trickling filters.

Sewage works J. 13 629-658.

Palmer C.M. 1956

Photosynthesis in the Algae.

Discussion Ind.and Engg.Chem.48,1456,1457.

Parker C.D.1962

Microbial aspects of lagoon treatment

Philip B.Hawk, Bernard L.Osen and William H.Summerson.

Practical physiological chem. 13th ed. pp. 923

Ruttner 1929 page 5.50

Schutov E.A.1926

Die Assimilation der wasserpflanzen and die aktuelle reaction

des Mileu plant Art. Wis.Bot 2: 132- 151 cited by Juday et al

1935.